Steel DIN Rail (One-Meter Length)

Features

35mm wide

 7.5 mm-high rails primarily used to mount terminal blocks, relays, timers and small PLCs such as the BRX, CLICK, DirectLogic and Productivity series. 15mm-high rails for mounting larger and heavier components such as contactors and larger PLCs

15mm wide

• <u>DN-R15S1</u> exclusively for mounting mini terminal blocks such as the <u>DN-M10-A</u>




Steel DIN Rails Specifications									
	Part Number	Qty	Price	Part Number	Qty	Price	Part Number	Qty	Price
DIN Rail	<u>DN-R35S1</u>	10	\$39.00	<u>DN-R35HS1</u>	10	\$68.00	<u>DN-R15S1</u>	10	\$36.00
DIN Rall	DN-R35S1-2	2	\$11.00	DN-R35HS1-2	2	\$16.50	DN-R15S1-2	2	\$10.00
Description	DIN <i>nector</i> DIN rail, slotted, 35mm width, 7.5mm height, 1.0m (39.37in) length, plated steel. Package of 10.			DIN <i>nector</i> DIN rail, slotted, 35mm width, 15mm height, 1.0m (39.37in) length, plated steel. Package of 10.			DIN <i>nector</i> DIN rail, slotted, 15mm width, 5.5mm height, 1.0m (39.37in) length, plated steel. Package of 10.		
Plating	Zinc-plated and chromated								
International Standards	EN 60715, RoHs								
Suggested Mounting Screw Type	M6			М6			M4		


Dimensions

mm [inches]


DN-R35S1



DN-R35HS1



DN-R15S1



See our website: <u>www.AutomationDirect.com</u> for complete engineering drawings

Aluminum DIN Rail (One-Meter Length)

Features

Features 35mm wide raised

Non-anodized finish

Dimensions

mm [inches]



- Non-anodized finish
- Terminal blocks only
- Maximum mounting screw #10-32 or M5
- Available in 1-meter standard length

Enables users to raise terminal blocks 21/4" above the back panel
Terminal blocks only


Available in 1-meter standard lengthBushing or grommet recommended for


• Quantity per pack: 2 or 10

$\begin{array}{c} 1.0 \\ \hline 1.23 \\ \hline 1$


1000.0 [39.37]

DN-R35SAL1 DN-R35SAL1-2





wire access hole



1000.0 12.5 10.491 45.5 1.791 5.5[0.22] X 12.5[0.49] SLET

Aluminum DIN Rails Specifications (One-Meter Length)								
	Part Number	Qty	Price	Part Number	Qty	Price		
	<u>DN-R35SAL1</u>	10	\$60.00		2	\$38.00		
DIN Rail	DN-R35SAL1-2	2	\$16.00	<u>DN-R35SAL2-2</u>				
Description	DINnector DIN rail, slotted, 35mm width, 10mm height, 1.0m (39.37in) length, aluminum. Package of 10. DINnector DIN rail, slotted, 2in raised 35mm width 7.5mm height, 1.0m (39.37in) length, aluminum. Package of 2.							
International Standards	DIN 50960, RoHs							
Suggested Mounting Screw Type	#10-32 or M5							



See our website: <u>www.AutomationDirect.com</u> for complete engineering drawings

DN-R35SAL2-2

(example Heyco UB-875 not sold by ADC)

Aluminum DIN Rail (Pre-Cut Lengths)

Features

- 35mm wide • Non-anodized finish
- · Terminal blocks only
- Maximum mounting screw #10-32 or M5
- Available in variable lengths (see chart)
- Quantity per pack: 5




\$30.50

Aluminum DIN Rails Specifications (Pre-Cut Lengths)						
Part Number	Length mm [in]	Number of Slots	Price			
<u>DN-R35SAL1-072-5</u>	72 [2.83]	2	\$9.75			
<u>DN-R35SAL1-143-5</u>	143 [5.63]	4	\$12.00			
<u>DN-R35SAL1-215-5</u>	215 [8.46]	6	\$14.00			
<u>DN-R35SAL1-286-5</u>	286 [11.26]	8	\$16.50			
<u>DN-R35SAL1-358-5</u>	358 [14.09]	10	\$19.00			
<u>DN-R35SAL1-429-5</u>	429 [16.89]	12	\$20.50			
<u>DN-R35SAL1-500-5</u>	500 [19.69]	14	\$22.00			
<u>DN-R35SAL1-572-5</u>	572 [22.52]	16	\$24.50			
<u>DN-R35SAL1-644-5</u>	644 [25.35]	18	\$26.00			
<u>DN-R35SAL1-715-5</u>	715 [28.15]	20	\$27.00			
<u>DN-R35SAL1-787-5</u>	787 [30.98]	22	\$28.50			

858 [33.78]

24




DN-R35SAL1-858-5

See our website: www.AutomationDirect.com for complete engineering drawings

Dimensions

mm [inches]



1-800-633-0405



DIN rail support brackets

- Angled support brackets raise and tilt mounting rails 30 degrees from mounting surface for easier wiring
- DN-ASB1 plated steel support bracket
- DN-ASB2-10 cold-rolled steel treated with galvanic zinc plating and passivation

DIN rail mounting clips


- Snap small devices not made for mounting onto 35mm DIN rails
- Zinc-plated steel


DIN Rail Support Brackets and Mounting Clips					
Part Number	art Number Description		Price		
<u>DN-ASB1</u>	30° angled DIN rail support bracket (M6-1.0 screws not included)	50	\$107.00		
<u>DN-ASB2-10</u>	30° angled DIN rail support bracket (M6-1.0 screws included)	10	\$18.00		
<u>DN-SSB25-10</u>	1" (25mm) DIN rail support bracket (M6-1.0 screws included)	10	\$24.50		
<u>DN-SSB50-10</u>	2" (50mm) DIN rail support bracket (M6-1.0 screws included)	10	\$25.50		
<u>DN-SSB70-10</u>	2.75" (70mm) DIN rail support bracket (M6-1.0 screws included)	10	\$32.00		
<u>DN-SSB90-10</u>	3.5" (90mm) DIN rail support bracket (M6-1.0 screws included)	10	\$34.50		
DN-CLIP-FM4	DIN rail mounting clip with M4 x 0.7 mm threaded hole	40	\$66.00		
DN-CLIP-FM4-5	(Screws not included)	5	\$9.50		
DN-CLIP-FM5	DIN rail mounting clip with M5 x 0.8 mm threaded hole	40	\$66.00		
DN-CLIP-FM5-5	(Screws not included)	5	\$9.50		




Dimensions

mm [inches]





DIN Rail Support Brackets					
Part Number	DIM A mm [inches]	DIM B mm [inches]			
<u>DN-SSB25-10</u>	15.0 [0.59]	25.0 [0.98]			
<u>DN-SSB50-10</u>	40.0 [1.58]	50.0 [1.97]			
<u>DN-SSB70-10</u>	60.0 [2.36]	70.0 [2.76]			
<u>DN-SSB90-10</u>	80.0 [3.15]	90.0 [3.54]			



See our website: <u>www.AutomationDirect.com</u> for complete engineering drawings

6.7[0.27]

SLOT

[0,27]