

# NEMA 1 Lay-In Wireway With Knockouts CW Series



## Applications

The CW series metal wireway is designed for indoor use to protect personnel against incidental contact and ingress of solid foreign objects (falling dirt). The CW series screw on cover allows for access to wiring, splices, taps and distribution blocks. Wireway sections can be ordered with or without knockouts.

## Finish

Sections and fittings are finished in ANSI 61 gray.

## Listings

- UL 870 Type 1 [File E186830]
- cUL Type 1 CSA-
- Complies with
  - IEC 60529
  - IP20



## Construction

- Formed 16 or 14 gauge steel
- Flat covers have keyhole screw slots
- Available with knockouts
- Unobstructed interior speeds up laying of cables
- Optional hanger brackets allow for vertical or horizontal mounting
- Joiners sold separately



**CWSC412**

NEMA 1 Lay-In Wireway With Knockouts			
Part Number	Price	Overall Size HxWxD	Drawing Link
<a href="#">CWSC212</a>	\$19.00	2.5 x 2.5 x 12 [64 x 64 x 305]	<a href="#">PDF</a>
<a href="#">CWSC224</a>	\$25.00	2.5 x 2.5 x 24 [64 x 64 x 610]	<a href="#">PDF</a>
<a href="#">CWSC236</a>	\$35.00	2.5 x 2.5 x 36 [64 x 64 x 914]	<a href="#">PDF</a>
<a href="#">CWSC248</a>	\$45.00	2.5 x 2.5 x 48 [64 x 64 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC260</a>	\$54.00	2.5 x 2.5 x 60 [64 x 64 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC2120</a>	\$106.00	2.5 x 2.5 x 120 [64 x 64 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC412</a>	\$18.50	4 x 4 x 12 [102 x 102 x 305]	<a href="#">PDF</a>
<a href="#">CWSC424</a>	\$24.00	4 x 4 x 24 [102 x 102 x 610]	<a href="#">PDF</a>
<a href="#">CWSC436</a>	\$35.50	4 x 4 x 36 [102 x 102 x 914]	<a href="#">PDF</a>
<a href="#">CWSC448</a>	\$47.50	4 x 4 x 48 [102 x 102 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC460</a>	\$55.00	4 x 4 x 60 [102 x 102 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC472</a>	\$76.00	4 x 4 x 72 [102 x 102 x 1829]	<a href="#">PDF</a>
<a href="#">CWSC4120</a>	\$108.00	4 x 4 x 120 [102 x 102 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC612</a>	\$33.00	6 x 6 x 12 [152 x 152 x 305]	<a href="#">PDF</a>
<a href="#">CWSC624</a>	\$48.50	6 x 6 x 24 [152 x 152 x 610]	<a href="#">PDF</a>
<a href="#">CWSC636</a>	\$53.00	6 x 6 x 36 [152 x 152 x 914]	<a href="#">PDF</a>
<a href="#">CWSC648</a>	\$72.00	6 x 6 x 48 [152 x 152 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC660</a>	\$85.00	6 x 6 x 60 [152 x 152 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC672</a>	\$112.00	6 x 6 x 72 [152 x 152 x 1829]	<a href="#">PDF</a>
<a href="#">CWSC6120</a>	\$185.00	6 x 6 x 120 [152 x 152 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC812</a>	\$59.00	8 x 8 x 12 [203 x 203 x 305]	<a href="#">PDF</a>
<a href="#">CWSC824</a>	\$80.00	8 x 8 x 24 [203 x 203 x 610]	<a href="#">PDF</a>
<a href="#">CWSC836</a>	\$119.00	8 x 8 x 36 [203 x 203 x 914]	<a href="#">PDF</a>
<a href="#">CWSC848</a>	\$137.00	8 x 8 x 48in [203 x 203 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC860</a>	\$157.00	8 x 8 x 60 [203 x 203 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC8120</a>	\$339.00	8 x 8 x 120 [203 x 203 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC1212</a>	\$84.00	12 x 12 x 12 [305 x 305 x 305]	<a href="#">PDF</a>
<a href="#">CWSC1224</a>	\$146.00	12 x 12 x 24 [305 x 305 x 610]	<a href="#">PDF</a>
<a href="#">CWSC1236</a>	\$194.00	12 x 12 x 36 [305 x 305 x 914]	<a href="#">PDF</a>
<a href="#">CWSC1248</a>	\$243.00	12 x 12 x 48 [305 x 305 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC1260</a>	\$270.00	12 x 12 x 60 [305 x 305 x 1524]	<a href="#">PDF</a>
Note: Dimensions in inches [millimeters].			

# NEMA 1 Lay-In Wireway Without Knockouts CW Series



## Applications

The CW series metal wireway is designed for indoor use to protect personnel against incidental contact and ingress of solid foreign objects (falling dirt). The CW series screw on cover allows for access to wiring, splices, taps and distribution blocks. Wireway sections can be ordered with or without knockouts.

## Finish

Sections and fittings are finished in ANSI 61 gray.

## Listings

- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]
- Complies with
  - IEC 60529
  - IP20



## Construction

- Formed 16 or 14 gauge steel
- Flat covers have keyhole screw slots
- Available without knockouts
- Unobstructed interior speeds up laying of cables
- Optional hanger brackets allow for vertical or horizontal mounting
- Joiners sold separately



**CWSC412NK**

NEMA 1 Lay-In Wireway Without Knockouts			
Part Number	Price	Overall Size HxWxD	Drawing Link
<a href="#">CWSC212NK</a>	\$19.00	2.5 x 2.5 x 12 [64 x 64 x 305]	<a href="#">PDF</a>
<a href="#">CWSC224NK</a>	\$25.00	2.5 x 2.5 x 24 [64 x 64 x 610]	<a href="#">PDF</a>
<a href="#">CWSC236NK</a>	\$35.00	2.5 x 2.5 x 36 [64 x 64 x 914]	<a href="#">PDF</a>
<a href="#">CWSC248NK</a>	\$45.00	2.5 x 2.5 x 48 [64 x 64 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC260NK</a>	\$54.00	2.5 x 2.5 x 60 [64 x 64 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC2120NK</a>	\$106.00	2.5 x 2.5 x 120 [64 x 64 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC412NK</a>	\$18.50	4 x 4 x 12 [102 x 102 x 305]	<a href="#">PDF</a>
<a href="#">CWSC418NK</a>	\$22.00	4 x 4 x 18 [102 x 102 x 457]	<a href="#">PDF</a>
<a href="#">CWSC424NK</a>	\$24.00	4 x 4 x 24 [102 x 102 x 610]	<a href="#">PDF</a>
<a href="#">CWSC436NK</a>	\$35.50	4 x 4 x 36 [102 x 102 x 914]	<a href="#">PDF</a>
<a href="#">CWSC448NK</a>	\$47.50	4 x 4 x 48 [102 x 102 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC460NK</a>	\$55.00	4 x 4 x 60 [102 x 102 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC472NK</a>	\$76.00	4 x 4 x 72 [102 x 102 x 1829]	<a href="#">PDF</a>
<a href="#">CWSC4120NK</a>	\$108.00	4 x 4 x 120 [102 x 102 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC612NK</a>	\$33.00	6 x 6 x 12 [152 x 152 x 305]	<a href="#">PDF</a>
<a href="#">CWSC618NK</a>	\$37.00	6 x 6 x 18 [152 x 152 x 457]	<a href="#">PDF</a>
<a href="#">CWSC624NK</a>	\$48.50	6 x 6 x 24 [152 x 152 x 610]	<a href="#">PDF</a>
<a href="#">CWSC636NK</a>	\$53.00	6 x 6 x 36 [152 x 152 x 914]	<a href="#">PDF</a>
<a href="#">CWSC648NK</a>	\$72.00	6 x 6 x 48 [152 x 152 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC660NK</a>	\$85.00	6 x 6 x 60 [152 x 152 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC672NK</a>	\$112.00	6 x 6 x 72 [152 x 152 x 1829]	<a href="#">PDF</a>
<a href="#">CWSC6120NK</a>	\$185.00	6 x 6 x 120 [152 x 152 x 3048]	<a href="#">PDF</a>

Note: Dimensions in inches [millimeters].

NEMA 1 Lay-In Wireway Without Knockouts			
Part Number	Price	Overall Size HxWxD	Drawing Link
<a href="#">CWSC812NK</a>	\$59.00	8 x 8 x 12 [203 x 203 x 305]	<a href="#">PDF</a>
<a href="#">CWSC818NK</a>	\$68.00	8 x 8 x 18 [203 x 203 x 457]	<a href="#">PDF</a>
<a href="#">CWSC824NK</a>	\$80.00	8 x 8 x 24 [203 x 203 x 610]	<a href="#">PDF</a>
<a href="#">CWSC836NK</a>	\$119.00	8 x 8 x 36 [203 x 203 x 914]	<a href="#">PDF</a>
<a href="#">CWSC848NK</a>	\$137.00	8 x 8 x 48 [203 x 203 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC860NK</a>	\$157.00	8 x 8 x 60 [203 x 203 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC872NK</a>	\$212.00	8 x 8 x 72 [203 x 203 x 1829]	<a href="#">PDF</a>
<a href="#">CWSC8120NK</a>	\$339.00	8 x 8 x 120 [203 x 203 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC1012NK</a>	\$75.00	10 x 10 x 12 [254 x 254 x 305]	<a href="#">PDF</a>
<a href="#">CWSC1024NK</a>	\$133.00	10 x 10 x 24 [254 x 254 x 610]	<a href="#">PDF</a>
<a href="#">CWSC1036NK</a>	\$166.00	10 x 10 x 36 [254 x 254 x 914]	<a href="#">PDF</a>
<a href="#">CWSC1048NK</a>	\$200.00	10 x 10 x 48 [254 x 254 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC1060NK</a>	\$233.00	10 x 10 x 60 [254 x 254 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC1072NK</a>	\$331.00	10 x 10 x 72 [254 x 254 x 1829]	<a href="#">PDF</a>
<a href="#">CWSC1096NK</a>	\$418.00	10 x 10 x 96 [254 x 254 x 2438]	<a href="#">PDF</a>
<a href="#">CWSC10120NK</a>	\$480.00	10 x 10 x 120 [254 x 254 x 3048]	<a href="#">PDF</a>
<a href="#">CWSC1212NK</a>	\$84.00	12 x 12 x 12 [305 x 305 x 305]	<a href="#">PDF</a>
<a href="#">CWSC1224NK</a>	\$146.00	12 x 12 x 24 [305 x 305 x 610]	<a href="#">PDF</a>
<a href="#">CWSC1236NK</a>	\$194.00	12 x 12 x 36 [305 x 305 x 914]	<a href="#">PDF</a>
<a href="#">CWSC1248NK</a>	\$243.00	12 x 12 x 48 [305 x 305 x 1219]	<a href="#">PDF</a>
<a href="#">CWSC1260NK</a>	\$270.00	12 x 12 x 60 [305 x 305 x 1524]	<a href="#">PDF</a>
<a href="#">CWSC1272NK</a>	\$385.00	12 x 12 x 72 [305 x 305 x 1829]	<a href="#">PDF</a>
<a href="#">CWSC1296NK</a>	\$486.00	12 x 12 x 96 [305 x 305 x 2438]	<a href="#">PDF</a>
<a href="#">CWSC12120NK</a>	\$563.00	12 x 12 x 120 [305 x 305 x 3048]	<a href="#">PDF</a>

Note: Dimensions in inches [millimeters].

# NEMA 1 Lay-In Wireway Fittings CW Series



## Box Connector Fitting Overview

Hammond wireway box connector fittings provide a means of securing CW series fittings and wireways to an electrical box.

Box Connector Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWAD2</a>	\$13.00	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWAD4</a>	\$13.00	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWAD6</a>	\$19.50	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWAD8</a>	\$27.00	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWAD10</a>	\$46.50	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWAD12</a>	\$59.00	12 x 12 [305 x 305]	<a href="#">PDF</a>
Notes: Dimensions in inches [millimeters].			

## Features

- Includes joining hardware, nuts, and bolts
- IP20
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



**CWAD2**

## Partition Fitting Overview

Hammond wireway partition fittings organize and separate cables within the CW series wireway. They are used to create partitions within the wireway channel, allowing for the separation of different types of wiring or cables, which can help reduce electromagnetic interference and make maintenance easier.

Partition Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWBA260</a>	\$36.00	2.5 x 2.5 x 60 [64 x 64 x 1524]	<a href="#">PDF</a>
<a href="#">CWBA460</a>	\$50.00	4 x 4 x 60 [102 x 102 x 1524]	<a href="#">PDF</a>
<a href="#">CWBA660</a>	\$61.00	6 x 6 x 60 [152 x 152 x 1524]	<a href="#">PDF</a>
<a href="#">CWBA860</a>	\$82.00	8 x 8 x 60 [203 x 203 x 1524]	<a href="#">PDF</a>
Notes: Dimensions in inches [millimeters].			

## Features

- Includes joining hardware, nuts, and bolts
- Made of Carbon Steel painted ANSI 61 Gray
- Barriers are fastened to wireway sections with screws



**CWBA260**

## Cross Fitting Overview

Hammond wireway cross fittings are used to create a four-way intersection. These fittings allow wireways to branch out in four different directions, facilitating complex routing configurations in electrical wiring systems.

Cross Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWCF2</a>	\$52.00	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWCF4</a>	\$55.00	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWCF6</a>	\$70.00	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWCF8</a>	\$123.00	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWCF10</a>	\$175.00	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWCF12</a>	\$195.00	12 x 12 [305 x 305]	<a href="#">PDF</a>
Notes: Dimensions in inches [millimeters].			

## Features

- Joining hardware not included
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



**CWBA260CWCF2**

# NEMA 1 Lay-In Wireway Fittings CW Series



## Closing Plate Fitting Overview

Hammond wireway closing plates are used to seal the open end of a wireway system. These fittings are essential for ensuring the protection and integrity of the wireway, preventing dust, debris, and other contaminants from entering the system and potentially damaging the enclosed electrical wires and cables.

Closing Plate Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWCP2</a>	\$4.25	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWCP2NK</a>	\$4.25	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWCP4</a>	\$4.50	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWCP4NK</a>	\$4.50	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWCP6</a>	\$7.00	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWCP6NK</a>	\$7.00	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWCP8</a>	\$9.50	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWCP8NK</a>	\$9.50	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWCP10</a>	\$17.00	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWCP10NK</a>	\$17.00	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWCP12</a>	\$20.00	12 x 12 [305 x 305]	<a href="#">PDF</a>
<a href="#">CWCP12NK</a>	\$20.00	12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

## Elbow Fitting Overview

Hammond wireway elbow fittings facilitate directional changes in the pathway of the wireway. Elbow fittings are designed to make 22.5, 45, and 90-degree bends, allowing the wireway to navigate around corners or obstacles.

Elbow Fitting CW Series				
Part Number	Price	Type	Size HxW	Drawing Link
<a href="#">CWEL222</a>	\$38.00	22.5°	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWEL245</a>	\$34.50	45°	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWEL290</a>	\$35.50	90°	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWEL422</a>	\$40.00	22.5°	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWEL445</a>	\$38.50	45°	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWEL490</a>	\$39.00	90°	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWEL622</a>	\$46.00	22.5°	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWEL645</a>	\$46.50	45°	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWEL690</a>	\$46.00	90°	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWEL822</a>	\$78.00	22.5°	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWEL845</a>	\$75.00	45°	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWEL890</a>	\$78.00	90°	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWEL1045</a>	\$116.00	45°	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWEL1090</a>	\$116.00	90°	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWEL1245</a>	\$139.00	45°	12 x 12 [305 x 305]	<a href="#">PDF</a>
<a href="#">CWEL1290</a>	\$139.00	90°	12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

## Features

- Includes joining hardware, nuts, and bolts
- IP20
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWCP4](#)



[CWCP4NK](#)

## Features

- Includes screw cover for interior access
- Joining hardware not included
- IP20
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWEL222](#)



[CWEL290](#)



[CWEL245](#)

# NEMA 1 Lay-In Wireway Fittings CW Series



## Wireway Hanger Overview

Hammond wireway hangers are used to secure wireway to stable structures. Ceiling hangers suspend wireways from overhead horizontal structures, while wall hanger mounts are used to secure vertical structures. The hangers mount between two wireway sections or wireway and an adjacent fitting.

Wireway Hanger CW Series				
Part Number	Price	Type	Size HxW	Drawing Link
<a href="#">CWHD2</a>	\$12.00	Ceiling	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWHD4</a>	\$13.50		4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWHD6</a>	\$22.50		6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWHD8</a>	\$30.00		8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWHD10</a>	\$43.50		10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWHD12</a>	\$61.00		12 x 12 [305 x 305]	<a href="#">PDF</a>
<a href="#">CWHW2</a>	\$9.00	Wall	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWHW4</a>	\$12.50		4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWHW6</a>	\$22.00		6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWHW8</a>	\$30.50		8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWHW10</a>	\$41.50		10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWHW12</a>	\$52.00		12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

## Tee Fitting Overview

Hammond wireway tee fittings are used to create a three-way intersection, forming a T-shaped junction. These fittings allow a wireway to branch out in three different directions, providing flexibility in the routing and organization of electrical cables.

Tee Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWTF2</a>	\$45.00	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWTF4</a>	\$49.00	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWTF6</a>	\$57.00	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWTF8</a>	\$98.00	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWTF10</a>	\$158.00	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWTF12</a>	\$197.00	12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

## Telescope Fitting Overview

Hammond wireway telescope fittings allow for adjustable length connections between wireway sections. These fittings enable the wireway to extend or contract, providing flexibility in installation and accommodating variations in distance between sections.

Telescope Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWTL2</a>	\$55.00	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWTL4</a>	\$121.00	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWTL6</a>	\$151.00	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWTL8</a>	\$181.00	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWTL10</a>	\$245.00	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWTL12</a>	\$304.00	12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

[www.automationdirect.com](http://www.automationdirect.com)

## Features

- Includes joining hardware, nuts, and bolts
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWHD2](#)

[CWHW2](#)

## Features

- Includes screw cover for interior access
- Joining hardware not included
- IP20
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWTF2](#)

## Features

- Expands 16in to 27in
- Includes joining hardware, nuts, and bolts
- IP20
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWTL2](#)

Enclosure Accessories

tENH-9



# NEMA 1 Lay-In Wireway Fittings CW Series



## Wireway Hanger Overview

Hammond wireway hangers are used to secure wireway to stable structures. Ceiling hangers suspend wireways from overhead horizontal structures, while wall hanger mounts are used to secure vertical structures. The hangers mount between two wireway sections or wireway and an adjacent fitting.

Wireway Hanger CW Series				
Part Number	Price	Type	Size HxW	Drawing Link
<a href="#">CWHD2</a>	\$12.00	Ceiling	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWHD4</a>	\$13.50		4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWHD6</a>	\$22.50		6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWHD8</a>	\$30.00		8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWHD10</a>	\$43.50		10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWHD12</a>	\$61.00		12 x 12 [305 x 305]	<a href="#">PDF</a>
<a href="#">CWHW2</a>	\$9.00	Wall	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWHW4</a>	\$12.50		4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWHW6</a>	\$22.00		6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWHW8</a>	\$30.50		8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWHW10</a>	\$41.50		10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWHW12</a>	\$52.00		12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

## Tee Fitting Overview

Hammond wireway tee fittings are used to create a three-way intersection, forming a T-shaped junction. These fittings allow a wireway to branch out in three different directions, providing flexibility in the routing and organization of electrical cables.

Tee Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWTF2</a>	\$45.00	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWTF4</a>	\$49.00	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWTF6</a>	\$57.00	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWTF8</a>	\$98.00	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWTF10</a>	\$158.00	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWTF12</a>	\$197.00	12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

## Telescope Fitting Overview

Hammond wireway telescope fittings allow for adjustable length connections between wireway sections. These fittings enable the wireway to extend or contract, providing flexibility in installation and accommodating variations in distance between sections.

Telescope Fitting CW Series			
Part Number	Price	Size HxW	Drawing Link
<a href="#">CWTL2</a>	\$55.00	2.5 x 2.5 [64 x 64]	<a href="#">PDF</a>
<a href="#">CWTL4</a>	\$121.00	4 x 4 [102 x 102]	<a href="#">PDF</a>
<a href="#">CWTL6</a>	\$151.00	6 x 6 [152 x 152]	<a href="#">PDF</a>
<a href="#">CWTL8</a>	\$181.00	8 x 8 [203 x 203]	<a href="#">PDF</a>
<a href="#">CWTL10</a>	\$245.00	10 x 10 [254 x 254]	<a href="#">PDF</a>
<a href="#">CWTL12</a>	\$304.00	12 x 12 [305 x 305]	<a href="#">PDF</a>

Notes: Dimensions in inches [millimeters].

[www.automationdirect.com](http://www.automationdirect.com)

## Features

- Includes joining hardware, nuts, and bolts
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWHD2](#)

[CWHW2](#)

## Features

- Includes screw cover for interior access
- Joining hardware not included
- IP20
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWTF2](#)

## Features

- Expands 16in to 27in
- Includes joining hardware, nuts, and bolts
- IP20
- Made of Carbon Steel painted ANSI 61 Gray
- UL-870 Type 1 [File E186830]
- cUL Type 1 - CSA-C22.2 No. 26 [File E186830]



[CWTL2](#)

Enclosure Accessories

tENH-9