

Insulated Screwdrivers

Wiha Insulated SoftFinish® Cushion Grip screwdrivers consist of Wiha engineered premium quality tool steel for strength and durability, have black oxide finish for corrosion protection, and feature exact fit precision machined tips for reduced cam-out. All Wiha insulated screwdrivers are VDE Certified and meet EN/IEC 60900 testing standards for protection against arc flash explosion, ASTM F1505 standard specifications for insulated and insulating hand tools, NFPA-70E standards for electrical safety on the jobsite, and CSA testing benchmarks for safety and performance. SoftFinish® driver handles feature an 8-edged large-diameter comfort grip for maximum gripping area, giving the user powerful torque and less fatigue.

Features

- Ergonomic cushion grip handle for comfort and control
- Dual durometer construction for long-lasting durability
- · Handle directly molded to the blade for permanent bond
- Handle size proportionate to blade for consistent mechanical advantage
- · Parallel flats for roll-off prevention
- Tip profile labeled on cap for easy identification
- Wiha premium quality tool steel for strength and durability
- Black oxide finish for corrosion protection
- Exact fit precision machined tip for reduced cam-out
- Individually tested to 10,000 volts AC and rated to 1,000 volts AC for safety and peace of mind



WT32091

	Insulated Screwdrivers											
Part Number	Part Image	Туре	Tip Size	Slotted Tip Thickness	Overall Length	Shaft Length	Shaft Diameter	Reduced Shank	Handle Length	Price		
<u>WT32005</u>	Willia		2.0mm	0.4mm	6.5in (165mm)	2.4in (60mm)	0.20in (5.1mm)		4.1in (104mm) 4.4in (112mm)	\$6.25		
<u>WT32010</u>	Mua		2.5mm	1	7.1in (180mm)	3.0in (75mm)	0.22in (5.6mm)			\$6.25		
<u>WT32012</u>			3.0mm	0.6mm	8.0in		0.27in		(104mm)	\$6.25		
<u>WT32015</u>	and the same of th	Slotted	3.5mm	O.omm	(203mm)	3.9in (100mm)	(6.9mm) 3.9in		\$6.75			
<u>WT32017</u>	plua •		4.0mm	0.8mm	8.3in (211mm)		0.29in (7.3mm)			\$8.00		
<u>WT32024</u>	The same of the sa		4.5mm	1.0mm	9.3in (236mm)	4.9in (125mm)	0.32in (8.1mm)		(112mm)	\$8.25		
<u>WT32039</u>	No.		6.5mm	1.2mm	10.6in (269mm)	5.9in (150mm)	0.38in (9.7mm)		4.7in (119mm)	\$11.25		



Insulated Screwdrivers - Cont'd											
Part Number	Part Image	Туре	Tip Size	Slotted Tip Thickness	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Reduced Shank	Price	
<u>WT32046</u>			3.5mm	0.6mm	8.0in (203mm)		0.14in (3.5mm)	4.1in (104mm)	Yes	\$12.25	
<u>WT32049</u>	Thurs of the same		4mm	0.8mm		3.9in (100mm)	0.16in (4.0mm)	4.4in	165	\$14.00	
WT32023	The same of the sa		4.5		8.3in (211mm)		0.24in (6.1mm)	(112mm)	No	\$7.75	
WT32052			4.5mm				0.18in (4.6mm)	3.4in (86mm)	Yes	\$14.00	
<u>WT32055</u>		Slotted		1.0mm	9.6in	4.9in (125mm)	0.22in (5.6mm)	4.7in	Yes	\$15.00	
<u>WT32031</u>	and the second		5.5mm		(243mm)		(119mm) 0.28in		\$8.50		
<u>WT32026</u>					11.5in (292mm)	6.9in (175mm)	(7.0mm)	4.5in (114mm)	No	\$8.75	
<u>WT32034</u>			6mm	- 1.2mm	10.6in	5.9in	0.30in (7.6mm)	4.7in		\$10.75	
<u>WT32058</u>			6.5mm	1.2111111	(269mm)	(150mm)	0.26in (6.5mm)	(119mm)	Yes	\$18.00	



		Ins	ulated Sci	rewdrive	rs - Con	t'd			
Part Number	Part Image	Туре	Tip Size	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Reduced Shank	Price
<u>WT32100</u>	wille		#0	6.5in (165mm)	2.4in (60mm)	0.25in (6.4mm)	4.1in (104mm)		\$6.75
<u>WT32101</u>	Wilha		44	7.5in (191mm)	3.1in	0.30in (7.6mm)	4.4in (112mm)	No	\$8.00
<u>WT32145</u>	by the same of the		#1	8.0in (203mm)	(80mm)	0.18in (4.6mm)	4.9in (124mm)	Voo	\$14.00
<u>WT32146</u>	The second second	Phillips	#2	8.3in (211mm)	3.9in	0.24in (6.1mm)	4.4in (112mm)	Yes	\$17.00
<u>WT32102</u>	who		#4	8.6in (218mm)	(100mm)	0.35in (8.9mm)	4.7in		\$9.75
<u>WT32103</u>	William		#3	10.6in (269mm)	6.0in (150mm)		(119mm)		\$14.25
<u>WT32505</u>			T5			0.45in (11.4mm)			\$7.00
<u>WT32531</u>	, Jina		T10	- 6.5in	2.4in		4.1in		\$7.00
<u>WT32521</u>	and the second		T8	(165mm)	(60mm)	0.18in	(104mm)		\$6.75
<u>WT32526</u>	1		Т9			(4.6mm)		No	\$6.75
<u>WT32536</u>	White .	○ Torx	T15	7.5in			4.4in		\$8.25
<u>WT32541</u>			T20	(191mm)	3.1in (80mm)	0.24in (6.1mm)	(112mm) 0.24in		\$8.50
<u>WT32546</u>	hua ,		T25	7.8in (198mm)					\$8.50
<u>WT32551</u>			T27	8.6in	3.9in	0.30in	4.7in (119mm)		\$10.50
<u>WT32556</u>			Т30	(218mm)	(100mm)	(7.6mm)			\$10.50



	Insulated Screwdrivers - Cont'd											
Part Number	Part Image	Туре	Tip Size	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Reduced Shank	Price			
<u>WT30746</u>	wing .		#1	7.5in	3.1in	0.18in (4.6mm)	4.4in	Yes	\$15.25			
<u>WT30702</u>	who	Plus-	#1	(191mm)	(80mm)	0.24in (6.1mm)	(112mm)	No	\$8.50			
<u>WT30747</u>	ring .	Plus- minus	#0	8.6in	3.9in (100mm)	0.24in (6.1mm)	4.7in (119mm)	Yes	\$19.00			
WT30704	Will a		#2	(218mm)		0.30in (7.6mm)			\$10.25			
<u>WT35811</u>			#1	8.2in (210mm)		0.22in (5.6mm)	4.3in (109mm) 4.7in (119mm)	No	\$8.50			
<u>WT35812</u>		Square	#2	10.6in (269mm)	5.9in (150mm)	0.25in (6.4mm)			\$10.25			

www.automationdirect.com



Insulated Screwdriver Sets

Wiha Insulated SoftFinish® Cushion Grip screwdrivers consist of Wiha engineered premium quality tool steel for strength and durability, have black oxide finish for corrosion protection, and feature exact fit precision machined tips for reduced cam-out. All Wiha Insulated screwdrivers are VDE Certified and meet EN/IEC 60900 testing standards for protection against arc flash explosion, ASTM F1505 standard specifications for insulated and insulating hand tools, NFPA-70E standards for electrical safety on the jobsite, and CSA testing benchmarks for safety and performance. SoftFinish® driver handles feature an 8-edged large-diameter comfort grip for maximum gripping area, giving the user powerful torque and less fatigue.

Features

- Ergonomic cushion grip handle for comfort and control
- Dual durometer construction for long-lasting durability
- Handle directly molded to the blade for permanent bond
- Handle size proportionate to blade for consistent mechanical advantage
- Parallel flats for roll-off prevention
- Tip profile labeled on cap for easy identification
- Wiha premium quality tool steel for strength and durability
- Black oxide finish for corrosion protection
- Exact fit precision machined tip for reduced cam-out
- Individually tested to 10,000 volts AC and rated to 1,000 volts AC for safety and peace of mind



	Insulated Screwdriver Sets									
Part Number	Number of Pieces	Part Image	Туре	Tip Size	Set Includes	Price				
		99111	♦ Phillips	#1 #2	(5) insulated SoftFinish screwdrivers (Phillips #1, #2,					
<u>WT32091</u>	5		Slotted	3.0mm 4.5mm 6.5mm	slotted 3.0mm, 4.5mm, 6.5mm)	\$42.25				
	32099 7	9991199	Phillips	#1 #2 #3	(7) insulated SoftFinish screwdrivers (Phillips #1, #2,	·				
<u>WT32099</u>			Slotted	3.0mm 4.0mm 5.5mm 6.5mm	#3, slotted 3.0mm, 4.0mm, 5.5mm, 6.5mm)	\$63.25				
			♦ Phillips	#1 #2		\$39.50				
<u>WT32059</u>	5		Slotted	4.5mm 6.5mm	(5) insulated SoftFinish screwdrivers (Phillips: (#1, #2), slotted (4.5mm, 6.5mm), square: (#2))					
			Square	#2						
WT32090	4	9911	♦ Phillips	#1 #2	(4) insulated SoftFinish screwdrivers (slotted: (3.5mm,	\$31.00				
<u>W132090</u>	4	\ //	Slotted	3.5mm 4.5mm	4.5mm), Phillips: (#1 #2))	\$31.00				
W/T22002	6		♦ Phillips	#1 #2 #3	(6) insulated SoftFinish screwdrivers (slotted: (3.5mm,	\$55.00				
<u>WT32092</u>	6		Slotted	3.5mm 4.5mm 6.5mm	4.5mm, 6.5mm), Phillips: (#1, #2, #3))	\$55.00				



Insulated Screwdriver Sets - Cont'd										
Part Number	Number of Pieces	Part Image	Туре	Tip Size	Set Includes	Price				
		291111110	♦ Phillips	#0 #1 #2 #3	(10) insulated SoftFinish screwdrivers (slotted:					
<u>WT32093</u>	10		Slotted	2.0mm 2.5mm 3.0mm 3.5mm 4.5mm 6.5mm	(2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 6.5mm), Phillips: (#0, #1, #2, #3))	\$81.00				
		00000000	♦ Phillips	#0 #1 #2 #3						
<u>WT32094</u>	13		Slotted	2.0mm 2.5mm 3.0mm 3.5mm 4.5mm 5.5mm 6.5mm 8.0mm	(13) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 5.5mm, 6.5mm, 8.0mm, 10.0mm), Phillips: (#0, #1, #2, #3))	\$120.00				
<u>WT32097</u>			♦ Phillips	#1 #2		\$51.00				
	7		Slotted	3.5mm 5.5mm 6.5mm	(7) insulated SoftFinish screwdrivers (slotted: (3.5mm, 5.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2))					
			Square	#1 #2						
			Phillips	#0 #1						
WT32188	7		Slotted	2.0mm 2.5mm 3.0mm 3.5mm 4.0mm	(7) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm), Phillips: (#0, #1)), plastic molded case	\$59.00				
		99999	♦ Phillips	#1 #2 #3		\$200.00				
<u>WT32190</u>	15		Slotted	2.0mm 2.5mm 3.0mm 3.5mm 4.5mm 6.5mm 8.0mm	(10) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 6.5mm, 8.0mm), Phillips: (#1, #2, #3)), (5) insulated SoftFinish nut drivers (1/4in, 5/16in, 3/8in, 7/16in, 1/2in), fold out carry case					
			Internal Hex	1/4in 5/16in 3/8in 7/16in 1/2in						
			♦ Phillips	#1 #2						
WT32196	6		Slotted	4.5mm 6.5mm	(6) insulated SlimLine SoftFinish screwdrivers (slotted: (4.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2))	\$56.00				
			Square	#1 #2						

www.automationdirect.com



	Insulated Screwdriver Sets - Cont'd										
Part Number	Number of Pieces	Part Image	Туре	Tip Size	Insulation Rating	Set Includes	Price				
		- 1 A A	Phillips	#1 #2							
<u>WT32197</u>	8		Slotted	3.5mm 4.0mm 4.5mm 5.5mm		(8) insulated SlimLine SoftFinish screwdrivers (slotted: (3.5mm, 4.0mm, 4.5mm, 5.5mm), Phillips: (#1, #2), square (#1, #2))	\$120.00				
		, ,	Square	#1 #2							
			♦ Phillips	#1 #2							
<u>WT32198</u>	11		Slotted	3.5mm 4.0mm 4.5mm 5.5mm 6.5mm		(11) insulated SlimLine SoftFinish screwdrivers (slotted: (3.5mm, 4.0mm, 4.5mm, 5.5mm 6.5mm), Phillips: (#1, #2), PlusMinus: (#1, #2), square: (#1, #2))	\$102.00				
			Square	#1 #2							
			Plus- minus	#1 #2							
WT32590	6		○ Torx	T8 T9 T10 T15 T20 T25		(6) insulated SoftFinish screwdrivers (torx: (T8, T9, T10, T15, T20, T25))	\$45.00				
			Phillips	#1 #2							
<u>WT35890</u>	6		Slotted	4.5mm 6.5mm		(6) insulated SoftFinish screwdrivers (slotted: (4.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2)	\$54.00				
			Square	#1 #2							

www.automationdirect.com