

wiha Screwdrivers

Tools that work for you









Insulated Screwdrivers

Wiha Insulated SoftFinish® Cushion Grip screwdrivers consist of Wiha engineered premium quality tool steel for strength and durability, have black oxide finish for corrosion protection, and feature exact fit precision machined tips for reduced cam-out. All Wiha insulated screwdrivers are VDE Certified and meet EN/IEC 60900 testing standards for protection against arc flash explosion, ASTM F1505 standard specifications for insulated and insulating hand tools, NFPA-70E standards for electrical safety on the jobsite, and CSA testing benchmarks for safety and performance. SoftFinish® driver handles feature an 8-edged large-diameter comfort grip for maximum gripping area, giving the user powerful torque and less fatigue.

**WT32091**











Features

- Ergonomic cushion grip handle for comfort and control
- Dual durometer construction for long-lasting durability
- Handle directly molded to the blade for permanent bond
- Handle size proportionate to blade for consistent mechanical advantage
- Parallel flats for roll-off prevention
- Tip profile labeled on cap for easy identification
- Wiha premium quality tool steel for strength and durability
- Black oxide finish for corrosion protection
- Exact fit precision machined tip for reduced cam-out
- Individually tested to 10,000 volts AC and rated to 1,000 volts AC for safety and peace of mind

| Insulated Screwdrivers | | | | | | | | | | |
|--------------------------------|---|---|----------|-----------------------|----------------|---------------|----------------|---------------|---------------|---------|
| Part Number | Part Image | Type | Tip Size | Slotted Tip Thickness | Overall Length | Shaft Length | Shaft Diameter | Reduced Shank | Handle Length | Price |
| <u>WT32005</u> |  |  Slotted | 2.0mm | 0.4mm | 6.5in (165mm) | 2.4in (60mm) | 0.20in (5.1mm) | No | 4.1in (104mm) | \$6.25 |
| <u>WT32010</u> |  | | 2.5mm | | 7.1in (180mm) | 3.0in (75mm) | 0.22in (5.6mm) | | | \$6.25 |
| <u>WT32012</u> |  | | 3.0mm | 0.6mm | 8.0in (203mm) | 3.9in (100mm) | 0.27in (6.9mm) | | | \$6.25 |
| <u>WT32015</u> |  | | 3.5mm | | | | | | \$6.75 | |
| <u>WT32017</u> |  | | 4.0mm | 0.8mm | 8.3in (211mm) | 4.9in (125mm) | 0.29in (7.3mm) | | 4.4in (112mm) | \$8.00 |
| <u>WT32024</u> |  | | 4.5mm | 1.0mm | 9.3in (236mm) | | 0.32in (8.1mm) | | | \$8.25 |
| <u>WT32039</u> |  | | 6.5mm | 1.2mm | 10.6in (269mm) | 5.9in (150mm) | 0.38in (9.7mm) | | 4.7in (119mm) | \$11.25 |




























Tools that work for you

| Insulated Screwdrivers - Cont'd | | | | | | | | | | |
|---------------------------------|---|---|----------|-----------------------|----------------|----------------|----------------|---------------|---------------|---------|
| Part Number | Part Image | Type | Tip Size | Slotted Tip Thickness | Overall Length | Shaft Length | Shaft Diameter | Handle Length | Reduced Shank | Price |
| <u>WT32046</u> |  |  Slotted | 3.5mm | 0.6mm | 8.0in (203mm) | 3.9in (100mm) | 0.14in (3.5mm) | 4.1in (104mm) | Yes | \$12.25 |
| <u>WT32049</u> |  | | 4mm | 0.8mm | 8.3in (211mm) | | 0.16in (4.0mm) | 4.4in (112mm) | | \$14.00 |
| <u>WT32023</u> |  | | 4.5mm | 0.24in (6.1mm) | | | No | | \$7.75 | |
| <u>WT32052</u> |  | | | 4.9in (125mm) | 0.18in (4.6mm) | 3.4in (86mm) | Yes | \$14.00 | | |
| <u>WT32055</u> |  | | 5.5mm | | 1.0mm | 0.22in (5.6mm) | 4.7in (119mm) | Yes | \$15.00 | |
| <u>WT32031</u> |  | | | | | 0.28in (7.0mm) | | No | \$8.50 | |
| <u>WT32026</u> |  | | | 11.5in (292mm) | | 6.9in (175mm) | 4.5in (114mm) | | \$8.75 | |
| <u>WT32034</u> |  | | 6mm | 1.2mm | 10.6in (269mm) | 5.9in (150mm) | 0.30in (7.6mm) | 4.7in (119mm) | | \$10.75 |
| <u>WT32058</u> |  | | 6.5mm | | | | 0.26in (6.5mm) | | | Yes |



Tools that work for you

| Insulated Screwdrivers - Cont'd | | | | | | | | | | | | | |
|---------------------------------|---|--|------------------|-------------------|--------------------|-------------------|------------------|---------------|---------|--|--|--|--|
| Part Number | Part Image | Type | Tip Size | Overall Length | Shaft Length | Shaft Diameter | Handle Length | Reduced Shank | Price | | | | |
| WT32100 |  |  Phillips | #0 | 6.5in (165mm) | 2.4in (60mm) | 0.25in (6.4mm) | 4.1in (104mm) | No | \$6.75 | | | | |
| WT32101 |  | | #1 | 7.5in (191mm) | 3.1in (80mm) | 0.30in (7.6mm) | 4.4in (112mm) | | \$8.00 | | | | |
| WT32145 |  | | | 8.0in (203mm) | | 0.18in (4.6mm) | 4.9in (124mm) | Yes | \$14.00 | | | | |
| WT32146 |  | | #2 | 8.3in (211mm) | 3.9in (100mm) | 0.24in (6.1mm) | 4.4in (112mm) | | \$17.00 | | | | |
| WT32102 |  | | | 8.6in (218mm) | | 0.35in (8.9mm) | 4.7in (119mm) | No | \$9.75 | | | | |
| WT32103 |  | | #3 | 10.6in (269mm) | 6.0in (150mm) | \$14.25 | | | | | | | |
| WT32505 |  | T5 | 6.5in (165mm) | 2.4in (60mm) | 0.45in (11.4mm) | 4.1in (104mm) | | | \$7.00 | | | | |
| WT32531 |  | T10 | | | \$7.00 | | | | | | | | |
| WT32521 |  | T8 | | | 0.18in (4.6mm) | | \$6.75 | | | | | | |
| WT32526 |  | T9 | | | \$6.75 | | | | | | | | |
| WT32536 |  |  Torx | T15 | 7.5in (191mm) | 3.1in (80mm) | 0.24in (6.1mm) | 4.4in (112mm) | | \$8.25 | | | | |
| WT32541 |  | | T20 | | | | | | \$8.50 | | | | |
| WT32546 |  | | T25 | 7.8in (198mm) | 3.9in (100mm) | 0.30in (7.6mm) | 4.7in (119mm) | | \$8.50 | | | | |
| WT32551 |  | | T27 | 8.6in (218mm) | | | | | \$10.50 | | | | |
| WT32556 |  | | T30 | | | | | | \$10.50 | | | | |

| Insulated Screwdrivers - Cont'd | | | | | | | | | |
|---------------------------------|--|--|----------|-------------------|------------------|-------------------|------------------|---------------|---------|
| Part Number | Part Image | Type | Tip Size | Overall Length | Shaft Length | Shaft Diameter | Handle Length | Reduced Shank | Price |
| <u>WT30746</u> |  |  Plus-minus | #1 | 7.5in (191mm) | 3.1in (80mm) | 0.18in (4.6mm) | 4.4in (112mm) | Yes | \$15.25 |
| <u>WT30702</u> |  | | | | | 0.24in (6.1mm) | | No | \$8.50 |
| <u>WT30747</u> |  | | #2 | 8.6in (218mm) | 3.9in (100mm) | 0.24in (6.1mm) | 4.7in (119mm) | Yes | \$19.00 |
| <u>WT30704</u> |  | | | | | 0.30in (7.6mm) | | No | \$10.25 |
| <u>WT35811</u> |  |  Square | #1 | 8.2in (210mm) | 5.9in (150mm) | 0.22in (5.6mm) | 4.3in (109mm) | No | \$8.50 |
| <u>WT35812</u> |  | | #2 | 10.6in (269mm) | | 0.25in (6.4mm) | 4.7in (119mm) | | \$10.25 |

Insulated Screwdriver Sets

















Wiha Insulated SoftFinish® Cushion Grip screwdrivers consist of Wiha engineered premium quality tool steel for strength and durability, have black oxide finish for corrosion protection, and feature exact fit precision machined tips for reduced cam-out. All Wiha Insulated screwdrivers are VDE Certified and meet EN/IEC 60900 testing standards for protection against arc flash explosion, ASTM F1505 standard specifications for insulated and insulating hand tools, NFPA-70E standards for electrical safety on the jobsite, and CSA testing benchmarks for safety and performance. SoftFinish® driver handles feature an 8-edged large-diameter comfort grip for maximum gripping area, giving the user powerful torque and less fatigue.






















Features





- Ergonomic cushion grip handle for comfort and control
- Dual durometer construction for long-lasting durability
- Handle directly molded to the blade for permanent bond
- Handle size proportionate to blade for consistent mechanical advantage
- Parallel flats for roll-off prevention
- Tip profile labeled on cap for easy identification
- Wiha premium quality tool steel for strength and durability
- Black oxide finish for corrosion protection
- Exact fit precision machined tip for reduced cam-out
- Individually tested to 10,000 volts AC and rated to 1,000 volts AC for safety and peace of mind



WT32091

| Insulated Screwdriver Sets | | | | | | |
|--------------------------------|------------------|---|--|----------------------------------|--|---------|
| Part Number | Number of Pieces | Part Image | Type | Tip Size | Set Includes | Price |
| <u>WT32091</u> | 5 |  |  Phillips | #1 #2 | (5) insulated SoftFinish screwdrivers (Phillips #1, #2, slotted 3.0mm, 4.5mm, 6.5mm) | \$42.25 |
| | | |  Slotted | 3.0mm 4.5mm 6.5mm | | |
| <u>WT32099</u> | 7 |  |  Phillips | #1 #2 #3 | (7) insulated SoftFinish screwdrivers (Phillips #1, #2, #3, slotted 3.0mm, 4.0mm, 5.5mm, 6.5mm) | \$63.25 |
| | | |  Slotted | 3.0mm 4.0mm 5.5mm 6.5mm | | |
| <u>WT32059</u> | 5 |  |  Phillips | #1 #2 | (5) insulated SoftFinish screwdrivers (Phillips: (#1, #2), slotted (4.5mm, 6.5mm), square: (#2)) | \$39.50 |
| | | |  Slotted | 4.5mm 6.5mm | | |
| | | |  Square | #2 | | |
| <u>WT32090</u> | 4 |  |  Phillips | #1 #2 | (4) insulated SoftFinish screwdrivers (slotted: (3.5mm, 4.5mm), Phillips: (#1 #2)) | \$31.00 |
| | | |  Slotted | 3.5mm 4.5mm | | |
| <u>WT32092</u> | 6 |  |  Phillips | #1 #2 #3 | (6) insulated SoftFinish screwdrivers (slotted: (3.5mm, 4.5mm, 6.5mm), Phillips: (#1, #2, #3)) | \$55.00 |
| | | |  Slotted | 3.5mm 4.5mm 6.5mm | | |

| Insulated Screwdriver Sets - Cont'd | | | | | | |
|-------------------------------------|------------------|---|--|--|--|----------|
| Part Number | Number of Pieces | Part Image | Type | Tip Size | Set Includes | Price |
| <u>WT32093</u> | 10 |  |  Phillips | #0 #1 #2 #3 | (10) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 6.5mm), Phillips: (#0, #1, #2, #3)) | \$81.00 |
| | | |  Slotted | 2.0mm 2.5mm 3.0mm 3.5mm 4.5mm 6.5mm | | |
| <u>WT32094</u> | 13 |  |  Phillips | #0 #1 #2 #3 | (13) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 5.5mm, 6.5mm, 8.0mm, 10.0mm), Phillips: (#0, #1, #2, #3)) | \$120.00 |
| | | |  Slotted | 2.0mm 2.5mm 3.0mm 3.5mm 4.5mm 5.5mm 6.5mm 8.0mm 10.0mm | | |
| <u>WT32097</u> | 7 |  |  Phillips | #1 #2 | (7) insulated SoftFinish screwdrivers (slotted: (3.5mm, 5.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2)) | \$51.00 |
| | | |  Slotted | 3.5mm 5.5mm 6.5mm | | |
| | | |  Square | #1 #2 | | |
| <u>WT32188</u> | 7 |  |  Phillips | #0 #1 | (7) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm), Phillips: (#0, #1)), plastic molded case | \$59.00 |
| | | |  Slotted | 2.0mm 2.5mm 3.0mm 3.5mm 4.0mm | | |
| <u>WT32190</u> | 15 |  |  Phillips | #1 #2 #3 | (10) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 6.5mm, 8.0mm), Phillips: (#1, #2, #3)), (5) insulated SoftFinish nut drivers (1/4in, 5/16in, 3/8in, 7/16in, 1/2in), fold out carry case | \$200.00 |
| | | |  Slotted | 2.0mm 2.5mm 3.0mm 3.5mm 4.5mm 6.5mm 8.0mm | | |
| | | |  Internal Hex | 1/4in 5/16in 3/8in 7/16in 1/2in | | |
| <u>WT32196</u> | 6 |  |  Phillips | #1 #2 | (6) insulated SlimLine SoftFinish screwdrivers (slotted: (4.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2)) | \$56.00 |
| | | |  Slotted | 4.5mm 6.5mm | | |
| | | |  Square | #1 #2 | | |

| Insulated Screwdriver Sets - Cont'd | | | | | | | |
|-------------------------------------|------------------|---|---|---|-------------------|---|----------|
| Part Number | Number of Pieces | Part Image | Type | Tip Size | Insulation Rating | Set Includes | Price |
| <u>WT32197</u> | 8 |  | <div>⊕ Phillips</div> <div>⊖ Slotted</div> <div>⊞ Square</div> | <div>#1 #2</div> <div>3.5mm 4.0mm 4.5mm 5.5mm</div> <div>#1 #2</div> | 1000V | (8) insulated SlimLine SoftFinish screwdrivers (slotted: (3.5mm, 4.0mm, 4.5mm, 5.5mm), Phillips: (#1, #2), square (#1, #2)) | \$120.00 |
| <u>WT32198</u> | 11 |  | <div>⊕ Phillips</div> <div>⊖ Slotted</div> <div>⊞ Square</div> <div>⊕⊖ Plus-minus</div> | <div>#1 #2</div> <div>3.5mm 4.0mm 4.5mm 5.5mm 6.5mm</div> <div>#1 #2</div> <div>#1 #2</div> | | (11) insulated SlimLine SoftFinish screwdrivers (slotted: (3.5mm, 4.0mm, 4.5mm, 5.5mm, 6.5mm), Phillips: (#1, #2), PlusMinus: (#1, #2), square: (#1, #2)) | \$102.00 |
| <u>WT32590</u> | 6 |  | <div>⊗ Torx</div> | T8 T9 T10 T15 T20 T25 | | (6) insulated SoftFinish screwdrivers (torx: (T8, T9, T10, T15, T20, T25)) | \$45.00 |
| <u>WT35890</u> | 6 |  | <div>⊕ Phillips</div> <div>⊖ Slotted</div> <div>⊞ Square</div> | <div>#1 #2</div> <div>4.5mm 6.5mm</div> <div>#1 #2</div> | | (6) insulated SoftFinish screwdrivers (slotted: (4.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2)) | \$54.00 |