

Technical drawing of a 100W LED module showing front, back, and side views with dimensions in mm and inches.

Front View Dimensions:

- Overall width: 1.81 [46.0]
- Inner width: 1.28 [32.4]
- Central bore diameter: ϕ SLEEVE BORE INSERT
- Two small holes: 2X ϕ 0.11 [2.9]
- Central hole diameter: ϕ 0.12 [3.0] THRU
- Central hole depth: ϕ 0.22 [5.6] ∇ 0.07 [1.8]

Side View Dimensions:

- Top thickness: 0.35 [9.0]
- Bottom thickness: 1.71 [43.4]


Back View Dimensions:

- Overall width: 2.07 [52.5]
- Central hole diameter: ϕ 0.75 [19.1]
- Two small holes: 2X ϕ 0.12 [3.0]
- Four small holes: 4X ϕ 0.16 [4.0]
- Two medium holes: 2X ϕ 0.08 [2.1]
- Two large holes: 2X ϕ 0.07 [1.7]
- Central hole diameter: ϕ 1.00 [25.4]
- Outer diameter: ϕ 0.84 [21.4]
- Slot width: 0.62 [15.7]
- Slot depth: 0.83 [21.0]
- Slot radius: 3X SLOTS R0.04 [1.0]
- Slot width: X 0.01 [0.28]

NOTES:

BACK VIEW

1. DIMENSIONS CAN BE CHANGED BY MANUFACTURER WITHOUT NOTICE.
2. DIMENSIONS DO NOT IMPLY TOLERANCE.



SAME SKY ENCODER ACCESSORY
KIT, FOR USE WITH AMT102
MODULAR ENCODERS

