

AutomationDirect Price List

Click part number to go directly
to the item page on the store

as of 6/25/2025

Part Number	Primary Description	Availability	Price
CLICK PLUS PLC CPUs			
C2-03CPU	CLICK PLUS PLC, 24 VDC required, (1) option slot, WiFi LAN/Bluetooth, Ethernet, serial and microB-USB ports, battery backup, microSD card slot, no on-board I/O.	Stock	\$215.00
C2-03CPU-2	CLICK PLUS PLC, 24 VDC required, (2) option slots, WiFi LAN/Bluetooth, Ethernet, serial and microB-USB ports, battery backup, microSD card slot, no on-board I/O.	Stock	\$268.00
C2-02CPU	CLICK PLUS PLC, 24 VDC required, (1) option slot, WiFi LAN/Bluetooth and microB-USB ports, battery backup, no on-board I/O.	Stock	\$159.00
C2-02CPU-2	CLICK PLUS PLC, 24 VDC required, (2) option slots, WiFi LAN/Bluetooth and microB-USB ports, battery backup, no on-board I/O.	Stock	\$203.00
C2-01CPU	CLICK PLUS PLC, 24 VDC required, (1) option slot, Ethernet, serial and microB-USB ports, battery backup, no on-board I/O.	Stock	\$102.00
C2-01CPU-2	CLICK PLUS PLC, 24 VDC required, (2) option slots, Ethernet, serial and microB-USB ports, battery backup, no on-board I/O.	Stock	\$143.00
CLICK PLUS PLC Power Supplies			
C0-00AC	CLICK AC power supply, 100-240 VAC nominal input, 24 VDC nominal output, 0.5A continuous.	Stock	\$54.00
C0-01AC	CLICK AC power supply, 100-240 VAC nominal input, 24 VDC nominal output, 1.3A continuous.	Stock	\$66.00
CLICK PLUS PLC Option Slot Modules			
C2-NRED	CLICK PLUS Node-RED module, Node-RED and JavaScript, microSD card slot, (1) microB-USB and (1) Ethernet 10/100Base-T (RJ45) port(s). For use with all CLICK PLUS PLCs.	Stock	\$235.00
C2-OPCUA	CLICK PLUS communication module, OPC-UA Server and SNTIP Client, 1 port, (1) microB-USB and (1) Ethernet 10/100Base-T (RJ45) port(s). For use with all CLICK PLUS PLCs.	Stock	\$195.00
C2-DCM	CLICK PLUS communication module, Modbus RTU and ASCII, 2 ports, (2) RS-232/RS-485 (6-pin terminal) port(s). For use with all CLICK PLUS PLCs. (2) C2-6TB terminal blocks included.	Stock	\$121.00
C2-14TTL	CLICK PLUS discrete combo module, Input: 8-point, 4.5-5.5 VDC, sinking/sourcing/TTL, Output: 6-point, 4.5-5.5 VDC, sourcing/TTL, 0.1A/point. Removable terminal block included.	Stock	\$65.00
C2-14D1	CLICK PLUS discrete combo module, Input: 8-point, 24 VDC, sinking/sourcing, Output: 6-point, 5-27 VDC, sinking, 0.1A/point. Removable terminal block included.	Stock	\$61.00
C2-14D2	CLICK PLUS discrete combo module, Input: 8-point, 24 VDC, sinking/sourcing, Output: 6-point, 24 VDC, sourcing, 0.1A/point. Removable terminal block included.	Stock	\$61.00
C2-14DR	CLICK PLUS discrete combo module, Input: 8-point, 24 VDC, sinking/sourcing, Output: 6-point, 6-240 VAC/6-27 VDC, relay, (6) Form A (SPST) relays, 1A/point. Removable terminal block included.	Stock	\$72.00
C2-14AR	CLICK PLUS discrete combo module, Input: 8-point, 100-120 VAC, Output: 6-point, 6-240 VAC/6-27 VDC, relay, (6) Form A (SPST) relays, 1A/point. Removable terminal block included.	Stock	\$74.00
C2-08D1-4VC	CLICK PLUS discrete/analog combo module, Analog Input: 2-channel, current/voltage, Analog Output: 2-channel, current/voltage, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, sinking.	Stock	\$95.00
C2-08D2-4VC	CLICK PLUS discrete/analog combo module, Analog Input: 2-channel, current/voltage, Analog Output: 2-channel, current/voltage, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, sourcing.	Stock	\$95.00
C2-08DR-4VC	CLICK PLUS discrete/analog combo module, Analog Input: 2-channel, current/voltage, Analog Output: 2-channel, current/voltage, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, relay, (4) Form A (SPST) relays.	Stock	\$108.00
C2-08AR-4VC	CLICK PLUS discrete/analog combo module, Analog Input: 2-channel, current/voltage, Analog Output: 2-channel, current/voltage, Discrete Input: 4-point, Discrete Output: 4-point, relay, (4) Form A (SPST) relays.	Stock	\$108.00
C2-08D1-6C	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, current, Analog Output: 2-channel, current, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, sinking.	Stock	\$95.00
C2-08D2-6C	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, current, Analog Output: 2-channel, current, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, sourcing.	Stock	\$95.00
C2-08DR-6C	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, current, Analog Output: 2-channel, current, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, relay, (4) Form A (SPST) relays.	Stock	\$108.00
C2-08AR-6C	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, current, Analog Output: 2-channel, current, Discrete Input: 4-point, Discrete Output: 4-point, relay, (4) Form A (SPST) relays.	Stock	\$108.00
C2-08D1-6V	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, voltage, Analog Output: 2-channel, voltage, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, sinking.	Stock	\$95.00
C2-08D2-6V	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, voltage, Analog Output: 2-channel, voltage, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, sourcing.	Stock	\$95.00
C2-08DR-6V	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, voltage, Analog Output: 2-channel, voltage, Discrete Input: 4-point, sinking/sourcing, Discrete Output: 4-point, relay, (4) Form A (SPST) relays.	Stock	\$108.00

<u>C2-08AR-6V</u>	CLICK PLUS discrete/analog combo module, Analog Input: 4-channel, voltage, Analog Output: 2-channel, voltage, Discrete Input: 4-point, Discrete Output: 4-point, relay, (4) Form A (SPST) relays.	Stock	\$108.00
<u>C2-FILL</u>	CLICK PLUS option slot cover.	Stock	\$8.75
CLICK PLUS PLC Stackable I/O Modules			
<u>C0-08SIM</u>	CLICK simulator input module, 8-point.	Stock	\$54.00
<u>C0-04POT</u>	CLICK simulator input module, 4-channel, potentiometer, 12-bit.	Stock	\$68.00
<u>C0-08NA</u>	CLICK discrete input module, 8-point, 100-120 VAC, 2 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$60.00
<u>C0-08NE3</u>	CLICK discrete input module, 8-point, 24 VAC/VDC, sinking/sourcing, 2 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$53.00
<u>C0-16NE3</u>	CLICK discrete input module, 16-point, 24 VAC/VDC, sinking/sourcing, 4 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$74.00
<u>C0-08TA</u>	CLICK discrete output module, 8-point, 17-240 VAC, 2 isolated common(s), 4 point(s) per common, 0.3A/point. Removable terminal block included.	Stock	\$76.00
<u>C0-04TRS</u>	CLICK relay output module, 4-point, 6-240 VAC/6-27 VDC, (4) Form C, 4 isolated common(s), 1 point(s) per common, 7A/point. Removable terminal block included.	Stock	\$65.00
<u>C0-04TRS-10</u>	CLICK relay output module, 4-point, 6-24 VDC/6-240 VAC, (4) Form A (SPST) no-suppression, 4 isolated common(s), 1 point(s) per common, 10A/point. Removable terminal block included.	Stock	\$74.00
<u>C0-08TR</u>	CLICK relay output module, 8-point, 6-240 VAC/6-27 VDC, (8) Form A, 2 isolated common(s), 4 point(s) per common, 1A/point. Removable terminal block included.	Stock	\$60.00
<u>C0-08TR-3</u>	CLICK relay output module, 8-point, 6-27 VDC/6-240 VAC, (8) Form A (SPST) no-suppression, 4 isolated common(s), 2 point(s) per common, 3A/point. Removable terminal block included.	Stock	\$64.00
<u>C0-08CDR</u>	CLICK discrete combo module, Input: 4-point, 12-24 VDC, sinking/sourcing, Output: 4-point, 6-240 VAC/6-27 VDC, (1) Form A (SPST) relay, 1A/point. Removable terminal block included.	Stock	\$77.00
<u>C0-08ND3</u>	CLICK discrete input module, 8-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$50.00
<u>C0-08ND3-1</u>	CLICK discrete input module, 8-point, 3.3-5 VDC, sinking/sourcing/TTL, 2 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$50.00
<u>C0-16ND3</u>	CLICK discrete input module, 16-point, 24 VDC, sinking/sourcing, 4 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$66.00
<u>C0-08TD1</u>	CLICK discrete output module, 8-point, 3.3-27 VDC, sinking, 2 isolated common(s), 4 point(s) per common, 0.3A/point. Removable terminal block included.	Stock	\$53.00
<u>C0-08TD2</u>	CLICK discrete output module, 8-point, 12-24 VDC, sourcing, 1 isolated common(s), 8 point(s) per common, 0.3A/point. Removable terminal block included.	Stock	\$54.00
<u>C0-16TD1</u>	CLICK discrete output module, 16-point, 5-27 VDC, sinking, 2 isolated common(s), 8 point(s) per common, 0.1A/point. Removable terminal block included.	Stock	\$67.00
<u>C0-16TD2</u>	CLICK discrete output module, 16-point, 12-24 VDC, sourcing, 2 isolated common(s), 8 point(s) per common, 0.1A/point. Removable terminal block included.	Stock	\$66.00
<u>C0-16CDD1</u>	CLICK discrete combo module, Input: 8-point, 24 VDC, sinking/sourcing, Output: 8-point, 5-27 VDC, sinking, 0.1A/point. Removable terminal block included.	Stock	\$86.00
<u>C0-16CDD2</u>	CLICK discrete combo module, Input: 8-point, 24 VDC, sinking/sourcing, Output: 8-point, 12-24 VDC, sourcing, 0.1A/point. Removable terminal block included.	Stock	\$86.00
<u>C0-04AD-1</u>	CLICK analog input module, 4-channel, current, 13-bit, input current signal range(s) of 0-20 mA, external 24 VDC required.	Stock	\$128.00
<u>C0-04AD-2</u>	CLICK analog input module, 4-channel, voltage, 13-bit, input voltage signal range(s) of 0-10 VDC, external 24 VDC required.	Stock	\$129.00
<u>C0-04DA-1</u>	CLICK analog output module, 4-channel, current, 12-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$175.00
<u>C0-04DA-2</u>	CLICK analog output module, 4-channel, voltage, 12-bit, output voltage signal range(s) of 0-10 VDC, external 24 VDC required.	Stock	\$175.00
<u>C0-4AD2DA-1</u>	CLICK analog combo module, Input: 4-channel, current, 0-20 mA, Output: 2-channel, current, 4-20 mA.	Stock	\$226.00
<u>C0-4AD2DA-2</u>	CLICK analog combo module, Input: 4-channel, voltage, 0-10 VDC, Output: 2-channel, voltage, 0-10 VDC.	Stock	\$217.00
<u>C0-04RTD</u>	CLICK temperature input module, RTD, 4-channel, 16-bit resolution, input RTD type(s): Pt100, Pt1000, JPt100, Cu10, Cu25 and Ni120. Removable terminal block included.	Stock	\$217.00
<u>C0-04THM</u>	CLICK temperature input module, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C. Removable terminal block included.	Stock	\$217.00
Accessories for CLICK PLUS PLCs			
<u>MSD-SLC16G</u>	CLICK industrial memory card, 16 GB microSD. For use with all products with microSD memory card slot.	Stock	\$103.00
<u>C0-3TB</u>	CLICK terminal blocks, 90-degree screw type, replacement, 3-pole. Package of 2. For use with CLICK standard and analog PLCs.	Stock	\$11.00

<u>C0-4TB</u>	CLICK terminal blocks, replacement, 4-pole. Package of 2. For use with CLICK PLCs and C-more CM5 series HMIs.	Stock	\$11.00
<u>C0-8TB</u>	CLICK terminal blocks, 90-degree screw type, replacement, 11-pole. Package of 2. For use with CLICK 8-point I/O modules.	Stock	\$17.00
<u>C0-16TB</u>	CLICK terminal blocks, 90-degree screw type, replacement, 20-pole. Package of 2. For use with CLICK 16-point I/O modules and CLICK PLCs built-in I/O.	Stock	\$24.00
<u>C0-8TB-1</u>	CLICK terminal block, 90-degree screw type, replacement, 13-pole. Package of 2. For use with C0-08TR-3 and C0-04TRS-10 relay modules.	Stock	\$20.00
<u>C2-6TB</u>	CLICK terminal blocks, 90-degree screw type, replacement, 6-pole. For use with C2-DCM communication module.	Stock	\$17.00
<u>C2-USER-M</u>	CLICK PLUS user manual, free download only. For use with all CLICK PLUS PLCs and I/O modules.	Stock	\$0.00
CLICK PLC Units			
<u>C0-00DD1-D</u>	CLICK Basic PLC, 24 VDC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, sinking.	Stock	\$97.00
<u>C0-00DD2-D</u>	CLICK Basic PLC, 24 VDC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, sourcing.	Stock	\$97.00
<u>C0-00DR-D</u>	CLICK Basic PLC, 24 VDC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, relay.	Stock	\$124.00
<u>C0-00AR-D</u>	CLICK Basic PLC, 24 VDC required, serial ports, Discrete Input: 8-point, AC, Discrete Output: 6-point, relay.	Stock	\$134.00
<u>C0-01DD1-D</u>	CLICK Standard PLC, 24 VDC required, serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, sinking.	Stock	\$146.00
<u>C0-01DD2-D</u>	CLICK Standard PLC, 24 VDC required, serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, sourcing.	Stock	\$146.00
<u>C0-01DR-D</u>	CLICK Standard PLC, 24 VDC required, serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, relay.	Stock	\$164.00
<u>C0-01AR-D</u>	CLICK Standard PLC, 24 VDC required, serial ports, battery backup, Discrete Input: 8-point, AC, Discrete Output: 6-point, relay.	Stock	\$164.00
<u>C0-02DD1-D</u>	CLICK Analog PLC, 24 VDC required, serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 2-channel, current/voltage, Discrete Output: 4-point, sinking, Analog Output: 2-channel, current/voltage.	Stock	\$202.00
<u>C0-02DD2-D</u>	CLICK Analog PLC, 24 VDC required, serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 2-channel, current/voltage, Discrete Output: 4-point, sourcing, Analog Output: 2-channel, current/voltage.	Stock	\$205.00
<u>C0-02DR-D</u>	CLICK Analog PLC, 24 VDC required, serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 2-channel, current/voltage, Discrete Output: 4-point, relay, Analog Output: 2-channel, current/voltage.	Stock	\$214.00
<u>C0-10DD1E-D</u>	CLICK Ethernet Basic PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, sinking.	Stock	\$192.00
<u>C0-10DD2E-D</u>	CLICK Ethernet Basic PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, sourcing.	Stock	\$192.00
<u>C0-10DRE-D</u>	CLICK Ethernet Basic PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, relay.	Stock	\$206.00
<u>C0-10ARE-D</u>	CLICK Ethernet Basic PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, AC, Discrete Output: 6-point, relay.	Stock	\$207.00
<u>C0-11DD1E-D</u>	CLICK Ethernet Standard PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, sinking.	Stock	\$223.00
<u>C0-11DD2E-D</u>	CLICK Ethernet Standard PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, sourcing.	Stock	\$223.00
<u>C0-11DRE-D</u>	CLICK Ethernet Standard PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, DC, Discrete Output: 6-point, relay.	Stock	\$237.00
<u>C0-11ARE-D</u>	CLICK Ethernet Standard PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 8-point, AC, Discrete Output: 6-point, relay.	Stock	\$237.00
<u>C0-12DD1E-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 2-channel, current/voltage, Discrete Output: 4-point, sinking, Analog Output: 2-channel, current/voltage.	Stock	\$266.00
<u>C0-12DD2E-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 2-channel, current/voltage, Discrete Output: 4-point, sourcing, Analog Output: 2-channel, current/voltage.	Stock	\$266.00
<u>C0-12DRE-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 2-channel, current/voltage, Discrete Output: 4-point, relay, Analog Output: 2-channel, current/voltage.	Stock	\$282.00
<u>C0-12ARE-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, AC, Analog Input: 2-channel, current/voltage, Discrete Output: 4-point, relay, Analog Output: 2-channel, current/voltage.	Stock	\$282.00
<u>C0-12DD1E-1-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 4-channel, current, Discrete Output: 4-point, sinking, Analog Output: 2-channel, current.	Stock	\$266.00

<u>C0-12DD2E-1-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 4-channel, current, Discrete Output: 4-point, sourcing, Analog Output: 2-channel, current.	Stock	\$266.00
<u>C0-12DRE-1-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 4-channel, current, Discrete Output: 4-point, relay, Analog Output: 2-channel, current.	Stock	\$282.00
<u>C0-12ARE-1-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, AC, Analog Input: 4-channel, current, Discrete Output: 4-point, relay, Analog Output: 2-channel, current.	Stock	\$282.00
<u>C0-12DD1E-2-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 4-channel, voltage, Discrete Output: 4-point, sinking, Analog Output: 2-channel, voltage.	Stock	\$266.00
<u>C0-12DD2E-2-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 4-channel, voltage, Discrete Output: 4-point, sourcing, Analog Output: 2-channel, voltage.	Stock	\$266.00
<u>C0-12DRE-2-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, DC, Analog Input: 4-channel, voltage, Discrete Output: 4-point, relay, Analog Output: 2-channel, voltage.	Stock	\$282.00
<u>C0-12ARE-2-D</u>	CLICK Ethernet Analog PLC, 24 VDC required, Ethernet and serial ports, battery backup, Discrete Input: 4-point, AC, Analog Input: 4-channel, voltage, Discrete Output: 4-point, relay, Analog Output: 2-channel, voltage.	Stock	\$282.00
Accessories for CLICK PLCs			
<u>C0-PGMSW</u>	CLICK Windows programming and documentation software, USB or free download. For use with all CLICK and CLICK PLUS PLCs.	Stock	\$12.00
<u>C0-USER-M</u>	CLICK user manual, free download only. For use with all CLICK PLCs and I/O modules.	Stock	\$0.00
Productivity1000 PLC CPUs			
<u>P1-540</u>	Productivity1000 CPU, up to 50 MB ladder memory, microSD card slot, (1) Ethernet 10/100Base-T (RJ45), (1) RS-232 (RJ12), (1) RS-485 (4-pin terminal) and (1) microB-USB port(s), external 24 VDC required, battery included.	Stock	\$237.00
<u>P1-550</u>	Productivity1000 CPU, up to 50 MB ladder memory, microSD card slot, (2) Ethernet 10/100Base-T (RJ45), (1) RS-232 (RJ12), (1) RS-485 (4-pin terminal) and (1) microB-USB port(s), external 24 VDC required, battery included.	Stock	\$268.00
<u>P1-START</u>	Productivity1000 starter kit.	Stock	\$405.00
Productivity1000 Remote I/O Expansion Modules			
<u>P1-RX</u>	Productivity1000 remote I/O module, 1 port, (1) Ethernet (RJ45) port(s). For use with P1-550, P2-550 and P2-622 CPUs.	Stock	\$99.00
Productivity1000 Power Supplies			
<u>P1-01AC</u>	Productivity1000 AC/DC power supply, 120-240 VAC or 125 VDC nominal input. External power supply optional. For applications not exceeding (8) P1000 modules.	Stock	\$52.00
<u>P1-01DC</u>	Productivity1000 DC power supply, 12-24 VDC nominal input. External power supply optional. For applications not exceeding (8) P1000 modules.	Stock	\$59.00
<u>P1-02AC</u>	Productivity1000 AC power supply, 120-240 VAC or 125 VDC nominal input. External power supply optional. For applications exceeding (8) P1000 modules.	Stock	\$67.00
Productivity1000 DC and Combo I/O Modules			
<u>P1-08ND3</u>	Productivity1000 discrete input module, 8-point, 12-24 VDC, sinking/sourcing, 2 common(s), 4 point(s) per common. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$48.50
<u>P1-08NE3</u>	Productivity1000 discrete input module, 8-point, 24 VAC/VDC, sinking/sourcing, 2 isolated common(s), 4 point(s) per common. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$49.00
<u>P1-16ND3</u>	Productivity1000 discrete input module, 16-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 8 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$77.00
<u>P1-16NE3</u>	Productivity1000 discrete input module, 16-point, 24 VAC/VDC, sinking/sourcing, 2 isolated common(s), 8 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$77.00
<u>P1-08ND-TTL</u>	Productivity1000 discrete input module, 8-point, 3.3-5 VDC, sinking/sourcing/TTL, 2 common(s), 4 point(s) per common. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$48.00
<u>P1-08TD1</u>	Productivity1000 discrete output module, 8-point, 3.3-24 VDC, sinking, 1 common(s), 8 point(s) per common, 1A/point. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$49.00
<u>P1-08TD2</u>	Productivity1000 discrete output module, 8-point, 12-24 VDC, sourcing, 1 common(s), 8 point(s) per common, 1A/point. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$47.50
<u>P1-15TD1</u>	Productivity1000 discrete output module, 15-point, 3.3-24 VDC, sinking, 2 common(s), 8 point(s) per common, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$74.00

<u>P1-15TD2</u>	Productivity1000 discrete output module, 15-point, 12-24 VDC, sourcing, 1 common(s), 15 point(s) per common, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$74.00
<u>P1-08TD-TTL</u>	Productivity1000 discrete output module, 8-point, 5 VDC, sourcing/TTL, 2 common(s), 4 point(s) per common, 20 mA/point. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$63.00
<u>P1-15CDD1</u>	Productivity1000 discrete combo module, Input: 8-point, 12-24 VDC, sinking/sourcing, Output: 7-point, 3.3-24 VDC, sinking, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$85.00
<u>P1-15CDD2</u>	Productivity1000 discrete combo module, Input: 8-point, 12-24 VDC, sinking/sourcing, Output: 7-point, 12-24 VDC, sourcing, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$80.00
<u>P1-16CDR</u>	Productivity1000 discrete combo module, Input: 8-point, 24 VAC/VDC, sinking/sourcing, Output: 8-point, 6-24 VDC/6-120 VAC, relay, (8) Form A (SPST) relays, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$110.00
Productivity1000 AC I/O Modules			
<u>P1-08NA</u>	Productivity1000 discrete input module, 8-point, 120-240 VAC, 2 isolated common(s), 4 point(s) per common. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$90.00
<u>P1-08TA</u>	Productivity1000 discrete output module, 8-point, 120-240 VAC, 2 isolated common(s), 4 point(s) per common, 0.5A/point, 4A/common. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$112.00
Productivity1000 Relay Output Modules			
<u>P1-04TRS</u>	Productivity1000 relay output module, 4-point, 5-30 VDC/5-264 VAC, (4) Form C, 4 isolated common(s), 1 point(s) per common, 7A/point. Requires P2-RTB or P2-RTB-1 removable terminal block.	Stock	\$73.00
<u>P1-08TRS</u>	Productivity1000 relay output module, 8-point, 6-24 VDC/6-120 VAC, (6) Form A, (2) Form C, 8 isolated common(s), 1 point(s) per common, 3A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$61.00
<u>P1-16TR</u>	Productivity1000 relay output module, 16-point, 6-24 VDC/6-120 VAC, (16) Form A (SPST) no-suppression, 2 isolated common(s), 8 point(s) per common, 2A/point, 8A/common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$105.00
Productivity1000 Analog I/O Modules			
<u>P1-04AD</u>	Productivity1000 analog input module, 4-channel, current/voltage, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$217.00
<u>P1-04AD-1</u>	Productivity1000 analog input module, 4-channel, current, 16-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$139.00
<u>P1-04AD-2</u>	Productivity1000 analog input module, 4-channel, voltage, 16-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$149.00
<u>P1-04ADL-1</u>	Productivity1000 analog input module, 4-channel, current, 13-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$95.00
<u>P1-04ADL-2</u>	Productivity1000 analog input module, 4-channel, voltage, 13-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$95.00
<u>P1-08ADL-1</u>	Productivity1000 analog input module, 8-channel, current, 13-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$128.00
<u>P1-08ADL-2</u>	Productivity1000 analog input module, 8-channel, voltage, 13-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$126.00
<u>P1-04DAL-1</u>	Productivity1000 analog output module, 4-channel, current, 12-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$134.00
<u>P1-04DAL-2</u>	Productivity1000 analog output module, 4-channel, voltage, 12-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$118.00
<u>P1-08DAL-1</u>	Productivity1000 analog output module, 8-channel, current, 12-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$164.00
<u>P1-08DAL-2</u>	Productivity1000 analog output module, 8-channel, voltage, 12-bit, external 24 VDC required. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$152.00
<u>P1-4ADL2DAL-1</u>	Productivity1000 analog combo module, Input: 4-channel, current, Output: 2-channel, current. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables. Optional ZIPLink connector modules and pre-wired cables are available.	Stock	\$159.00
<u>P1-4ADL2DAL-2</u>	Productivity1000 analog combo module, Input: 4-channel, voltage, Output: 2-channel, voltage. Requires P1-10RTB or P1-10RTB-1 removable terminal block or ZIPLink pre-wired cables. Optional ZIPLink connector modules and pre-wired cables are available.	Stock	\$147.00
<u>P1-04RTD</u>	Productivity1000 temperature input module, RTD, 4-channel, 16-bit resolution, input RTD type(s): Pt100, Pt1000, JPt100, Cu10, Cu25 and Ni120. (1) P1-10RTB screw terminal block included.	Stock	\$159.00
<u>P1-04THM</u>	Productivity1000 temperature input module, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C. (1) P1-10RTB screw terminal block included.	Stock	\$172.00
<u>P1-04NTC</u>	Productivity1000 temperature input module, thermistor, 4-channel, 16-bit resolution, input thermistor type(s): 2252, 10K-AN Type 3, 10K-CP Type 2, 5K, 3K and 1.8K ohm. (1) P1-10RTB screw terminal block included.	Stock	\$172.00

Productivity1000 Motion and Specialty Modules			
<u>PS-AMC1</u>	ProductivityMotion 1-axis motion controller, 1 MHz maximum switching frequency, 6 high-speed input point (s), sinking, 1-channel, differential encoder input(s), 3 high-speed output point(s), sinking/sourcing, 1-channel, differential output(s).	Stock	\$331.00
<u>PS-AMC2</u>	ProductivityMotion 2-axis motion controller, 1 MHz maximum switching frequency, 12 high-speed input point (s), sinking, 2-channel, differential encoder input(s), 6 high-speed output point(s), sinking/sourcing, 2-channel, differential output(s).	Stock	\$401.00
<u>PS-AMC3</u>	ProductivityMotion 3-axis motion controller, 1 MHz maximum switching frequency, 18 high-speed input point (s), sinking, 3-channel, differential encoder input(s), 9 high-speed output point(s), sinking/sourcing, 3-channel, differential output(s).	Stock	\$472.00
<u>PS-AMC4</u>	ProductivityMotion 4-axis motion controller, 1 MHz maximum switching frequency, 24 high-speed input point (s), sinking, 4-channel, differential encoder input(s), 12 high-speed output point(s), sinking/sourcing, 4-channel, differential output(s).	Stock	\$542.00
<u>P1-02HSC</u>	Productivity1000 counter input module, 100 kHz maximum switching frequency, 2 high-speed input point(s), 5-24 VDC, sinking/sourcing, 2-channel, single-ended encoder input(s), external 24 VDC required.	Stock	\$86.00
<u>P1-04PWM</u>	Productivity1000 high-speed pulse width modulation output module, 5-24 VDC, sinking/sourcing, 4-channel, single-ended output(s), external 5-24 VDC required.	Stock	\$95.00
<u>P1-08SIM</u>	Productivity1000 simulator input module, 8-point.	Stock	\$52.00
Accessories for Productivity1000 PLCs			
<u>PS-PGMSW</u>	Productivity Suite Windows programming and documentation software, USB or free download. For use with Productivity series CPUs.	Stock	\$22.00
<u>P1-10RTB</u>	Productivity1000 terminal block, 10-pin screw type. For use with Productivity1000 I/O modules.	Stock	\$7.25
<u>P1-10RTB-1</u>	Productivity1000 terminal block, 10-pin spring clamp. For use with Productivity1000 I/O modules.	Stock	\$7.25
<u>PCON-KIT</u>	AutomationDirect connector kit, replacement. For use with Productivity Series modules. Includes (1) P3-RS485CON 3-wire connector, (1) P3-RS485CON-1 4-wire connector and (1) Productivity1000 CPU power connector.	Stock	\$11.00
<u>PCON-KIT2</u>	AutomationDirect connector kit, replacement. For use with ProductivityMotion controllers. Includes (1) power terminal block, (1) enable/ready terminal block, (2) encoder feedback terminal blocks and (2) P2-RTB terminal blocks.	Stock	\$39.50
<u>P1-USER-M</u>	Productivity1000 user manual, free download only. For use with all Productivity1000 CPUs and I/O modules.	Stock	\$0.00
Productivity2000 PLC CPUs			
<u>P2-622</u>	Productivity2000 CPU, up to 50 MB ladder memory, 4 x 10 character OLED display, microSD card slot, (2) Ethernet 10/100Base-T (RJ45), (1) RS-232/RS-485 (RJ12), (1) RS-232/RS-485 (4-pin terminal) and (1) USB C port(s), battery included.	Stock	\$302.00
<u>P2-550</u>	Productivity2000 CPU, up to 50 MB ladder memory, 4 x 10 character OLED display, microSD card slot, (2) Ethernet 10/100Base-T (RJ45), (1) RS-232 (RJ12), (1) RS-485 (3-pin terminal) and (1) microB-USB port(s), battery included.	Stock	\$365.00
<u>P2-START2</u>	Productivity2000 starter kit with Ethernet.	Stock	\$681.00
Productivity2000 Remote I/O Expansion Modules			
<u>P2-RS</u>	Productivity2000 remote I/O module, 4 ports, (1) Ethernet (RJ45), (1) RS-232 (RJ12), (1) RS-485 (3-pin terminal) and (1) microB-USB port(s), 4 x 10 character OLED display.	Stock	\$332.00
Productivity2000 Bases			
<u>P2-04B</u>	Productivity2000 I/O base, 4-slot, DIN rail or flush mount. Requires P2-01AC, P2-01DCAC or P2-01DC power supply. Holds power supply, CPU and (4) I/O modules.	Stock	\$108.00
<u>P2-07B</u>	Productivity2000 I/O base, 7-slot, DIN rail or flush mount. Requires P2-01AC, P2-01DCAC or P2-01DC power supply. Holds power supply, CPU and (7) I/O modules.	Stock	\$145.00
<u>P2-11B</u>	Productivity2000 I/O base, 11-slot, DIN rail or flush mount. Requires P2-01AC, P2-01DCAC or P2-01DC power supply. Holds power supply, CPU and (11) I/O modules.	Stock	\$195.00
<u>P2-15B</u>	Productivity2000 I/O base, 15-slot, DIN rail or flush mount. Requires P2-01AC, P2-01DCAC or P2-01DC power supply. Holds power supply, CPU and (15) I/O modules.	Stock	\$228.00
Productivity2000 Power Supplies			
<u>P2-02DC</u>	Productivity2000 DC base power supply, 24 VDC nominal input. (1) power supply required per base.	Stock	\$86.00
<u>P2-01AC</u>	Productivity2000 AC base power supply, 100-240 VAC/125 VDC nominal input. (1) power supply required per base.	Stock	\$105.00
<u>P2-01DC</u>	Productivity2000 DC base power supply, 24-48 VDC nominal input. (1) power supply required per base.	Stock	\$117.00
<u>P2-01DCAC</u>	Productivity2000 AC/DC base power supply, 12-24 VDC/24 VAC nominal input. (1) power supply required per base.	Stock	\$120.00

Productivity2000 DC I/O Modules				
<u>P2-08ND3-1</u>	Productivity2000 discrete input module, 8-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 4 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$72.00	
<u>P2-08NE3</u>	Productivity2000 discrete input module, 8-point, 24 VAC/VDC, sinking/sourcing, 2 isolated common(s), 4 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$59.00	
<u>P2-16ND3-1</u>	Productivity2000 discrete input module, 16-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 8 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$100.00	
<u>P2-16ND-TTL</u>	Productivity2000 discrete input module, 16-point, 3.3-5 VDC, sinking/sourcing/TTL, 2 common(s), 8 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$101.00	
<u>P2-16NE3</u>	Productivity2000 discrete input module, 16-point, 24 VAC/VDC, sinking/sourcing, 2 isolated common(s), 8 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$101.00	
<u>P2-32ND3-1</u>	Productivity2000 discrete input module, 32-point, 12-24 VDC, sinking/sourcing, 4 isolated common(s), 8 point(s) per common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$148.00	
<u>P2-32NE3</u>	Productivity2000 discrete input module, 32-point, 24 VAC/VDC, sinking/sourcing, 4 isolated common(s), 8 point(s) per common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$148.00	
<u>P2-08TD1P</u>	Productivity2000 discrete output module, 8-point, 12-24 VDC, sinking, 1 common(s), 8 point(s) per common, 0.25A/point, short circuit and overload protection. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$60.00	
<u>P2-08TD1S</u>	Productivity2000 discrete output module, 8-point, 3.3-24 VDC, sinking, 2 isolated common(s), 4 point(s) per common, 2A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$70.00	
<u>P2-08TD2P</u>	Productivity2000 discrete output module, 8-point, 24 VDC, sourcing, 9 common(s), 1 point(s) per common, 0.25A/point, short circuit and overload protection. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$60.00	
<u>P2-08TD2S</u>	Productivity2000 discrete output module, 8-point, 12-24 VDC, sourcing, 2 isolated common(s), 4 point(s) per common, 2A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$70.00	
<u>P2-15TD1</u>	Productivity2000 discrete output module, 15-point, 3.3-24 VDC, sinking, 2 common(s), 8 point(s) per common, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$97.00	
<u>P2-15TD2</u>	Productivity2000 discrete output module, 15-point, 12-24 VDC, sourcing, 1 common(s), 15 point(s) per common, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$95.00	
<u>P2-16TD1P</u>	Productivity2000 discrete output module, 16-point, 12-24 VDC, sinking, 1 common(s), 16 point(s) per common, 0.25A/point, short circuit and overload protection. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$101.00	
<u>P2-16TD2P</u>	Productivity2000 discrete output module, 16-point, 24 VDC, sourcing, 1 common(s), 16 point(s) per common, 0.25A/point, short circuit and overload protection. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$101.00	
<u>P2-16TD-TTL</u>	Productivity2000 discrete output module, 16-point, 5 VDC, sourcing/TTL, 2 common(s), 8 point(s) per common, 20 mA/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$116.00	
<u>P2-32TD1P</u>	Productivity2000 discrete output module, 32-point, 12-24 VDC, sinking, 4 common(s), 8 point(s) per common, 0.2A/point, short circuit and overload protection. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$148.00	
<u>P2-32TD2P</u>	Productivity2000 discrete output module, 32-point, 24 VDC, sourcing, 4 common(s), 8 point(s) per common, 0.2A/point, short circuit and overload protection. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$148.00	
Productivity2000 AC I/O Modules				
<u>P2-08NAS</u>	Productivity2000 discrete input module, 8-point, 120 VAC, 8 isolated common(s), 1 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$113.00	
<u>P2-16NA</u>	Productivity2000 discrete input module, 16-point, 120-240 VAC, 2 isolated common(s), 8 point(s) per common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$154.00	
<u>P2-08TAS</u>	Productivity2000 discrete output module, 8-point, 120 VAC, 8 isolated common(s), 1 point(s) per common, 1A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$154.00	
<u>P2-16TA</u>	Productivity2000 discrete output module, 16-point, 120-240 VAC, 2 common(s), 8 point(s) per common, 0.5A/point, 4A/common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$190.00	
Productivity2000 Relay Output Modules				
<u>P2-06TRS</u>	Productivity2000 relay output module, 6-point, 5-30 VDC/5-264 VAC, (5) Form A, (1) Form C, 6 isolated common(s), 1 point(s) per common, 7A/point. Requires P2-RTB13 or P2-RTB13-1 removable terminal block.	Stock	\$111.00	
<u>P2-08TRS</u>	Productivity2000 relay output module, 8-point, 6-24 VDC/6-120 VAC, (6) Form A, (2) Form C, 8 isolated common(s), 1 point(s) per common, 4A/point. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$73.00	
<u>P2-16TR</u>	Productivity2000 relay output module, 16-point, 6-24 VDC/6-240 VAC, (16) Form A, 2 isolated common(s), 8 point(s) per common, 1A/point, 8A/common. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$137.00	
Productivity2000 Analog I/O Modules				
<u>P2-04AD</u>	Productivity2000 analog input module, 4-channel, current/voltage, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$288.00	

<u>P2-04AD-1</u>	Productivity2000 analog input module, 4-channel, current, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$217.00
<u>P2-04AD-2</u>	Productivity2000 analog input module, 4-channel, voltage, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$224.00
<u>P2-08AD-1</u>	Productivity2000 analog input module, 8-channel, current, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$303.00
<u>P2-08AD-2</u>	Productivity2000 analog input module, 8-channel, voltage, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$333.00
<u>P2-08ADL-1</u>	Productivity2000 analog input module, 8-channel, current, 13-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$212.00
<u>P2-08ADL-2</u>	Productivity2000 analog input module, 8-channel, voltage, 13-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$230.00
<u>P2-16AD-1</u>	Productivity2000 analog input module, 16-channel, current, 16-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$366.00
<u>P2-16AD-2</u>	Productivity2000 analog input module, 16-channel, voltage, 16-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$406.00
<u>P2-16ADL-1</u>	Productivity2000 analog input module, 16-channel, current, 13-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$261.00
<u>P2-16ADL-2</u>	Productivity2000 analog input module, 16-channel, voltage, 13-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$289.00
<u>P2-04DA</u>	Productivity2000 analog output module, 4-channel, current/voltage, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$286.00
<u>P2-04DA-1</u>	Productivity2000 analog output module, 4-channel, current, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$217.00
<u>P2-04DA-2</u>	Productivity2000 analog output module, 4-channel, voltage, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$212.00
<u>P2-04DAL-1</u>	Productivity2000 analog output module, 4-channel, current, 12-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$162.00
<u>P2-04DAL-2</u>	Productivity2000 analog output module, 4-channel, voltage, 12-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$151.00
<u>P2-08DA-1</u>	Productivity2000 analog output module, 8-channel, current, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$398.00
<u>P2-08DA-2</u>	Productivity2000 analog output module, 8-channel, voltage, 16-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$365.00
<u>P2-08DAL-1</u>	Productivity2000 analog output module, 8-channel, current, 12-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$297.00
<u>P2-08DAL-2</u>	Productivity2000 analog output module, 8-channel, voltage, 12-bit, external 24 VDC required. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$288.00
<u>P2-16DA-1</u>	Productivity2000 analog output module, 16-channel, current, 16-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$521.00
<u>P2-16DA-2</u>	Productivity2000 analog output module, 16-channel, voltage, 16-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$499.00
<u>P2-16DAL-1</u>	Productivity2000 analog output module, 16-channel, current, 12-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$371.00
<u>P2-16DAL-2</u>	Productivity2000 analog output module, 16-channel, voltage, 12-bit, external 24 VDC required. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$355.00
<u>P2-8AD4DA-1</u>	Productivity2000 analog combo module, Input: 8-channel, current, Output: 4-channel, current. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$456.00
<u>P2-8AD4DA-2</u>	Productivity2000 analog combo module, Input: 8-channel, voltage, Output: 4-channel, voltage. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables.	Stock	\$456.00
<u>P2-06RTD</u>	Productivity2000 temperature input module, RTD, 6-channel, 16-bit resolution, input RTD type(s): Pt100, Pt1000, JPt100, Cu10, Cu25 and Ni120. (1) P2-RTB screw terminal block included.	Stock	\$476.00
<u>P2-08NTC</u>	Productivity2000 temperature input module, thermistor, 8-channel, 16-bit resolution, input thermistor type(s): 2252, 10K-AN Type 3, 10K-CP Type 2, 5K, 3K and 1.8K ohm. (1) P2-RTB screw terminal block included.	Stock	\$424.00
<u>P2-08THM</u>	Productivity2000 temperature input module, thermocouple, 8-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C. (1) P2-RTB screw terminal block included.	Stock	\$468.00
Productivity2000 Communications and Networking Modules			
<u>P2-SCM</u>	Productivity2000 communication module, Modbus RTU and ASCII, 4 ports, (3) RS-232 (RJ12) and (1) RS-485 (4-pin terminal) port(s).	Stock	\$242.00
<u>GS-EDRV100</u>	AutomationDirect ethernet communication module, (1) Ethernet 10/100Base-T (RJ45) and (1) RS-232/RS-485 (RJ12) port(s), (12) simultaneous Ethernet connections, (1) serial device(s), 12-48 VDC required. For use with GS1, GS2, GS3 and GS4 series AC drives.	Stock	\$274.00

Productivity2000 Motion and Specialty Modules			
P2-HSI	Productivity2000 pulse input module, 1 MHz maximum switching frequency, 2 high-speed input point(s), 5-24 VDC, sinking/sourcing, 2-channel, differential and single-ended encoder input(s), 4 high-speed output point(s), 5-24 VDC, sinking/sourcing, external 24 VDC required.	Stock	\$288.00
P2-HSO	Productivity2000 pulse output module, 1 MHz maximum switching frequency, 4 high-speed output point(s), 5-24 VDC, sinking/sourcing, 2-channel, differential and single-ended output channel(s), 6 high-speed input point(s), 5-24 VDC, sinking/sourcing, external 24 VDC required.	Stock	\$288.00
P2-02HSC	Productivity2000 counter input module, 100 kHz maximum switching frequency, 2 high-speed input point(s), 5-24 VDC, sinking/sourcing, 2-channel, single-ended encoder input(s), external 24 VDC required.	Stock	\$120.00
P2-04PWM	Productivity2000 high-speed pulse width modulation output module, 5-24 VDC, sinking/sourcing, 4-channel, single-ended output(s), external 5-24 VDC required.	Stock	\$132.00
P2-08SIM	Productivity2000 simulator input module, 8-point.	Stock	\$69.00
Accessories for Productivity2000 PLCs			
P2-FILL	Productivity2000 filler module.	Stock	\$16.00
P2-RTB	Productivity2000 terminal block, 18-pin screw type. For use with Productivity1000 and Productivity2000 I/O modules.	Stock	\$9.75
P2-RTB-1	Productivity2000 terminal block, 18-pin spring clamp. For use with Productivity1000 and Productivity2000 I/O modules.	Stock	\$9.75
P2-RTB13	Productivity2000 terminal block, 13-pin screw type. For use with Productivity2000 P2-06TRS relay output module.	Stock	\$11.50
P2-RTB13-1	Productivity2000 terminal block, 13-pin spring clamp. For use with Productivity2000 P2-06TRS relay output module.	Stock	\$11.50
P2-USER-M	Productivity2000 user manual, free download only. For use with all Productivity2000 CPUs and I/O modules.	Stock	\$0.00
MICS-D-16G	AutomationDirect standard memory card, 16 GB microSD. For use with all products with microSD memory card slot.	Stock	\$39.00
Productivity3000 Controller CPUs			
P3-550E	Productivity3000 CPU, up to 50 MB ladder memory, 4 x 10 character LCD display, USB A storage, (2) Ethernet 10/100Base-T (RJ45), (1) RS-232 (RJ12), (1) RS-485 (3-pin terminal) and (1) USB A expansion port(s), battery included.	Stock	\$750.00
P3-530	Productivity3000 CPU, up to 25 MB ladder memory, USB A storage, (1) Ethernet 10/100Base-T (RJ45), (1) RS-232 (RJ12), (1) RS-485 (3-pin terminal) and (1) USB A expansion port(s), battery included.	Stock	\$735.00
Productivity3000 Controller Remote I/O			
P3-RX	Productivity3000 remote I/O module, 4 ports, (1) Ethernet (RJ45), (1) RS-232 (RJ12), (1) RS-485 (3-pin terminal) and (1) USB A port(s).	Stock	\$499.00
Productivity3000 Controller Expansion I/O			
P3-EX	Productivity3000 local I/O expansion module, 2 ports, (1) USB A and (1) USB B port(s).	Stock	\$138.00
Productivity3000 Bases			
P3-03B	Productivity3000 I/O base, 3-slot, DIN rail or flush mount. Requires P3-01AC or P3-01DC power supply. Holds power supply, CPU and (3) I/O modules.	Stock	\$220.00
P3-05B	Productivity3000 I/O base, 5-slot, DIN rail or flush mount. Requires P3-01AC or P3-01DC power supply. Holds power supply, CPU and (5) I/O modules.	Stock	\$254.00
P3-08B	Productivity3000 I/O base, 8-slot, DIN rail or flush mount. Requires P3-01AC or P3-01DC power supply. Holds power supply, CPU and (8) I/O modules.	Stock	\$317.00
P3-11B	Productivity3000 I/O base, 11-slot, DIN rail or flush mount. Requires P3-01AC or P3-01DC power supply. Holds power supply, CPU and (11) I/O modules.	Stock	\$378.00
Productivity3000 Power Supplies			
P3-01AC	Productivity3000 AC base power supply, 100-240 VAC nominal input. (1) power supply required per base.	Stock	\$250.00
P3-01DC	Productivity3000 DC base power supply, 24-48 VDC nominal input. (1) power supply required per base.	Stock	\$261.00
Productivity3000 DC I/O Modules			
P3-08ND3S	Productivity3000 discrete input module, 8-point, 12-24 VDC, sinking/sourcing, 8 isolated common(s), 1 point(s) per common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$109.00
P3-16ND3	Productivity3000 discrete input module, 16-point, 12-24 VDC, sinking/sourcing, 4 isolated common(s), 4 point(s) per common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$162.00
P3-32ND3	Productivity3000 discrete input module, 32-point, 24 VDC, sinking/sourcing, 4 isolated common(s), 8 point(s) per common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$218.00
P3-64ND3	Productivity3000 discrete input module, 64-point, 24 VDC, sinking/sourcing, 8 isolated common(s), 8 point(s) per common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$284.00

<u>P3-08TD1S</u>	Productivity3000 discrete output module, 8-point, 6-24 VDC, sinking, 4 isolated common(s), 2 point(s) per common, 2A/point, 4A/common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$164.00
<u>P3-08TD2S</u>	Productivity3000 discrete output module, 8-point, 6-24 VDC, sourcing, 4 isolated common(s), 2 point(s) per common, 2A/point, 4A/common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$169.00
<u>P3-16TD1</u>	Productivity3000 discrete output module, 16-point, 6-24 VDC, sinking, 2 isolated common(s), 8 point(s) per common, 0.5A/point, 4A/common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$175.00
<u>P3-16TD2</u>	Productivity3000 discrete output module, 16-point, 6-24 VDC, sourcing, 2 isolated common(s), 8 point(s) per common, 0.5A/point, 4A/common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$180.00
<u>P3-32TD1</u>	Productivity3000 discrete output module, 32-point, 6-24 VDC, sinking, 4 isolated common(s), 8 point(s) per common, 0.3A/point, 2.4A/common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$228.00
<u>P3-32TD2</u>	Productivity3000 discrete output module, 32-point, 24 VDC, sourcing, 4 isolated common(s), 8 point(s) per common, 0.2A/point, 1.6A/common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$218.00
<u>P3-64TD1</u>	Productivity3000 discrete output module, 64-point, 6-24 VDC, sinking, 8 isolated common(s), 8 point(s) per common, 0.1A/point, 0.8A/common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$319.00
<u>P3-64TD2</u>	Productivity3000 discrete output module, 64-point, 24 VDC, sourcing, 8 isolated common(s), 8 point(s) per common, 0.1A/point, 0.8A/common. Requires ZIPLink connector modules and pre-wired cables.	Stock	\$289.00
Productivity3000 AC I/O Modules			
<u>P3-08NAS</u>	Productivity3000 discrete input module, 8-point, 120-240 VAC, 8 isolated common(s), 1 point(s) per common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$136.00
<u>P3-16NA</u>	Productivity3000 discrete input module, 16-point, 120-240 VAC, 4 isolated common(s), 4 point(s) per common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$167.00
<u>P3-08TAS</u>	Productivity3000 discrete output module, 8-point, 120-240 VAC, 8 common(s), 8 isolated common(s), 1 point(s) per common, 1A @ 40 deg C, 0.7A @ 60 deg C. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$212.00
<u>P3-16TA</u>	Productivity3000 discrete output module, 16-point, 120-240 VAC, 2 isolated common(s), 8 point(s) per common, 0.5A/point, 4A/common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$225.00
Productivity3000 Relay Output Modules			
<u>P3-08TRS</u>	Productivity3000 relay output module, 8-point, 6-24 VDC/6-240 VAC, (8) Form A, 8 isolated common(s), 1 point(s) per common, 1.75A/point. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$187.00
<u>P3-08TRS-1</u>	Productivity3000 relay output module, 8-point, 6-24 VDC/6-240 VAC, (4) Form A, (4) Form C, 8 isolated common(s), 1 point(s) per common, 6.3A/point. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$213.00
<u>P3-16TR</u>	Productivity3000 relay output module, 16-point, 6-24 VDC/6-240 VAC, (16) Form A, 2 isolated common(s), 8 point(s) per common, 1.25A/point, 6.3A/common. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$190.00
Productivity3000 Analog I/O Modules			
<u>P3-04ADS</u>	Productivity3000 analog input module, 4-channel, current/voltage, 16-bit, isolated. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$796.00
<u>P3-08AD</u>	Productivity3000 analog input module, 8-channel, current/voltage, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$432.00
<u>P3-16AD-1</u>	Productivity3000 analog input module, 16-channel, current, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$589.00
<u>P3-16AD-2</u>	Productivity3000 analog input module, 16-channel, voltage, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$576.00
<u>P3-08RTD</u>	Productivity3000 temperature input module, RTD, 8-channel, 16-bit resolution, input RTD type(s): Pt100, Pt1000, JPt100, Cu10, Cu25 and Ni120. (1) P3-RTB screw terminal block included.	Stock	\$639.00
<u>P3-08THM</u>	Productivity3000 temperature input module, thermocouple, 8-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C. (1) P3-RTB screw terminal block included.	Stock	\$810.00
<u>P3-04DA</u>	Productivity3000 analog output module, 4-channel, current/voltage, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$494.00
<u>P3-08DA-1</u>	Productivity3000 analog output module, 8-channel, current, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$857.00
<u>P3-08DA-2</u>	Productivity3000 analog output module, 8-channel, voltage, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$798.00
<u>P3-16DA-1</u>	Productivity3000 analog output module, 16-channel, current, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$1,022.00
<u>P3-16DA-2</u>	Productivity3000 analog output module, 16-channel, voltage, 16-bit, external 24 VDC required. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$1,002.00
<u>P3-8AD4DA-1</u>	Productivity3000 analog combo module, Input: 8-channel, current, Output: 4-channel, current. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables.	Stock	\$658.00
<u>P3-8AD4DA-2</u>	Productivity3000 analog combo module, Input: 8-channel, voltage, Output: 4-channel, voltage. Requires P3-RTB removable terminal block or ZIPLink pre-wired cables. Optional ZIPLink connector modules and pre-wired cables are available.	Stock	\$679.00

Productivity3000 Communications and Networking Modules			
<u>P3-SCM</u>	Productivity3000 communication module, Modbus RTU and ASCII, 4 ports, (3) RS-232 (RJ12) and (1) RS-232 (RJ12) or RS-485 (4-pin terminal) port(s).	Stock	\$523.00
Productivity3000 Motion and Specialty Modules			
<u>P3-16SIM</u>	Productivity3000 simulator input module, 16-point.	Stock	\$214.00
<u>P3-HSI</u>	Productivity3000 pulse input module, 1 MHz maximum switching frequency, 2 high-speed input point(s), 5-24 VDC, sinking/sourcing, 2-channel, differential and single-ended encoder input(s), 4 high-speed output point(s), 5-24 VDC, sinking/sourcing, external 24 VDC required.	Stock	\$619.00
<u>P3-HSO</u>	Productivity3000 pulse output module, 1 MHz maximum switching frequency, 4 high-speed output point(s), 5-24 VDC, sinking/sourcing, 2-channel, differential and single-ended output channel(s), 6 high-speed input point(s), 5-24 VDC, sinking/sourcing, external 24 VDC required.	Stock	\$646.00
Accessories for Productivity3000 Programmable Controllers			
<u>P3-USER-M</u>	Productivity3000 user manual, free download only. For use with all Productivity3000 CPUs and I/O modules. Order separately.	Stock	\$0.00
<u>P3-LCD</u>	Productivity3000 LCD assembly, replacement. For use with P3-550 and P3-550E CPUs.	Stock	\$83.00
<u>P3-FILL</u>	Productivity3000 filler module.	Stock	\$33.50
<u>P3-RTB</u>	Productivity3000 terminal block, 18-pin screw terminal. For use with Productivity3000 I/O modules. Hinged terminal block cover with wiring legend ships with each I/O module.	Stock	\$22.00
<u>P3-FUSE-1</u>	Productivity3000 spare fuse, 3.15A. Package of 5. For use with P3-08TAS and P3-08TRS output modules.	Stock	\$11.50
<u>P3-FUSE-2</u>	Productivity3000 spare fuse, 6.3A. Package of 5. For use with P3-16TA, P3-16TR and P3-08TRS-1 output modules.	Stock	\$11.50
BRX (Stackable Micro Brick) PLCs and CPUs			
<u>BX-DM1E-M-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, no on-board I/O.	Stock	\$369.00
<u>BX-DM1E-M</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, no on-board I/O.	Stock	\$380.00
<u>BX-DM1-10AR-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 6-point, AC, Discrete Output: 4-point, relay.	Stock	\$213.00
<u>BX-DM1-10ER-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 6-point, AC/DC, Discrete Output: 4-point, relay.	Stock	\$325.00
<u>BX-DM1-10ED1-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 6-point, AC/DC, Discrete Output: 4-point, sinking.	Stock	\$332.00
<u>BX-DM1-10ED2-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 6-point, AC/DC, Discrete Output: 4-point, sourcing.	Stock	\$332.00
<u>BX-DM1E-10AR3-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 6-point, AC, Analog Input: 1-channel, current/voltage, Discrete Output: 4-point, relay, Analog Output: 1-channel, current/voltage.	Stock	\$411.00
<u>BX-DM1E-10ER3-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 6-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 4-point, relay, Analog Output: 1-channel, current/voltage.	Stock	\$420.00
<u>BX-DM1E-10ED13-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 6-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 4-point, sinking, Analog Output: 1-channel, current/voltage.	Stock	\$405.00
<u>BX-DM1E-10ED23-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 6-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 4-point, sourcing, Analog Output: 1-channel, current/voltage.	Stock	\$404.00
<u>BX-DM1-18ER-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Discrete Output: 8-point, relay.	Stock	\$329.00
<u>BX-DM1-18ED2-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Discrete Output: 8-point, sourcing.	Stock	\$351.00
<u>BX-DM1-18ED1-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Discrete Output: 8-point, sinking.	Stock	\$357.00
<u>BX-DM1E-18ER3-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 8-point, relay, Analog Output: 1-channel, current/voltage.	Stock	\$469.00
<u>BX-DM1E-18ED23-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 8-point, sourcing, Analog Output: 1-channel, current/voltage.	Stock	\$469.00
<u>BX-DM1E-18ED13-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 8-point, sinking, Analog Output: 1-channel, current/voltage.	Stock	\$476.00

<u>BX-DM1-18AR</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 10-point, AC, Discrete Output: 8-point, relay.	Stock	\$365.00
<u>BX-DM1-18ER</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Discrete Output: 8-point, relay.	Stock	\$374.00
<u>BX-DM1-18ED2</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Discrete Output: 8-point, sourcing.	Stock	\$388.00
<u>BX-DM1-18ED1</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Discrete Output: 8-point, sinking.	Stock	\$388.00
<u>BX-DM1E-18AR3</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 10-point, AC, Analog Input: 1-channel, current/voltage, Discrete Output: 8-point, relay, Analog Output: 1-channel, current/voltage.	Stock	\$483.00
<u>BX-DM1E-18ER3</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 8-point, relay, Analog Output: 1-channel, current/voltage.	Stock	\$495.00
<u>BX-DM1E-18ED23</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 8-point, sourcing, Analog Output: 1-channel, current/voltage.	Stock	\$502.00
<u>BX-DM1E-18ED13</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 10-point, AC/DC, Analog Input: 1-channel, current/voltage, Discrete Output: 8-point, sinking, Analog Output: 1-channel, current/voltage.	Stock	\$503.00
<u>BX-DM1-36ER-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Discrete Output: 16-point, relay.	Stock	\$391.00
<u>BX-DM1-36ED2-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Discrete Output: 16-point, sourcing.	Stock	\$428.00
<u>BX-DM1-36ED1-D</u>	BRX Do-more PLC, 12-24 VDC required, serial port, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Discrete Output: 16-point, sinking.	Stock	\$429.00
<u>BX-DM1E-36ER3-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Analog Input: 4-channel, current/voltage, Discrete Output: 16-point, relay, Analog Output: 2-channel, current/voltage.	Stock	\$580.00
<u>BX-DM1E-36ED23-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Analog Input: 4-channel, current/voltage, Discrete Output: 16-point, sourcing, Analog Output: 2-channel, current/voltage.	Stock	\$590.00
<u>BX-DM1E-36ED13-D</u>	BRX Do-more PLC, 12-24 VDC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Analog Input: 4-channel, current/voltage, Discrete Output: 16-point, sinking, Analog Output: 2-channel, current/voltage.	Stock	\$600.00
<u>BX-DM1-36ER</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Discrete Output: 16-point, relay.	Stock	\$444.00
<u>BX-DM1-36AR</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 20-point, AC, Discrete Output: 16-point, relay.	Stock	\$440.00
<u>BX-DM1-36ED2</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Discrete Output: 16-point, sourcing.	Stock	\$449.00
<u>BX-DM1-36ED1</u>	BRX Do-more PLC, 120-240 VAC required, serial port, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Discrete Output: 16-point, sinking.	Stock	\$448.00
<u>BX-DM1E-36ER3</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Analog Input: 4-channel, current/voltage, Discrete Output: 16-point, relay, Analog Output: 2-channel, current/voltage.	Stock	\$620.00
<u>BX-DM1E-36AR3</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 20-point, AC, Analog Input: 4-channel, current/voltage, Discrete Output: 16-point, relay, Analog Output: 2-channel, current/voltage.	Stock	\$623.00
<u>BX-DM1E-36ED23</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Analog Input: 4-channel, current/voltage, Discrete Output: 16-point, sourcing, Analog Output: 2-channel, current/voltage.	Stock	\$626.00
<u>BX-DM1E-36ED13</u>	BRX Do-more PLC, 120-240 VAC required, Ethernet and serial ports, battery backup, microSD card slot, Discrete Input: 20-point, AC/DC, Analog Input: 4-channel, current/voltage, Discrete Output: 16-point, sinking, Analog Output: 2-channel, current/voltage.	Stock	\$626.00
BRX Pluggable Option Modules			
<u>BX-P-ECOMEX</u>	BRX communication POM module, MQTT Client, MQTTs Client, FTP Client, Do-more protocol, EtherNet/IP, Ethernet remote I/O and Modbus TCP, 1 port, (1) Ethernet 10/100Base-T (RJ45) port(s). For use with Ethernet enabled BRX MPUs.	Stock	\$126.00
<u>BX-P-ECOMLT</u>	BRX communication POM module, Do-more protocol and Modbus TCP, 1 port, (1) Ethernet 10/100Base-T (RJ45) port(s). For use with all BRX MPUs.	Stock	\$105.00
<u>BX-P-USB-B</u>	BRX communication POM module, 1 port, (1) USB B port(s). For use with all BRX MPUs.	Stock	\$48.50
<u>BX-P-SER2-RJ12</u>	BRX communication POM module, Do-more protocol, Modbus RTU and ASCII, 1 port, buffered, (1) RS-232 (RJ12) port(s). For use with all BRX MPUs.	Stock	\$80.00

<u>BX-P-SER2-TERM</u>	BRX communication POM module, Do-more protocol, Modbus RTU and ASCII, 1 port, buffered, (1) RS-232 (3-pin terminal) port(s). For use with all BRX MPUs. BX-RTB03S terminal block included.	Stock	\$80.00
<u>BX-P-SER2-TERMF3</u>	BRX communication POM module, Do-more protocol, Modbus RTU and ASCII, 1 port, buffered, (1) RS-232 (5-pin terminal) port(s). For use with all BRX MPUs. BX-RTB05S terminal block included.	Stock	\$83.00
<u>BX-P-SER4-TERM</u>	BRX communication POM module, Do-more protocol, Modbus RTU and ASCII, 1 port, buffered, (1) RS-485 (3-pin terminal) port(s). For use with all BRX MPUs. BX-RTB03S terminal block included.	Stock	\$81.00
<u>BX-P-SER422-TERM</u>	BRX communication POM module, Do-more protocol, Modbus RTU and ASCII, 1 port, buffered, (1) RS-422 (5-pin terminal) port(s). For use with all BRX MPUs. BX-RTB05S terminal block included.	Stock	\$83.00
BRX PLC Remote I/O Modules			
<u>BX-DMIO-M</u>	BRX Do-more I/O controller, (1) Ethernet 10/100Base-T (RJ45) port(s), Do-more I/O controller protocol, up to 100 Mbps, external 120 VAC required.	Stock	\$232.00
<u>BX-DMIO-M-D</u>	BRX Do-more I/O controller, (1) Ethernet 10/100Base-T (RJ45) port(s), Do-more I/O controller protocol, up to 100 Mbps, external 24 VDC required.	Stock	\$205.00
<u>BX-MBIO-M</u>	BRX Modbus I/O controller, (1) Ethernet 10/100Base-T (RJ45) and (1) RS-485 (3-pin terminal) port(s), Modbus RTU and Modbus TCP/IP, up to 115.2k baud and up to 100 Mbps, external 120 VAC required.	Stock	\$324.00
<u>BX-MBIO-M-D</u>	BRX Modbus I/O controller, (1) Ethernet 10/100Base-T (RJ45) and (1) RS-485 (3-pin terminal) port(s), Modbus RTU and Modbus TCP/IP, up to 115.2k baud and up to 100 Mbps, external 24 VDC required.	Stock	\$300.00
<u>BX-EBC100-M</u>	BRX Ethernet base controller, (1) Ethernet 10/100Base-T (RJ45) port(s), Do-more Ethernet remote I/O, Modbus TCP/IP, TCP/IP, UDP/IP and IPX, up to 100 Mbps, external 120 VAC required.	Stock	\$341.00
<u>BX-EBC100-M-D</u>	BRX Ethernet base controller, (1) Ethernet 10/100Base-T (RJ45) port(s), Do-more Ethernet remote I/O, Modbus TCP/IP, TCP/IP, UDP/IP and IPX, up to 100 Mbps, external 24 VDC required.	Stock	\$318.00
BRX PLC DC I/O Modules			
<u>BX-08ND3</u>	BRX discrete input module, 8-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 4 point(s) per common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$52.00
<u>BX-12ND3</u>	BRX discrete input module, 12-point, 12-24 VDC, sinking/sourcing, 3 isolated common(s), 4 point(s) per common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$69.00
<u>BX-16ND3</u>	BRX discrete input module, 16-point, 12-24 VDC, sinking/sourcing, 4 isolated common(s), 4 point(s) per common. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$75.00
<u>BX-32ND3</u>	BRX discrete input module, 32-point, 12-24 VDC, sinking/sourcing, 4 isolated common(s), 8 point(s) per common. Requires ZIPLink pre-wired cable.	Stock	\$148.00
<u>BX-08NF3</u>	BRX discrete input module, 8-point, 3-5 VDC, sinking/sourcing/TTL, 2 isolated common(s), 4 point(s) per common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$51.00
<u>BX-16NF3</u>	BRX discrete input module, 16-point, 2-5 VDC, sinking/sourcing/TTL, 4 isolated common(s), 4 point(s) per common. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$73.00
<u>BX-08TD1</u>	BRX discrete output module, 8-point, 12-24 VDC, sinking, 2 isolated common(s), 4 point(s) per common, 0.5A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$63.00
<u>BX-12TD1</u>	BRX discrete output module, 12-point, 12-24 VDC, sinking, 3 isolated common(s), 4 point(s) per common, 0.5A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$98.00
<u>BX-16TD1</u>	BRX discrete output module, 16-point, 12-24 VDC, sinking, 4 isolated common(s), 4 point(s) per common, 0.5A/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$105.00
<u>BX-32TD1</u>	BRX discrete output module, 32-point, 12-24 VDC, sinking, 4 isolated common(s), 8 point(s) per common, 0.5A/point. Requires ZIPLink pre-wired cable.	Stock	\$150.00
<u>BX-08TD2</u>	BRX discrete output module, 8-point, 12-24 VDC, sourcing, 2 isolated common(s), 4 point(s) per common, 0.5A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$67.00
<u>BX-12TD2</u>	BRX discrete output module, 12-point, 12-24 VDC, sourcing, 3 isolated common(s), 4 point(s) per common, 0.5A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$90.00
<u>BX-16TD2</u>	BRX discrete output module, 16-point, 12-24 VDC, sourcing, 4 isolated common(s), 4 point(s) per common, 0.5A/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$105.00
<u>BX-32TD2</u>	BRX discrete output module, 32-point, 12-24 VDC, sourcing, 4 isolated common(s), 8 point(s) per common, 0.5A/point. Requires ZIPLink pre-wired cable.	Stock	\$149.00
<u>BX-16TF2</u>	BRX discrete output module, 16-point, 2-5 VDC, sourcing/TTL, 4 isolated common(s), 4 point(s) per common, 20 mA/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$98.00
<u>BX-08CD3R</u>	BRX discrete combo module, Input: 4-point, 12-24 VDC, sinking/sourcing, Output: 4-point, 12-48 VDC/24-240 VAC, relay, (4) Form A (SPST) relays, 2A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$73.00
<u>BX-12CD3D1</u>	BRX discrete combo module, Input: 8-point, 12-24 VDC, sinking/sourcing, Output: 4-point, 12-24 VDC, sinking, 0.5A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$73.00
<u>BX-12CD3D2</u>	BRX discrete combo module, Input: 8-point, 12-24 VDC, sinking/sourcing, Output: 4-point, 12-24 VDC, sourcing, 0.5A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$73.00
<u>BX-16CD3D1</u>	BRX discrete combo module, Input: 8-point, 12-24 VDC, sinking/sourcing, Output: 8-point, 12-24 VDC, sinking, 0.5A/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$90.00

<u>BX-16CD3D2</u>	BRX discrete combo module, Input: 8-point, 12-24 VDC, sinking/sourcing, Output: 8-point, 12-24 VDC, sourcing, 0.5A/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$97.00
<u>BX-16CF3F2</u>	BRX discrete combo module, Input: 8-point, 2-5 VDC, sinking/sourcing/TTL, Output: 8-point, 2-5 VDC, sourcing/TTL, 20 mA/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$82.00
BRX PLC AC I/O Modules			
<u>BX-08NB</u>	BRX discrete input module, 8-point, 12-24 VAC, 2 isolated common(s), 4 point(s) per common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$52.00
<u>BX-12NB</u>	BRX discrete input module, 12-point, 12-24 VAC, 3 isolated common(s), 4 point(s) per common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$54.00
<u>BX-16NB</u>	BRX discrete input module, 16-point, 12-24 VAC, 4 isolated common(s), 4 point(s) per common. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$65.00
<u>BX-08NA</u>	BRX discrete input module, 8-point, 120-240 VAC, 2 isolated common(s), 4 point(s) per common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$56.00
<u>BX-12NA</u>	BRX discrete input module, 12-point, 120-240 VAC, 3 isolated common(s), 4 point(s) per common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$73.00
<u>BX-16NA</u>	BRX discrete input module, 16-point, 120-240 VAC, 4 isolated common(s), 4 point(s) per common. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$81.00
<u>BX-08TA</u>	BRX discrete output module, 8-point, 120-240 VAC, 2 isolated common(s), 4 point(s) per common, 0.5A/point, 2A/common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$117.00
<u>BX-12TA</u>	BRX discrete output module, 12-point, 120-240 VAC, 3 isolated common(s), 4 point(s) per common, 0.5A/point, 2A/common. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$137.00
BRX PLC Relay Output Modules			
<u>BX-08TR</u>	BRX relay output module, 8-point, 12-48 VDC/24-240 VAC, (8) Form A, 2 isolated common(s), 4 point(s) per common, 2A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$73.00
<u>BX-12TR</u>	BRX relay output module, 12-point, 12-48 VDC/24-240 VAC, (12) Form A, 3 isolated common(s), 4 point(s) per common, 2A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$98.00
<u>BX-16TR</u>	BRX relay output module, 16-point, 12-48 VDC/24-240 VAC, (16) Form A, 4 isolated common(s), 4 point(s) per common, 2A/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$111.00
<u>BX-08TRZ</u>	BRX relay output module, 8-point, 12-48 VDC/24-240 VAC, (8) Form A (SPST) no-suppression, 2 isolated common(s), 4 point(s) per common, 2A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$82.00
<u>BX-16TRZ</u>	BRX relay output module, 16-point, 12-48 VDC/24-240 VAC, (16) Form A (SPST) no-suppression, 4 isolated common(s), 4 point(s) per common, 2A/point. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$118.00
<u>BX-05TRS</u>	BRX relay output module, 5-point, 12-48 VDC/24-240 VAC, (5) Form C, 5 isolated common(s), 1 point(s) per common, 2A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$73.00
<u>BX-05TRS-1</u>	BRX relay output module, 5-point, 12-48 VDC/24-240 VAC/100-125 VDC, (5) Form C, 5 isolated common(s), 1 point(s) per common, 8A/point. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit.	Stock	\$90.00
BRX PLC Analog I/O Modules			
<u>BX-04ADM-1</u>	BRX analog input module, 4-channel, current, 14-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$182.00
<u>BX-04AD-3</u>	BRX analog input module, 4-channel, current/voltage, 15-bit and 16-bit. Requires BX-RTB05, BX-RTB05-1 or BX-RTB05-2 terminal block kit.	Stock	\$193.00
<u>BX-04AD-1</u>	BRX analog input module, 4-channel, current, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$230.00
<u>BX-04AD-2B</u>	BRX analog input module, 4-channel, voltage, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$230.00
<u>BX-08AD-3</u>	BRX analog input module, 8-channel, current/voltage, 15-bit and 16-bit. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$225.00
<u>BX-08AD-1</u>	BRX analog input module, 8-channel, current, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$255.00
<u>BX-08AD-2B</u>	BRX analog input module, 8-channel, voltage, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$255.00
<u>BX-16AD-1</u>	BRX analog input module, 16-channel, current, 16-bit, input current signal range(s) of 0-20 mA, 4-20 mA, external 24 VDC required.	Stock	\$363.00

<u>BX-16AD-2B</u>	BRX analog input module, 16-channel, voltage, 16-bit, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, +/- 5 VDC, +/- 10 VDC, external 24 VDC required.	Stock	\$363.00
<u>BX-04DA-3</u>	BRX analog output module, 4-channel, current/voltage, 15-bit and 16-bit. Requires BX-RTB05, BX-RTB05-1 or BX-RTB05-2 terminal block kit.	Stock	\$244.00
<u>BX-04DA-1</u>	BRX analog output module, 4-channel, current, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$269.00
<u>BX-04DA-2B</u>	BRX analog output module, 4-channel, voltage, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$269.00
<u>BX-08DA-3</u>	BRX analog output module, 8-channel, current/voltage, 15-bit and 16-bit. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$311.00
<u>BX-08DA-1</u>	BRX analog output module, 8-channel, current, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$350.00
<u>BX-08DA-2B</u>	BRX analog output module, 8-channel, voltage, 16-bit, external 24 VDC required. Requires BX-RTB10, BX-RTB10-1 or BX-RTB10-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$350.00
<u>BX-2AD2DA-3</u>	BRX analog combo module, Input: 2-channel, current/voltage, 0-20 mA, +/- 20 mA and 4-20 mA, 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC, Output: 2-channel, current/voltage, 0-20 mA, +/- 20 mA and 4-20 mA, 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC.	Stock	\$284.00
<u>BX-2AD2DA-1</u>	BRX analog combo module, Input: 2-channel, current, 0-20 mA and 4-20 mA, Output: 2-channel, current, 0-20 mA and 4-20 mA.	Stock	\$309.00
<u>BX-2AD2DA-2B</u>	BRX analog combo module, Input: 2-channel, voltage, 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC, Output: 2-channel, voltage, 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC.	Stock	\$309.00
<u>BX-4AD4DA-3</u>	BRX analog combo module, Input: 4-channel, current/voltage, Output: 4-channel, current/voltage. Requires BX-RTB08, BX-RTB08-1 or BX-RTB08-2 terminal block kit or ZIPLink pre-wired cables.	Stock	\$349.00
<u>BX-4AD2DA-1</u>	BRX analog combo module, Input: 4-channel, current, 0-20 mA and 4-20 mA, Output: 2-channel, current, 0-20 mA and 4-20 mA.	Stock	\$378.00
<u>BX-4AD2DA-2B</u>	BRX analog combo module, Input: 4-channel, voltage, 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC, Output: 2-channel, voltage, 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC.	Stock	\$378.00
<u>BX-04UT</u>	BRX universal temperature input module, RTD/thermocouple/thermistor, 4-channel, 24-bit resolution. (1) BX-RTB05 screw terminal block kit included.	Stock	\$223.00
<u>BX-04THM</u>	BRX temperature input module, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C. (1) BX-RTB10 screw terminal block kit included.	Stock	\$241.00
<u>BX-08UT</u>	BRX universal temperature input module, RTD/thermocouple/thermistor, 8-channel, 24-bit resolution. (1) BX-RTB10 screw terminal block kit included.	Stock	\$248.00
<u>BX-08THM</u>	BRX temperature input module, thermocouple, 8-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C. (1) BX-RTB10 screw terminal block kit included.	Stock	\$269.00
<u>BX-4UT4DA-3</u>	BRX universal temperature combo module, Input: 4-channel, RTD/thermocouple/thermistor, Output: 4-channel, current/voltage. (1) BX-RTB10 screw terminal block kit included.	Stock	\$436.00
<u>BX-4UT4TD1</u>	BRX universal temperature combo module, Input: 4-channel, RTD/thermocouple/thermistor, Output: 4-point, sinking, 12-24 VDC. (1) BX-RTB10 screw terminal block kit included.	Stock	\$248.00
<u>BX-4UT4TD2</u>	BRX universal temperature combo module, Input: 4-channel, RTD/thermocouple/thermistor, Output: 4-point, sourcing, 12-24 VDC. (1) BX-RTB10 screw terminal block kit included.	Stock	\$248.00
<u>BX-4UT4TR</u>	BRX universal temperature combo module, Input: 4-channel, RTD/thermocouple/thermistor, Output: 4-point, relay, 24-240 VAC/12-48 VDC, (4) Form A (SPST) relays. (1) BX-RTB10 screw terminal block kit included.	Stock	\$248.00
<u>BX-4THM4DA-1</u>	BRX temperature combo module, Input: 4-channel, thermocouple, input thermocouple type(s): J, E, K, R, S, T, B, N, C, Output: 4-channel, current, 0-20 mA and 4-20 mA. (1) BX-RTB10 screw terminal block kit included.	Stock	\$472.00
<u>BX-06RTD</u>	BRX temperature input module, RTD, 6-channel, 16-bit resolution, input RTD type(s): Pt100, JPt100, Cu10, Cu25, Pt1000 and Ni120. (1) BX-RTB10 screw terminal block kit included.	Stock	\$255.00
<u>BX-4RTD4DA-1</u>	BRX temperature combo module, Input: 4-channel, RTD, input RTD type(s): Pt100, Pt1000, JPt100, Cu10, Cu25 and Ni120, Output: 4-channel, current, 0-20 mA and 4-20 mA. (1) BX-RTB10 screw terminal block kit included.	Stock	\$472.00
<u>BX-08NTC</u>	BRX temperature input module, thermistor, 8-channel, 16-bit resolution, input thermistor type(s): 2252, 10K-AN Type 3, 10K-CP Type 2, 5K, 3K and 1.8K ohm. (1) BX-RTB10 screw terminal block kit included.	Stock	\$269.00
BRX PLC Communication and Networking Modules			
<u>BX-SERIO</u>	BRX communication module, Do-more protocol, Modbus RTU and ASCII, 4 ports, buffered, (4) RS-232/RS-485 (3-pin terminal) port(s). For use with all BRX PLCs. (4) BX-RTB03S terminal blocks included.	Stock	\$219.00
<u>BX-SERIO-2</u>	BRX communication module, Do-more protocol, Modbus RTU and ASCII, 4 ports, buffered, (4) RS-232 (5-pin terminal) port(s). For use with all BRX MPUs. (4) BX-RTB05S terminal blocks included.	Stock	\$215.00
<u>BX-SERIO-4</u>	BRX communication module, Do-more protocol, Modbus RTU and ASCII, 4 ports, buffered, (4) RS-422 (5-pin terminal) port(s). For use with all BRX MPUs. (4) BX-RTB05S terminal blocks included.	Stock	\$199.00
BRX PLC Motion and Specialty Modules			
<u>BX-HSIO1</u>	BRX pulse combo module, 250 kHz maximum switching frequency, 8 high-speed input point(s), sinking/sourcing, single-ended encoder input(s), 8 high-speed output point(s), sinking, single-ended output (s).	Stock	\$242.00

<u>BX-HSIO2</u>	BRX pulse combo module, 250 kHz maximum switching frequency, 8 high-speed input point(s), sinking/sourcing, single-ended encoder input(s), 8 high-speed output point(s), sourcing, single-ended output (s).	Stock	\$242.00
<u>BX-HSIO4</u>	BRX pulse combo module, 2 MHz maximum switching frequency, 8 high-speed input point(s), sinking/sourcing/TTL, differential and single-ended encoder input(s), 8 high-speed output point(s), sinking/sourcing/TTL, differential and single-ended output(s).	Stock	\$274.00
<u>BX-APAD</u>	BRX active padding module, allows emulation of BRX modules in I/O configuration.	Stock	\$40.00
<u>BX-08SIM</u>	BRX simulator input module, 8-point.	Stock	\$68.00
Accessories for BRX Series (Stackable Micro Brick) PLCs			
<u>DMD-GSG-M</u>	Do-more Designer user manual, free download only. For use with BRX PLCs and Do-more H2 and T1H series CPUs.	Stock	\$0.00
<u>BX-ACC-1</u>	BRX access cover kit, replacement. For use with all BRX PLCs. Includes (1) battery cover, (1) expansion slot cover, (1) blank POM slot insert and (1) custom label slot cover.	Stock	\$11.50
<u>BX-LBL-1</u>	BRX blank custom slot labels, package of 10. For use with 18-point and 36-point BRX PLCs. (10) labels and (1) custom label slot cover included.	Stock	\$38.00
<u>BX-RTB03S</u>	BRX terminal block, 90-degree screw type, replacement. For use with all BRX PLCs, BX-P-SER2-TERM and BX-P-SER4-TERM CPU plug-in communications modules.	Stock	\$5.75
<u>BX-RTB03</u>	BRX terminal block, 90-degree screw type, replacement. For use with BRX 18-point PLCs.	Stock	\$5.75
<u>BX-RTB03-1</u>	BRX terminal block, 180-degree spring clamp, replacement. For use with BRX 18-point PLCs.	Stock	\$5.25
<u>BX-RTB03-2</u>	BRX terminal block, 180-degree screw type, replacement. For use with BX-2AD2DA-3 analog combo module.	Stock	\$4.75
<u>BX-RTB05S</u>	BRX terminal block, 90-degree screw type, replacement. For use with BX-P-SER2-TERMFC, BX-P-SER422-TERM, BX-SERIO-2 and BX-SERIO-4 communication modules.	Stock	\$4.75
<u>BX-RTB05</u>	BRX terminal block, 90-degree screw type, replacement. For use with BRX 8-point expansion modules, BRX 12-point expansion modules, BRX 18-point PLCs, and BRX 36-point PLCs.	Stock	\$9.00
<u>BX-RTB05-1</u>	BRX terminal block, 180-degree spring clamp, replacement. For use with BRX 8-point expansion modules, BRX 12-point expansion modules, BRX 18-point PLCs, and BRX 36-point PLCs.	Stock	\$7.50
<u>BX-RTB05-2</u>	BRX terminal block, 180-degree screw type, replacement. For use with BRX 8-point expansion modules and BRX 12-point expansion modules.	Stock	\$8.50
<u>BX-RTB06</u>	BRX terminal block, 90-degree screw type, replacement. For use with BRX 18-point PLCs.	Stock	\$11.00
<u>BX-RTB06-1</u>	BRX terminal block, 180-degree spring clamp, replacement. For use with BRX 18-point PLCs.	Stock	\$9.75
<u>BX-RTB08</u>	BRX terminal blocks, 90-degree screw type. Package of 3. For use with BRX 5-point expansion modules, BRX 8-point expansion modules and BRX 12-point expansion modules.	Stock	\$16.00
<u>BX-RTB08-1</u>	BRX terminal blocks, 180-degree spring clamp. Package of 3. For use with BRX 5-point expansion modules, BRX 8-point expansion modules and BRX 12-point expansion modules.	Stock	\$15.00
<u>BX-RTB08-2</u>	BRX terminal blocks, 180-degree screw type. Package of 3. For use with BRX 5-point expansion modules, BRX 8-point expansion modules and BRX 12-point expansion modules.	Stock	\$16.00
<u>BX-RTB10</u>	BRX terminal blocks, 90-degree screw type. Package of 2. For use with BRX 10-point PLCs, BRX 16-point expansion modules, and all BRX analog and temperature expansion modules.	Stock	\$22.50
<u>BX-RTB10-1</u>	BRX terminal blocks, 180-degree spring clamp. Package of 2. For use with BRX 10-point PLCs, BRX 16-point expansion modules, and all BRX analog and temperature expansion modules.	Stock	\$25.00
<u>BX-RTB10-2</u>	BRX terminal blocks, 180-degree screw type. Package of 2. For use with BRX 10-point PLCs, BRX 16-point expansion modules, and all BRX analog and temperature expansion modules.	Stock	\$23.50
<u>BX-RTB18</u>	BRX terminal block kit, 90-degree screw type. For use with BRX 18-point PLCs. Includes (3) 5-pin 5mm terminal blocks, (2) 6-pin 5mm terminal blocks and (1) 3-pin 5mm terminal blocks.	Stock	\$37.00
<u>BX-RTB18-1</u>	BRX terminal block kit, 180-degree spring clamp. For use with BRX 18-point PLCs. Includes (3) 5-pin 5mm terminal blocks, (2) 6-pin 5mm terminal blocks and (1) 3-pin 5mm terminal blocks.	Stock	\$37.00
<u>BX-RTB36</u>	BRX terminal blocks, 90-degree screw type. Package of 12. For use with BRX 36-point PLCs.	Stock	\$52.00
<u>BX-RTB36-1</u>	BRX terminal blocks, 180-degree spring clamp. Package of 12. For use with BRX 36-point PLCs.	Stock	\$52.00
<u>BX-USER-M</u>	BRX user manual, free download only. For use with all BRX PLCs.	Stock	\$0.00
Do-more H2 and T1H Series PLC CPU Modules			
<u>H2-DM1</u>	Do-more H2 CPU, 64k words ladder memory, (1) RS-232 (RJ12) and (1) USB B port(s), battery included.	Stock	\$437.00
<u>H2-DM1E</u>	Do-more H2 CPU, 64k words ladder memory, (1) RS-232 (RJ12), (1) Ethernet (RJ45) and (1) USB B port(s), battery included.	Stock	\$584.00
<u>T1H-DM1</u>	Do-more T1H CPU, 64k words ladder memory, (1) RS-232 (RJ12) and (1) USB B port(s), battery included.	Stock	\$523.00
<u>T1H-DM1E</u>	Do-more T1H CPU, 64k words ladder memory, (1) RS-232 (RJ12), (1) Ethernet (RJ45) and (1) USB B port(s), battery included.	Stock	\$684.00

Motion and Specialty Modules for Do-more H2 and T1H Series PLCs			
F2-08SIM	DirectLOGIC DL205 simulator input module, 8-point.	Stock	\$118.00
Accessories for Do-more H2 and T1H Series PLCs			
DM-PGMSW-USB	Do-more Designer Windows programming and documentation software, USB or free download. For use with Do-more and BRX PLCs.	Stock	\$13.00
LS Electric XGB PLC Units			
XEM-DN16H2	LS Electric XGB PLC, 24 VDC required, Ethernet, serial and USB B ports, Discrete Input: 8-point, DC, Discrete Output: 8-point, sinking, 4 high-speed input point(s), 2 high-speed output point(s).	Stock	\$318.00
XEM-DP16H2	LS Electric XGB PLC, 24 VDC required, Ethernet, serial and USB B ports, Discrete Input: 8-point, DC, Discrete Output: 8-point, sourcing, 4 high-speed input point(s), 2 high-speed output point(s).	Stock	\$318.00
XEM-DR14H2	LS Electric XGB PLC, 24 VDC required, Ethernet, serial and USB B ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, relay, 4 high-speed input point(s).	Stock	\$307.00
XEM-DN32H2	LS Electric XGB PLC, 24 VDC required, Ethernet, serial and USB B ports, Discrete Input: 16-point, DC, Discrete Output: 16-point, sinking, 4 high-speed input point(s), 2 high-speed output point(s). Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$329.00
XEM-DN32HP	LS Electric XGB PLC, 24 VDC required, Ethernet, serial and USB B ports, Discrete Input: 16-point, DC, Discrete Output: 16-point, sinking, 4 high-speed input point(s), 6 high-speed output point(s). Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$384.00
XEM-DP32H2	LS Electric XGB PLC, 24 VDC required, Ethernet, serial and USB B ports, Discrete Input: 16-point, DC, Discrete Output: 16-point, sourcing, 4 high-speed input point(s), 2 high-speed output point(s). Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$329.00
XEM-DP32HP	LS Electric XGB PLC, 24 VDC required, Ethernet, serial and USB B ports, Discrete Input: 16-point, DC, Discrete Output: 16-point, sourcing, 4 high-speed input point(s), 6 high-speed output point(s). Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$384.00
LS Electric Motion Controllers			
XMC-E08A	LS Electric XMC programmable motion controller, microSD card slot, Ethernet and USB B ports, EtherCAT Master and Modbus TCP, up to (8) axes and up to (9) virtual axes, external 100-240 VAC required. Optional XEL-BSSCT bus coupler for I/O expansion with XGB modules.	Stock	\$857.00
XMC-E08A-DC	LS Electric XMC programmable motion controller, microSD card slot, Ethernet and USB B ports, EtherCAT Master and Modbus TCP, up to (8) axes and up to (9) virtual axes, external 24 VDC required. Optional XEL-BSSCT bus coupler for I/O expansion with XGB modules.	Stock	\$857.00
XMC-E16A	LS Electric XMC programmable motion controller, microSD card slot, Ethernet and USB B ports, EtherCAT Master and Modbus TCP, up to (16) axes and up to (18) virtual axes, external 100-240 VAC required. Optional XEL-BSSCT bus coupler for I/O expansion with XGB modules.	Stock	\$959.00
XMC-E16A-DC	LS Electric XMC programmable motion controller, microSD card slot, Ethernet and USB B ports, EtherCAT Master and Modbus TCP, up to (16) axes and up to (18) virtual axes, external 24 VDC required. Optional XEL-BSSCT bus coupler for I/O expansion with XGB modules.	Stock	\$959.00
LS Electric XGB PLC Bus Couplers			
XEL-BSSRT	LS Electric XGB bus coupler, 24 VDC, (2) Ethernet (RJ45) and (1) USB B port(s), EtherNet/IP and Modbus TCP, 100/1000 Mbps. For use with LS Electric XGB series I/O modules.	Stock	\$257.00
XEL-BSSCT	LS Electric XGB bus coupler, 24 VDC, (2) Ethernet (RJ45) and (1) USB B port(s), EtherCAT Slave, 100 Mbps. For use with LS Electric XGB series I/O modules.	Stock	\$219.00
LS Electric XGB PLC D/C I/O Modules			
XBE-DC08A	LS Electric XGB discrete input module, 8-point, 24 VDC, sinking/sourcing, 1 common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$65.00
XBE-DC16A	LS Electric XGB discrete input module, 16-point, 24 VDC, sinking/sourcing, 1 common(s), 16 point(s) per common. Removable terminal blocks included.	Stock	\$77.00
XBE-DC16B	LS Electric XGB discrete input module, 16-point, 12-24 VDC, sinking/sourcing, 1 common(s), 16 point(s) per common. Removable terminal blocks included.	Stock	\$86.00
XBE-DC32A	LS Electric XGB discrete input module, 32-point, 24 VDC, sinking/sourcing, 1 common(s), 32 point(s) per common. Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$107.00
XBE-TN08A	LS Electric XGB discrete output module, 8-point, 12-24 VDC, sinking, 1 common(s), 8 point(s) per common, 0.5A/point, 2A/common. Removable terminal blocks included.	Stock	\$66.00
XBE-TP08A	LS Electric XGB discrete output module, 8-point, 12-24 VDC, sourcing, 1 common(s), 8 point(s) per common, 0.5A/point, 2A/common. Removable terminal blocks included.	Stock	\$69.00
XBE-TN16A	LS Electric XGB discrete output module, 16-point, 12-24 VDC, sinking, 1 common(s), 16 point(s) per common, 0.5A/point, 2A/common. Removable terminal blocks included.	Stock	\$86.00
XBE-TP16A	LS Electric XGB discrete output module, 16-point, 12-24 VDC, sourcing, 1 common(s), 16 point(s) per common, 0.5A/point, 2A/common. Removable terminal blocks included.	Stock	\$97.00
XBE-TN32A	LS Electric XGB discrete output module, 32-point, 12-24 VDC, sinking, 1 common(s), 32 point(s) per common, 0.2A/point, 2A/common. Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$120.00

<u>XBE-TP32A</u>	LS Electric XGB discrete output module, 32-point, 12-24 VDC, sourcing, 1 common(s), 32 point(s) per common, 0.2A/point, 2A/common. Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$103.00
<u>XBE-DN32A</u>	LS Electric XGB discrete combo module, Input: 16-point, 24 VDC, sinking/sourcing, Output: 16-point, 12-24 VDC, sinking, 0.2A/point, 2A/common. Requires XTB-40H terminal block and C40HH-xxSB-XBI cable.	Stock	\$190.00
<u>XBE-DR16A</u>	LS Electric XGB discrete combo module, Input: 8-point, 24 VDC, sinking/sourcing, Output: 8-point, 125 VDC/250 VAC, relay, (8) Form A (SPST) relays, 2A/point, 5A/common. Removable terminal blocks included.	Stock	\$112.00
LS Electric XGB PLC A/C I/O Modules			
<u>XBE-AC08A</u>	LS Electric XGB discrete input module, 8-point, 120 VAC, 2 common(s), 4 point(s) per common. Removable terminal blocks included.	Stock	\$97.00
LS Electric XGB PLC Relay Output Modules			
<u>XBE-RY08A</u>	LS Electric XGB relay output module, 8-point, 125 VDC/250 VAC, (8) Form A, 1 common(s), 8 point(s) per common, 2A/point, 5A/common. Removable terminal block included.	Stock	\$95.00
<u>XBE-RY08B</u>	LS Electric XGB relay output module, 8-point, 125 VDC/250 VAC, (8) Form A, 8 isolated common(s), 1 point (s) per common, 2A/point. Removable terminal blocks included.	Stock	\$105.00
<u>XBE-RY16A</u>	LS Electric XGB relay output module, 16-point, 125 VDC/250 VAC, (16) Form A, 2 isolated common(s), 8 point(s) per common, 2A/point, 5A/common. Removable terminal blocks included.	Stock	\$121.00
LS Electric XGB PLC Analog I/O Modules			
<u>XBF-AD04A</u>	LS Electric XGB analog input module, 4-channel, current/voltage, 12-bit, external 24 VDC required.	Stock	\$176.00
<u>XBF-AD04C</u>	LS Electric XGB analog input module, 4-channel, current/voltage, 14-bit, external 24 VDC required.	Stock	\$255.00
<u>XBF-AD08A</u>	LS Electric XGB analog input module, 8-channel, current/voltage, 12-bit, external 24 VDC required.	Stock	\$267.00
<u>XBF-DV04A</u>	LS Electric XGB analog output module, 4-channel, voltage, 12-bit, external 24 VDC required.	Stock	\$168.00
<u>XBF-DV04C</u>	LS Electric XGB analog output module, 4-channel, voltage, 14-bit, external 24 VDC required.	Stock	\$230.00
<u>XBF-DC04A</u>	LS Electric XGB analog output module, 4-channel, current, 12-bit, external 24 VDC required.	Stock	\$179.00
<u>XBF-DC04C</u>	LS Electric XGB analog output module, 4-channel, current, 14-bit, external 24 VDC required.	Stock	\$230.00
<u>XBF-AH04A</u>	LS Electric XGB analog combo module, Input: 2-channel, current/voltage, Output: 2-channel, current/voltage.	Stock	\$238.00
<u>XBF-RD04A</u>	LS Electric XGB temperature input module, RTD, 4-channel, 14-bit resolution, input RTD type(s): Pt100 and JPt100. Removable terminal block included.	Stock	\$219.00
<u>XBF-TC04S</u>	LS Electric XGB temperature input module, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): J, K, R, T. Removable terminal block included.	Stock	\$219.00
<u>XBF-LD02S</u>	LS Electric XGB load cell input module, 2-channel, voltage, 15-bit resolution, input voltage signal range(s) of 0 -6 mV/VDC. For use with 5 VDC four- or six-wire load cells. Removable terminal blocks included.	Stock	\$299.00
LS Electric XGB PLC Communications and Networking Modules			
<u>XBL-EIPT</u>	LS Electric XGB communication module, EtherNet/IP, 2 ports, (2) Ethernet 10/100Base-T (RJ45) port(s). For use with LS Electric XGB series PLCs.	Stock	\$99.00
<u>XBL-EMTA</u>	LS Electric XGB communication module, Modbus TCP and LS XGT protocol, 1 port, (1) Ethernet 10/100Base-T (RJ45) port(s). For use with LS Electric XGB series PLCs.	Stock	\$219.00
<u>XBL-C21A</u>	LS Electric XGB communication module, Modbus RTU, Modbus ASCII and LS XGT protocol, 1 port, (1) RS-232 (DB9 female) port(s). For use with LS Electric XGB series PLCs.	Stock	\$149.00
<u>XBL-C41A</u>	LS Electric XGB communication module, Modbus RTU, Modbus ASCII and LS XGT protocol, 1 port, (1) RS-422/RS-485 (5-pin terminal) port(s). For use with LS Electric XGB series PLCs. (1) 5-pin serial communication terminal block included.	Stock	\$149.00
LS Electric XGB Motion and Specialty Modules			
<u>XBF-PN04B</u>	LS Electric XGB 4-axis positioning module, EtherCAT Master, 1 high-speed input point(s), sinking/line driver (differential), 1-channel, differential and single-ended encoder input(s), (1) Ethernet 100Base-TX (RJ45) port (s). For use with LS Electric XEM-DxxxHx PLCs.	Stock	\$199.00
<u>XBF-PN08B</u>	LS Electric XGB 8-axis positioning module, EtherCAT Master, 1 high-speed input point(s), sinking/line driver (differential), 1-channel, differential and single-ended encoder input(s), (1) Ethernet 100Base-TX (RJ45) port (s). For use with LS Electric XEM-DxxxHx PLCs.	Stock	\$229.00
<u>XBF-HO02A</u>	LS Electric XGB counter input module, 200 kHz maximum switching frequency, 2 high-speed input point(s), 5-24 VDC, sinking, 2-channel, single-ended encoder input(s), 2 high-speed output point(s), 5-24 VDC, sinking, external 24 VDC required.	Stock	\$194.00
LS Electric XGB PLC Wiring Solutions Components			
<u>XTB-40H</u>	LS Electric XGB terminal block, 40-pin screw type. For use with LS Electric XGB series high-density modules.	Stock	\$22.00
<u>XTB-40H-LABEL</u>	AutomationDirect terminal label sheet, printed with terminal names for LS Electric XGB series modules. Package of 8. For use with XTB-40H terminal block.	Stock	\$3.00
<u>C40HH-05SB-XBI</u>	LS Electric XGB PLC I/O cable, 1.6ft/0.5m cable length, 40-pin connector to 40-pin connector. For use with LS Electric XGB series high-density modules.	Stock	\$25.00

<u>C40HH-10SB-XBI</u>	LS Electric XGB PLC I/O cable, 3.2ft/1m cable length, 40-pin connector to 40-pin connector. For use with LS Electric XGB series high-density modules.	Stock	\$28.00
<u>C40HH-15SB-XBI</u>	LS Electric XGB PLC I/O cable, 4.9ft/1.5m cable length, 40-pin connector to 40-pin connector. For use with LS Electric XGB series high-density modules.	Stock	\$32.00
<u>C40HH-20SB-XBI</u>	LS Electric XGB PLC I/O cable, 6.5ft/2m cable length, 40-pin connector to 40-pin connector. For use with LS Electric XGB series high-density modules.	Stock	\$40.00
<u>C40HH-30SB-XBI</u>	LS Electric XGB PLC I/O cable, 9.8ft/3m cable length, 40-pin connector to 40-pin connector. For use with LS Electric XGB series high-density modules.	Stock	\$47.00

Accessories for LS Electric PLCs

<u>XG5000</u>	LS Electric XGB Windows programming and documentation software, USB or free download. For use with all LS Electric PLCs.	Stock	\$19.00
<u>XGB-CON-3PX</u>	LS Electric XGB terminal block, 3-pin with cable pigtail, replacement. For use with LS Electric XEM-DxxxHx PLCs.	Stock	\$4.00
<u>XGB-CON-3PBC</u>	LS Electric XGB terminal block, 3-pin screw type, replacement. For use with LS Electric XGB series bus coupler.	Stock	\$7.00
<u>XGB-CON-5PX</u>	LS Electric XGB terminal block, 5-pin spring clamp, replacement. For use with LS Electric XEM-DxxxHx PLCs.	Stock	\$4.00
<u>XGB-CON-8P</u>	LS Electric XGB terminal block, 8-pin screw type, replacement. For use with LS Electric XGB series I/O modules.	Stock	\$5.00
<u>XGB-CON-9P</u>	LS Electric XGB terminal block, 9-pin screw type, replacement. For use with LS Electric XGB series I/O modules.	Stock	\$6.00
<u>XGB-CON-10P</u>	LS Electric XGB terminal block, 10-pin screw type, replacement. For use with LS Electric XGB series I/O modules.	Stock	\$6.00
<u>XGB-CON-11P</u>	LS Electric XGB terminal block, 11-pin screw type, replacement. For use with LS Electric XGB series I/O modules.	Stock	\$6.00
<u>XGB-CON-15P</u>	LS Electric XGB terminal block, 15-pin screw type, replacement. For use with LS Electric XGB series I/O modules.	Stock	\$7.00
<u>XMC-CON-10P</u>	LS Electric XMC terminal block, 10-pin spring clamp, replacement. For use with LS Electric XMC series programmable motion controllers.	Stock	\$14.00
<u>XMC-CON-8P</u>	LS Electric XMC terminal block, 8-pin spring clamp, replacement. For use with LS Electric XMC series programmable motion controllers.	Stock	\$10.00
<u>XMC-CON-6P</u>	LS Electric XMC terminal block, 6-pin spring clamp, replacement. For use with LS Electric XMC series programmable motion controllers.	Stock	\$9.00

DirectLOGIC CPUs and PLC Units

<u>D0-05AA</u>	DirectLOGIC DL05 PLC, 120-240 VAC required, serial ports, Discrete Input: 8-point, AC, Discrete Output: 6-point, triac.	Stock	\$279.00
<u>D0-05AD</u>	DirectLOGIC DL05 PLC, 120-240 VAC required, serial ports, Discrete Input: 8-point, AC, Discrete Output: 6-point, sinking.	Stock	\$287.00
<u>D0-05AR</u>	DirectLOGIC DL05 PLC, 120-240 VAC required, serial ports, Discrete Input: 8-point, AC, Discrete Output: 6-point, relay.	Stock	\$283.00
<u>D0-05DA</u>	DirectLOGIC DL05 PLC, 120-240 VAC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, triac.	Stock	\$273.00
<u>D0-05DD</u>	DirectLOGIC DL05 PLC, 120-240 VAC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, sinking.	Stock	\$254.00
<u>D0-05DR</u>	DirectLOGIC DL05 PLC, 120-240 VAC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, relay.	Stock	\$252.00
<u>D0-05DD-D</u>	DirectLOGIC DL05 PLC, 12-24 VDC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, sinking.	Stock	\$287.00
<u>D0-05DR-D</u>	DirectLOGIC DL05 PLC, 12-24 VDC required, serial ports, Discrete Input: 8-point, DC, Discrete Output: 6-point, relay.	Stock	\$283.00
<u>D0-06DD1</u>	DirectLOGIC DL06 PLC, 120-240 VAC required, serial ports, battery backup, Discrete Input: 20-point, DC, Discrete Output: 16-point, sinking.	Stock	\$470.00
<u>D0-06DD2</u>	DirectLOGIC DL06 PLC, 120-240 VAC required, serial ports, battery backup, Discrete Input: 20-point, DC, Discrete Output: 16-point, sourcing.	Stock	\$474.00
<u>D0-06DR</u>	DirectLOGIC DL06 PLC, 120-240 VAC required, serial ports, battery backup, Discrete Input: 20-point, DC, Discrete Output: 16-point, relay.	Stock	\$493.00
<u>D0-06DA</u>	DirectLOGIC DL06 PLC, 120-240 VAC required, serial ports, battery backup, Discrete Input: 20-point, DC, Discrete Output: 16-point, triac.	Stock	\$506.00
<u>D0-06AR</u>	DirectLOGIC DL06 PLC, 120-240 VAC required, serial ports, battery backup, Discrete Input: 20-point, AC, Discrete Output: 16-point, relay.	Stock	\$507.00
<u>D0-06AA</u>	DirectLOGIC DL06 PLC, 120-240 VAC required, serial ports, battery backup, Discrete Input: 20-point, AC, Discrete Output: 16-point, triac.	Stock	\$533.00
<u>D0-06DD1-D</u>	DirectLOGIC DL06 PLC, 12-24 VDC required, serial ports, battery backup, Discrete Input: 20-point, DC, Discrete Output: 16-point, sinking.	Stock	\$472.00

<u>D0-06DD2-D</u>	DirectLOGIC DL06 PLC, 12-24 VDC required, serial ports, battery backup, Discrete Input: 20-point, DC, Discrete Output: 16-point, sourcing.	Stock	\$476.00
<u>D0-06DR-D</u>	DirectLOGIC DL06 PLC, 12-24 VDC required, serial ports, battery backup, Discrete Input: 20-point, DC, Discrete Output: 16-point, relay.	Stock	\$487.00
<u>D2-262</u>	DirectLOGIC DL205 CPU, 15.8k words ladder memory, (1) RS-232 (RJ12) and (1) RS-232/RS-422/RS-485 (DB15HD female) port(s). Purchase D2-BAT-1 backup battery separately.	Stock	\$412.00
<u>F3-OMUX-2</u>	DirectLOGIC DL305 bridge CPU, (2) RS-422/RS-485 (9-pin D-sub female) port(s), OPTOMUX.	Stock	\$1,019.00
<u>D4-454</u>	DirectLOGIC DL405 CPU, 31.5k words ladder memory, (1) RS-232 (DB15), (1) RS-232 (RJ12) and (2) RS-232/RS-422 (DB25) port(s), external 120-240 VAC required, battery included.	Stock	\$1,006.00
<u>D4-454DC-1</u>	DirectLOGIC DL405 CPU, 31.5k words ladder memory, (1) RS-232 (DB15), (1) RS-232 (RJ12) and (2) RS-232/RS-422 (DB25) port(s), external 12-24 VDC required, battery included.	Stock	\$1,160.00
DirectLOGIC Expansion I/O Modules			
<u>D2-CM</u>	DirectLOGIC DL205 expansion unit, local expansion I/O. For use with D2-250-1, D2-260 or D2-262 CPUs.	Stock	\$98.00
<u>D2-EM</u>	DirectLOGIC DL205 local I/O expansion module, for use with D2-250-1, D2-260, and D2-262 CPU-based PLCs. Installs beside each I/O base (CPU base and expansion) in local expansion system. Not compatible with D2-230, D2-240 or Do-more H2 series CPUs or WinPLC.	Stock	\$120.00
<u>D4-EX</u>	DirectLOGIC DL405 expansion unit, (1) terminal strip port(s), local expansion I/O, external 110-220 VAC required. 24 VDC 400 mA auxiliary device power supply included. Requires D4-EXCBL-1 or D4-EXCBL-2 external I/O expansion cable.	Stock	\$315.00
<u>D4-EXDC</u>	DirectLOGIC DL405 expansion unit, (1) terminal strip port(s), local expansion I/O, external 24 VDC required. Requires D4-EXCBL-1 or D4-EXCBL-2 external I/O expansion cable.	Stock	\$268.00
DirectLOGIC PLC Remote I/O Modules			
<u>H2-ERM100</u>	DirectLOGIC DL205 remote I/O module, 1 port, (1) Ethernet 10/100Base-T port(s). For use with D2-240, D2-250, D2-250-1, D2-260, D2-262 or Do-more H2 series CPUs.	Stock	\$344.00
<u>H2-EBC100</u>	DirectLOGIC DL205 Ethernet base controller, (1) Ethernet 10/100Base-T (RJ45) port(s), Do-more Ethernet remote I/O, Modbus TCP/IP, TCP/IP, UDP/IP and IPX, up to 100 Mbps.	Stock	\$492.00
<u>H4-ERM100</u>	DirectLOGIC DL405 remote I/O module, 1 port, (1) Ethernet 10/100Base-T (RJ45) port(s). For use with all DL405 CPUs.	Stock	\$429.00
<u>H4-EBC</u>	DirectLOGIC DL405 Ethernet base controller, (1) Ethernet 10/100Base-T (RJ45) port(s), TCP/IP and IPX, up to 10 Mbps.	Stock	\$1,033.00
<u>D4-RM</u>	DirectLOGIC DL405 remote I/O module, 1 port, (1) RS-485 port(s).	Stock	\$584.00
<u>D4-RS</u>	DirectLOGIC DL405 slave, (1) 5-pin terminal block port(s), serial remote I/O, external 110-220 VAC required. 24 VDC 400 mA auxiliary device power supply included.	Stock	\$789.00
DirectLOGIC PLC Bases			
<u>D2-03B-1</u>	DirectLOGIC DL205 I/O base, 3-slot, DIN rail or panel mount, external 110-220 VAC required. 24 VDC 300 mA isolated auxiliary output power included.	Stock	\$211.00
<u>D2-04B-1</u>	DirectLOGIC DL205 I/O base, 4-slot, DIN rail or panel mount, external 110-220 VAC required. 24 VDC 300 mA isolated auxiliary output power included.	Stock	\$230.00
<u>D2-06B-1</u>	DirectLOGIC DL205 I/O base, 6-slot, DIN rail or panel mount, external 110-220 VAC required. 24 VDC 300 mA isolated auxiliary output power included.	Stock	\$305.00
<u>D2-09B-1</u>	DirectLOGIC DL205 I/O base, 9-slot, DIN rail or panel mount, external 110-220 VAC required. 24 VDC 300 mA isolated auxiliary output power included.	Stock	\$328.00
<u>D2-03BDC1-1</u>	DirectLOGIC DL205 I/O base, 3-slot, DIN rail or panel mount, external 12-24 VDC required.	Stock	\$282.00
<u>D2-04BDC1-1</u>	DirectLOGIC DL205 I/O base, 4-slot, DIN rail or panel mount, external 12-24 VDC required.	Stock	\$311.00
<u>D2-06BDC1-1</u>	DirectLOGIC DL205 I/O base, 6-slot, DIN rail or panel mount, external 12-24 VDC required.	Stock	\$337.00
<u>D2-09BDC1-1</u>	DirectLOGIC DL205 I/O base, 9-slot, DIN rail or panel mount, external 12-24 VDC required.	Stock	\$356.00
<u>D2-06BDC2-1</u>	DirectLOGIC DL205 I/O base, 6-slot, DIN rail or panel mount, external 125 VDC required.	Stock	\$284.00
<u>D2-09BDC2-1</u>	DirectLOGIC DL205 I/O base, 9-slot, DIN rail or panel mount, external 125 VDC required.	Stock	\$379.00
<u>D4-04B-1</u>	DirectLOGIC DL405 I/O base, 4-slot, panel mount.	Stock	\$194.00
<u>D4-06B-1</u>	DirectLOGIC DL405 I/O base, 6-slot, panel mount.	Stock	\$231.00
<u>D4-08B-1</u>	DirectLOGIC DL405 I/O base, 8-slot, panel mount.	Stock	\$266.00
DirectLOGIC DC I/O Modules			
<u>D0-10ND3</u>	DirectLOGIC DL05/06 discrete input module, 10-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 5 point(s) per common. Removable terminal block included.	Stock	\$84.00
<u>D0-10ND3F</u>	DirectLOGIC DL05/06 discrete input module, 10-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 5 point(s) per common. Removable terminal block included.	Stock	\$95.00

<u>D0-16ND3</u>	DirectLOGIC DL05/06 discrete input module, 16-point, 24 VDC, sinking/sourcing, 4 isolated common(s), 4 point(s) per common.	Stock	\$86.00
<u>D0-10TD1</u>	DirectLOGIC DL05/06 discrete output module, 10-point, 6-24 VDC, sinking, 2 common(s), 5 point(s) per common, 0.3A/point, 1.5A/common. Removable terminal block included.	Stock	\$100.00
<u>D0-10TD2</u>	DirectLOGIC DL05/06 discrete output module, 10-point, 12-24 VDC, sourcing, 2 common(s), 5 point(s) per common, 0.3A/point, 1.5A/common. Removable terminal block included.	Stock	\$102.00
<u>D0-16TD1</u>	DirectLOGIC DL05/06 discrete output module, 16-point, 6-24 VDC, sinking, 2 common(s), 8 point(s) per common, 0.1A/point, 0.8A/common. Requires ZIPLink pre-wired cable.	Stock	\$94.00
<u>D0-16TD2</u>	DirectLOGIC DL05/06 discrete output module, 16-point, 12-24 VDC, sourcing, 2 common(s), 8 point(s) per common, 0.1A/point, 0.8A/common. Requires ZIPLink pre-wired cable.	Stock	\$85.00
<u>D0-08CDD1</u>	DirectLOGIC DL05/06 discrete combo module, Input: 4-point, 12-24 VDC, sinking/sourcing, Output: 4-point, 6-24 VDC, sinking, 0.3A/point, 1.2A/module.	Stock	\$95.00
<u>D0-07CDR</u>	DirectLOGIC DL05/06 discrete combo module, Input: 4-point, 12-24 VDC, sinking/sourcing, Output: 3-point, 6-24 VDC/6-240 VAC, (1) Form A (SPST) relay, 1A/point.	Stock	\$95.00
<u>D2-08ND3</u>	DirectLOGIC DL205 discrete input module, 8-point, 12-24 VDC, sinking/sourcing, 1 common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$80.00
<u>D2-16ND3-2</u>	DirectLOGIC DL205 discrete input module, 16-point, 24 VDC, sinking/sourcing, 2 isolated common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$148.00
<u>D2-32ND3</u>	DirectLOGIC DL205 discrete input module, 32-point, 24 VDC, sinking/sourcing, 4 isolated common(s), 8 point(s) per common.	Stock	\$185.00
<u>D2-32ND3-2</u>	DirectLOGIC DL205 discrete input module, 32-point, 5-12 VDC, sinking/sourcing, 4 isolated common(s), 8 point(s) per common.	Stock	\$180.00
<u>D2-08CDR</u>	DirectLOGIC DL205 discrete combo module, Input: 4-point, 24 VDC, sinking/sourcing, Output: 4-point, 6-24 VDC/6-240 VAC, (1) Form A (SPST) relay, 1A/point, 4A/module.	Stock	\$98.00
<u>D2-04TD1</u>	DirectLOGIC DL205 discrete output module, 4-point, 12-24 VDC, sinking, 1 common(s), 4 point(s) per common, 4A/point, 8A/module. Removable terminal block included.	Stock	\$106.00
<u>D2-08TD1</u>	DirectLOGIC DL205 discrete output module, 8-point, 12-24 VDC, sinking, 1 common(s), 8 point(s) per common, 0.3A/point, 2.4A/module. Removable terminal block included.	Stock	\$97.00
<u>D2-08TD2</u>	DirectLOGIC DL205 discrete output module, 8-point, 12-24 VDC, sourcing, 1 common(s), 8 point(s) per common, 0.3A/point, 2.4A/module. Removable terminal block included.	Stock	\$98.00
<u>D2-16TD1-2</u>	DirectLOGIC DL205 discrete output module, 16-point, 12-24 VDC, sinking, 1 common(s), 16 point(s) per common, 0.1A/point, 1.6A/module. Removable terminal block included.	Stock	\$172.00
<u>D2-16TD2-2</u>	DirectLOGIC DL205 discrete output module, 16-point, 12-24 VDC, sourcing, 2 isolated common(s), 8 point(s) per common, 0.1A/point, 1.6A/module. Removable terminal block included.	Stock	\$154.00
<u>F2-16TD1P</u>	DirectLOGIC DL205 discrete output module, 16-point, 12-24 VDC, sinking, 1 common(s), 16 point(s) per common, 0.25A/point continuous, overcurrent and overload protection. Removable terminal block included.	Stock	\$178.00
<u>F2-16TD2P</u>	DirectLOGIC DL205 discrete output module, 16-point, 12-24 VDC, sourcing, 1 common(s), 16 point(s) per common, 0.25A/point continuous, overcurrent and overload protection. Removable terminal block included.	Stock	\$179.00
<u>D2-32TD1</u>	DirectLOGIC DL205 discrete output module, 32-point, 12-24 VDC, sinking, 4 isolated common(s), 8 point(s) per common, 0.1A/point, 3.2A/module. Requires ZIPLink pre-wired cable.	Stock	\$183.00
<u>D2-32TD2</u>	DirectLOGIC DL205 discrete output module, 32-point, 12-24 VDC, sourcing, 4 isolated common(s), 8 point(s) per common, 0.1A/point, 3.2A/module. Requires ZIPLink pre-wired cable.	Stock	\$182.00
<u>F3-16ND3F</u>	DirectLOGIC DL305 discrete input module, 16-point, 5 VDC/12-24 VDC, sinking/sourcing, 2 common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$348.00
<u>D4-16ND2</u>	DirectLOGIC DL405 discrete input module, 16-point, 12-24 VDC, sourcing, 2 isolated common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$191.00
<u>D4-16ND2F</u>	DirectLOGIC DL405 discrete input module, 16-point, 12-24 VDC, sourcing, 2 isolated common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$174.00
<u>D4-16NE3</u>	DirectLOGIC DL405 discrete input module, 16-point, 12-24 VAC/VDC, sinking/sourcing, 2 isolated common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$183.00
<u>D4-32ND3-1</u>	DirectLOGIC DL405 discrete input module, 32-point, 24 VDC, sinking/sourcing, 4 isolated common(s), 8 point(s) per common.	Stock	\$271.00
<u>D4-64ND2</u>	DirectLOGIC DL405 discrete input module, 64-point, 24 VDC, sourcing, 8 isolated common(s), 8 point(s) per common.	Stock	\$352.00
<u>D4-16TD1</u>	DirectLOGIC DL405 discrete output module, 16-point, 5-24 VDC, sinking, 2 common(s), 8 point(s) per common, 0.5A/point, 3A/common. Removable terminal block included.	Stock	\$225.00
<u>D4-16TD2</u>	DirectLOGIC DL405 discrete output module, 16-point, 12-24 VDC, sourcing, 2 isolated common(s), 8 point(s) per common, 0.5A/point, 3A/common. Removable terminal block included.	Stock	\$248.00
<u>D4-32TD1</u>	DirectLOGIC DL405 discrete output module, 32-point, 6-24 VDC, sinking, 4 isolated common(s), 8 point(s) per common, 0.2A/point, 1.6A/common. Requires ZIPLink pre-wired cable.	Stock	\$298.00
<u>D4-32TD2</u>	DirectLOGIC DL405 discrete output module, 32-point, 12-24 VDC, sourcing, 4 isolated common(s), 8 point(s) per common, 0.2A/point, 1A/common, 4A/module. Requires ZIPLink pre-wired cable.	Stock	\$298.00
<u>D4-64TD1</u>	DirectLOGIC DL405 discrete output module, 64-point, 5-24 VDC, sinking, 8 common(s), 8 point(s) per common, 0.1A/point, 1A/common, 8A/module. Requires ZIPLink pre-wired cable.	Stock	\$422.00

DirectLOGIC AC I/O Modules				
<u>F0-08NA-1</u>	DirectLOGIC DL05/06 discrete input module, 8-point, 120 VAC/VDC, 2 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$98.00	
<u>D2-08NA-1</u>	DirectLOGIC DL205 discrete input module, 8-point, 120 VAC, 1 common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$110.00	
<u>D2-08NA-2</u>	DirectLOGIC DL205 discrete input module, 8-point, 240 VAC, 1 common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$140.00	
<u>D2-16NA</u>	DirectLOGIC DL205 discrete input module, 16-point, 120 VAC, 2 isolated common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$194.00	
<u>D2-08TA</u>	DirectLOGIC DL205 discrete output module, 8-point, 24-240 VAC, 1 common(s), 8 point(s) per common, 0.5A/point, 4A/common. Removable terminal block included.	Stock	\$195.00	
<u>F2-08TA</u>	DirectLOGIC DL205 discrete output module, 8-point, 24-120 VAC, 2 isolated common(s), 4 point(s) per common, 1.5A/point, 4A/common, 8A/module. Removable terminal block included.	Stock	\$208.00	
<u>D2-12TA</u>	DirectLOGIC DL205 discrete output module, 12-point, 24-120 VAC, 2 isolated common(s), 6 point(s) per common, 0.3A/point, 1.8A/common. Removable terminal block included.	Stock	\$223.00	
<u>D4-08NA</u>	DirectLOGIC DL405 discrete input module, 8-point, 120-240 VAC, 2 isolated common(s), 4 point(s) per common. Removable terminal block included.	Stock	\$187.00	
<u>D4-16NA</u>	DirectLOGIC DL405 discrete input module, 16-point, 120 VAC, 2 isolated common(s), 8 point(s) per common. Removable terminal block included.	Stock	\$235.00	
<u>D4-08TA</u>	DirectLOGIC DL405 discrete output module, 8-point, 24-240 VAC, 2 isolated common(s), 4 point(s) per common, 2A/point, 5A/common. Removable terminal block included.	Stock	\$315.00	
<u>D4-16TA</u>	DirectLOGIC DL405 discrete output module, 16-point, 24-240 VAC, 2 isolated common(s), 8 point(s) per common, 0.5A/point, 3A/common. Removable terminal block included.	Stock	\$373.00	
DirectLOGIC PLC Relay Outputs Modules				
<u>F0-04TRS</u>	DirectLOGIC DL05/06 relay output module, 4-point, 6-48 VDC/6-208 VAC, (2) Form A, (2) Form C, 4 isolated common(s), 1 point(s) per common, 3A/point. Removable terminal block included.	Stock	\$80.00	
<u>D0-08TR</u>	DirectLOGIC DL05/06 relay output module, 8-point, 6-24 VDC/6-240 VAC, (8) Form A, 2 isolated common(s), 4 point(s) per common, 1A/point, 4A/common. Removable terminal block included.	Stock	\$112.00	
<u>D2-04TRS</u>	DirectLOGIC DL205 relay output module, 4-point, 6-24 VDC/6-240 VAC, (4) Form A, 4 isolated common(s), 4 point(s) per common, 4A/point, 8A/module. Removable terminal block included.	Stock	\$114.00	
<u>D2-08TR</u>	DirectLOGIC DL205 relay output module, 8-point, 6-24 VDC/6-240 VAC, (8) Form A, 1 common(s), 8 point(s) per common, 1A/point, 4A/module. Removable terminal block included.	Stock	\$111.00	
<u>F2-08TR</u>	DirectLOGIC DL205 relay output module, 8-point, 12-24 VDC/12-240 VAC, (8) Form A (SPST) no-suppression, 2 isolated common(s), 4 point(s) per common, 10A/common. Removable terminal block included.	Stock	\$149.00	
<u>F2-08TRS</u>	DirectLOGIC DL205 relay output module, 8-point, 12-24 VDC/12-240 VAC, (5) Form A (SPST) no-suppression, (3) Form C (SPDT) no-suppression, 8 isolated common(s), 1 point(s) per common, 7A/point max. Removable terminal block included.	Stock	\$200.00	
<u>D2-12TR</u>	DirectLOGIC DL205 relay output module, 12-point, 6-24 VDC/6-240 VAC, (12) Form A, 2 common(s), 6 point(s) per common, 1.5A/point max, 3A/common. Removable terminal block included.	Stock	\$184.00	
<u>F3-08TRS-1</u>	DirectLOGIC DL305 relay output module, 8-point, 12-24 VDC/12-240 VAC, (6) Form A (SPST) no-suppression, (2) Form C (SPDT) no-suppression, 8 isolated common(s), 1 point(s) per common, 10A/point. Removable terminal block included.	Stock	\$298.00	
<u>F3-08TRS-2</u>	DirectLOGIC DL305 relay output module, 8-point, 12-24 VDC/12-240 VAC, (6) Form A (SPST) no-suppression, (2) Form C (SPDT) no-suppression, 8 isolated common(s), 1 point(s) per common, 5A/point. Removable terminal block included.	Stock	\$318.00	
<u>D4-08TR</u>	DirectLOGIC DL405 relay output module, 8-point, 6-24 VDC/6-240 VAC, (8) Form A, 2 isolated common(s), 4 point(s) per common, 2A/point, 5A/common. Removable terminal block included.	Stock	\$224.00	
<u>F4-08TRS-1</u>	DirectLOGIC DL405 relay output module, 8-point, 12-24 VDC/12-240 VAC, (4) Form A (SPST) no-suppression, (4) Form C (SPDT) no-suppression, 8 isolated common(s), 1 point(s) per common, 10A/point, 40A/module. Removable terminal block included.	Stock	\$323.00	
<u>F4-08TRS-2</u>	DirectLOGIC DL405 relay output module, 8-point, 12-24 VDC/12-240 VAC, (4) Form A (SPST) no-suppression, (4) Form C (SPDT) no-suppression, 8 isolated common(s), 1 point(s) per common, 5A/point, 40A/module. Removable terminal block included.	Stock	\$366.00	
<u>D4-16TR</u>	DirectLOGIC DL405 relay output module, 16-point, 6-24 VDC/6-240 VAC, (16) Form A, 2 isolated common(s), 8 point(s) per common, 1A/point, 5A/common. Removable terminal block included.	Stock	\$300.00	
DirectLOGIC PLC Analog I/O Modules				
<u>F0-04AD-1</u>	DirectLOGIC DL05/06 analog input module, 4-channel, current, 12-bit, input current signal range(s) of 4-20 mA, 0-20 mA.	Stock	\$153.00	
<u>F0-04AD-2</u>	DirectLOGIC DL05/06 analog input module, 4-channel, voltage, 12-bit, input voltage signal range(s) of 0-5 VDC, 0-10 VDC.	Stock	\$224.00	
<u>F0-08ADH-1</u>	DirectLOGIC DL05/06 analog input module, 8-channel, current, 16-bit, input current signal range(s) of 0-20 mA.	Stock	\$259.00	
<u>F0-08ADH-2</u>	DirectLOGIC DL05/06 analog input module, 8-channel, voltage, 16-bit, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, external 24 VDC required.	Stock	\$273.00	

<u>F0-08DAH-1</u>	DirectLOGIC DL05/06 analog output module, 8-channel, current, 16-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$363.00
<u>F0-08DAH-2</u>	DirectLOGIC DL05/06 analog output module, 8-channel, voltage, 16-bit, output voltage signal range(s) of 0-10 VDC, external 24 VDC required.	Stock	\$345.00
<u>F0-04DAH-1</u>	DirectLOGIC DL05/06 analog output module, 4-channel, current, 16-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$276.00
<u>F0-04DAH-2</u>	DirectLOGIC DL05/06 analog output module, 4-channel, voltage, 16-bit, output voltage signal range(s) of 0-10 VDC, external 24 VDC required.	Stock	\$260.00
<u>F0-2AD2DA-2</u>	DirectLOGIC DL05/06 analog combo module, Input: 2-channel, voltage, 0-5 VDC and 0-10 VDC, Output: 2-channel, voltage, 0-5 VDC and 0-10 VDC.	Stock	\$290.00
<u>F0-4AD2DA-1</u>	DirectLOGIC DL05/06 analog combo module, Input: 4-channel, current, 0-20 mA and 4-20 mA, Output: 2-channel, current, 0-20 mA and 4-20 mA.	Stock	\$370.00
<u>F0-4AD2DA-2</u>	DirectLOGIC DL05/06 analog combo module, Input: 4-channel, voltage, 0-5 VDC and 0-10 VDC, Output: 2-channel, voltage, 0-5 VDC and 0-10 VDC.	Stock	\$409.00
<u>F0-04RTD</u>	DirectLOGIC DL05/06 temperature input module, RTD, 4-channel, 16-bit resolution, input RTD type(s): Pt100, Pt1000, JPt100, Cu10, Cu25 and Ni120.	Stock	\$380.00
<u>F0-04THM</u>	DirectLOGIC DL05/06 temperature input module, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C.	Stock	\$400.00
<u>F2-04AD-1</u>	DirectLOGIC DL205 analog input module, 4-channel, current, 12-bit, input current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$396.00
<u>F2-04AD-2</u>	DirectLOGIC DL205 analog input module, 4-channel, voltage, 12-bit, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, +/- 5 VDC, +/- 10 VDC, external 24 VDC required.	Stock	\$432.00
<u>F2-08AD-1</u>	DirectLOGIC DL205 analog input module, 8-channel, current, 12-bit, input current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$486.00
<u>F2-08AD-2</u>	DirectLOGIC DL205 analog input module, 8-channel, voltage, 12-bit, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, external 24 VDC required.	Stock	\$516.00
<u>F2-02DA-1</u>	DirectLOGIC DL205 analog output module, 2-channel, current, 12-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$282.00
<u>F2-02DA-2</u>	DirectLOGIC DL205 analog output module, 2-channel, voltage, 12-bit, output voltage signal range(s) of 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC, external 24 VDC required.	Stock	\$295.00
<u>F2-02DAS-1</u>	DirectLOGIC DL205 analog output module, 2-channel, current, 16-bit, isolated, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$432.00
<u>F2-02DAS-2</u>	DirectLOGIC DL205 analog output module, 2-channel, voltage, 16-bit, isolated, output voltage signal range(s) of 0-5 VDC and 0-10 VDC, external 24 VDC required.	Stock	\$471.00
<u>F2-08DA-1</u>	DirectLOGIC DL205 analog output module, 8-channel, current, 12-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$535.00
<u>F2-08DA-2</u>	DirectLOGIC DL205 analog output module, 8-channel, voltage, 12-bit, output voltage signal range(s) of 0-5 VDC and 0-10 VDC, external 24 VDC required.	Stock	\$530.00
<u>F2-4AD2DA</u>	DirectLOGIC DL205 analog combo module, Input: 4-channel, current, 4-20 mA, Output: 2-channel, current, 4-20 mA.	Stock	\$556.00
<u>F2-8AD4DA-1</u>	DirectLOGIC DL205 analog combo module, Input: 8-channel, current, 0-20 mA, Output: 4-channel, current, 4-20 mA.	Stock	\$697.00
<u>F2-8AD4DA-2</u>	DirectLOGIC DL205 analog combo module, Input: 8-channel, voltage, 0-5 VDC and 0-10 VDC, Output: 4-channel, voltage, 0-5 VDC and 0-10 VDC.	Stock	\$689.00
<u>F2-04RTD</u>	DirectLOGIC DL205 temperature input module, RTD, 4-channel, 16-bit resolution, input RTD type(s): Pt100, JPt100, Cu10, Cu25 and Pt1000.	Stock	\$539.00
<u>F2-04THM</u>	DirectLOGIC DL205 temperature input module, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C.	Stock	\$582.00
<u>F3-04ADS</u>	DirectLOGIC DL305 analog input module, 4-channel, current/voltage, 12-bit, isolated, input current signal range(s) of 0-20 mA, 4-20 mA, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, 1-5 VDC, +/- 5 VDC, +/- 10 VDC.	Stock	\$1,480.00
<u>F4-04AD</u>	DirectLOGIC DL405 analog input module, 4-channel, current/voltage, 12-bit, input current signal range(s) of 4-20 mA, 0-20 mA, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, 1-5 VDC, +/- 5 VDC, +/- 10 VDC, external 24 VDC required.	Stock	\$836.00
<u>F4-04ADS</u>	DirectLOGIC DL405 analog input module, 4-channel, current/voltage, 12-bit, isolated, input current signal range(s) of 0-20 mA, 4-20 mA, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, 1-5 VDC, +/- 5 VDC, +/- 10 VDC, external 24 VDC required.	Stock	\$1,092.00
<u>F4-08AD</u>	DirectLOGIC DL405 analog input module, 8-channel, current/voltage, 12-bit, input current signal range(s) of 0-20 mA, 4-20 mA, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, 1-5 VDC, +/- 5 VDC, +/- 10 VDC, external 24 VDC required.	Stock	\$956.00
<u>F4-16AD-1</u>	DirectLOGIC DL405 analog input module, 16-channel, current, 12-bit, input current signal range(s) of 0-20 mA, 4-20 mA, external 24 VDC required.	Stock	\$1,054.00
<u>F4-16AD-2</u>	DirectLOGIC DL405 analog input module, 16-channel, voltage, 12-bit, input voltage signal range(s) of 0-5 VDC, 0-10 VDC, external 24 VDC required.	Stock	\$1,102.00

<u>F4-04DA-1</u>	DirectLOGIC DL405 analog output module, 4-channel, current, 12-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$708.00
<u>F4-04DA-2</u>	DirectLOGIC DL405 analog output module, 4-channel, voltage, 12-bit, output voltage signal range(s) of 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC, external 24 VDC required.	Stock	\$775.00
<u>F4-04DAS-1</u>	DirectLOGIC DL405 analog output module, 4-channel, current, 16-bit, isolated, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$986.00
<u>F4-08DA-1</u>	DirectLOGIC DL405 analog output module, 8-channel, current, 12-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$1,048.00
<u>F4-08DA-2</u>	DirectLOGIC DL405 analog output module, 8-channel, voltage, 12-bit, output voltage signal range(s) of 0-5 VDC and 0-10 VDC, external 24 VDC required.	Stock	\$1,067.00
<u>F4-16DA-1</u>	DirectLOGIC DL405 analog output module, 16-channel, current, 12-bit, output current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$1,265.00
<u>F4-16DA-2</u>	DirectLOGIC DL405 analog output module, 16-channel, voltage, 12-bit, output voltage signal range(s) of 0-5 VDC and 0-10 VDC, external 24 VDC required.	Stock	\$1,286.00
<u>F4-08RTD</u>	DirectLOGIC DL405 temperature input module, RTD, 8-channel, 16-bit resolution, input RTD type(s): Pt100, JPt100, Cu10, Cu25 and Pt1000.	Stock	\$867.00
<u>F4-08THM</u>	DirectLOGIC DL405 temperature input module, thermocouple, 8-channel, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N, C.	Stock	\$1,096.00
<u>F4-08THM-J</u>	DirectLOGIC DL405 temperature input module, thermocouple, 8-channel, 12-bit resolution, input thermocouple type(s): J.	Stock	\$1,144.00
DirectLOGIC PLC Communications and Networking Modules			
<u>D0-DCM</u>	DirectLOGIC DL05/06 communication module, DirectNET and Modbus RTU, 2 ports, (1) RS-232 (RJ12) and (1) RS-232/RS-422/RS-485 (HD15) port(s). For use with DL05 and DL06 PLCs.	Stock	\$260.00
<u>H0-ECOM100</u>	DirectLOGIC DL05/06 communication module, Modbus TCP, 1 port, (1) Ethernet 10/100Base-T (RJ45) port (s). For use with DL05 and DL06 PLCs.	Stock	\$321.00
<u>D0-DEVNETS</u>	DirectLOGIC DL05/06 communication module, DeviceNet, 1 port, (1) 5-position removable terminal port(s). For use with DL05 and DL06 PLCs.	Stock	\$260.00
<u>D2-DCM</u>	DirectLOGIC DL205 communication module, DirectNET and Modbus RTU, 1 port, (1) RS-232/RS-422 port(s). For use with DL205 PLCs.	Stock	\$502.00
<u>H2-ECOM100</u>	DirectLOGIC DL205 communication module, Modbus TCP, 1 port, (1) Ethernet 10/100Base-T (RJ45) port(s). For use with D2-240, D2-250(-1), D2-260, D2-262 and Do-more H2 series CPU-based PLCs.	Stock	\$450.00
<u>D4-DCM</u>	DirectLOGIC DL405 communication module, DirectNET and Modbus RTU, 1 port, (1) RS-232/RS-422 port(s). For use with all DL405 PLCs.	Stock	\$556.00
<u>H4-ECOM100</u>	DirectLOGIC DL405 communication module, Modbus TCP, 1 port, (1) Ethernet 10/100Base-T (RJ45) port(s). For use with all DL405 PLCs.	Stock	\$895.00
<u>F4-MAS-MB</u>	DirectLOGIC DL405 communication module, Modbus RTU, 2 ports, (2) RS-232/RS-422/RS-485 port(s). For use with all DL405 PLCs.	from vendor up to 2 business days	\$618.00
DirectLOGIC PLC Motion and Specialty Modules			
<u>F0-08SIM</u>	DirectLOGIC DL05/06 simulator input module, 8-point. For use with DL05 and DL06 PLCs.	Stock	\$68.00
<u>F0-CP128</u>	DirectLOGIC DL05/06 communication module, ASCII, 3 ports, buffered, 128k program memory, 100 MHz maximum switching frequency, (2) RS-232 and (1) RS-485 port(s). For use with DL05 and DL06 PLCs.	Stock	\$345.00
<u>H0-CTRIO2</u>	DirectLOGIC DL05/06 pulse combo module, 250 kHz maximum switching frequency, 4 high-speed input point (s), sinking/sourcing, single-ended encoder input(s), 2 high-speed output point(s), sinking/sourcing, single-ended output(s).	Stock	\$315.00
<u>D0-01MC</u>	DirectLOGIC DL05 memory module, 32k V-memory, battery backup, battery included, real time clock/calendar. For use with DL05 CPUs only. D0-MC-BAT battery included.	Stock	\$90.00
<u>F2-CP128</u>	DirectLOGIC DL205 communication module, ASCII, 3 ports, buffered, 128k program memory, 26 MHz maximum switching frequency, (1) RS-232 and (2) RS-232/RS-422/RS-485 port(s). For use with D2-240, D2-250(-1), D2-260 and D2-262 CPU-based PLCs.	Stock	\$604.00
<u>H2-CTRIO2</u>	DirectLOGIC DL205 pulse combo module, 250 kHz maximum switching frequency, 8 high-speed input point (s), sinking/sourcing, single-ended encoder input(s), 4 high-speed output point(s), sinking/sourcing, single-ended output(s).	Stock	\$471.00
<u>D2-CTRINT</u>	DirectLOGIC DL205 pulse combo module, 5 kHz maximum switching frequency, 4 high-speed input point(s), sinking/sourcing, single-ended encoder input(s), 2 high-speed output point(s), sinking, single-ended output (s).	Stock	\$149.00
<u>H2-SERIO</u>	DirectLOGIC DL205 communication module, Do-more protocol, Modbus RTU and ASCII, 3 ports, buffered, (3) RS-232 (RJ12) port(s). For use with Do-more H2 series PLCs or an H2-EBC100-based system connected to a PC.	Stock	\$267.00
<u>H2-SERIO-4</u>	DirectLOGIC DL205 communication module, Do-more protocol, Modbus RTU and ASCII, 3 ports, buffered, (2) RS-232 (RJ12) and (1) RS-422/RS-485 port(s). For use with Do-more H2 series PLCs or an H2-EBC100-based system connected to a PC.	Stock	\$267.00

<u>F4-CP128-1</u>	DirectLOGIC DL405 communication module, ASCII, 3 ports, buffered, 128k program memory, 26 MHz maximum switching frequency, (1) RS-232 and (2) RS-232/RS-422/RS-485 port(s). For use with all DL405 PLCs. Commander programming software CD-ROM for Windows included.	Stock	\$812.00
<u>F4-4LTC</u>	DirectLOGIC DL405 temperature controller module, 4 loop(s), RTD/thermocouple, jumper selectable inputs, solid state relays. For use with DL405 CPUs.	Stock	\$966.00
<u>H4-CTRIO</u>	DirectLOGIC DL405 pulse combo module, 100 kHz maximum switching frequency, 8 high-speed input point (s), sinking/sourcing, single-ended encoder input(s), 4 high-speed output point(s), sinking/sourcing, single-ended output(s).	Stock	\$655.00
Accessories for DirectLOGIC PLCs			
<u>PC-DSOFT6</u>	DirectSOFT Windows full-featured programming and documentation software, USB or download. For use with all DirectLOGIC PLCs.	Stock	\$462.00
<u>PC-DS100</u>	DirectSOFT Windows limited programming and documentation software, free download only. For use with all DirectLOGIC PLCs.	Stock	\$0.00
<u>PC-R60-U</u>	DirectSOFT Windows programming and documentation software upgrade, USB or download, upgrades current DirectSOFT 16-bit or 32-bit software to DirectSOFT v.6.0.	Stock	\$291.00
<u>FA-15HD</u>	DirectLOGIC DL06 connector, 15-pin D-sub HD15 male to RJ12 female. For use with DL06 CPUs and DL205 D2-250, D2-250-1, D2-260 and D2-262 CPUs.	Stock	\$21.00
<u>D2-HPP</u>	DirectLOGIC DL205 handheld programmer, ladder. For use with all DL05, DL06, DL105, DL205 and D3-350 CPUs.	Stock	\$679.00
<u>D0-06LCD</u>	DirectLOGIC DL06 LCD display module, 2 lines x 16 characters, 7 predefined function keys, programmable with DirectSOFT programming software v4.0 or later. For use with all DL06 PLCs.	Stock	\$127.00
<u>D0-06ADPTR</u>	DirectLOGIC DL06 vertical adapter, 15-pin D-sub HD15. For use with DL06 serial communication port.	Stock	\$29.00
<u>D0-ACC-1</u>	DirectLOGIC DL05 terminal accessory kit, 90-degree screw type, replacement. For use with DL05/06 I/O modules. Includes (1) DL05 I/O terminal block, (1) terminal block cover and (1) option slot cover.	Stock	\$39.50
<u>D2-ACC-1</u>	DirectLOGIC DL205 terminal screw kit, replacement. For use with DL205 base power supply terminals. Includes (8) terminal screws and (1) plastic terminal cover.	Stock	\$19.00
<u>D0-ACC-2</u>	DirectLOGIC DL06 terminal accessory kit, 90-degree screw type, replacement. For use with DL06 I/O modules. Includes (2) DL06 I/O terminal blocks, (2) DL06 terminal block covers, (2) terminal block labels and (3) terminal shorting jumpers.	Stock	\$47.00
<u>D0-ACC-3</u>	DirectLOGIC DL06 option card cover kit, replacement. For use with DL06 I/O modules. Includes (4) option card covers, (4) option card top covers and (1) LCD cover.	Stock	\$19.00
<u>D3-ACC-3</u>	DirectLOGIC DL305 terminal screws, replacement. Package of 16. For use with DL305 16-point I/O modules.	Stock	\$28.50
<u>D0-ACC-4</u>	DirectLOGIC DL05/06 terminal block kit, 90-degree screw type, replacement. For use with DL05/06 I/O modules. Includes (2) 10-pin 3.5mm terminal blocks and (2) 13-pin 3.5mm terminal blocks.	Stock	\$30.00
<u>D2-FUSE-1</u>	DirectLOGIC time-delay spare fuse, 3.15A. Package of 5. For use with D2-12TA discrete output module.	Stock	\$17.50
<u>D4-FUSE-2</u>	DirectLOGIC spare fuse, 10A. Package of 5. For use with F4-08TRS-2 relay output module.	Stock	\$23.00
<u>D2-FUSE-3</u>	DirectLOGIC time-delay spare fuse, 6.3A. Package of 5. For use with D2-04TRS and D2-08TR relay output modules and D2-08CDR discrete combo module.	Stock	\$17.50
<u>D2-FUSE-4</u>	DirectLOGIC time-delay spare fuse, 4A. Package of 5. For use with D2-12TR relay output module.	Stock	\$17.50
<u>D3-FUSE-4</u>	DirectLOGIC fast-acting spare fuse, 5A. Package of 5. For use with F3-08TAS and F3-16TA-1 discrete output modules.	Stock	\$23.00
<u>D3-FUSE-6</u>	DirectLOGIC spare fuse, 10A. Package of 5. For use with F3-08TRS-2 relay output module.	Stock	\$23.00
<u>D2-8IOCON</u>	DirectLOGIC DL205 terminals, 90-degree screw type, replacement. Package of 5. For use with DL205 8-point I/O modules.	Stock	\$47.00
<u>D2-16IOCON</u>	DirectLOGIC DL205 terminals, 90-degree screw type, replacement. Package of 5. For use with DL205 12-point and 16-point I/O modules.	Stock	\$145.00
<u>D2-IOCVR</u>	DirectLOGIC DL205 module covers, replacement. Package of 5. For use with DL205 I/O modules.	Stock	\$15.00
<u>D4-IOCVR</u>	DirectLOGIC DL405 module covers, replacement. Package of 5. For use with DL405 I/O modules.	Stock	\$11.00
<u>D3-8IOCVR</u>	DirectLOGIC DL305 terminal block covers, replacement. Package of 5. For use with DL305 8-point I/O modules.	Stock	\$18.50
<u>D2-BASECVR</u>	DirectLOGIC DL205 base covers, replacement. Package of 3. For use with expansion connector on right side of DL205 (-1) bases.	Stock	\$9.00
<u>D2-FILL</u>	DirectLOGIC DL205 filler module with cover.	Stock	\$18.50
<u>D4-FILL</u>	DirectLOGIC DL405 filler module.	Stock	\$27.50
<u>D0-MC-BAT</u>	Battery, replacement. For use with Do-more H2 and T1H series CPUs, BRX and CLICK PLUS PLCs and D0-01MC memory cartridge.	Stock	\$3.25
<u>D3-D4-BAT</u>	Battery, replacement. For use with D3-330, D3-340, D4-430, D4-440 and D4-450 CPUs.	Stock	\$56.00
<u>D2-BAT</u>	Battery, for use with DL230 and DL240 CPUs.	Stock	\$27.00

<u>D2-BAT-1</u>	Battery, replacement. For use with CLICK, DL06, D2-250(-1), D2-260, D2-262, D3-350, D4-454 and all Productivity Series CPUs and C-more EA7 series touch screen panels.	Stock	\$9.75
<u>F0-IOCON</u>	DirectLOGIC DL05/06 terminal blocks, 90-degree screw type, replacement. Package of 2. For use with F0-04AD-1, F0-04AD-2, F0-2AD2DA-2, F0-4AD2DA-1, F0-4AD2DA-2 and H0-CTRIO(2) I/O modules.	Stock	\$24.00
<u>F0-IOCON-THM</u>	DirectLOGIC DL05/06 terminal block, 90-degree screw type, replacement. For use with F0-04THM thermocouple input module. (1) CJC sensor included.	Stock	\$23.00
<u>F2-UNICON</u>	Serial converter, RS-232 (RJ12) to RS-422/485 (6-pin terminal), 5 VDC from PLC nominal input, open frame, DIN rail mount. For use with DL05 and D2-240 CPUs.	Stock	\$123.00
<u>FA-ISOCON</u>	AutomationDirect serial converter, RS-232 (RJ12) to RS-422/485 (5-pin terminal), isolation protection, 5 VDC from PLC or 24 VDC external nominal input, encapsulated, DIN rail or panel mount.	Stock	\$166.00
<u>FA-ISOCON-P</u>	AutomationDirect terminal plugs, replacement. Package of 4. For use with FA-ISOCON.	Stock	\$13.00
<u>D0-USER-M</u>	DirectLOGIC DL05 user manual, free download only. For use with all DL05 CPUs.	Stock	\$0.00
<u>D0-06USER-M</u>	DirectLOGIC DL06 user manual, free download only. For use with all DL06 PLCs.	Stock	\$0.00
<u>D0-OPTIONS-M</u>	DirectLOGIC DL05/06 user manual, free download only. For use with all DL05/06 option modules except D0-DEVNETS, H0-ECOM, H0-PSCM and H0-CTRIO.	Stock	\$0.00
<u>D2-USER-M</u>	DirectLOGIC DL205 user manual, free download only. For use with all DL205 CPUs, bases, discrete I/O and local expansion modules.	Stock	\$0.00
<u>D2-HP-M</u>	DirectLOGIC DL205 user manual, free download only. For use with D2-HPP handheld programmer.	Stock	\$0.00
<u>D2-DCM-M</u>	DirectLOGIC DL205 user manual, free download only. For use with D2-DCM and D3-DCM data communication modules.	Stock	\$0.00
<u>D2-CTRIF-M</u>	DirectLOGIC DL205 user manual, free download only. For use with D2-CTRINT counter interface module.	Stock	\$0.00
<u>D2-REMIO-M</u>	DirectLOGIC DL205 user manual, free download only. For use with D2-RSM serial remote I/O master module and D2-RSSS serial remote I/O slave module.	Stock	\$0.00
<u>F2-CP-M</u>	DirectLOGIC DL205 user manual, free download only. For use with F2-CP128 overdrive coprocessor module.	Stock	\$0.00
<u>HX-CTRIO-M</u>	User manual, free download only. For use with all H0-CTRIO(2), H2-CTRIO(2), H4-CTRIO and T1H-CTRIO high speed counter modules. Replaces H24-CTRIO-M.	Stock	\$0.00
<u>H24-EBC-M</u>	User manual, free download only. For use with all H2-EBC and H4-EBC Ethernet base controller modules.	Stock	\$0.00
<u>HX-ECOM-M</u>	User manual, free download only. For use with all H0-ECOM, H2-ECOM and H4-ECOM Ethernet communication modules. Replaces H24-ECOM-M.	Stock	\$0.00
<u>H24-ERM-M</u>	User manual, free download only. For use with all H2-ERM-100, H2-ERM-F, H4-ERM-100 and H4-ERM-F Ethernet remote master modules.	Stock	\$0.00
<u>D2-INST-M</u>	DirectLOGIC DL205 installation manual, free download only. For use with all DL205 discrete I/O modules.	Stock	\$0.00
<u>D3-USER-M</u>	DirectLOGIC DL305 user manual, free download only. For use with all DL305 CPUs except D3-350.	Stock	\$0.00
<u>D3-350-M</u>	DirectLOGIC DL305 user manual, free download only. For use with D3-350 CPU only.	Stock	\$0.00
<u>D3-ANLG-M</u>	DirectLOGIC DL305 user manual, free download only. For use with all DL305 analog I/O modules including temperature and thermocouple input modules.	Stock	\$0.00
<u>D3-HP-M</u>	DirectLOGIC DL305 user manual, free download only. For use with D3-HP handheld programmer.	Stock	\$0.00
<u>D3-DCU-M</u>	DirectLOGIC DL305 user manual, free download only. For use with all DL305 data communications units.	Stock	\$0.00
<u>F3-OMUX-M</u>	DirectLOGIC DL305 user manual, free download only. For use with F3-OMUX-1 and F3-OMUX-2 CPUs.	Stock	\$0.00
<u>D4-454-M</u>	DirectLOGIC DL405 user manual, free download only. For use with D4-454 and D4-454-DC-1 CPUs.	Stock	\$0.00
<u>D4-USER-M</u>	DirectLOGIC DL405 user manual, free download only. For use with DL405 CPUs, bases, memory and discrete I/O modules.	Stock	\$0.00
<u>D4-ANLG-M</u>	DirectLOGIC DL405 user manual, free download only. For use with DL405 analog I/O modules including thermocouple input.	Stock	\$0.00
<u>D4-HP-M</u>	DirectLOGIC DL405 user manual, free download only. For use with D4-HPP-1 handheld programmer.	Stock	\$0.00
<u>D4-DCM-M</u>	DirectLOGIC DL405 user manual, free download only. For use with D4-DCM data communication module.	Stock	\$0.00
<u>D4-HSC-M</u>	DirectLOGIC DL405 user manual, free download only. For use with D4-HSC high speed counter module.	Stock	\$0.00
<u>F4-CP-M</u>	DirectLOGIC DL405 user manual, free download only. For use with F4-CP128-1 overdrive coprocessor module. Includes F4-BASIC-M manual.	Stock	\$0.00
<u>D4-REMIO-M</u>	DirectLOGIC DL405 user manual, free download only. For use with DL405 serial remote I/O components.	Stock	\$0.00
<u>F4-4LTC-M</u>	DirectLOGIC DL405 user manual, free download only. For use with F4-4LTC temperature controller.	Stock	\$0.00
<u>F4-MASMB-M</u>	DirectLOGIC DL405 user manual, free download only. For use with F4-MAS-MB Modbus network master module.	Stock	\$0.00

F4-SLV-MB-M	DirectLOGIC DL405 user manual, free download only. For use with F4-SLV-MB Modbus network slave module. Not recommended for new development.	Stock	\$0.00
D4-INST-M	DirectLOGIC DL405 installation manual, free download only. For use with all DL405 discrete I/O modules.	Stock	\$0.00
ProductivityCODESYS CPUs			
P2CDS-622	ProductivityCODESYS CPU, up to 50 MB ladder memory, microSD card slot, (2) Ethernet 10/100Base-T (RJ45), (1) RS-232/RS-485 (RJ12), (1) RS-232/RS-485 (4-pin terminal) and (1) USB C port(s), battery included. Not compatible with Productivity Suite.	Stock	\$534.00
ProductivityOpen Controllers and Shields (Arduino Compatible)			
P1AM-100	ProductivityOpen Arduino-compatible CPU, C++, microSD card slot, (1) microB-USB port(s), external 24 VDC required. For use with ProductivityOpen shields, Arduino MKR series shields and Productivity1000 expansion modules.	Stock	\$69.00
P1AM-200	ProductivityOpen Arduino-compatible CPU, CircuitPython and C++, microSD card slot, (1) microB-USB port (s), external 24 VDC required. For use with ProductivityOpen shields, Arduino MKR series shields and Productivity1000 expansion modules.	Stock	\$109.00
P1AM-ETH	ProductivityOpen Ethernet shield, 1 port, (1) Ethernet 10/100Base-T (RJ45) port(s). For use with ProductivityOpen P1AM-100 CPU.	Stock	\$55.00
P1AM-SERIAL	ProductivityOpen serial shield, 2 ports, (2) RS-232/RS-485 (4-pin terminal) port(s). For use with ProductivityOpen P1AM-100 CPU.	Stock	\$55.00
P1AM-GPIO	ProductivityOpen MKR-pins extension shield, 0-3.3 VDC. For use with ProductivityOpen P1AM-100 CPU. Requires P2-RTB or P2-RTB-1 removable terminal block or ZIPLink pre-wired cables. See product insert for complete list of I/O configuration options.	Stock	\$61.00
P1AM-PROTO	ProductivityOpen prototyping kit.	Stock	\$44.50
P1AM-START1	ProductivityOpen starter kit with Ethernet.	Stock	\$288.00
P1AM-START2	ProductivityOpen starter kit.	Stock	\$223.00
IO-Link Masters			
BNI006A	Balluff EtherNet/IP IO-Link master, (8) IO-Link capable I/O points, up to (16) discrete I/O points, IO-Link v1.1.3, 9A, 2A/port, die-cast zinc nickel-plated housing, IP67, -5 to 70 deg C, multi-line LCD display.	Stock	\$669.00
BNI008M	Balluff EtherNet/IP IO-Link master, (8) IO-Link capable I/O points, up to (16) discrete I/O points, IO-Link v1.1.3, 9A, 2A/port, plastic housing, IP67, -5 to 70 deg C, multi-line LCD display.	Stock	\$629.00
SIOL-EI8B	STRIDE Basic EtherNet/IP IO-Link master, (8) IO-Link capable I/O points, up to (16) discrete I/O points, IO-Link v1.1, 8A, 1A/port, plastic housing, IP65 and IP67, -25 to 70 deg C.	Stock	\$299.00
54631	Murrelektronik Premium EtherNet/IP IO-Link master, (8) IO-Link capable I/O points, up to (16) discrete I/O points, IO-Link v1.1, 16A, 2A/port, plastic housing, IP65 and IP67, -25 to 70 deg C.	Stock	\$400.00
BNI00HM	Balluff EtherNet/IP IO-Link master, (8) IO-Link capable I/O points, up to (16) discrete I/O points, IO-Link v1.1.3, 9A, 2A/port, die-cast zinc nickel-plated housing, IP67, -25 to 70 deg C.	Stock	\$549.00
54632	Murrelektronik Premium EtherCAT IO-Link master, (8) IO-Link capable I/O points, up to (16) discrete I/O points, IO-Link v1.1, 16A, 2A/port, plastic housing, IP65 and IP67, -25 to 70 deg C.	Stock	\$415.00
IO-Link Hubs			
BNI00F4	Balluff IO-Link hub, up to (16) discrete I/O points, up to (16) discrete input points, (8) 5-pin M12 A-coded ports, 24 VDC, IO-Link v1.1, IO-Link Class A Device, 4A, 0.2A/port, IP67. Requires IO-Link master.	Stock	\$291.00
BNI00CP	Balluff IO-Link hub, up to (16) discrete I/O points, up to (16) discrete input points, (8) 5-pin M12 A-coded ports, 24 VDC, IO-Link v1.1, IO-Link Class A Device, 9A, 2A/port, IP67. Requires IO-Link master.	Stock	\$349.00
59840	Murrelektronik IO-Link hub, up to (4) analog input channel(s), (4) 5-pin M12 A-coded port(s), current/voltage, 24-bit, IO-Link v1.1.2 (compatible with v1.1.3), IO-Link Class A Device, IP65, IP67 and IP68. Requires IO-Link master.	Stock	\$238.00
59841	Murrelektronik IO-Link hub, up to (4) temperature input channel(s), (4) 5-pin M12 A-coded port(s), RTD, 24-bit, IO-Link v1.1.2 (compatible with v1.1.3), IO-Link Class A Device, IP65, IP67 and IP68. Requires IO-Link master.	Stock	\$228.00
BNI00AJ	Balluff temperature/analog IO-Link hub, up to (8) analog input channel(s), current/voltage/RTD/thermocouple, 16-bit, input RTD type(s): Pt100 and Pt1000, input thermocouple type (s): J, K, IO-Link v1.1, IP67. Requires IO-Link master.	Stock	\$439.00
59507	Murrelektronik IO-Link hub, up to (8) discrete I/O points, (8) 3-pin M8 ports, 24 VDC, IO-Link v1.1.2 (compatible with v1.1.3), IO-Link Class A Device, 4A, 0.5A/port, IP68. Requires IO-Link master.	Stock	\$203.00
59712	Murrelektronik IO-Link hub, up to (16) discrete I/O points, (8) 5-pin M12 A-coded ports, 24 VDC, IO-Link v1.1.2 (compatible with v1.1.3), IO-Link Class B Device, 4A, 2A/port, IP68. Requires IO-Link master.	Stock	\$224.00
59738	Murrelektronik IO-Link hub, up to (16) discrete I/O points, (8) 5-pin M12 A-coded ports, 24 VDC, IO-Link v1.1.2 (compatible with v1.1.3), IO-Link Class A Device, 12A, 4A/port, IP68. Requires IO-Link master.	Stock	\$313.00
59710	Murrelektronik IO-Link hub, up to (16) discrete input points, (8) 5-pin M12 A-coded ports, 24 VDC, IO-Link v1.1.2 (compatible with v1.1.3), IO-Link Class A Device, IP68. Requires IO-Link master.	Stock	\$187.00
59719	Murrelektronik IO-Link hub, up to (16) discrete I/O points, (8) 5-pin M12 A-coded ports, 24 VDC, IO-Link v1.1.2 (compatible with v1.1.3), IO-Link Class A Device, 4A, 0.5A/port, IP68. Requires IO-Link master.	Stock	\$224.00

IO-Link Analog Converters			
<u>BNI00C6</u>	Balluff temperature/analog combo converter, 1-channel, current/voltage/RTD/thermocouple, 16-bit, input RTD type(s): Pt100 and Pt1000, input thermocouple type(s): J, K, IO-Link v1.1, stainless steel housing, IP65 and IP67. Requires IO-Link master.	Stock	\$249.00
IO Link Measuring Light Grids			
<u>MI301-IOL</u>	ReeR Micron light grid, sender/receiver pair, measuring, 10mm resolution, 290mm detection height, 0-10m operating distance, PNP, configurable, (2) 5-pin M12 quick-disconnects, IO-Link compatible.	Stock	\$767.00
<u>MI601-IOL</u>	ReeR Micron light grid, sender/receiver pair, measuring, 10mm resolution, 590mm detection height, 0-10m operating distance, PNP, configurable, (2) 5-pin M12 quick-disconnects, IO-Link compatible.	Stock	\$1,055.00
<u>MI303-IOL</u>	ReeR Micron light grid, sender/receiver pair, measuring, 30mm resolution, 270mm detection height, 0-10m operating distance, PNP, configurable, (2) 5-pin M12 quick-disconnects, IO-Link compatible.	Stock	\$650.00
<u>MI903-IOL</u>	ReeR Micron light grid, sender/receiver pair, measuring, 30mm resolution, 870mm detection height, 0-10m operating distance, PNP, configurable, (2) 5-pin M12 quick-disconnects, IO-Link compatible.	Stock	\$1,077.00
<u>MI1503-IOL</u>	ReeR Micron light grid, sender/receiver pair, measuring, 30mm resolution, 1470mm detection height, 0-10m operating distance, PNP, configurable, (2) 5-pin M12 quick-disconnects, IO-Link compatible.	Stock	\$1,519.00
Protos X I/O Bus Couplers			
<u>PX-TCP2</u>	Protos X bus coupler, 24 VDC, (2) Ethernet (RJ45) port(s), Modbus TCP, 10/100 Mbps. For use with Protos X I/O systems.	Stock	\$547.00
<u>PX-TCP1</u>	Protos X compact bus coupler, 24 VDC, (1) Ethernet (RJ45) port(s), Modbus TCP, 10/100 Mbps. For use with Protos X I/O systems.	Stock	\$347.00
<u>PX-EIP1</u>	Protos X compact bus coupler, 24 VDC, (1) Ethernet (RJ45) port(s), EtherNet/IP, 10/100 Mbps. For use with Protos X I/O systems.	Stock	\$347.00
<u>PX-MOD</u>	Protos X bus coupler, 24 VDC, (1) RS-485 (9-pin D-sub) port(s), Modbus RTU and ASCII, up to 38.4k baud. For use with Protos X I/O systems.	Stock	\$383.00
Protos X I/O DC Terminals			
<u>PX-144</u>	Protos X discrete input module, 4-point, 24 VDC, sinking, 2 common(s), 2 point(s) per common.	Stock	\$48.00
<u>PX-148</u>	Protos X discrete input module, 8-point, 24 VDC, sinking.	Stock	\$78.00
<u>PX-149</u>	Protos X discrete input module, 16-point, 24 VDC, sinking.	Stock	\$135.00
<u>PX-244-1</u>	Protos X discrete output module, 4-point, 24 VDC, sourcing, 2 common(s), 2 point(s) per common, 0.5A/point, short circuit and overload protection.	Stock	\$72.00
<u>PX-244-2</u>	Protos X discrete output module, 4-point, 24 VDC, sourcing, 4 common(s), 1 point(s) per common, 2A/point, short circuit and overload protection.	Stock	\$88.00
<u>PX-248</u>	Protos X discrete output module, 8-point, 24 VDC, sourcing, 0.5A/point, short circuit and overload protection.	Stock	\$91.00
<u>PX-249</u>	Protos X discrete output module, 16-point, 24 VDC, sinking, 0.5A/point, short circuit and overload protection.	Stock	\$126.00
<u>PX-549</u>	Protos X discrete combo module, Input: 8-point, 24 VDC, sinking, Output: 8-point, 24 VDC, sourcing, 0.5A/point.	Stock	\$138.00
Protos X I/O AC and Relay Terminals			
<u>PX-172-1</u>	Protos X discrete input module, 2-point, 120-230 VAC, 2 common(s), 1 point(s) per common.	Stock	\$54.00
<u>PX-172-2</u>	Protos X discrete input module, 2-point, 120 VAC/VDC, 2 common(s), 1 point(s) per common.	Stock	\$54.00
<u>PX-272-1</u>	Protos X relay output module, 2-point, 230 VAC/VDC, solid state, 2 common(s), 1 point(s) per common, 0.3A/point.	Stock	\$97.00
<u>PX-272-2</u>	Protos X relay output module, 2-point, 230 VAC/30 VDC, (2) Form A, 1 common(s), 2 point(s) per common, 5A/point.	Stock	\$76.00
Protos X I/O Analog Terminals			
<u>PX-322-1</u>	Protos X temperature input terminal, RTD, 2-channel, 16-bit resolution, input RTD type(s): Pt100.	Stock	\$335.00
<u>PX-324-1</u>	Protos X temperature input terminal, RTD, 4-channel, 16-bit resolution, input RTD type(s): Pt100.	Stock	\$383.00
<u>PX-332-K</u>	Protos X temperature input terminal, thermocouple, 2-channel, 16-bit resolution, input thermocouple type(s): K.	Stock	\$342.00
<u>PX-334-K</u>	Protos X temperature input terminal, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): K.	Stock	\$393.00
<u>PX-332-J</u>	Protos X temperature input terminal, thermocouple, 2-channel, 16-bit resolution, input thermocouple type(s): J.	Stock	\$342.00
<u>PX-334-J</u>	Protos X temperature input terminal, thermocouple, 4-channel, 16-bit resolution, input thermocouple type(s): J.	Stock	\$393.00
<u>PX-302</u>	Protos X analog input terminal, 2-channel, current, 12-bit, input current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$306.00

<u>PX-304</u>	Protos X analog input terminal, 4-channel, current, 12-bit, input current signal range(s) of 4-20 mA.	Stock	\$272.00
<u>PX-308</u>	Protos X analog input terminal, 8-channel, current, 12-bit, input current signal range(s) of 4-20 mA, external 24 VDC required.	Stock	\$347.00
<u>PX-312</u>	Protos X analog input terminal, 2-channel, voltage, 12-bit, input voltage signal range(s) of +/- 10 VDC.	Stock	\$306.00
<u>PX-314</u>	Protos X analog input terminal, 4-channel, voltage, 12-bit, input voltage signal range(s) of +/- 10 VDC.	Stock	\$272.00
<u>PX-318</u>	Protos X analog input terminal, 8-channel, voltage, 12-bit, input voltage signal range(s) of +/- 10 VDC.	Stock	\$347.00
<u>PX-402</u>	Protos X analog output terminal, 2-channel, current, 12-bit, output current signal range(s) of 4-20 mA.	Stock	\$289.00
<u>PX-404</u>	Protos X analog output terminal, 4-channel, current, 12-bit, output current signal range(s) of 4-20 mA.	Stock	\$272.00
<u>PX-408</u>	Protos X analog output terminal, 8-channel, current, 12-bit, output current signal range(s) of 4-20 mA.	Stock	\$347.00
<u>PX-412</u>	Protos X analog output terminal, 2-channel, voltage, 12-bit, output voltage signal range(s) of 0-10 VDC.	Stock	\$289.00
<u>PX-414</u>	Protos X analog output terminal, 4-channel, voltage, 12-bit, output voltage signal range(s) of 0-10 VDC.	Stock	\$266.00
<u>PX-418</u>	Protos X analog output terminal, 8-channel, voltage, 12-bit, output voltage signal range(s) of +/- 10 VDC.	Stock	\$347.00
Protos X I/O Bus Expansion and Power Terminals			
<u>PX-901</u>	Protos X bus end terminal, for use with Protos X I/O systems. Installs at the right end of the terminal assembly. Required for proper communications between the I/O terminals and the bus coupler.	Stock	\$20.00
<u>PX-940</u>	Protos X power feed terminal, 24 VDC. For use with Protos X I/O systems. Introduces power into I/O terminals power bus or switches from one voltage source to another for power flow to the right.	Stock	\$26.00
<u>PX-949</u>	Protos X power distribution terminal, 24 VDC. For use with Protos X I/O systems. Provides (8) 24 VDC and (8) 0 VDC connections.	Stock	\$37.00
<u>PX-902</u>	Protos X bus expansion end terminal, (1) Ethernet (RJ45) port(s). For use with Protos X I/O systems. Requires Ethernet (RJ45) cable. Used only with bus coupler, replaces PX-901 bus end terminal.	Stock	\$78.00
<u>PX-903</u>	Protos X bus expansion coupler, (2) Ethernet (RJ45) port(s). For use with Protos X I/O systems. Requires Ethernet (RJ45) cable. Functions as bus coupler for expanded configuration.	Stock	\$123.00
<u>PX-970</u>	Protos X power feed terminal, 120-230 VAC. For use with Protos X I/O systems. Introduces power into I/O terminals power bus or switches from one voltage source to another for power flow to the right.	Stock	\$34.00
<u>PX-908</u>	Protos X power separation terminal, 24 VDC. For use with Protos X I/O systems. Interrupts the power flow of power bus to the left.	Stock	\$25.00
Protos X I/O Programming Software and Cables			
<u>PX-USB-232</u>	Protos X programming cable, USB A to 4-pin custom Micro connector, 9.8ft/3m cable length. For use with Protos X bus couplers.	Stock	\$90.00
<u>PX-CFGSW</u>	Protos X Windows configuration software, USB or free download. Requires PX-USB-232 programming cable.	Stock	\$22.50
Protos X I/O Documentation			
<u>PX-USER-M</u>	Protos X user manual, free download only. For use with all Protos X I/O systems.	Stock	\$0.00
Stride DC & Combo Field I/O			
<u>SIO-MB12CDR</u>	STRIDE discrete combo module, Input: 8-point, 12-24 VDC, sinking, Output: 4-point, relay, (4) Form C (SPDT) relays, 2A/point, (1) Ethernet (RJ45) port(s), Modbus TCP.	Stock	\$219.00
<u>SIO-MB16ND3</u>	STRIDE discrete input module, 16-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 8 point(s) per common, (1) Ethernet (RJ45) port(s), Modbus TCP.	Stock	\$241.00
<u>SIO-MB16CDD2</u>	STRIDE discrete combo module, Input: 8-point, 12-24 VDC, sinking, Output: 8-point, 12-24 VDC, sourcing, 0.5A/point, 1A/module, (1) Ethernet (RJ45) port(s), Modbus TCP.	Stock	\$263.00
Stride Analog Field I/O			
<u>SIO-MB04RTDS</u>	STRIDE temperature input module, RTD, 4-channel, 16-bit resolution, isolated, input RTD type(s): Pt100, Pt1000, Ni100 and Ni1000, (1) Ethernet (RJ45) port(s), Modbus TCP.	Stock	\$274.00
<u>SIO-MB04THMS</u>	STRIDE temperature input module, thermocouple, 4-channel, 16-bit resolution, isolated, input thermocouple type(s): J, E, K, R, S, T, B, N, (1) Ethernet (RJ45) port(s), Modbus TCP.	Stock	\$241.00
<u>SIO-MB08THMS</u>	STRIDE temperature input module, thermocouple, 8-channel, 16-bit resolution, isolated, input thermocouple type(s): J, E, K, R, S, T, B, N, (1) Ethernet (RJ45) port(s), Modbus TCP.	Stock	\$285.00
<u>SIO-MB04ADS</u>	STRIDE analog input module, 4-channel, current/voltage, 16-bit, isolated, (1) Ethernet (RJ45) port(s), Modbus TCP, external 20-30 VDC required.	Stock	\$252.00
<u>SIO-MB08ADS-1</u>	STRIDE analog input module, 8-channel, current, 16-bit, isolated, (1) Ethernet (RJ45) port(s), Modbus TCP, external 14-30 VDC required.	Stock	\$274.00
<u>SIO-MB08ADS-2</u>	STRIDE analog input module, 8-channel, voltage, 16-bit, isolated, (1) Ethernet (RJ45) port(s), Modbus TCP, external 14-30 VDC required.	Stock	\$274.00
<u>SIO-MB04DAS</u>	STRIDE analog output module, 4-channel, current/voltage, 16-bit, isolated, (1) Ethernet (RJ45) port(s), Modbus TCP, external 18-30 VDC required.	Stock	\$230.00

Terminator I/O Power Supplies / Terminal Bases / Cables			
<u>T1K-01AC</u>	Terminator AC power supply, 120/240 VAC nominal input. Minimum (1) required per system.	Stock	\$173.00
<u>T1K-01DC</u>	Terminator DC power supply, 12/24 VDC nominal input. Minimum (1) required per system.	Stock	\$205.00
<u>T1K-08B</u>	Terminator half-size terminal base, 3-row, 24-pin screw clamp, 12 AWG.	Stock	\$153.00
<u>T1K-16B</u>	Terminator full-size terminal base, 3-row, 48-pin screw clamp, 12 AWG.	Stock	\$189.00
<u>T1K-08B-1</u>	Terminator half-size terminal base, 3-row, 24-pin spring clamp, 14 AWG.	Stock	\$166.00
<u>T1K-16B-1</u>	Terminator full-size terminal base, 3-row, 48-pin spring clamp, 14 AWG.	Stock	\$198.00
Terminator I/O Network Interface Modules			
<u>T1K-DEVNETS</u>	Terminator slave, (1) 5-pin removable terminal block port(s), DeviceNet, up to 500k baud.	Stock	\$399.00
<u>T1H-EBC100</u>	Terminator Ethernet base controller, (1) Ethernet 10/100Base-T (RJ45) port(s), Do-more Ethernet remote I/O, Modbus TCP/IP, TCP/IP, UDP/IP and IPX, up to 100 Mbps.	Stock	\$533.00
<u>T1K-MODBUS</u>	Terminator slave, (1) RS-232/RS-422/RS-485 (15-pin D-sub HD15 female) port(s), Modbus RTU, up to 19.2k baud.	Stock	\$369.00
Terminator I/O Discrete Input Modules			
<u>T1K-08ND3</u>	Terminator discrete input module, 8-point, 12-24 VDC, sinking/sourcing, 2 isolated common(s), 4 point(s) per common. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$115.00
<u>T1K-08NA-1</u>	Terminator discrete input module, 8-point, 120 VAC, 2 isolated common(s), 4 point(s) per common. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$145.00
<u>T1K-16ND3</u>	Terminator discrete input module, 16-point, 12-24 VDC, sinking/sourcing, 4 isolated common(s), 4 point(s) per common. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$178.00
<u>T1K-16NA-1</u>	Terminator discrete input module, 16-point, 120 VAC, 4 isolated common(s), 4 point(s) per common. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$226.00
Terminator I/O Discrete Output Modules			
<u>T1K-08TD1</u>	Terminator discrete output module, 8-point, 12-24 VDC, sinking, 2 common(s), 4 point(s) per common, 1A/point. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$154.00
<u>T1K-08TD2-1</u>	Terminator discrete output module, 8-point, 12-24 VDC, sourcing, 2 common(s), 4 point(s) per common, 1A/point, 4A/common. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$153.00
<u>T1H-08TDS</u>	Terminator discrete output module, 8-point, 6-24 VDC, sinking and sourcing, 8 isolated common(s), 1 point (s) per common, 2A/point, 16A/module, overcurrent protection. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$274.00
<u>T1K-16TD1</u>	Terminator discrete output module, 16-point, 12-24 VDC, sinking, 4 common(s), 4 point(s) per common, 1A/point, 4A/common. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$214.00
<u>T1K-16TD2-1</u>	Terminator discrete output module, 16-point, 12-24 VDC, sourcing, 4 common(s), 4 point(s) per common, 1A/point, 4A/common. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$214.00
<u>T1K-08TA</u>	Terminator discrete output module, 8-point, 24-240 VAC, 2 isolated common(s), 4 point(s) per common, 1A/point, 4A/common. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$214.00
<u>T1K-08TAS</u>	Terminator discrete output module, 8-point, 24-240 VAC, 8 isolated common(s), 1 point(s) per common, 2A/point. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$255.00
<u>T1K-16TA</u>	Terminator discrete output module, 16-point, 24-240 VAC, 4 isolated common(s), 4 point(s) per common, 1A/point, 4A/common. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$267.00
<u>T1K-08TR</u>	Terminator relay output module, 8-point, 6-24 VDC/6-240 VAC, (8) Form A, 2 isolated common(s), 4 point(s) per common, 2A/point, 8A/common. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$160.00
<u>T1K-16TR</u>	Terminator relay output module, 16-point, 6-24 VDC/6-240 VAC, (16) Form A, 4 isolated common(s), 4 point (s) per common, 2A/point, 6A/common. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$261.00
<u>T1K-08TRS</u>	Terminator relay output module, 8-point, 6-24 VDC/6-240 VAC, (8) Form A, 8 isolated common(s), 1 point(s) per common, 7A/point. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$265.00
Terminator I/O Analog Modules			
<u>T1F-08AD-1</u>	Terminator analog input module, 8-channel, current, 14-bit, external 24 VDC required. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$553.00
<u>T1F-08AD-2</u>	Terminator analog input module, 8-channel, voltage, 14-bit, external 24 VDC required. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$553.00
<u>T1F-16AD-1</u>	Terminator analog input module, 16-channel, current, 14-bit, external 24 VDC required. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$779.00
<u>T1F-16AD-2</u>	Terminator analog input module, 16-channel, voltage, 14-bit, external 24 VDC required. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$781.00
<u>T1F-08DA-1</u>	Terminator analog output module, 8-channel, current, 12-bit, external 24 VDC required. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$709.00

<u>T1F-08DA-2</u>	Terminator analog output module, 8-channel, voltage, 12-bit, external 24 VDC required. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$763.00
<u>T1F-16DA-1</u>	Terminator analog output module, 16-channel, current, 12-bit, external 24 VDC required. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$1,094.00
<u>T1F-16DA-2</u>	Terminator analog output module, 16-channel, voltage, 12-bit, external 24 VDC required. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$1,176.00
<u>T1F-16TMST</u>	Terminator temperature input module, thermistor, 16-channel, 16-bit resolution, input thermistor type(s): 2252, 10K-AN Type 3, 10K-CP Type 2, 5K, 3K and 1.8K ohm. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$692.00
<u>T1F-8AD4DA-1</u>	Terminator analog combo module, Input: 8-channel, current, Output: 4-channel, current. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$674.00
<u>T1F-8AD4DA-2</u>	Terminator analog combo module, Input: 8-channel, voltage, Output: 4-channel, voltage. Requires T1K-08B or T1K-08B-1 terminal base.	Stock	\$674.00
<u>T1F-16RTD</u>	Terminator temperature input module, RTD, 16-channel, 16-bit resolution, input RTD type(s): Pt100, JPt100, Cu10, Cu25 and Pt1000. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$767.00
<u>T1F-14THM</u>	Terminator temperature input module, thermocouple, 14-channel, 16-bit resolution, input thermocouple type (s): J, E, K, R, S, T, B, N, C. Requires T1K-16B or T1K-16B-1 terminal base.	Stock	\$1,006.00
Terminator I/O Specialty Modules			
<u>T1H-CTRIO</u>	Terminator pulse combo module, 100 kHz maximum switching frequency, 8 high-speed input point(s), sinking/sourcing, single-ended encoder input(s), 4 high-speed output point(s), sinking/sourcing, single-ended output(s).	Stock	\$607.00
Terminator I/O Spare Parts and Accessories			
<u>T1F-CJC</u>	Terminator CJC sensor, replacement. For use with T1F-14THM temperature input module.	Stock	\$27.00
<u>T1K-FUSE-1</u>	Terminator fast-acting spare fuse, 6.3A. Package of 5. For use with Terminator DC output modules.	Stock	\$18.00
<u>T1K-FUSE-2</u>	Terminator fast-acting spare fuse, 10A. Package of 5. For use with Terminator non-isolated AC/relay output modules.	Stock	\$21.00
<u>T1K-FUSE-3</u>	Terminator spare fuse, 10A. Package of 5. For use with Terminator isolated AC/relay output modules.	Stock	\$18.00
Terminator I/O Documentation			
<u>T1K-INST-M</u>	Terminator installation manual, free download only. For use with Terminator bases and discrete and analog I/O modules.	Stock	\$0.00
<u>T1H-EBC-M</u>	Terminator user manual, free download only. For use with T1H-EBC100 Ethernet base controller.	Stock	\$0.00
<u>T1K-DEVNETS-M</u>	Terminator user manual, free download only. For use with T1K-DEVNETS DeviceNET base controller.	Stock	\$0.00
<u>T1K-RSSS-M</u>	Terminator user manual, free download only. For use with T1K-RSSS DirectLOGIC remote I/O base controller.	Stock	\$0.00
<u>T1K-MODBUS-M</u>	Terminator user manual, free download only. For use with T1K-MODBUS Modbus base controller.	Stock	\$0.00
Accessories for Point to Point Wireless I/O			
<u>DEFINE-TOOLBOX-SW</u>	Define Instruments Windows configuration software, free download only. For use with Define Instruments DEFINE-TWIN-LINK and DEFINE-REPEATER. Requires DEFINE-BRIDGE-KEY fob USB adapter.	Stock	\$0.00
<u>DEFINE-BRIDGE-KEY</u>	Define Instruments fob USB adapter, for use with Define Instruments DEFINE-TWIN-LINK and DEFINE-REPEATER. (1) 2.3ft interface cable and (1) 3.2ft/1m USB extension cable included. Requires DEFINE-TOOLBOX-SW configuration software.	Stock	\$65.00
HMI Panels			
<u>CM5-T4W</u>	C-more CM5 series touch screen HMI, 4in color TFT LCD, resistive single-touch, widescreen, 480 x 272 pixel, WQVGA, LED backlight, (1) Ethernet, (2) serial and (2) USB ports and (1) memory card slot.	Stock	\$340.00
<u>CM5-T7W</u>	C-more CM5 series touch screen HMI, 7in color TFT LCD, resistive single-touch, widescreen, 800 x 480 pixel, WVGA, LED backlight, (1) Ethernet, (2) serial and (2) USB ports and (1) memory card slot.	Stock	\$479.00
<u>CM5-T10W</u>	C-more CM5 series touch screen HMI, 10in color TFT LCD, resistive single-touch, widescreen, 1024 x 600 pixel, WSVGA, LED backlight, (2) Ethernet, (3) serial and (4) USB ports and (1) memory card slot.	Stock	\$769.00
<u>CM5-T12W</u>	C-more CM5 series touch screen HMI, 12in color TFT LCD, resistive single-touch, widescreen, 1280 x 800 pixel, WXGA, LED backlight, (2) Ethernet, (3) serial and (4) USB ports and (1) memory card slot.	Stock	\$1,029.00
<u>CM5-T15W</u>	C-more CM5 series touch screen HMI, 15in color TFT LCD, resistive single-touch, widescreen, 1366 x 768 pixel, HD, LED backlight, (2) Ethernet, (3) serial and (4) USB ports and (1) memory card slot.	Stock	\$1,609.00
<u>CM5-T22W</u>	C-more CM5 series touch screen HMI, 22in color TFT LCD, resistive single-touch, widescreen, 1920 x 1080 pixel, FHD, LED backlight, (2) Ethernet, (3) serial and (4) USB ports and (1) memory card slot.	Stock	\$1,999.00
<u>EA9-T6CL-R</u>	C-more EA9 series touch screen HMI, 6in color TFT LCD, resistive single-touch, 320 x 240 pixel, QVGA, LED backlight, (1) serial, (2) USB ports and (1) memory card slot.	Stock	\$799.00
<u>EA9-T6CL</u>	C-more EA9 series touch screen HMI, 6in color TFT LCD, resistive single-touch, 320 x 240 pixel, QVGA, LED backlight, (3) serial, (1) Ethernet, (2) USB ports, (1) memory card slot and (1) audio line out.	Stock	\$1,003.00
<u>EA9-T7CL-R</u>	C-more EA9 series touch screen HMI, 7in color TFT LCD, resistive single-touch, widescreen, 800 x 480 pixel, WVGA, LED backlight, (1) serial, (1) Ethernet, (2) USB ports and (1) memory card slot.	Stock	\$688.00

<u>EA9-T8CL</u>	C-more EA9 series touch screen HMI, 8in color TFT LCD, resistive single-touch, 800 x 600 pixel, SVGA, LED backlight, (3) serial, (1) Ethernet, (2) USB ports, (1) memory card slot and (1) audio line out.	Stock	\$1,524.00
<u>EA9-T10CL</u>	C-more EA9 series touch screen HMI, 10in color TFT LCD, resistive single-touch, 800 x 600 pixel, SVGA, LED backlight, (3) serial, (1) Ethernet, (2) USB ports, (1) memory card slot and (1) audio line out.	Stock	\$1,718.00
<u>EA9-T10WCL</u>	C-more EA9 series touch screen HMI, 10in color TFT LCD, resistive single-touch, widescreen, 1024 x 600 pixel, WSVGA, LED backlight, (3) serial, (1) Ethernet, (2) USB ports, (1) memory card slot and (1) audio line out.	Stock	\$1,096.00
<u>EA9-T12CL</u>	C-more EA9 series touch screen HMI, 12in color TFT LCD, resistive single-touch, 800 x 600 pixel, SVGA, LED backlight, (3) serial, (1) Ethernet, (2) USB ports, (2) memory card slots, (1) HDMI video out and (1) audio line out.	Stock	\$1,479.00
<u>EA9-T15CL-R</u>	C-more EA9 series touch screen HMI, 15in color TFT LCD, resistive single-touch, 1024 x 768 pixel, XGA, LED backlight, (1) serial, (1) Ethernet, (2) USB ports and (2) memory card slots.	Stock	\$1,959.00
<u>EA9-T15CL</u>	C-more EA9 series touch screen HMI, 15in color TFT LCD, resistive single-touch, 1024 x 768 pixel, XGA, LED backlight, (3) serial, (1) Ethernet, (2) USB ports, (2) memory card slots, (1) HDMI video out and (1) audio line out.	Stock	\$2,684.00
<u>EA3-S3ML-RN</u>	C-more Micro EA3 series HMI, 3in monochrome STN LCD, 128 x 64 pixel, LED backlight, (1) serial port.	Stock	\$184.00
<u>EA3-S3ML-R</u>	C-more Micro EA3 series touch screen HMI, 3in monochrome STN LCD, resistive single-touch, 128 x 64 pixel, LED backlight, (1) serial port.	Stock	\$229.00
<u>EA3-S3ML</u>	C-more Micro EA3 series touch screen HMI, 3in monochrome STN LCD, resistive single-touch, 128 x 64 pixel, LED backlight, (2) serial, (1) Ethernet and (1) microB-USB ports.	Stock	\$342.00
<u>EA3-T4CL</u>	C-more Micro EA3 series touch screen HMI, 4in color TFT LCD, resistive single-touch, widescreen, 480 x 272 pixel, WQVGA, LED backlight, (2) serial, (1) Ethernet and (1) microB-USB ports.	Stock	\$393.00
<u>EA3-T6CL</u>	C-more Micro EA3 series touch screen HMI, 6in color TFT LCD, resistive single-touch, 320 x 240 pixel, QVGA, LED backlight, (2) serial and (1) USB B ports.	Stock	\$472.00
<u>EA1-S3MLW</u>	C-more Micro EA1 series touch screen HMI, 3in monochrome STN LCD, resistive single-touch, 128 x 64 pixel, high-contrast white LED backlight, (1) serial port.	Stock	\$326.00

Headless HMI Devices

<u>CM5-RHMI</u>	C-more CM5 series headless HMI, (2) serial, (2) Ethernet and (5) USB ports, (1) HDMI audio/video out and (1) memory card slot.	Stock	\$599.00
<u>EA9-RHMI</u>	C-more EA9 series headless HMI, (2) serial, (1) Ethernet and (2) USB ports, (1) HDMI audio/video out and (1) memory card slot.	Stock	\$632.00

Accessories for Graphical HMI Devices

<u>CM5-PGMSW</u>	C-more CM5 series Windows programming software, USB or free download. For use with C-more CM5 series HMIs.	Stock	\$12.50
<u>EA-SD-CARD</u>	C-more industrial memory card, 2 GB SD. For use with all products with SD memory card slot.	Stock	\$140.00
<u>USB-FLASH</u>	SanDisk USB Flash drive, 32 GB.	Stock	\$30.50
<u>HMI-4W-COV</u>	C-more screen protector, non-glare, 4.3in. Package of 3. For use with C-more 4in widescreen HMIs.	Stock	\$44.50
<u>HMI-7W-COV</u>	C-more screen protector, non-glare, 7in. Package of 3. For use with C-more 7in widescreen HMIs.	Stock	\$51.00
<u>HMI-10W-COV</u>	C-more screen protector, non-glare, 10.1in. Package of 3. For use with C-more 10in widescreen HMIs.	Stock	\$59.00
<u>HMI-12W-COV</u>	C-more screen protector, non-glare, 12.1in. Package of 3. For use with C-more CM5-T12W widescreen HMIs.	Stock	\$46.50
<u>HMI-15W-COV</u>	C-more screen protector, non-glare, 15.6in. Package of 3. For use with C-more CM5-T15W widescreen HMIs.	Stock	\$53.00
<u>HMI-22W-COV</u>	C-more screen protector, non-glare, 21.5in. Package of 3. For use with C-more CM5-T22W widescreen HMIs.	Stock	\$78.50
<u>HMI-4W-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more CM5-T4W 4in HMI.	Stock	\$14.00
<u>HMI-7W-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more CM5-T7W 7in HMI.	Stock	\$29.00
<u>HMI-10W-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more CM5-T10W 10in HMI.	Stock	\$30.50
<u>HMI-12W-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more CM5-T12W 12in HMI.	Stock	\$31.00
<u>HMI-15W-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more CM5-T15W 15in HMI.	Stock	\$32.50
<u>HMI-22W-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more CM5-T22W 22in HMI.	Stock	\$39.00
<u>HMI-LOGO-LBL</u>	C-more blank label insert, replacement. Package of 10. For use with C-more CM5 series HMI front bezel.	Stock	\$37.00
<u>HMI-BRK-1</u>	C-more panel mounting brackets, replacement. Package of 2. For use with C-more CM5-T4W 4in HMI.	Stock	\$23.00
<u>HMI-BRK-2</u>	C-more panel mounting brackets, replacement. Package of 8. For use with C-more CM5 series 7in, 10in, 12in, 15in and 22in HMIs.	Stock	\$42.00
<u>HMI-3TB</u>	C-more pluggable terminal block, replacement, 3-pole. Package of 2. For use with 3-wire RS-485 communications port on C-more CM5 series HMIs.	Stock	\$15.00

<u>CM5-USER-M</u>	C-more user manual, free download only. For use with C-more CM5 series HMIs.	Stock	\$0.00
<u>EA9-PGMSW</u>	C-more Windows programming software, USB or free download. For use with C-more EA9 series touch panels. Requires USB or Ethernet connection to touch panel.	Stock	\$13.00
<u>EA-AC</u>	C-more AC/DC power adapter, 24 VDC, 1.5A. For use with C-more EA7 and EA9 series touch panels.	Stock	\$118.00
<u>EA-ECOM</u>	C-more communication expansion module, (1) RJ45 10/100 Mbps Ethernet port. For use with C-more Micro EA3 series 6in, 8in and 10in panels and all C-more HMIs except CM5 series and -R models.	Stock	\$105.00
<u>EA-6-COV2</u>	C-more screen protector, non-glare, 6in. Package of 3. For use with C-more and C-more Micro 6in HMIs.	Stock	\$53.50
<u>EA-7-COV2</u>	C-more screen protector, non-glare, 7in. Package of 3. For use with C-more 7in HMIs.	Stock	\$55.00
<u>EA-8-COV2</u>	C-more screen protector, non-glare, 8in. Package of 3. For use with C-more and C-more Micro 8in HMIs.	Stock	\$57.00
<u>EA-10-COV2</u>	C-more Micro screen protector, non-glare, 10in. Package of 3. For use with C-more EA9-T10CL and C-more Micro EA3-T10CL HMIs.	Stock	\$63.50
<u>EA-10W-COV2</u>	C-more screen protector, non-glare, 10in. Package of 3. For use with C-more EA9-T10WCL widescreen HMI.	Stock	\$63.50
<u>EA-12-COV2</u>	C-more screen protector, non-glare, 12in. Package of 3. For use with C-more 12in HMIs.	Stock	\$66.00
<u>EA-15-COV2</u>	C-more screen protector, non-glare, 15in. Package of 3. For use with C-more 15in HMIs.	Stock	\$77.50
<u>EA-COMCON-3A</u>	C-more Micro DSUB port adapter, 15-pin male to 6-pole RS-422/485 terminal block, straight cable entry. For use with C-more Micro EA1 3in with EA1-MG-SP1, EA3 8in and 10in HMIs, C-more EA9 8in, 10in, 12in and 15in and CM5 7in, 10in, 12in, 15in and 22in HMIs.	Stock	\$30.50
<u>EA-COMCON-3</u>	C-more DSUB port adapter, 15-pin male to 6-pole RS-422/485 terminal block, right angle cable entry. For use with C-more Micro EA1 series 4in and 6in HMIs, C-more Micro EA3 series 3in, 4in, and 6in HMIs, C-more EA9 6in and 7in HMIs and C-more CM5 series 4in HMI.	Stock	\$59.50
<u>EA-ADPTR-4</u>	C-more DSUB port adapter, 15-pin male to 15-pin female, right angle cable entry. For use with C-more Micro EA1 series 4in and 6in HMIs, C-more Micro EA3 series 3in, 4in, and 6in HMIs, C-more EA9 6in and 7in HMIs.	Stock	\$56.00
<u>EA9-6-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more EA9 series 6in and 7in touch panels.	Stock	\$27.00
<u>EA9-8-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more EA9-T8CL 8in touch panel.	Stock	\$31.00
<u>EA9-10-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more EA9-T10CL 10in HMI.	Stock	\$35.00
<u>EA9-10W-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more EA9-T10WCL 10in HMI.	Stock	\$31.50
<u>EA9-12-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more EA9-T12CL 12in touch panel.	Stock	\$31.50
<u>EA9-15-GSK</u>	C-more panel mounting gasket, replacement. For use with C-more EA9 series 15in HMIs.	Stock	\$45.00
<u>EA9-BRK</u>	C-more panel mounting brackets, replacement. Package of 8. For use with C-more EA9 series touch panels.	Stock	\$41.50
<u>EA9-LBL</u>	C-more blank label insert, replacement. Package of 10. For use with C-more EA9 series HMI front bezel.	Stock	\$47.50
<u>EA-DC-CON</u>	C-more DC 5-terminal power connector, replacement. For use with C-more EA7 and EA9 series touch panels.	Stock	\$20.50
<u>EA-AC-CON</u>	C-more AC 3-terminal power connector, replacement. For use with C-more AC adapter (p/n EA-AC).	Stock	\$11.00
<u>EA9-3TB</u>	C-more pluggable terminal block, replacement, 3-pole. Package of 2. For use with 3-wire RS485 communications port on C-more EA9 series panels.	Stock	\$16.00
<u>EA9-USER-M</u>	C-more user manual, free download only. For use with C-more EA9 series touch HMIs.	Stock	\$0.00
<u>EA9-RHMI-USER-M</u>	C-more user manual, free download only. For use with C-more EA9 series headless HMI.	Stock	\$0.00
<u>EA-MG-PGMSW</u>	C-more Micro Windows programming software, USB or free download. For use with C-more Micro panels. Requires USB port connection from PC to C-more Micro panel.	Stock	\$31.50
<u>EA-MG-S3ML-FKL</u>	C-more Micro function key label insert, replacement. Package of 10. For use with C-more Micro 3in HMIs. (5) blank labels and (5) landscape F1-F5 label included.	Stock	\$32.00
<u>EA-MG-S3ML-BRK</u>	C-more Micro panel mounting brackets, replacement. Package of 2. For use with C-more Micro 3in and EA3-T4CL HMIs.	Stock	\$25.00
<u>EA-MG-BZ2-BRK</u>	C-more Micro panel mounting brackets, replacement. Package of 8. For use with C-more Micro 4in and 6in panels, all 6in bezels, and 3in bezel EA-MG-BZ2.	Stock	\$26.00
<u>EA-MG-S3ML-GSK</u>	C-more Micro panel mounting gasket, replacement. For use with C-more Micro EA1 series 3in HMIs.	Stock	\$17.50
<u>EA-MG-COV-CL</u>	C-more screen protector, clear, 3in. Package of 5. For use with C-more Micro 3in HMIs.	Stock	\$51.00
<u>EA-MG-DC-CON</u>	C-more Micro DC 3-terminal power connector, replacement. Package of 5. For use with all C-more Micro 4in, 6in, 8in and 10in panels, and power adapters EA-MG-P1 and EA-MG-SP1.	Stock	\$20.50
<u>EA-4-COV3</u>	C-more Micro screen protector, non-glare, 4in. Package of 3. For use with C-more Micro EA3-T4CL 4in HMIs.	Stock	\$49.00
<u>EA-4-GSK</u>	C-more Micro panel mounting gasket, replacement. For use with C-more Micro EA3-T4CL 4in HMIs.	Stock	\$11.50
<u>EA-MG6-S6ML-FKL</u>	C-more Micro function key label insert, replacement. Package of 5. For use with C-more Micro 6in HMIs. (3) blank labels, (1) portrait F1-F5 label and (1) landscape F1-F5 label included.	Stock	\$38.50

<u>EA-MG6-S6ML-GSK</u>	C-more Micro panel mounting gasket, replacement. For use with C-more Micro 6in panels.	Stock	\$17.50
<u>EA3-BRK</u>	C-more Micro panel mounting brackets, replacement. Package of 8. For use with C-more Micro EA3 series touch panels.	Stock	\$41.50
<u>EA3-8-GSK</u>	C-more Micro panel mounting gasket, replacement. For use with C-more Micro EA3-T8CL 8in touch panel.	Stock	\$36.00
<u>EA3-10-GSK</u>	C-more Micro panel mounting gasket, replacement. For use with C-more Micro EA3-T10CL 10in touch panel.	Stock	\$40.00
<u>EA3-USER-M</u>	C-more Micro user manual, free download only. For use with C-more Micro EA3 Series HMIs.	Stock	\$0.00
<u>EA1-MG6-USER-M</u>	C-more Micro user manual, free download only. For use with C-more Micro EA1 Series 6in monochrome HMIs.	Stock	\$0.00
<u>EA1-TCL-M</u>	C-more Micro user manual, free download only. For use with C-more Micro EA1-T4CL and EA1-T6CL HMIs.	Stock	\$0.00
<u>EA1-MG-USER-M</u>	C-more Micro user manual, free download only. For use with C-more Micro EA1 Series 3in monochrome HMIs.	Stock	\$0.00
<u>EA-PGMSW</u>	C-more Windows programming software, USB or download. For use with C-more EA7 series touch panels. Requires USB or Ethernet connection to touch panel.	Stock	\$164.00

ViewMarq Message Displays

<u>MD4-0112T-1</u>	ViewMarq MD4 series industrial LED message display, 1 line x 12 characters, 1.5in and 2in, (2) serial and (1) Ethernet port for configuration and external message control, NEMA 4/12, indoor use only.	Stock	\$721.00
<u>MD4-0124T-1</u>	ViewMarq MD4 series industrial LED message display, 1 line x 24 characters, 1.5in and 2in, (2) serial and (1) Ethernet port for configuration and external message control, NEMA 4/12, indoor use only.	Stock	\$997.00
<u>MD4-0212T-1</u>	ViewMarq MD4 series industrial LED message display, 2 line x 12 characters, 1.5in, 2in and 4in, (2) serial and (1) Ethernet port for configuration and external message control, NEMA 4/12, indoor use only.	Stock	\$1,023.00
<u>MD4-0224T-1</u>	ViewMarq MD4 series industrial LED message display, 2 line x 24 characters, 1.5in, 2in and 4in, (2) serial and (1) Ethernet port for configuration and external message control, NEMA 4/12, indoor use only.	Stock	\$1,549.00
<u>MD4-0412T-1</u>	ViewMarq MD4 series industrial LED message display, 4 line x 12 characters, 1.5in, 2in, 4in, 6in and 8in, (2) serial and (1) Ethernet port for configuration and external message control, NEMA 4/12, indoor use only.	Stock	\$1,518.00
<u>MD4-0424T-1</u>	ViewMarq MD4 series industrial LED message display, 4 line x 24 characters, 1.5in, 2in, 4in, 6in and 8in, (2) serial and (1) Ethernet port for configuration and external message control, NEMA 4/12, indoor use only.	Stock	\$2,568.00

Accessories for Message Displays

<u>MD-USER-M</u>	ViewMarq user manual, free download only. For use with ViewMarq message display.	Stock	\$0.00
<u>MD-PGMSW</u>	ViewMarq Windows configuration software, free download only. For use with ViewMarq message display. Requires serial or Ethernet connection to ViewMarq Display.	Stock	\$0.00
<u>MD-BRK-1</u>	ViewMarq wall mounting bracket assembly, replacement. Package of 2. For use with ViewMarq message display.	Stock	\$58.00
<u>MD-BRK-2</u>	ViewMarq chain mounting brackets, replacement. Package of 2. For use with ViewMarq message display.	Stock	\$28.50
<u>MD-PWR-COV</u>	ViewMarq power connection cover, replacement. For use with ViewMarq message display. (1) cover and (1) 1/2in NPT cable gland included.	Stock	\$59.00
<u>MD-COM-COV</u>	ViewMarq communications cover, replacement. For use with ViewMarq message display. (1) cover and (2) 1/2in NPT cable gland and (1) 3/4in NPT cable gland with 6mm and 10mm hole plugs included.	Stock	\$25.50
<u>MD-TERM-SET</u>	ViewMarq pluggable terminal block set, replacement. For use with ViewMarq message display. Includes (1) 2-pole DC power connector, (1) 3-pole AC power connector, (1) 10-pole discrete input connector, and (1) 6-pole serial communications connector.	Stock	\$25.50

ATLAS Industrial Monitors

<u>ATM1500</u>	ATLAS industrial display, 15in color TFT LCD, 1024 x 768 pixel, XGA, LED backlight, (1) VGA input.	Stock	\$1,470.00
<u>ATM1500T</u>	ATLAS touch screen industrial display, 15in color TFT LCD, resistive single-touch, 1024 x 768 pixel, XGA, LED backlight, (1) VGA input, (1) serial and (1) USB B port.	Stock	\$1,619.00
<u>ATM1700</u>	ATLAS industrial display, 17in color TFT LCD, 1280 x 1024 pixel, SXGA, LED backlight, (1) DVI-D input and (1) VGA input.	Stock	\$1,787.00
<u>ATM1700T</u>	ATLAS touch screen industrial display, 17in color TFT LCD, resistive single-touch, 1280 x 1024 pixel, SXGA, LED backlight, (1) DVI-D input, (1) VGA input, (1) serial and (1) USB B port.	Stock	\$1,971.00
<u>ATM1900</u>	ATLAS industrial display, 19in color TFT LCD, 1280 x 1024 pixel, SXGA, LED backlight, (1) DVI-D input and (1) VGA input.	Stock	\$2,253.00
<u>ATM1900T</u>	ATLAS touch screen industrial display, 19in color TFT LCD, resistive single-touch, 1280 x 1024 pixel, SXGA, LED backlight, (1) DVI-D input, (1) VGA input, (1) serial and (1) USB B port.	Stock	\$2,332.00

Accessories for Industrial Monitors

<u>ATM-AC-CON</u>	ATLAS AC power connector, replacement. For use with AC-powered ATLAS monitors.	Stock	\$31.00
<u>ATM-CLIP</u>	ATLAS panel mounting brackets, replacement. Package of 16. For use with ATLAS monitors.	Stock	\$60.00

Hydraulic Power Units			
<u>51045050002</u>	Bucher M-Series hydraulic power unit, 1 GPM, 1500 psi, 4 gal reservoir, 1hp, 115/208-230 VAC operating voltage. Single tandem center D03 valve included.	Stock	\$1,713.00
<u>51045050003</u>	Bucher M-Series hydraulic power unit, 1.5 GPM, 1500 psi, 6 gal reservoir, 1-1/2hp, 115/208-230 VAC operating voltage. Single tandem center D03 valve included.	Stock	\$1,816.00
<u>51045050004</u>	Bucher M-Series hydraulic power unit, 1 GPM, 3000 psi, 4 gal reservoir, 2hp, 115/208-230 VAC operating voltage. Single tandem center D03 valve included.	Stock	\$1,836.00
<u>51045050005</u>	Bucher M-Series hydraulic power unit, 2 GPM, 1500 psi, 8 gal reservoir, 2hp, 115/208-230 VAC operating voltage. Single tandem center D03 valve included.	Stock	\$1,892.00
<u>51045050006</u>	Bucher M-Series hydraulic power unit, 1.5 GPM, 3000 psi, 6 gal reservoir, 3hp, 115/230 VAC operating voltage. Single tandem center D03 valve included.	Stock	\$2,118.00
<u>51045050007</u>	Bucher M-Series hydraulic power unit, 2 GPM, 2000 psi, 8 gal reservoir, 3hp, 115/230 VAC operating voltage. Single tandem center D03 valve included.	Stock	\$2,146.00
<u>51045050008</u>	Bucher M-Series hydraulic power unit, 3 GPM, 1500 psi, 11 gal reservoir, 3hp, 115/230 VAC operating voltage. Single tandem center D03 valve included.	Stock	\$2,359.00
<u>51060920005</u>	Bucher T-Series hydraulic power unit, 11/3 GPM, 600/2500 psi, 30 gal reservoir, 5hp, 230/460 VAC operating voltage.	Stock	\$3,156.00
<u>51060550015</u>	Bucher T-Series hydraulic power unit, 2 GPM, 1500 psi, 10 gal reservoir, 2hp, 230/460 VAC operating voltage.	Stock	\$2,226.00
<u>51060550016</u>	Bucher T-Series hydraulic power unit, 2 GPM, 2200 psi, 10 gal reservoir, 3hp, 230/460 VAC operating voltage.	Stock	\$2,430.00
<u>51060570014</u>	Bucher T-Series hydraulic power unit, 3 GPM, 1500 psi, 15 gal reservoir, 3hp, 230/460 VAC operating voltage.	Stock	\$2,516.00
<u>51060550017</u>	Bucher T-Series hydraulic power unit, 2 GPM, 3000 psi, 10 gal reservoir, 5hp, 230/460 VAC operating voltage.	Stock	\$2,446.00
<u>51060630034</u>	Bucher T-Series hydraulic power unit, 3.8 GPM, 2000 psi, 20 gal reservoir, 5hp, 230/460 VAC operating voltage.	Stock	\$2,725.00
<u>51060640071</u>	Bucher T-Series hydraulic power unit, 5 GPM, 1500 psi, 30 gal reservoir, 5hp, 230/460 VAC operating voltage.	Stock	\$2,807.00
<u>51060620047</u>	Bucher T-Series hydraulic power unit, 3 GPM, 3000 psi, 15 gal reservoir, 7-1/2hp, 230/460 VAC operating voltage.	Stock	\$3,125.00
<u>51060630035</u>	Bucher T-Series hydraulic power unit, 3.8 GPM, 3000 psi, 20 gal reservoir, 7-1/2hp, 230/460 VAC operating voltage.	Stock	\$3,220.00
<u>51060640072</u>	Bucher T-Series hydraulic power unit, 5 GPM, 2000 psi, 30 gal reservoir, 7-1/2hp, 230/460 VAC operating voltage.	Stock	\$3,302.00
<u>51060650030</u>	Bucher T-Series hydraulic power unit, 6.8 GPM, 1600 psi, 30 gal reservoir, 7-1/2hp, 230/460 VAC operating voltage.	Stock	\$3,315.00
<u>51060640073</u>	Bucher T-Series hydraulic power unit, 5 GPM, 3000 psi, 30 gal reservoir, 10hp, 230/460 VAC operating voltage.	Stock	\$3,469.00
<u>51060650031</u>	Bucher T-Series hydraulic power unit, 6.8 GPM, 2800 psi, 30 gal reservoir, 10hp, 230/460 VAC operating voltage.	Stock	\$3,482.00
Heat Exchangers for HPUs			
<u>51024420101</u>	Bucher heat exchanger, 56C - 145TC frame. For use with T-Series hydraulic power units.	Stock	\$759.00
<u>51024420102</u>	Bucher heat exchanger, 182TC - 184TC frame. For use with T-Series hydraulic power units.	Stock	\$759.00
<u>51024420103</u>	Bucher heat exchanger, 213TC - 215TC frame. For use with T-Series hydraulic power units.	Stock	\$1,595.00
Accessories for Hydraulic Power Units			
<u>510204910200</u>	Bucher valve adapter, for use with D03 series valves and T5x and T6x power units.	Stock	\$109.00
<u>51020070043</u>	Bucher mounting bolts, for use with 1 D03 series valve adapter and T5x and T6x power units.	Stock	\$7.25
<u>51020070044</u>	Bucher mounting bolts, for use with 2 D03 series valve adapters and T5x and T6x power units.	Stock	\$32.50
<u>51020070045</u>	Bucher mounting bolts, for use with 3 D03 series valve adapters and T5x and T6x power units.	Stock	\$43.50
<u>51020850999</u>	Bucher unloader valve, 2-port (2-way), 2-position, normally open, single solenoid spring return.	Stock	\$128.00
<u>51020191424</u>	Bucher solenoid coil, replacement, 24 VDC, 22W, DIN 43650 connector. For use with Bucher solenoid valve 51020850999.	Stock	\$76.00
<u>51020191422</u>	Bucher solenoid coil, replacement, 120 VAC, 22W, DIN 43650 connector. For use with Bucher solenoid valve 51020850999.	Stock	\$83.00
<u>51024491146</u>	Bucher valve adapter, for use with D05 series valves and T9x power unit.	Stock	\$164.00
<u>51020070047</u>	Bucher mounting bolts, for use with 1 D05 series valve adapter and T9x power unit.	Stock	\$9.00

51020321016	Bucher filter, hydraulic fluid, replacement, 10 micron, spin-on. For use with M-Series hydraulic power units.	Stock	\$44.50
500203226596	Bucher filter, hydraulic fluid, replacement, 7 micron, spin-on. For use with T5x and T6x series hydraulic power units.	Stock	\$60.00
51020321165	Bucher filter, hydraulic fluid, replacement, 10 micron, spin-on. For use with T9x series hydraulic power units.	Stock	\$80.00
Hydraulic Cylinders			
HP16150A1S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 1in stroke, double acting, tapped end caps mount.	Stock	\$462.00
HP16150B1S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 1in stroke, double acting, tapped end caps mount.	Stock	\$547.00
HP16150A2S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 2in stroke, double acting, tapped end caps mount.	Stock	\$469.00
HP16150B2S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 2in stroke, double acting, tapped end caps mount.	Stock	\$555.00
HP16150A3S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 3in stroke, double acting, tapped end caps mount.	Stock	\$476.00
HP16150B3S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 3in stroke, double acting, tapped end caps mount.	Stock	\$563.00
HP16150A4S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 4in stroke, double acting, tapped end caps mount.	Stock	\$483.00
HP16150B4S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 4in stroke, double acting, tapped end caps mount.	Stock	\$570.00
HP16150A5S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 5in stroke, double acting, tapped end caps mount.	Stock	\$490.00
HP16150B5S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 5in stroke, double acting, tapped end caps mount.	Stock	\$577.00
HP16150A6S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 6in stroke, double acting, tapped end caps mount.	Stock	\$497.00
HP16150B6S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 6in stroke, double acting, tapped end caps mount.	Stock	\$584.00
HP16150A8S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 8in stroke, double acting, tapped end caps mount.	Stock	\$509.00
HP16150B8S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 8in stroke, double acting, tapped end caps mount.	Stock	\$596.00
HP16150A10S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 10in stroke, double acting, tapped end caps mount.	Stock	\$514.00
HP16150B10S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 10in stroke, double acting, tapped end caps mount.	Stock	\$600.00
HP16150A12S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 12in stroke, double acting, tapped end caps mount.	Stock	\$528.00
HP16150B12S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 12in stroke, double acting, tapped end caps mount.	Stock	\$617.00
HP16150A14S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 14in stroke, double acting, tapped end caps mount.	Stock	\$541.00
HP16150B14S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 14in stroke, double acting, tapped end caps mount.	Stock	\$632.00
HP16150A16S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 16in stroke, double acting, tapped end caps mount.	Stock	\$554.00
HP16150B16S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 16in stroke, double acting, tapped end caps mount.	Stock	\$647.00
HP16150A20S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 20in stroke, double acting, tapped end caps mount.	Stock	\$575.00
HP16150B20S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 20in stroke, double acting, tapped end caps mount.	Stock	\$673.00
HP16150A24S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 24in stroke, double acting, tapped end caps mount.	Stock	\$599.00
HP16150B24S	Peninsular hydraulic cylinder, NFPA tie rod, 1-1/2in bore, 1in rod diameter, 24in stroke, double acting, tapped end caps mount.	Stock	\$699.00
HP16200A1S	Peninsular hydraulic cylinder, NFPA tie rod, 2in bore, 1in rod diameter, 1in stroke, double acting, tapped end caps mount.	Stock	\$552.00
HP16200B1S	Peninsular hydraulic cylinder, NFPA tie rod, 2in bore, 1-3/8in rod diameter, 1in stroke, double acting, tapped end caps mount.	Stock	\$626.00
HP16200A2S	Peninsular hydraulic cylinder, NFPA tie rod, 2in bore, 1in rod diameter, 2in stroke, double acting, tapped end caps mount.	Stock	\$559.00

[illegible]

[illegible]

<u>HP0325B14S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 3-1/4in bore, 1-3/4in rod diameter, 14in stroke, double acting.	Stock	\$1,032.00
<u>HP0325A16S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 3-1/4in bore, 1-3/8in rod diameter, 16in stroke, double acting.	Stock	\$912.00
<u>HP0325B16S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 3-1/4in bore, 1-3/4in rod diameter, 16in stroke, double acting.	Stock	\$1,063.00
<u>HP0325A20S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 3-1/4in bore, 1-3/8in rod diameter, 20in stroke, double acting.	Stock	\$978.00
<u>HP0325B20S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 3-1/4in bore, 1-3/4in rod diameter, 20in stroke, double acting.	Stock	\$1,132.00
<u>HP0325A24S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 3-1/4in bore, 1-3/8in rod diameter, 24in stroke, double acting.	Stock	\$1,044.00
<u>HP0325B24S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 3-1/4in bore, 1-3/4in rod diameter, 24in stroke, double acting.	Stock	\$1,198.00
<u>HP0400A1S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 1in stroke, double acting.	Stock	\$834.00
<u>HP0400B1S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 1in stroke, double acting.	Stock	\$986.00
<u>HP0400A2S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 2in stroke, double acting.	Stock	\$853.00
<u>HP0400B2S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 2in stroke, double acting.	Stock	\$998.00
<u>HP0400A3S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 3in stroke, double acting.	Stock	\$872.00
<u>HP0400B3S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 3in stroke, double acting.	Stock	\$1,015.00
<u>HP0400A4S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 4in stroke, double acting.	Stock	\$891.00
<u>HP0400B4S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 4in stroke, double acting.	Stock	\$1,032.00
<u>HP0400A5S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 5in stroke, double acting.	Stock	\$909.00
<u>HP0400B5S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 5in stroke, double acting.	Stock	\$1,054.00
<u>HP0400A6S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 6in stroke, double acting.	Stock	\$927.00
<u>HP0400B6S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 6in stroke, double acting.	Stock	\$1,075.00
<u>HP0400A8S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 8in stroke, double acting.	Stock	\$956.00
<u>HP0400B8S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 8in stroke, double acting.	Stock	\$1,105.00
<u>HP0400A10S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 10in stroke, double acting.	Stock	\$976.00
<u>HP0400B10S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 10in stroke, double acting.	Stock	\$1,150.00
<u>HP0400A12S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 12in stroke, double acting.	Stock	\$1,012.00
<u>HP0400B12S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 12in stroke, double acting.	Stock	\$1,184.00
<u>HP0400A14S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 14in stroke, double acting.	Stock	\$1,048.00
<u>HP0400B14S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 14in stroke, double acting.	Stock	\$1,212.00
<u>HP0400A16S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 16in stroke, double acting.	Stock	\$1,082.00
<u>HP0400B16S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 16in stroke, double acting.	Stock	\$1,249.00
<u>HP0400A20S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 20in stroke, double acting.	Stock	\$1,145.00
<u>HP0400B20S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 20in stroke, double acting.	Stock	\$1,318.00
<u>HP0400A24S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 1-3/4in rod diameter, 24in stroke, double acting.	Stock	\$1,214.00
<u>HP0400B24S</u>	Peninsular hydraulic cylinder, NFPA tie rod, 4in bore, 2in rod diameter, 24in stroke, double acting.	Stock	\$1,392.00

Accessories for Hydraulic Cylinders

<u>HDM-1201</u>	Peninsular flange mount plate, steel. For use with 1-1/2in bore x 5/8in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$24.00
<u>HDM-1202</u>	Peninsular flange mount plate, steel. For use with 1-1/2in bore x 1in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$24.00
<u>HDM-1203</u>	Peninsular flange mount plate, steel. For use with 2in bore x 1in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$48.50
<u>HDM-1204</u>	Peninsular flange mount plate, steel. For use with 2in bore x 1-3/8in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$48.50
<u>HDM-1205</u>	Peninsular flange mount plate, steel. For use with 2-1/2in bore x 1in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$47.50
<u>HDM-1206</u>	Peninsular flange mount plate, steel. For use with 2-1/2in bore x 1-3/8in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$47.50

<u>HDM-1207</u>	Peninsular flange mount plate, steel. For use with 3-1/4in bore x 1-3/8in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$70.00
<u>HDM-1208</u>	Peninsular flange mount plate, steel. For use with 3-1/4in bore x 1-3/4in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$70.00
<u>HM4400A</u>	Peninsular flange mount plate, steel. For use with 4in bore x 1-3/4in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$162.00
<u>HM4400B</u>	Peninsular flange mount plate, steel. For use with 4in bore x 2in rod hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$162.00
<u>HM21150-6</u>	Peninsular rear pivot eye, steel. For use with 1-1/2in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$30.50
<u>HM21200-6</u>	Peninsular rear pivot eye, steel. For use with 2in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$52.00
<u>HM21250-6</u>	Peninsular rear pivot eye, steel. For use with 2-1/2in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$76.00
<u>HM21325-6</u>	Peninsular rear pivot eye, steel. For use with 3-1/4in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$79.00
<u>HM21400-6</u>	Peninsular rear pivot eye, steel. For use with 4in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$215.00
<u>HM24150-6</u>	Peninsular cylinder rear clevis bracket, steel. For use with 1-1/2in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$41.00
<u>HM24200-6</u>	Peninsular cylinder rear clevis bracket, steel. For use with 2in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$76.00
<u>HM24250-6</u>	Peninsular cylinder rear clevis bracket, steel. For use with 2-1/2in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$102.00
<u>HM24325-6</u>	Peninsular cylinder rear clevis bracket, steel. For use with 3-1/4in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$172.00
<u>HM24400-6</u>	Peninsular cylinder rear clevis bracket, steel. For use with 4in bore hydraulic NFPA cylinders. Mounting hardware included.	Stock	\$258.00
<u>C1150-86</u>	Peninsular rod clevis, 7/16-20 UNF thread, steel. For use with 5/8in rod hydraulic NFPA cylinders. 1/2in clevis pin included.	Stock	\$21.50
<u>C1200-86</u>	Peninsular rod clevis, 3/4-16 UNF thread, steel. For use with 1in rod hydraulic NFPA cylinders. 3/4in clevis pin included.	Stock	\$37.50
<u>C1400-86</u>	Peninsular rod clevis, 1-14 UNS thread, steel. For use with 1-3/8in rod hydraulic NFPA cylinders. 1in clevis pin included.	Stock	\$64.00
<u>C1600-86</u>	Peninsular rod clevis, 1-1/4-12 UNF thread, steel. For use with 1-3/4in rod hydraulic NFPA cylinders. 1-3/8in clevis pin included.	Stock	\$90.00
<u>C1800-86</u>	Peninsular rod clevis, 1-1/2-12 UNF thread, steel. For use with 2in rod hydraulic NFPA cylinders. 1-3/4in clevis pin included.	Stock	\$128.00

Hydraulic Hose Assemblies

<u>1/4MXT-24IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.55in outside diameter, (2) -4 female straight JIC 37 deg fittings, 2ft working length.	Stock	\$40.00
<u>1/4PFX-24IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.52in outside diameter, (2) -4 female straight JIC 37 deg fittings, 2ft working length.	Stock	\$29.00
<u>1/4MXT-48IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.55in outside diameter, (2) -4 female straight JIC 37 deg fittings, 4ft working length.	Stock	\$56.00
<u>1/4PFX-48IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.52in outside diameter, (2) -4 female straight JIC 37 deg fittings, 4ft working length.	Stock	\$33.00
<u>1/4MXT-72IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.55in outside diameter, (2) -4 female straight JIC 37 deg fittings, 6ft working length.	Stock	\$72.00
<u>1/4PFX-72IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.52in outside diameter, (2) -4 female straight JIC 37 deg fittings, 6ft working length.	Stock	\$37.00
<u>1/4MXT-96IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.55in outside diameter, (2) -4 female straight JIC 37 deg fittings, 8ft working length.	Stock	\$89.00
<u>1/4PFX-96IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.52in outside diameter, (2) -4 female straight JIC 37 deg fittings, 8ft working length.	Stock	\$42.00
<u>1/4MXT-120IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 1/4in inside diameter, 0.55in outside diameter, (2) -4 female straight JIC 37 deg fittings, 10ft working length.	Stock	\$105.00

[illegible]

<u>3/4PFX-24IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 2ft working length.	Stock	\$81.00
<u>3/4MXT-48IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 4ft working length.	Stock	\$140.00
<u>3/4PFX-48IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 4ft working length.	Stock	\$91.00
<u>3/4MXT-72IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 6ft working length.	Stock	\$176.00
<u>3/4PFX-72IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 6ft working length.	Stock	\$102.00
<u>3/4MXT-96IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 8ft working length.	Stock	\$213.00
<u>3/4PFX-96IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 8ft working length.	Stock	\$113.00
<u>3/4MXT-120IN-FJXEE</u>	Gates MXT petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 10ft working length.	Stock	\$249.00
<u>3/4PFX-120IN-FJXEE</u>	Gates ProFlex petroleum based hydraulic fluid hose assembly, synthetic rubber, braided steel wire reinforced, black, 3/4in inside diameter, 1.08in outside diameter, (2) -12 female straight JIC 37 deg fittings, 10ft working length.	Stock	\$124.00

Hydraulic Adapters

<u>4MJ-4MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -4 male JIC 37 deg and (1) -4 male o-ring boss. Package of 2.	Stock	\$3.75
<u>4MJ-6MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -4 male JIC 37 deg and (1) -6 male o-ring boss. Package of 2.	Stock	\$4.75
<u>4MJ-8MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -4 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$6.50
<u>6MJ-4MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -6 male JIC 37 deg and (1) -4 male o-ring boss. Package of 2.	Stock	\$4.50
<u>6MJ-6MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -6 male JIC 37 deg and (1) -6 male o-ring boss. Package of 2.	Stock	\$4.25
<u>6MJ-8MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -6 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$6.25
<u>6MJ-10MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -6 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$8.50
<u>8MJ-6MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -8 male JIC 37 deg and (1) -6 male o-ring boss. Package of 2.	Stock	\$6.00
<u>8MJ-8MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -8 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$6.50
<u>8MJ-10MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -8 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$8.75
<u>8MJ-12MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -8 male JIC 37 deg and (1) -12 male o-ring boss. Package of 2.	Stock	\$11.00
<u>10MJ-8MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -10 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$8.50
<u>10MJ-10MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -10 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$9.00
<u>12MJ-8MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -12 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$12.00
<u>12MJ-10MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -12 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$12.00
<u>12MJ-12MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -12 male JIC 37 deg and (1) -12 male o-ring boss. Package of 2.	Stock	\$12.00
<u>12MJ-16MB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -12 male JIC 37 deg and (1) -16 male o-ring boss. Package of 2.	Stock	\$19.00
<u>4MJ-4MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -4 male JIC 37 deg and (1) -4 male o-ring boss. Package of 2.	Stock	\$8.25

<u>4MJ-6MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -4 male JIC 37 deg and (1) -6 male o-ring boss. Package of 2.	Stock	\$9.25
<u>4MJ-8MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -4 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$14.50
<u>6MJ-4MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -6 male JIC 37 deg and (1) -4 male o-ring boss. Package of 2.	Stock	\$10.00
<u>6MJ-6MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -6 male JIC 37 deg and (1) -6 male o-ring boss. Package of 2.	Stock	\$8.00
<u>6MJ-8MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -6 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$12.50
<u>6MJ-10MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -6 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$18.00
<u>8MJ-6MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -8 male JIC 37 deg and (1) -6 male o-ring boss. Package of 2.	Stock	\$11.50
<u>8MJ-8MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -8 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$13.00
<u>8MJ-10MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -8 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$16.00
<u>8MJ-12MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -8 male JIC 37 deg and (1) -12 male o-ring boss. Package of 2.	Stock	\$24.50
<u>10MJ-8MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -10 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$17.00
<u>10MJ-10MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -10 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$17.00
<u>10MJ-12MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -10 male JIC 37 deg and (1) -12 male o-ring boss. Package of 2.	Stock	\$28.00
<u>12MJ-8MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -12 male JIC 37 deg and (1) -8 male o-ring boss. Package of 2.	Stock	\$32.50
<u>12MJ-10MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -12 male JIC 37 deg and (1) -10 male o-ring boss. Package of 2.	Stock	\$24.50
<u>12MJ-12MB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -12 male JIC 37 deg and (1) -12 male o-ring boss. Package of 2.	Stock	\$22.50
<u>4MJ-4FJX90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -4 male JIC 37 deg and (1) -4 female JIC 37 deg. Package of 2.	Stock	\$9.50
<u>6MJ-6FJX90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -6 male JIC 37 deg and (1) -6 female JIC 37 deg. Package of 2.	Stock	\$11.00
<u>8MJ-8FJX90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -8 male JIC 37 deg and (1) -8 female JIC 37 deg. Package of 2.	Stock	\$13.00
<u>10MJ-10FJX90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -10 male JIC 37 deg and (1) -10 female JIC 37 deg. Package of 2.	Stock	\$17.50
<u>12MJ-12FJX90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -12 male JIC 37 deg and (1) -12 female JIC 37 deg. Package of 2.	Stock	\$26.50
<u>8MB-4FB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -8 male o-ring boss and (1) -4 female o-ring boss. Package of 2.	Stock	\$15.50
<u>8MB-6FB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -8 male o-ring boss and (1) -6 female o-ring boss. Package of 2.	Stock	\$7.50
<u>10MB-8FB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -10 male o-ring boss and (1) -8 female o-ring boss. Package of 2.	Stock	\$9.00
<u>12MB-8FB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -12 male o-ring boss and (1) -8 female o-ring boss. Package of 2.	Stock	\$14.50
<u>12MB-10FB</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -12 male o-ring boss and (1) -10 female o-ring boss. Package of 2.	Stock	\$15.00
<u>4MB-4FB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -4 male o-ring boss and (1) -4 female o-ring boss. Package of 2.	Stock	\$17.50
<u>6MB-6FB90</u>	HY-TECH hydraulic fluid adapter, elbow, plated steel body, (1) -6 male o-ring boss and (1) -6 female o-ring boss. Package of 2.	Stock	\$24.50
<u>6MJ-6FFORX</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -6 male JIC 37 deg and (1) -6 female flat face o-ring. Package of 2.	Stock	\$13.50
<u>8MJ-8FFORX</u>	HY-TECH hydraulic fluid adapter, straight, plated steel body, (1) -8 male JIC 37 deg and (1) -8 female flat face o-ring. Package of 2.	Stock	\$18.00
General Duty Barcode Scanners			
<u>CR2702-200-C298</u>	Code barcode scanner, 1D and 2D, imager, cordless, Bluetooth communication, USB, general duty, 1280 x 960 optical resolution. Removable battery, charging base station and 3ft USB cable included.	Stock	\$792.00

<u>CR2701-200-C298</u>	Code barcode scanner, 1D and 2D, imager, cordless, Bluetooth communication, USB, general duty, 1280 x 960 optical resolution. Removable battery, charging base station and 3ft USB cable included.	Stock	\$750.00
<u>CR1500-K201-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, USB, general duty, dual 960 x 640 optical resolution. 6ft USB cable included.	Stock	\$242.00
<u>CR1500-K202-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, RS-232, general duty, dual 960 x 640 optical resolution. 8ft RS-232 cable and power supply included.	Stock	\$258.00
<u>CR5210-C502-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, RS-232, general duty, 1280 x 960 optical resolution. 6ft RS-232 cable and power supply included.	Stock	\$346.00
<u>CR5210-C500-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, USB, general duty, 1280 x 960 optical resolution. 6ft USB cable included.	Stock	\$312.00
<u>CR950-K301-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, USB, general duty, 1280 x 960 optical resolution. 6ft USB cable included.	Stock	\$153.00
<u>CR950-K302-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, RS-232, general duty, 1280 x 960 optical resolution. 6ft RS-232 cable and power supply included.	Stock	\$177.00
<u>CR1100-K201-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, USB, general duty, dual 960 x 640 optical resolution. 6ft USB cable included.	Stock	\$236.00
<u>CR1100-K202-C298</u>	Code barcode scanner, 1D and 2D, imager, corded, RS-232, general duty, dual 960 x 640 optical resolution. 6ft RS-232 cable and power supply included.	Stock	\$260.00
Rugged Duty Barcode Scanners			
<u>PM9600-SR910RBK10</u>	Datalogic PowerScan 960X series barcode scanner, 1D and 2D, imager, cordless, RF communication, USB, rugged duty, 1280 x 800 optical resolution. Scanner with removable battery, base station, USB cable, power brick, and power cord included.	Stock	\$871.00
<u>PM9600-SR910RBK20</u>	Datalogic PowerScan 960X series barcode scanner, 1D and 2D, imager, cordless, RF communication, RS-232, rugged duty, 1280 x 800 optical resolution. Scanner with removable battery, base station, RS232 cable, power brick, and power cord included.	Stock	\$871.00
<u>PBT9600-SRRBK20US</u>	Datalogic PowerScan 960X series barcode scanner, 1D and 2D, imager, cordless, Bluetooth communication, RS-232, rugged duty, 1280 x 800 optical resolution. Scanner with removable battery, base station, RS232 cable, power brick, and power cord included.	Stock	\$871.00
<u>PBT9600-SRRBK10US</u>	Datalogic PowerScan 960X series barcode scanner, 1D and 2D, imager, cordless, Bluetooth communication, USB, rugged duty, 1280 x 800 optical resolution. Scanner with removable battery, base station, USB cable, power brick, and power cord included.	Stock	\$871.00
<u>PBT9600-SRRB</u>	Datalogic PowerScan 960X series barcode scanner, 1D and 2D, imager, cordless, Bluetooth communication, rugged duty, 1280 x 800 optical resolution. Scanner with removable battery included.	Stock	\$584.00
<u>PM9600-SR910RB</u>	Datalogic PowerScan 960X series barcode scanner, 1D and 2D, imager, cordless, RF communication, rugged duty, 1280 x 800 optical resolution. Scanner with removable battery included.	Stock	\$584.00
Machine Mount Barcode Scanners			
<u>O2I500</u>	ifm efector O2I series barcode scanner, industrial machine mount, 1D and 2D, imager, visible red light emission, standard lens, 1280 x 960 optical resolution, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00
<u>O2I501</u>	ifm efector O2I series barcode scanner, industrial machine mount, 1D and 2D, imager, infrared light emission, standard lens, 1280 x 960 optical resolution, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00
<u>O2I502</u>	ifm efector O2I series barcode scanner, industrial machine mount, 1D and 2D, imager, visible red light emission, wide angle lens, 1280 x 960 optical resolution, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00
<u>O2I503</u>	ifm efector O2I series barcode scanner, industrial machine mount, 1D and 2D, imager, infrared light emission, wide angle lens, 1280 x 960 optical resolution, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00
Accessories for Barcode Scanners			
<u>BC9630-BT</u>	Datalogic base station, Bluetooth communication, RS-232 and USB. For use with Bluetooth compatible PowerScan 960X barcode scanners.	Stock	\$381.00
<u>BC9630-910</u>	Datalogic base station, RF communication, RS-232 and USB. For use with RF compatible PowerScan 960X barcode scanners.	Stock	\$363.00
<u>VMK-P096</u>	Datalogic vehicle mount, for use with PowerScan 960X Barcode Scanners.	Stock	\$118.00
<u>RBP-PM96</u>	Datalogic battery, replacement. For use with PowerScan 960X Barcode Scanners.	Stock	\$60.00
<u>8-0935</u>	Datalogic US power supply, replacement. For use with PowerScan 960X Series base stations BC9630-BT and BC9630-910.	Stock	\$24.00
<u>6003-0941</u>	Datalogic US power cord, replacement. For use with Datalogic power supply 8-0935.	Stock	\$7.00
<u>CAB-549</u>	Datalogic cable, coiled connection, RJ50 to 9-pin female D-sub, 8ft cable length.	Stock	\$43.00
<u>CAB-548</u>	Datalogic cable, connection, RJ50 to 9-pin female D-sub, 6ft cable length.	Stock	\$36.00
<u>CAB-551</u>	Datalogic cable, connection, RJ50 to USB A, 6.5ft/2m cable length.	Stock	\$36.00
<u>E2D500</u>	ifm efector mounting bracket, right-angle, 316L stainless steel, 12mm rod mount. For use with ifm efector O2D vision cameras and O2I barcode scanners.	Stock	\$34.00
<u>E21112</u>	ifm efector mounting rod, 12mm diameter, 200mm length, 316L stainless steel.	Stock	\$14.50

E21113	ifm efector mounting rod, 12mm diameter, 300mm length, 316L stainless steel.	Stock	\$16.50
CRA-US3-C298	Code presentation stand, plastic, dark gray. For use with Code CR950, CR1100 and CR1500 series barcode scanners.	Stock	\$26.00
CRA-US9-C298	Code presentation stand, plastic, dark gray. For use with Code CR950, CR1100 and CR1500 series barcode scanners.	Stock	\$17.50
CR2AG-P1-C298	Code power adapter, replacement. For use with RS232 Code barcode scanners and battery charger.	Stock	\$26.00
CRA-C500-C298	Code connection cable, RJ50 to USB Type A male, gray, 6ft cable length.	Stock	\$14.50
CRA-C501-C298	Code coiled connection cable, RJ50 to 9-pin D-sub female, gray, 8ft cable length.	Stock	\$14.50
CRA-C502-C298	Code connection cable, RJ50 to 9-pin D-sub female, gray, 6ft cable length.	Stock	\$14.50
CRA-C503-C298	Code connection cable, RJ50 to 9-pin D-sub male, gray, 8ft cable length.	Stock	\$38.50
CRA-C508-C298	Code coiled connection cable, RJ50 to USB Type A male, gray, 8ft cable length.	Stock	\$14.50
CRA-C519-C298	Code connection cable, 6-pin RJ12 to 9-pin D-sub male, gray, 6ft cable length.	Stock	\$14.50
CRA-C34-C298	Code connection cable, microB-USB to USB Type A male, gray, 3ft cable length.	Stock	\$15.00
CRA-B27DK-C298	Code battery, replacement. For use with Code barcode scanners CR2702-200-C298 and CR2701-200-C298.	Stock	\$75.00
CRA-A274-P1-C298	Code quad-bay battery charger, for use with Code battery CRA-B27DK-C298.	Stock	\$108.00
RFID Read-Write Modules			
RFID-SA-HF-EIP	AutomationDirect RFID read-write-evaluation module, rectangular, HF communication, 13.56 MHz, 220mm read-write distance, (2) 5-pin M12 D-coded and (1) 5-pin M12 quick-disconnect port(s), TCP/IP and EtherNet/IP, 113 x 118.5 x 50mm body, IP67.	Stock	\$647.00
RLH-C44PA-NIS	Contrinex RFID read-write module, rectangular, non-flush mount, HF communication, 13.56 MHz, 80mm read-write distance, (1) 4-pin M12 A-coded (IO-Link) port(s), IO-Link Class A Device, 40 x 40 x 67mm body, IP68 IP69K.	Stock	\$169.00
RLH-M18PA-NIS	Contrinex RFID read-write module, tubular, non-flush mount, HF communication, 13.56 MHz, 26mm read-write distance, (1) 4-pin M12 A-coded (IO-Link) port(s), IO-Link Class A Device, 18mm diameter x 63.5mm body, IP67.	Stock	\$158.00
RLH-M30PA-NIS	Contrinex RFID read-write module, tubular, non-flush mount, HF communication, 13.56 MHz, 58mm read-write distance, (1) 4-pin M12 A-coded (IO-Link) port(s), IO-Link Class A Device, 30mm diameter x 63.5mm body, IP67.	Stock	\$169.00
RFID Tags			
RTH-D09RA-NF0-901	Contrinex basic RFID tag, round, 9mm diameter, non-flush mount, HF communication, 13.56 MHz, EEPROM memory, 320 bytes, IP67. Package of 10.	Stock	\$50.00
RTH-D16RA-NF0-901	Contrinex basic RFID tag, round, 16mm diameter, non-flush mount, HF communication, 13.56 MHz, EEPROM memory, 320 bytes, IP67. Package of 10.	Stock	\$45.00
RTH-D20QA-NF0-901	Contrinex basic RFID tag, round, 20mm diameter, non-flush mount, HF communication, 13.56 MHz, EEPROM memory, 320 bytes, IP68 IP69K. Package of 10.	Stock	\$80.00
RTH-D20QA-ND0	Contrinex basic RFID tag, round, 20mm diameter, non-flush mount, HF communication, 13.56 MHz, FRAM memory, 2048 bytes, IP68 IP69K.	Stock	\$11.00
RTH-D30QA-NF0-901	Contrinex basic RFID tag, round, 30mm diameter, non-flush mount, HF communication, 13.56 MHz, EEPROM memory, 320 bytes, IP68 IP69K. Package of 10.	Stock	\$80.00
RTH-D30QA-ND0	Contrinex basic RFID tag, round, 30mm diameter, non-flush mount, HF communication, 13.56 MHz, FRAM memory, 2048 bytes, IP68 IP69K.	Stock	\$17.50
RTH-D50QA-NF0	Contrinex basic RFID tag, round, 50mm diameter, non-flush mount, HF communication, 13.56 MHz, EEPROM memory, 320 bytes, IP68 IP69K.	Stock	\$9.50
RTH-D50QA-ND0	Contrinex basic RFID tag, round, 50mm diameter, non-flush mount, HF communication, 13.56 MHz, FRAM memory, 2048 bytes, IP68 IP69K.	Stock	\$19.50
RTP-0263-020	Contrinex high temperature RFID tag, round, 26mm diameter, flush mount, HF communication, 13.56 MHz, EEPROM memory, 256 bytes, IP68 IP69K.	Stock	\$20.00
Accessories for RFID Devices			
RFID-SA-BA1	AutomationDirect mounting bracket, right-angle, 304 stainless steel. For use with RFID read-write unit RFID-SA-HF-EIP. Mounting hardware included.	Stock	\$25.50
Vision Sensors			
959971320	Datalogic Smart-VS series vision sensor, 50-150mm operating distance, standard lens, 320 x 240 resolution, polarized white light emission, IP65 IP67.	Stock	\$967.00
2D Vision Cameras			
O2D500	ifm efector O2D series 2D vision camera, 85-2500mm operating distance, standard lens, 1280 x 960 resolution, RGBW light emission, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00

<u>O2D502</u>	ifm efector O2D series 2D vision camera, 35-2500mm operating distance, wide angle lens, 1280 x 960 resolution, RGBW light emission, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00
<u>O2D520</u>	ifm efector O2D series 2D vision camera, 85-2500mm operating distance, standard lens, 1280 x 960 resolution, infrared light emission, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00
<u>O2D522</u>	ifm efector O2D series 2D vision camera, 35-2500mm operating distance, wide angle lens, 1280 x 960 resolution, infrared light emission, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,436.00
3D Vision Sensors			
<u>O3D302</u>	ifm efector O3D series 3D vision sensor, 500-5000mm operating distance, standard lens, 176 x 132 resolution, infrared light emission, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,520.00
<u>O3D304</u>	ifm efector O3D series 3D vision sensor, 500-5000mm operating distance, wide angle lens, 176 x 132 resolution, infrared light emission, TCP/IP and EtherNet/IP, IP65.	Stock	\$1,520.00
Accessories for Vision Devices			
<u>E3D301</u>	ifm efector mounting bracket, right-angle, 304 stainless steel, 14mm rod mount. For use with ifm efector O3D vision sensors.	Stock	\$60.00
<u>E3D302</u>	ifm efector heatsink, for use with ifm efector O3D vision sensors.	Stock	\$85.00
<u>E21228</u>	ifm efector mounting rod, 14mm diameter, 200mm length, 316L stainless steel.	Stock	\$21.50
<u>E21229</u>	ifm efector mounting rod, 14mm diameter, 300mm length, 316L stainless steel.	Stock	\$22.50
<u>E21232</u>	ifm efector mounting rod, 14mm diameter, 500mm length, 316L stainless steel.	Stock	\$25.00
<u>CAB-GD03</u>	Datalogic cable, connection, M12 axial female to pigtail, 17-pole, PVC, 9.8ft/3m cable length.	Stock	\$94.00
<u>CAB-GD05</u>	Datalogic cable, connection, M12 axial female to pigtail, 17-pole, PVC, 16.4ft/5m cable length.	Stock	\$125.00
<u>BK-22-000</u>	Datalogic mounting bracket, replacement, stainless steel, bottom mount. For use with Datalogic Smart-VS series vision sensor.	Stock	\$40.00
Bar Lights for Vision Lighting			
<u>PD01PD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 90mm luminous field, continuous, 134 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$226.00
<u>PD02PD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 180mm luminous field, continuous, 224 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$257.00
<u>PD04PD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 360mm luminous field, continuous, 404 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$321.00
<u>PD05PD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 450mm luminous field, continuous, 494 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$353.00
<u>PD07PD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 630mm luminous field, continuous, 674 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$419.00
<u>PD01ZD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 90mm luminous field, continuous and strobe, 134 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$439.00
<u>PD02ZD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 180mm luminous field, continuous and strobe, 224 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$346.00
<u>PD04ZD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 360mm luminous field, continuous and strobe, 404 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$439.00
<u>PD05ZD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 450mm luminous field, continuous and strobe, 494 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$566.00
<u>PD07ZD5CY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 30 degrees, 630mm luminous field, continuous and strobe, 674 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$631.00
<u>PD01ZD5UY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 55 degrees, 90mm luminous field, continuous and strobe, 134 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$439.00
<u>PD02ZD5UY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 55 degrees, 180mm luminous field, continuous and strobe, 224 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$470.00
<u>PD04ZD5UY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 55 degrees, 360mm luminous field, continuous and strobe, 404 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$534.00
<u>PD05ZD5UY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 55 degrees, 450mm luminous field, continuous and strobe, 494 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$566.00
<u>PD07ZD5UY</u>	Lumher PD machine vision lighting, bar light, white light emission, 5000K, plus or minus 55 degrees, 630mm luminous field, continuous and strobe, 674 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$631.00
<u>PD04ZR5CY</u>	Lumher PD machine vision lighting, bar light, red light emission, plus or minus 30 degrees, 360mm luminous field, continuous and strobe, 404 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$575.00
<u>PD05ZR5CY</u>	Lumher PD machine vision lighting, bar light, red light emission, plus or minus 30 degrees, 450mm luminous field, continuous and strobe, 494 x 31 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$617.00
<u>PD01PF5CY</u>	Lumher PD machine vision lighting, bar light, infrared light emission, plus or minus 30 degrees, 90mm luminous field, continuous, 134 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$231.00

<u>PD02PF5CY</u>	Lumher PD machine vision lighting, bar light, infrared light emission, plus or minus 30 degrees, 180mm luminous field, continuous, 224 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$268.00
<u>PD04PF5CY</u>	Lumher PD machine vision lighting, bar light, infrared light emission, plus or minus 30 degrees, 360mm luminous field, continuous, 404 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$342.00
<u>PD05PF5CY</u>	Lumher PD machine vision lighting, bar light, infrared light emission, plus or minus 30 degrees, 450mm luminous field, continuous, 494 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$378.00
<u>PD07PF5CY</u>	Lumher PD machine vision lighting, bar light, infrared light emission, plus or minus 30 degrees, 630mm luminous field, continuous, 674 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$455.00
<u>FD01PD5CY</u>	Lumher FD machine vision lighting, high power bar light, white light emission, 5000K, plus or minus 30 degrees, 90mm luminous field, continuous, 134 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$248.00
<u>FD02PD5CY</u>	Lumher FD machine vision lighting, high power bar light, white light emission, 5000K, plus or minus 30 degrees, 180mm luminous field, continuous, 224 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$285.00
<u>FD04PD5CY</u>	Lumher FD machine vision lighting, high power bar light, white light emission, 5000K, plus or minus 30 degrees, 360mm luminous field, continuous, 404 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$357.00
<u>FD05PD5CY</u>	Lumher FD machine vision lighting, high power bar light, white light emission, 5000K, plus or minus 30 degrees, 450mm luminous field, continuous, 494 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$394.00
<u>FD07PD5CY</u>	Lumher FD machine vision lighting, high power bar light, white light emission, 5000K, plus or minus 30 degrees, 630mm luminous field, continuous, 674 x 42 x 29.5mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$469.00
<u>OPT2400</u>	WenglorTPL M-EBAR machine vision lighting, bar light, white light emission, 5800K, plus or minus 7 degrees, 125mm luminous field, continuous and strobe, 170 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$412.00
<u>OPT2401</u>	WenglorTPL M-EBAR machine vision lighting, bar light, white light emission, 5800K, plus or minus 7 degrees, 250mm luminous field, continuous and strobe, 295 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$552.00
<u>OPT2402</u>	WenglorTPL M-EBAR machine vision lighting, bar light, white light emission, 5800K, plus or minus 7 degrees, 375mm luminous field, continuous and strobe, 420 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$694.00
<u>OPT2403</u>	WenglorTPL M-EBAR machine vision lighting, bar light, white light emission, 5800K, plus or minus 7 degrees, 500mm luminous field, continuous and strobe, 545 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$838.00
<u>OPT2404</u>	WenglorTPL M-EBAR machine vision lighting, bar light, infrared light emission, plus or minus 7 degrees, 125mm luminous field, continuous and strobe, 170 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$433.00
<u>OPT2405</u>	WenglorTPL M-EBAR machine vision lighting, bar light, infrared light emission, plus or minus 7 degrees, 250mm luminous field, continuous and strobe, 295 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$575.00
<u>OPT2406</u>	WenglorTPL M-EBAR machine vision lighting, bar light, infrared light emission, plus or minus 7 degrees, 375mm luminous field, continuous and strobe, 420 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$712.00
<u>OPT2407</u>	WenglorTPL M-EBAR machine vision lighting, bar light, infrared light emission, plus or minus 7 degrees, 500mm luminous field, continuous and strobe, 545 x 47.6 x 45mm housing, 21.6-30 VDC operating voltage.	Stock	\$853.00
Ring Lights for Vision Lighting			
<u>RD1PD5CY</u>	Lumher RD machine vision lighting, ring light, white light emission, 5000K, plus or minus 30 degrees, continuous, 135 x 135 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$615.00
<u>RD2PD5CY</u>	Lumher RD machine vision lighting, ring light, white light emission, 5000K, plus or minus 30 degrees, continuous, 225 x 225 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$884.00
<u>RD1ZD5CY</u>	Lumher RD machine vision lighting, ring light, white light emission, 5000K, plus or minus 30 degrees, continuous and strobe, 135 x 135 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$823.00
<u>RD2ZD5CY</u>	Lumher RD machine vision lighting, ring light, white light emission, 5000K, plus or minus 30 degrees, continuous and strobe, 225 x 225 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$1,093.00
<u>RD1ZD5UY</u>	Lumher RD machine vision lighting, ring light, white light emission, 5000K, plus or minus 55 degrees, continuous and strobe, 135 x 135 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$823.00
<u>RD2ZD5UY</u>	Lumher RD machine vision lighting, ring light, white light emission, 5000K, plus or minus 55 degrees, continuous and strobe, 225 x 225 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$1,093.00
<u>RD1PF5CY</u>	Lumher RD machine vision lighting, ring light, infrared light emission, plus or minus 30 degrees, continuous, 135 x 135 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$635.00
<u>RD2PF5CY</u>	Lumher RD machine vision lighting, ring light, infrared light emission, plus or minus 30 degrees, continuous, 225 x 225 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$925.00
<u>OPT2424</u>	WenglorTPL Modular-RING 80mm machine vision lighting, ring light, visible red and cyan light emission, plus or minus 65 degrees, continuous and strobe, 136 x 181 x 31mm housing, 21.6-30 VDC operating voltage.	Stock	\$818.00
<u>OPT2425</u>	WenglorTPL Modular-RING 80mm machine vision lighting, ring light, white and infrared light emission, 5000K, plus or minus 65 degrees, continuous and strobe, 136 x 181 x 31mm housing, 21.6-30 VDC operating voltage.	Stock	\$818.00
<u>OPT2426</u>	WenglorTPL Modular-RING 130mm machine vision lighting, ring light, visible red and cyan light emission, plus or minus 65 degrees, continuous and strobe, 242 x 197 x 31mm housing, 21.6-30 VDC operating voltage.	Stock	\$1,086.00
<u>OPT2427</u>	WenglorTPL Modular-RING 130mm machine vision lighting, ring light, white and infrared light emission, 5000K, plus or minus 65 degrees, continuous and strobe, 242 x 197 x 31mm housing, 21.6-30 VDC operating voltage.	Stock	\$1,086.00
Flat Lights for Vision Lighting			
<u>BD1PD5CY</u>	Lumher BD machine vision lighting, backlight, white light emission, 5000K, plus or minus 30 degrees, 100 x 100mm luminous field, continuous, 125 x 125 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$716.00

<u>BD2PD5CY</u>	Lumher BD machine vision lighting, backlight, white light emission, 5000K, plus or minus 30 degrees, 100 x 190mm luminous field, continuous, 125 x 215 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$992.00
<u>BD1ZD5CY</u>	Lumher BD machine vision lighting, backlight, white light emission, 5000K, plus or minus 30 degrees, 100 x 100mm luminous field, continuous and strobe, 125 x 125 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$924.00
<u>BD2ZD5CY</u>	Lumher BD machine vision lighting, backlight, white light emission, 5000K, plus or minus 30 degrees, 100 x 190mm luminous field, continuous and strobe, 125 x 215 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$1,200.00
<u>OPT2418</u>	WenglorTPL HP-BACK machine vision lighting, backlight, white light emission, 5700K, 200 x 200mm luminous field, continuous and strobe, 220 x 220 x 45mm housing, 24 VDC operating voltage.	Stock	\$731.00
<u>OPT2419</u>	WenglorTPL HP-BACK machine vision lighting, backlight, infrared light emission, 200 x 200mm luminous field, continuous and strobe, 220 x 220 x 45mm housing, 24 VDC operating voltage.	Stock	\$909.00
<u>OPT2420</u>	WenglorTPL HP-BACK machine vision lighting, backlight, white light emission, 5700K, 300 x 300mm luminous field, continuous and strobe, 320 x 320 x 45mm housing, 24 VDC operating voltage.	Stock	\$1,227.00
<u>OPT2421</u>	WenglorTPL HP-BACK machine vision lighting, backlight, infrared light emission, 300 x 300mm luminous field, continuous and strobe, 320 x 320 x 45mm housing, 24 VDC operating voltage.	Stock	\$1,671.00
<u>OPT2422</u>	WenglorTPL HP-BACK machine vision lighting, backlight, white light emission, 5700K, 400 x 400mm luminous field, continuous and strobe, 420 x 420 x 45mm housing, 24 VDC operating voltage.	Stock	\$1,779.00
<u>OPT2423</u>	WenglorTPL HP-BACK machine vision lighting, backlight, infrared light emission, 400 x 400mm luminous field, continuous and strobe, 420 x 420 x 45mm housing, 24 VDC operating voltage.	Stock	\$2,455.00
Flat Dome Lights for Vision Lighting			
<u>OPT2435</u>	WenglorTPL HPF-DOME machine vision lighting, flat dome light, white light emission, 5700K, 200 x 200mm luminous field, continuous and strobe, 220 x 220 x 45mm housing, 24 VDC operating voltage.	Stock	\$1,083.00
<u>OPT2436</u>	WenglorTPL HPF-DOME machine vision lighting, flat dome light, infrared light emission, 200 x 200mm luminous field, continuous and strobe, 220 x 220 x 45mm housing, 24 VDC operating voltage.	Stock	\$1,264.00
<u>OPT2437</u>	WenglorTPL HPF-DOME machine vision lighting, flat dome light, white light emission, 5700K, 300 x 300mm luminous field, continuous and strobe, 320 x 320 x 45mm housing, 24 VDC operating voltage.	Stock	\$1,548.00
<u>OPT2438</u>	WenglorTPL HPF-DOME machine vision lighting, flat dome light, infrared light emission, 300 x 300mm luminous field, continuous and strobe, 320 x 320 x 45mm housing, 24 VDC operating voltage.	Stock	\$1,818.00
Spot Lights for Vision Lighting			
<u>BS1PD5QY</u>	Lumher BS machine vision lighting, spot light, white light emission, 5000K, plus or minus 3 degrees, continuous, 125 x 125 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$773.00
<u>BS1ZD5QY</u>	Lumher BS machine vision lighting, spot light, white light emission, 5000K, plus or minus 3 degrees, continuous and strobe, 125 x 125 x 25mm housing, 22.8-25.2 VDC operating voltage.	Stock	\$981.00
Accessories for Vision Lighting			
<u>OPT2408</u>	WenglorTPL angle changer, narrow, plus or minus 10 degrees. For use with M-EBAR bar lights.	Stock	\$33.00
<u>OPT2408-2</u>	WenglorTPL angle changer, narrow, plus or minus 10 degrees. Package of 2. For use with M-EBAR bar lights.	Stock	\$63.00
<u>OPT2408-4</u>	WenglorTPL angle changer, narrow, plus or minus 10 degrees. Package of 4. For use with M-EBAR bar lights.	Stock	\$119.00
<u>OPT2409</u>	WenglorTPL angle changer, medium, plus or minus 17 degrees. For use with M-EBAR bar lights.	Stock	\$33.00
<u>OPT2409-2</u>	WenglorTPL angle changer, medium, plus or minus 17 degrees. Package of 2. For use with M-EBAR bar lights.	Stock	\$63.00
<u>OPT2409-4</u>	WenglorTPL angle changer, medium, plus or minus 17 degrees. Package of 4. For use with M-EBAR bar lights.	Stock	\$119.00
<u>OPT2410</u>	WenglorTPL angle changer, wide, plus or minus 25 degrees. For use with M-EBAR bar lights.	Stock	\$33.00
<u>OPT2410-2</u>	WenglorTPL angle changer, wide, plus or minus 25 degrees. Package of 2. For use with M-EBAR bar lights.	Stock	\$63.00
<u>OPT2410-4</u>	WenglorTPL angle changer, wide, plus or minus 25 degrees. Package of 4. For use with M-EBAR bar lights.	Stock	\$119.00
<u>OPT2411</u>	WenglorTPL angle changer, line light, plus or minus 9 x 16 degrees. For use with M-EBAR bar lights.	Stock	\$33.00
<u>OPT2412</u>	WenglorTPL angle changer, narrow, plus or minus 10 degrees, polarization filter. For use with M-EBAR bar lights.	Stock	\$76.00
<u>OPT2413</u>	WenglorTPL angle changer, medium, plus or minus 17 degrees, polarization filter. For use with M-EBAR bar lights.	Stock	\$76.00
<u>OPT2414</u>	WenglorTPL angle changer, wide, plus or minus 25 degrees, polarization filter. For use with M-EBAR bar lights.	Stock	\$76.00
<u>OPT2415</u>	WenglorTPL angle changer, line light, plus or minus 9 x 16 degrees, polarization filter. For use with M-EBAR bar lights.	Stock	\$76.00
<u>OPT2416</u>	WenglorTPL angle changer, transparent, polarization filter. For use with M-EBAR bar lights.	Stock	\$56.00
<u>OPT2417</u>	WenglorTPL angle changer, transparent. For use with M-EBAR bar lights.	Stock	\$22.50
<u>OPT2417-2</u>	WenglorTPL angle changer, transparent. Package of 2. For use with M-EBAR bar lights.	Stock	\$42.50

OPT2417-4	WenglorTPL angle changer, transparent. Package of 4. For use with M-EBAR bar lights.	Stock	\$81.00
OPT2428	WenglorTPL dome, for use with Modular-RING 80mm ring lights.	Stock	\$98.00
OPT2429	WenglorTPL dome, for use with Modular-RING 130mm ring lights.	Stock	\$125.00
OPT2430	WenglorTPL dome, low angle. For use with Modular-RING 80mm ring lights.	Stock	\$98.00
OPT2431	WenglorTPL dome, low angle. For use with Modular-RING 130mm ring lights.	Stock	\$125.00
OPT2432	WenglorTPL bar clamp, aluminum. For use with M-EBAR bar lights.	Stock	\$88.00
OPT2433	WenglorTPL mounting bracket, aluminum. Package of 4. For use with backlights and flat dome lights.	Stock	\$89.00
OPT2434	WenglorTPL mounting bracket, aluminum. For use with Modular-RING lights.	Stock	\$70.00
P00G1	Lumher mounting bracket, fixed 0 degrees or 90 degrees adjustment, stainless steel. Package of 2. For use with Lumher P series lights.	Stock	\$16.50
P00G2	Lumher mounting bracket, fixed 0 degrees or 90 degrees adjustment, plastic. Package of 2. For use with Lumher P series lights.	Stock	\$10.00
P00G3	Lumher mounting bracket, fixed 0, 15, 30, 60, 75 or 90 degrees adjustment, plastic. Package of 2. For use with Lumher P series lights.	Stock	\$10.00
P00G4	Lumher mounting bracket, fixed at 0 degrees adjustment, plastic, magnet mount. Package of 2. For use with Lumher P series lights.	Stock	\$25.00
P00R1	Lumher mounting bracket, 0 degrees to 90 degrees adjustment, stainless steel. Package of 2. For use with Lumher P series lights.	Stock	\$16.50
P00R2	Lumher dual mounting bracket, axial, 0 degrees to 90 degrees adjustment, stainless steel. Package of 2. For use with Lumher P series lights.	Stock	\$32.50
P00R3	Lumher dual mounting bracket, 60 degrees, 0 degrees to 90 degrees adjustment, stainless steel. Package of 3. For use with Lumher P series lights.	Stock	\$53.00
P00R4	Lumher dual mounting bracket, 90 degrees, 0 degrees to 90 degrees adjustment, stainless steel. Package of 2. For use with Lumher P series lights.	Stock	\$27.00
M6D16	Lumher mounting bracket, replacement, stainless steel. Package of 2. For use with mounting brackets P00R1, P00R4 and F00R1.	Stock	\$15.50
B00S1	Lumher mounting bracket, stainless steel. Package of 1. For use with Lumher B series lights.	Stock	\$16.50
F00G2	Lumher mounting bracket, fixed at 0 degrees adjustment, plastic. Package of 2. For use with Lumher F series lights.	Stock	\$10.00
F00G4	Lumher mounting bracket, fixed at 0 degrees adjustment, plastic, magnet mount. Package of 2. For use with Lumher F series lights.	Stock	\$25.00
F00R1	Lumher mounting bracket, 0 degrees to 90 degrees adjustment, stainless steel. Package of 2. For use with Lumher F series lights.	Stock	\$22.00
Device Mounting Kits			
AFSB-1002	Swivellink Standard series imperial mounting kit, 2in link.	Stock	\$187.00
AFSB-1004	Swivellink Standard series imperial mounting kit, 4in link.	Stock	\$190.00
AFSB-1006	Swivellink Standard series imperial mounting kit, 6in link.	Stock	\$193.00
SLM-10050	Swivellink Standard series metric mounting kit, 50mm link.	Stock	\$187.00
SLM-100100	Swivellink Standard series metric mounting kit, 100mm link.	Stock	\$190.00
AFSB-1002XS	Swivellink XS series imperial mounting kit, 2in link.	Stock	\$130.00
AFSB-1004XS	Swivellink XS series imperial mounting kit, 4in link.	Stock	\$137.00
SLM-10050XS	Swivellink XS series metric mounting kit, 50mm link.	Stock	\$130.00
SLM-100100XS	Swivellink XS series metric mounting kit, 100mm link.	Stock	\$136.50
AFSB-SBKIT-8	Swivellink Standard series imperial mounting kit, 8mm sensor.	Stock	\$126.00
AFSB-SBKIT-12	Swivellink Standard series imperial mounting kit, 12mm sensor.	Stock	\$126.00
AFSB-SBKIT-18	Swivellink Standard series imperial mounting kit, 18mm sensor.	Stock	\$130.00
AFSB-SBKIT-30	Swivellink Standard series imperial mounting kit, 30mm sensor.	Stock	\$130.00
SLM-SBKIT-8	Swivellink Standard series metric mounting kit, 8mm sensor.	Stock	\$113.00
SLM-SBKIT-12	Swivellink Standard series metric mounting kit, 12mm sensor.	Stock	\$113.00
SLM-SBKIT-18	Swivellink Standard series metric mounting kit, 18mm sensor.	Stock	\$114.00

SLM-SBKIT-30	Swivellink Standard series metric mounting kit, 30mm sensor.	Stock	\$114.00
Device Mounts			
AFSB-1	Swivellink Standard series imperial ball base, round.	Stock	\$32.00
AFSB-1-15	Swivellink Standard series imperial ball base, narrow.	Stock	\$47.50
AFSB-2	Swivellink Standard series imperial knuckle.	Stock	\$40.50
AFSB-290	Swivellink Standard series imperial tee knuckle.	Stock	\$41.50
AFSB-3-12	Swivellink Standard series imperial link, 12in length.	Stock	\$37.00
AFSB-3-2	Swivellink Standard series imperial link, 2in length.	Stock	\$20.00
AFSB-3-4	Swivellink Standard series imperial link, 4in length.	Stock	\$23.00
AFSB-3-6	Swivellink Standard series imperial link, 6in length.	Stock	\$26.00
AFSB-3-8	Swivellink Standard series imperial link, 8in length.	Stock	\$31.00
AFSB-3T	Swivellink Standard series imperial tee link, 4in length.	Stock	\$28.50
AFSB-1XS	Swivellink XS series imperial ball base, round.	Stock	\$15.00
AFSB-2XS	Swivellink XS series imperial knuckle.	Stock	\$31.00
AFSB-2XS90	Swivellink XS series imperial tee knuckle.	Stock	\$32.50
AFSB-3XST	Swivellink XS series imperial tee link, 3in length.	Stock	\$13.00
AFSB-3-2XS	Swivellink XS series imperial link, 2in length.	Stock	\$16.00
AFSB-3-4XS	Swivellink XS series imperial link, 4in length.	Stock	\$23.00
AFSB-5	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 or AFSB-1XS and Cognex, Dalsa and Keyence cameras.	Stock	\$43.00
AFSB-521-C-DI	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 or AFSB-1XS and Cognex Dataman readers and Insight cameras.	Stock	\$46.00
AFSB-523-C-I2000	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 or AFSB-1XS and Cognex Insight cameras.	Stock	\$46.00
AFSB-550-K-CVIV	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 or AFSB-1XS and WenglorTPL bar lights and Keyence cameras.	Stock	\$38.50
AFSB-6	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 and end user custom hole patterns.	Stock	\$29.50
AFSB-620-S75	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 or AFSB-1XS and Smart Vision lights.	Stock	\$46.00
AFSB-621-L300	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 or AFSB-1XS and Smart Vision lights.	Stock	\$59.00
AFSB-9	Swivellink Standard series imperial mounting plate, for use with ball bases AFSB-1 or AFSB-1-15 and components compatible with a VESA Mount.	Stock	\$60.00
AFSB-6XS	Swivellink XS series imperial mounting plate, for use with ball base AFSB-1XS and end user custom hole patterns.	Stock	\$16.50
AFSB-SB-8	Swivellink Standard series imperial sensor mount, for use with AFSB-SBH, AFSB-SBH-XS and 8mm threaded barrel-type sensors.	Stock	\$9.50
AFSB-SB-12	Swivellink Standard series imperial sensor mount, for use with AFSB-SBH, AFSB-SBH-XS and 12mm threaded barrel-type sensors.	Stock	\$9.75
AFSB-SB-18	Swivellink Standard series imperial sensor mount, for use with AFSB-SBH, AFSB-SBH-XS and 18mm threaded barrel-type sensors.	Stock	\$14.00
AFSB-SB-30	Swivellink Standard series imperial sensor mount, for use with AFSB-SBH, AFSB-SBH-XS and 30mm threaded barrel-type sensors.	Stock	\$14.00
AFSB-SBH	Swivellink Standard series imperial sensor mount holder, for use with AFSB-2, AFSB-290 and AFSB-2-2XS.	Stock	\$43.50
AFSB-SBH-XS	Swivellink XS series imperial sensor mount holder, for use with AFSB-2XS, AFSB-2XS90 and AFSB-2-2XS.	Stock	\$38.50
AFSB-7	Swivellink Standard series imperial sensor mount, for use with AFSB-2, AFSB-290 or AFSB-2-2XS and 30mm threaded barrel-type sensors.	Stock	\$29.00
AFSB-8	Swivellink Standard series imperial sensor mount, for use with AFSB-2, AFSB-290 or AFSB-2-2XS and 18mm threaded barrel-type sensors.	Stock	\$30.50
AFSB-7XS	Swivellink XS series imperial sensor mount, for use with AFSB-2XS, AFSB-2XS90 and AFSB-2-2XS and 12mm threaded barrel-type sensors.	Stock	\$25.00

<u>AFSB-8XS</u>	Swivellink XS series imperial sensor mount, for use with AFSB-2XS, AFSB-2XS90 and AFSB-2-2XS and 8mm threaded barrel-type sensors.	Stock	\$20.50
<u>SLM-1</u>	Swivellink Standard series metric ball base, round.	Stock	\$32.00
<u>SLM-1-40</u>	Swivellink Standard series metric ball base, narrow.	Stock	\$47.50
<u>SLM-2</u>	Swivellink Standard series metric knuckle.	Stock	\$40.50
<u>SLM-290</u>	Swivellink Standard series metric tee knuckle.	Stock	\$41.50
<u>SLM-3-100</u>	Swivellink Standard series metric link, 100mm length.	Stock	\$29.50
<u>SLM-3-150</u>	Swivellink Standard series metric link, 150mm length.	Stock	\$26.00
<u>SLM-3-200</u>	Swivellink Standard series metric link, 200mm length.	Stock	\$31.00
<u>SLM-3-300</u>	Swivellink Standard series metric link, 300mm length.	Stock	\$44.00
<u>SLM-3-50</u>	Swivellink Standard series metric link, 50mm length.	Stock	\$20.50
<u>SLM-3T</u>	Swivellink Standard series metric tee link, 100mm length.	Stock	\$28.50
<u>SLM-1XS</u>	Swivellink XS series metric ball base, round.	Stock	\$15.00
<u>SLM-2XS</u>	Swivellink XS series metric knuckle.	Stock	\$31.00
<u>SLM-2XS90</u>	Swivellink XS series metric tee knuckle.	Stock	\$32.50
<u>SLM-3XST</u>	Swivellink XS series metric tee link, 75mm length.	Stock	\$13.00
<u>SLM-3-50XS</u>	Swivellink XS series metric link, 50mm length.	Stock	\$16.50
<u>SLM-3-100XS</u>	Swivellink XS series metric link, 100mm length.	Stock	\$23.00
<u>SLM-5</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 or SLM-1XS and Cognex, Dalsa and Keyence cameras.	Stock	\$46.00
<u>SLM-521-C-DI</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 or SLM-1XS and Cognex Dataman readers and Insight cameras.	Stock	\$46.00
<u>SLM-523-C-I2000</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 or SLM-1XS and Cognex Insight cameras.	Stock	\$46.00
<u>SLM-550-K-CVIV</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 or SLM-1XS and WenglorTPL bar lights and Keyence cameras.	Stock	\$41.00
<u>SLM-6</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 and end user custom hole patterns.	Stock	\$30.50
<u>SLM-620-S75</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 or SLM-1XS and Smart Vision lights.	Stock	\$46.00
<u>SLM-621-L300</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 or SLM-1XS and Smart Vision lights.	Stock	\$59.00
<u>SLM-540-IFM</u>	Swivellink Standard series metric mounting plate, for use with SLM-1 or SLM-1-40 and IFM cameras.	Stock	\$40.00
<u>SLM-9</u>	Swivellink Standard series metric mounting plate, for use with ball bases SLM-1 or SLM-1-40 and components compatible with a VESA Mount.	Stock	\$60.00
<u>SLM-6XS</u>	Swivellink XS series metric mounting plate, for use with ball base SLM-1XS and end user custom hole patterns.	Stock	\$16.50
<u>SLM-SB-8</u>	Swivellink Standard series metric sensor mount, for use with SLM-SBH, SLM-SBH-XS and 8mm threaded barrel-type sensors.	Stock	\$9.50
<u>SLM-SB-12</u>	Swivellink Standard series metric sensor mount, for use with SLM-SBH, SLM-SBH-XS and 12mm threaded barrel-type sensors.	Stock	\$9.75
<u>SLM-SB-18</u>	Swivellink Standard series metric sensor mount, for use with SLM-SBH, SLM-SBH-XS and 18mm threaded barrel-type sensors.	Stock	\$10.00
<u>SLM-SB-30</u>	Swivellink Standard series metric sensor mount, for use with SLM-SBH, SLM-SBH-XS and 30mm threaded barrel-type sensors.	Stock	\$10.50
<u>SLM-SBH</u>	Swivellink Standard series metric sensor mount holder, for use with SLM-2, SLM-290 and SLM-2-2XS.	Stock	\$31.00
<u>SLM-SBH-XS</u>	Swivellink XS series metric sensor mount holder, for use with SLM-2XS, SLM-2XS90 and SLM-2-2XS.	Stock	\$27.50
<u>SLM-7</u>	Swivellink Standard series metric sensor mount, for use with SLM-2, SLM-290 or SLM-2-2XS and 30mm threaded barrel-type sensors.	Stock	\$36.50
<u>SLM-8</u>	Swivellink Standard series metric sensor mount, for use with SLM-2, SLM-290 or SLM-2-2XS and 18mm threaded barrel-type sensors.	Stock	\$37.00
<u>SLM-7XS</u>	Swivellink XS series metric sensor mount, for use with SLM-2XS, SLM-2XS90 and SLM-2-2XS and 12mm threaded barrel-type sensors.	Stock	\$35.50

<u>SLM-8XS</u>	Swivellink XS series metric sensor mount, for use with SLM-2XS, SLM-2XS90 and SLM-2-2XS and 8mm threaded barrel-type sensors.	Stock	\$30.50
Accessories for Device Mounting Systems			
<u>AFSB-2-2XS</u>	Swivellink XS series imperial coupler, for use with Standard and XS series imperial components.	Stock	\$44.00
<u>AFSB-5XS</u>	Swivellink XS series imperial tripod mount, for use with AFSB-2XS, AFSB-2XS90 and AFSB-2-2XS.	Stock	\$18.50
<u>AFSB-CB</u>	Swivellink imperial clamp on base, for use with AFSB-1 or AFSB-1XS.	Stock	\$92.00
<u>SLM-2-2XS</u>	Swivellink XS series metric coupler, for use with Standard and XS series metric components.	Stock	\$44.00
<u>SLM-5XS</u>	Swivellink XS series metric tripod mount, for use with SLM-2XS, SLM-2XS90 and SLM-2-2XS.	Stock	\$26.50
<u>SLM-CB</u>	Swivellink metric clamp on base, for use with SLM-1 or SLM-1XS.	Stock	\$118.00
<u>AFSB-CLAMP-HANDLE</u>	Swivellink imperial clamp handle, for use with Standard and XS series imperial knuckles.	Stock	\$21.50
<u>SLM-CLAMP-HANDLE</u>	Swivellink metric clamp handle, for use with Standard and XS series metric knuckles.	Stock	\$21.50
Remote Monitoring / Reporting			
<u>SE-SL3001</u>	StrideLinX Basic industrial VPN router, wired Internet connectivity, (5) Ethernet Gigabit (RJ45) port(s), Android/iOS with mobile VPN, 12-24 VDC required.	Stock	\$400.00
<u>SE-SL3011</u>	StrideLinX Pro industrial VPN router, wired Internet connectivity, (5) Ethernet Gigabit (RJ45) port(s), MQTTs, Android/iOS with mobile VPN, 12-24 VDC required.	Stock	\$519.00
<u>SE-SL3011-WF</u>	StrideLinX Pro industrial VPN router, wired + 802.11 b/g/n WiFi Internet connectivity, WiFi LAN and (5) Ethernet Gigabit (RJ45) port(s), MQTTs, Android/iOS with mobile VPN, 12-24 VDC required.	Stock	\$652.00
<u>SE-SL3011-4GG</u>	StrideLinX Pro industrial VPN router, wired + 4G Global LTE and US LTE Verizon Internet connectivity, (5) Ethernet Gigabit (RJ45) port(s), MQTTs, Android/iOS with mobile VPN, 12-24 VDC required.	Stock	\$763.00
<u>SE-SLR001-1</u>	StrideLinX professional license, valid for 1 year, license includes white label StrideLinX platform, unlimited VPN data traffic and advanced user and device access management. For use with (1) StrideLinX company.	Stock	\$949.00
<u>SE-SL021-1</u>	StrideLinX notify license, valid for 1 year, license includes alarm, trigger, recipient, and priority management with push and email notifications. For use with (1) StrideLinX router.	Stock	\$131.00
<u>SE-SLR010-1</u>	StrideLinX basic reporting and logging license, valid for 1 year, license includes email notification, data logging enabled at 1,000 data samples per hour with schedule reporting. For use with (1) StrideLinX router.	Stock	\$279.00
<u>SE-SLR011-1</u>	StrideLinX professional reporting and logging license, valid for 1 year, license includes email notification, data logging enabled at 10,000 data samples per hour with schedule reporting. For use with (1) StrideLinX router.	Stock	\$499.00
<u>SE-ANT110</u>	STRIDE whip/tilt LTE antenna, connector mount. For use with SE-SL3011-4G and SE-SL3011-4GG VPN routers.	Stock	\$14.00
<u>SE-ANT130</u>	STRIDE whip/straight LTE antenna, magnetic base mount, 9.8ft/3m cable length. For use with SE-SL3011-4G and SE-SL3011-4GG VPN routers.	Stock	\$33.50
<u>SE-ANT150</u>	STRIDE dome LTE antenna, IP67, panel mount, 9.8ft/3m cable length. For use with SE-SL3011-4G and SE-SL3011-4GG VPN routers.	Stock	\$43.00
<u>SE-ANT210</u>	STRIDE whip/straight 2.4 GHz WiFi antenna, IP65, connector mount. For use with SE-SL3011-WF VPN router and CLICK PLUS PLCs.	Stock	\$11.00
<u>SE-ANT250</u>	STRIDE dome 2.4 GHz WiFi antenna, IP67, panel mount, 9.8ft/3m cable length. For use with SE-SL3011-WF VPN router and CLICK PLUS PLCs.	Stock	\$39.00
<u>SE-SL051</u>	StrideLinX mobile app sustained service license, valid for 1 year, license includes sustained service of white label StrideLinX iOS/Android mobile app with branding. For use with (1) existing white label StrideLinX iOS/Android mobile app.	Stock	\$936.00
Cloud Data Logger with I/O			
<u>SE-PB100</u>	STRIDE Pocket Portal IoT bridge, (1) RS-485 (2-pin terminal) port(s), Modbus RTU Master, up to 115.2k baud, browser (non-secure) and mobile app, panel or optional 35mm DIN rail mount. Supports (1) Modbus node.	Stock	\$90.00
<u>SE-PP500K</u>	STRIDE Pocket Portal data logging and notify silver subscription, monthly or annual renewal. For use with (1) STRIDE Pocket Portal IoT bridge.	Stock	\$8.25
<u>SE-PP5M</u>	STRIDE Pocket Portal data logging and notify gold subscription, monthly or annual renewal. For use with (1) STRIDE Pocket Portal IoT bridge.	Stock	\$15.50
Unmanaged Industrial Ethernet Switches			
<u>SE3-SW5U</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (5) Ethernet 10/100Base-T (RJ45) port(s), -10 to +65 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$72.00
<u>SE3-SW5U-T</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (5) Ethernet 10/100Base-T (RJ45) port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$105.00
<u>SE3-SW5U-1C1-T</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (4) Ethernet 10/100Base-T (RJ45) and (1) multi-mode SC 100FX fiber port(s), -40 to +75 deg C, metal housing, IP30, NEMA TS2, 35mm DIN rail or panel mount.	Stock	\$167.00

<u>SE3-SW5U-1T1-T</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (4) Ethernet 10/100Base-T (RJ45) and (1) multi-mode ST 100FX fiber port(s), -40 to +75 deg C, metal housing, IP30, NEMA TS2, 35mm DIN rail or panel mount.	Stock	\$167.00
<u>SE3-SW5UG-T</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (5) Ethernet Gigabit (RJ45) port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$170.00
<u>SE3-SW5UG-1P-T</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (4) Ethernet Gigabit (RJ45) and (1) SFP combo Gigabit port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$199.00
<u>SE3-SW5U-N67-T</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (5) Ethernet 10/100Base-T (M12) port(s), -40 to +75 deg C, plastic housing, IP67, 35mm DIN rail or panel mount.	Stock	\$279.00
<u>SE3-SW8U</u>	STRIDE industrial unmanaged Ethernet switch, 8 ports, (8) Ethernet 10/100Base-T (RJ45) port(s), -10 to +65 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$121.00
<u>SE3-SW8U-T</u>	STRIDE industrial unmanaged Ethernet switch, 8 ports, (8) Ethernet 10/100Base-T (RJ45) port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$136.00
<u>SE3-SW6U-2C1-T</u>	STRIDE industrial unmanaged Ethernet switch, 6 ports, (4) Ethernet 10/100Base-T (RJ45) and (2) multi-mode SC 100FX fiber port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$219.00
<u>SE3-SW6U-2T1-T</u>	STRIDE industrial unmanaged Ethernet switch, 6 ports, (4) Ethernet 10/100Base-T (RJ45) and (2) multi-mode ST 100FX fiber port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$219.00
<u>SE3-SW7U-2P-T</u>	STRIDE industrial unmanaged Ethernet switch, 7 ports, (5) Ethernet 10/100Base-T (RJ45) and (2) SFP combo Gigabit port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$219.00
<u>SE3-SW8UG-T</u>	STRIDE industrial unmanaged Ethernet switch, 8 ports, (8) Ethernet Gigabit (RJ45) port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$229.00
<u>SE3-SW10UG-2P-T</u>	STRIDE industrial unmanaged Ethernet switch, 10 ports, (8) Ethernet Gigabit (RJ45) and (2) SFP combo Gigabit port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$329.00
<u>SE3-SW16UG-4P-T</u>	STRIDE industrial unmanaged Ethernet switch, 16 ports, (12) Ethernet Gigabit (RJ45) and (4) SFP combo Gigabit port(s), -40 to +75 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$499.00
<u>SE3-SWP2A7U-2P-T</u>	STRIDE industrial unmanaged PoE+ switch, IEEE 802.3af/at, up to 120W, 7 ports, (4) PoE+ 10/100Base-T (RJ45), (1) Ethernet 10/100Base-T (RJ45) and (2) SFP combo Gigabit port(s), 12-55 VDC nominal input, -40 to +75 deg C, 35mm DIN rail or panel mount.	Stock	\$299.00
<u>SE3-SWP2A5UG-T</u>	STRIDE industrial unmanaged PoE+ switch, IEEE 802.3af/at, 120W, 5 ports, (4) PoE+ Gigabit (RJ45) and (1) Ethernet Gigabit (RJ45) port(s), 12-36 VDC nominal input, -40 to +75 deg C, NEMA TS2, 35mm DIN rail or panel mount, hazardous location rated.	Stock	\$349.00
<u>SE3-SWP2B5UG-1P-T</u>	STRIDE industrial unmanaged PoE++ switch, IEEE 802.3af/at/bt, up to 240W, 5 ports, (4) PoE++ 10/100/1000Base-T (RJ45) and (1) SFP combo Gigabit port(s), 9-55 VDC nominal input, -40 to +75 deg C, 35mm DIN rail or panel mount.	Stock	\$579.00
<u>SE3-SWP2A5U-T</u>	STRIDE industrial unmanaged PoE+ switch, IEEE 802.3af/at, 120W, 5 ports, (4) PoE+ 10/100Base-T (RJ45) and (1) Ethernet 10/100Base-T (RJ45) port(s), 12-36 VDC nominal input, -40 to +75 deg C, NEMA TS2, 35mm DIN rail or panel mount, hazardous location rated.	Stock	\$259.00
<u>SE3-SWP1A5U-T</u>	STRIDE industrial unmanaged PoE+ switch, IEEE 802.3af/at, 120W, 5 ports, (4) PoE+ 10/100Base-T (RJ45) and (1) Ethernet 10/100Base-T (RJ45) port(s), 48-55 VDC nominal input, -40 to +75 deg C, 35mm DIN rail or panel mount, hazardous location rated.	Stock	\$249.00
<u>SE-SW5U</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (5) Ethernet 10/100Base-T (RJ45) port(s), -10 to +60 deg C, plastic housing, IP40, 35mm DIN rail mount.	Stock	\$142.00
<u>SE-SW5U-SC</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (4) Ethernet 10/100Base-T (RJ45) and (1) multi-mode SC 100FX fiber port(s), -10 to +60 deg C, plastic housing, IP40, 35mm DIN rail mount.	Stock	\$263.00
<u>SE-SW5U-SC-WT</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (4) Ethernet 10/100Base-T (RJ45) and (1) multi-mode SC 100FX fiber port(s), -40 to +85 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$362.00
<u>SE-SW5U-ST</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (4) Ethernet 10/100Base-T (RJ45) and (1) multi-mode ST 100FX fiber port(s), -10 to +60 deg C, plastic housing, IP40, 35mm DIN rail mount.	Stock	\$274.00
<u>SE-SW5U-ST-WT</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (4) Ethernet 10/100Base-T (RJ45) and (1) multi-mode ST 100FX fiber port(s), -40 to +85 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$362.00
<u>SE-SW5U-WT</u>	STRIDE industrial unmanaged Ethernet switch, 5 ports, (5) Ethernet 10/100Base-T (RJ45) port(s), -40 to +85 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$254.00
<u>SE-SW8U</u>	STRIDE industrial unmanaged Ethernet switch, 8 ports, (8) Ethernet 10/100Base-T (RJ45) port(s), -10 to +60 deg C, plastic housing, IP40, 35mm DIN rail mount.	Stock	\$219.00
<u>SE-SW9U-SC-WT</u>	STRIDE industrial unmanaged Ethernet switch, 9 ports, (8) Ethernet 10/100Base-T (RJ45) and (1) multi-mode SC 100FX fiber port(s), -40 to +85 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$409.00
<u>SE-SW9U-ST-WT</u>	STRIDE industrial unmanaged Ethernet switch, 9 ports, (8) Ethernet 10/100Base-T (RJ45) and (1) multi-mode ST 100FX fiber port(s), -40 to +85 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$419.00
Lean Managed Ethernet Switches			
<u>852-1816</u>	WAGO industrial lean managed Ethernet switch, 16 ports, (16) Ethernet Gigabit (RJ45) port(s), Modbus TCP and SNMP, -40 to +60 deg C, metal housing, IP30, 35mm DIN rail mount.	Stock	\$1,075.00
<u>852-1813</u>	WAGO industrial lean managed Ethernet switch, 10 ports, (8) Ethernet Gigabit (RJ45) and (2) SFP combo Gigabit port(s), Modbus TCP and SNMP, -40 to +60 deg C, metal housing, IP30, 35mm DIN rail mount.	Stock	\$799.00
<u>852-1812</u>	WAGO industrial lean managed Ethernet switch, 8 ports, (8) Ethernet Gigabit (RJ45) port(s), Modbus TCP and SNMP, -40 to +60 deg C, metal housing, IP30, 35mm DIN rail mount.	Stock	\$713.00

<u>852-1813/000-001</u>	WAGO industrial lean managed PoE+ switch, IEEE 802.3af/at, 120W @ 24-48 VDC, 240W @ 48-57 VDC, 8 ports, (8) PoE+ 10/100/1000Base-T (RJ45) and (2) SFP combo Gigabit port(s), Modbus TCP and SNMP, 24-57 VDC nominal input, -40 to +60 deg C, 35mm DIN rail mount.	Stock	\$1,189.00
<u>852-1322</u>	WAGO industrial lean managed Ethernet switch, MAC Security, 8 ports, (8) Ethernet Gigabit (RJ45) port(s), Modbus TCP and SNMP, -20 to +70 deg C, metal housing, IP30, 35mm DIN rail mount.	Stock	\$837.00
<u>852-1328</u>	WAGO industrial lean managed Ethernet switch, MAC Security, 8 ports, (6) Ethernet Gigabit (RJ45) and (2) SFP combo Gigabit port(s), Modbus TCP and SNMP, -20 to +70 deg C, metal housing, IP30, 35mm DIN rail mount.	Stock	\$861.00
Layer 2 Managed Ethernet Switches			
<u>SE-SW5M</u>	STRIDE industrial Layer 2 managed Ethernet switch, 5 ports, (5) Ethernet 10/100Base-T (RJ45) port(s), Modbus TCP, -40 to +75 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$571.00
<u>SE-SW5M-2SC</u>	STRIDE industrial Layer 2 managed Ethernet switch, 5 ports, (3) Ethernet 10/100Base-T (RJ45) and (2) multi-mode SC 100FX fiber port(s), Modbus TCP, -40 to +75 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$1,048.00
<u>SE-SW5M-2ST</u>	STRIDE industrial Layer 2 managed Ethernet switch, 5 ports, (3) Ethernet 10/100Base-T (RJ45) and (2) multi-mode ST 100FX fiber port(s), Modbus TCP, -40 to +75 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$1,048.00
<u>SE-SW10MG-2P</u>	STRIDE industrial Layer 2 managed Ethernet switch, 10 ports, (7) Ethernet 10/100Base-T (RJ45), (3) Ethernet Gigabit (RJ45) and (2) SFP combo Gigabit port(s), Modbus TCP, -40 to +75 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$1,682.00
<u>SE-SW16M</u>	STRIDE industrial Layer 2 managed Ethernet switch, 16 ports, (16) Ethernet 10/100Base-T (RJ45) port(s), Modbus TCP, -40 to +75 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$1,429.00
SFP Modules for Ethernet Switches and Media Converters			
<u>SFP-1GC-T</u>	STRIDE Gigabit (1.25 Gb) small form factor pluggable (SFP) transceiver module, copper, 100m, Cat6A Ethernet (RJ45).	Stock	\$76.00
<u>SFP-4K-FMF</u>	STRIDE 100 Mbps small form factor pluggable (SFP) transceiver module, 1310nm, 4km, multi-mode fiber, Duplex LC.	Stock	\$54.00
<u>SFP-30K-FSF</u>	STRIDE 100 Mbps small form factor pluggable (SFP) transceiver module, 1310nm, 30km, single-mode fiber, Duplex LC.	Stock	\$48.50
<u>SFP-500-GMF</u>	STRIDE Gigabit (1.25 Gb) small form factor pluggable (SFP) transceiver module, 850nm, 550m, multi-mode fiber, Duplex LC.	Stock	\$43.00
<u>SFP-2K-GMF</u>	STRIDE Gigabit (1.25 Gb) small form factor pluggable (SFP) transceiver module, 1310nm, 2km, multi-mode fiber, Duplex LC.	Stock	\$72.00
<u>SFP-10K-GSF</u>	STRIDE Gigabit (1.25 Gb) small form factor pluggable (SFP) transceiver module, 1310nm, 10km, single-mode fiber, Duplex LC.	Stock	\$43.00
<u>SFP-30K-GSF</u>	STRIDE Gigabit (1.25 Gb) small form factor pluggable (SFP) transceiver module, 1310nm, 30km, single-mode fiber, Duplex LC.	Stock	\$99.00
Media Converters for Ethernet Networks			
<u>SE3-MC2U-C1-T</u>	STRIDE industrial unmanaged Ethernet media converter, 2 ports, (1) Ethernet 10/100Base-T (RJ45) and (1) multi-mode SC 100FX fiber port(s), (1) Form A (SPST) relay, -40 to +80 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$141.00
<u>SE3-MC2U-T1-T</u>	STRIDE industrial unmanaged Ethernet media converter, 2 ports, (1) Ethernet 10/100Base-T (RJ45) and (1) multi-mode ST 100FX fiber port(s), (1) Form A (SPST) relay, -40 to +80 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$141.00
<u>SE3-MC2UG-1P-T</u>	STRIDE industrial unmanaged Ethernet media converter, 2 ports, (1) Ethernet 10/100/1000Base-T (RJ45) and (1) SFP combo Gigabit port(s), -40 to +80 deg C, metal housing, IP30, 35mm DIN rail or panel mount.	Stock	\$179.00
<u>SE-MC2U-SC</u>	STRIDE industrial unmanaged Ethernet media converter, 2 ports, (1) Ethernet 10/100Base-T (RJ45) and (1) multi-mode SC 100FX fiber port(s), -10 to +60 deg C, plastic housing, IP40, 35mm DIN rail mount, hazardous location rated.	Stock	\$259.00
<u>SE-MC2U-ST</u>	STRIDE industrial unmanaged Ethernet media converter, 2 ports, (1) Ethernet 10/100Base-T (RJ45) and (1) multi-mode ST 100FX fiber port(s), -10 to +60 deg C, plastic housing, IP40, 35mm DIN rail mount, hazardous location rated.	Stock	\$262.00
POE Injectors for Ethernet Networks			
<u>SE3-IJ2A2UG-T</u>	STRIDE industrial unmanaged, PoE++ injector, IEEE 802.3af/at/bt, up to 100W, 2 ports, (1) PoE++ Gigabit (RJ45) and (1) Ethernet Gigabit (RJ45) port(s), 9-55 VDC nominal input, -40 to +75 deg C, 35mm DIN rail or panel mount.	Stock	\$279.00
<u>SE3-IJ2B2UG-T</u>	STRIDE industrial unmanaged, PoE++ injector, IEEE 802.3af/at/bt, up to 90W, 2 ports, (1) PoE++ Gigabit (RJ45) and (1) Ethernet Gigabit (RJ45) port(s), 9-55 VDC nominal input, -40 to +75 deg C, 35mm DIN rail or panel mount.	Stock	\$259.00
Modbus Gateways for Communication Networks			
<u>EKI-1221-CE</u>	Advantech Modbus gateway, serial Master/Slave and Ethernet Client/Server, (2) Ethernet 10/100Base-T (RJ45) and (1) RS-232/422/485 (9-pin D-sub male) port(s), (64) simultaneous Ethernet connections, (32) serial device(s), 12-48 VDC required.	Stock	\$278.00

<u>EKI-1222-CE</u>	Advantech Modbus gateway, serial Master/Slave and Ethernet Client/Server, (2) Ethernet 10/100Base-T (RJ45) and (2) RS-232/422/485 (9-pin D-sub male) port(s), (64) simultaneous Ethernet connections, (64) serial device(s), 12-48 VDC required.	Stock	\$385.00
<u>EKI-1224-CE</u>	Advantech Modbus gateway, serial Master/Slave and Ethernet Client/Server, (2) Ethernet 10/100Base-T (RJ45) and (4) RS-232/422/485 (9-pin D-sub male) port(s), (64) simultaneous Ethernet connections, (128) serial device(s), 12-48 VDC required.	Stock	\$525.00
<u>MB-GATEWAY</u>	AutomationDirect Modbus gateway, Ethernet to serial, (1) Ethernet 10/100Base-T (RJ45) and (1) RS-422/485 (6-pin terminal) port(s), (12) simultaneous Ethernet connections, (128) serial device(s), 12-24 VDC required.	Stock	\$275.00
MQTT Gateways for Communication Networks			
<u>SGW-MQ1611</u>	STRIDE industrial MQTT gateway, (1) Ethernet 10/100Base-T (RJ45) and (1) RS-485 (2-pin terminal) port(s), wired Internet connectivity, 10-30 VDC required.	Stock	\$303.00
<u>SGW-MQ1611-WF</u>	STRIDE industrial MQTT gateway, (1) Ethernet 10/100Base-T (RJ45) and (1) RS-485 (2-pin terminal) port(s), wired + 802.11 a/b/g/n/ac WiFi Internet connectivity, 10-30 VDC required.	Stock	\$307.00
Accessories for Serial Communication Systems			
<u>MB-GW-CON</u>	AutomationDirect connector pack, package of 2. For use with MB-GATEWAY. (1) 3-pin power connector and (1) 6-pin serial connector included.	Stock	\$21.00
Industrial USB Cables and Adapters			
<u>USB-485M</u>	AutomationDirect PC adapter, USB A to RS-485 (RJ45/RJ12). For use with GS series AC drives, Toshiba AS3 series AC drives, SureServo servo drives, SOLO and ProSense process controllers, CLICK PLCs and P3-550 PLC.	Stock	\$69.00
<u>USB-CBL-AB3</u>	AutomationDirect programming cable, USB A to USB B, 3ft cable length. For use with C-more HMIs, Do-more and Productivity series CPUs and most USB devices.	Stock	\$12.00
<u>USB-CBL-AB6</u>	AutomationDirect programming cable, USB A to USB B, 6ft cable length. For use with C-more HMIs, Do-more and Productivity series CPUs and most USB devices.	Stock	\$16.00
<u>USB-CBL-AB10</u>	AutomationDirect programming cable, USB A to USB B, 10ft cable length. For use with C-more HMIs, Do-more and Productivity series CPUs and most USB devices.	Stock	\$36.50
<u>USB-CBL-AB15</u>	AutomationDirect programming cable, USB A to USB B, 15ft cable length. For use with C-more HMIs, Do-more and Productivity series CPUs and most USB devices.	Stock	\$42.50
Micro AC Variable Frequency Drives (VFD)			
<u>GS11N-10P2</u>	DURApulse GS10 series AC micro drive, enclosed, 120 VAC, 1/4hp with 1-phase input, SVC or V/Hz mode, A1 frame, RS-485, integrated dynamic braking.	Stock	\$140.00
<u>GS11N-10P5</u>	DURApulse GS10 series AC micro drive, enclosed, 120 VAC, 1/2hp with 1-phase input, SVC or V/Hz mode, A3 frame, RS-485, integrated dynamic braking.	Stock	\$149.00
<u>GS11N-11P0</u>	DURApulse GS10 series AC micro drive, enclosed, 120 VAC, 1hp with 1-phase input, SVC or V/Hz mode, C1 frame, RS-485, integrated dynamic braking.	Stock	\$167.00
<u>GS11N-20P2</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 1/4hp with 1-phase input, SVC or V/Hz mode, A1 frame, RS-485, integrated dynamic braking.	Stock	\$131.00
<u>GS11N-20P5</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 1/2hp with 1-phase input, SVC or V/Hz mode, A3 frame, RS-485, integrated dynamic braking.	Stock	\$134.00
<u>GS11N-21P0</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 1hp with 1-phase input, SVC or V/Hz mode, B2 frame, RS-485, integrated dynamic braking.	Stock	\$145.00
<u>GS11N-22P0</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 2hp with 1-phase input, SVC or V/Hz mode, C1 frame, RS-485, integrated dynamic braking.	Stock	\$184.00
<u>GS11N-23P0</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 3hp with 1-phase input, SVC or V/Hz mode, C1 frame, RS-485, integrated dynamic braking.	Stock	\$218.00
<u>GS13N-20P2</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 1/4hp with 3-phase input, 1/10hp with 1-phase input, SVC or V/Hz mode, A1 frame, RS-485, integrated dynamic braking.	Stock	\$140.00
<u>GS13N-20P5</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 1/2hp with 3-phase input, 1/4hp with 1-phase input, SVC or V/Hz mode, A2 frame, RS-485, integrated dynamic braking.	Stock	\$142.00
<u>GS13N-21P0</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 1hp with 3-phase input, 1/2hp with 1-phase input, SVC or V/Hz mode, A5 frame, RS-485, integrated dynamic braking.	Stock	\$157.00
<u>GS13N-22P0</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 2hp with 3-phase input, 1hp with 1-phase input, SVC or V/Hz mode, B1 frame, RS-485, integrated dynamic braking.	Stock	\$187.00
<u>GS13N-23P0</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 3hp with 3-phase input, 1-1/2hp with 1-phase input, SVC or V/Hz mode, C1 frame, RS-485, integrated dynamic braking.	Stock	\$230.00
<u>GS13N-25P0</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 5hp with 3-phase input, 2-1/2hp with 1-phase input, SVC or V/Hz mode, C1 frame, RS-485, integrated dynamic braking.	Stock	\$245.00
<u>GS13N-27P5</u>	DURApulse GS10 series AC micro drive, enclosed, 230 VAC, 7-1/2hp with 3-phase input, 3-1/2hp with 1-phase input, SVC or V/Hz mode, D1 frame, RS-485, integrated dynamic braking.	Stock	\$372.00
<u>GS13N-40P5</u>	DURApulse GS10 series AC micro drive, enclosed, 460 VAC, 1/2hp with 3-phase input, SVC or V/Hz mode, A4 frame, RS-485, integrated dynamic braking.	Stock	\$172.00
<u>GS13N-41P0</u>	DURApulse GS10 series AC micro drive, enclosed, 460 VAC, 1hp with 3-phase input, SVC or V/Hz mode, A6 frame, RS-485, integrated dynamic braking.	Stock	\$173.00

<u>GS13N-42P0</u>	DURApulse GS10 series AC micro drive, enclosed, 460 VAC, 2hp with 3-phase input, SVC or V/Hz mode, B1 frame, RS-485, integrated dynamic braking.	Stock	\$200.00
<u>GS13N-43P0</u>	DURApulse GS10 series AC micro drive, enclosed, 460 VAC, 3hp with 3-phase input, SVC or V/Hz mode, C1 frame, RS-485, integrated dynamic braking.	Stock	\$223.00
<u>GS13N-45P0</u>	DURApulse GS10 series AC micro drive, enclosed, 460 VAC, 5hp with 3-phase input, SVC or V/Hz mode, C1 frame, RS-485, integrated dynamic braking.	Stock	\$262.00
<u>GS13N-47P5</u>	DURApulse GS10 series AC micro drive, enclosed, 460 VAC, 7-1/2hp with 3-phase input, SVC or V/Hz mode, D1 frame, RS-485, integrated dynamic braking.	Stock	\$360.00
<u>GS13N-4010</u>	DURApulse GS10 series AC micro drive, enclosed, 460 VAC, 10hp with 3-phase input, SVC or V/Hz mode, D1 frame, RS-485, integrated dynamic braking.	Stock	\$406.00
<u>CFW100A01P6S120G2</u>	WEG Electric CFW100 series AC micro drive, enclosed, 120 VAC, 1/4hp with 1-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication and input modules available.	Stock	\$150.00
<u>CFW100B02P6S120G2</u>	WEG Electric CFW100 series AC micro drive, enclosed, 120 VAC, 1/2hp with 1-phase input, SVC, V/Hz or VVW mode, B frame. Optional communication and input modules available.	Stock	\$164.00
<u>CFW100A01P6S220G2</u>	WEG Electric CFW100 series AC micro drive, enclosed, 230 VAC, 1/4hp with 1-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication and input modules available.	Stock	\$134.00
<u>CFW100B02P6S220G2</u>	WEG Electric CFW100 series AC micro drive, enclosed, 230 VAC, 1/2hp with 1-phase input, SVC, V/Hz or VVW mode, B frame. Optional communication and input modules available.	Stock	\$145.00
<u>CFW100C04P2S220G2</u>	WEG Electric CFW100 series AC micro drive, enclosed, 230 VAC, 1hp with 1-phase input, SVC, V/Hz or VVW mode, C frame. Optional communication and input modules available.	Stock	\$154.00
General Purpose AC Variable Frequency Drives (VFD)			
<u>GS21-10P2</u>	DURApulse GS20 series AC general purpose drive, enclosed, 120 VAC, 1/4hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A1 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$173.00
<u>GS21-10P5</u>	DURApulse GS20 series AC general purpose drive, enclosed, 120 VAC, 1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A3 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$184.00
<u>GS21-11P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 120 VAC, 1hp with 1-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$206.00
<u>GS21-20P2</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 1/4hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A1 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$162.00
<u>GS21-20P5</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A3 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$167.00
<u>GS21-21P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 1hp with 1-phase input, SVC, V/Hz, FOC or torque mode, B2 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$185.00
<u>GS21-22P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$225.00
<u>GS21-23P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 3hp with 1-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$279.00
<u>GS23-20P2</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 1/4hp with 3-phase input, 1/10hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A1 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$189.00
<u>GS23-20P5</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 1/2hp with 3-phase input, 1/4hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A2 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$197.00
<u>GS23-21P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 1hp with 3-phase input, 1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A5 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$203.00
<u>GS23-22P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 2hp with 3-phase input, 1hp with 1-phase input, SVC, V/Hz, FOC or torque mode, B1 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$235.00
<u>GS23-23P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 3hp with 3-phase input, 1-1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$293.00
<u>GS23-25P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 5hp with 3-phase input, 2-1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$304.00
<u>GS23-27P5</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 7-1/2hp with 3-phase input, 3-1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$460.00

<u>GS23-2010</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 10hp with 3-phase input, 5hp with 1-phase input, SVC, V/Hz, FOC or torque mode, E frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$563.00
<u>GS23-2015</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 15hp with 3-phase input, 7-1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, E frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$699.00
<u>GS23-2020</u>	DURApulse GS20 series AC general purpose drive, enclosed, 230 VAC, 20hp with 3-phase input, 10hp with 1-phase input, SVC, V/Hz, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$976.00
<u>GS23-40P5</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 1/2hp with 3-phase input, SVC, V/Hz, FOC or torque mode, A4 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$213.00
<u>GS23-41P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 1hp with 3-phase input, SVC, V/Hz, FOC or torque mode, A5 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$218.00
<u>GS23-42P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 2hp with 3-phase input, SVC, V/Hz, FOC or torque mode, B1 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$251.00
<u>GS23-43P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 3hp with 3-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$281.00
<u>GS23-45P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 5hp with 3-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$341.00
<u>GS23-47P5</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$468.00
<u>GS23-4010</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 10hp with 3-phase input, SVC, V/Hz, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$528.00
<u>GS23-4015</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 15hp with 3-phase input, SVC, V/Hz, FOC or torque mode, E frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$699.00
<u>GS23-4020</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 20hp with 3-phase input, SVC, V/Hz, FOC or torque mode, E frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$832.00
<u>GS23-4025</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 25hp with 3-phase input, SVC, V/Hz, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,029.00
<u>GS23-4030</u>	DURApulse GS20 series AC general purpose drive, enclosed, 460 VAC, 30hp with 3-phase input, SVC, V/Hz, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,176.00
<u>GS23-51P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 575 VAC, 1hp with 3-phase input, SVC, V/Hz, FOC or torque mode, A5 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$250.00
<u>GS23-52P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 575 VAC, 2hp with 3-phase input, SVC, V/Hz, FOC or torque mode, B1 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$288.00
<u>GS23-53P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 575 VAC, 3hp with 3-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$339.00
<u>GS23-55P0</u>	DURApulse GS20 series AC general purpose drive, enclosed, 575 VAC, 5hp with 3-phase input, SVC, V/Hz, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$438.00
<u>GS23-57P5</u>	DURApulse GS20 series AC general purpose drive, enclosed, 575 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$575.00
<u>GS23-5010</u>	DURApulse GS20 series AC general purpose drive, enclosed, 575 VAC, 10hp with 3-phase input, SVC, V/Hz, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$649.00
<u>ACG-20P5</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 1/2hp with 3-phase input, 1/6hp with 1-phase input, SVC or V/Hz mode, A frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$181.00
<u>ACG-21P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 1hp with 3-phase input, 1/2hp with 1-phase input, SVC or V/Hz mode, A frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$191.00

<u>ACG-22P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 2hp with 3-phase input, 1hp with 1-phase input, SVC or V/Hz mode, B frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$203.00
<u>ACG-23P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 3hp with 3-phase input, 1-1/2hp with 1-phase input, SVC or V/Hz mode, B frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$212.00
<u>ACG-25P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 5hp with 3-phase input, 2hp with 1-phase input, SVC or V/Hz mode, C frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$258.00
<u>ACG-27P5</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 7-1/2hp with 3-phase input, 3hp with 1-phase input, SVC or V/Hz mode, D frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$403.00
<u>ACG-2010</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 10hp with 3-phase input, 5hp with 1-phase input, SVC or V/Hz mode, D frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$456.00
<u>ACG-2015</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 15hp with 3-phase input, 7-1/2hp with 1-phase input, SVC or V/Hz mode, E frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$964.00
<u>ACG-2020</u>	IronHorse ACG series AC general purpose drive, enclosed, 230 VAC, 20hp with 3-phase input, 10hp with 1-phase input, SVC or V/Hz mode, F frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,097.00
<u>ACG-40P5</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 1/2hp with 3-phase input, 1/6hp with 1-phase input, SVC or V/Hz mode, A frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$193.00
<u>ACG-41P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 1hp with 3-phase input, 1/2hp with 1-phase input, SVC or V/Hz mode, A frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$202.00
<u>ACG-42P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 2hp with 3-phase input, 1hp with 1-phase input, SVC or V/Hz mode, B frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$212.00
<u>ACG-43P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 3hp with 3-phase input, 1-1/2hp with 1-phase input, SVC or V/Hz mode, B frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$223.00
<u>ACG-45P0</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 5hp with 3-phase input, 2hp with 1-phase input, SVC or V/Hz mode, C frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$251.00
<u>ACG-47P5</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 7-1/2hp with 3-phase input, 3hp with 1-phase input, SVC or V/Hz mode, D frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$359.00
<u>ACG-4010</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 10hp with 3-phase input, 5hp with 1-phase input, SVC or V/Hz mode, D frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$383.00
<u>ACG-4015</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 15hp with 3-phase input, 7-1/2hp with 1-phase input, SVC or V/Hz mode, E frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,056.00
<u>ACG-4020</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 20hp with 3-phase input, 10hp with 1-phase input, SVC or V/Hz mode, E frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,148.00
<u>ACG-4025</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 25hp with 3-phase input, 10hp with 1-phase input, SVC or V/Hz mode, F frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,272.00
<u>ACG-4030</u>	IronHorse ACG series AC general purpose drive, enclosed, 460 VAC, 30hp with 3-phase input, 15hp with 1-phase input, SVC or V/Hz mode, F frame, RS-485, Modbus, 100kA SCCR. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,347.00
<u>CFW300A01P6S1NB20</u>	WEG Electric CFW300 series AC general purpose drive, enclosed, 120 VAC, 1/4hp with 1-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication modules available.	Stock	\$126.00
<u>CFW300A01P6S2NB20</u>	WEG Electric CFW300 series AC general purpose drive, enclosed, 230 VAC, 1/4hp with 1-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication modules available.	Stock	\$113.00
<u>CFW300A01P6T2NB20</u>	WEG Electric CFW300 series AC general purpose drive, enclosed, 230 VAC, 1/4hp with 3-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication modules available.	Stock	\$120.00
<u>CFW300A02P6S1NB20</u>	WEG Electric CFW300 series AC general purpose drive, enclosed, 120 VAC, 1/2hp with 1-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication modules available.	Stock	\$138.00
<u>CFW300A02P6S2NB20</u>	WEG Electric CFW300 series AC general purpose drive, enclosed, 230 VAC, 1/2hp with 1-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication modules available.	Stock	\$122.00
<u>CFW300A02P6T2NB20</u>	WEG Electric CFW300 series AC general purpose drive, enclosed, 230 VAC, 1/2hp with 3-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication modules available.	Stock	\$131.00

[illegible]

<u>CFW320A03P5T4NB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 2hp with 3-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication and I/O modules available.	Stock	\$265.00
<u>CFW320B03P5T4DB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 2hp with 3-phase input, SVC, V/Hz or VVW mode, B frame, integrated dynamic braking. Optional communication and I/O modules available.	Stock	\$289.00
<u>CFW320A04P8T4NB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 3hp with 3-phase input, SVC, V/Hz or VVW mode, A frame. Optional communication and I/O modules available.	Stock	\$326.00
<u>CFW320B04P8T4DB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 3hp with 3-phase input, SVC, V/Hz or VVW mode, B frame, integrated dynamic braking. Optional communication and I/O modules available.	Stock	\$365.00
<u>CFW320B07P6T4NB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 5hp with 3-phase input, SVC, V/Hz or VVW mode, B frame. Optional communication and I/O modules available.	Stock	\$413.00
<u>CFW320B07P6T4DB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 5hp with 3-phase input, SVC, V/Hz or VVW mode, B frame, integrated dynamic braking. Optional communication and I/O modules available.	Stock	\$436.00
<u>CFW320C11P0T4NB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz or VVW mode, C frame. Optional communication and I/O modules available.	Stock	\$469.00
<u>CFW320C11P0T4DB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz or VVW mode, C frame, integrated dynamic braking. Optional communication and I/O modules available.	Stock	\$493.00
<u>CFW320C14P0T4NB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 10hp with 3-phase input, SVC, V/Hz or VVW mode, C frame. Optional communication and I/O modules available.	Stock	\$580.00
<u>CFW320C14P0T4DB20</u>	WEG Electric CFW320 series AC general purpose drive, enclosed, 460 VAC, 10hp with 3-phase input, SVC, V/Hz or VVW mode, C frame, integrated dynamic braking. Optional communication and I/O modules available.	Stock	\$610.00
High-Performance AC Variable Frequency Drives (VFD)			
<u>GS31-20P5</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 1/2hp with 1-phase input, SVC, V/Hz, FOC, encoder or torque mode, A2 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$263.00
<u>GS31-21P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 1hp with 1-phase input, SVC, V/Hz, FOC, encoder or torque mode, B2 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$277.00
<u>GS31-22P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 2hp with 1-phase input, SVC, V/Hz, FOC, encoder or torque mode, C1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$324.00
<u>GS31-23P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 3hp with 1-phase input, SVC, V/Hz, FOC, encoder or torque mode, C1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$354.00
<u>GS33-20P5</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 1/2hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, A2 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$311.00
<u>GS33-21P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 1hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, A3 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$321.00
<u>GS33-22P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 2hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, B1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$352.00
<u>GS33-23P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 3hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, C1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$368.00
<u>GS33-25P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 5hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, C1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$384.00
<u>GS33-27P5</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, D frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$535.00
<u>GS33-2010</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 10hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, E frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$657.00
<u>GS33-2015</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 15hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, E frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$819.00
<u>GS33-2020</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 20hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$1,099.00

<u>GS33-2025</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 25hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, G frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$1,202.00
<u>GS33-2030</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 30hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, G frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$1,382.00
<u>GS33-2040</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 40hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, I frame, RS-485, external dynamic braking unit required. Optional communication, encoder and I/O modules available.	Stock	\$2,082.00
<u>GS33-2050</u>	DURApulse GS30 series AC high-performance drive, enclosed, 230 VAC, 50hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, I frame, RS-485, external dynamic braking unit required. Optional communication, encoder and I/O modules available.	Stock	\$2,375.00
<u>GS33-40P5</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 1/2hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, A2 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$311.00
<u>GS33-41P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 1hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, A3 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$322.00
<u>GS33-42P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 2hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, B1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$333.00
<u>GS33-43P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 3hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, C1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$380.00
<u>GS33-45P0</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 5hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, C1 frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$400.00
<u>GS33-47P5</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, D frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$538.00
<u>GS33-4010</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 10hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, D frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$692.00
<u>GS33-4015</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 15hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, E frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$869.00
<u>GS33-4020</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 20hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, E frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$1,077.00
<u>GS33-4025</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 25hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$1,267.00
<u>GS33-4030</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 30hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$1,434.00
<u>GS33-4040</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 40hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, G frame, RS-485, integrated dynamic braking. Optional communication, encoder and I/O modules available.	Stock	\$1,841.00
<u>GS33-4050</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 50hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, H frame, RS-485, external dynamic braking unit required. Optional communication, encoder and I/O modules available.	Stock	\$2,222.00
<u>GS33-4060</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 60hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, H frame, RS-485, external dynamic braking unit required. Optional communication, encoder and I/O modules available.	Stock	\$2,537.00
<u>GS33-4075</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 75hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, I frame, RS-485, external dynamic braking unit required. Optional communication, encoder and I/O modules available.	Stock	\$2,816.00
<u>GS33-4100</u>	DURApulse GS30 series AC high-performance drive, enclosed, 460 VAC, 100hp with 3-phase input, SVC, V/Hz, FOC, encoder or torque mode, I frame, RS-485, external dynamic braking unit required. Optional communication, encoder and I/O modules available.	Stock	\$3,276.00
<u>GS4-21P0</u>	DURApulse GS4 series AC high-performance drive, NEMA 1, 230 VAC, 1hp with 3-phase input, 1/2hp with 1-phase input, SVC or V/Hz mode, A frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$578.00
<u>GS4-22P0</u>	DURApulse GS4 series AC high-performance drive, NEMA 1, 230 VAC, 2hp with 3-phase input, 3/4hp with 1-phase input, SVC or V/Hz mode, A frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$636.00

[illegible]

<u>GS4-4060</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 60hp with 3-phase input, SVC or V/Hz mode, D0 frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$3,740.00
<u>GS4-4075</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 75hp with 3-phase input, SVC or V/Hz mode, D frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$4,337.00
<u>GS4-4100</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 100hp with 3-phase input, SVC or V/Hz mode, D frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$5,940.00
<u>GS4-4125</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 125hp with 3-phase input, SVC or V/Hz mode, E frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$8,128.00
<u>GS4-4150</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 150hp with 3-phase input, SVC or V/Hz mode, E frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$9,147.00
<u>GS4-4175</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 175hp with 3-phase input, SVC or V/Hz mode, F frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$10,893.00
<u>GS4-4200</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 215hp with 3-phase input, SVC or V/Hz mode, F frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$12,472.00
<u>GS4-4250</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 250hp with 3-phase input, SVC or V/Hz mode, G frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$17,082.00
<u>GS4-4300</u>	DURApulse GS4 series AC high-performance drive, open frame, 460 VAC, 300hp with 3-phase input, SVC or V/Hz mode, G frame, RS-485, external dynamic braking unit required. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$19,942.00
<u>15570800</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 1/4hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$232.00
<u>15571879</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 1/2hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$238.00
<u>15571881</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 1hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$258.00
<u>15574655</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 2hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$346.00
<u>15575067</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 3hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$403.00
<u>15572625</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$321.00
<u>15572689</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 3hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$394.00
<u>15575202</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 5hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$430.00
<u>15575701</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$728.00
<u>15575716</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 10hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$907.00
<u>15576540</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 15hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,484.00
<u>15577077</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 20hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, E frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,724.00
<u>15342437</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 25hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$2,117.00
<u>15342760</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 30hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$2,652.00

<u>15342909</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 230 VAC, 40hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$3,596.00
<u>15572819</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 1/3hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$297.00
<u>15572908</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 3/4hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$308.00
<u>15573714</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 1hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$331.00
<u>15573819</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$408.00
<u>15573823</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 3hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485. Optional communication and STO modules available.	Stock	\$501.00
<u>15575568</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 1hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$361.00
<u>15575577</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$455.00
<u>15575665</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 3hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$544.00
<u>15575699</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 5hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$615.00
<u>15575707</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$763.00
<u>15575711</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 10hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, C frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$826.00
<u>15576919</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 15hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,137.00
<u>15577021</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 20hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, D frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,420.00
<u>15577211</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 25hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, E frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,707.00
<u>15577452</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 30hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, E frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$2,149.00
<u>15733937</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 40hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$2,907.00
<u>15734064</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 50hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$3,723.00
<u>15734119</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 60hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, F frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$4,539.00
<u>15448371</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 75hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, G frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$5,349.00
<u>15448372</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 100hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, G frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$6,554.00
<u>15448373</u>	WEG Electric CFW500 series AC high-performance drive, enclosed, 460 VAC, 150hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, G frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$7,603.00
<u>VFAS3-4004PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 1/2hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A1 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$545.00
<u>VFAS3-4007PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 1hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A1 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$617.00

<u>VFAS3-4015PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 2hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A1 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$669.00
<u>VFAS3-4022PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 3hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A1 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$722.00
<u>VFAS3-4037PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 5hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A1 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$866.00
<u>VFAS3-4055PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 7-1/2hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A2 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$1,056.00
<u>VFAS3-4075PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 10hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A2 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$1,312.00
<u>VFAS3-4110PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 15hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A3 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$1,706.00
<u>VFAS3-4150PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 20hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A3 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$2,132.00
<u>VFAS3-4185PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 25hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A3 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$2,624.00
<u>VFAS3-4220PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 30hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A4 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$2,755.00
<u>VFAS3-4300PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 40hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A4 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$3,313.00
<u>VFAS3-4370PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 50hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A4 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$4,395.00
<u>VFAS3-4450PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 60hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A5 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$5,313.00
<u>VFAS3-4550PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 75hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A5 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$5,838.00
<u>VFAS3-4750PC</u>	Toshiba AS3 series AC high-performance drive, UL Type 1, 460 VAC, 100hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A5 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$7,215.00
<u>VFAS3-4900PC</u>	Toshiba AS3 series AC high-performance drive, open frame, 460 VAC, 125hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A6 frame, Ethernet and RS-485, external dynamic braking unit required. Optional EtherCAT, encoder and I/O cards available.	Stock	\$9,183.00
<u>VFAS3-4110KPC</u>	Toshiba AS3 series AC high-performance drive, open frame, 460 VAC, 150hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A6 frame, Ethernet and RS-485, external dynamic braking unit required. Optional EtherCAT, encoder and I/O cards available.	Stock	\$10,429.00
<u>VFAS3-4132KPC</u>	Toshiba AS3 series AC high-performance drive, open frame, 460 VAC, 200hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A6 frame, Ethernet and RS-485, external dynamic braking unit required. Optional EtherCAT, encoder and I/O cards available.	Stock	\$12,593.00
<u>VFAS3-4160KPC</u>	Toshiba AS3 series AC high-performance drive, open frame, 460 VAC, 250hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A7 frame, Ethernet and RS-485, integrated dynamic braking. Optional EtherCAT, encoder and I/O cards available.	Stock	\$15,348.00
<u>VFAS3-4200KPC</u>	Toshiba AS3 series AC high-performance drive, open frame, 460 VAC, 300hp with 3-phase input, V/Hz, FOC, encoder or torque mode, A8 frame, Ethernet and RS-485, external dynamic braking unit required. Optional EtherCAT, encoder and I/O cards available.	Stock	\$17,906.00
NEMA 4X (Washdown) AC Variable Frequency Drives (VFD)			
<u>GS21X-20P5</u>	DURApulse GS20X series AC general purpose drive, NEMA 4X, 230 VAC, 1/2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$267.00
<u>GS21X-21P0</u>	DURApulse GS20X series AC general purpose drive, NEMA 4X, 230 VAC, 1hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$297.00
<u>GS21X-22P0</u>	DURApulse GS20X series AC general purpose drive, NEMA 4X, 230 VAC, 2hp with 1-phase input, SVC, V/Hz, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$359.00

[illegible]

[illegible]

<u>ACNND-41P0</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 1hp with 3-phase input, 1/2hp with 1-phase input, SVC, V/Hz or torque mode, 1 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$344.00
<u>ACNND-42P0</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 2hp with 3-phase input, 3/4hp with 1-phase input, SVC, V/Hz or torque mode, 2 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$368.00
<u>ACNND-43P0</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 3hp with 3-phase input, 1hp with 1-phase input, SVC, V/Hz or torque mode, 2 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$455.00
<u>ACNND-45P0</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 5hp with 3-phase input, 2hp with 1-phase input, SVC, V/Hz or torque mode, 2 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$596.00
<u>ACNND-47P5</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 7-1/2hp with 3-phase input, 3hp with 1-phase input, SVC, V/Hz or torque mode, 3 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$778.00
<u>ACNND-40I0</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 10hp with 3-phase input, 5hp with 1-phase input, SVC, V/Hz or torque mode, 3 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$862.00
<u>ACNND-40I5</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 15hp with 3-phase input, 7-1/2hp with 1-phase input, SVC, V/Hz or torque mode, 4 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$912.00
<u>ACNND-40Z0</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 20hp with 3-phase input, 10hp with 1-phase input, SVC, V/Hz or torque mode, 4 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,107.00
<u>ACNND-40Z5</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 25hp with 3-phase input, 10hp with 1-phase input, SVC, V/Hz or torque mode, 5 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,127.00
<u>ACNND-40Z0</u>	IronHorse ACN series AC general purpose drive, NEMA 4X, 460 VAC, 30hp with 3-phase input, 15hp with 1-phase input, SVC, V/Hz or torque mode, 5 frame, RS-485, integrated dynamic braking. Optional EtherNet/IP and Modbus TCP card available.	Stock	\$1,204.00
<u>14990863</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 1/4hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$492.00
<u>14991103</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 1/2hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$506.00
<u>14991753</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 1hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$539.00
<u>14938005</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 2hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$644.00
<u>14938047</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 3hp with 3-phase and 1-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$691.00
<u>14938113</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 5hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$856.00
<u>14975838</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 7-1/2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,234.00
<u>14938655</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 230 VAC, 10hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,441.00
<u>14991953</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 460 VAC, 1/3hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$602.00
<u>14992148</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 460 VAC, 1/2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$619.00
<u>14976517</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 460 VAC, 1hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$627.00
<u>14976809</u>	WEG Electric CFW500 series AC high-performance drive with disconnect, NEMA 4X, 460 VAC, 2hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, A frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$743.00

[illegible]

<u>14977629</u>	WEG Electric CFW500 series AC high-performance drive, NEMA 4X, 460 VAC, 15hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$1,664.00
<u>14978548</u>	WEG Electric CFW500 series AC high-performance drive, NEMA 4X, 460 VAC, 20hp with 3-phase input, SVC, V/Hz, VVW, FOC or torque mode, B frame, RS-485, integrated dynamic braking. Optional communication and STO modules available.	Stock	\$2,008.00
VFD Communications and I/O Modules for AC Variable Frequency Drives			
<u>GS20A-CM-ENETIP</u>	DURApulse GS20 series communication module, EtherNet/IP and Modbus TCP, 1 port, (1) Ethernet (RJ45) port(s). For use with GS20 and GS20X series AC drives.	Stock	\$92.00
<u>GS20A-CM-EIP2</u>	DURApulse GS20 series communication module, EtherNet/IP and Modbus TCP, 2 ports, (2) Ethernet (RJ45) port(s). For use with GS20 and GS20X series AC drives.	Stock	\$99.00
<u>GS30A-CM-EIP1</u>	DURApulse GS30 series communication module, EtherNet/IP and Modbus TCP, 1 port, (1) Ethernet (RJ45) port(s). For use with GS30 series AC drives.	Stock	\$92.00
<u>GS30A-CM-EIP2</u>	DURApulse GS30 series communication module, EtherNet/IP and Modbus TCP, 2 ports, (2) Ethernet (RJ45) port(s). For use with GS30 series AC drives.	Stock	\$99.00
<u>GS30A-CM-EIPKITP2</u>	DURApulse GS30 mounting cover, for use with GS20 and GS30 series communication modules. Used when communication module is installed in position 2.	Stock	\$22.00
<u>ACG-ET2</u>	IronHorse ACG series communication module, EtherNet/IP and Modbus TCP, 2 ports, (2) Ethernet (RJ45) and (1) RS-485 (RJ45) port(s). For use with IronHorse ACG series AC drives. Mounting hardware included.	Stock	\$116.00
<u>GS30A-CM-ECAT</u>	DURApulse GS30 series communication module, EtherCAT Slave, 2 ports, (2) Ethernet (RJ45) port(s). For use with GS30 series AC drives.	Stock	\$130.00
<u>GS4-CM-ENETIP</u>	DURApulse GS4 series communication module, EtherNet/IP, 1 port, (1) Ethernet (RJ45) port(s).	Stock	\$110.00
<u>GS4-CM-MODTCP</u>	DURApulse GS4 series communication module, Modbus TCP, 1 port, (1) Ethernet (RJ45) port(s).	Stock	\$107.00
<u>ACN-ETH</u>	IronHorse ACN series communication module, EtherNet/IP and Modbus TCP, 1 port, (1) Ethernet (RJ45) and (1) RS-232 (RJ45) port(s). For use with IronHorse ACN series drives. Mounting hardware included.	Stock	\$128.00
<u>12892814</u>	WEG Electric CFW500 series communication module, EtherNet/IP, Modbus RTU and BACnet, 2 ports, (1) Ethernet (RJ45) and (1) RS-485 (3-pin terminal) port(s). For use with WEG CFW500 series AC drives.	Stock	\$255.00
<u>12892815</u>	WEG Electric CFW500 series communication module, Modbus TCP, Modbus RTU and BACnet, 2 ports, (1) Ethernet (RJ45) and (1) RS-485 (3-pin terminal) port(s). For use with WEG CFW500 series AC drives.	Stock	\$255.00
<u>14742005</u>	WEG Electric CFW500 series communication module, Modbus RTU and BACnet, 2 ports, (1) RS-232 (3-pin terminal) and (1) RS-485 (3-pin terminal) port(s). For use with WEG CFW500 series AC drives.	Stock	\$71.00
<u>14742001</u>	WEG Electric CFW500 series communication module, Modbus RTU and BACnet, 2 ports, (1) RS-485 (3-pin terminal) and (1) miniB-USB port(s). For use with WEG CFW500 series AC drives.	Stock	\$107.00
<u>15353140</u>	WEG Electric CFW500 series communication module, Modbus RTU and BACnet, 2 ports, (2) RS-485 (3-pin terminal) port(s). For use with WEG CFW500 series AC drives.	Stock	\$73.00
<u>CFW300-CUSB</u>	WEG Electric CFW300 series communication module, Modbus RTU, 1 port, (1) miniB-USB port(s). For use with WEG CFW300 series AC drives. (1) 6.5ft/2m USB A to miniB-USB cable included.	Stock	\$44.00
<u>CFW300-CRS232</u>	WEG Electric CFW300 series communication module, Modbus RTU, 1 port, (1) RS-232 (5-pin terminal) port (s). For use with WEG CFW300 series AC drives.	Stock	\$41.50
<u>CFW300-CRS485</u>	WEG Electric CFW300 series communication module, Modbus RTU, 2 ports, (1) RS-485 (5-pin terminal) and (1) miniB-USB port(s). For use with WEG CFW300 series AC drives.	Stock	\$41.50
<u>CFW320-CETH</u>	WEG Electric CFW320 series communication module, EtherNet/IP, Modbus TCP and webserver, 2 ports, (2) Ethernet (RJ45) port(s). For use with WEG CFW320 series AC drives.	Stock	\$147.00
<u>CFW320-CRS485</u>	WEG Electric CFW320 series communication module, Modbus RTU, 2 ports, (1) RS-485 (5-pin terminal) and (1) miniB-USB port(s). For use with WEG CFW320 series AC drives.	Stock	\$44.00
<u>CFW320-CUSB</u>	WEG Electric CFW320 series communication module, Modbus RTU, 1 port, (1) miniB-USB port(s). For use with WEG CFW320 series AC drives. (1) 6.5ft/2m USB A to miniB-USB cable included.	Stock	\$50.00
<u>CFW320-CRS232</u>	WEG Electric CFW320 series communication module, Modbus RTU, 1 port, (1) RS-232 (5-pin terminal) port (s). For use with WEG CFW320 series AC drives.	Stock	\$44.00
<u>CFW320-IODR</u>	WEG Electric CFW320 series discrete combo module, Input: 4-point, 24 VDC, sinking/sourcing, Output: 3-point, 250 VAC, relay, (3) Form A (SPST) relays, 5A/point. For use with WEG CFW320 series AC drives.	Stock	\$58.00
<u>CFW320-IOAR</u>	WEG Electric CFW320 series relay/analog combo module, Analog Input: 1-channel, current/voltage, Analog Output: 1-channel, current/voltage, Discrete Output: 3-point, relay, (3) Form A (SPST) relays. For use with WEG CFW320 series AC drives.	Stock	\$75.00
<u>CFW320-IOAENC</u>	WEG Electric CFW320 series encoder analog combo module, 400 kHz maximum switching frequency, 1-channel quadrature encoder input, Analog Input: 1-channel, Analog Output: 2-channel. For use with WEG CFW320 series AC drives.	Stock	\$76.00
<u>CFW320-IOP</u>	WEG Electric CFW320 series speed potentiometer module, enclosed, IP20, plastic housing. For use with WEG CFW320 series AC drives.	Stock	\$46.00
<u>CFW320-IODF</u>	WEG Electric CFW320 series pulse combo module, 3 kHz maximum switching frequency, 3 high-speed input point(s), sinking, single-ended encoder input(s), 3 high-speed output point(s), sourcing, single-ended output (s).	Stock	\$62.00
<u>CFW100-CUSB</u>	WEG Electric CFW100 series communication module, Modbus RTU, 1 port, (1) miniB-USB port(s). For use with WEG CFW100 series AC drives.	Stock	\$42.50

<u>CFW100-CRS485</u>	WEG Electric CFW100 series communication module, Modbus RTU, 1 port, (1) RS-485 (5-pin terminal) and (1) miniB-USB port(s). For use with WEG CFW100 series AC drives.	Stock	\$40.00
<u>GS30A-FB-LD</u>	DURApulse GS30 series encoder module, line driver (differential) encoder input. For use with GS30 series AC drives. Supports 1-phase and 2-phase input and output.	Stock	\$120.00
<u>GS30A-FB-OC</u>	DURApulse GS30 series encoder module, NPN open collector and PNP open collector encoder input. For use with GS30 series AC drives. Supports 1-phase and 2-phase input and output.	Stock	\$117.00
<u>GS30A-06CDD</u>	DURApulse GS30 series discrete combo module, Input: 3-point, 24 VDC, sinking/sourcing selectable, Output: 3-point, 48 VDC, sinking/sourcing selectable, 30 mA/point, 50 mA resistive output current. For use with GS30 series AC drives.	Stock	\$56.00
<u>GS30A-2AD2DA</u>	DURApulse GS30 series analog combo module, Input: 2-channel, current/voltage, 0-20 mA and 4-20 mA, 0-10 VDC, Output: 2-channel, current/voltage, 0-20 mA and 4-20 mA, 0-10 VDC.	Stock	\$65.00
<u>GS30A-02TRC</u>	DURApulse GS30 series relay output module, 2-point, 240 VAC/30 VDC, (2) Form C, 2 isolated common(s), 1 point(s) per common. Screw terminal blocks included.	Stock	\$61.00
<u>GS30A-03TRA</u>	DURApulse GS30 series relay output module, 3-point, 250 VAC/30 VDC, (3) Form A, 2 isolated common(s), 1 point(s) per common. Screw terminal blocks included.	Stock	\$66.00
<u>GS30A-BPS</u>	DURApulse GS30 series backup power supply module, for use with GS30 series AC drives.	Stock	\$141.00
<u>GS4-06CDD</u>	DURApulse GS4 series discrete combo module, Input: 4-point, 24 VDC, sinking/sourcing selectable, Output: 2-point, 24 VDC, sinking/sourcing selectable, 50 mA resistive output current.	Stock	\$38.00
<u>GS4-06NA</u>	DURApulse GS4 series discrete input module, 6-point, 120 VAC, sinking, 1 common(s).	Stock	\$41.00
<u>GS4-06TR</u>	DURApulse GS4 series relay output module, 6-point, 250 VAC/30 VDC, (1) Form A, 6 isolated common(s), 1 point(s) per common.	Stock	\$62.00
<u>ACN-EIO</u>	IronHorse ACN series relay/analog combo module, Analog Input: 2-channel, current/voltage, Analog Output: 1-channel, current/voltage, Discrete Input: 3-point, sinking/sourcing, Discrete Output: 2-point, relay, (2) Form C (SPDT) relays.	Stock	\$232.00
<u>12619000</u>	WEG Electric CFW500 series encoder analog combo module, 400 kHz maximum switching frequency, 1-channel quadrature encoder input, Analog Input: 1-channel, Analog Output: 1-channel. For use with WEG CFW500 series AC drives.	Stock	\$107.00
<u>14741859</u>	WEG Electric CFW500 series relay/analog combo module, Analog Input: 1-channel, current/voltage, Analog Output: 1-channel, current/voltage, Discrete Input: 4-point, sourcing, Discrete Output: 2-point, relay, (1) Form C (SPDT) relay.	Stock	\$56.00
<u>14968050</u>	WEG Electric CFW500 series relay/analog combo module, Analog Input: 1-channel, current/voltage, Analog Output: 1-channel, current/voltage, Discrete Input: 5-point, sinking/sourcing, Discrete Output: 5-point, relay, (3) Form A (SPST) relays, (1) Form C (SPDT) relay.	Stock	\$63.00
<u>14742006</u>	WEG Electric CFW500 series relay/analog combo module, Analog Input: 1-channel, current/voltage, Analog Output: 1-channel, current/voltage, Discrete Input: 8-point, sourcing, Discrete Output: 5-point, relay, (1) Form C (SPDT) relay.	Stock	\$72.00
<u>14742129</u>	WEG Electric CFW500 series relay/analog combo module, Analog Input: 3-channel, current/voltage, Analog Output: 2-channel, current/voltage, Discrete Input: 6-point, sourcing, Discrete Output: 4-point, relay, (1) Form C (SPDT) relay.	Stock	\$93.00
<u>15560296</u>	WEG Electric CFW500 series STO module, for use with WEG CFW500 series AC drives.	Stock	\$72.00
<u>AS3-ACI</u>	Toshiba AS3 series relay/analog combo module, Analog Input: 3-channel, current/voltage, Analog Output: 2-channel, current/voltage, Discrete Input: 6-point, Discrete Output: 3-point, relay, (1) Form C (SPDT) relay, (2) Form A (SPST) relays.	Stock	\$230.00
<u>VEC008Z</u>	Toshiba AS3 series encoder module, line driver (differential) encoder input. For use with Toshiba AS3 series AC drives. Requires 15-pin D-sub HD15 male connector (sold separately).	Stock	\$132.00
<u>IPE003Z</u>	Toshiba communication module, EtherCAT Slave, 2 ports, (2) Ethernet (RJ45) port(s). For use with Toshiba AS3 series AC drives.	Stock	\$394.00
<u>CFW300-IODR</u>	WEG Electric CFW300 series discrete combo module, Input: 4-point, 24 VDC, sinking/sourcing, Output: 3-point, 250 VAC, relay, (3) Form A (SPST) relays, 5A/point. For use with WEG CFW300 series AC drives.	Stock	\$55.00
<u>CFW300-IOAENC</u>	WEG Electric CFW300 series encoder analog combo module, 400 kHz maximum switching frequency, 1-channel quadrature encoder input, Analog Input: 1-channel, Analog Output: 2-channel. For use with WEG CFW300 series AC drives.	Stock	\$73.00
<u>CFW300-IOAR</u>	WEG Electric CFW300 series relay/analog combo module, Analog Input: 1-channel, current/voltage, Analog Output: 1-channel, current/voltage, Discrete Output: 3-point, relay, (3) Form A (SPST) relays. For use with WEG CFW300 series AC drives.	Stock	\$72.00
<u>CFW300-IOADR</u>	WEG Electric CFW300 series temperature combo module with infrared remote control, thermistor, 1-channel input, 3-point output, 250 VAC, (3) Form A (SPST) relays. For use with WEG CFW300 series AC drives.	Stock	\$105.00
<u>CFW100-IOD</u>	WEG Electric CFW100 series discrete input module, 4-point, 24 VDC, sinking/sourcing. For use with WEG CFW100 series AC drives.	Stock	\$40.00
<u>CFW100-IOAR</u>	WEG Electric CFW100 series relay/analog combo module, Analog Input: 1-channel, current/voltage, Discrete Output: 1-point, relay, (1) Form A (SPST) relay. For use with WEG CFW100 series AC drives.	Stock	\$39.50
<u>CFW100-IOADR</u>	WEG Electric CFW100 series temperature combo module with infrared remote control, thermistor, 1-channel input, 3-point output, 240 VAC, (3) Form A (SPST) relays. For use with WEG CFW100 series AC drives.	Stock	\$101.00

<u>CFW100-IOA</u>	WEG Electric CFW100 series analog combo module, Analog Input: 1-channel, current/voltage, Analog Output: 1-channel, current/voltage. For use with WEG CFW100 series AC drives.	Stock	\$48.50
<u>GS3-FB</u>	DURApulse GS3 series encoder module, line driver (differential), NPN open collector and PNP open collector encoder input. For use with DURApulse GS3 series AC drives.	Stock	\$66.00
Accessories for AC Variable Frequency Drives			
<u>GSDA-5K</u>	IronHorse GSD series speed potentiometer kit, replacement, output up to input voltage, 5k ohm, 0.5W. For use with all GSD series DC drives. Includes potentiometer, knob, 0-100% dial and mounting hardware.	Stock	\$22.00
<u>GS20A-DR-AB</u>	DURApulse GS20 DIN rail adapter, for use with GS10, GS20 and GS30 series A and B frame AC drives. Allows GS20 series drive to be mounted on 35mm DIN rail.	Stock	\$6.00
<u>GS20A-DR-C</u>	DURApulse GS20 DIN rail adapter, for use with GS10, GS20 and GS30 series C frame AC drives. Allows GS20 series drive to be mounted on 35mm DIN rail.	Stock	\$7.00
<u>GS4-KPD</u>	DURApulse GS4 series keypad, replacement. For use with GS4, GS10, GS20, GS20X and GS30 series AC drives. Electrical connector included.	Stock	\$121.00
<u>GS4-BZL</u>	DURApulse GS4 series bezel, for use with GS4-KPD keypad. Mounting hardware included.	Stock	\$34.00
<u>GS20A-KPD</u>	DURApulse GS20 series keypad, replacement. For use with GS20 series AC drives.	Stock	\$30.00
<u>GS30A-KPD</u>	DURApulse GS30 series keypad, replacement. For use with GS30 series AC drives.	Stock	\$66.00
<u>GS20A-BPS</u>	DURApulse GS20 series backup power supply module, for use with GS20 and GS20X series AC drives.	Stock	\$157.00
<u>GS20A-MP-AB</u>	DURApulse GS20 series mounting plate, for use with GS10, GS20 and GS30 series A and B frame AC drives. Allows drive input power to be wired from the top.	Stock	\$53.00
<u>GS20A-MP-C</u>	DURApulse GS20 mounting plate, for use with GS10, GS20 and GS30 series C frame AC drives. Allows GS20 series drive input power to be wired from the top.	Stock	\$62.00
<u>GS20A-N1A1</u>	DURApulse GS20 series conduit box, NEMA 1. For use with GS20 series A1 and A2 frame AC drives. Mounting hardware included.	Stock	\$30.00
<u>GS20A-N1A3</u>	DURApulse GS20 series conduit box, NEMA 1. For use with GS20 series A3 - A5 frame AC drives. Mounting hardware included.	Stock	\$33.00
<u>GS20A-N1B</u>	DURApulse GS20 series conduit box, NEMA 1. For use with GS20 series B frame AC drives. Mounting hardware included.	Stock	\$33.00
<u>GS20A-N1C</u>	DURApulse GS20 series conduit box, NEMA 1. For use with GS20 series C frame AC drives. Mounting hardware included.	Stock	\$35.00
<u>GS20A-N1D</u>	DURApulse GS20 series conduit box, NEMA 1. For use with GS20 series D frame AC drives. Mounting hardware included.	Stock	\$35.00
<u>GS20A-N1E</u>	DURApulse GS20 series conduit box, NEMA 1. For use with GS20 series E frame AC drives. Mounting hardware included.	Stock	\$35.00
<u>GS20A-N1F</u>	DURApulse GS20 series conduit box, NEMA 1. For use with GS20 series F frame AC drives. Mounting hardware included.	Stock	\$38.00
<u>GS20A-ESP-A</u>	DURApulse GS20 EMC shield plate, for use with GS10, GS20 and GS30 series A frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$29.00
<u>GS20A-ESP-B</u>	DURApulse GS20 EMC shield plate, for use with GS10, GS20 and GS30 series B frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$30.00
<u>GS20A-ESP-C</u>	DURApulse GS20 EMC shield plate, for use with GS10, GS20 and GS30 series C frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$31.00
<u>GS20A-ESP-D</u>	DURApulse GS20 EMC shield plate, for use with GS10, GS20 and GS30 series D frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$32.00
<u>GS20A-ESP-E</u>	DURApulse GS20 EMC shield plate, for use with GS20 and GS30 series E frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$44.00
<u>GS20A-ESP-F</u>	DURApulse GS20 EMC shield plate, for use with GS20 and GS30 series F frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$45.00
<u>GS30A-ESP-G</u>	DURApulse GS30 series EMC shield plate, for use with GS30 series G frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$49.00
<u>GS30A-ESP-H</u>	DURApulse GS30 series EMC shield plate, for use with GS30 series H frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$52.00
<u>GS30A-ESP-I</u>	DURApulse GS30 series EMC shield plate, for use with GS30 series I frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$57.00
<u>GS20XA-DSA</u>	DURApulse GS20X series enclosed disconnect switch, NEMA 4X. For use with GS20X series A frame AC drives.	Stock	\$140.00
<u>GS20XA-DSB</u>	DURApulse GS20X series enclosed disconnect switch, NEMA 4X. For use with GS20X series B frame AC drives.	Stock	\$146.00
<u>GS20XA-DSC</u>	DURApulse GS20X series enclosed disconnect switch, NEMA 4X. For use with GS20X series C frame AC drives.	Stock	\$219.00
<u>GS20XA-EPA</u>	DURApulse GS20X series EMC shield plate, for use with GS20X series A frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$44.00
<u>GS20XA-EPB</u>	DURApulse GS20X series EMC shield plate, for use with GS20X series B frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$51.00

<u>GS20XA-EPC</u>	DURApulse GS20X series EMC shield plate, for use with GS20X series C frame AC drives. Allows motor lead shields to be grounded at the drive.	Stock	\$52.00
<u>GS20A-FAN-B</u>	DURApulse GS20 series main cooling fan, replacement, 40 x 40 x 15mm, 12 VDC. For use with GS10, GS20 and GS30 series B frame AC drives. Electrical connector included.	Stock	\$25.00
<u>GS20A-FAN-C</u>	DURApulse GS20 series main cooling fan, replacement, 50 x 50 x 20mm, 12 VDC. For use with GS10, GS20 and GS30 series C frame AC drives. Electrical connector included.	Stock	\$27.00
<u>GS20A-FAN-D</u>	DURApulse GS20 series main cooling fan, replacement, 60 x 60 x 25mm, 12 VDC. For use with GS10, GS20 and GS30 series D frame AC drives. Electrical connector included.	Stock	\$31.00
<u>GS20A-FAN-E</u>	DURApulse GS20 series main cooling fan, replacement, 92 x 92 x 28mm, 24 VDC. For use with GS20 and GS30 series E frame AC drives. Electrical connector included.	Stock	\$43.00
<u>GS20A-FAN-F</u>	DURApulse GS20 series main cooling fan, replacement, 92 x 92 x 38mm, 24 VDC. For use with GS20 and GS30 series F frame AC drives. Electrical connector included.	Stock	\$47.00
<u>GS20XA-FAN-B</u>	DURApulse GS20X series main cooling fan, replacement, 60 x 60 x 25mm, 12 VDC. For use with GS20X series B frame AC drives. Electrical connector included.	Stock	\$59.00
<u>GS20XA-FAN-C</u>	DURApulse GS20X series main cooling fan, replacement, 60 x 60 x 25mm, 12 VDC. For use with GS20X series C frame AC drives. Electrical connector included.	Stock	\$60.00
<u>GS30A-FAN-G</u>	DURApulse GS30 series main cooling fan, replacement, 204 x 87 x 50mm, 24 VDC. For use with GS30 series G frame AC drives. Electrical connector included.	Stock	\$55.00
<u>GS30A-FAN-H</u>	DURApulse GS30 series main cooling fan, replacement, 206 x 95 x 50mm, 24 VDC. For use with GS30 series H frame AC drives. Electrical connector included.	Stock	\$103.00
<u>GS30A-FAN-I</u>	DURApulse GS30 series main cooling fan, replacement, 260 x 121 x 50mm, 24 VDC. For use with GS30 series I frame AC drives. Electrical connector included.	Stock	\$158.00
<u>GS10A-N1A1</u>	DURApulse GS10 series conduit box, NEMA 1. For use with GS10 series A1 and A2 frame AC drives. Mounting hardware included.	Stock	\$26.00
<u>GS10A-N1A3</u>	DURApulse GS10 series conduit box, NEMA 1. For use with GS10 series A3 - A6 frame AC drives. Mounting hardware included.	Stock	\$27.00
<u>GS10A-N1B</u>	DURApulse GS10 series conduit box, NEMA 1. For use with GS10 series B frame AC drives. Mounting hardware included.	Stock	\$29.00
<u>GS10A-N1C</u>	DURApulse GS10 series conduit box, NEMA 1. For use with GS10 series C frame AC drives. Mounting hardware included.	Stock	\$32.00
<u>GS10A-N1D</u>	DURApulse GS10 series conduit box, NEMA 1. For use with GS10 series D frame AC drives. Mounting hardware included.	Stock	\$32.00
<u>GS30A-N1A</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series A1, A2 and A3 frame AC drives. Mounting hardware included.	Stock	\$33.00
<u>GS30A-N1B</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series B1 and B2 frame AC drives. Mounting hardware included.	Stock	\$33.00
<u>GS30A-N1C</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series C frame AC drives. Mounting hardware included.	Stock	\$34.00
<u>GS30A-N1D</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series D frame AC drives. Mounting hardware included.	Stock	\$35.00
<u>GS30A-N1E</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series E frame AC drives. Mounting hardware included.	Stock	\$36.00
<u>GS30A-N1F</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series F frame AC drives. Mounting hardware included.	Stock	\$37.00
<u>GS30A-N1G</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series G frame AC drives. Mounting hardware included.	Stock	\$58.00
<u>GS30A-N1H</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series H frame AC drives. Mounting hardware included.	Stock	\$61.00
<u>GS30A-N1I</u>	DURApulse GS30 series conduit box, NEMA 1. For use with GS30 series I frame AC drives. Mounting hardware included.	Stock	\$86.00
<u>GSDA-DP</u>	IronHorse GSD series digital potentiometer, 120/240 VAC input, bipolar/unipolar, NEMA 4X, aluminum housing. For use with multiple AC and DC drives.	Stock	\$429.00
<u>GS4-CBX-D0</u>	DURApulse GS4 series conduit box, NEMA 1. For use with GS4 D0 frame drives. Mounting hardware included.	Stock	\$184.00
<u>GS4-CBX-D</u>	DURApulse GS4 series conduit box, NEMA 1. For use with GS4 D frame drives. Mounting hardware included.	Stock	\$184.00
<u>GS4-CBX-E</u>	DURApulse GS4 series conduit box, NEMA 1. For use with GS4 E frame drives. Mounting hardware included.	Stock	\$212.00
<u>GS4-CBX-F</u>	DURApulse GS4 series conduit box, NEMA 1. For use with GS4 F frame drives. Mounting hardware included.	Stock	\$305.00
<u>GS4-CBX-G</u>	DURApulse GS4 series conduit box, NEMA 1. For use with GS4 G frame drives. Mounting hardware included.	Stock	\$578.00
<u>GS4-FMKIT-1</u>	DURApulse GS4 series flange mount kit, NEMA 1. For use with multiple GS4 A frame drives. Adapter plate and mounting hardware included.	Stock	\$84.00
<u>GS4-FMKIT-A</u>	DURApulse GS4 series flange mount kit, NEMA 1. For use with multiple GS4 A frame drives. Mounting hardware included.	Stock	\$70.00

<u>GS4-FMKIT-B</u>	DURApulse GS4 series flange mount kit, NEMA 1. For use with GS4 B frame drives. Mounting hardware included.	Stock	\$79.00
<u>GS4-FMKIT-C</u>	DURApulse GS4 series flange mount kit, NEMA 1. For use with GS4 C frame drives. Mounting hardware included.	Stock	\$89.00
<u>GS4-FAN-AM</u>	DURApulse GS4 series main cooling fan, replacement, 40 x 40 x 15mm, 24 VDC. For use with GS4 A frame drives. Electrical connector included.	Stock	\$28.00
<u>GS4-FAN-BM1</u>	DURApulse GS4 series main cooling fan, replacement, 80 x 80 x 25mm, 24 VDC. For use with GS4-27P5 and GS4-4010 B frame drives. Electrical connector included.	Stock	\$34.50
<u>GS4-FAN-BM2</u>	DURApulse GS4 series main cooling fan, replacement, 80 x 80 x 38mm, 24 VDC. For use with GS4-2010, GS4-2015, GS4-4015 and GS4-4020 B frame drives. Electrical connector included.	Stock	\$52.00
<u>GS4-FAN-BB</u>	DURApulse GS4 series board cooling fan, replacement, 40 x 40 x 15mm, 24 VDC. For use with GS4 B frame drives. Electrical connector included.	Stock	\$27.00
<u>GS4-FAN-CM</u>	DURApulse GS4 series main cooling fan, replacement, 92 x 92 x 38mm, 24 VDC. For use with GS4 C frame drives. Electrical connector included.	Stock	\$49.00
<u>GS4-FAN-CB1</u>	DURApulse GS4 series board cooling fan, replacement, 40 x 40 x 15mm, 24 VDC. For use with 230V GS4 C frame drives. Electrical connector included.	Stock	\$28.00
<u>GS4-FAN-CB2</u>	DURApulse GS4 series board cooling fan, replacement, 40 x 40 x 28mm, 12 VDC. For use with 460V GS4 C frame drives. Electrical connector included.	Stock	\$34.50
<u>GS4-FAN-D0M</u>	DURApulse GS4 series main cooling fan, replacement, 80 x 80 x 38mm, 24 VDC. For use with GS4 D0 frame drives. Electrical connector included.	Stock	\$98.00
<u>GS4-FAN-DM</u>	DURApulse GS4 series main cooling fan, replacement, 92 x 92 x 38mm, 24 VDC. For use with GS4 D frame drives. Electrical connector included.	Stock	\$196.00
<u>GS4-FAN-DB</u>	DURApulse GS4 series board cooling fan, replacement, 70 x 70 x 25.4mm, 24 VDC. For use with GS4 D frame drives. Electrical connector included.	Stock	\$66.00
<u>GS4-FAN-EM1</u>	DURApulse GS4 series main cooling fan, replacement, 120 x 120 x 38mm, 24 VDC. For use with 60 and 75HP GS4 E frame drives. Electrical connector included.	Stock	\$239.00
<u>GS4-FAN-EM2</u>	DURApulse GS4 series main cooling fan, replacement, 120 x 120 x 38mm, 24 VDC. For use with 100-150HP GS4 E frame drives. Electrical connector included.	Stock	\$303.00
<u>GS4-FAN-EB</u>	DURApulse GS4 series board cooling fan, replacement, 120 x 120 x 25.4mm, 24 VDC. For use with GS4 E frame drives. Electrical connector included.	Stock	\$134.00
<u>GS4-FAN-FM</u>	DURApulse GS4 series main cooling fan, replacement, 92 x 92 x 38mm, 24 VDC. For use with GS4 F frame drives. Electrical connector included.	Stock	\$485.00
<u>GS4-FAN-FB</u>	DURApulse GS4 series board cooling fan, replacement, 120 x 120 x 38mm, 24 VDC. For use with GS4 F frame drives. Electrical connector included.	Stock	\$142.00
<u>GS4-FAN-GM</u>	DURApulse GS4 series main cooling fan, replacement, 250 x 89mm, 24 VDC. For use with GS4 G frame drives. Electrical connector included.	Stock	\$1,015.00
<u>ACG-KPD</u>	IronHorse ACG series remote keypad, for use with IronHorse ACG series AC drives. (1) 16.4ft/5m Ethernet patch cable included.	Stock	\$50.00
<u>ACG-N1A</u>	IronHorse ACG series conduit box, NEMA 1. For use with ACG series A frame AC drives. Mounting hardware included.	Stock	\$43.00
<u>ACG-N1B</u>	IronHorse ACG series conduit box, NEMA 1. For use with ACG series B frame AC drives. Mounting hardware included.	Stock	\$44.00
<u>ACG-N1C</u>	IronHorse ACG series conduit box, NEMA 1. For use with ACG series C frame AC drives. Mounting hardware included.	Stock	\$48.00
<u>ACG-N1D</u>	IronHorse ACG series conduit box, NEMA 1. For use with ACG series D frame AC drives. Mounting hardware included.	Stock	\$52.00
<u>14391148</u>	WEG Electric CFW500 series main cooling fan, replacement, 60 x 60 x 15mm, 24 VDC. For use with WEG CFW500 series A frame AC drives.	Stock	\$65.00
<u>12350492</u>	WEG Electric CFW500 series main cooling fan, replacement, 70 x 70 x 15mm, 12 VDC. For use with WEG CFW500 series B and C frame AC drives.	Stock	\$62.00
<u>ACG-N1E</u>	IronHorse ACG series conduit box, NEMA 1. For use with ACG series E frame AC drives. Mounting hardware included.	Stock	\$76.00
<u>ACG-N1F</u>	IronHorse ACG series conduit box, NEMA 1. For use with ACG series F frame AC drives. Mounting hardware included.	Stock	\$83.00
<u>14391151</u>	WEG Electric CFW500 series main cooling fan, replacement, 60 x 60 x 25.4mm, 24 VDC. For use with WEG CFW500D28P0T2DB20G2 drive.	Stock	\$65.00
<u>12852366</u>	WEG Electric CFW500 series main cooling fan, replacement, 60 x 60 x 38mm, 24 VDC. For use with WEG CFW500D47P0T2DB20G2 drive.	Stock	\$283.00
<u>ACG-FAN-A</u>	IronHorse ACG series main cooling fan, replacement, 40 x 40 x 15mm, 24 VDC. For use with ACG series 1/2hp - 1hp AC drives.	Stock	\$9.00
<u>ACG-FAN-BC</u>	IronHorse ACG series main cooling fan, replacement, 60 x 60 x 25mm, 24 VDC. For use with ACG series 2hp - 5hp AC drives.	Stock	\$9.00
<u>14391152</u>	WEG Electric CFW500 series main cooling fan, replacement, 60 x 60 x 25.4mm, 24 VDC. For use with WEG CFW500D24P0T4DB20G2 drive.	Stock	\$65.00

<u>12852367</u>	WEG Electric CFW500 series main cooling fan, replacement, 60 x 60 x 38mm, 24 VDC. For use with WEG CFW500D31P0T4DB20G2 drive.	Stock	\$215.00
<u>ACG-FAN-D</u>	IronHorse ACG series main cooling fan, replacement, 60 x 60 x 25mm, 24 VDC. For use with ACG series 7-1/2hp - 10hp AC drives.	Stock	\$20.00
<u>ACG-FAN-E15</u>	IronHorse ACG series main cooling fan, replacement, 80 x 80 x 25mm, 24 VDC. For use with ACG series 15hp AC drives.	Stock	\$44.00
<u>13770165</u>	WEG Electric CFW500 series main cooling fan, replacement, 80 x 80 x 38mm, 24 VDC. For use with WEG CFW500 series E frame AC drives.	Stock	\$257.00
<u>15245117</u>	WEG Electric CFW500 series main cooling fan, replacement, 80 x 80 x 38mm, 24 VDC. For use with WEG CFW500 series F frame AC drives.	Stock	\$247.00
<u>ACG-FAN-E20F</u>	IronHorse ACG series main cooling fan, replacement, 92 x 92 x 38mm, 24 VDC. For use with ACG series 20hp - 30hp AC drives.	Stock	\$74.00
<u>12295730</u>	WEG Electric CFW500 series main cooling fan, replacement, 150 x 172 x 51mm, 24 VDC. For use with WEG CFW500 series G frame 75hp AC drives.	Stock	\$334.00
<u>ACN-LCD</u>	IronHorse ACN series remote keypad, for use with IronHorse ACN series drives. Requires ACN-3MRC or ACN-LCDKM keypad mounts.	Stock	\$74.00
<u>ACN-LCDKM</u>	IronHorse ACN series keypad mount, NEMA 4X. For use with ACN-LCD remote keypad. (1) 9.8ft/3m Ethernet patch cable included.	Stock	\$124.00
<u>12295732</u>	WEG Electric CFW500 series main cooling fan, replacement, 150 x 172 x 51mm, 48 VDC. For use with WEG CFW500 series G frame 100hp and 150hp AC drives.	Stock	\$596.00
<u>15746587</u>	WEG Electric CFW500 series main cooling fan, replacement, 60 x 60 x 25mm, 12 VDC. For use with WEG CFW500 series IP66 230 VAC 7-1/2hp and below, 460 VAC 10hp and below AC drives.	Stock	\$62.00
<u>ACN-3MRC</u>	IronHorse ACN series keypad mount, for use with ACN-LCD remote keypad. (1) 9.8ft/3m Ethernet patch cable included.	Stock	\$27.00
<u>ACN-232C</u>	IronHorse programming/communication cable, 3.2ft/1m cable length, RS-232 (RJ45 8P8C) to USB A. For use with IronHorse ACN series drives.	Stock	\$173.00
<u>15746630</u>	WEG Electric CFW500 series main cooling fan, replacement, 60 x 60 x 38mm, 24 VDC. For use with WEG CFW500 series IP66 230 VAC 10hp, 460 VAC 15hp and 20hp AC drives.	Stock	\$106.00
<u>ACN-FAN-FR3</u>	IronHorse ACN series main cooling fan, replacement, 60 x 60 x 25mm, 24 VDC. For use with ACN series 7-1/2hp - 10hp AC drives.	Stock	\$42.00
<u>11636485</u>	WEG Electric CFW500 series flash memory module, for use with WEG CFW500 series AC drives.	Stock	\$97.00
<u>11833992</u>	WEG Electric CFW500 series remote serial HMI keypad, for use with WEG CFW500 series AC drives. Mounting hardware included.	Stock	\$86.00
<u>ACN-FAN-FR45</u>	IronHorse ACN series main cooling fan, replacement, 80 x 80 x 25mm, 24 VDC. For use with ACN series 15hp - 30hp AC drives.	Stock	\$83.00
<u>12330016</u>	WEG Electric keypad mounting cable, 3.2ft/1m cable length. For use with WEG CFW500 series drive keypads.	Stock	\$12.00
<u>12330460</u>	WEG Electric keypad mounting cable, 9.8ft/3m cable length. For use with WEG CFW500 series drive keypads.	Stock	\$21.00
<u>12330461</u>	WEG Electric keypad mounting cable, 16.4ft/5m cable length. For use with WEG CFW500 series drive keypads.	Stock	\$26.00
<u>12330463</u>	WEG Electric keypad mounting cable, 32.8ft/10m cable length. For use with WEG CFW500 series drive keypads.	Stock	\$37.00
<u>15578295</u>	WEG Electric CFW500 series remote advanced text HMI keypad, for use with WEG CFW500 series AC drives. Mounting hardware included.	Stock	\$104.00
<u>15578297</u>	WEG Electric CFW500 series frame assembly, NEMA 12. For use with WEG CFW500 series advanced text keypad. Mounting hardware included.	Stock	\$13.00
<u>11527460</u>	WEG Electric CFW500 series conduit box, NEMA 1. For use with WEG CFW500 series A frame AC drives. Mounting hardware included.	Stock	\$14.00
<u>11527459</u>	WEG Electric CFW500 series conduit box, NEMA 1. For use with WEG CFW500 series B frame AC drives. Mounting hardware included.	Stock	\$16.50
<u>12133824</u>	WEG Electric CFW500 series conduit box, NEMA 1. For use with WEG CFW500 series C frame AC drives. Mounting hardware included.	Stock	\$22.50
<u>12692970</u>	WEG Electric CFW500 series conduit box, NEMA 1. For use with WEG CFW500 series D frame AC drives. Mounting hardware included.	Stock	\$30.00
<u>13104601</u>	WEG Electric CFW500 series conduit box, NEMA 1. For use with WEG CFW500 series E frame AC drives. Mounting hardware included.	Stock	\$33.00
<u>14601107</u>	WEG Electric CFW500 series conduit box, NEMA 1. For use with WEG CFW500 series F frame AC drives. Mounting hardware included.	Stock	\$84.00
<u>15461789</u>	WEG Electric CFW500 series conduit box, NEMA 1. For use with WEG CFW500 series G frame AC drives. Mounting hardware included.	Stock	\$106.00
<u>11951056</u>	WEG Electric CFW500 series cable clamp, for use with WEG CFW500 series A frame AC drives. Mounting hardware included. Allows for strain relief clamping of power and motor leads at the drive.	Stock	\$21.00
<u>11951108</u>	WEG Electric CFW500 series cable clamp, for use with WEG CFW500 series B frame AC drives. Mounting hardware included. Allows for strain relief clamping of power and motor leads at the drive.	Stock	\$22.50

<u>12133826</u>	WEG Electric CFW500 series cable clamp, for use with WEG CFW500 series C frame AC drives. Mounting hardware included. Allows for strain relief clamping of power and motor leads at the drive.	Stock	\$23.50
<u>12692971</u>	WEG Electric CFW500 series cable clamp, for use with WEG CFW500 series D frame AC drives. Mounting hardware included. Allows for strain relief clamping of power and motor leads at the drive.	Stock	\$26.00
<u>13055389</u>	WEG Electric CFW500 series cable clamp, for use with WEG CFW500 series E frame AC drives. Mounting hardware included. Allows for strain relief clamping of power and motor leads at the drive.	Stock	\$33.00
<u>14601158</u>	WEG Electric CFW500 series cable clamp, for use with WEG CFW500 series F frame AC drives. Mounting hardware included. Allows for strain relief clamping of power and motor leads at the drive.	Stock	\$72.00
<u>15461788</u>	WEG Electric CFW500 series cable clamp, for use with WEG CFW500 series G frame AC drives. Mounting hardware included. Allows for strain relief clamping of power and motor leads at the drive.	Stock	\$89.00
<u>CFW100-IOP</u>	WEG Electric CFW100 series speed potentiometer module, enclosed, IP20, plastic housing. For use with WEG CFW100 series AC drives.	Stock	\$44.50
<u>CFW300-FAN-A</u>	WEG Electric CFW300 series main cooling fan, replacement, 50 x 50 x 15mm, 12 VDC. For use with WEG CFW300 and CFW320 series frame A drives.	Stock	\$35.50
<u>CFW300-FAN-B</u>	WEG Electric CFW300 series main cooling fan, replacement, 50 x 50 x 15mm, 12 VDC. For use with WEG CFW300 and CFW320 series frame B 230 VAC drives.	Stock	\$35.50
<u>CFW300-KHMIR</u>	WEG Electric CFW300 series remote serial HMI keypad, for use with WEG CFW300 series AC drives. (1) CFW300-CRS485 communication module, (1) 9.8ft/3m miniB-USB to miniB-USB cable and installation hardware for optional panel mounting included.	Stock	\$130.00
<u>CFW320-KHMIR</u>	WEG Electric CFW320 series remote serial HMI keypad, for use with WEG CFW320 series AC drives. (1) CFW320-CRS485 communication module, (1) 9.8ft/3m miniB-USB to miniB-USB cable and installation hardware for optional panel mounting included.	Stock	\$136.00
<u>MMF-UDRIVES</u>	WEG Electric CFW320 series flash memory module, for use with WEG CFW100, CFW300 and CFW320 series AC drives. (1) 3.2ft/1m miniB-USB cable included.	Stock	\$112.00
<u>CFW300-FAN-B-T4</u>	WEG Electric CFW320 series main cooling fan, replacement, 50 x 50 x 15mm, 12 VDC. For use with WEG CFW320 series frame B 460 VAC drives.	Stock	\$27.00
<u>CFW300-FAN-C</u>	WEG Electric CFW320 series main cooling fan, replacement, 50 x 50 x 15mm, 12 VDC. For use with WEG CFW320 series frame C 460 VAC drives.	Stock	\$40.00
<u>CFW100-KHMIR</u>	WEG Electric CFW100 series remote serial HMI keypad, for use with WEG CFW100 series AC drives. (1) CFW100-CRS485 communication module and (1) 9.8ft/3m miniB-USB to miniB-USB cable included.	Stock	\$125.00
<u>PLMP</u>	WEG Electric CFW100 series panel mounting tabs, for use with WEG CFW100 series AC drives and CFW100-KFABC EMI input filter. Mounting hardware included.	Stock	\$1.00
<u>SBP010Z</u>	Toshiba AS3 series keypad mount, for use with Toshiba AS3 series drive keypads. Mounting hardware included. Requires Ethernet (RJ45) cable.	Stock	\$79.00
<u>NEM1306Z</u>	Toshiba AS3 series conduit box, NEMA 1. For use with Toshiba AS3 series A6 frame AC drives. Mounting hardware included.	Stock	\$1,147.00
<u>NEM1112Z</u>	Toshiba AS3 series conduit box, NEMA 1. For use with Toshiba AS3 series A7 frame AC drives. Mounting hardware included.	Stock	\$853.00
<u>NEM1113Z</u>	Toshiba AS3 series conduit box, NEMA 1. For use with Toshiba AS3 series A8 frame AC drives. Mounting hardware included.	Stock	\$1,151.00
<u>GSOFT2</u>	GSOFT2 Windows configuration software, USB or free download. For use with DURApulse GS4, GS10, GS20, GS20X and GS30 series AC drives. Requires PC serial port or USB-485M serial adapter.	Stock	\$10.50
<u>GSLOGIC</u>	GSLOGIC Windows logic software, USB or free download. For use with DURApulse GS4, GS20, GS20X and GS30 series AC drives. Requires PC serial port or USB-485M serial adapter.	Stock	\$10.50
<u>CFW-WPS</u>	WEG Electric Windows configuration software, USB or free download. For use with all WEG CFW series AC drives and SSW07 and SSW900 series soft starters. Requires PC USB or RJ45 port and corresponding communication module for CFW or SSW series products.	Stock	\$10.50
<u>ACN-VFDS</u>	IronHorse Windows configuration and programming software, USB or free download. For use with IronHorse ACG and ACN series drives. Requires PC serial port, USB-RS232-1 or USB-485M serial adapters.	Stock	\$9.25
<u>ASD-PRO</u>	Toshiba AS3 series Windows configuration software, free download only. For use with Toshiba AS3 series AC drives. Requires USB-485M serial adapter or Ethernet.	Stock	\$0.00
<u>GSOFT</u>	GSOFT Windows configuration software, free download only. For use with GS1, GS2 and DURApulse GS3 series AC drives. Requires PC serial port, USB-485M serial adapters for GS1 and GS3 or USB-RS232-1 or GS-232CBL programming cable for GS2.	Stock	\$0.00
<u>GS3-BZL</u>	DURApulse GS3 series bezel, for use with GS3 series AC drives. Mounting hardware included.	Stock	\$16.00
<u>GS-FAN-1</u>	DURApulse GS3 series main cooling fan, replacement, 50 x 50 x 15mm, 12 VDC. For use with GS3-43P0 AC drive. Electrical connector included.	Stock	\$27.50
<u>GS-FAN-2</u>	DURApulse GS3 series main cooling fan, replacement, 60 x 60 x 25.4mm, 12 VDC. For use with multiple AC drives. Electrical connector included.	Stock	\$30.00
<u>GS-FAN-5</u>	DURApulse GS3 series main cooling fan, replacement, 120 x 120 x 38mm, 24 VDC. For use with multiple AC drives. Electrical connector included.	Stock	\$111.00
Line Reactors and Output Filters for AC Variable Frequency Drives			
<u>LR2-10P2-1PH-A</u>	AutomationDirect LR2 series line reactor, 110 VAC, 1/4hp, 1-phase, 10A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$87.00

<u>LR2-10P5-1PH-A</u>	AutomationDirect LR2 series line reactor, 110 VAC, 1/2hp, 1-phase, 12A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$102.00
<u>LR2-11P0-1PH</u>	AutomationDirect LR2 series line reactor, 110 VAC, 1hp, 1-phase, 16.7A, 5% impedance, input side only. For use with multiple AC drives.	Stock	\$207.00
<u>LR2-11P5-1PH</u>	AutomationDirect LR2 series line reactor, 110 VAC, 1-1/2hp, 1-phase, 34A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$221.00
<u>LR2-20P2-1PH</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1/4hp, 1-phase, 3.4A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$84.00
<u>LR2-20P2</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1/4hp, 3-phase, 3A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$83.00
<u>LR2-20P5-1PH</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1/2hp, 1-phase, 6.2A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$100.00
<u>LR2-20P5</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1/2hp, 3-phase, 4.8A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$100.00
<u>LR2-20P7</u>	AutomationDirect LR2 series line reactor, 230 VAC, 3/4hp, 3-phase, 7.6A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$102.00
<u>LR-21P0-1PH</u>	AutomationDirect LR series line reactor, 110 VAC, 1/3hp, 1-phase, 8A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$78.00
<u>LR2-21P0-1PH-A</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1hp, 1-phase, 11.6A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$112.00
<u>LR2-21P0</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1hp, 3-phase, 11A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$114.00
<u>LR2-21P5-1PH-A</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1-1/2hp, 1-phase, 11.6A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$114.00
<u>LR2-21P5</u>	AutomationDirect LR2 series line reactor, 230 VAC, 1-1/2hp, 3-phase, 11A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$114.00
<u>LR-22P0-1PH</u>	AutomationDirect LR series line reactor, 110 VAC, 1/2hp, 1-phase, 12A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$86.00
<u>LR2-22P0-1PH</u>	AutomationDirect LR2 series line reactor, 230 VAC, 2hp, 1-phase, 16.7A, 5% impedance, input side only. For use with multiple AC drives.	Stock	\$202.00
<u>LR2-22P0</u>	AutomationDirect LR2 series line reactor, 230 VAC, 2hp, 3-phase, 11A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$115.00
<u>LR2-23P0-1PH</u>	AutomationDirect LR2 series line reactor, 230 VAC, 3hp, 1-phase, 19A, 3% impedance, input side only. For use with multiple AC drives.	Stock	\$124.00
<u>LR2-23P0</u>	AutomationDirect LR2 series line reactor, 230 VAC, 3hp, 3-phase, 12A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$102.00
<u>LR-25P0</u>	AutomationDirect LR series line reactor, 230 VAC, 5hp, 3-phase, 16.7A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$194.00
<u>LR-27P5</u>	AutomationDirect LR series line reactor, 230 VAC, 7-1/2hp, 3-phase, 24.2A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$206.00
<u>LR-2010</u>	AutomationDirect LR series line reactor, 230 VAC, 10hp, 3-phase, 30.8A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$242.00
<u>LR-2015</u>	AutomationDirect LR series line reactor, 230 VAC, 15hp, 3-phase, 46.2A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$285.00
<u>LR-2020</u>	AutomationDirect LR series line reactor, 230 VAC, 20hp, 3-phase, 59.4A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$312.00
<u>LR-2025</u>	AutomationDirect LR series line reactor, 230 VAC, 25hp, 3-phase, 74.8A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$460.00
<u>LR-2030</u>	AutomationDirect LR series line reactor, 230 VAC, 30hp, 3-phase, 88A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$490.00
<u>LR-2040</u>	AutomationDirect LR series line reactor, 230 VAC, 40hp, 3-phase, 114A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$574.00
<u>LR-2050</u>	AutomationDirect LR series line reactor, 230 VAC, 50hp, 3-phase, 143A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$670.00
<u>LR-2060</u>	AutomationDirect LR series line reactor, 230 VAC, 60hp, 3-phase, 169A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$745.00
<u>LR-2075</u>	AutomationDirect LR series line reactor, 230 VAC, 75hp, 3-phase, 211A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$766.00
<u>LR-2100</u>	AutomationDirect LR series line reactor, 230 VAC, 100hp, 3-phase, 273A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$843.00
<u>LR2-40P2</u>	AutomationDirect LR2 series line reactor, 460 VAC, 1/4hp, 3-phase, 0.7A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$60.00
<u>LR2-40P3</u>	AutomationDirect LR2 series line reactor, 460 VAC, 1/3hp, 3-phase, 0.8A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$66.00

<u>LR2-40P5</u>	AutomationDirect LR2 series line reactor, 460 VAC, 1/2hp, 3-phase, 1.1A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$67.00
<u>LR2-40P7</u>	AutomationDirect LR2 series line reactor, 460 VAC, 3/4hp, 3-phase, 1.6A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$67.00
<u>LR2-41P0</u>	AutomationDirect LR2 series line reactor, 460 VAC, 1hp, 3-phase, 2.1A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$68.00
<u>LR2-41P5</u>	AutomationDirect LR2 series line reactor, 460 VAC, 1-1/2hp, 3-phase, 3A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$82.00
<u>LR2-42P0</u>	AutomationDirect LR2 series line reactor, 460 VAC, 2hp, 3-phase, 3.4A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$83.00
<u>LR2-43P0</u>	AutomationDirect LR2 series line reactor, 460 VAC, 3hp, 3-phase, 4.8A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$99.00
<u>LR2-44P0</u>	AutomationDirect LR2 series line reactor, 460 VAC, 4hp, 3-phase, 6.2A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$101.00
<u>LR2-45P0</u>	AutomationDirect LR2 series line reactor, 460 VAC, 5hp, 3-phase, 7.6A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$101.00
<u>LR2-47P5</u>	AutomationDirect LR2 series line reactor, 460 VAC, 7-1/2hp, 3-phase, 11A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$115.00
<u>LR2-4010</u>	AutomationDirect LR2 series line reactor, 460 VAC, 10hp, 3-phase, 14A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$116.00
<u>LR-4015</u>	AutomationDirect LR series line reactor, 460 VAC, 15hp, 3-phase, 21A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$237.00
<u>LR-4020</u>	AutomationDirect LR series line reactor, 460 VAC, 20hp, 3-phase, 27A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$276.00
<u>LR-4025</u>	AutomationDirect LR series line reactor, 460 VAC, 25hp, 3-phase, 34A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$290.00
<u>LR-4030</u>	AutomationDirect LR series line reactor, 460 VAC, 30hp, 3-phase, 40A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$347.00
<u>LR-4040</u>	AutomationDirect LR series line reactor, 460 VAC, 40hp, 3-phase, 52A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$382.00
<u>LR-4050</u>	AutomationDirect LR series line reactor, 460 VAC, 50hp, 3-phase, 65A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$448.00
<u>LR-4060</u>	AutomationDirect LR series line reactor, 460 VAC, 60hp, 3-phase, 77A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$462.00
<u>LR-4075</u>	AutomationDirect LR series line reactor, 460 VAC, 75hp, 3-phase, 96A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$700.00
<u>LR-4100</u>	AutomationDirect LR series line reactor, 460 VAC, 100hp, 3-phase, 124A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$840.00
<u>LR-4125</u>	AutomationDirect LR series line reactor, 460 VAC, 125hp, 3-phase, 156A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$962.00
<u>LR-4150</u>	AutomationDirect LR series line reactor, 460 VAC, 150hp, 3-phase, 180A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$1,114.00
<u>LR-4200</u>	AutomationDirect LR series line reactor, 460 VAC, 200hp, 3-phase, 240A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$1,238.00
<u>LR-4250</u>	AutomationDirect LR series line reactor, 460 VAC, 250hp, 3-phase, 302A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$1,403.00
<u>LR-4300</u>	AutomationDirect LR series line reactor, 460 VAC, 300hp, 3-phase, 361A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$1,546.00
<u>LR2-51P0</u>	AutomationDirect LR2 series line reactor, 600 VAC, 1hp, 3-phase, 1.7A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$80.00
<u>LR2-51P5</u>	AutomationDirect LR2 series line reactor, 600 VAC, 1-1/2hp, 3-phase, 2.4A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$96.00
<u>LR2-52P0</u>	AutomationDirect LR2 series line reactor, 600 VAC, 2hp, 3-phase, 2.7A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$97.00
<u>LR2-53P0</u>	AutomationDirect LR2 series line reactor, 600 VAC, 3hp, 3-phase, 3.9A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$99.00
<u>LR2-54P0</u>	AutomationDirect LR2 series line reactor, 600 VAC, 4hp, 3-phase, 4.9A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$105.00
<u>LR2-55P0</u>	AutomationDirect LR2 series line reactor, 600 VAC, 5hp, 3-phase, 6.1A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$113.00
<u>LR2-57P5</u>	AutomationDirect LR2 series line reactor, 600 VAC, 7-1/2hp, 3-phase, 9A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$113.00
<u>LR2-5010</u>	AutomationDirect LR2 series line reactor, 600 VAC, 10hp, 3-phase, 11A, 3% impedance, input or output side. For use with multiple AC drives.	Stock	\$115.00

<u>LR2-DR1</u>	AutomationDirect LR2 series DIN rail adapter, for use with LR2-20P2-1PH, LR2-20P2, LR-20P5, LR2-40xx to LR2-43xx, and LR2-51xx to LR2-52xx line reactors. Clips and mounting hardware included. Allows specified LR2 reactors to be mounted on 35mm DIN rail.	Stock	\$25.00
<u>LR2-DR2</u>	AutomationDirect LR2 series DIN rail adapter, for use with LR2-20P5-1PH, LR2-20P7, LR2-21xx to LR2-22xx, LR2-44xx to LR2-47xx, and LR2-53xx to LR2-57xx line reactors. Adapter and mounting hardware included. Allows specified LR2 reactors to be mounted on 35mm DIN rail.	Stock	\$38.00
<u>LR2-AP1</u>	AutomationDirect LR2 series adapter plate, for use with LR2-20P2-1PH, LR2-20P2, LR-20P5, LR2-40xx to LR2-43xx, and LR2-51xx to LR2-52xx line reactors. Adapter and mounting hardware included. Allows specified LR2 reactors to be panel mounted.	Stock	\$25.00
<u>LR2-AP2</u>	AutomationDirect LR2 series adapter plate, for use with LR2-20P2-1PH, LR2-20P2, LR-20P5, LR2-40xx to LR2-43xx, and LR2-51xx to LR2-52xx line reactors. Adapter and mounting hardware included. Allows specified LR2 reactors to be panel mounted.	Stock	\$25.00
<u>VTF-46-DE</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 3/4hp at 460 VAC and 1hp at 575 VAC, 3-phase, 2A, output side only. For use with multiple AC drives.	Stock	\$368.00
<u>VTF-246-CFG</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 1/2hp at 208/230 VAC, 1-1/2hp at 460 VAC and 2hp at 575 VAC, 3-phase, 3A, output side only. For use with multiple AC drives.	Stock	\$374.00
<u>VTF-246-CFG-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 1/2hp at 208/230 VAC, 1-1/2hp at 460 VAC and 2hp at 575 VAC, UL Type 1, 3-phase, 3A, output side only. For use with multiple AC drives.	Stock	\$578.00
<u>VTF-246-DGH</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 3/4hp at 208/230 VAC, 2hp at 460 VAC and 3hp at 575 VAC, 3-phase, 4A, output side only. For use with multiple AC drives.	Stock	\$378.00
<u>VTF-24-FH</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 1hp at 208 VAC, 1-1/2hp at 230 VAC and 3hp at 460 VAC, 3-phase, 6A, output side only. For use with multiple AC drives.	Stock	\$387.00
<u>VTF-24-FH-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 1hp at 208 VAC, 1-1/2hp at 230 VAC and 3hp at 460 VAC, UL Type 1, 3-phase, 6A, output side only. For use with multiple AC drives.	Stock	\$591.00
<u>VTF-246-GJJ</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 2hp at 208/230 VAC and 5hp at 460/575 VAC, 3-phase, 8A, output side only. For use with multiple AC drives.	Stock	\$394.00
<u>VTF-246-GJJ-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 2hp at 208/230 VAC and 5hp at 460/575 VAC, UL Type 1, 3-phase, 8A, output side only. For use with multiple AC drives.	Stock	\$605.00
<u>VTF-246-HKL</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 3hp at 208/230 VAC, 7-1/2hp at 460 VAC and 10hp at 575 VAC, 3-phase, 12A, output side only. For use with multiple AC drives.	Stock	\$408.00
<u>VTF-246-HKL-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 3hp at 208/230 VAC, 7-1/2hp at 460 VAC and 10hp at 575 VAC, UL Type 1, 3-phase, 12A, output side only. For use with multiple AC drives.	Stock	\$632.00
<u>VTF-24-JL</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 5hp at 230 VAC and 10hp at 460 VAC, 3-phase, 16A, output side only. For use with multiple AC drives.	Stock	\$394.00
<u>VTF-46-LM</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 5hp at 208 VAC, 10hp at 460 VAC and 15hp at 575 VAC, 3-phase, 18A, output side only. For use with multiple AC drives.	Stock	\$492.00
<u>VTF-46-LM-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 5hp at 208 VAC, 10hp at 460 VAC and 15hp at 575 VAC, UL Type 1, 3-phase, 18A, output side only. For use with multiple AC drives.	Stock	\$665.00
<u>VTF-4-M</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 15hp at 460 VAC, 3-phase, 21A, output side only. For use with multiple AC drives.	Stock	\$501.00
<u>VTF-246-KMN</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 7-1/2hp at 208/230 VAC, 15hp at 460 VAC and 20hp at 575 VAC, 3-phase, 25A, output side only. For use with multiple AC drives.	Stock	\$525.00
<u>VTF-246-KMN-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 7-1/2hp at 208/230 VAC, 15hp at 460 VAC and 20hp at 575 VAC, UL Type 1, 3-phase, 25A, output side only. For use with multiple AC drives.	Stock	\$705.00
<u>VTF-46-NP</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 20hp at 460 VAC and 25hp at 575 VAC, 3-phase, 27A, output side only. For use with multiple AC drives.	Stock	\$536.00
<u>VTF-46-NP-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 20hp at 460 VAC and 25hp at 575 VAC, UL Type 1, 3-phase, 27A, output side only. For use with multiple AC drives.	Stock	\$717.00
<u>VTF-246-LPO</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 10hp at 208/230 VAC, 25hp at 460 VAC and 30hp at 575 VAC, 3-phase, 35A, output side only. For use with multiple AC drives.	Stock	\$569.00
<u>VTF-246-LPO-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 10hp at 208/230 VAC, 25hp at 460 VAC and 30hp at 575 VAC, UL Type 1, 3-phase, 35A, output side only. For use with multiple AC drives.	Stock	\$731.00
<u>VTF-246-MQR</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 15hp at 230 VAC, 30hp at 460 VAC and 40hp at 575 VAC, 3-phase, 45A, output side only. For use with multiple AC drives.	Stock	\$591.00
<u>VTF-246-MQR-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 15hp at 230 VAC, 30hp at 460 VAC and 40hp at 575 VAC, UL Type 1, 3-phase, 45A, output side only. For use with multiple AC drives.	Stock	\$754.00
<u>VTF-246-NRS</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 15hp at 208 VAC, 20hp at 230 VAC, 40hp at 460 VAC and 50hp at 575 VAC, 3-phase, 55A, output side only. For use with multiple AC drives.	Stock	\$611.00
<u>VTF-246-NRS-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 15hp at 208 VAC, 20hp at 230 VAC, 40hp at 460 VAC and 50hp at 575 VAC, UL Type 1, 3-phase, 55A, output side only. For use with multiple AC drives.	Stock	\$821.00
<u>VTF-246-PSU</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 20hp at 208 VAC, 30hp at 230 VAC, 60hp at 460 VAC and 75hp at 575 VAC, 3-phase, 80A, output side only. For use with multiple AC drives.	Stock	\$834.00
<u>VTF-246-PSU-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 20hp at 208 VAC, 30hp at 230 VAC, 60hp at 460 VAC and 75hp at 575 VAC, UL Type 1, 3-phase, 80A, output side only. For use with multiple AC drives.	Stock	\$1,071.00

<u>VTF-246-RUV</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 30hp at 208 VAC, 40hp at 230 VAC, 75hp at 460 VAC and 100hp at 575 VAC, 3-phase, 110A, output side only. For use with multiple AC drives.	Stock	\$1,012.00
<u>VTF-246-RUV-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 30hp at 208 VAC, 40hp at 230 VAC, 75hp at 460 VAC and 100hp at 575 VAC, UL Type 1, 3-phase, 110A, output side only. For use with multiple AC drives.	Stock	\$1,331.00
<u>VTF-246-SVW</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 40hp at 208 VAC, 50hp at 230 VAC, 100hp at 460 VAC and 125hp at 575 VAC, 3-phase, 130A, output side only. For use with multiple AC drives.	Stock	\$1,181.00
<u>VTF-246-SVW-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 40hp at 208 VAC, 50hp at 230 VAC, 100hp at 460 VAC and 125hp at 575 VAC, UL Type 1, 3-phase, 130A, output side only. For use with multiple AC drives.	Stock	\$1,655.00
<u>VTF-246-TWX</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 60hp at 230 VAC, 125hp at 460 VAC and 150hp at 575 VAC, open frame, 3-phase, 160A, output side only. For use with multiple AC drives.	Stock	\$1,303.00
<u>VTF-246-TWX-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 60hp at 230 VAC, 125hp at 460 VAC and 150hp at 575 VAC, UL Type 1, 3-phase, 160A, output side only. For use with multiple AC drives.	Stock	\$1,777.00
<u>VTF-246-UXY</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 75hp at 230 VAC, 150hp at 460 VAC and 200hp at 575 VAC, open frame, 3-phase, 200A, output side only. For use with multiple AC drives.	Stock	\$1,420.00
<u>VTF-246-UXY-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 75hp at 230 VAC, 150hp at 460 VAC and 200hp at 575 VAC, UL Type 1, 3-phase, 200A, output side only. For use with multiple AC drives.	Stock	\$1,851.00
<u>VTF-246-VYZ</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 100hp at 230 VAC, 200hp at 460 VAC and 250hp at 575 VAC, open frame, 3-phase, 250A, output side only. For use with multiple AC drives.	Stock	\$1,458.00
<u>VTF-246-VYZ-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 100hp at 230 VAC, 200hp at 460 VAC and 250hp at 575 VAC, UL Type 1, 3-phase, 250A, output side only. For use with multiple AC drives.	Stock	\$1,887.00
<u>VTF-46-ZI</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 250hp at 460 VAC and 300hp at 575 VAC, open frame, 3-phase, 305A, output side only. For use with multiple AC drives.	Stock	\$1,584.00
<u>VTF-46-ZI-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 250hp at 460 VAC and 300hp at 575 VAC, UL Type 1, 3-phase, 305A, output side only. For use with multiple AC drives.	Stock	\$1,898.00
<u>VTF-246-XIO</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 150hp at 230 VAC, 300hp at 460 VAC and 350hp at 575 VAC, open frame, 3-phase, 362A, output side only. For use with multiple AC drives.	Stock	\$1,816.00
<u>VTF-246-XIO-N1</u>	AutomationDirect VTF series drive output filter, 208-600 VAC, 150hp at 230 VAC, 300hp at 460 VAC and 350hp at 575 VAC, UL Type 1, 3-phase, 362A, output side only. For use with multiple AC drives.	Stock	\$2,113.00

Braking Units and Resistors for AC Variable Frequency Drives

<u>GS-1DBU</u>	DURApulse dynamic braking unit, 15 kW, 230 VAC, IP50, built-in temperature switch. For use with DURApulse AC drives.	Stock	\$303.00
<u>GS-2DBU</u>	DURApulse dynamic braking unit, 22 kW, 230 VAC, IP50, built-in temperature switch. For use with DURApulse AC drives.	Stock	\$303.00
<u>GS-3DBU</u>	DURApulse dynamic braking unit, 30 kW, 460 VAC, IP50, built-in temperature switch. For use with DURApulse AC drives.	Stock	\$395.00
<u>GS-4DBU</u>	DURApulse dynamic braking unit, 45 kW, 460 VAC, IP50, built-in temperature switch. For use with DURApulse AC drives.	Stock	\$484.00
<u>GS-5DBU</u>	DURApulse dynamic braking unit, 110 kW, 460 VAC, IP10, built-in temperature switch. For use with DURApulse AC drives.	Stock	\$1,644.00
<u>GS-6DBU</u>	DURApulse dynamic braking unit, 160 kW, 460 VAC, IP10, built-in temperature switch. For use with DURApulse AC drives.	Stock	\$1,710.00
<u>GS-7DBU</u>	DURApulse dynamic braking unit, 185 kW, 460 VAC, IP10, built-in temperature switch. For use with DURApulse AC drives.	Stock	\$1,949.00
<u>GS-BR-080W200</u>	AutomationDirect braking resistor, 80W, 200 ohm, encapsulated. For use with multiple AC drives.	Stock	\$17.00
<u>GS-BR-080W750</u>	AutomationDirect braking resistor, 80W, 750 ohm, encapsulated. For use with multiple AC drives.	Stock	\$20.00
<u>GS-BR-200W091</u>	AutomationDirect braking resistor, 200W, 91 ohm, encapsulated. For use with multiple AC drives.	Stock	\$39.00
<u>GS-BR-200W360</u>	AutomationDirect braking resistor, 200W, 360 ohm, encapsulated. For use with multiple AC drives.	Stock	\$39.00
<u>GS-BR-300W070</u>	AutomationDirect braking resistor, 300W, 70 ohm, encapsulated. For use with multiple AC drives.	Stock	\$47.00
<u>GS-BR-300W250</u>	AutomationDirect braking resistor, 300W, 250 ohm, encapsulated. For use with multiple AC drives.	Stock	\$44.00
<u>GS-BR-300W400</u>	AutomationDirect braking resistor, 300W, 400 ohm, encapsulated. For use with multiple AC drives.	Stock	\$37.00
<u>GS-BR-400W040</u>	AutomationDirect braking resistor, 400W, 40 ohm, encapsulated. For use with multiple AC drives.	Stock	\$56.00
<u>GS-BR-400W150</u>	AutomationDirect braking resistor, 400W, 150 ohm, encapsulated. For use with multiple AC drives.	Stock	\$53.00
<u>GS-BR-500W100</u>	AutomationDirect braking resistor, 500W, 100 ohm, encapsulated. For use with multiple AC drives.	Stock	\$45.00
<u>GS-BR-750W140</u>	AutomationDirect braking resistor, 750W, 140 ohm, encapsulated. For use with multiple AC drives.	Stock	\$79.00
<u>GS-BR-1K0W016</u>	AutomationDirect braking resistor, 1 kW, 16 ohm, encapsulated. For use with multiple AC drives.	Stock	\$124.00
<u>GS-BR-1K0W020</u>	AutomationDirect braking resistor, 1 kW, 20 ohm, encapsulated. For use with multiple AC drives.	Stock	\$124.00

GS-BR-1K0W075	AutomationDirect braking resistor, 1 kW, 75 ohm, encapsulated. For use with multiple AC drives.	Stock	\$124.00
GS-BR-1K0W4P3	AutomationDirect braking resistor, 1 kW, 4.3 ohm, encapsulated. For use with multiple AC drives.	Stock	\$124.00
GS-BR-1K0W5P1	AutomationDirect braking resistor, 1 kW, 5.1 ohm, encapsulated. For use with multiple AC drives.	Stock	\$124.00
GS-BR-1K2W015	AutomationDirect braking resistor, 1.2 kW, 15 ohm, encapsulated. For use with multiple AC drives.	Stock	\$137.00
GS-BR-1K2W3P9	AutomationDirect braking resistor, 1.2 kW, 3.9 ohm, encapsulated. For use with multiple AC drives. Requires GS-2DBU external braking unit.	Stock	\$137.00
GS-BR-1K5W012	AutomationDirect braking resistor, 1.5 kW, 12 ohm, encapsulated. For use with multiple AC drives.	Stock	\$162.00
GS-BR-1K5W013	AutomationDirect braking resistor, 1.5 kW, 13 ohm, encapsulated. For use with multiple AC drives.	Stock	\$162.00
GS-BR-1K5W040	AutomationDirect braking resistor, 1.5 kW, 40 ohm, encapsulated. For use with multiple AC drives.	Stock	\$144.00
GS-BR-1K5W043	AutomationDirect braking resistor, 1.5 kW, 43 ohm, encapsulated. For use with multiple AC drives.	Stock	\$162.00
GS-BR-1K5W3P3	AutomationDirect braking resistor, 1.5 kW, 3.3 ohm, encapsulated. For use with multiple AC drives.	Stock	\$162.00
BR-N1-240W150	Crohms braking resistor, 240W, 150 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$156.00
BR-N1-240W200	Crohms braking resistor, 240W, 200 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$156.00
BR-N1-240W250	Crohms braking resistor, 240W, 250 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$156.00
BR-N1-250W400	Crohms braking resistor, 250W, 400 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$156.00
BR-N1-280W50	Crohms braking resistor, 280W, 50 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$156.00
BR-N1-500W130	Crohms braking resistor, 500W, 130 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$234.00
BR-N1-500W200	Crohms braking resistor, 500W, 200 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$234.00
BR-N1-720W50	Crohms braking resistor, 720W, 50 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$234.00
BR-N1-720W85	Crohms braking resistor, 720W, 85 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$234.00
BR-N1-800W18P0	Crohms braking resistor, 800W, 18 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$234.00
BR-N1-800W25	Crohms braking resistor, 800W, 25 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$234.00
BR-N1-1K1W15P0	Crohms braking resistor, 1.1 kW, 15 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$300.00
BR-N1-1K2W50	Crohms braking resistor, 1.2 kW, 50 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$300.00
BR-N1-1K2W75	Crohms braking resistor, 1.2 kW, 75 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$300.00
BR-N1-1K5W14P0	Crohms braking resistor, 1.5 kW, 14 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$366.00
BR-N1-1K5W40	Crohms braking resistor, 1.5 kW, 40 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$366.00
BR-N1-1K6W10P0	Crohms braking resistor, 1.6 kW, 10 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$430.00
BR-N1-1K7W30	Crohms braking resistor, 1.7 kW, 30 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$430.00
BR-N1-2K2W06P8	Crohms braking resistor, 2.2 kW, 6.8 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$456.00
BR-N1-2K2W08P6	Crohms braking resistor, 2.2 kW, 8.6 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$456.00
BR-N1-2K3W26	Crohms braking resistor, 2.3 kW, 26 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$496.00
BR-N1-2K8W25	Crohms braking resistor, 2.8 kW, 25 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$602.00
BR-N1-3K0W05P8	Crohms braking resistor, 3 kW, 5.8 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$526.00
BR-N1-3K6W06P8	Crohms braking resistor, 3.6 kW, 6.8 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$556.00
BR-N1-3K6W20	Crohms braking resistor, 3.6 kW, 20 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$638.00
BR-N1-4K0W16P0	Crohms braking resistor, 4 kW, 16 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$638.00

<u>BR-N1-4K7W14P7</u>	Crohms braking resistor, 4.7 kW, 14.7 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$668.00
<u>BR-N1-6K5W06P4</u>	Crohms braking resistor, 6.5 kW, 6.4 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$789.00
<u>BR-N1-6K9W13P6</u>	Crohms braking resistor, 6.9 kW, 13.6 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$789.00
<u>BR-N1-10K8W04P3</u>	Crohms braking resistor, 10.8 kW, 4.3 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$1,270.00
<u>BR-N1-13K0W06P4</u>	Crohms braking resistor, 13 kW, 6.4 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$1,450.00
<u>BR-N1-18K0W03P7</u>	Crohms braking resistor, 18 kW, 3.7 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$1,595.00
<u>GS-2010-BR-ENC</u>	AutomationDirect braking resistor, 1 kW, 20 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$358.00
<u>GS-2015-BR-ENC</u>	AutomationDirect braking resistor, 2.4 kW, 13.6 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$621.00
<u>GS-2020-BR-ENC</u>	AutomationDirect braking resistor, 3 kW, 10 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-2DBU external braking unit.	Stock	\$689.00
<u>GS-2025-BR-ENC</u>	AutomationDirect braking resistor, 4.8 kW, 8 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-2DBU external braking unit.	Stock	\$842.00
<u>GS-2030-BR-ENC</u>	AutomationDirect braking resistor, 4.8 kW, 6.8 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-2DBU external braking unit.	Stock	\$827.00
<u>GS-2040-BR-ENC</u>	AutomationDirect braking resistor, 3 kW, 10 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-2DBU external braking unit.	Stock	\$689.00
<u>GS-2050-BR-ENC</u>	AutomationDirect braking resistor, 4.8 kW, 8 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-2DBU external braking unit.	Stock	\$842.00
<u>GS-4015-BR-ENC</u>	AutomationDirect braking resistor, 1 kW, 50 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives.	Stock	\$358.00
<u>GS-4020-BR-ENC</u>	AutomationDirect braking resistor, 1.5 kW, 40 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$445.00
<u>GS-4025-BR-ENC</u>	AutomationDirect braking resistor, 4.8 kW, 32 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$1,058.00
<u>GS-4030-BR-ENC</u>	AutomationDirect braking resistor, 4.8 kW, 27.2 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$1,058.00
<u>GS-4040-BR-ENC</u>	AutomationDirect braking resistor, 6 kW, 20 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$1,058.00
<u>GS-4050-BR-ENC</u>	AutomationDirect braking resistor, 9.6 kW, 16 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$1,246.00
<u>GS-4060-BR-ENC</u>	AutomationDirect braking resistor, 9.6 kW, 13.6 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$1,246.00
<u>GS-4075-BR-ENC</u>	AutomationDirect braking resistor, 6 kW, 20 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$1,058.00
<u>GS-4100-BR-ENC</u>	AutomationDirect braking resistor, 9.6 kW, 13.6 ohm, NEMA 1, built-in temperature switch. For use with multiple AC drives. Requires GS-4DBU external braking unit.	Stock	\$1,246.00
EMI Filters for AC Variable Frequency Drives			
<u>RF220X00A</u>	DURApulse zero phase reactor, 35mm inside diameter. For use with GS2 and GS3 series AC drives.	Stock	\$30.00
<u>RF008X00A</u>	DURApulse zero phase reactor, 29mm inside diameter. For use with GS4, GS10 and GS20 series AC drives.	Stock	\$38.00
<u>RF004X00A</u>	DURApulse zero phase reactor, 36mm inside diameter. For use with GS30 series AC drives.	Stock	\$49.00
<u>RF002X00A</u>	DURApulse zero phase reactor, 78mm inside diameter. For use with GS30 series AC drives.	Stock	\$245.00
<u>TOR221</u>	Roxburgh toroid, EMI/RFI filtering, 38mm inside diameter, 63mm outside diameter, 25mm thick. For use with all AC drives.	Stock	\$25.00
<u>TOR254</u>	Roxburgh toroid, EMI/RFI filtering, 66mm inside diameter, 102mm outside diameter, 15mm thick. For use with all AC drives.	Stock	\$44.00
<u>EMF10AM23A</u>	AutomationDirect EMI input filter, 240 VAC, 3-phase, 10A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$83.00
<u>EMF11AM21A</u>	AutomationDirect EMI input filter, 240 VAC, 1-phase, 11A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 1-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$60.00
<u>EMF12AM43B</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 12A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$133.00

<u>EMF23AM43B</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 23A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$182.00
<u>EMF24AM23B</u>	AutomationDirect EMI input filter, 240 VAC, 3-phase, 24A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$130.00
<u>EMF27AM21B</u>	AutomationDirect EMI input filter, 240 VAC, 1-phase, 27A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 1-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$106.00
<u>EMF33AM23B</u>	AutomationDirect EMI input filter, 240 VAC, 3-phase, 33A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$189.00
<u>EMF6A0M43A</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 6A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS10, GS20, GS20X and GS30 series AC drives.	Stock	\$76.00
<u>EMF6A0M63B</u>	AutomationDirect EMI input filter, 600 VAC, 3-phase, 6A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS20, GS20X and GS30 series AC drives.	Stock	\$174.00
<u>EMF16AM63B</u>	AutomationDirect EMI input filter, 600 VAC, 3-phase, 16A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS20, GS20X and GS30 series AC drives.	Stock	\$177.00
<u>B84143D0050R127</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 50A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS20, GS20X and GS30 series AC drives.	Stock	\$818.00
<u>B84143D0075R127</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 75A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS20, GS20X and GS30 series AC drives.	Stock	\$919.00
<u>B84143D0090R127</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 90A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS20, GS20X and GS30 series AC drives.	Stock	\$1,011.00
<u>B84143A0120R105</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 120A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS30 series frame G AC drives.	Stock	\$800.00
<u>B84143D0150R127</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 150A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS30 series frame H AC drives.	Stock	\$1,215.00
<u>B84143D0200R127</u>	AutomationDirect EMI input filter, 480 VAC, 3-phase, 200A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and ring terminals. For use with 3-phase GS30 series frame I AC drives.	Stock	\$1,800.00
<u>GS20A-CAPE</u>	DURApulse EMI capacitive filter, 110-480 VAC, 3-phase, panel mount, EMI/RFI filtering, drive rated, basic, pigtail with wire leads. For use with GS10, GS20 and GS20X series AC drives.	Stock	\$25.00
<u>CFW100-KFABC-S1</u>	WEG Electric EMI input filter, 1-phase, 11.5A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW100xxxxx1 1-phase AC drives.	Stock	\$62.00
<u>CFW300-KFA-S1-S2</u>	WEG Electric EMI input filter, 1-phase, 7.3A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW300Axxx 1-phase AC drives.	Stock	\$46.00
<u>CFW100-KFABC-S2</u>	WEG Electric EMI input filter, 1-phase, 9.2A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW100xxxxx2 1-phase AC drives.	Stock	\$44.50
<u>CFW300-KFB-S2</u>	WEG Electric EMI input filter, 1-phase, 10A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW300Bxxx 1-phase AC drives.	Stock	\$53.00
<u>CFW320-KFA-S1-S2</u>	WEG Electric EMI input filter, 1-phase, 7.3A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW320AxxxSx 1-phase AC drives.	Stock	\$48.00
<u>CFW320-KFB-S2</u>	WEG Electric EMI input filter, 1-phase, 10A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW320B10P0B2DB20 AC drive with 1-phase input power only.	Stock	\$56.00
<u>CFW320-KFA-T2</u>	WEG Electric EMI input filter, 3-phase, 7.3A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW320AxxxT2 3-phase AC drives.	Stock	\$89.00
<u>CFW320-KFB-T2</u>	WEG Electric EMI input filter, 3-phase, 15.2A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW320BxxxT2 3-phase AC drives.	Stock	\$109.00
<u>CFW320-KFA-T4</u>	WEG Electric EMI input filter, 3-phase, 4.8A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW320AxxT4 3-phase AC drives.	Stock	\$89.00
<u>CFW320-KFB-T4</u>	WEG Electric EMI input filter, 3-phase, 8.2A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW320BxxxT4 3-phase AC drives.	Stock	\$109.00
<u>CFW320-KFC-T4</u>	WEG Electric EMI input filter, 3-phase, 15A, 35mm DIN rail mount, EMI/RFI filtering. For use with WEG CFW320CxxxT4 3-phase AC drives.	Stock	\$116.00
<u>RF022B43AA</u>	AutomationDirect EMI input filter, 460 VAC, 3-phase, 5.9A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals and pigtail. For use with 3-phase AC drives.	Stock	\$51.00
<u>KMF306A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 6A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$131.00

<u>KMF310A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 10A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$131.00
<u>KMF318A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 18A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$160.00
<u>KMF325A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 25A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$172.00
<u>KMF336A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 36A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$215.00
<u>KMF350A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 50A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$314.00
<u>KMF370A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 70A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$327.00
<u>KMF3100A</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 100A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$341.00
<u>MIF310</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 10A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$208.00
<u>MIF316</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 16A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$217.00
<u>MIF323</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 23A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$251.00
<u>MIF330B</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 30A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$337.00
<u>MIF350</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 50A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$805.00
<u>MIF375</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 75A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$577.00
<u>MIF3100</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 100A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$706.00
<u>MIF3150</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 150A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$1,137.00
<u>MIF3180</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 180A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$1,128.00
<u>MIF3400B</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 400A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$1,971.00
<u>MIF3800</u>	Roxburgh EMI input filter, 230/460 VAC, 3-phase, 800A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 3-phase AC drives.	Stock	\$3,594.00
<u>SLV37-3PK</u>	Roxburgh protective boot, package of 3. For use with MIF330B input filters.	Stock	\$4.50
<u>SLV38-3PK</u>	Roxburgh protective boot, package of 3. For use with MIF350 input filters.	Stock	\$4.00
<u>SLV39-3PK</u>	Roxburgh protective boot, package of 3. For use with MIF375 and MIF3100 input filters.	Stock	\$4.25
<u>SLV40-3PK</u>	Roxburgh protective boot, package of 3. For use with MIF3150 and MIF3180 input filters.	Stock	\$5.00
<u>KMF306V</u>	Roxburgh EMI input filter, 575 VAC, 3-phase, 6A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$131.00
<u>KMF310V</u>	Roxburgh EMI input filter, 575 VAC, 3-phase, 10A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$154.00
<u>KMF318V</u>	Roxburgh EMI input filter, 575 VAC, 3-phase, 18A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$167.00
<u>KMF325V</u>	Roxburgh EMI input filter, 575 VAC, 3-phase, 25A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$198.00
<u>KMF336V</u>	Roxburgh EMI input filter, 575 VAC, 3-phase, 36A, panel mount, EMI/RFI filtering, 2-stage, drive rated, high performance, screw terminals. For use with 3-phase AC drives.	Stock	\$256.00
<u>RES90F01</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 1A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, 1/4in quick-disconnect. For use with 1-phase AC drives.	Stock	\$50.00
<u>RES90F03</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 3A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, 1/4in quick-disconnect. For use with 1-phase AC drives.	Stock	\$52.00
<u>RES90F06</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 6A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, 1/4in quick-disconnect. For use with 1-phase AC drives.	Stock	\$68.00
<u>RES90F10</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 10A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, 1/4in quick-disconnect. For use with 1-phase AC drives.	Stock	\$96.00
<u>RES90F16</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 16A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, 1/4in quick-disconnect. For use with 1-phase AC drives.	Stock	\$107.00
<u>RES90S20</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 20A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 1-phase AC drives.	Stock	\$132.00

<u>RES90S30</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 30A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, studs. For use with 1-phase AC drives.	Stock	\$178.00
<u>MIF03</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 3A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, spring clamp terminals. For use with 1-phase AC drives.	Stock	\$118.00
<u>MIF06</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 6A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, spring clamp terminals. For use with 1-phase AC drives.	Stock	\$115.00
<u>MIF10</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 10A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, screw terminals. For use with 1-phase AC drives.	Stock	\$147.00
<u>MIF16</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 16A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, screw terminals. For use with 1-phase AC drives.	Stock	\$156.00
<u>MIF23</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 23A, panel mount, EMI/RFI filtering, multi-stage, drive rated, very high performance, screw terminals. For use with 1-phase AC drives.	Stock	\$196.00
Compact AC Motor Soft Starters			
<u>SR22-05</u>	Stellar SR22 series compact soft starter, 5A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/10, rated for 10 start/hour, internally bypassed, 45mm frame.	Stock	\$207.00
<u>SR22-07</u>	Stellar SR22 series compact soft starter, 7A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20, rated for 10 start/hour, internally bypassed, 45mm frame.	Stock	\$229.00
<u>SR22-09</u>	Stellar SR22 series compact soft starter, 9A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/10/20/30, rated for 10 start/hour, internally bypassed, 45mm frame.	Stock	\$240.00
<u>SSW050010T2246TPZ</u>	WEG Electric SSW05 series compact soft starter, 10A, 220-460 VAC at 3-phase, Trip Class 5, rated for 4 start/hour, internally bypassed, 1 frame.	Stock	\$324.00
<u>SR22-12</u>	Stellar SR22 series compact soft starter, 12A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/10/20/30, rated for 10 start/hour, internally bypassed, 45mm frame.	Stock	\$272.00
<u>SR22-16</u>	Stellar SR22 series compact soft starter, 16A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/10/20/30, rated for 10 start/hour, internally bypassed, 45mm frame.	Stock	\$291.00
<u>SSW050016T2246TPZ</u>	WEG Electric SSW05 series compact soft starter, 16A, 220-460 VAC at 3-phase, Trip Class 5, rated for 4 start/hour, internally bypassed, 1 frame.	Stock	\$368.00
<u>SR22-22</u>	Stellar SR22 series compact soft starter, 22A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/10/20/30, rated for 10 start/hour, internally bypassed, 55mm frame.	Stock	\$344.00
<u>SSW050023T2246TPZ</u>	WEG Electric SSW05 series compact soft starter, 23A, 220-460 VAC at 3-phase, Trip Class 5, rated for 4 start/hour, internally bypassed, 1 frame.	Stock	\$423.00
<u>SR22-30</u>	Stellar SR22 series compact soft starter, 30A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/30, rated for 10 start/hour, internally bypassed, 55mm frame.	Stock	\$461.00
<u>SSW050030T2246TPZ</u>	WEG Electric SSW05 series compact soft starter, 30A, 220-460 VAC at 3-phase, Trip Class 5, rated for 4 start/hour, internally bypassed, 1 frame.	Stock	\$460.00
<u>SR22-36</u>	Stellar SR22 series compact soft starter, 36A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/10/20, rated for 10 start/hour, internally bypassed, 55mm frame.	Stock	\$574.00
<u>SR22-40</u>	Stellar SR22 series compact soft starter, 40A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 2/10/20/30, rated for 10 start/hour, internally bypassed, 55mm frame.	Stock	\$691.00
<u>SSW050045T2246TPZ</u>	WEG Electric SSW05 series compact soft starter, 45A, 220-460 VAC at 3-phase, Trip Class 5, rated for 4 start/hour, internally bypassed, 2 frame.	Stock	\$575.00
<u>SSW050060T2246TPZ</u>	WEG Electric SSW05 series compact soft starter, 60A, 220-460 VAC at 3-phase, Trip Class 5, rated for 4 start/hour, internally bypassed, 2 frame.	Stock	\$693.00
<u>SSW050085T2246TPZ</u>	WEG Electric SSW05 series compact soft starter, 85A, 220-460 VAC at 3-phase, Trip Class 5, rated for 4 start/hour, internally bypassed, 2 frame.	Stock	\$843.00
Basic AC Motor Soft Starters			
<u>SR35-017</u>	Stellar SR35 series basic soft starter, 17A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame.	Stock	\$547.00
<u>SSW070017T5SZ</u>	WEG Electric SSW07 series basic soft starter, 17A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 10 start/hour, internally bypassed, 1 frame. Optional Modbus RTU cards available.	Stock	\$706.00
<u>SR35-022</u>	Stellar SR35 series basic soft starter, 22A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame.	Stock	\$582.00
<u>SSW070024T5SZ</u>	WEG Electric SSW07 series basic soft starter, 24A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 10 start/hour, internally bypassed, 1 frame. Optional Modbus RTU cards available.	Stock	\$757.00
<u>SR35-027</u>	Stellar SR35 series basic soft starter, 27A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame.	Stock	\$634.00
<u>SSW070030T5SZ</u>	WEG Electric SSW07 series basic soft starter, 30A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 10 start/hour, internally bypassed, 1 frame. Optional Modbus RTU cards available.	Stock	\$782.00
<u>SR35-034</u>	Stellar SR35 series basic soft starter, 34A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame.	Stock	\$663.00
<u>SR35-041</u>	Stellar SR35 series basic soft starter, 41A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame.	Stock	\$740.00

<u>SSW070045T5SZ</u>	WEG Electric SSW07 series basic soft starter, 45A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 3 start/hour, internally bypassed, 2 frame. Optional Modbus RTU cards available.	Stock	\$891.00
<u>SR35-052</u>	Stellar SR35 series basic soft starter, 52A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame.	Stock	\$840.00
<u>SSW070061T5SZ</u>	WEG Electric SSW07 series basic soft starter, 61A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 3 start/hour, internally bypassed, 2 frame. Optional Modbus RTU cards available.	Stock	\$1,004.00
<u>SR35-065</u>	Stellar SR35 series basic soft starter, 65A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame.	Stock	\$891.00
<u>SR35-077</u>	Stellar SR35 series basic soft starter, 77A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 2 frame.	Stock	\$1,124.00
<u>SSW070085T5SZ</u>	WEG Electric SSW07 series basic soft starter, 85A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 3 start/hour, internally bypassed, 2 frame. Optional Modbus RTU cards available.	Stock	\$1,215.00
<u>SR35-100</u>	Stellar SR35 series basic soft starter, 100A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 2 frame.	Stock	\$1,264.00
<u>SR35-125</u>	Stellar SR35 series basic soft starter, 125A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 2 frame.	Stock	\$1,678.00
<u>SSW070130T5SZ</u>	WEG Electric SSW07 series basic soft starter, 130A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional Modbus RTU cards available.	Stock	\$1,526.00
<u>SR35-156</u>	Stellar SR35 series basic soft starter, 156A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 2 frame.	Stock	\$2,496.00
<u>SSW070171T5SZ</u>	WEG Electric SSW07 series basic soft starter, 171A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional Modbus RTU cards available.	Stock	\$1,938.00
<u>SR35-192</u>	Stellar SR35 series basic soft starter, 192A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 2 frame.	Stock	\$2,628.00
<u>SSW070200T5SZ</u>	WEG Electric SSW07 series basic soft starter, 200A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional Modbus RTU cards available.	Stock	\$2,297.00
<u>SR35-242</u>	Stellar SR35 series basic soft starter, 242A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame.	Stock	\$2,843.00
<u>SSW070255T5SH1Z</u>	WEG Electric SSW07 series basic soft starter, 255A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 10 start/hour, internally bypassed, 4 frame. Optional Modbus RTU cards available.	Stock	\$2,805.00
<u>SR35-302</u>	Stellar SR35 series basic soft starter, 302A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame.	Stock	\$3,291.00
<u>SSW070312T5SH1Z</u>	WEG Electric SSW07 series basic soft starter, 312A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 10 start/hour, internally bypassed, 4 frame. Optional Modbus RTU cards available.	Stock	\$3,045.00
<u>SR35-361</u>	Stellar SR35 series basic soft starter, 361A, 110-240 VAC at 1-phase/208-460 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame.	Stock	\$3,514.00
<u>SSW070365T5SH1Z</u>	WEG Electric SSW07 series basic soft starter, 365A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 10 start/hour, internally bypassed, 4 frame. Optional Modbus RTU cards available.	Stock	\$3,164.00
<u>SSW070412T5SH1Z</u>	WEG Electric SSW07 series basic soft starter, 412A, 220-575 VAC at 3-phase, Trip Class 5/10/20/30, rated for 10 start/hour, internally bypassed, 4 frame. Optional Modbus RTU cards available.	Stock	\$3,714.00
Full-Featured AC Motor Soft Starters			
<u>SR55-017</u>	Stellar SR55 series full-featured soft starter, 17A, 200-480 VAC at 3-phase, Trip Class 10, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,066.00
<u>SR55-021</u>	Stellar SR55 series full-featured soft starter, 21A, 200-480 VAC at 3-phase, Trip Class 10/20, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,114.00
<u>SR55-027</u>	Stellar SR55 series full-featured soft starter, 27A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,183.00
<u>SR55-034</u>	Stellar SR55 series full-featured soft starter, 34A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,221.00
<u>SR55-040</u>	Stellar SR55 series full-featured soft starter, 40A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,317.00
<u>SR55-052</u>	Stellar SR55 series full-featured soft starter, 52A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,610.00
<u>SR55-065</u>	Stellar SR55 series full-featured soft starter, 65A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,715.00
<u>SR55-077</u>	Stellar SR55 series full-featured soft starter, 77A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,917.00
<u>SR55-096</u>	Stellar SR55 series full-featured soft starter, 96A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 1 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,964.00
<u>SR55-124</u>	Stellar SR55 series full-featured soft starter, 124A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 2 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$2,151.00
<u>SR55-156</u>	Stellar SR55 series full-featured soft starter, 156A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, 2 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$3,039.00

<u>SR55-180</u>	Stellar SR55 series full-featured soft starter, 180A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 2 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$3,320.00
<u>SR55-242</u>	Stellar SR55 series full-featured soft starter, 242A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$3,375.00
<u>SR55-302</u>	Stellar SR55 series full-featured soft starter, 302A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$3,618.00
<u>SR55-361</u>	Stellar SR55 series full-featured soft starter, 361A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$4,246.00
<u>SR55-414</u>	Stellar SR55 series full-featured soft starter, 414A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$5,324.00
<u>SR55-477</u>	Stellar SR55 series full-featured soft starter, 477A, 200-480 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, 3 frame. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$6,087.00
<u>SSW900A0010T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 10A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, A frame. Optional communication and RTD cards available.	Stock	\$860.00
<u>SSW900A0017T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 17A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, A frame. Optional communication and RTD cards available.	Stock	\$886.00
<u>SSW900A0024T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 24A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, A frame. Optional communication and RTD cards available.	Stock	\$975.00
<u>SSW900A0030T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 30A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, A frame. Optional communication and RTD cards available.	Stock	\$1,056.00
<u>SSW900B0045T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 45A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, B frame. Optional SSW0708900-KVT-2B fan provides 10 start/hour. Optional communication and RTD cards available.	Stock	\$1,226.00
<u>SSW900B0061T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 61A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, B frame. Optional SSW0708900-KVT-2B fan provides 10 start/hour. Optional communication and RTD cards available.	Stock	\$1,353.00
<u>SSW900B0085T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 85A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, B frame. Optional SSW0708900-KVT-2B fan provides 10 start/hour. Optional communication and RTD cards available.	Stock	\$1,719.00
<u>SSW900B0105T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 105A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, B frame. Optional SSW0708900-KVT-2B fan provides 10 start/hour. Optional communication and RTD cards available.	Stock	\$1,960.00
<u>SSW900C0130T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 130A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, C frame. Optional SSW0708900-KVT-3C fan provides 10 start/hour. Optional communication and RTD cards available.	Stock	\$2,200.00
<u>SSW900C0171T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 171A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, C frame. Optional SSW0708900-KVT-3C fan provides 10 start/hour. Optional communication and RTD cards available.	Stock	\$2,648.00
<u>SSW900C0200T5E2B</u>	WEG Electric SSW900 series full-featured soft starter, 200A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 3 start/hour, internally bypassed, C frame. Optional SSW0708900-KVT-3C fan provides 10 start/hour. Optional communication and RTD cards available.	Stock	\$3,320.00
<u>SSW900D0255T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 255A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, D frame. Optional communication and RTD cards available.	Stock	\$4,457.00
<u>SSW900D0312T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 312A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, D frame. Optional communication and RTD cards available.	Stock	\$4,896.00
<u>SSW900D0365T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 365A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, D frame. Optional communication and RTD cards available.	Stock	\$5,408.00
<u>SSW900D0412T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 412A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 10 start/hour, internally bypassed, D frame. Optional communication and RTD cards available.	Stock	\$5,869.00
<u>SSW900E0480T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 480A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, E frame. Optional communication and RTD cards available.	Stock	\$7,273.00
<u>SSW900E0604T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 604A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, E frame. Optional communication and RTD cards available.	Stock	\$8,111.00
<u>SSW900E0670T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 670A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, E frame. Optional communication and RTD cards available.	Stock	\$9,225.00
<u>SSW900F0820T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 820A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, F frame. Optional communication and RTD cards available.	Stock	\$10,896.00
<u>SSW900F0950T5E3B</u>	WEG Electric SSW900 series full-featured soft starter, 950A, 220-575 VAC at 3-phase, Trip Class 10/20/30, rated for 5 start/hour, internally bypassed, F frame. Optional communication and RTD cards available.	Stock	\$16,488.00
Accessories for AC Motor Soft Starters			
<u>SR22-FAN-45</u>	Stellar SR22 series main cooling fan, 25 x 25 x 10mm, 12 VDC, increases duty cycle to 60 starts/hour. For use with SR22-05, SR22-07, SR22-09, SR22-12 and SR22-16 soft starters.	Stock	\$68.00
<u>SR22-FAN-55</u>	Stellar SR22 series main cooling fan, 40 x 40 x 20mm, 24 VDC, increases duty cycle to 60 starts/hour. For use with SR22-22, SR22-30, SR22-36 and SR22-40 soft starters.	Stock	\$71.00

<u>SSW05-HMI-RS</u>	WEG Electric SSW05 series remote serial HMI keypad, for use with WEG SSW05 series soft starters.	Stock	\$73.00
<u>SSW05-07-08-CRS-3M</u>	WEG Electric keypad mounting cable, 9.8ft/3m cable length. For use with WEG SSW05 and SSW07 series soft starter keypads. Mounting hardware included.	Stock	\$25.00
<u>SSW05-07-08-CRS-5M</u>	WEG Electric keypad mounting cable, 16.4ft/5m cable length. For use with WEG SSW05 and SSW07 series soft starter keypads. Mounting hardware included.	Stock	\$31.00
<u>SR33-HS1</u>	Stellar SR33 series heat shrink insulation, 1in x 24in. For use with Stellar SR33 series soft starters. Required for UL installation of SR33-132, SR33-160, SR33-195, SR33-241, SR33-280 soft starters.	Stock	\$9.25
<u>SSW0708900-KVT-2B</u>	WEG Electric SSW07 series main cooling fan, 109 x 45 x 38mm, 24 VDC. For use with WEG SSW07 and SSW900 series 45-105A soft starters. Electrical connector included.	Stock	\$40.00
<u>SSW0708900-KVT-3C</u>	WEG Electric SSW07 series main cooling fan, 183 x 45 x 38mm, 24 VDC. For use with WEG SSW07 and SSW900 series 130-200A soft starters. Electrical connector included.	Stock	\$57.00
<u>SSW07-08-KPTC-MTR</u>	WEG Electric SSW07 series PTC module, for use with WEG SSW07 series soft starters.	Stock	\$75.00
<u>SSW0708900-IP20-3C</u>	WEG Electric SSW07 series touch shield, for use with WEG SSW07 and SSW900 series 130-200A soft starters. Mounting hardware included. Provides IP20 protection rating.	Stock	\$38.50
<u>SSW0708900-IP20-4D</u>	WEG Electric SSW07 series touch shield, for use with WEG SSW07 and SSW900 series 255-412A soft starters. Mounting hardware included. Provides IP20 protection rating.	Stock	\$80.00
<u>SSW07-08-KRS-485</u>	WEG Electric SSW07 series communication module, Modbus RTU, 1 port, (1) RS-485 (5-pin terminal) port(s). For use with WEG SSW07 series soft starters.	Stock	\$123.00
<u>SSW07-08-KRS-232</u>	WEG Electric SSW07 series communication module, Modbus RTU, 1 port, (1) RS-232 (RJ11) port(s). For use with WEG SSW07 series soft starters.	Stock	\$73.00
<u>SSW07-08-HMI-LOC</u>	WEG Electric SSW07 series local HMI keypad, for use with WEG SSW07 series soft starters.	Stock	\$106.00
<u>SSW07-HMI-REM</u>	WEG Electric SSW07 series remote serial HMI keypad, for use with WEG SSW07 series soft starters. Remote keypad interface module included.	Stock	\$208.00
<u>SSW07-HMI-REM-485</u>	WEG Electric SSW07 series remote serial HMI keypad, for use with WEG SSW07 series soft starters. Remote keypad interface module with RS-485 communication included.	Stock	\$261.00
<u>SSW900-CETH-W</u>	WEG Electric SSW900 series communication module, EtherNet/IP, Modbus TCP and webserver, 2 ports, (2) Ethernet (RJ45) port(s). For use with WEG SSW900 series soft starters.	Stock	\$423.00
<u>SSW900-CRS485-W</u>	WEG Electric SSW900 series communication module, Modbus RTU, 1 port, (1) RS-485 (4-pin terminal) port (s). For use with WEG SSW900 series soft starters. Removable terminal block included.	Stock	\$106.00
<u>SSW900-PT100-W</u>	WEG Electric SSW900 series temperature input module, RTD, 6-channel, 12-bit resolution, input RTD type(s): Pt100. For use with WEG SSW900 series soft starters. Removable terminal block included.	Stock	\$267.00
<u>SSW900-KMD-CB05</u>	WEG Electric SSW900 series keypad mount, for use with WEG SSW900 series soft starters. (1) 16.4ft/5m cable included.	Stock	\$72.00
<u>SSW900-HMI-BLT</u>	WEG Electric SSW900 series remote Bluetooth HMI keypad, replacement. For use with WEG SSW900 series soft starters.	Stock	\$214.00
<u>SSW-SDG2</u>	WEG Electric Windows configuration software, USB or free download. For use with WEG SSW07 series soft starters. Requires PC USB port and SSW07-08-KRS-232 or SSW07-08-KRS-485 communication modules.	Stock	\$9.50
<u>SR35-FG-1</u>	Stellar SR35 series finger guards, replacement. Package of 2. For use with size 1 Stellar SR35 series soft starters. Provides IP20 protection rating.	Stock	\$42.00
<u>SR35-FG-2</u>	Stellar SR35 series finger guards, replacement. Package of 2. For use with size 2 Stellar SR35 series soft starters. Provides IP20 protection rating.	Stock	\$42.00
<u>SR35-TC-3</u>	Stellar SR35 series finger guards, package of 6. For use with size 3 Stellar SR35 series soft starters.	Stock	\$258.00
<u>SR55-FG-1</u>	Stellar SR55 series finger guards, replacement. Package of 2. For use with size 1 Stellar SR55 series soft starters. Provides IP20 protection rating.	Stock	\$43.00
<u>SR55-FG-2</u>	Stellar SR55 series finger guards, replacement. Package of 2. For use with size 2 Stellar SR55 series soft starters. Provides IP20 protection rating.	Stock	\$43.00
<u>SR55-CM-ENETIP2</u>	Stellar SR55 series communication module, EtherNet/IP, 2 ports, (2) Ethernet (RJ45 full duplex) port(s). For use with Stellar SR55 series soft starters.	Stock	\$608.00
<u>SR55-CM-MODTCP</u>	Stellar SR55 series communication module, Modbus TCP, 2 ports, (2) Ethernet (RJ45 full duplex) port(s). For use with Stellar SR55 series soft starters.	Stock	\$541.00
<u>SR35-KPD-REM</u>	Stellar SR35 series remote keypad, for use with Stellar SR35 series soft starters.	Stock	\$300.00
<u>SR55-KPD-REM</u>	Stellar SR55 series touchscreen, for use with Stellar SR55 series soft starters. (1) optional remote, (1) 9.8ft/3m Cat5e cable and (1) SR55-RJ45-RJ12 adapter included. Rated for NEMA 4/4X enclosures, no external power wiring required.	Stock	\$459.00
<u>SR55-RJ45-RJ12</u>	Stellar SR55 series RJ45 female to RJ12 male adapter, for use with Stellar SR55 series soft starters.	Stock	\$10.00
<u>SR55-SPLT</u>	Stellar SR55 series communication splitter, 3 ports, (3) RS-485 (RJ45) female port(s). For use with Stellar SR55 series soft starters. (1) SR55-RJ45-RJ12 adapter and (1) 9.8ft/3m Cat5e cable included.	Stock	\$183.00
<u>SR35-FAN-1</u>	Stellar SR35 series main cooling fan, 36 x 222 x 90mm, 24 VDC. For use with size 1 Stellar SR35 series soft starters. Electrical connector included.	Stock	\$76.00
<u>SR35-FAN-2</u>	Stellar SR35 series main cooling fan, 68 x 297 x 102mm, 12 VDC. For use with size 2 Stellar SR35 series soft starters. Electrical connector included.	Stock	\$81.00

<u>SR55-FAN-2</u>	Stellar SR55 series main cooling fan, replacement, 60 x 60 x 15mm, 24 VDC. For use with size 1 Stellar SR55 series soft starters. Electrical connector included.	Stock	\$23.00
<u>SR55-FAN-3</u>	Stellar SR55 series main cooling fan, replacement, 80 x 80 x 15mm, 24 VDC. For use with size 2 Stellar SR55 series soft starters. Electrical connector included.	Stock	\$27.00
<u>SR55-FAN-6</u>	Stellar SR55 series main cooling fan, replacement, 80 x 80 x 20mm, 12 VDC. For use with size 2 Stellar SR55 series soft starters. Electrical connector included.	Stock	\$24.00
<u>SR55-FAN-7</u>	Stellar SR55 series main cooling fan, replacement, 120 x 120 x 25mm, 24 VDC. For use with size 3 Stellar SR55 series soft starters. Push rivets for fan guards and electrical connector included.	Stock	\$64.00
<u>SR55-FAN-8</u>	Stellar SR55 series main cooling fan, replacement, 171 x 151 x 51mm, 115 VAC. For use with size 3 Stellar SR55 series soft starters.	Stock	\$167.00
<u>SR55-KPD</u>	Stellar SR55 series touchscreen, replacement. For use with Stellar SR55 series soft starters. Replacement bezel included.	Stock	\$151.00
<u>SR35-PSU</u>	Stellar SR35 series switching power supply, 24 VDC @ 1A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, direct mount.	Stock	\$237.00
<u>SR35-AUX-IO</u>	Stellar SR35 series temperature combo module, thermistor, 1-channel input, 2-point input, 110-230 VAC/24 VDC, 2-point output, 250 VAC, (2) Form A (SPST) relays. For use with Stellar SR35 series soft starters. (1) 500mm ribbon cable included.	Stock	\$167.00
Low Voltage (< 50V) Enclosed DC Drives			
<u>GSD1-48-10C</u>	IronHorse GSD1 series DC full-featured drive, 12-48 VDC, 1-phase, 1/50 to 1/8hp at 12 VDC and 1/12 to 1/2hp at 48 VDC, 10A, open frame, panel mount, field-install reverse, potentiometer input, PWM output.	Stock	\$224.00
<u>GSD1-48-20C</u>	IronHorse GSD1 series DC full-featured drive, 12-48 VDC, 1-phase, 1/50 to 1/4hp at 12 VDC and 1/12 to 1hp at 48 VDC, 20A, open frame, panel mount, field-install reverse, potentiometer input, PWM output.	Stock	\$259.00
<u>GSD3-24A-2CL</u>	IronHorse GSD3 series DC general purpose drive, 12/24 VAC, 1-phase, 1/50 to 1/40hp at 12 VDC and 1/25 to 1/20hp at 24 VDC, 2A, open frame, L style mount, field-install reverse, potentiometer input, SCR output.	Stock	\$100.00
<u>GSD3-24A-2CJ</u>	IronHorse GSD3 series DC general purpose drive, 12/24 VAC, 1-phase, 1/50 to 1/40hp at 12 VDC and 1/25 to 1/20hp at 24 VDC, 2A, open frame, J style mount, field-install reverse, potentiometer input, SCR output.	Stock	\$104.00
<u>GSD4-24A-5C</u>	IronHorse GSD4 series DC general purpose drive, 24/36 VAC, 1-phase, 1/50 to 1/6hp at 24-36 VDC, 5.5A, open frame, panel mount, field-install reverse, potentiometer input, SCR output.	Stock	\$145.00
<u>GSD1-48-10N4X</u>	IronHorse GSD1 series DC full-featured drive, 12-48 VDC, 1-phase, 1/50 to 1/8hp at 12 VDC and 1/12 to 1/2hp at 48 VDC, 10A, NEMA 4X, wall mount, field-install reverse, potentiometer input, PWM output.	Stock	\$490.00
<u>GSD3-24A-3N4</u>	IronHorse GSD3 series DC general purpose drive, 12/24 VAC, 1-phase, 1/50 to 1/25hp at 12 VDC and 1/25 to 1/12hp at 24 VDC, 3A, NEMA 4, wall mount, field-install reverse, potentiometer input, SCR output.	Stock	\$193.00
<u>GSD1-24-15N4X-R</u>	IronHorse GSD1 series DC reversing drive, 12/24 VDC, 1-phase, 1/50hp at 12 VDC and 5/16hp at 24 VDC, 15A, NEMA 4X, wall mount, built-in reverse, potentiometer input, PWM output.	Stock	\$566.00
High Voltage (> 50V) Enclosed DC Drives			
<u>GSD3-240-2CL</u>	IronHorse GSD3 series DC general purpose drive, 120/240 VAC, 1-phase, 1/50 to 1/6hp at 90 VDC and 1/25 to 1/3hp at 180 VDC, 2A, open frame, L style mount, field-install reverse, potentiometer input, SCR output.	Stock	\$97.00
<u>GSD3-240-2CJ</u>	IronHorse GSD3 series DC general purpose drive, 120/240 VAC, 1-phase, 1/50 to 1/6hp at 90 VDC and 1/25 to 1/3hp at 180 VDC, 2A, open frame, J style mount, field-install reverse, potentiometer input, SCR output.	Stock	\$99.00
<u>GSD4A-240-2C</u>	IronHorse GSD4A series DC general purpose drive, 120/240 VAC, 1-phase, 1/50 to 1/8hp at 90 VDC and 1/25 to 1/4hp at 180 VDC, 2A, open frame, panel mount, field-install reverse, potentiometer input, SCR output.	Stock	\$137.00
<u>GSD4A-240-6C</u>	IronHorse GSD4A series DC general purpose drive, 120/240 VAC, 1-phase, 1/8 to 1/2hp at 90 VDC and 1/4 to 1hp at 180 VDC, 6A, open frame, panel mount, field-install reverse, potentiometer input, SCR output.	Stock	\$149.00
<u>GSD5-240-10C</u>	IronHorse GSD5 series DC general purpose drive, 120/240 VAC, 1-phase, 1/8 to 1hp at 90 VDC and 1/4 to 2hp at 180 VDC, 10.8A, open frame, panel mount, field-install reverse, potentiometer input, SCR output.	Stock	\$191.00
<u>GSD6-240-15C</u>	IronHorse GSD6 series DC full-featured drive, 120/240 VAC, 1-phase, 1/8 to 1-1/2hp at 90 VDC and 1/4 to 3hp at 180 VDC, 15A, open frame, panel mount, field-install reverse, potentiometer input, SCR output.	Stock	\$440.00
<u>GSD7-120-1CR3</u>	IronHorse GSD7 series DC reversing drive, 120 VAC, 1-phase, 1/15 to 1/8hp at 90 VDC, 1.2A, open frame, panel mount, built-in reverse, maximum 3 reverses/minute, potentiometer input, SCR output.	Stock	\$276.00
<u>GSD7-120-5CR3</u>	IronHorse GSD7 series DC reversing drive, 120 VAC, 1-phase, 1/8 to 1/2hp at 90 VDC, 5.5A, open frame, panel mount, built-in reverse, maximum 3 reverses/minute, potentiometer input, SCR output.	Stock	\$276.00
<u>GSD7-120-1CR30</u>	IronHorse GSD7 series DC reversing drive, 120 VAC, 1-phase, 1/15 to 1/8hp at 90 VDC, 1.2A, open frame, panel mount, built-in reverse, maximum 30 reverses/minute, potentiometer input, SCR output.	Stock	\$332.00
<u>GSD7-120-10CR30</u>	IronHorse GSD7 series DC reversing drive, 120 VAC, 1-phase, 1/8 to 1hp at 90 VDC, 10A, open frame, panel mount, built-in reverse, maximum 30 reverses/minute, potentiometer input, SCR output.	Stock	\$333.00
<u>GSD7-240-1CR3</u>	IronHorse GSD7 series DC reversing drive, 240 VAC, 1-phase, 1/25 to 1/4hp at 180 VDC, 1.2A, open frame, panel mount, built-in reverse, maximum 3 reverses/minute, potentiometer input, SCR output.	Stock	\$301.00
<u>GSD7-240-5CR3</u>	IronHorse GSD7 series DC reversing drive, 240 VAC, 1-phase, 1/8 to 1hp at 180 VDC, 5.5A, open frame, panel mount, built-in reverse, maximum 3 reverses/minute, potentiometer input, SCR output.	Stock	\$300.00
<u>GSD7-240-10CR30</u>	IronHorse GSD7 series DC reversing drive, 240 VAC, 1-phase, 1/4 to 2hp at 180 VDC, 10A, open frame, panel mount, built-in reverse, maximum 30 reverses/minute, potentiometer input, SCR output.	Stock	\$338.00
<u>GSD3-240-3N4</u>	IronHorse GSD3 series DC general purpose drive, 120/240 VAC, 1-phase, 1/50 to 1/3hp at 90 VDC and 1/25 to 2/3hp at 180 VDC, 3A, NEMA 4, panel mount, field-install reverse, potentiometer input, SCR output.	Stock	\$199.00

<u>GSD5-240-10N4</u>	IronHorse GSD5 series DC general purpose drive, 120/240 VAC, 1-phase, 1/8 to 1hp at 90 VDC and 1/4 to 2hp at 180 VDC, 10.8A, NEMA 4/12, wall mount, field-install reverse, potentiometer input, SCR output.	Stock	\$341.00
<u>GSD5-240-10N4-R</u>	IronHorse GSD5 series DC general purpose drive, 120/240 VAC, 1-phase, 1/8 to 1hp at 90 VDC and 1/4 to 2hp at 180 VDC, 10.8A, NEMA 4/12, wall mount, built-in reverse, potentiometer input, SCR output.	Stock	\$431.00
<u>GSD5-240-10N4-A</u>	IronHorse GSD5 series DC general purpose drive, 120/240 VAC, 1-phase, 1/8 to 1hp at 90 VDC and 1/4 to 2hp at 180 VDC, 10.8A, NEMA 4/12, wall mount, field-install reverse, current or potentiometer input, SCR output.	Stock	\$397.00
<u>GSD5-240-10N4-V</u>	IronHorse GSD5 series DC general purpose drive, 120/240 VAC, 1-phase, 1/8 to 1hp at 90 VDC and 1/4 to 2hp at 180 VDC, 10.8A, NEMA 4/12, wall mount, field-install reverse, current, voltage or potentiometer input, SCR output.	Stock	\$476.00
<u>GSD4-240-10N4X</u>	IronHorse GSD4 series DC general purpose drive, 120/240 VAC, 1-phase, 1/8 to 1hp at 90 VDC and 1/4 to 2hp at 180 VDC, 10A, NEMA 4X, wall mount, field-install reverse, potentiometer input, SCR output.	Stock	\$389.00
<u>GSD8-240-5C</u>	IronHorse GSD8 series DC digital drive, 120/240 VAC, 1-phase, 1/2hp at 90 VDC and 1hp at 180 VDC, 5A, NEMA 4X, 1/8 DIN mount, field-install reverse, high-speed pulse input, SCR output. Requires encoder.	Stock	\$471.00
<u>GSD8-240-5C-D</u>	IronHorse GSD8 series DC digital drive, 120/240 VAC, 1-phase, 1/2hp at 90 VDC and 1hp at 180 VDC, 5A, NEMA 4X, 1/8 DIN mount, field-install reverse, high-speed pulse input, SCR output. Requires encoder.	Stock	\$487.00
<u>GSD8-240-10C-D</u>	IronHorse GSD8 series DC digital drive, 120/240 VAC, 1-phase, 1hp at 90 VDC and 2hp at 180 VDC, 10A, NEMA 4X, 1/4 DIN mount, field-install reverse, high-speed pulse input, SCR output. Requires encoder.	Stock	\$587.00
<u>GSD8-240-10N4X</u>	IronHorse GSD8 series DC digital drive, 120/240 VAC, 1-phase, 1hp at 90 VDC and 2hp at 180 VDC, 10A, NEMA 4X, wall mount, field-install reverse, high-speed pulse input, SCR output. Requires encoder.	Stock	\$679.00
<u>GSD8-240-10N4X-A</u>	IronHorse GSD8 series DC digital drive, 120/240 VAC, 1-phase, 1hp at 90 VDC and 2hp at 180 VDC, 10A, NEMA 4X, wall mount, field-install reverse, current or potentiometer input, SCR and 4-20 mA control current output. Requires encoder.	Stock	\$1,011.00
<u>GSD8-240-10N4X-U</u>	IronHorse GSD8 series DC digital drive, 120/240 VAC, 1-phase, 1hp at 90 VDC and 2hp at 180 VDC, 10A, RS-232/RS-485, ASCII, NEMA 4X, wall mount, field-install reverse, high-speed pulse or serial control input, SCR output. Requires encoder.	Stock	\$877.00

Accessories for DC Drives

<u>GSDA-DP-S</u>	IronHorse signal conditioner, isolated, Input: 1-channel, current/voltage, Output: 1-channel, current/voltage, 120/240 VAC operating voltage, IP67, 1/8 DIN mount.	Stock	\$410.00
<u>GSDA-DP-D</u>	IronHorse GSD series PID digital potentiometer, 120/240 VAC input, voltage, NEMA 4X, IP67, aluminum housing. For use with multiple AC and DC drives.	Stock	\$493.00
<u>GSDA-PU2E</u>	IronHorse encoder, 5-24 VDC, NPN open collector output, 1/10/20 ppr, 61mm diameter body, NEMA 12, IP52, 6ft cable length, pigtail. For use with GSD8 series DC drives. Mounting hardware and (3) magnets included.	Stock	\$86.00
<u>GSDA-PU2R</u>	IronHorse encoder, 5-24 VDC, NPN open collector output, 1/10/20 ppr, 61mm diameter body, NEMA 3R, IP14, 6ft cable length, pigtail. For use with GSD8 series DC drives. Mounting hardware and (3) magnets included.	Stock	\$179.00
<u>GSDA-CM-8</u>	IronHorse GSD8 series communication module, ASCII, 1 port, (1) RS-232/RS-485 (RJ45) port(s). For use with IronHorse GSD8-240-5C-D and GSD8-240-10C-D DC drives.	Stock	\$155.00
<u>GSDA-MREV</u>	IronHorse GSD series manual reverse switch, 10A, field installable, screw terminals. For use with all GSD series DC drives.	Stock	\$126.00
<u>GSDA-AI-V4</u>	IronHorse GSD4 series analog input module, 1-channel, current/voltage, isolated, input current signal range (s) of 4-20 mA, input voltage signal range(s) of 0-5 VDC, 0-250 VDC.	Stock	\$106.00
<u>GSDA-AI-V4A</u>	IronHorse GSD4A series analog input module, 1-channel, current/voltage, isolated, input current signal range (s) of 4-20 mA, input voltage signal range(s) of 0-5 VDC, 0-250 VDC.	Stock	\$106.00
<u>GSDA-AI-V5</u>	IronHorse GSD5 series analog input module, 1-channel, current/voltage, isolated, input current signal range (s) of 4-20 mA, input voltage signal range(s) of 0-5 VDC, 0-250 VDC.	Stock	\$105.00
<u>GSDA-AI-A8</u>	IronHorse GSD8 series relay/analog combo module, Analog Input: 1-channel, current, Analog Output: 1-channel, current, Discrete Output: 1-point, relay, (1) Form C (SPDT) relay. For use with multiple GSD8 series DC drives.	Stock	\$202.00
<u>GSDA-HTSNK-4</u>	IronHorse GSD series heatsink, for use with GSD4 series DC drives.	Stock	\$42.00
<u>GSDA-HTSNK-4A</u>	IronHorse GSD4A series heatsink, for use with IronHorse GSD4A-240-2C and GSD4A-240-6C DC drives.	Stock	\$25.00

General Purpose and Inverter Duty AC Motors

<u>MTR2-P33-1AB18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1/3hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$233.00
<u>MTR2-P33-1AB36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1/3hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$235.00
<u>MTR2-P50-1AB18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1/2hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$257.00
<u>MTR2-P50-1AB36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1/2hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$243.00
<u>MTR2-P75-1AB18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 3/4hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$278.00

<u>MTR2-P75-1AB36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 3/4hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$263.00
<u>MTR2-001-1AB18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$287.00
<u>MTR2-001-1AB36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$278.00
<u>MTR2-1P5-1AB18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1-1/2hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$339.00
<u>MTR2-1P5-1AB36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 1-1/2hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$307.00
<u>MTR2-002-1AB18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 2hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$391.00
<u>MTR2-002-1AB36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose, 2hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$359.00
<u>MTR2-P33-3BD36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose and inverter rated, 1/3hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$185.00
<u>MTR2-P33-3BD18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose and inverter rated, 1/3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$208.00
<u>MTR2-P50-3BD36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose and inverter rated, 1/2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$195.00
<u>MTR2-P50-3BD18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose and inverter rated, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$221.00
<u>MTR2-P75-3BD36</u>	IronHorse MTR standard efficiency AC induction motor, general purpose and inverter rated, 3/4hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$205.00
<u>MTR2-P75-3BD18</u>	IronHorse MTR standard efficiency AC induction motor, general purpose and inverter rated, 3/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$240.00
<u>MTRP-001-3BD36</u>	IronHorse MTR premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56C/HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$247.00
<u>MTRP-001-3BD18</u>	IronHorse MTR premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C/HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$299.00
<u>MTRP-1P5-3BD36</u>	IronHorse MTR premium efficiency AC induction motor, general purpose and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56C/HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$279.00
<u>MTRP-1P5-3BD18</u>	IronHorse MTR premium efficiency AC induction motor, general purpose and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C/HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$329.00
<u>MTRP-002-3BD36</u>	IronHorse MTR premium efficiency AC induction motor, general purpose and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56C/HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$298.00
<u>MTRP-002-3BD18</u>	IronHorse MTR premium efficiency AC induction motor, general purpose and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C/HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$387.00
<u>MTRP-003-3BD36</u>	IronHorse MTR premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56C/HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$389.00
<u>E2000</u>	Marathon XRI premium efficiency AC induction motor, inverter rated, 1hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$803.00
<u>E2001A</u>	Marathon XRI premium efficiency AC induction motor, inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 143TC frame, rolled steel, C-face/rigid base mount.	Stock	\$679.00
<u>E2002</u>	Marathon XRI premium efficiency AC induction motor, inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1200rpm, TEFC, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$762.00
<u>E2004A</u>	Marathon XRI premium efficiency AC induction motor, inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$714.00
<u>E2007A</u>	Marathon XRI premium efficiency AC induction motor, inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$766.00
<u>GT1010A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 3hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 182T frame, cast iron, rigid base mount.	Stock	\$515.00
<u>GT1013A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 5hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 184T frame, cast iron, rigid base mount.	Stock	\$592.00
<u>GT1016A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 7-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 213T frame, cast iron, rigid base mount.	Stock	\$838.00
<u>GT1019A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 10hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 215T frame, cast iron, rigid base mount.	Stock	\$993.00
<u>GT1022A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 15hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 254T frame, cast iron, rigid base mount.	Stock	\$1,343.00
<u>GT1025A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 20hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 256T frame, cast iron, rigid base mount.	Stock	\$1,606.00

<u>GT1028A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 25hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 284T frame, cast iron, rigid base mount.	Stock	\$1,990.00
<u>GT1031A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 30hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 286T frame, cast iron, rigid base mount.	Stock	\$2,225.00
<u>GT1034A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 40hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 324T frame, cast iron, rigid base mount.	Stock	\$2,885.00
<u>GT1037A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 50hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 326T frame, cast iron, rigid base mount.	Stock	\$3,521.00
<u>GT1040A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 60hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 364T frame, cast iron, rigid base mount.	from vendor up to 3 business days	\$5,101.00
<u>GT1043A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 75hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 365T frame, cast iron, rigid base mount.	from vendor up to 3 business days	\$6,010.00
<u>GT1046A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 100hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 405T frame, cast iron, rigid base mount.	from vendor up to 3 business days	\$8,544.00
<u>GT1210A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 182TC frame, rolled steel, C-face/rigid base mount.	Stock	\$471.00
<u>GT1212A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/rigid base mount.	Stock	\$612.00
<u>GT1213A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/rigid base mount.	Stock	\$545.00
<u>GT1216A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 213TC frame, rolled steel, C-face/rigid base mount.	Stock	\$767.00
<u>GT1219A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 10hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 215TC frame, rolled steel, C-face/rigid base mount.	Stock	\$891.00
<u>GT1218A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 10hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 215TC frame, rolled steel, C-face/rigid base mount.	Stock	\$930.00
<u>GT1222A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 15hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 254TC frame, cast iron, C-face/rigid base mount.	Stock	\$1,402.00
<u>GT1225A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 20hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 256TC frame, cast iron, C-face/rigid base mount.	Stock	\$1,660.00
<u>MTCP2-001-3BD12</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 1hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1200rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$331.00
<u>MTCP2-001-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 1hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 143T frame, cast iron, rigid base mount.	Stock	\$253.00
<u>MTCP2-001-3BD18C</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 1hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 143TC frame, cast iron, C-face/rigid base mount.	Stock	\$264.00
<u>MTCP2-1P5-3BD12</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1200rpm, TEFC, NEMA 182T frame, cast iron, rigid base mount.	Stock	\$527.00
<u>MTCP2-1P5-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$319.00
<u>MTCP2-1P5-3BD18C</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 145TC frame, cast iron, C-face/rigid base mount.	Stock	\$329.00
<u>MTCP2-1P5-3BD36</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, TEFC, NEMA 143T frame, cast iron, rigid base mount.	Stock	\$284.00
<u>MTCP2-002-3BD12</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1200rpm, TEFC, NEMA 184T frame, cast iron, rigid base mount.	Stock	\$567.00
<u>MTCP2-002-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$346.00
<u>MTCP2-002-3BD18C</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 145TC frame, cast iron, C-face/rigid base mount.	Stock	\$357.00
<u>MTCP2-002-3BD36</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$305.00

[illegible]

<u>MTCP2-020-3BD18C</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 20hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 256TC frame, cast iron, C-face/rigid base mount.	Stock	\$1,765.00
<u>MTCP2-020-3BD36</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 20hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, TEFC, NEMA 256T frame, cast iron, rigid base mount.	Stock	\$1,595.00
<u>MTCP2-025-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 25hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 284T frame, cast iron, rigid base mount.	Stock	\$2,368.00
<u>MTCP2-025-3BD18C</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 25hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 284TC frame, cast iron, C-face/rigid base mount.	Stock	\$2,529.00
<u>MTCP2-030-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 30hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 286T frame, cast iron, rigid base mount.	Stock	\$2,508.00
<u>MTCP2-030-3BD18C</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 30hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 286TC frame, cast iron, C-face/rigid base mount.	Stock	\$2,677.00
<u>MTCP2-040-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 40hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 324T frame, cast iron, rigid base mount.	Stock	\$3,086.00
<u>MTCP2-050-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 50hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 326T frame, cast iron, rigid base mount.	Stock	\$3,495.00
<u>MTCP2-060-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 60hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 364T frame, cast iron, rigid base mount.	Stock	\$4,642.00
<u>MTCP2-075-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 75hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 365T frame, cast iron, rigid base mount.	Stock	\$5,018.00
<u>MTCP2-100-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 100hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 405T frame, cast iron, rigid base mount.	Stock	\$6,338.00
<u>MTCP2-125-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 125hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 444T frame, cast iron, rigid base mount.	Stock	\$7,735.00
<u>MTCP2-150-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 150hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 445T frame, cast iron, rigid base mount.	Stock	\$9,208.00
<u>MTCP2-200-3BD18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 200hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 445/7T frame, cast iron, rigid base mount.	Stock	\$10,533.00
<u>MTCP2-250-3D18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 250hp, 3-phase, 460 VAC, 1800rpm, TEFC, NEMA 449T frame, cast iron, rigid base mount.	Stock	\$15,427.00
<u>MTCP2-300-3D18</u>	IronHorse MTCP2 premium efficiency AC induction motor, general purpose, inverter rated and severe duty, 300hp, 3-phase, 460 VAC, 1800rpm, TEFC, NEMA 449T frame, cast iron, rigid base mount.	Stock	\$20,016.00
<u>.2518ES1BW56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1/4hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$216.00
<u>.3318ES1BW56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1/3hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$228.00
<u>.5018ES1BW56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$250.00
<u>.7518ES1B56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 3/4hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$278.00
<u>00118ES1B56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$318.00
<u>00158ES1B56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1-1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/rigid base mount.	Stock	\$359.00
<u>00218ES1B145TC-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 143/5TC frame, rolled steel, C-face/rigid base mount.	Stock	\$483.00
<u>.2536ES1BW56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1/4hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$210.00
<u>.3336ES1BW56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1/3hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$216.00
<u>.5036ES1BW56C-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, 1/2hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$235.00

[illegible]

[illegible]

<u>00236ET3E56CFL-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$388.00
<u>00336ET3E56CFL-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$455.00
<u>00152ET3E182TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1200rpm, TEFC, NEMA 182TC frame, rolled steel, C-face/rigid base mount.	Stock	\$518.00
<u>00212ET3E184TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1200rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/rigid base mount.	Stock	\$561.00
<u>00512ET3E215TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 208-230/460 VAC, 1200rpm, TEFC, NEMA 215TC frame, rolled steel, C-face/rigid base mount.	Stock	\$905.00
<u>G570</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 1/3hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$345.00
<u>D311</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 1/2hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$285.00
<u>G571</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$395.00
<u>D312</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 3/4hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$349.00
<u>G572</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 3/4hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$476.00
<u>D313</u>	Marathon premium efficiency AC induction motor, general purpose and 4-in-1, 1hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$420.00
<u>G573</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 1hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$489.00
<u>D314</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 1-1/2hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$506.00
<u>G574</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 1-1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$562.00
<u>D315</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 2hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$614.00
<u>G575</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$722.00
<u>D316</u>	Marathon standard efficiency AC induction motor, general purpose and 4-in-1, 3hp, 1-phase, 208-230 VAC, 3600rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$812.00
<u>D390</u>	Marathon XRI standard efficiency AC induction motor, general purpose, 4-in-1 and high-performance inverter duty, 1/3hp, 3-phase, 208-230/460 VAC, 3600rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$170.00
<u>G581</u>	Marathon XRI standard efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$260.00
<u>K705</u>	Marathon XRI standard efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 1/2hp, 3-phase, 575 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$386.00
<u>G582</u>	Marathon XRI standard efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$285.00
<u>D393A</u>	Marathon XRI premium efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 1hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$483.00
<u>G583A</u>	Marathon XRI premium efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 1hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$325.00
<u>K721A</u>	Marathon XRI premium efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 1-1/2hp, 3-phase, 575 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$560.00
<u>G584A</u>	Marathon XRI premium efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 1-1/2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$395.00
<u>D395A</u>	Marathon XRI premium efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$676.00
<u>G585A</u>	Marathon XRI premium efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$420.00
Open Drip Proof AC Motors			
<u>MTDP-001-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 143T frame, rolled steel, rigid base mount.	Stock	\$283.00
<u>MTDP-1P5-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 145T frame, rolled steel, rigid base mount.	Stock	\$353.00

<u>MTDP-002-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 145T frame, rolled steel, rigid base mount.	Stock	\$373.00
<u>MTDP-003-3BD36</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 208-230/460 VAC, 3600rpm, ODP, NEMA 145T frame, rolled steel, rigid base mount.	Stock	\$451.00
<u>MTDP-003-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 182T frame, rolled steel, rigid base mount.	Stock	\$453.00
<u>MTDP-005-3BD36</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 208-230/460 VAC, 3600rpm, ODP, NEMA 182T frame, rolled steel, rigid base mount.	Stock	\$516.00
<u>MTDP-005-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 184T frame, rolled steel, rigid base mount.	Stock	\$534.00
<u>MTDP-7P5-3BD36</u>	IronHorse MTDP high efficiency AC induction motor, general purpose and inverter rated, 7-1/2hp, 3-phase, 208-230/460 VAC, 3600rpm, ODP, NEMA 184T frame, rolled steel, rigid base mount.	Stock	\$732.00
<u>MTDP-7P5-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 7-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 213T frame, rolled steel, rigid base mount.	Stock	\$729.00
<u>MTDP-010-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 10hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 215T frame, rolled steel, rigid base mount.	Stock	\$870.00
<u>MTDP-015-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 15hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 254T frame, rolled steel, rigid base mount.	Stock	\$1,191.00
<u>MTDP-020-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 20hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 256T frame, rolled steel, rigid base mount.	Stock	\$1,460.00
<u>MTDP-025-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 25hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 284T frame, rolled steel, rigid base mount.	Stock	\$1,776.00
<u>MTDP-030-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 30hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 286T frame, rolled steel, rigid base mount.	Stock	\$2,023.00
<u>MTDP-040-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 40hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 324T frame, rolled steel, rigid base mount.	Stock	\$2,642.00
<u>MTDP-050-3BD18</u>	IronHorse MTDP premium efficiency AC induction motor, general purpose and inverter rated, 50hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 326T frame, rolled steel, rigid base mount.	Stock	\$3,044.00
<u>GT0010A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 182T frame, rolled steel, rigid base mount.	Stock	\$405.00
<u>GT0013A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 184T frame, rolled steel, rigid base mount.	Stock	\$487.00
<u>GT0016A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 7-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 213T frame, rolled steel, rigid base mount.	Stock	\$703.00
<u>GT0019A</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 10hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 215T frame, rolled steel, rigid base mount.	Stock	\$851.00
<u>GT0059</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 15hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 254T frame, rolled steel, rigid base mount.	Stock	\$1,080.00
<u>GT0062</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 20hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 256T frame, rolled steel, rigid base mount.	Stock	\$1,339.00
<u>GT0065</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 25hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 284T frame, rolled steel, rigid base mount.	Stock	\$1,907.00
<u>GT0067</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 30hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 286T frame, rolled steel, rigid base mount.	Stock	\$2,027.00
<u>GT0073</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 40hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 324T frame, rolled steel, rigid base mount.	Stock	\$2,312.00
<u>GT0077</u>	Marathon Globetrotter premium efficiency AC induction motor, general purpose and inverter rated, 50hp, 3-phase, 208-230/460 VAC, 1800rpm, ODP, NEMA 326T frame, rolled steel, rigid base mount.	Stock	\$2,428.00
<u>C187A</u>	Marathon standard efficiency AC induction motor, general purpose, 2hp, 1-phase, 115/230 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, ODP, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$688.00
<u>I127</u>	Marathon standard efficiency AC induction motor, general purpose, 2hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 145T frame, rolled steel, rigid base mount.	Stock	\$626.00
<u>C147A</u>	Marathon premium efficiency AC induction motor, general purpose, 1/4hp, 1-phase, 115/230 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, ODP, NEMA 48 frame, rolled steel, rigid base mount.	Stock	\$304.00
<u>G915A</u>	Marathon standard efficiency AC induction motor, general purpose, 3/4hp, 1-phase, 115/230 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, ODP, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$331.00
<u>C188A</u>	Marathon standard efficiency AC induction motor, general purpose, 1hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 143T frame, rolled steel, rigid base mount.	Stock	\$429.00
<u>G1115</u>	Marathon standard efficiency AC induction motor, fan and blower, 1/4hp, 1-phase, 115/230 VAC, 1800rpm, ODP, NEMA 48 frame, rolled steel, resilient base mount.	Stock	\$227.00
<u>C216</u>	Marathon standard efficiency AC induction motor, fan and blower, 1/3hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 56 frame, rolled steel, resilient base mount.	Stock	\$257.00
<u>C1152</u>	Marathon standard efficiency AC induction motor, fan and blower, 1/2hp, 1-phase, 115/208-230 VAC, 3600rpm, ODP, NEMA 48 frame, rolled steel, resilient base mount.	Stock	\$228.00

<u>C1153</u>	Marathon standard efficiency AC induction motor, fan and blower, 1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 56 frame, rolled steel, resilient base mount.	Stock	\$363.00
<u>B319</u>	Marathon standard efficiency AC induction motor, fan and blower, 3/4hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 56 frame, rolled steel, resilient base with extended studs mount.	Stock	\$382.00
<u>C1158</u>	Marathon standard efficiency AC induction motor, fan and blower, 1hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 56 frame, rolled steel, resilient base mount.	Stock	\$491.00
<u>C235</u>	Marathon standard efficiency AC induction motor, fan and blower, 1hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 56 frame, rolled steel, resilient base mount.	Stock	\$406.00
<u>C1160</u>	Marathon standard efficiency AC induction motor, fan and blower, 1-1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 56H frame, rolled steel, resilient base mount.	Stock	\$506.00
<u>B352</u>	Marathon standard efficiency AC induction motor, fan and blower, 2hp, 1-phase, 115/208-230 VAC, 1800rpm, ODP, NEMA 56H frame, rolled steel, resilient base with extended studs mount.	Stock	\$665.00
<u>E261A</u>	Marathon standard efficiency AC induction motor, general purpose, 1/2hp, 1-phase, 100-120/200-240 VAC, 1800rpm, ODP, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$395.00
<u>D010</u>	Marathon standard efficiency AC induction motor, pressure washer definite purpose, 1hp, 1-phase, 115/208-230 VAC, 3600rpm, ODP, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$404.00
<u>C1155</u>	Marathon standard efficiency AC induction motor, fan and blower, 3/4hp, 1-phase, 115/208-230 VAC, 3600rpm, ODP, NEMA 56 frame, rolled steel, resilient base mount.	Stock	\$283.00
<u>D118</u>	Marathon standard efficiency AC induction motor, fan and blower, 1hp, 1-phase, 115/208-230 VAC, 3600rpm, ODP, NEMA 56 frame, rolled steel, resilient base mount.	Stock	\$353.00
<u>D115</u>	Marathon standard efficiency AC induction motor, fan and blower, 1-1/2hp, 1-phase, 115/208-230 VAC, 3600rpm, ODP, NEMA 56 frame, rolled steel, resilient base mount.	Stock	\$487.00
<u>C1161</u>	Marathon standard efficiency AC induction motor, fan and blower, 2hp, 1-phase, 115/208-230 VAC, 3600rpm, ODP, NEMA 56H frame, rolled steel, resilient base mount.	Stock	\$557.00
<u>E268A</u>	Marathon premium efficiency AC induction motor, general purpose, 3/4hp, 1-phase, 100-120/200-240 VAC, 1800rpm, ODP, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$563.00
<u>C167A</u>	Marathon standard efficiency AC induction motor, general purpose, 1/2hp, 1-phase, 115/230 VAC, suitable for 208 VAC at 60 Hz, 1800rpm, ODP, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$374.00
<u>4354</u>	Marathon standard efficiency AC induction motor, general purpose, 1/4hp, 1-phase, 115 VAC, 1800rpm, ODP, NEMA 48 frame, rolled steel, rigid base mount.	Stock	\$182.00
<u>4362</u>	Marathon standard efficiency AC induction motor, general purpose, 1/4hp, 1-phase, 115 VAC, 1800rpm, ODP, NEMA 48 frame, rolled steel, rigid base mount.	Stock	\$187.00
High-Performance Inverter Duty AC Motors			
<u>UN14T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$370.00
<u>UN14T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,199.00
<u>UN12T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$448.00
<u>UN12T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,298.00
<u>UN1T2BC</u>	U.S. MOTORS ACCU-Torq high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 143TC frame, rolled steel, C-face/rigid base mount.	Stock	\$530.00
<u>UN1T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 143TC frame, rolled steel, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,379.00
<u>UN1T3BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1200rpm, TENV, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$578.00
<u>UN1T2BFC</u>	U.S. MOTORS ACCU-Torq high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$530.00
<u>UN1T2BFC-HS35A</u>	U.S. MOTORS ACCU-Torq high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,379.00
<u>UN32T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$651.00
<u>UN32T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,498.00
<u>UN2T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$697.00
<u>UN2T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,538.00

<u>UN2T3BC</u>	U.S. MOTORS ACCU-Torq high efficiency AC induction motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1200rpm, TENV, NEMA 184TC frame, aluminum, C-face/rigid base mount.	Stock	\$963.00
<u>UN3T2BC</u>	U.S. MOTORS ACCU-Torq high efficiency AC induction motor, high-performance inverter duty, 3hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 182TC frame, aluminum, C-face/rigid base mount.	Stock	\$781.00
<u>UN3T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq high efficiency AC induction motor, high-performance inverter duty, 3hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 182TC frame, aluminum, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,625.00
<u>UN5T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 184TC frame, aluminum, C-face/rigid base mount.	Stock	\$908.00
<u>UN5T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 184TC frame, aluminum, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$1,738.00
<u>UN5T3BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1200rpm, TENV, NEMA 215TC frame, aluminum, C-face/rigid base mount.	Stock	\$1,707.00
<u>UN7T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 213TC frame, aluminum, C-face/rigid base mount.	Stock	\$1,241.00
<u>UN7T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 213TC frame, aluminum, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$2,071.00
<u>UN7T3BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 7-1/2hp, 3-phase, 230/460 VAC, 1200rpm, TENV, NEMA 254TC frame, aluminum, C-face/rigid base mount.	Stock	\$2,279.00
<u>UN10T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 215TC frame, aluminum, C-face/rigid base mount.	Stock	\$1,499.00
<u>UN10T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 215TC frame, aluminum, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$2,329.00
<u>UN10T3BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1200rpm, TENV, NEMA 256TC frame, aluminum, C-face/rigid base mount.	Stock	\$2,752.00
<u>UN15T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 15hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 254TC frame, aluminum, C-face/rigid base mount.	Stock	\$2,070.00
<u>UN15T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 15hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 254TC frame, aluminum, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$2,900.00
<u>UN20T2BC</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 20hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 256TC frame, aluminum, C-face/rigid base mount.	Stock	\$2,551.00
<u>UN20T2BC-HS35A</u>	U.S. MOTORS ACCU-Torq premium efficiency AC induction motor, high-performance inverter duty, 20hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 256TC frame, aluminum, C-face/rigid base mount. Avtron HS35A encoder included.	Stock	\$3,381.00
<u>Y534</u>	Marathon Black MAX premium efficiency AC induction motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$624.00
<u>Y535</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$744.00
<u>Y536</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 143TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$765.00
<u>Y537</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1200rpm, TENV, NEMA 145TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$885.00
<u>Y538</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$929.00
<u>Y541A</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 3hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 182TC frame, aluminum, C-face/rigid base mount.	Stock	\$1,490.00
<u>Y543A</u>	Marathon Black MAX premium efficiency AC induction motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 184TC frame, aluminum, C-face/rigid base mount.	Stock	\$1,715.00
<u>Y545</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 213TC frame, cast aluminum, C-face/rigid base mount.	Stock	\$2,249.00
<u>Y547</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 215TC frame, cast aluminum, C-face/rigid base mount.	Stock	\$2,692.00
<u>Y548</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1200rpm, TENV, NEMA 256TC frame, cast aluminum, C-face/rigid base mount.	Stock	\$3,779.00
<u>Y549</u>	Marathon Black MAX premium efficiency AC induction motor, high-performance inverter duty, 15hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 254TC frame, cast aluminum, C-face/rigid base mount.	Stock	\$3,203.00
<u>Y551</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, cast iron, C-face/rigid base mount.	Stock	\$1,282.00
<u>Y592</u>	Marathon Black MAX standard efficiency AC induction motor, high-performance inverter duty, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$494.00

<u>Y1372</u>	Marathon MicroMAX high efficiency AC induction motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$1,092.00
<u>Y1999</u>	Marathon MicroMAX high efficiency AC induction motor, high-performance inverter duty, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 182TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$960.00
<u>Y362</u>	Marathon MicroMAX standard efficiency AC induction motor, high-performance inverter duty, 3/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$484.00
<u>Y366</u>	Marathon MicroMAX high efficiency AC induction motor, high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$678.00
<u>Y502</u>	Marathon MicroMAX premium efficiency AC induction motor, high-performance inverter duty, 1/3hp, 3-phase, 230 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$333.00
<u>Y280</u>	Marathon MAX Plus premium efficiency AC induction motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Dynapar HS20 encoder included.	Stock	\$1,208.00
<u>Y281</u>	Marathon MAX Plus premium efficiency AC induction motor, high-performance inverter duty, 3/4hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Dynapar HS20 encoder included.	Stock	\$1,264.00
<u>Y282</u>	Marathon MAX Plus high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Dynapar HS20 encoder included.	Stock	\$1,338.00
<u>Y284</u>	Marathon MAX Plus high efficiency AC induction motor, high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/removable rigid base mount. Dynapar HS20 encoder included.	Stock	\$1,593.00
<u>Y285</u>	Marathon MAX Plus high efficiency AC induction motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145C frame, cast iron, C-face/removable rigid base mount. Dynapar HS20 encoder included.	Stock	\$2,138.00
<u>Y286A</u>	Marathon MAX Plus high efficiency AC induction motor, high-performance inverter duty, 3hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 182TC frame, aluminum, C-face/rigid base mount. Dynapar HS20 encoder included.	Stock	\$2,082.00
<u>Y360</u>	Marathon MicroMAX premium efficiency AC induction motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$393.00
<u>Y364</u>	Marathon MicroMAX standard efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$545.00
<u>Y368</u>	Marathon MicroMAX standard efficiency AC induction motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$899.00
<u>Y500</u>	Marathon MicroMAX premium efficiency AC induction motor, high-performance inverter duty, 1/4hp, 3-phase, 230 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$310.00
<u>Y994</u>	Marathon MicroMAX high efficiency AC induction motor, high-performance inverter duty, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 213TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$1,594.00
<u>Y996</u>	Marathon MicroMAX high efficiency AC induction motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 215TC frame, rolled steel, C-face/removable rigid base mount.	Stock	\$2,040.00
<u>Y534-A772</u>	Marathon Black MAX premium efficiency AC induction motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Dynapar HS35 encoder included.	Stock	\$1,833.00
<u>Y535-A772</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Dynapar HS35 encoder included.	Stock	\$1,936.00
<u>Y536-A772</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 143TC frame, rolled steel, C-face/removable rigid base mount. Dynapar HS35 encoder included.	Stock	\$1,953.00
<u>Y538-A772</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, rolled steel, C-face/rigid base mount. Dynapar HS35 encoder included.	Stock	\$2,189.00
<u>Y541A-A772</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 3hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 182TC frame, aluminum, C-face/rigid base mount. Dynapar HS35 encoder included.	Stock	\$2,686.00
<u>Y543A-A772</u>	Marathon Black MAX premium efficiency AC induction motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 184TC frame, aluminum, C-face/rigid base mount. Dynapar HS35 encoder included.	Stock	\$2,911.00
<u>Y545-A772</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 213TC frame, cast aluminum, C-face/rigid base mount. Dynapar HS35 encoder included.	Stock	\$3,445.00
<u>Y547-A772</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 215TC frame, cast aluminum, C-face/rigid base mount. Dynapar HS35 encoder included.	Stock	\$3,889.00
<u>Y549-A772</u>	Marathon Black MAX premium efficiency AC induction motor, high-performance inverter duty, 15hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 254TC frame, cast aluminum, C-face/rigid base mount. Dynapar HS35 encoder included.	Stock	\$4,399.00

<u>Y551-A772</u>	Marathon Black MAX high efficiency AC induction motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, cast iron, C-face/rigid base mount. Dynapar HS35 encoder included.	Stock	\$2,395.00
<u>Y592-A772</u>	Marathon Black MAX standard efficiency AC induction motor, high-performance inverter duty, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Dynapar HS35 encoder included.	Stock	\$1,605.00
<u>113473.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$581.00
<u>.5018NT3FVD56C-S</u>	WEG Electric S premium efficiency AC induction motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56CZ frame, rolled steel, C-face/rigid base mount.	Stock	\$450.00
<u>.7518NT3FVD56C-S</u>	WEG Electric S premium efficiency AC induction motor, high-performance inverter duty, 3/4hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56CZ frame, rolled steel, C-face/rigid base mount.	Stock	\$477.00
<u>00118NT3FVD56C-S</u>	WEG Electric S premium efficiency AC induction motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56CZ frame, rolled steel, C-face/rigid base mount.	Stock	\$511.00
<u>1-26SDSR31H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1/2hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 56 frame, cast iron, rigid base mount.	Stock	\$463.00
<u>1-24FNSR31H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56 frame, cast iron, rigid base mount.	Stock	\$435.00
<u>1-26SDSR32H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1/2hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 56C frame, cast iron, C-face/rigid base mount.	Stock	\$508.00
<u>1-24FNSR32H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, cast iron, C-face/rigid base mount.	Stock	\$468.00
<u>3-46SDSR31H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 3/4hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 56 frame, cast iron, rigid base mount.	Stock	\$465.00
<u>3-44SDSR31H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 3/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, cast iron, rigid base mount.	Stock	\$458.00
<u>3-42SDSR31H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 3/4hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56 frame, cast iron, rigid base mount.	Stock	\$418.00
<u>3-44SDSR32H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 3/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, cast iron, C-face/rigid base mount.	Stock	\$488.00
<u>3-42SDSR32H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 3/4hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, cast iron, C-face/rigid base mount.	Stock	\$458.00
<u>0016SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$490.00
<u>0014SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 143T frame, cast iron, rigid base mount.	Stock	\$396.00
<u>0012SDSR41H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56 frame, cast iron, rigid base mount.	Stock	\$498.00
<u>0014SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 143TC frame, cast iron, C-face/rigid base mount.	Stock	\$509.00
<u>0014SDSR42H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, cast iron, C-face/rigid base mount.	Stock	\$583.00
<u>0012SDSR42H-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, cast iron, C-face/rigid base mount.	Stock	\$548.00
<u>Y156SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 182T frame, cast iron, rigid base mount.	Stock	\$523.00
<u>Y154SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$434.00
<u>Y152SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 143T frame, cast iron, rigid base mount.	Stock	\$429.00
<u>Y156SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 182TC frame, cast iron, C-face/rigid base mount.	Stock	\$663.00
<u>Y154SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, cast iron, C-face/rigid base mount.	Stock	\$549.00
<u>Y152SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 1-1/2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 143TC frame, cast iron, C-face/rigid base mount.	Stock	\$545.00
<u>0024SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$471.00
<u>0022SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 145T frame, cast iron, rigid base mount.	Stock	\$521.00
<u>0024SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, cast iron, C-face/rigid base mount.	Stock	\$589.00
<u>0022SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 145TC frame, cast iron, C-face/rigid base mount.	Stock	\$641.00

[illegible]

<u>0256SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 25hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 324T frame, cast iron, rigid base mount.	Stock	\$3,665.00
<u>0254SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 25hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 284T frame, cast iron, rigid base mount.	Stock	\$2,175.00
<u>0254SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 25hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 284TC frame, cast iron, C-face/rigid base mount.	Stock	\$2,548.00
<u>0306SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 30hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 326T frame, cast iron, rigid base mount.	Stock	\$4,475.00
<u>0304SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 30hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 286T frame, cast iron, rigid base mount.	Stock	\$2,616.00
<u>0302SDSR41B-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 30hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 286TS frame, cast iron, rigid base mount.	Stock	\$2,665.00
<u>0304SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 30hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 286TC frame, cast iron, C-face/rigid base mount.	Stock	\$2,988.00
<u>0406SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 40hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 364T frame, cast iron, rigid base mount.	Stock	\$5,855.00
<u>0404SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 40hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 324T frame, cast iron, rigid base mount.	Stock	\$3,382.00
<u>0402SDSR41B-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 40hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 324TS frame, cast iron, rigid base mount.	Stock	\$3,356.00
<u>0404SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 40hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 324TC frame, cast iron, C-face/rigid base mount.	Stock	\$3,801.00
<u>0506SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 50hp, 3-phase, 230/460 VAC, 1200rpm, TEFC, NEMA 365T frame, cast iron, rigid base mount.	Stock	\$6,533.00
<u>0504SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 50hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 326T frame, cast iron, rigid base mount.	Stock	\$4,124.00
<u>0502SDSR41B-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 50hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 326TS frame, cast iron, rigid base mount.	Stock	\$4,654.00
<u>0504SDSR42A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 50hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 326TC frame, cast iron, C-face/rigid base mount.	Stock	\$4,543.00
<u>0604SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 60hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 364T frame, cast iron, rigid base mount.	Stock	\$5,812.00
<u>0754SDSR41A-P</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 75hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 365T frame, cast iron, rigid base mount.	Stock	\$7,157.00
<u>1004SDSR41A-PR</u>	Toshiba SD premium efficiency AC induction motor, high-performance inverter duty and severe duty, 100hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 405T frame, cast iron, rigid base mount.	Stock	\$10,167.00
Washdown AC Motors			
<u>112431.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown, 1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$558.00
<u>112527.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown, 1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$584.00
<u>112528.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown, 3/4hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$651.00
<u>113583.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown, 1hp, 1-phase, 115/208-230 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$618.00
<u>112529.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown, 1hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$750.00
<u>114311.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown, 1/3hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$553.00
<u>114313.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown, 1/2hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$567.00
<u>114317.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown, 1hp, 1-phase, 115/208-230 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$743.00
<u>113649.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and high-performance inverter duty, 1/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$530.00
<u>116644.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and inverter rated, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$582.00
<u>113019.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and high-performance inverter duty, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$673.00
<u>116645.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and inverter rated, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$673.00

<u>113023.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 3600rpm, TENV, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$685.00
<u>119468.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$823.00
<u>119469.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$847.00
<u>119471.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount.	Stock	\$1,018.00
<u>122182.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, rolled steel, C-face mount.	Stock	\$1,059.00
<u>122184.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and inverter rated, 3hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 145TC frame, rolled steel, C-face mount.	Stock	\$1,277.00
<u>132440.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 184TC frame, rolled steel, C-face mount.	Stock	\$1,366.00
<u>141266.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 213TC frame, rolled steel, C-face mount.	Stock	\$1,724.00
<u>112427.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and inverter rated, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$570.00
<u>112428.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and inverter rated, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$598.00
<u>119475.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount.	Stock	\$826.00
<u>121866.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 145T frame, rolled steel, rigid base mount.	Stock	\$981.00
<u>132196.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 182T frame, rolled steel, rigid base mount.	Stock	\$1,128.00
<u>132197.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 184T frame, rolled steel, rigid base mount.	Stock	\$1,328.00
<u>140819.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 213T frame, rolled steel, rigid base mount.	Stock	\$1,755.00
<u>140820.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 10hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 215T frame, rolled steel, rigid base mount.	Stock	\$2,015.00
<u>113586.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$598.00
<u>112429.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and inverter rated, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$598.00
<u>112430.00</u>	Leeson Washguard White Duck standard efficiency AC induction motor, washdown and inverter rated, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$690.00
<u>113590.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 3600rpm, TENV, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$683.00
<u>119476.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/rigid base mount.	Stock	\$874.00
<u>119478.00</u>	Leeson Washguard White Duck high efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1200rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,091.00
<u>113591.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 3600rpm, TENV, NEMA 56HC frame, rolled steel, C-face/rigid base mount.	Stock	\$757.00
<u>119480.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$1,003.00
<u>119482.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56HC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,082.00
<u>122185.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,090.00
<u>119483.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount.	Stock	\$1,098.00
<u>121868.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,069.00
<u>121870.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 3hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 145C frame, rolled steel, C-face/rigid base mount.	Stock	\$1,261.00
<u>132198.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 182TC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,219.00
<u>132200.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 5hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,458.00

<u>132201.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,482.00
<u>140822.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 213TC frame, rolled steel, C-face/rigid base mount.	Stock	\$1,912.00
<u>140821.00</u>	Leeson Washguard White Duck premium efficiency AC induction motor, washdown and inverter rated, 10hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 215TC frame, rolled steel, C-face/rigid base mount.	Stock	\$2,202.00
<u>191475.00</u>	Leeson Washguard SST Duck standard efficiency AC induction motor, washdown, 1/2hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56C frame, stainless steel, C-face/rigid base mount.	Stock	\$913.00
<u>191477.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown, 3/4hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56C frame, stainless steel, C-face/rigid base mount.	Stock	\$1,049.00
<u>191479.00</u>	Leeson Washguard SST Duck standard efficiency AC induction motor, washdown, 1hp, 1-phase, 115/230 VAC, 1800rpm, TEFC, NEMA 56C frame, stainless steel, C-face/rigid base mount.	Stock	\$1,081.00
<u>191204.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, stainless steel, C-face/rigid base mount.	Stock	\$857.00
<u>191207.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, stainless steel, C-face/rigid base mount.	Stock	\$929.00
<u>191487.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 143TC frame, stainless steel, C-face/rigid base mount.	Stock	\$1,181.00
<u>191561.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56HC frame, stainless steel, C-face/rigid base mount.	Stock	\$1,143.00
<u>191563.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56HC frame, stainless steel, C-face/rigid base mount.	Stock	\$1,313.00
<u>191491.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, stainless steel, C-face/rigid base mount.	Stock	\$1,460.00
<u>191202.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1/3hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, stainless steel, C-face mount.	Stock	\$779.00
<u>191205.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, stainless steel, C-face mount.	Stock	\$835.00
<u>191208.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and high-performance inverter duty, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, stainless steel, C-face mount.	Stock	\$906.00
<u>191564.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, stainless steel, C-face mount.	Stock	\$981.00
<u>191565.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 143TC frame, stainless steel, C-face mount.	Stock	\$1,131.00
<u>191569.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, stainless steel, C-face mount.	Stock	\$1,311.00
<u>191570.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, stainless steel, C-face mount.	Stock	\$1,312.00
<u>191206.00</u>	Leeson Washguard SST Duck standard efficiency AC induction motor, washdown and high-performance inverter duty, 3/4hp, 3-phase, 208-230/460 VAC, 3600rpm, TENV, NEMA 56C frame, stainless steel, C-face/rigid base mount.	Stock	\$1,186.00
<u>191560.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56HC frame, stainless steel, C-face/rigid base mount.	Stock	\$1,203.00
<u>191562.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56HC frame, stainless steel, C-face/rigid base mount.	Stock	\$1,349.00
<u>191490.00</u>	Leeson Washguard SST Duck premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 145TC frame, stainless steel, C-face/rigid base mount.	Stock	\$1,486.00
<u>MTSP-P33-3BD18</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 1/3hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, 304 stainless steel, C-face/rigid base mount.	Stock	\$513.00
<u>MTSP-P50-3BD18</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, 304 stainless steel, C-face/rigid base mount.	Stock	\$522.00
<u>MTSP-P75-3BD18</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, 304 stainless steel, C-face/rigid base mount.	Stock	\$566.00
<u>MTSP-001-3BD18</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, 304 stainless steel, C-face/rigid base mount.	Stock	\$646.00
<u>MTSP-1P5-3BD18</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, 304 stainless steel, C-face/rigid base mount.	Stock	\$728.00
<u>MTSP-1P5-3BD18-14</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 145TC frame, 304 stainless steel, C-face/rigid base mount.	Stock	\$748.00

[illegible]

[illegible]

<u>MTSN-1P5-3BD18R-14</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, 304 stainless steel, C-face mount.	Stock	\$801.00
<u>MTSN-002-3BD18R</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 56C frame, 304 stainless steel, C-face mount.	Stock	\$1,329.00
<u>MTSN-002-3BD18R-14</u>	IronHorse MTS premium efficiency AC induction motor, washdown and inverter rated, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TENV, NEMA 145TC frame, 304 stainless steel, C-face mount.	Stock	\$935.00
IEC AC Motors			
<u>ONX5</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 63 frame, aluminum, rigid base (B3) mount.	Stock	\$159.00
<u>ONX7</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 63 frame, aluminum, D-flange (B5) mount.	Stock	\$163.00
<u>ONXA</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 63 frame, aluminum, C-face (B14) mount.	Stock	\$163.00
<u>OVNE</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/4hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, IEC 63 frame, aluminum, D-flange (B5) mount.	Stock	\$172.00
<u>OUQR</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/4hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, IEC 63 frame, aluminum, C-face/removable rigid base (B34) mount.	Stock	\$179.00
<u>ONUL</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 71 frame, aluminum, rigid base (B3) mount.	Stock	\$214.00
<u>ONUN</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 71 frame, aluminum, D-flange (B5) mount.	Stock	\$220.00
<u>ONUP</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 71 frame, aluminum, C-face (B14) mount.	Stock	\$220.00
<u>ORC2</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, IEC 71 frame, aluminum, D-flange (B5) mount.	Stock	\$229.00
<u>16SV</u>	M.G.M. Electric Motors SMX IE2 high efficiency AC induction motor, general purpose and inverter rated, 1/2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, IEC 71 frame, aluminum, C-face/removable rigid base (B34) mount.	Stock	\$238.00
<u>131C</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 80 frame, aluminum, rigid base (B3) mount.	Stock	\$319.00
<u>OYGA</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 80 frame, aluminum, D-flange (B5) mount.	Stock	\$329.00
<u>OYGB</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 80 frame, aluminum, C-face (B14) mount.	Stock	\$329.00
<u>OZYZ</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, IEC 80 frame, aluminum, D-flange (B5) mount.	Stock	\$312.00
<u>18J7</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 1hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, IEC 80 frame, aluminum, C-face/removable rigid base (B34) mount.	Stock	\$324.00
<u>18PU</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 90 frame, aluminum, D-flange (B5) mount.	Stock	\$449.00
<u>18J8</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 90 frame, aluminum, C-face/removable rigid base (B34) mount.	Stock	\$467.00
<u>18OR</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 100 frame, aluminum, D-flange (B5) mount.	Stock	\$547.00
<u>18J9</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 100 frame, aluminum, C-face/removable rigid base (B34) mount.	Stock	\$568.00
<u>18PL</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 112 frame, aluminum, D-flange (B5) mount.	Stock	\$746.00
<u>18OT</u>	M.G.M. Electric Motors SMX IE3 premium efficiency AC induction motor, general purpose and inverter rated, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 112 frame, aluminum, C-face/removable rigid base (B34) mount.	Stock	\$776.00
Brake AC Motors			
<u>18I1</u>	M.G.M. Electric Motors BMX IE2 high efficiency AC induction motor, general purpose, inverter rated and brake, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 63 frame, aluminum, C-face/removable rigid base (B34) mount. Integrated brake assembly included.	Stock	\$538.00
<u>18HZ</u>	M.G.M. Electric Motors BMX IE2 high efficiency AC induction motor, general purpose, inverter rated and brake, 1/4hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 63 frame, aluminum, D-flange (B5) mount. Integrated brake assembly included.	Stock	\$515.00
<u>18I6</u>	M.G.M. Electric Motors BAX IE2 high efficiency AC induction motor, general purpose, inverter rated and brake, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 71 frame, aluminum, C-face/removable rigid base (B34) mount. Integrated brake assembly included.	Stock	\$607.00

<u>14JO</u>	M.G.M. Electric Motors BAX IE2 high efficiency AC induction motor, general purpose, inverter rated and brake, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 71 frame, aluminum, D-flange (B5) mount. Integrated brake assembly included.	Stock	\$585.00
<u>18I8</u>	M.G.M. Electric Motors BAX IE2 high efficiency AC induction motor, general purpose, inverter rated and brake, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 71 (NEMA 56C flange) frame, aluminum, C-face mount. Integrated brake assembly included.	Stock	\$643.00
<u>18IA</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 80 frame, aluminum, C-face/removable rigid base (B34) mount. Integrated brake assembly included.	Stock	\$785.00
<u>13HB</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 80 frame, aluminum, D-flange (B5) mount. Integrated brake assembly included.	Stock	\$756.00
<u>18IC</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 1hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 80 (NEMA 56C flange) frame, aluminum, C-face mount. Integrated brake assembly included.	Stock	\$810.00
<u>18Q3</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 90 frame, aluminum, C-face/removable rigid base (B34) mount. Integrated brake assembly included.	Stock	\$1,027.00
<u>18Q4</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 90 frame, aluminum, D-flange (B5) mount. Integrated brake assembly included.	Stock	\$988.00
<u>18Q5</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 90 (NEMA 145TC flange) frame, aluminum, C-face mount. Integrated brake assembly included.	Stock	\$1,036.00
<u>18Q6</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 100 frame, aluminum, C-face/removable rigid base (B34) mount. Integrated brake assembly included.	Stock	\$1,246.00
<u>18Q7</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 100 frame, aluminum, D-flange/removable rigid base (B35) mount. Integrated brake assembly included.	Stock	\$1,246.00
<u>18IY</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 3hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 100 (NEMA 182TC flange) frame, aluminum, C-face mount. Integrated brake assembly included.	Stock	\$1,257.00
<u>18OM</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 112 frame, aluminum, C-face/removable rigid base (B34) mount. Integrated brake assembly included.	Stock	\$1,705.00
<u>18ON</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 112 frame, aluminum, D-flange/removable rigid base (B35) mount. Integrated brake assembly included.	Stock	\$1,705.00
<u>18J4</u>	M.G.M. Electric Motors BAX IE3 premium efficiency AC induction motor, general purpose, inverter rated and brake, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, IEC 112 (NEMA 182TC flange) frame, aluminum, C-face mount. Integrated brake assembly included.	Stock	\$1,722.00
<u>.3318ES3EBMW56-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, inverter rated and brake, 1/3hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount. Stearns 104816100KQ brake assembly included.	Stock	\$733.00
<u>.5018ES3EBMW56-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, inverter rated and brake, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount. Stearns 104816100KQ brake assembly included.	Stock	\$829.00
<u>.7518ES3EBMW56-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, inverter rated and brake, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount. Stearns 104817100KQ brake assembly included.	Stock	\$976.00
<u>00118ET3EBM56-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56 frame, rolled steel, rigid base mount. Stearns 105602100BQF brake assembly included.	Stock	\$1,128.00
<u>00118ET3EBM56C-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/rigid base mount. Stearns 105602100BQF brake assembly included.	Stock	\$1,157.00
<u>00158ET3EBM145TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 143/5TC frame, rolled steel, C-face/rigid base mount. Stearns 105603100BQF brake assembly included.	Stock	\$1,428.00
<u>00218ET3EBM145TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 143/5TC frame, rolled steel, C-face/rigid base mount. Stearns 105603100BQF brake assembly included.	Stock	\$1,470.00
<u>00318ET3EBM182TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 3hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 182TC frame, rolled steel, C-face/rigid base mount. Stearns 105604100BQF brake assembly included.	Stock	\$1,642.00

<u>00518ET3EBM184TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 5hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/rigid base mount. Stearns 105606100BQF brake assembly included.	Stock	\$1,923.00
<u>00718ET3EBM213TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 7-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 213TC frame, rolled steel, C-face/rigid base mount. Stearns 108704100DQF brake assembly included.	Stock	\$3,527.00
<u>01018ET3EBM215TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 10hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 215TC frame, rolled steel, C-face/rigid base mount. Stearns 108705100DQF brake assembly included.	Stock	\$3,846.00
<u>01518ET3EBM254T-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 15hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 254T frame, rolled steel, rigid base mount. Stearns 108706100DQF brake assembly included.	Stock	\$5,239.00
<u>02018ET3EBM256T-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 20hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 256T frame, rolled steel, rigid base mount. Stearns 108708100DQF brake assembly included.	Stock	\$6,810.00
<u>.2518ES3EBMW56CFL-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, inverter rated and brake, 1/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount. Stearns 104817100KQ brake assembly included.	Stock	\$725.00
<u>.3318ES3EBMW56CFL-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, inverter rated and brake, 1/3hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount. Stearns 104817100KQ brake assembly included.	Stock	\$762.00
<u>.5018ES3EBMW56CFL-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, inverter rated and brake, 1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount. Stearns 104817100KQ brake assembly included.	Stock	\$858.00
<u>.7518ES3EBMW56CFL-S</u>	WEG Electric S standard efficiency AC induction motor, general purpose, inverter rated and brake, 3/4hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount. Stearns 104817100KQ brake assembly included.	Stock	\$1,005.00
<u>00118ET3EBM56CFL-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 1hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount. Stearns 105602100BQF brake assembly included.	Stock	\$1,157.00
<u>00158ET3EBM56CFL-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 1-1/2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount. Stearns 105603100BQF brake assembly included.	Stock	\$1,392.00
<u>00218ET3EBM56CFL-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 2hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face mount. Stearns 105603100BQF brake assembly included.	Stock	\$1,444.00
<u>00518ET3EBMR184TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 5hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 184TC frame, rolled steel, C-face mount. Stearns 105606100BQF brake assembly included.	Stock	\$1,923.00
<u>01018ET3EBMR215TC-S</u>	WEG Electric S premium efficiency AC induction motor, general purpose, inverter rated and brake, 10hp, 3-phase, 208-230/460 VAC, 1800rpm, TEFC, NEMA 215TC frame, rolled steel, C-face mount. Stearns 108705100DQF brake assembly included.	Stock	\$3,846.00
Permanent Magnet AC Motors (PMAC)			
<u>SY001</u>	Marathon Symax premium efficiency AC permanent magnet motor, high-performance inverter duty, 1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA S56C frame, rolled steel, C-face/rigid base mount. Requires drive.	Stock	\$633.00
<u>SY003</u>	Marathon Symax premium efficiency AC permanent magnet motor, high-performance inverter duty, 1hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA S56C frame, rolled steel, C-face/rigid base mount. Requires drive.	Stock	\$736.00
<u>SY004</u>	Marathon Symax premium efficiency AC permanent magnet motor, high-performance inverter duty, 1-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA S56C frame, rolled steel, C-face/rigid base mount. Requires drive.	Stock	\$896.00
<u>SY005</u>	Marathon Symax premium efficiency AC permanent magnet motor, high-performance inverter duty, 2hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA S56C frame, rolled steel, C-face/rigid base mount. Requires drive.	Stock	\$1,202.00
<u>SY067</u>	Marathon Symax super premium efficiency AC permanent magnet motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 184TC frame, rolled steel, C-face/rigid base mount. Requires drive.	from vendor up to 3 business days	\$1,674.00
<u>SY068</u>	Marathon Symax super premium efficiency AC permanent magnet motor, high-performance inverter duty, 7-1/2hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 213TC frame, rolled steel, C-face/rigid base mount. Requires drive.	from vendor up to 3 business days	\$1,776.00
<u>SY069</u>	Marathon Symax super premium efficiency AC permanent magnet motor, high-performance inverter duty, 10hp, 3-phase, 230/460 VAC, 1800rpm, TEFC, NEMA 215TC frame, rolled steel, C-face/rigid base mount. Requires drive.	from vendor up to 3 business days	\$1,884.00
Centrifugal Jet Pump AC Motors			
<u>MTRJ-P33-3BD36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 1/3hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$208.00

<u>MTRJ-P50-3BD36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 1/2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$215.00
<u>MTRJ-P75-3BD36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 3/4hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$236.00
<u>MTRJP-001-3BD36J</u>	IronHorse MTR premium efficiency AC induction motor, centrifugal jet pump, 1hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$256.00
<u>MTRJP-1P5-3BD36J</u>	IronHorse MTR premium efficiency AC induction motor, centrifugal jet pump, 1-1/2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$323.00
<u>MTRJP-002-3BD36J</u>	IronHorse MTR premium efficiency AC induction motor, centrifugal jet pump, 2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$338.00
<u>MTRJP-003-3BD36J</u>	IronHorse MTR premium efficiency AC induction motor, centrifugal jet pump, 3hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$431.00
<u>MTRJ-P33-1AB36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 1/3hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$234.00
<u>MTRJ-P50-1AB36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 1/2hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$243.00
<u>MTRJ-P75-1AB36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 3/4hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$264.00
<u>MTRJ-001-1AB36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 1hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$279.00
<u>MTRJ-1P5-1AB36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 1-1/2hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$337.00
<u>MTRJ-002-1AB36J</u>	IronHorse MTR standard efficiency AC induction motor, centrifugal jet pump, 2hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/removable rigid base mount.	Stock	\$364.00
<u>C1336</u>	Marathon standard efficiency AC induction motor, centrifugal jet pump, 1/3hp, 1-phase, 115/230 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face mount.	Stock	\$396.00
<u>J061</u>	Marathon standard efficiency AC induction motor, centrifugal jet pump and inverter rated, 1/2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/rigid base mount.	Stock	\$348.00
<u>J063A</u>	Marathon premium efficiency AC induction motor, centrifugal jet pump and inverter rated, 1hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/rigid base mount.	Stock	\$494.00
<u>J064A</u>	Marathon premium efficiency AC induction motor, centrifugal jet pump and inverter rated, 1-1/2hp, 3-phase, 208-230/460 VAC, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/rigid base mount.	Stock	\$611.00
<u>J065A</u>	Marathon premium efficiency AC induction motor, centrifugal jet pump and inverter rated, 2hp, 3-phase, 230/460 VAC, suitable for 208 VAC at 60 Hz, 3600rpm, TEFC, NEMA 56J frame, rolled steel, C-face/rigid base mount.	Stock	\$704.00
<u>J066A</u>	Marathon premium efficiency AC induction motor, centrifugal jet pump and inverter rated, 3hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56HJ frame, rolled steel, C-face/rigid base mount. Drip cover and mounting hardware included.	Stock	\$728.00
Conveyor/Farm Duty AC Motors			
<u>MTF2-002-1B18-182</u>	IronHorse MTF2 standard efficiency AC induction motor, general purpose and farm duty, 2hp, 1-phase, 208-230 VAC, 1800rpm, TEFC, NEMA 182T frame, rolled steel, rigid base mount.	Stock	\$459.00
<u>MTF2-003-1B18</u>	IronHorse MTF2 standard efficiency AC induction motor, general purpose and farm duty, 3hp, 1-phase, 208-230 VAC, 1800rpm, TEFC, NEMA 184T frame, rolled steel, rigid base mount.	Stock	\$528.00
<u>MTF2-005-1B18</u>	IronHorse MTF2 standard efficiency AC induction motor, general purpose and farm duty, 5hp, 1-phase, 208-230 VAC, 1800rpm, TEFC, NEMA 184T frame, rolled steel, rigid base mount.	Stock	\$695.00
<u>MTF2-7P5-1B18-215</u>	IronHorse MTF2 standard efficiency AC induction motor, general purpose and farm duty, 7-1/2hp, 1-phase, 208-230 VAC, 1800rpm, TEFC, NEMA 215T frame, rolled steel, rigid base mount.	Stock	\$989.00
<u>MTF2-010-1B18</u>	IronHorse MTF2 standard efficiency AC induction motor, general purpose and farm duty, 10hp, 1-phase, 208-230 VAC, 1800rpm, TEFC, NEMA 215T frame, rolled steel, rigid base mount.	Stock	\$1,045.00
Accessories for AC Motors			
<u>MTAP2-CFACE-360TC</u>	IronHorse C-flange, replacement. For use with 364T and 365T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$239.00
<u>MTAP2-CFACE-400TC</u>	IronHorse C-flange, replacement. For use with 405T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$366.00
<u>MTAP2-CFACE-320TC</u>	IronHorse C-flange, replacement. For use with 324T and 326T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$168.00
<u>MTAP2-CFACE-444TC</u>	IronHorse C-flange, replacement. For use with 444T and 445T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$389.00

<u>MTAP2-CFACE-140TC</u>	IronHorse C-flange, replacement. For use with 143T and 145T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$31.00
<u>MTAP2-CFACE-180TC</u>	IronHorse C-flange, replacement. For use with 182T and 184T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$42.00
<u>MTAP2-CFACE-447TC</u>	IronHorse C-flange, replacement. For use with 447T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$389.00
<u>MTAP2-CFACE-210TC</u>	IronHorse C-flange, replacement. For use with 213T and 215T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$59.00
<u>MTAP2-CFACE-449TC</u>	IronHorse C-flange, replacement. For use with 449T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$839.00
<u>MTAP2-CFACE-280TC</u>	IronHorse C-flange, replacement. For use with 284T and 286T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$122.00
<u>MTAP2-CFACE-250TC</u>	IronHorse C-flange, replacement. For use with 254T and 256T frame IronHorse premium efficiency MTCP2 series motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTC or MTCP series motors.	Stock	\$96.00
<u>MTADP-CFACE-140TC</u>	IronHorse C-flange, replacement. For use with 143T and 145T frame IronHorse MTDP series motors.	Stock	\$73.00
<u>MTADP-CFACE-180TC</u>	IronHorse C-flange, replacement. For use with 182T and 184T frame IronHorse MTDP series motors.	Stock	\$79.00
<u>MTADP-CFACE-210TC</u>	IronHorse C-flange, replacement. For use with 213T and 215T frame IronHorse MTDP series motors.	Stock	\$177.00
<u>MTADP-CFACE-250TC</u>	IronHorse C-flange, replacement. For use with 254T and 256T frame IronHorse MTDP series motors.	Stock	\$193.00
<u>MTADP-CFACE-280TC</u>	IronHorse C-flange, replacement. For use with 284T and 286T frame IronHorse MTDP series motors.	Stock	\$206.00
<u>MTADP-CFACE-320TC</u>	IronHorse C-flange, replacement. For use with 324T and 326T frame IronHorse MTDP series motors.	Stock	\$288.00
<u>MTAF2-CFACE-180TC</u>	IronHorse C-flange, replacement. For use with 182T and 184T frame IronHorse MTF2 series 1-phase motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTF series motors.	Stock	\$126.00
<u>MTAF2-CFACE-210TC</u>	IronHorse C-flange, replacement. For use with 215T frame IronHorse MTF2 series 1-phase motors. Mounting hardware included. Replaces drive end bell, field install. Not compatible with MTF series motors.	Stock	\$230.00
<u>MTA-CAP-01</u>	IronHorse start capacitor, replacement. For use with 1/3hp 1800rpm IronHorse MTR series 1-phase AC motors. Not compatible with MTR2 series motors.	Stock	\$12.50
<u>MTA-CAP-02</u>	IronHorse start capacitor, replacement. For use with 1/2 and 3/4hp 1800rpm IronHorse MTR series 1-phase AC motors. Not compatible with MTR2 series motors.	Stock	\$12.50
<u>MTA-CAP-03</u>	IronHorse start capacitor, replacement. For use with 1hp 1800rpm IronHorse MTR series 1-phase AC motors. Not compatible with MTR2 series motors.	Stock	\$12.50
<u>MTA-CAP-04</u>	IronHorse start capacitor, replacement. For use with 1-1/2hp 1800rpm IronHorse MTR series 1-phase AC motors. Not compatible with MTR2 series motors.	Stock	\$12.50
<u>MTA-CAP-06</u>	IronHorse run capacitor, replacement. For use with 1-1/2hp 1800rpm IronHorse MTR series 1-phase AC motors. Not compatible with MTR2 series motors.	Stock	\$12.50
<u>MTA-CAP-08</u>	IronHorse start capacitor, replacement. For use with 1-1/2hp 3600rpm IronHorse MTR series 1-phase AC motors. Not compatible with MTR2 series motors.	Stock	\$12.50
<u>MTA-CAP-10</u>	IronHorse start capacitor, replacement. For use with 1/3hp 3600rpm IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$23.50
<u>MTA-CAP-11</u>	IronHorse start capacitor, replacement. For use with 1/3hp 1800rpm and 1/2hp 3600rpm IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$25.00
<u>MTA-CAP-12</u>	IronHorse start capacitor, replacement. For use with 1/2hp 1800rpm and 3/4hp 3600rpm IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$26.50
<u>MTA-CAP-13</u>	IronHorse start capacitor, replacement. For use with 3/4hp 1800rpm, 1hp 1800rpm and 1hp 3600rpm IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$38.00
<u>MTA-CAP-14</u>	IronHorse run capacitor, replacement. For use with 1-1/2 and 2hp IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$38.00
<u>MTA-CAP-15</u>	IronHorse start capacitor, replacement. For use with 1-1/2 and 2hp IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$67.00
<u>MTA-CAP-21</u>	IronHorse run capacitor, replacement. For use with 5hp 1800rpm IronHorse farm duty MTF series 1-phase AC motors.	Stock	\$30.00
<u>MTA-CAP-22</u>	IronHorse start capacitor, replacement. For use with 1-1/2hp 1800rpm IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$72.00
<u>MTA-CAP-31</u>	IronHorse start capacitor, replacement. For use with 1/3hp, 1/2hp and 3/4hp IronHorse MTR series 1-phase AC motors.	Stock	\$21.00

<u>MTAF2-CAP-16</u>	IronHorse start capacitor, replacement. For use with 2hp and 3hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$37.00
<u>MTAF2-CAP-17</u>	IronHorse start capacitor, replacement. For use with 5hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$53.00
<u>MTAF2-CAP-18</u>	IronHorse start capacitor, replacement. For use with 7-1/2hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$118.00
<u>MTAF2-CAP-19</u>	IronHorse start capacitor, replacement. For use with 10hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$137.00
<u>MTAF2-CAP-20</u>	IronHorse run capacitor, replacement. For use with 2hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$30.50
<u>MTAF2-CAP-21</u>	IronHorse run capacitor, replacement. For use with 3hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$39.00
<u>MTAF2-CAP-22</u>	IronHorse run capacitor, replacement. For use with 5hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$47.00
<u>MTAF2-CAP-23</u>	IronHorse run capacitor, replacement. For use with 7-1/2hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$56.00
<u>MTAF2-CAP-24</u>	IronHorse run capacitor, replacement. For use with 10hp 1800rpm IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$60.00
<u>MTA-CSW-03</u>	IronHorse centrifugal switch, replacement. For use with 56C frame 3600rpm IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$19.00
<u>MTA-CSW-04</u>	IronHorse stationary switch, replacement. For use with 56C frame IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$19.00
<u>MTA-CSW-08</u>	IronHorse centrifugal switch, replacement. For use with 56C frame 1800rpm IronHorse MTR2 series 1-phase AC motors. Not compatible with MTR series motors.	Stock	\$19.00
<u>MTAF2-CSW-05</u>	IronHorse centrifugal switch, replacement. For use with 182T and 184T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$66.00
<u>MTAF2-CSW-06</u>	IronHorse centrifugal switch, replacement. For use with 215T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$82.00
<u>MTAF2-SSW-05</u>	IronHorse stationary switch, replacement. For use with 182T and 184T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$156.00
<u>MTAF2-SSW-06</u>	IronHorse stationary switch, replacement. For use with 215T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$276.00
<u>MTAR-BASE-56</u>	IronHorse removable motor base, replacement. For use with 56C IronHorse MTR series motors. Not compatible with MTR2 series motors.	Stock	\$14.50
<u>MTA2-BASE-56</u>	IronHorse removable motor base, replacement. For use with 56C frame IronHorse MTR2 and MTRP series motors. Not compatible with MTR series motors.	Stock	\$22.00
<u>MTA2-FAN-56</u>	IronHorse MTR series main cooling fan, replacement. For use with 56C frame IronHorse MTR2 series motors. Not compatible with MTR series.	Stock	\$22.00
<u>MTA2-FAN-56-1</u>	IronHorse cooling fan, replacement. For use with 56C frame IronHorse MTRP series motors only.	Stock	\$14.00
<u>MTAP2-FAN-140</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 143 and 145 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$40.00
<u>MTAP2-FAN-180</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 182 and 184 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$40.00
<u>MTAP2-FAN-210</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 4-pole and 6-pole 213 and 215 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$42.50
<u>MTAP2-FAN-210-2</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 2-pole 213 and 215 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$44.50
<u>MTAP2-FAN-250</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 4-pole and 6-pole 254 and 256 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$72.00
<u>MTAP2-FAN-250-2</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 2-pole 254 and 256 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$72.00
<u>MTAP2-FAN-280</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 284 and 286 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$99.00
<u>MTAP2-FAN-320</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 324 and 326 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$137.00
<u>MTAP2-FAN-360</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 364 and 365 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$223.00
<u>MTAP2-FAN-400</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 405 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$261.00
<u>MTAP2-FAN-440</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 444, 445 and 447 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$286.00
<u>MTAP2-FAN-449</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 250hp 449 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$419.00

<u>MTAP2-FAN-449-1</u>	IronHorse MTCP2 series main cooling fan, replacement. For use with 300hp 449 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$415.00
<u>MTAF2-FAN-180</u>	IronHorse MTF2 series main cooling fan, replacement. For use with 182T and 184T frame IronHorse MTF2 series motors.	Stock	\$11.50
<u>MTAF2-FAN-210</u>	IronHorse MTF2 series main cooling fan, replacement. For use with 215T frame IronHorse MTF2 series motors.	Stock	\$17.50
<u>MTAS-FAN-56</u>	IronHorse MTS series main cooling fan, replacement. For use with 1/3hp, 1/2hp and 3/4hp IronHorse MTS series TEFC motors. Not compatible with MTSS series motors.	Stock	\$30.00
<u>MTAS-FAN-143180</u>	IronHorse MTS series main cooling fan, replacement. For use with 1hp 2- and 4-pole, 1-1/2hp 2-pole and 3hp and 5hp 4-pole IronHorse MTS series TEFC motors.	Stock	\$30.00
<u>MTAS-FAN-145</u>	IronHorse MTS series main cooling fan, replacement. For use with 1-1/2hp 4-pole, 2hp 2- and 4-pole IronHorse MTS series TEFC motors.	Stock	\$30.00
<u>MTAS-FAN-180-26</u>	IronHorse MTS series main cooling fan, replacement. For use with 1hp, 1-1/2hp and 2hp 6-pole and 3hp and 5hp 2-pole IronHorse MTS series TEFC motors.	Stock	\$33.00
<u>MTAS-FAN-210</u>	IronHorse MTS series main cooling fan, replacement. For use with 7-1/2hp and 10hp IronHorse MTS series TEFC motors.	Stock	\$37.00
<u>MTAS-FAN-210-6</u>	IronHorse MTS series main cooling fan, replacement. For use with 3hp and 5hp 6-pole IronHorse MTS series TEFC motors.	Stock	\$37.00
<u>MTAS-FAN-250</u>	IronHorse MTS series main cooling fan, replacement. For use with 15hp and 20hp IronHorse MTS series TEFC motors.	Stock	\$40.00
<u>MTA2-JBOX-56</u>	IronHorse junction box, replacement. For use with 56C frame IronHorse MTR2 and MTRP series motors. Not compatible with MTR series motors.	Stock	\$22.00
<u>MTAP2-JBOX-140</u>	IronHorse junction box, replacement. For use with 143 and 145 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$34.00
<u>MTAP2-JBOX-180</u>	IronHorse junction box, replacement. For use with 182 and 184 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$49.50
<u>MTAP2-JBOX-210</u>	IronHorse junction box, replacement. For use with 213 and 215 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$49.50
<u>MTAP2-JBOX-250</u>	IronHorse junction box, replacement. For use with 254 and 256 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$83.00
<u>MTAP2-JBOX-280</u>	IronHorse junction box, replacement. For use with 284 and 286 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$149.00
<u>MTAP2-JBOX-320</u>	IronHorse junction box, replacement. For use with 324 and 326 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$149.00
<u>MTAP2-JBOX-360</u>	IronHorse junction box, replacement. For use with 364 and 365 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$280.00
<u>MTAP2-JBOX-400</u>	IronHorse junction box, replacement. For use with 405 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$280.00
<u>MTAP2-JBOX-440</u>	IronHorse junction box, replacement. For use with 444, 445 and 447 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$313.00
<u>MTAP2-JBOX-449</u>	IronHorse junction box, replacement. For use with 449T frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$555.00
<u>MTADP-JBOX-140</u>	IronHorse junction box, replacement. For use with 143T and 145T frame IronHorse MTDP series motors.	Stock	\$15.00
<u>MTADP-JBOX-180</u>	IronHorse junction box, replacement. For use with 182T and 184T frame IronHorse MTDP series motors.	Stock	\$20.00
<u>MTADP-JBOX-210</u>	IronHorse junction box, replacement. For use with 213T and 215T frame IronHorse MTDP series motors.	Stock	\$34.00
<u>MTADP-JBOX-250</u>	IronHorse junction box, replacement. For use with 254T and 256T frame IronHorse MTDP series motors.	Stock	\$34.00
<u>MTADP-JBOX-280</u>	IronHorse junction box, replacement. For use with 284T and 286T frame IronHorse MTDP series motors.	Stock	\$128.00
<u>MTADP-JBOX-320</u>	IronHorse junction box, replacement. For use with 324T and 326T frame IronHorse MTDP series motors.	Stock	\$161.00
<u>MTAF2-JBOX-180</u>	IronHorse junction box, replacement. For use with 182T and 184T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$73.00
<u>MTAF2-JBOX-210</u>	IronHorse junction box, replacement. For use with 215T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$82.00
<u>MTAR-SHROUD-56</u>	IronHorse fan shroud, replacement. For use with 56C frame IronHorse MTR series motors. Not compatible with MTR2 series motors.	Stock	\$14.50
<u>MTA2-SHROUD-56</u>	IronHorse fan shroud, replacement. For use with 56C frame IronHorse MTR2 and MTRP series motors. Not compatible with MTR series motors.	Stock	\$22.00
<u>MTAP2-SHROUD-140</u>	IronHorse fan shroud, replacement. For use with 143 and 145 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$34.00
<u>MTAP2-SHROUD-180</u>	IronHorse fan shroud, replacement. For use with 182 and 184 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$48.00

<u>MTAP2-SHROUD-210</u>	IronHorse fan shroud, replacement. For use with 213 and 215 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$49.50
<u>MTAP2-SHROUD-250</u>	IronHorse fan shroud, replacement. For use with 254 and 256 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$83.00
<u>MTAP2-SHROUD-280</u>	IronHorse fan shroud, replacement. For use with 284 and 286 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$123.00
<u>MTAP2-SHROUD-320</u>	IronHorse fan shroud, replacement. For use with 324 and 326 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$149.00
<u>MTAP2-SHROUD-360</u>	IronHorse fan shroud, replacement. For use with 364 and 365 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$229.00
<u>MTAP2-SHROUD-400</u>	IronHorse fan shroud, replacement. For use with 405 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$280.00
<u>MTAP2-SHROUD-440</u>	IronHorse fan shroud, replacement. For use with 444, 445 and 447 frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$313.00
<u>MTAP2-SHROUD-449</u>	IronHorse fan shroud, replacement. For use with 449T frame IronHorse premium efficiency MTCP2 series motors. Not compatible with MTC or MTCP series motors.	Stock	\$580.00
<u>MTAF2-SHROUD-180</u>	IronHorse fan shroud, replacement. For use with 182T and 184T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$56.00
<u>MTAF2-SHROUD-210</u>	IronHorse fan shroud, replacement. For use with 215T frame IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$66.00
<u>MTAS-SHROUD-56140</u>	IronHorse MTS series fan shroud, replacement. For use with 56 and 140T frame IronHorse MTS series TEFC motors. Not compatible with MTSS series motors.	Stock	\$100.00
<u>MTAS-SHROUD-180</u>	IronHorse MTS series fan shroud, replacement. For use with 180T frame IronHorse MTS series TEFC motors.	Stock	\$134.00
<u>MTAS-SHROUD-210</u>	IronHorse MTS series fan shroud, replacement. For use with 210T frame IronHorse MTS series TEFC motors.	Stock	\$168.00
<u>MTAS-SHROUD-250</u>	IronHorse MTS series fan shroud, replacement. For use with 250T frame IronHorse MTS series TEFC motors.	Stock	\$242.00
<u>MTAF2-MOL-1</u>	IronHorse manual overload switch, replacement. For use with 2hp IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$114.00
<u>MTAF2-MOL-2</u>	IronHorse manual overload switch, replacement. For use with 3hp IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$312.00
<u>MTAF2-MOL-3</u>	IronHorse manual overload switch, replacement. For use with 5hp IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$309.00
<u>MTAF2-MOL-4</u>	IronHorse manual overload switch, replacement. For use with 7-1/2hp IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$309.00
<u>MTAF2-MOL-5</u>	IronHorse manual overload switch, replacement. For use with 10hp IronHorse MTF2 series 1-phase AC motors. Not compatible with MTF series motors.	Stock	\$309.00
<u>MTADP-DEB-140</u>	IronHorse drive end endbell, replacement. For use with 143T and 145T frame IronHorse MTDP series motors.	Stock	\$51.00
<u>MTADP-DEB-180</u>	IronHorse drive end endbell, replacement. For use with 182T and 184T frame IronHorse MTDP series motors.	Stock	\$52.00
<u>MTADP-DEB-210</u>	IronHorse drive end endbell, replacement. For use with 213T and 215T frame IronHorse MTDP series motors.	Stock	\$76.00
<u>MTADP-DEB-250</u>	IronHorse drive end endbell, replacement. For use with 254T and 256T frame IronHorse MTDP series motors.	Stock	\$112.00
<u>MTADP-DEB-280</u>	IronHorse drive end endbell, replacement. For use with 284T and 286T frame IronHorse MTDP series motors.	Stock	\$461.00
<u>MTADP-DEB-320</u>	IronHorse drive end endbell, replacement. For use with 324T and 326T frame IronHorse MTDP series motors.	Stock	\$711.00
<u>MTADP-OEB-140</u>	IronHorse opposite drive end endbell, replacement. For use with 143T and 145T frame IronHorse MTDP series motors.	Stock	\$50.00
<u>MTADP-OEB-180</u>	IronHorse opposite drive end endbell, replacement. For use with 182T and 184T frame IronHorse MTDP series motors.	Stock	\$56.00
<u>MTADP-OEB-210</u>	IronHorse opposite drive end endbell, replacement. For use with 213T and 215T frame IronHorse MTDP series motors.	Stock	\$76.00
<u>MTADP-OEB-250</u>	IronHorse opposite drive end endbell, replacement. For use with 254T and 256T frame IronHorse MTDP series motors.	Stock	\$108.00
<u>MTADP-OEB-280</u>	IronHorse opposite drive end endbell, replacement. For use with 284T and 286T frame IronHorse MTDP series motors.	Stock	\$431.00
<u>MTADP-OEB-320</u>	IronHorse opposite drive end endbell, replacement. For use with 324T and 326T frame IronHorse MTDP series motors.	Stock	\$699.00
<u>MTADP-CDR-140</u>	IronHorse current diverter ring, for use with 143T and 145T frame drill and tap motors. MTDP series motors are drilled and tapped for mounting current diverter rings, others will require drilling and tapping to mount.	Stock	\$182.00
<u>MTADP-CDR-180</u>	IronHorse current diverter ring, for use with 182T and 184T frame drill and tap motors. MTDP series motors are drilled and tapped for mounting current diverter rings, others will require drilling and tapping to mount.	Stock	\$230.00
<u>MTADP-CDR-210</u>	IronHorse current diverter ring, for use with 213T and 215T frame drill and tap motors. MTDP series motors are drilled and tapped for mounting current diverter rings, others will require drilling and tapping to mount.	Stock	\$285.00

MTADP-CDR-250	IronHorse current diverter ring, for use with 254T and 256T frame drill and tap motors. MTDP series motors are drilled and tapped for mounting current diverter rings, others will require drilling and tapping to mount.	Stock	\$334.00
MTADP-CDR-280	IronHorse current diverter ring, for use with 284T and 286T frame drill and tap motors. MTDP series motors are drilled and tapped for mounting current diverter rings, others will require drilling and tapping to mount.	Stock	\$397.00
MTADP-CDR-320	IronHorse current diverter ring, for use with 324T and 326T frame drill and tap motors. MTDP series motors are drilled and tapped for mounting current diverter rings, others will require drilling and tapping to mount.	Stock	\$435.00
HS35AY1CDU1EA000	Avtron incremental (quadrature) rotary encoder kit, 5-28 VDC, line driver (differential) output, 1024 ppr, IP65. For use with U.S. MOTORS ACCU-Torq or Marathon Black Max motors or any 1/2 - 1in shaft. Mounting hardware included.	Stock	\$839.00
A772	Marathon incremental (quadrature) rotary encoder kit, 5-26 VDC, line driver (differential) output, 1024 ppr, IP67. For use with Marathon Black Max encoder motors. Mounting hardware included. Dynapar HS35 encoder.	Stock	\$1,176.00
A774	Marathon incremental (quadrature) rotary encoder kit, 5-26 VDC, line driver (differential) output, 1024 ppr, IP67. For use with Marathon Blue Max TEFC encoder motors. Mounting hardware included. Dynapar HS35 encoder.	Stock	\$849.00
A775	Marathon incremental (quadrature) rotary encoder kit, 5-26 VDC, line driver (differential) output, 1024 ppr, IP67. For use with Marathon Blue Max TEBC encoder motors. Mounting hardware included. Dynapar HS38 encoder.	Stock	\$849.00
6201000000000	M.G.M. Electric Motors BAX brake release tool, replacement. For use with all M.G.M. Electric Motors BAX series AC motors with brake.	Stock	\$44.00
6460000000000	M.G.M. Electric Motors BMX brake, replacement. For use with M.G.M. Electric Motors BMX series IEC 63 frame AC motors with brake.	Stock	\$335.00
6401000170000	M.G.M. Electric Motors BAX brake, replacement. For use with M.G.M. Electric Motors BAX series IEC 71 frame AC motors with brake.	Stock	\$480.00
6403000410P00	M.G.M. Electric Motors BAX brake, replacement. For use with M.G.M. Electric Motors BAX series IEC 80 frame AC motors with brake.	Stock	\$523.00
6405000410P00	M.G.M. Electric Motors BAX brake, replacement. For use with M.G.M. Electric Motors BAX series IEC 90 frame AC motors with brake.	Stock	\$640.00
6409000410P00	M.G.M. Electric Motors BAX brake, replacement. For use with M.G.M. Electric Motors BAX series IEC 100 frame AC motors with brake.	Stock	\$752.00
6414000170P00	M.G.M. Electric Motors BAX brake, replacement. For use with M.G.M. Electric Motors BAX series IEC 112 frame AC motors with brake.	Stock	\$894.00
Motor Bases for NEMA-rated AC Motors			
MTA-BASE-W56	STABLE motor base, for use with 56 frame motors.	Stock	\$18.00
MTA-BASE-W143T	STABLE motor base, for use with 143T frame motors.	Stock	\$32.00
MTA-BASE-W145T	STABLE motor base, for use with 145T frame motors.	Stock	\$32.00
MTA-BASE-W182T	STABLE motor base, for use with 182T frame motors.	Stock	\$43.00
MTA-BASE-W184T	STABLE motor base, for use with 184T frame motors.	Stock	\$43.00
MTA-BASE-W213T	STABLE motor base, for use with 213T frame motors.	Stock	\$63.00
MTA-BASE-W215T	STABLE motor base, for use with 215T frame motors.	Stock	\$63.00
MTA-BASE-W254T	STABLE motor base, for use with 254T frame motors.	Stock	\$84.00
MTA-BASE-W256T	STABLE motor base, for use with 256T frame motors.	Stock	\$84.00
MTA-BASE-W284T	STABLE motor base, for use with 284T frame motors.	Stock	\$94.00
MTA-BASE-W286T	STABLE motor base, for use with 286T frame motors.	Stock	\$94.00
MTA-BASE-W324T	STABLE motor base, for use with 324T frame motors.	Stock	\$138.00
MTA-BASE-W326T	STABLE motor base, for use with 326T frame motors.	Stock	\$138.00
MTA-BASE-W364T	STABLE motor base, for use with 364T frame motors.	Stock	\$187.00
MTA-BASE-W365T	STABLE motor base, for use with 365T frame motors.	Stock	\$187.00
MTA-BASE-W404T	STABLE motor base, for use with 404T frame motors.	Stock	\$228.00
MTA-BASE-W405T	STABLE motor base, for use with 405T frame motors.	Stock	\$228.00
MTA-BASE-W444T	STABLE motor base, for use with 444T frame motors.	Stock	\$259.00
MTA-BASE-W445T	STABLE motor base, for use with 445T frame motors.	Stock	\$259.00
MTA-BASE-W447T	STABLE motor base, for use with 447T frame motors.	Stock	\$341.00

MTA-BASE-W449T	STABLE motor base, for use with 449T frame motors.	Stock	\$341.00
General Purpose DC Motors			
MTPM-P33-1L18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/3hp, 90 VDC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$274.00
MTPM-P50-1L18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/2hp, 90 VDC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$353.00
MTPM-P75-1L18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 3/4hp, 90 VDC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$399.00
MTPM-001-1L18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1hp, 90 VDC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$445.00
MTPM-1P5-1L18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1-1/2hp, 90 VDC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$479.00
MTPM-P33-1M18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/3hp, 180 VDC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$270.00
MTPM-P50-1M18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/2hp, 180 VDC, 1800rpm, TENV, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$350.00
MTPM-P75-1M18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 3/4hp, 180 VDC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$399.00
MTPM-001-1M18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1hp, 180 VDC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$442.00
MTPM-1P5-1M18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1-1/2hp, 180 VDC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$479.00
MTPM-002-1M18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 2hp, 180 VDC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount. Replacement brushes included.	Stock	\$762.00
MTPM-P10-1JK43	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/10hp, 12/24 VDC, 1746/4252rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$147.01
MTPM-P13-1JK42	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/8hp, 12/24 VDC, 1825/4224rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$158.81
MTPM-P17-1JK43	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/6hp, 12/24 VDC, 1841/4290rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$211.39
MTPM-P25-1JK40	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/4hp, 12/24 VDC, 1732/3996rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$219.97
MTPM-P25-1JK44	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/4hp, 12/24 VDC, 1854/4375rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$219.97
MTPM-P03-1L18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/31hp, 90 VDC, 1797rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$153.44
MTPM-P04-1L17	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/26hp, 90 VDC, 1749rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$162.03
MTPM-P05-1L19	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/19hp, 90 VDC, 1917rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$211.39
MTPM-P13-1L19	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/8hp, 90 VDC, 1917rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$209.24
MTPM-P14-1L19	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/7hp, 90 VDC, 1740rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$227.48
MTPM-P07-1M24	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/15hp, 180 VDC, 2440rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$188.85
MTPM-P13-1M19	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/8hp, 180 VDC, 1865rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$227.48
MTPM-P14-1M18	IronHorse MTPM DC permanent magnet motor, SCR-PWM rated, 1/7hp, 180 VDC, 1828rpm, TENV, small frame, rolled steel, flange mount.	Stock	\$227.48
Accessories for DC Motors			
MTPM-BRUSH-1	IronHorse DC motor brushes, replacement. Package of 2. For use with IronHorse 1/3hp - 1hp MTPM series permanent magnet DC motors. Each motor is shipped with a set of brushes installed and an extra set shipped loose.	Stock	\$15.50
MTPM-BRUSH-2	IronHorse DC motor brushes, replacement. Package of 2. For use with IronHorse 2hp 180 VDC MTPM series permanent magnet DC motors. Each motor is shipped with a set of brushes installed and an extra set shipped loose.	Stock	\$20.00
MTPM-BRUSH-3	IronHorse DC motor brushes, replacement. Package of 2. For use with IronHorse 1-1/2hp 90 VDC MTPM series permanent magnet DC motors. Each motor is shipped with a set of brushes installed and an extra set shipped loose.	Stock	\$18.00
MTPM-BRUSH-4	IronHorse DC motor brushes, replacement. Package of 2. For use with IronHorse 1/4hp and 1/5hp 12 VDC or 24 VDC MTPM, MTGR, MTGP and VP1 series permanent magnet DC motors and gearmotors. (2) brush caps included.	Stock	\$42.00

<u>MTPM-BRUSH-5</u>	IronHorse DC motor brushes, replacement. Package of 2. For use with IronHorse 1/6hp or smaller 12 VDC or 24 VDC MTPM, MTGR, MTGP and VP1 series permanent magnet DC motors and gearmotors. (2) brush caps included.	Stock	\$32.19
<u>MTPM-BRUSH-6</u>	IronHorse DC motor brushes, replacement. Package of 2. For use with IronHorse 1/7hp and 1/8hp 90 VDC or 180 VDC MTPM, MTGR, MTGP and VP1 series permanent magnet DC motors and gearmotors. (2) brush caps included.	Stock	\$35.50
<u>MTPM-BRUSH-7</u>	IronHorse DC motor brushes, replacement. Package of 2. For use with IronHorse 1/10hp or smaller 90 VDC or 180 VDC MTPM, MTGR, MTGP and VP1 series permanent magnet DC motors and gearmotors. (2) brush caps included.	Stock	\$28.98
<u>MTGA-KIT-1</u>	IronHorse DC motor spare parts kit, for use with IronHorse 1/4hp and smaller MTPM, MTGR and MTGP series DC motors and gearmotors, includes (2) metal brush cap covers, (1) terminal box, (1) 1/8in shaft key and (1) 3/16in shaft key.	Stock	\$55.00
Permanent Magnet DC Gearmotors			
<u>VP1A-90V-2034</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/20hp, 90 VDC, 34rpm, 82 lb-in full load torque, 0.94 FLA, 57.7:1 ratio, 5/8in shaft diameter.	Stock	\$359.00
<u>VP1A-90V-2051</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/20hp, 90 VDC, 51rpm, 55 lb-in full load torque, 0.94 FLA, 34:1 ratio, 5/8in shaft diameter.	Stock	\$359.00
<u>VP1A-90V-2111</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/20hp, 90 VDC, 111rpm, 28 lb-in full load torque, 0.97 FLA, 17.5:1 ratio, 5/8in shaft diameter.	Stock	\$359.00
<u>VP1A-90V-7018</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 18rpm, 150 lb-in full load torque, 0.82 FLA, 103:1 ratio, 5/8in shaft diameter.	Stock	\$359.00
<u>VP1A-90V-7021</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 21rpm, 280 lb-in full load torque, 1.3 FLA, 88:1 ratio, 5/8in shaft diameter.	Stock	\$362.00
<u>VP1A-90V-7026</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 26rpm, 280 lb-in full load torque, 1.58 FLA, 69:1 ratio, 5/8in shaft diameter.	Stock	\$362.00
<u>VP1A-90V-7032</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 32rpm, 220 lb-in full load torque, 1.5 FLA, 58:1 ratio, 5/8in shaft diameter.	Stock	\$362.00
<u>VP1A-90V-7054</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 54rpm, 138 lb-in full load torque, 1.51 FLA, 34:1 ratio, 5/8in shaft diameter.	Stock	\$362.00
<u>VP1A-90V-7061</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 61rpm, 113 lb-in full load torque, 1.42 FLA, 30:1 ratio, 5/8in shaft diameter.	Stock	\$362.00
<u>VP1A-90V-7091</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 91rpm, 86 lb-in full load torque, 1.58 FLA, 20:1 ratio, 5/8in shaft diameter.	Stock	\$362.00
<u>VP1A-90V-7165</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/8hp, 90 VDC, 165rpm, 47 lb-in full load torque, 1.57 FLA, 11:1 ratio, 5/8in shaft diameter.	Stock	\$362.00
<u>VP1A-90V-8042</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/4hp, 90 VDC, 42rpm, 280 lb-in full load torque, 2.45 FLA, 57.7:1 ratio, 5/8in shaft diameter.	Stock	\$402.00
<u>VP1A-90V-8083</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/4hp, 90 VDC, 83rpm, 160 lb-in full load torque, 2.53 FLA, 30:1 ratio, 5/8in shaft diameter.	Stock	\$402.00
<u>VP1B-90V-2037</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/25hp, 90 VDC, 37rpm, 74 lb-in full load torque, 0.67 FLA, 79:1 ratio, 1/2in shaft diameter.	Stock	\$332.00
<u>VP1B-90V-2139</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/25hp, 90 VDC, 139rpm, 20 lb-in full load torque, 0.63 FLA, 16:1 ratio, 1/2in shaft diameter.	Stock	\$332.00
<u>VP1B-90V-4020</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/17hp, 90 VDC, 20rpm, 100 lb-in full load torque, 0.5 FLA, 102:1 ratio, 1/2in shaft diameter.	Stock	\$332.00
<u>VP1B-90V-4071</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/17hp, 90 VDC, 71rpm, 40 lb-in full load torque, 0.64 FLA, 31:1 ratio, 1/2in shaft diameter.	Stock	\$332.00
<u>VP1B-90V-5071</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/11hp, 90 VDC, 71rpm, 83 lb-in full load torque, 1.29 FLA, 52:1 ratio, 1/2in shaft diameter.	Stock	\$332.00
<u>VP1B-90V-5139</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/11hp, 90 VDC, 139rpm, 42 lb-in full load torque, 1.19 FLA, 24:1 ratio, 1/2in shaft diameter.	Stock	\$332.00
<u>VP1C-90V-1007</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/50hp, 90 VDC, 7rpm, 50 lb-in full load torque, 0.15 FLA, 386:1 ratio, 5/16in shaft diameter.	Stock	\$230.00
<u>VP1C-90V-1011</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/50hp, 90 VDC, 11rpm, 50 lb-in full load torque, 0.19 FLA, 269:1 ratio, 5/16in shaft diameter.	Stock	\$230.00
<u>VP1C-90V-1021</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/32hp, 90 VDC, 21rpm, 50 lb-in full load torque, 0.28 FLA, 120:1 ratio, 5/16in shaft diameter.	Stock	\$230.00
<u>VP1C-90V-2029</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/25hp, 90 VDC, 29rpm, 40 lb-in full load torque, 0.31 FLA, 83.5:1 ratio, 5/16in shaft diameter.	Stock	\$230.00
<u>VP1C-90V-2047</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/25hp, 90 VDC, 47rpm, 26 lb-in full load torque, 0.33 FLA, 55:1 ratio, 5/16in shaft diameter.	Stock	\$230.00
<u>VP1C-90V-2094</u>	IronHorse VP1 series parallel shaft DC gear motor, 1/25hp, 90 VDC, 94rpm, 13 lb-in full load torque, 0.31 FLA, 26:1 ratio, 5/16in shaft diameter.	Stock	\$230.00

<u>MTGP-P06-1J008</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/16hp, 12 VDC, 7.9rpm, 50 lb-in full load torque, 1.39 FLA, 386:1 ratio, 5/16in shaft diameter.	Stock	\$253.23
<u>MTGP-P06-1J024</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/16hp, 12 VDC, 24rpm, 50 lb-in full load torque, 2.41 FLA, 120:1 ratio, 5/16in shaft diameter.	Stock	\$272.55
<u>MTGP-P06-1J034</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/16hp, 12 VDC, 34rpm, 45 lb-in full load torque, 2.86 FLA, 83:1 ratio, 5/16in shaft diameter.	Stock	\$276.84
<u>MTGP-P06-1J050</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/16hp, 12 VDC, 50rpm, 45 lb-in full load torque, 3.88 FLA, 55:1 ratio, 5/16in shaft diameter.	Stock	\$253.23
<u>MTGP-P06-1J097</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/16hp, 12 VDC, 97rpm, 36 lb-in full load torque, 5.68 FLA, 26:1 ratio, 5/16in shaft diameter.	Stock	\$254.31
<u>MTGP-P20-1J026</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 12 VDC, 26rpm, 280 lb-in full load torque, 12.6 FLA, 69:1 ratio, 5/8in shaft diameter.	Stock	\$457.10
<u>MTGP-P20-1J037</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 12 VDC, 37rpm, 245 lb-in full load torque, 15.8 FLA, 46:1 ratio, 5/8in shaft diameter.	Stock	\$457.10
<u>MTGP-P20-1J056</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 12 VDC, 56rpm, 168 lb-in full load torque, 15.7 FLA, 30:1 ratio, 5/8in shaft diameter.	Stock	\$447.45
<u>MTGP-P20-1J084</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 12 VDC, 84rpm, 112 lb-in full load torque, 15.7 FLA, 20:1 ratio, 5/8in shaft diameter.	Stock	\$447.45
<u>MTGP-P20-1J154</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 12 VDC, 154rpm, 61 lb-in full load torque, 15.6 FLA, 11:1 ratio, 5/8in shaft diameter.	Stock	\$419.55
<u>MTGP-P20-1K018</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 24 VDC, 18rpm, 280 lb-in full load torque, 4.41 FLA, 110:1 ratio, 5/8in shaft diameter.	Stock	\$447.45
<u>MTGP-P20-1K036</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 24 VDC, 36rpm, 245 lb-in full load torque, 7.89 FLA, 46:1 ratio, 5/8in shaft diameter.	Stock	\$447.45
<u>MTGP-P20-1K084</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 24 VDC, 84rpm, 112 lb-in full load torque, 7.87 FLA, 20:1 ratio, 5/8in shaft diameter.	Stock	\$442.08
<u>MTGP-P20-1K153</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/5hp, 24 VDC, 153rpm, 61 lb-in full load torque, 7.81 FLA, 11:1 ratio, 5/8in shaft diameter.	Stock	\$442.08
<u>MTGP-P06-1L008</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/17hp, 90 VDC, 8.4rpm, 50 lb-in full load torque, 0.19 FLA, 386:1 ratio, 5/16in shaft diameter.	Stock	\$271.47
<u>MTGP-P06-1L012</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/17hp, 90 VDC, 12rpm, 50 lb-in full load torque, 0.23 FLA, 269:1 ratio, 5/16in shaft diameter.	Stock	\$272.55
<u>MTGP-P06-1L037</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/17hp, 90 VDC, 37rpm, 45 lb-in full load torque, 0.4 FLA, 83:1 ratio, 5/16in shaft diameter.	Stock	\$272.55
<u>MTGP-P06-1L055</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/17hp, 90 VDC, 55rpm, 45 lb-in full load torque, 0.54 FLA, 55:1 ratio, 5/16in shaft diameter.	Stock	\$253.23
<u>MTGP-P06-1L114</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/17hp, 90 VDC, 114rpm, 26 lb-in full load torque, 0.61 FLA, 26:1 ratio, 5/16in shaft diameter.	Stock	\$267.18
<u>MTGP-P14-1L026</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/7hp, 90 VDC, 26rpm, 280 lb-in full load torque, 1.58 FLA, 69:1 ratio, 5/8in shaft diameter.	Stock	\$445.30
<u>MTGP-P14-1L039</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/7hp, 90 VDC, 39rpm, 189 lb-in full load torque, 1.59 FLA, 46:1 ratio, 5/8in shaft diameter.	Stock	\$445.30
<u>MTGP-P14-1L061</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/7hp, 90 VDC, 61rpm, 130 lb-in full load torque, 1.59 FLA, 30:1 ratio, 5/8in shaft diameter.	Stock	\$432.42
<u>MTGP-P14-1L091</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/7hp, 90 VDC, 91rpm, 86 lb-in full load torque, 1.58 FLA, 20:1 ratio, 5/8in shaft diameter.	Stock	\$432.42
<u>MTGP-P14-1L165</u>	IronHorse MTGP series parallel shaft DC gear motor, 1/7hp, 90 VDC, 165rpm, 47 lb-in full load torque, 1.57 FLA, 11:1 ratio, 5/8in shaft diameter.	Stock	\$432.42
<u>MTGR-P07-1J036</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/15hp, 12 VDC, 36rpm, 50 lb-in full load torque, 5.69 FLA, 50:1 ratio, 1/2in shaft diameter.	Stock	\$413.11
<u>MTGR-P07-1J084</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/15hp, 12 VDC, 84rpm, 34 lb-in full load torque, 6.78 FLA, 20.5:1 ratio, 1/2in shaft diameter.	Stock	\$413.11
<u>MTGR-P07-1J177</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/15hp, 12 VDC, 177rpm, 18 lb-in full load torque, 6.78 FLA, 9.75:1 ratio, 1/2in shaft diameter.	Stock	\$414.18
<u>MTGR-P20-1K023</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/5hp, 24 VDC, 23rpm, 280 lb-in full load torque, 5.64 FLA, 82:1 ratio, 5/8in shaft diameter.	Stock	\$483.93
<u>MTGR-P20-1K039</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/5hp, 24 VDC, 39rpm, 263 lb-in full load torque, 8.74 FLA, 44:1 ratio, 5/8in shaft diameter.	Stock	\$478.56
<u>MTGR-P20-1K075</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/5hp, 24 VDC, 75rpm, 137 lb-in full load torque, 8.72 FLA, 23:1 ratio, 5/8in shaft diameter.	Stock	\$483.93
<u>MTGR-P20-1K174</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/5hp, 24 VDC, 174rpm, 63 lb-in full load torque, 8.75 FLA, 10:1 ratio, 5/8in shaft diameter.	Stock	\$483.93
<u>MTGR-P05-1L038</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/19hp, 90 VDC, 38rpm, 42 lb-in full load torque, 0.68 FLA, 50:1 ratio, 1/2in shaft diameter.	Stock	\$442.08

<u>MTGR-P05-1L053</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/19hp, 90 VDC, 53rpm, 33 lb-in full load torque, 0.68 FLA, 36:1 ratio, 1/2in shaft diameter.	Stock	\$442.08
<u>MTGR-P05-1L093</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/19hp, 90 VDC, 93rpm, 23 lb-in full load torque, 0.68 FLA, 20.5:1 ratio, 1/2in shaft diameter.	Stock	\$442.08
<u>MTGR-P05-1L132</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/19hp, 90 VDC, 132rpm, 17 lb-in full load torque, 0.67 FLA, 14.5:1 ratio, 1/2in shaft diameter.	Stock	\$442.08
<u>MTGR-P05-1L197</u>	IronHorse MTGR series right angle dual shaft DC gear motor, 1/19hp, 90 VDC, 197rpm, 12 lb-in full load torque, 0.68 FLA, 9.75:1 ratio, 1/2in shaft diameter.	Stock	\$442.08
<u>MTGR-P14-1L022</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/7hp, 90 VDC, 22rpm, 280 lb-in full load torque, 1.41 FLA, 82:1 ratio, 5/8in shaft diameter.	Stock	\$473.20
<u>MTGR-P14-1L040</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/7hp, 90 VDC, 40rpm, 185 lb-in full load torque, 1.64 FLA, 44:1 ratio, 5/8in shaft diameter.	Stock	\$475.34
<u>MTGR-P14-1L064</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/7hp, 90 VDC, 64rpm, 116 lb-in full load torque, 1.65 FLA, 28:1 ratio, 5/8in shaft diameter.	Stock	\$508.61
<u>MTGR-P14-1L077</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/7hp, 90 VDC, 77rpm, 97 lb-in full load torque, 1.65 FLA, 23:1 ratio, 5/8in shaft diameter.	Stock	\$495.73
<u>MTGR-P14-1L178</u>	IronHorse MTGR series right angle single shaft DC gear motor, 1/7hp, 90 VDC, 178rpm, 44 lb-in full load torque, 1.64 FLA, 10:1 ratio, 5/8in shaft diameter.	Stock	\$473.20
Ball Screw Driven Linear Actuators			
<u>LAHP-25TM52B3M</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 52mm travel, ball screw, 3mm pitch, carbon steel rail.	Stock	\$1,302.00
<u>LAHP-25TM102B3M</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 102mm travel, ball screw, 3mm pitch, carbon steel rail.	Stock	\$1,416.00
<u>LAHP-25TM152B3M</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 152mm travel, ball screw, 3mm pitch, carbon steel rail.	Stock	\$1,485.00
<u>LAHP-25TM220B3M</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 220mm travel, ball screw, 3mm pitch, carbon steel rail.	Stock	\$1,524.00
<u>LAHP-25TM304B3M</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 304mm travel, ball screw, 3mm pitch, carbon steel rail.	Stock	\$1,622.00
<u>LAHP-25TM404B3M</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 404mm travel, ball screw, 3mm pitch, carbon steel rail.	Stock	\$1,914.00
<u>LAHP-25TM504B3M</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 504mm travel, ball screw, 3mm pitch, carbon steel rail.	Stock	\$2,041.00
<u>LAHP-33TM210B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 210mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$1,607.00
<u>LAHP-33TM310B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 310mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$1,815.00
<u>LAHP-33TM410B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 410mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$2,049.00
<u>LAHP-33TM510B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 510mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$2,297.00
<u>LAHP-33TM610B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 610mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$2,726.00
<u>LAHP-33TM810B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 810mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$3,154.00
<u>LAHP-33TM910B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 910mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$3,403.00
<u>LAHP-33WTM210B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 210mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$1,843.00
<u>LAHP-33WTM310B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 310mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$2,072.00
<u>LAHP-33WTM410B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 410mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$2,261.00
<u>LAHP-33WTM510B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 510mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$2,795.00
<u>LAHP-33WTM610B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 610mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$2,985.00
<u>LAHP-33WTM810B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 810mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$3,567.00
<u>LAHP-33WTM910B10M</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 910mm travel, ball screw, 10mm pitch, carbon steel rail.	Stock	\$3,835.00
<u>LARSD2-08T12BP2C</u>	SureMotion linear actuator assembly, twin round shaft, 5.500in wide, 12in travel, ball screw, 0.2in pitch, carbon steel rail.	Stock	\$3,157.00

<u>LARSD2-08T24BP2C</u>	SureMotion linear actuator assembly, twin round shaft, 5.500in wide, 24in travel, ball screw, 0.2in pitch, carbon steel rail.	Stock	\$3,409.00
Lead Screw Driven Linear Actuators			
<u>SAW1080-1-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 100mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$630.00
<u>SAW1080-1.5-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 150mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$638.00
<u>SAW1080-2-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 200mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$637.00
<u>SAW1080-3-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 300mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$651.00
<u>SAW1080-4-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 400mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$675.00
<u>SAW1080-5-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 500mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$700.00
<u>SAW1080-6-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 600mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$725.00
<u>SAW1080-7.5-A</u>	igus drylin series linear actuator assembly, W1080 twin rail, 108mm wide, 750mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$750.00
<u>SAW1040-05-B</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 50mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$355.00
<u>SAW1040-1-B</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 100mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$360.00
<u>SAW1040-1.5-B</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 150mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$370.00
<u>SAW1040-2-B</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 200mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$375.00
<u>SAW1040-3-B</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 300mm travel, lead screw, 25mm pitch, hard-anodized aluminum rail.	Stock	\$385.00
<u>LAHP-25TM52LP25</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 52mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,050.00
<u>LAHP-25TM102LP25</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 102mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,164.00
<u>LAHP-25TM152LP25</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 152mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,235.00
<u>LAHP-25TM220LP25</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 220mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,273.00
<u>LAHP-25TM304LP25</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 304mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,374.00
<u>LAHP-25TM404LP25</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 404mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,665.00
<u>LAHP-25TM504LP25</u>	SureMotion linear actuator assembly, single square bearing rail, 50mm wide, 504mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,789.00
<u>LAHP-33TM210LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 210mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,427.00
<u>LAHP-33TM310LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 310mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,634.00
<u>LAHP-33TM410LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 410mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,869.00
<u>LAHP-33TM510LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 510mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$2,116.00
<u>LAHP-33TM610LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 610mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$2,547.00
<u>LAHP-33TM810LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 810mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$2,974.00
<u>LAHP-33TM910LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 60mm wide, 910mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$3,224.00
<u>LAHP-33WTM210LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 210mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,664.00
<u>LAHP-33WTM310LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 310mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$1,893.00
<u>LAHP-33WTM410LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 410mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$2,081.00

<u>LAHP-33WTM510LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 510mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$2,616.00
<u>LAHP-33WTM610LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 610mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$2,805.00
<u>LAHP-33WTM810LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 810mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$3,389.00
<u>LAHP-33WTM910LP25</u>	SureMotion linear actuator assembly, twin square bearing rail, 120mm wide, 910mm travel, lead screw, 0.25in pitch, carbon steel rail.	Stock	\$3,655.00
<u>LAVL2-60T06LP2</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 6in travel, lead screw, 0.2in pitch, hard coated aluminum rail.	Stock	\$1,038.00
<u>LAVL2-60T12LP2</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 12in travel, lead screw, 0.2in pitch, hard coated aluminum rail.	Stock	\$1,304.00
<u>LAVL2-60T18LP2</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 18in travel, lead screw, 0.2in pitch, hard coated aluminum rail.	Stock	\$1,578.00
<u>LAVL2-60T24LP2</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 24in travel, lead screw, 0.2in pitch, hard coated aluminum rail.	Stock	\$1,842.00
<u>LAVL2-60T06LP5</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 6in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$1,038.00
<u>LAVL2-60T12LP5</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 12in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$1,304.00
<u>LAVL2-60T18LP5</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 18in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$1,578.00
<u>LAVL2-60T24LP5</u>	SureMotion linear actuator assembly, Gen 2 value, 2.360in wide, 24in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$1,842.00
<u>LACP2-16T06LP5</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 6in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$1,485.00
<u>LACP2-16T12LP5</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 12in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$1,566.00
<u>LACP2-16T24LP5</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 24in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$2,065.00
<u>LACP2-16T36LP5</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 36in travel, lead screw, 0.5in pitch, hard coated aluminum rail.	Stock	\$2,460.00
<u>LACP2-16T06L1</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 6in travel, lead screw, 1.0in pitch, hard coated aluminum rail.	Stock	\$1,485.00
<u>LACP2-16T12L1</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 12in travel, lead screw, 1.0in pitch, hard coated aluminum rail.	Stock	\$1,566.00
<u>LACP2-16T24L1</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 24in travel, lead screw, 1.0in pitch, hard coated aluminum rail.	Stock	\$2,065.00
<u>LACP2-16T36L1</u>	SureMotion linear actuator assembly, Gen 2 compact, 2.030in wide, 36in travel, lead screw, 1.0in pitch, hard coated aluminum rail.	Stock	\$2,460.00

Belt Driven Linear Actuators

<u>ZLW1040S-2</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 200mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$422.00
<u>ZLW1040S-3</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 300mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$450.00
<u>ZLW1040S-4</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 400mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$476.00
<u>ZLW1040S-5</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 500mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$450.00
<u>ZLW1040S-6</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 600mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$465.00
<u>ZLW1040S-8</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 800mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$480.00
<u>ZLW1040S-10</u>	igus drylin series linear actuator assembly, W1040 twin rail, 74mm wide, 1000mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$500.00
<u>ZLW1080S-2</u>	igus drylin series linear actuator assembly, W1080 twin rail, 90mm wide, 200mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$620.00
<u>ZLW1080S-3</u>	igus drylin series linear actuator assembly, W1080 twin rail, 90mm wide, 300mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$630.00
<u>ZLW1080S-4</u>	igus drylin series linear actuator assembly, W1080 twin rail, 90mm wide, 400mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$635.00
<u>ZLW1080S-5</u>	igus drylin series linear actuator assembly, W1080 twin rail, 90mm wide, 500mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$640.00

<u>ZLW1080S-6</u>	igus drylin series linear actuator assembly, W1080 twin rail, 90mm wide, 600mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$650.00
<u>ZLW1080S-8</u>	igus drylin series linear actuator assembly, W1080 twin rail, 90mm wide, 800mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$660.00
<u>ZLW1080S-10</u>	igus drylin series linear actuator assembly, W1080 twin rail, 90mm wide, 1000mm travel, toothed belt, 70mm pitch, hard-anodized aluminum rail.	Stock	\$665.00
Undriven Linear Slides			
<u>LAHP-25TM52SF</u>	SureMotion linear slide assembly, single square bearing rail, 50mm wide, 52mm travel, carbon steel rail.	Stock	\$652.00
<u>LAHP-25TM102SF</u>	SureMotion linear slide assembly, single square bearing rail, 50mm wide, 102mm travel, carbon steel rail.	Stock	\$756.00
<u>LAHP-25TM152SF</u>	SureMotion linear slide assembly, single square bearing rail, 50mm wide, 152mm travel, carbon steel rail.	Stock	\$802.00
<u>LAHP-25TM220SF</u>	SureMotion linear slide assembly, single square bearing rail, 50mm wide, 220mm travel, carbon steel rail.	Stock	\$816.00
<u>LAHP-25TM304SF</u>	SureMotion linear slide assembly, single square bearing rail, 50mm wide, 304mm travel, carbon steel rail.	Stock	\$895.00
<u>LAHP-25TM404SF</u>	SureMotion linear slide assembly, single square bearing rail, 50mm wide, 404mm travel, carbon steel rail.	Stock	\$1,146.00
<u>LAHP-25TM504SF</u>	SureMotion linear slide assembly, single square bearing rail, 50mm wide, 504mm travel, carbon steel rail.	Stock	\$1,239.00
<u>LAHP-33TM210SF</u>	SureMotion linear slide assembly, twin square bearing rail, 60mm wide, 210mm travel, carbon steel rail.	Stock	\$979.00
<u>LAHP-33TM310SF</u>	SureMotion linear slide assembly, twin square bearing rail, 60mm wide, 310mm travel, carbon steel rail.	Stock	\$1,159.00
<u>LAHP-33TM410SF</u>	SureMotion linear slide assembly, twin square bearing rail, 60mm wide, 410mm travel, carbon steel rail.	Stock	\$1,359.00
<u>LAHP-33TM510SF</u>	SureMotion linear slide assembly, twin square bearing rail, 60mm wide, 510mm travel, carbon steel rail.	Stock	\$1,588.00
<u>LAHP-33TM610SF</u>	SureMotion linear slide assembly, twin square bearing rail, 60mm wide, 610mm travel, carbon steel rail.	Stock	\$1,987.00
<u>LAHP-33TM810SF</u>	SureMotion linear slide assembly, twin square bearing rail, 60mm wide, 810mm travel, carbon steel rail.	Stock	\$2,366.00
<u>LAHP-33TM910SF</u>	SureMotion linear slide assembly, twin square bearing rail, 60mm wide, 910mm travel, carbon steel rail.	Stock	\$2,567.00
<u>LARSA1-08L12C</u>	SureMotion slide element, end supported, round shaft, 1/2in shaft diameter, 12in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$354.00
<u>LARSA1-08L24C</u>	SureMotion slide element, end supported, round shaft, 1/2in shaft diameter, 24in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$366.00
<u>LARSA1-08L36C</u>	SureMotion slide element, end supported, round shaft, 1/2in shaft diameter, 36in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$393.00
<u>LARSA1-12L12C</u>	SureMotion slide element, end supported, round shaft, 3/4in shaft diameter, 12in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$447.00
<u>LARSA1-12L24C</u>	SureMotion slide element, end supported, round shaft, 3/4in shaft diameter, 24in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$473.00
<u>LARSA1-12L36C</u>	SureMotion slide element, end supported, round shaft, 3/4in shaft diameter, 36in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$498.00
<u>LARSA1-16L12C</u>	SureMotion slide element, end supported, round shaft, 1in shaft diameter, 12in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$597.00
<u>LARSA1-16L24C</u>	SureMotion slide element, end supported, round shaft, 1in shaft diameter, 24in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$637.00
<u>LARSA1-16L36C</u>	SureMotion slide element, end supported, round shaft, 1in shaft diameter, 36in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$671.00
<u>LARSB1-08L12C</u>	SureMotion slide element, continuously supported, round shaft, 1/2in shaft diameter, 12in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$366.00
<u>LARSB1-08L24C</u>	SureMotion slide element, continuously supported, round shaft, 1/2in shaft diameter, 24in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$456.00
<u>LARSB1-08L36C</u>	SureMotion slide element, continuously supported, round shaft, 1/2in shaft diameter, 36in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$568.00
<u>LARSB1-12L12C</u>	SureMotion slide element, continuously supported, round shaft, 3/4in shaft diameter, 12in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$458.00
<u>LARSB1-12L24C</u>	SureMotion slide element, continuously supported, round shaft, 3/4in shaft diameter, 24in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$597.00
<u>LARSB1-12L36C</u>	SureMotion slide element, continuously supported, round shaft, 3/4in shaft diameter, 36in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$733.00
<u>LARSB1-16L12C</u>	SureMotion slide element, continuously supported, round shaft, 1in shaft diameter, 12in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$594.00
<u>LARSB1-16L24C</u>	SureMotion slide element, continuously supported, round shaft, 1in shaft diameter, 24in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$768.00

<u>LARSB1-16L36C</u>	SureMotion slide element, continuously supported, round shaft, 1in shaft diameter, 36in overall length, carbon steel. (2) single pillow blocks included.	Stock	\$925.00
Accessories for Linear Motion Slides and Actuators			
<u>LAHP-N14-25MTRBKT</u>	SureMotion motor mount, anodized aluminum, axial. For use with LAHP-25 series actuators and NEMA 14 motor frames.	Stock	\$216.00
<u>LAHP-N14-25WRPBKT</u>	SureMotion motor mount, anodized aluminum, parallel. For use with LAHP-25 series actuators and NEMA 14 motor frames.	Stock	\$233.00
<u>LAHP-N17-25MTRBKT</u>	SureMotion motor mount, anodized aluminum, axial. For use with LAHP-25 series actuators and NEMA 17 motor frames.	Stock	\$218.00
<u>LAHP-N17-25WRPBKT</u>	SureMotion motor mount, anodized aluminum, parallel. For use with LAHP-25 series actuators and NEMA 17 motor frames.	Stock	\$310.00
<u>LAHP-N17-33MTRBKT</u>	SureMotion motor mount, anodized aluminum, axial. For use with LAHP-33 series actuators and NEMA 17 motor frames.	Stock	\$244.00
<u>LAHP-N17-33WRPBKT</u>	SureMotion motor mount, anodized aluminum, parallel. For use with LAHP-33 series actuators and NEMA 17 motor frames.	Stock	\$188.00
<u>LAHP-N23-33MTRBKT</u>	SureMotion motor mount, anodized aluminum, axial. For use with LAHP-33 series actuators and NEMA 23 motor frames.	Stock	\$244.00
<u>LAHP-N23-33WRPBKT</u>	SureMotion motor mount, anodized aluminum, parallel. For use with LAHP-33 series actuators and NEMA 23 motor frames.	Stock	\$248.00
<u>LAHP-201-25MTRBKT</u>	SureMotion motor mount, anodized aluminum, axial. For use with LAHP-25 series actuators and 40mm motor frames.	Stock	\$286.00
<u>LAHP-201-33MTRBKT</u>	SureMotion motor mount, anodized aluminum, axial. For use with LAHP-33 series actuators and 40mm motor frames.	Stock	\$287.00
<u>LAHP-202-33MTRBKT</u>	SureMotion motor mount, anodized aluminum, axial. For use with LAHP-33 series actuators and 60mm motor frames.	Stock	\$339.00
<u>LAHP-25-CPL-N1417</u>	SureMotion drive coupling, high gain, aluminum alloy, clamp, size 15, 3 x 5mm bore. For use with LAHP-25 series actuators and NEMA 14/17 stepper motors.	Stock	\$62.00
<u>LAHP-33-CPL-N17</u>	SureMotion drive coupling, high gain, aluminum alloy, clamp, size 19, 5 x 5mm bore. For use with LAHP-33 series actuators and NEMA 17 stepper motors.	Stock	\$67.00
<u>LAHP-33CPL-N23</u>	SureMotion drive coupling, high gain, aluminum alloy, clamp, size 19, 5 x 6.35mm (1/4in) bore. For use with LAHP-33 series actuators and NEMA 23 stepper motors.	Stock	\$89.00
<u>LAHP-25-CPL-201</u>	SureMotion drive coupling, bellows, aluminum alloy, clamp, size 15, 3 x 8mm bore. For use with LAHP-25 series actuators and SV2L-201 series servo motors.	Stock	\$44.50
<u>LAHP-33-CPL-201</u>	SureMotion drive coupling, high gain, aluminum alloy, clamp, size 19, 5 x 8mm bore. For use with LAHP-33 series actuators and SV2L-201 series servo motors.	Stock	\$89.00
<u>LAHP-33-CPL-202</u>	SureMotion drive coupling, bellows, aluminum alloy, clamp, size 20, 5 x 14mm bore. For use with LAHP-33 series actuators and SV2L-202 and SV2L-204 series servo motors.	Stock	\$66.00
<u>LAHP-SNS-PH-N</u>	SureMotion photoelectric sensor, U-frame, PBT thermoplastic elastomer housing, through-beam, infrared, 5mm sensing distance, 5-24 VDC operating voltage, selectable light-on/dark-on, NPN, 4-pole connector (direct solder).	Stock	\$351.00
<u>LAHP-SNS-PH-P</u>	SureMotion photoelectric sensor, U-frame, PBT thermoplastic elastomer housing, through-beam, infrared, 5mm sensing distance, 5-24 VDC operating voltage, selectable light-on/dark-on, PNP, 4-pole connector (direct solder).	Stock	\$351.00
<u>LAHP-SNS-PX-N</u>	SureMotion inductive proximity sensor, rectangular, 8 x 7.4 x 17mm, polyarylate resin housing, top sensing, NPN, (2) N.C./(1) N.O. outputs, 2.5mm sensing distance, 1 kHz switching frequency, IP67, pigtail. Package of 3.	Stock	\$401.00
<u>LAHP-SNS-PX-P</u>	SureMotion inductive proximity sensor, rectangular, 8 x 7.4 x 17mm, polyarylate resin housing, top sensing, PNP, (2) N.C./(1) N.O. outputs, 2.5mm sensing distance, 1 kHz switching frequency, IP67, pigtail. Package of 3.	Stock	\$401.00
<u>LAHP-XYB-33-33W</u>	SureMotion mounting bracket, anodized aluminum, XY bracket. For use with LAHP-33 to LAHP-33W series actuators.	Stock	\$125.00
<u>LAHP-XYB-25-33W</u>	SureMotion mounting bracket, anodized aluminum, XY bracket. For use with LAHP-25 to LAHP-33W series actuators.	Stock	\$125.00
<u>LAHP-XYB-25-33</u>	SureMotion mounting bracket, anodized aluminum, XY bracket. For use with LAHP-25 to LAHP-33 series actuators.	Stock	\$108.00
<u>LAHP-ZB-33-33W</u>	SureMotion mounting bracket, anodized aluminum, Z bracket. For use with LAHP-33 to LAHP-33W series actuators.	Stock	\$510.00
<u>LAHP-ZB-25-33W</u>	SureMotion mounting bracket, anodized aluminum, Z bracket. For use with LAHP-25 to LAHP-33W series actuators.	Stock	\$433.00
<u>LAHP-ZB-33-33</u>	SureMotion mounting bracket, anodized aluminum, Z bracket. For use with LAHP-33 to LAHP-33 series actuators.	Stock	\$491.00
<u>LAHP-ZB-25-33</u>	SureMotion mounting bracket, anodized aluminum, Z bracket. For use with LAHP-25 to LAHP-33 series actuators.	Stock	\$436.00

<u>LAHP-ZB-25-25</u>	SureMotion mounting bracket, anodized aluminum, Z bracket. For use with LAHP-25 to LAHP-25 series actuators.	Stock	\$436.00
<u>LAHP-25-NUT-LP25</u>	SureMotion lead nut, replacement, 0.25in pitch. For use with LAHP-25 series actuators.	Stock	\$150.00
<u>LAHP-33-NUT-LP25</u>	SureMotion lead nut, replacement, 0.25in pitch. For use with LAHP-33 series actuators.	Stock	\$167.00
<u>LARSACC-013</u>	SureMotion repair kit, for use with LARSD2-08T12BP2C actuators, includes ballscrew, ballnut, end bearings and grease tube.	Stock	\$842.00
<u>LARSACC-014</u>	SureMotion repair kit, for use with LARSD2-08T24BP2C actuators, includes ballscrew, ballnut, end bearings and grease tube.	Stock	\$829.00
<u>LARSACC-015</u>	SureMotion motor adapter, NEMA 23 frame. For use with LARSD2-08 series actuators. 1/4 x 1/4in coupler included.	Stock	\$316.00
<u>LARSACC-016</u>	SureMotion motor adapter, NEMA 34 frame. For use with LARSD2-08 series actuators. 1/2 x 1/4in coupler included.	Stock	\$380.00
<u>LAVLACC-001</u>	SureMotion repair kit, for use with LAVL-60TxxLP2 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$380.00
<u>LAVLACC-002</u>	SureMotion repair kit, for use with LAVL-60TxxLP5 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$380.00
<u>LAVLACC-003</u>	SureMotion motor adapter, NEMA 23 frame. For use with LAVL-60 series actuators. 1/4in x 5mm coupler included.	Stock	\$316.00
<u>LAVLACC-004</u>	SureMotion mounting plate, XY type. For use with LAVL-60 series actuators.	Stock	\$147.00
<u>LAVLACC-005</u>	SureMotion mounting plate, XZ type. For use with LAVL-60 series actuators.	Stock	\$331.00
<u>LAVLACC-006</u>	SureMotion repair kit, for use with LAVL2-60TxxLP2 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$380.00
<u>LAVLACC-007</u>	SureMotion repair kit, for use with LAVL2-60TxxLP5 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$380.00
<u>LACPACC-001</u>	SureMotion motor adapter, NEMA 23 frame. For use with LACP-16 series actuators. 1/4in x 4mm coupler included.	Stock	\$467.00
<u>LACPACC-002</u>	SureMotion repair kit, for use with LACP-16TxxLP5 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$856.00
<u>LACPACC-003</u>	SureMotion repair kit, for use with LACP-16TxxL1 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$856.00
<u>LACPACC-004</u>	SureMotion mounting plate, XY type. For use with LACP-16 series actuators.	Stock	\$96.00
<u>LACPACC-005</u>	SureMotion mounting plate, XY type. For use with LACP-16 and LARSB1 series actuators.	Stock	\$122.00
<u>LACPACC-006</u>	SureMotion repair kit, for use with LACP2-16TxxLP5 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$856.00
<u>LACPACC-007</u>	SureMotion repair kit, for use with LACP2-16TxxL1 actuators, includes nut, bushings, end bearings and oil syringe.	Stock	\$856.00
<u>LARSACC-001</u>	SureMotion single pillow block, linear ball bearing, 1.69in overall length, 1/2in inside diameter, aluminum housing. For use with 1/2in diameter SureMotion shafts.	Stock	\$69.00
<u>LARSACC-002</u>	SureMotion single pillow block, linear ball bearing, 2.06in overall length, 3/4in inside diameter, aluminum housing. For use with 3/4in diameter SureMotion shafts.	Stock	\$89.00
<u>LARSACC-003</u>	SureMotion single pillow block, linear ball bearing, 2.81in overall length, 1in inside diameter, aluminum housing. For use with 1in diameter SureMotion shafts.	Stock	\$125.00
<u>LARSACC-004</u>	SureMotion single pillow block, linear ball bearing, 1.5in overall length, 1/2in inside diameter, aluminum housing. For use with 1/2in diameter SureMotion shafts.	Stock	\$76.00
<u>LARSACC-005</u>	SureMotion single pillow block, linear ball bearing, 1.88in overall length, 3/4in inside diameter, aluminum housing. For use with 3/4in diameter SureMotion shafts.	Stock	\$97.00
<u>LARSACC-006</u>	SureMotion single pillow block, linear ball bearing, 2.63in overall length, 1in inside diameter, aluminum housing. For use with 1in diameter SureMotion shafts.	Stock	\$138.00
<u>LARSACC-007</u>	SureMotion linear ball bushing, closed type, 1/2in inside diameter, self-aligning. Seals included.	Stock	\$27.00
<u>LARSACC-008</u>	SureMotion linear ball bushing, closed type, 3/4in inside diameter, self-aligning. Seals included.	Stock	\$31.50
<u>LARSACC-009</u>	SureMotion linear ball bushing, closed type, 1in inside diameter, self-aligning. Seals included.	Stock	\$51.00
<u>LARSACC-010</u>	SureMotion linear ball bushing, open type, 1/2in inside diameter, self-aligning. Seals included.	Stock	\$31.50
<u>LARSACC-011</u>	SureMotion linear ball bushing, open type, 3/4in inside diameter, self-aligning. Seals included.	Stock	\$39.50
<u>LARSACC-012</u>	SureMotion linear ball bushing, open type, 1in inside diameter, self-aligning. Seals included.	Stock	\$65.00
<u>SVL201-ZLW</u>	igus motor mount, anodized aluminum, right-angle. For use with ZLW series actuators and SV2L-201 servo motors.	Stock	\$175.00
<u>SVL202-ZLW</u>	igus motor mount, anodized aluminum, right-angle. For use with ZLW series actuators and SV2L-202 servo motors.	Stock	\$250.00

<u>STP17-ZLW</u>	igus motor mount, anodized aluminum, right-angle. For use with ZLW series actuators and NEMA 17 stepper motors.	Stock	\$145.00
<u>STP23-ZLW</u>	igus motor mount, anodized aluminum, right-angle. For use with ZLW series actuators and NEMA 23 stepper motors.	Stock	\$145.00
<u>SVL201-SAW</u>	igus motor mount, anodized aluminum, axial. For use with SAW series actuators and SV2L-201 servo motors.	Stock	\$140.00
<u>SVL202-SAW</u>	igus motor mount, anodized aluminum, axial. For use with SAW series actuators and SV2L-202 servo motors.	Stock	\$125.00
<u>STP17-SAW</u>	igus motor mount, anodized aluminum, axial. For use with SAW series actuators and NEMA 17 stepper motors.	Stock	\$115.00
<u>STP23-SAW</u>	igus motor mount, anodized aluminum, axial. For use with SAW series actuators and NEMA 23 stepper motors.	Stock	\$115.00
<u>A-AWM-10-1000</u>	igus drylin R series round connecting shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 10mm diameter, 1000mm length. For use with all ZLW series actuators.	Stock	\$33.00
<u>A-AWM-10-500</u>	igus drylin R series round connecting shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 10mm diameter, 500mm length. For use with all ZLW series actuators.	Stock	\$15.00
<u>A-KSTM-10</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 10mm inside diameter, pillow block, igumid G polymer. For use with drylin R series 10mm shafts.	Stock	\$6.00
<u>A-AK-0026</u>	igus mounting bracket, anodized aluminum, Y bracket. For use with ZLW080 and SAW1080 to ZLW1040 and SAW1040 series actuators.	Stock	\$155.00
<u>A-SWY108003150</u>	igus adapter plate, anodized aluminum, Y or Z bracket. For use with ZLW1040 and SAW1040 to ZLW1080 and SAW1080 series actuators.	Stock	\$136.00
<u>A-JUME-01-10</u>	igus bearing liner, replacement, iglide J. Package of 4. For use with ZLW1040 and ZLW1080 series actuators.	Stock	\$4.50
<u>NUT1080-25</u>	igus lead nut, replacement, iglide J, 25mm pitch. For use with SAW1080 series actuators.	Stock	\$65.00
<u>NUT1040-25</u>	igus lead nut, replacement, iglide J, 25mm pitch. For use with SAW1040 series actuators.	Stock	\$27.00
<u>A-ZSY-104026</u>	igus mounting clamp, anodized aluminum. Package of 4. For use with all ZLW and SAW series actuators.	Stock	\$3.50
<u>A-NOR-20634</u>	igus M5 slot nut, zinc plated steel. Package of 8. For use with all ZLW and SAW series actuators.	Stock	\$2.50
<u>IGUS-SENSBKT</u>	igus sensor bracket, anodized aluminum. For use with all ZLW and SAW series actuators.	Stock	\$25.00
Linear Bearings and Rails			
<u>H15RUUG0</u>	WON H15 series standard bearing block, full ball recirculating bearing, rectangular, end seal, carbon steel. For use with H15 series rails.	Stock	\$64.00
<u>H15RSSG0</u>	WON H15 series standard bearing block, full ball recirculating bearing, rectangular, end seal and inside seal, carbon steel. For use with H15 series rails.	Stock	\$71.00
<u>H15FUUG0</u>	WON H15 series standard bearing block, full ball recirculating bearing, flanged, end seal, carbon steel. For use with H15 series rails.	Stock	\$66.00
<u>H15FSSG0</u>	WON H15 series standard bearing block, full ball recirculating bearing, flanged, end seal and inside seal, carbon steel. For use with H15 series rails.	Stock	\$74.00
<u>H15-400L</u>	WON H15 series standard rail, carbon steel, 13 x 15 x 400mm. For use with H15 series bearings.	Stock	\$75.00
<u>H15-580L</u>	WON H15 series standard rail, carbon steel, 13 x 15 x 580mm. For use with H15 series bearings.	Stock	\$107.00
<u>H15-760L</u>	WON H15 series standard rail, carbon steel, 13 x 15 x 760mm. For use with H15 series bearings.	Stock	\$141.00
<u>H15-1000L</u>	WON H15 series standard rail, carbon steel, 13 x 15 x 1000mm. For use with H15 series bearings.	Stock	\$184.00
<u>H20RUUG0</u>	WON H20 series standard bearing block, full ball recirculating bearing, rectangular, end seal, carbon steel. For use with H20 series rails.	Stock	\$68.00
<u>H20RSSG0</u>	WON H20 series standard bearing block, full ball recirculating bearing, rectangular, end seal and inside seal, carbon steel. For use with H20 series rails.	Stock	\$75.00
<u>H20FUUG0</u>	WON H20 series standard bearing block, full ball recirculating bearing, flanged, end seal, carbon steel. For use with H20 series rails.	Stock	\$72.00
<u>H20FSSG0</u>	WON H20 series standard bearing block, full ball recirculating bearing, flanged, end seal and inside seal, carbon steel. For use with H20 series rails.	Stock	\$80.00
<u>H20-400L</u>	WON H20 series standard rail, carbon steel, 16.5 x 20 x 400mm. For use with H20 series bearings.	Stock	\$77.00
<u>H20-580L</u>	WON H20 series standard rail, carbon steel, 16.5 x 20 x 580mm. For use with H20 series bearings.	Stock	\$110.00
<u>H20-760L</u>	WON H20 series standard rail, carbon steel, 16.5 x 20 x 760mm. For use with H20 series bearings.	Stock	\$146.00
<u>H20-1000L</u>	WON H20 series standard rail, carbon steel, 16.5 x 20 x 1000mm. For use with H20 series bearings.	Stock	\$191.00
<u>H25RUUG0</u>	WON H25 series standard bearing block, full ball recirculating bearing, rectangular, end seal, carbon steel. For use with H25 series rails.	Stock	\$88.00
<u>H25RSSG0</u>	WON H25 series standard bearing block, full ball recirculating bearing, rectangular, end seal and inside seal, carbon steel. For use with H25 series rails.	Stock	\$96.00

<u>H25FUUG0</u>	WON H25 series standard bearing block, full ball recirculating bearing, flanged, end seal, carbon steel. For use with H25 series rails.	Stock	\$92.00
<u>H25FSSG0</u>	WON H25 series standard bearing block, full ball recirculating bearing, flanged, end seal and inside seal, carbon steel. For use with H25 series rails.	Stock	\$99.00
<u>H25-400L</u>	WON H25 series standard rail, carbon steel, 20 x 23 x 400mm. For use with H25 series bearings.	Stock	\$85.00
<u>H25-580L</u>	WON H25 series standard rail, carbon steel, 20 x 23 x 580mm. For use with H25 series bearings.	Stock	\$124.00
<u>H25-760L</u>	WON H25 series standard rail, carbon steel, 20 x 23 x 760mm. For use with H25 series bearings.	Stock	\$164.00
<u>H25-1000L</u>	WON H25 series standard rail, carbon steel, 20 x 23 x 1000mm. For use with H25 series bearings.	Stock	\$215.00
<u>H30RUUG0</u>	WON H30 series standard bearing block, full ball recirculating bearing, rectangular, end seal, carbon steel. For use with H30 series rails.	Stock	\$100.00
<u>H30RSSG0</u>	WON H30 series standard bearing block, full ball recirculating bearing, rectangular, end seal and inside seal, carbon steel. For use with H30 series rails.	Stock	\$108.00
<u>H30FUUG0</u>	WON H30 series standard bearing block, full ball recirculating bearing, flanged, end seal, carbon steel. For use with H30 series rails.	Stock	\$105.00
<u>H30FSSG0</u>	WON H30 series standard bearing block, full ball recirculating bearing, flanged, end seal and inside seal, carbon steel. For use with H30 series rails.	Stock	\$112.00
<u>H30-360L</u>	WON H30 series standard rail, carbon steel, 26 x 28 x 360mm. For use with H30 series bearings.	Stock	\$84.00
<u>H30-520L</u>	WON H30 series standard rail, carbon steel, 26 x 28 x 520mm. For use with H30 series bearings.	Stock	\$119.00
<u>H30-760L</u>	WON H30 series standard rail, carbon steel, 26 x 28 x 760mm. For use with H30 series bearings.	Stock	\$173.00
<u>H30-1000L</u>	WON H30 series standard rail, carbon steel, 26 x 28 x 1000mm. For use with H30 series bearings.	Stock	\$230.00
<u>H35RUUG0</u>	WON H35 series standard bearing block, full ball recirculating, rectangular, end seal, carbon steel. For use with H35 series rails.	Stock	\$146.00
<u>H35RSSG0</u>	WON H35 series standard bearing block, full ball recirculating, rectangular, end seal and inside seal, carbon steel. For use with H35 series rails.	Stock	\$151.00
<u>H35FUUG0</u>	WON H35 series standard bearing block, full ball recirculating, flanged, end seal, carbon steel. For use with H35 series rails.	Stock	\$150.00
<u>H35FSSG0</u>	WON H35 series standard bearing block, full ball recirculating bearing, flanged, end seal and inside seal, carbon steel. For use with H35 series rails.	Stock	\$158.00
<u>H35-360L</u>	WON H35 series standard rail, carbon steel, 29 x 34 x 360mm. For use with H35 series bearings.	Stock	\$112.00
<u>H35-520L</u>	WON H35 series standard rail, carbon steel, 29 x 34 x 520mm. For use with H35 series bearings.	Stock	\$161.00
<u>H35-760L</u>	WON H35 series standard rail, carbon steel, 29 x 34 x 760mm. For use with H35 series bearings.	Stock	\$234.00
<u>H35-1000L</u>	WON H35 series standard rail, carbon steel, 29 x 34 x 1000mm. For use with H35 series bearings.	Stock	\$309.00
<u>M7NUUG0</u>	WON M7 series mini bearing block, full ball recirculating, rectangular, end seal, stainless steel. For use with M7 series rails.	Stock	\$46.50
<u>M7LUUG0</u>	WON M7 series mini bearing block, full ball recirculating, rectangular long, end seal, stainless steel. For use with M7 series rails.	Stock	\$52.00
<u>M7-85L</u>	WON M7 series mini rail, stainless steel, 5 x 7 x 85mm. For use with M7 series bearings.	Stock	\$16.50
<u>M7-190L</u>	WON M7 series mini rail, stainless steel, 5 x 7 x 190mm. For use with M7 series bearings.	Stock	\$36.50
<u>M7-370L</u>	WON M7 series mini rail, stainless steel, 5 x 7 x 370mm. For use with M7 series bearings.	Stock	\$70.00
<u>M7-610L</u>	WON M7 series mini rail, stainless steel, 5 x 7 x 610mm. For use with M7 series bearings.	Stock	\$114.00
<u>M9NUUG0</u>	WON M9 series mini bearing block, full ball recirculating bearing, rectangular, end seal, stainless steel. For use with M9 series rails.	Stock	\$49.50
<u>M9LUUG0</u>	WON M9 series mini bearing block, full ball recirculating, rectangular long, end seal, stainless steel. For use with M9 series rails.	Stock	\$58.00
<u>M9-95L</u>	WON M9 series mini rail, stainless steel, 6 x 9 x 95mm. For use with M9 series bearings.	Stock	\$16.00
<u>M9-175L</u>	WON M9 series mini rail, stainless steel, 6 x 9 x 175mm. For use with M9 series bearings.	Stock	\$29.00
<u>M9-495L</u>	WON M9 series mini rail, stainless steel, 6 x 9 x 495mm. For use with M9 series bearings.	Stock	\$81.00
<u>M9-695L</u>	WON M9 series mini rail, stainless steel, 6 x 9 x 695mm. For use with M9 series bearings.	Stock	\$113.00
<u>M12NUUG0</u>	WON M12 series mini bearing block, full ball recirculating, rectangular, end seal, stainless steel. For use with M12 series rails.	Stock	\$55.00
<u>M12LUUG0</u>	WON M12 series mini bearing block, full ball recirculating, rectangular long, end seal, stainless steel. For use with M12 series rails.	Stock	\$63.00
<u>M12-195L</u>	WON M12 series mini rail, stainless steel, 8 x 12 x 195mm. For use with M12 series bearings.	Stock	\$37.50

<u>M12-320L</u>	WON M12 series mini rail, stainless steel, 8 x 12 x 320mm. For use with M12 series bearings.	Stock	\$60.00
<u>M12-470L</u>	WON M12 series mini rail, stainless steel, 8 x 12 x 470mm. For use with M12 series bearings.	Stock	\$89.00
<u>M12-695L</u>	WON M12 series mini rail, stainless steel, 8 x 12 x 695mm. For use with M12 series bearings.	Stock	\$133.00
<u>MB7NUUG0</u>	WON MB7 series wide mini bearing block, full ball recirculating bearing, rectangular, end seal, stainless steel. For use with MB7 series rails.	Stock	\$59.00
<u>MB7LUUG0</u>	WON MB7 series wide mini bearing block, full ball recirculating, rectangular long, end seal, stainless steel. For use with MB7 series rails.	Stock	\$65.00
<u>MB7-80L</u>	WON MB7 series wide mini rail, stainless steel, 5.5 x 14 x 80mm. For use with MB7 series bearings.	Stock	\$30.00
<u>MB7-200L</u>	WON MB7 series wide mini rail, stainless steel, 5.5 x 14 x 200mm. For use with MB7 series bearings.	Stock	\$75.00
<u>MB7-410L</u>	WON MB7 series wide mini rail, stainless steel, 5.5 x 14 x 410mm. For use with MB7 series bearings.	Stock	\$156.00
<u>MB7-690L</u>	WON MB7 series wide mini rail, stainless steel, 5.5 x 14 x 690mm. For use with MB7 series bearings.	Stock	\$235.00
<u>MB9NUUG0</u>	WON MB9 series wide mini bearing block, full ball recirculating, rectangular, end seal, stainless steel. For use with MB9 series rails.	Stock	\$66.00
<u>MB9LUUG0</u>	WON MB9 series wide mini bearing block, full ball recirculating, rectangular long, end seal, stainless steel. For use with MB9 series rails.	Stock	\$73.00
<u>MB9-80L</u>	WON MB9 series wide mini rail, stainless steel, 7 x 18 x 80mm. For use with MB9 series bearings.	Stock	\$39.00
<u>MB9-200L</u>	WON MB9 series wide mini rail, stainless steel, 7 x 18 x 200mm. For use with MB9 series bearings.	Stock	\$98.00
<u>MB9-410L</u>	WON MB9 series wide mini rail, stainless steel, 7 x 18 x 410mm. For use with MB9 series bearings.	Stock	\$199.00
<u>MB9-690L</u>	WON MB9 series wide mini rail, stainless steel, 7 x 18 x 690mm. For use with MB9 series bearings.	Stock	\$298.00
<u>MB12NUUG0</u>	WON MB12 series wide mini bearing block, full ball recirculating bearing, rectangular, end seal, stainless steel. For use with MB12 series rails.	Stock	\$69.00
<u>MB12LUUG0</u>	WON MB12 series wide mini bearing block, full ball recirculating, rectangular long, end seal, stainless steel. For use with MB12 series rails.	Stock	\$76.00
<u>MB12-110L</u>	WON MB12 series wide mini rail, stainless steel, 8.5 x 24 x 110mm. For use with MB12 series bearings.	Stock	\$64.00
<u>MB12-270L</u>	WON MB12 series wide mini rail, stainless steel, 8.5 x 24 x 270mm. For use with MB12 series bearings.	Stock	\$159.00
<u>MB12-430L</u>	WON MB12 series wide mini rail, stainless steel, 8.5 x 24 x 430mm. For use with MB12 series bearings.	Stock	\$254.00
<u>MB12-750L</u>	WON MB12 series wide mini rail, stainless steel, 8.5 x 24 x 750mm. For use with MB12 series bearings.	Stock	\$436.00

Internal Carriages and Linear Guides			
<u>LUV-0-3W</u>	SureMotion LUV series v-carriage, single row ball bearing, 3-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-0 series guide tracks.	Stock	\$127.00
<u>LUV-0-4W</u>	SureMotion LUV series v-carriage, single row ball bearing, 4-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-0 series guide tracks.	Stock	\$200.00
<u>LUV-0-5W</u>	SureMotion LUV series v-carriage, single row ball bearing, 5-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-0 series guide tracks.	Stock	\$227.00
<u>LUV-0-480</u>	SureMotion LUV-0 series guide track, anodized aluminum, 11 x 20 x 480mm. For use with SureMotion LUV-0 series v-carriages.	Stock	\$22.00
<u>LUV-0-640</u>	SureMotion LUV-0 series guide track, anodized aluminum, 11 x 20 x 640mm. For use with SureMotion LUV-0 series v-carriages.	Stock	\$29.00
<u>LUV-0-800</u>	SureMotion LUV-0 series guide track, anodized aluminum, 11 x 20 x 800mm. For use with SureMotion LUV-0 series v-carriages.	Stock	\$37.00
<u>LUV-0-960</u>	SureMotion LUV-0 series guide track, anodized aluminum, 11 x 20 x 960mm. For use with SureMotion LUV-0 series v-carriages.	Stock	\$44.00
<u>LUV-0-1120</u>	SureMotion LUV-0 series guide track, anodized aluminum, 11 x 20 x 1120mm. For use with SureMotion LUV-0 series v-carriages.	Stock	\$51.00
<u>LUV-0-1280</u>	SureMotion LUV-0 series guide track, anodized aluminum, 11 x 20 x 1280mm. For use with SureMotion LUV-0 series v-carriages.	Stock	\$59.00
<u>LUV-0-1520</u>	SureMotion LUV-0 series guide track, anodized aluminum, 11 x 20 x 1520mm. For use with SureMotion LUV-0 series v-carriages.	Stock	\$70.00
<u>LUC-0-3W</u>	SureMotion LUC series crown carriage, single row ball bearing, 3-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-0 series guide tracks.	Stock	\$145.00
<u>LUC-0-4W</u>	SureMotion LUC series crown carriage, single row ball bearing, 4-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-0 series guide tracks.	Stock	\$218.00
<u>LUC-0-5W</u>	SureMotion LUC series crown carriage, single row ball bearing, 5-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-0 series guide tracks.	Stock	\$236.00
<u>LUC-0-480</u>	SureMotion LUC-0 series guide track, anodized aluminum, 11 x 20 x 480mm. For use with SureMotion LUC-0 series crown carriages.	Stock	\$22.00

<u>LUC-0-640</u>	SureMotion LUC-0 series guide track, anodized aluminum, 11 x 20 x 640mm. For use with SureMotion LUC-0 series crown carriages.	Stock	\$29.00
<u>LUC-0-800</u>	SureMotion LUC-0 series guide track, anodized aluminum, 11 x 20 x 800mm. For use with SureMotion LUC-0 series crown carriages.	Stock	\$37.00
<u>LUC-0-960</u>	SureMotion LUC-0 series guide track, anodized aluminum, 11 x 20 x 960mm. For use with SureMotion LUC-0 series crown carriages.	Stock	\$44.00
<u>LUC-0-1120</u>	SureMotion LUC-0 series guide track, anodized aluminum, 11 x 20 x 1120mm. For use with SureMotion LUC-0 series crown carriages.	Stock	\$51.00
<u>LUC-0-1280</u>	SureMotion LUC-0 series guide track, anodized aluminum, 11 x 20 x 1280mm. For use with SureMotion LUC-0 series crown carriages.	Stock	\$59.00
<u>LUC-0-1520</u>	SureMotion LUC-0 series guide track, anodized aluminum, 11 x 20 x 1520mm. For use with SureMotion LUC-0 series crown carriages.	Stock	\$70.00
<u>LUV-1-3W</u>	SureMotion LUV series v-carriage, single row ball bearing, 3-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-1 series guide tracks.	Stock	\$136.00
<u>LUV-1-4W</u>	SureMotion LUV series v-carriage, single row ball bearing, 4-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-1 series guide tracks.	Stock	\$209.00
<u>LUV-1-5W</u>	SureMotion LUV series v-carriage, single row ball bearing, 5-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-1 series guide tracks.	Stock	\$227.00
<u>LUV-1-480</u>	SureMotion LUV-1 series guide track, anodized aluminum, 15 x 26 x 480mm. For use with SureMotion LUV-1 series v-carriages.	Stock	\$24.00
<u>LUV-1-640</u>	SureMotion LUV-1 series guide track, anodized aluminum, 15 x 26 x 640mm. For use with SureMotion LUV-1 series v-carriages.	Stock	\$32.00
<u>LUV-1-800</u>	SureMotion LUV-1 series guide track, anodized aluminum, 15 x 26 x 800mm. For use with SureMotion LUV-1 series v-carriages.	Stock	\$40.00
<u>LUV-1-960</u>	SureMotion LUV-1 series guide track, anodized aluminum, 15 x 26 x 960mm. For use with SureMotion LUV-1 series v-carriages.	Stock	\$48.00
<u>LUV-1-1120</u>	SureMotion LUV-1 series guide track, anodized aluminum, 15 x 26 x 1120mm. For use with SureMotion LUV-1 series v-carriages.	Stock	\$56.00
<u>LUV-1-1280</u>	SureMotion LUV-1 series guide track, anodized aluminum, 15 x 26 x 1280mm. For use with SureMotion LUV-1 series v-carriages.	Stock	\$64.00
<u>LUV-1-1520</u>	SureMotion LUV-1 series guide track, anodized aluminum, 15 x 26 x 1520mm. For use with SureMotion LUV-1 series v-carriages.	Stock	\$76.00
<u>LUC-1-3W</u>	SureMotion LUC series crown carriage, single row ball bearing, 3-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-1 series guide tracks.	Stock	\$154.00
<u>LUC-1-4W</u>	SureMotion LUC series crown carriage, single row ball bearing, 4-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-1 series guide tracks.	Stock	\$218.00
<u>LUC-1-5W</u>	SureMotion LUC series crown carriage, single row ball bearing, 5-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-1 series guide tracks.	Stock	\$245.00
<u>LUC-1-480</u>	SureMotion LUC-1 series guide track, anodized aluminum, 15 x 26 x 480mm. For use with SureMotion LUC-1 series crown carriages.	Stock	\$24.00
<u>LUC-1-640</u>	SureMotion LUC-1 series guide track, anodized aluminum, 15 x 26 x 640mm. For use with SureMotion LUC-1 series crown carriages.	Stock	\$32.00
<u>LUC-1-800</u>	SureMotion LUC-1 series guide track, anodized aluminum, 15 x 26 x 800mm. For use with SureMotion LUC-1 series crown carriages.	Stock	\$40.00
<u>LUC-1-960</u>	SureMotion LUC-1 series guide track, anodized aluminum, 15 x 26 x 960mm. For use with SureMotion LUC-1 series crown carriages.	Stock	\$48.00
<u>LUC-1-1120</u>	SureMotion LUC-1 series guide track, anodized aluminum, 15 x 26 x 1120mm. For use with SureMotion LUC-1 series crown carriages.	Stock	\$56.00
<u>LUC-1-1280</u>	SureMotion LUC-1 series guide track, anodized aluminum, 15 x 26 x 1280mm. For use with SureMotion LUC-1 series crown carriages.	Stock	\$64.00
<u>LUC-1-1520</u>	SureMotion LUC-1 series guide track, anodized aluminum, 15 x 26 x 1520mm. For use with SureMotion LUC-1 series crown carriages.	Stock	\$76.00
<u>LUV-2-3W</u>	SureMotion LUV series v-carriage, single row ball bearing, 3-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-2 series guide tracks.	Stock	\$164.00
<u>LUV-2-4W</u>	SureMotion LUV series v-carriage, single row ball bearing, 4-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-2 series guide tracks.	Stock	\$218.00
<u>LUV-2-5W</u>	SureMotion LUV series v-carriage, single row ball bearing, 5-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUV-2 series guide tracks.	Stock	\$245.00
<u>LUV-2-480</u>	SureMotion LUV-2 series guide track, anodized aluminum, 19.74 x 40 x 480mm. For use with SureMotion LUV-2 series v-carriages.	Stock	\$35.00
<u>LUV-2-640</u>	SureMotion LUV-2 series guide track, anodized aluminum, 19.74 x 40 x 640mm. For use with SureMotion LUV-2 series v-carriages.	Stock	\$47.00
<u>LUV-2-800</u>	SureMotion LUV-2 series guide track, anodized aluminum, 19.74 x 40 x 800mm. For use with SureMotion LUV-2 series v-carriages.	Stock	\$59.00

<u>LUV-2-960</u>	SureMotion LUV-2 series guide track, anodized aluminum, 19.74 x 40 x 960mm. For use with SureMotion LUV-2 series v-carriages.	Stock	\$70.00
<u>LUV-2-1120</u>	SureMotion LUV-2 series guide track, anodized aluminum, 19.74 x 40 x 1120mm. For use with SureMotion LUV-2 series v-carriages.	Stock	\$82.00
<u>LUV-2-1280</u>	SureMotion LUV-2 series guide track, anodized aluminum, 19.74 x 40 x 1280mm. For use with SureMotion LUV-2 series v-carriages.	Stock	\$94.00
<u>LUV-2-1520</u>	SureMotion LUV-2 series guide track, anodized aluminum, 19.74 x 40 x 1520mm. For use with SureMotion LUV-2 series v-carriages.	Stock	\$111.00
<u>LUC-2-3W</u>	SureMotion LUC series crown carriage, single row ball bearing, 3-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-2 series guide tracks.	Stock	\$166.00
<u>LUC-2-4W</u>	SureMotion LUC series crown carriage, single row ball bearing, 4-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-2 series guide tracks.	Stock	\$252.00
<u>LUC-2-5W</u>	SureMotion LUC series crown carriage, single row ball bearing, 5-wheel, end seal, polyacetal/440C stainless steel. For use with SureMotion LUC-2 series guide tracks.	Stock	\$271.00
<u>LUC-2-480</u>	SureMotion LUC-2 series guide track, anodized aluminum, 19.74 x 40 x 480mm. For use with SureMotion LUC-2 series crown carriages.	Stock	\$35.00
<u>LUC-2-640</u>	SureMotion LUC-2 series guide track, anodized aluminum, 19.74 x 40 x 640mm. For use with SureMotion LUC-2 series crown carriages.	Stock	\$47.00
<u>LUC-2-800</u>	SureMotion LUC-2 series guide track, anodized aluminum, 19.74 x 40 x 800mm. For use with SureMotion LUC-2 series crown carriages.	Stock	\$59.00
<u>LUC-2-960</u>	SureMotion LUC-2 series guide track, anodized aluminum, 19.74 x 40 x 960mm. For use with SureMotion LUC-2 series crown carriages.	Stock	\$70.00
<u>LUC-2-1120</u>	SureMotion LUC-2 series guide track, anodized aluminum, 19.74 x 40 x 1120mm. For use with SureMotion LUC-2 series crown carriages.	Stock	\$82.00
<u>LUC-2-1280</u>	SureMotion LUC-2 series guide track, anodized aluminum, 19.74 x 40 x 1280mm. For use with SureMotion LUC-2 series crown carriages.	Stock	\$94.00
<u>LUC-2-1520</u>	SureMotion LUC-2 series guide track, anodized aluminum, 19.74 x 40 x 1520mm. For use with SureMotion LUC-2 series crown carriages.	Stock	\$111.00

External Carriages and Linear Guides

<u>LVC-20</u>	SureMotion LVC series v-carriage, double row ball bearing, end seal, anodized aluminum/steel. For use with SureMotion LVR-20 series guide tracks.	Stock	\$296.00
<u>LVR-20-266</u>	SureMotion LVR-20 series guide track, high carbon steel (HCS), 10 x 20 x 266mm. For use with SureMotion LVC-20 v-carriage.	Stock	\$64.00
<u>LVR-20-536</u>	SureMotion LVR-20 series guide track, high carbon steel (HCS), 10 x 20 x 536mm. For use with SureMotion LVC-20 v-carriage.	Stock	\$131.00
<u>LVR-20-716</u>	SureMotion LVR-20 series guide track, high carbon steel (HCS), 10 x 20 x 716mm. For use with SureMotion LVC-20 v-carriage.	Stock	\$173.00
<u>LVR-20-1076</u>	SureMotion LVR-20 series guide track, high carbon steel (HCS), 10 x 20 x 1076mm. For use with SureMotion LVC-20 v-carriage.	Stock	\$258.00
<u>LVC-25</u>	SureMotion LVC series v-carriage, double row ball bearing, end seal, anodized aluminum/steel. For use with SureMotion LVR-25 series guide tracks.	Stock	\$405.00
<u>LVR-25-536</u>	SureMotion LVR-25 series guide track, high carbon steel (HCS), 12.5 x 25 x 536mm. For use with SureMotion LVC-25 v-carriage.	Stock	\$144.00
<u>LVR-25-716</u>	SureMotion LVR-25 series guide track, high carbon steel (HCS), 12.5 x 25 x 716mm. For use with SureMotion LVC-25 v-carriage.	Stock	\$191.00
<u>LVR-25-1076</u>	SureMotion LVR-25 series guide track, high carbon steel (HCS), 12.5 x 25 x 1076mm. For use with SureMotion LVC-25 v-carriage.	Stock	\$287.00
<u>LVR-25-1256</u>	SureMotion LVR-25 series guide track, high carbon steel (HCS), 12.5 x 25 x 1256mm. For use with SureMotion LVC-25 v-carriage.	Stock	\$329.00
<u>LVC-44</u>	SureMotion LVC series v-carriage, double row ball bearing, end seal, anodized aluminum/steel. For use with SureMotion LVR-44 series guide tracks.	Stock	\$463.00
<u>LVR-44-536</u>	SureMotion LVR-44 series guide track, high carbon steel (HCS), 16 x 44 x 536mm. For use with SureMotion LVC-44 v-carriage.	Stock	\$164.00
<u>LVR-44-716</u>	SureMotion LVR-44 series guide track, high carbon steel (HCS), 16 x 44 x 716mm. For use with SureMotion LVC-44 v-carriage.	Stock	\$218.00
<u>LVR-44-1076</u>	SureMotion LVR-44 series guide track, high carbon steel (HCS), 16 x 44 x 1076mm. For use with SureMotion LVC-44 v-carriage.	Stock	\$329.00
<u>LVR-44-1256</u>	SureMotion LVR-44 series guide track, high carbon steel (HCS), 16 x 44 x 1256mm. For use with SureMotion LVC-44 v-carriage.	Stock	\$383.00

Guide Tracks with Slides

<u>UGA040-0400-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 400 x 52 x 13.8mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$148.00
---	--	-------	----------

<u>UGA040-1000-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 1000 x 52 x 13.8mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$236.00
<u>UGA040-1500-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 1500 x 52 x 13.8mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$311.00
<u>UGA040-2000-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 2000 x 52 x 13.8mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$385.00
<u>UGT040-0400-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 400 x 52 x 30mm. (1) anodized aluminum plain bearing carriage included. Requires PBC mounting clamp.	Stock	\$148.00
<u>UGT040-1000-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 1000 x 52 x 30mm. (1) anodized aluminum plain bearing carriage included. Requires PBC mounting clamp.	Stock	\$247.00
<u>UGT040-1500-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 1500 x 52 x 30mm. (1) anodized aluminum plain bearing carriage included. Requires PBC mounting clamp.	Stock	\$328.00
<u>UGT040-2000-0C1G00-1</u>	PBC Uni-Glide series guide track, ceramic-coated aluminum, 2000 x 52 x 30mm. (1) anodized aluminum plain bearing carriage included. Requires PBC mounting clamp.	Stock	\$410.00
<u>MR07-0100-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 100 x 7 x 6.1mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$48.50
<u>MR07-0150-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 150 x 7 x 6.1mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$55.00
<u>MR09-0100-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 100 x 9 x 7.1mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$49.50
<u>MR09-0150-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 150 x 9 x 7.1mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$53.00
<u>MR12-0100-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 100 x 12 x 8mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$51.00
<u>MR12-0150-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 150 x 12 x 8mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$58.00
<u>MR12-0200-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 200 x 12 x 8mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$64.00
<u>MR15-0150-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 150 x 15 x 9.2mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$60.00
<u>MR15-0300-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 300 x 15 x 9.2mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$80.00
<u>MR15-0400-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 400 x 15 x 9.2mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$94.00
<u>MR20-0250-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 250 x 20 x 13.4mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$86.00
<u>MR20-0400-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 400 x 20 x 13.4mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$108.00
<u>MR20-0500-1</u>	PBC Mini-Rail series guide track, ceramic-coated aluminum, 500 x 20 x 13.4mm. (1) anodized aluminum plain bearing carriage included.	Stock	\$123.00

Accessories for Linear Guides and Rail Systems

<u>LVCACC-1</u>	SureMotion journal adjusting tool, for use with SureMotion LVC-20 v-carriage.	Stock	\$19.00
<u>LVCACC-2</u>	SureMotion journal adjusting tool, for use with SureMotion LVC-25 v-carriage.	Stock	\$32.00
<u>LVCACC-3</u>	SureMotion journal adjusting tool, for use with SureMotion LVC-44 v-carriage.	Stock	\$42.00
<u>LUACC-0</u>	SureMotion journal adjusting tool, for use with SureMotion LUV-0-3W, LUV-0-4W and LUV-0-5W v-carriages and LUC-0-3W, LUC-0-4W and LUC-0-5W crown carriages.	Stock	\$25.00
<u>LUACC-1</u>	SureMotion journal adjusting tool, for use with SureMotion LUV-1-3W, LUV-1-4W and LUV-1-5W v-carriages and LUC-1-3W, LUC-1-4W and LUC-1-5W crown carriages.	Stock	\$30.00
<u>LUACC-2</u>	SureMotion journal adjusting tool, for use with SureMotion LUV-2-3W, LUV-2-4W and LUV-2-5W v-carriages and LUC-2-3W, LUC-2-4W and LUC-2-5W crown carriages.	Stock	\$32.00
<u>UGT040A-TC-1</u>	PBC mounting clamp, 1 hole. For use with PBC UGT040-xxxx guide tracks.	Stock	\$3.50
<u>UGT040A-TC-2</u>	PBC mounting clamp, 2 holes. For use with PBC UGT040-xxxx guide tracks.	Stock	\$6.75

Linear Precision Ground Shafts

<u>NIL04-006.000-SL</u>	PBC Simplicity 60 Plus series linear precision ground round shaft, 1060 steel, RC60-65, 8-12Ra, 1/4in diameter, 6in length. For use with 1/4in PBC bearings.	Stock	\$4.75
<u>NIL04-012.000-SL</u>	PBC Simplicity 60 Plus series linear precision ground round shaft, 1060 steel, RC60-65, 8-12Ra, 1/4in diameter, 12in length. For use with 1/4in PBC bearings.	Stock	\$9.25
<u>NIL06-006.000-SL</u>	PBC Simplicity 60 Plus series linear precision ground round shaft, 1060 steel, RC60-65, 8-12Ra, 3/8in diameter, 6in length. For use with 3/8in PBC bearings.	Stock	\$5.25
<u>NIL06-012.000-SL</u>	PBC Simplicity 60 Plus series linear precision ground round shaft, 1060 steel, RC60-65, 8-12Ra, 3/8in diameter, 12in length. For use with 3/8in PBC bearings.	Stock	\$10.50

[illegible]

[illegible]

Aluminum Linear Shafts				
<u>A-AWUI-08-250</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/2in diameter, 250mm length. For use with 1/2in drylin R series bearings.	Stock	\$20.00	
<u>A-AWUI-08-500</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/2in diameter, 500mm length. For use with 1/2in drylin R series bearings.	Stock	\$37.00	
<u>A-AWUI-08-1000</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/2in diameter, 1000mm length. For use with 1/2in drylin R series bearings.	Stock	\$73.00	
<u>A-AWUI-12-250</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 3/4in diameter, 250mm length. For use with 3/4in drylin R series bearings.	Stock	\$26.50	
<u>A-AWUI-12-500</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 3/4in diameter, 500mm length. For use with 3/4in drylin R series bearings.	Stock	\$51.00	
<u>A-AWUI-12-1000</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 3/4in diameter, 1000mm length. For use with 3/4in drylin R series bearings.	Stock	\$104.00	
<u>A-AWUI-16-250</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1in diameter, 250mm length. For use with 1in drylin R series bearings.	Stock	\$31.00	
<u>A-AWUI-16-500</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1in diameter, 500mm length. For use with 1in drylin R series bearings.	Stock	\$61.00	
<u>A-AWUI-16-1000</u>	igus drylin R series supported shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1in diameter, 1000mm length. For use with 1in drylin R series bearings.	Stock	\$124.00	
<u>A-AWI-04-250</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/4in diameter, 250mm length. For use with 1/4in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$11.00	
<u>A-AWI-04-500</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/4in diameter, 500mm length. For use with 1/4in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$19.00	
<u>A-AWI-04-1000</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/4in diameter, 1000mm length. For use with 1/4in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$39.00	
<u>A-AWI-08-250</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/2in diameter, 250mm length. For use with 1/2in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$12.50	
<u>A-AWI-08-500</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/2in diameter, 500mm length. For use with 1/2in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$23.00	
<u>A-AWI-08-1000</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1/2in diameter, 1000mm length. For use with 1/2in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$46.00	
<u>A-AWI-12-250</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 3/4in diameter, 250mm length. For use with 3/4in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$18.00	
<u>A-AWI-12-500</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 3/4in diameter, 500mm length. For use with 3/4in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$33.50	
<u>A-AWI-12-1000</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 3/4in diameter, 1000mm length. For use with 3/4in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$66.00	
<u>A-AWI-16-250</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1in diameter, 250mm length. For use with 1in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$24.50	
<u>A-AWI-16-500</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1in diameter, 500mm length. For use with 1in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$46.00	
<u>A-AWI-16-1000</u>	igus drylin R series round shaft, 6060/6061 aluminum, 450-550 HV, hard-anodized aluminum, 1in diameter, 1000mm length. For use with 1in drylin R series, igus igubal E and K series and iglide bearings.	Stock	\$93.00	
Linear Shaft Bearings				
<u>FL04</u>	PBC Simplicity series closed plain bearing, PTFE, 1/4in inside diameter, 1/2in outside diameter, 3/4in overall length, 0.0005in running clearance. For use with 1/4in diameter PBC shafts.	Stock	\$19.50	
<u>FL06</u>	PBC Simplicity series closed plain bearing, PTFE, 3/8in inside diameter, 5/8in outside diameter, 7/8in overall length, 0.0005in running clearance. For use with 3/8in diameter PBC shafts.	Stock	\$21.50	
<u>FL08</u>	PBC Simplicity series closed plain bearing, PTFE, 1/2in inside diameter, 7/8in outside diameter, 1-1/4in overall length, 0.0005in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$22.50	
<u>FL10</u>	PBC Simplicity series closed plain bearing, PTFE, 5/8in inside diameter, 1-1/8in outside diameter, 1-1/2in overall length, 0.0005in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$25.50	
<u>FL12</u>	PBC Simplicity series closed plain bearing, PTFE, 3/4in inside diameter, 1-1/4in outside diameter, 1-5/8in overall length, 0.0005in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$26.00	
<u>FL16</u>	PBC Simplicity series closed plain bearing, PTFE, 1in inside diameter, 1-9/16in outside diameter, 2-1/4in overall length, 0.0005in running clearance. For use with 1in diameter PBC shafts.	Stock	\$47.50	
<u>FL20</u>	PBC Simplicity series closed plain bearing, PTFE, 1-1/4in inside diameter, 2in outside diameter, 2-5/8in overall length, 0.0005in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$80.00	
<u>FLC04</u>	PBC Simplicity series closed plain bearing, PTFE, 1/4in inside diameter, 1/2in outside diameter, 3/4in overall length, 0.0015in running clearance. For use with 1/4in diameter PBC shafts.	Stock	\$19.50	
<u>FLC06</u>	PBC Simplicity series closed plain bearing, PTFE, 3/8in inside diameter, 5/8in outside diameter, 7/8in overall length, 0.0015in running clearance. For use with 3/8in diameter PBC shafts.	Stock	\$21.50	

<u>FLC08</u>	PBC Simplicity series closed plain bearing, PTFE, 1/2in inside diameter, 7/8in outside diameter, 1-1/4in overall length, 0.0015in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$22.50
<u>FLC10</u>	PBC Simplicity series closed plain bearing, PTFE, 5/8in inside diameter, 1-1/8in outside diameter, 1-1/2in overall length, 0.0015in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$25.50
<u>FLC12</u>	PBC Simplicity series closed plain bearing, PTFE, 3/4in inside diameter, 1-1/4in outside diameter, 1-5/8in overall length, 0.0015in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$26.00
<u>FLC16</u>	PBC Simplicity series closed plain bearing, PTFE, 1in inside diameter, 1-9/16in outside diameter, 2-1/4in overall length, 0.0015in running clearance. For use with 1in diameter PBC shafts.	Stock	\$47.50
<u>FLC20</u>	PBC Simplicity series closed plain bearing, PTFE, 1-1/4in inside diameter, 2in outside diameter, 2-5/8in overall length, 0.0015in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$80.00
<u>P04</u>	PBC Simplicity series single pillow block, plain bearing, 1.19in overall length, PTFE, 1/4in inside diameter, aluminum housing, 0.0005in running clearance. For use with 1/4in diameter PBC shafts.	Stock	\$55.00
<u>P06</u>	PBC Simplicity series single pillow block, plain bearing, 1.31in overall length, PTFE, 3/8in inside diameter, aluminum housing, 0.0005in running clearance. For use with 3/8in diameter PBC shafts.	Stock	\$57.00
<u>P08</u>	PBC Simplicity series single pillow block, plain bearing, 1.69in overall length, PTFE, 1/2in inside diameter, aluminum housing, 0.0005in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$63.00
<u>P10</u>	PBC Simplicity series single pillow block, plain bearing, 1.94in overall length, PTFE, 5/8in inside diameter, aluminum housing, 0.0005in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$70.00
<u>P12</u>	PBC Simplicity series single pillow block, plain bearing, 2.06in overall length, PTFE, 3/4in inside diameter, aluminum housing, 0.0005in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$73.00
<u>P16</u>	PBC Simplicity series single pillow block, plain bearing, 2.81in overall length, PTFE, 1in inside diameter, aluminum housing, 0.0005in running clearance. For use with 1in diameter PBC shafts.	Stock	\$106.00
<u>P20</u>	PBC Simplicity series single pillow block, plain bearing, 3.63in overall length, PTFE, 1-1/4in inside diameter, aluminum housing, 0.0005in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$160.00
<u>P04C</u>	PBC Simplicity series single pillow block, plain bearing, 1.19in overall length, PTFE, 1/4in inside diameter, aluminum housing, 0.0015in running clearance. For use with 1/4in diameter PBC shafts.	Stock	\$55.00
<u>P06C</u>	PBC Simplicity series single pillow block, plain bearing, 1.31in overall length, PTFE, 3/8in inside diameter, aluminum housing, 0.0015in running clearance. For use with 3/8in diameter PBC shafts.	Stock	\$57.00
<u>P08C</u>	PBC Simplicity series single pillow block, plain bearing, 1.69in overall length, PTFE, 1/2in inside diameter, aluminum housing, 0.0015in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$63.00
<u>P10C</u>	PBC Simplicity series single pillow block, plain bearing, 1.94in overall length, PTFE, 5/8in inside diameter, aluminum housing, 0.0015in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$70.00
<u>P12C</u>	PBC Simplicity series single pillow block, plain bearing, 2.06in overall length, PTFE, 3/4in inside diameter, aluminum housing, 0.0015in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$74.00
<u>P16C</u>	PBC Simplicity series single pillow block, plain bearing, 2.81in overall length, PTFE, 1in inside diameter, aluminum housing, 0.0015in running clearance. For use with 1in diameter PBC shafts.	Stock	\$106.00
<u>P20C</u>	PBC Simplicity series single pillow block, plain bearing, 3.63in overall length, PTFE, 1-1/4in inside diameter, aluminum housing, 0.0015in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$160.00
<u>SFP06</u>	PBC Simplicity series plain bearing, PTFE bearing, 3/8in inside diameter, 1-5/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0005in running clearance. For use with 3/8in diameter PBC shafts.	Stock	\$108.00
<u>SFP08</u>	PBC Simplicity series plain bearing, PTFE bearing, 1/2in inside diameter, 1-11/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0005in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$86.00
<u>SFP12</u>	PBC Simplicity series plain bearing, PTFE bearing, 3/4in inside diameter, 2-1/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0005in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$94.00
<u>SFP16</u>	PBC Simplicity series plain bearing, PTFE bearing, 1in inside diameter, 2-13/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0005in running clearance. For use with 1in diameter PBC shafts.	Stock	\$134.00
<u>SFP20</u>	PBC Simplicity series plain bearing, PTFE bearing, 1-1/4in inside diameter, 3-5/8in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0005in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$212.00
<u>SFP06C</u>	PBC Simplicity series plain bearing, PTFE bearing, 3/8in inside diameter, 1-5/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0015in running clearance. For use with 3/8in diameter PBC shafts.	Stock	\$108.00
<u>SFP08C</u>	PBC Simplicity series plain bearing, PTFE bearing, 1/2in inside diameter, 1-11/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0015in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$86.00
<u>SFP12C</u>	PBC Simplicity series plain bearing, PTFE bearing, 3/4in inside diameter, 2-1/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0015in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$95.00
<u>SFP16C</u>	PBC Simplicity series plain bearing, PTFE bearing, 1in inside diameter, 2-13/16in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0015in running clearance. For use with 1in diameter PBC shafts.	Stock	\$134.00

<u>SFP20C</u>	PBC Simplicity series plain bearing, PTFE bearing, 1-1/4in inside diameter, 3-5/8in overall length, self-aligning housing, closed, anodized aluminum, flanged, 0.0015in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$212.00
<u>IP04G</u>	PBC IP series closed full ball recirculating bearing, steel, 1/4in inside diameter, 1/2in outside diameter, 3/4in overall length. For use with 1/4in diameter PBC shafts.	Stock	\$16.00
<u>IP06G</u>	PBC IP series closed full ball recirculating bearing, steel, 3/8in inside diameter, 5/8in outside diameter, 7/8in overall length. For use with 3/8in diameter PBC shafts.	Stock	\$17.00
<u>IP08G</u>	PBC IP series closed full ball recirculating bearing, steel, 1/2in inside diameter, 7/8in outside diameter, 1-1/4in overall length. For use with 1/2in diameter PBC shafts.	Stock	\$17.50
<u>IP10G</u>	PBC IP series closed full ball recirculating bearing, steel, 5/8in inside diameter, 1-1/8in outside diameter, 1-1/2in overall length. For use with 5/8in diameter PBC shafts.	Stock	\$19.50
<u>IP12G</u>	PBC IP series closed full ball recirculating bearing, steel, 3/4in inside diameter, 1-1/4in outside diameter, 1-5/8in overall length. For use with 3/4in diameter PBC shafts.	Stock	\$21.50
<u>IP16G</u>	PBC IP series closed full ball recirculating bearing, steel, 1in inside diameter, 1-9/16in outside diameter, 2-1/4in overall length. For use with 1in diameter PBC shafts.	Stock	\$39.00
<u>IP20G</u>	PBC IP series closed full ball recirculating bearing, steel, 1-1/4in inside diameter, 2in outside diameter, 2-5/8in overall length. For use with 1-1/4in diameter PBC shafts.	Stock	\$66.00
<u>FLN08</u>	PBC Simplicity series open plain bearing, PTFE, 1/2in inside diameter, 7/8in outside diameter, 1-1/4in overall length, 0.0005in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$30.00
<u>FLN10</u>	PBC Simplicity series open plain bearing, PTFE, 5/8in inside diameter, 1-1/8in outside diameter, 1-1/2in overall length, 0.0005in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$32.00
<u>FLN12</u>	PBC Simplicity series open plain bearing, PTFE, 3/4in inside diameter, 1-1/4in outside diameter, 1-5/8in overall length, 0.0005in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$33.50
<u>FLN16</u>	PBC Simplicity series open plain bearing, PTFE, 1in inside diameter, 1-9/16in outside diameter, 2-1/4in overall length, 0.0005in running clearance. For use with 1in diameter PBC shafts.	Stock	\$57.00
<u>FLN20</u>	PBC Simplicity series open plain bearing, PTFE, 1-1/4in inside diameter, 2in outside diameter, 2-5/8in overall length, 0.0005in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$95.00
<u>FLCN08</u>	PBC Simplicity series open plain bearing, PTFE, 1/2in inside diameter, 7/8in outside diameter, 1-1/4in overall length, 0.0015in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$22.50
<u>FLCN10</u>	PBC Simplicity series open plain bearing, PTFE, 5/8in inside diameter, 1-1/8in outside diameter, 1-1/2in overall length, 0.0015in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$25.50
<u>FLCN12</u>	PBC Simplicity series open plain bearing, PTFE, 3/4in inside diameter, 1-1/4in outside diameter, 1-5/8in overall length, 0.0015in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$26.00
<u>FLCN16</u>	PBC Simplicity series open plain bearing, PTFE, 1in inside diameter, 1-9/16in outside diameter, 2-1/4in overall length, 0.0015in running clearance. For use with 1in diameter PBC shafts.	Stock	\$47.50
<u>FLCN20</u>	PBC Simplicity series open plain bearing, PTFE, 1-1/4in inside diameter, 2in outside diameter, 2-5/8in overall length, 0.0015in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$80.00
<u>PN08</u>	PBC Simplicity series single pillow block, plain bearing, 1.5in overall length, PTFE, 1/2in inside diameter, aluminum housing, 0.0005in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$73.00
<u>PN10</u>	PBC Simplicity series single pillow block, plain bearing, 1.75in overall length, PTFE, 5/8in inside diameter, aluminum housing, 0.0005in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$85.00
<u>PN12</u>	PBC Simplicity series single pillow block, plain bearing, 1.88in overall length, PTFE, 3/4in inside diameter, aluminum housing, 0.0005in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$91.00
<u>PN16</u>	PBC Simplicity series single pillow block, plain bearing, 2.63in overall length, PTFE, 1in inside diameter, aluminum housing, 0.0005in running clearance. For use with 1in diameter PBC shafts.	Stock	\$129.00
<u>PN20</u>	PBC Simplicity series single pillow block, plain bearing, 3.38in overall length, PTFE, 1-1/4in inside diameter, aluminum housing, 0.0005in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$194.00
<u>PN08C</u>	PBC Simplicity series single pillow block, plain bearing, 1.5in overall length, PTFE, 1/2in inside diameter, aluminum housing, 0.0015in running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$73.00
<u>PN10C</u>	PBC Simplicity series single pillow block, plain bearing, 1.75in overall length, PTFE, 5/8in inside diameter, aluminum housing, 0.0015in running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$85.00
<u>PN12C</u>	PBC Simplicity series single pillow block, plain bearing, 1.88in overall length, PTFE, 3/4in inside diameter, aluminum housing, 0.0015in running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$92.00
<u>PN16C</u>	PBC Simplicity series single pillow block, plain bearing, 2.63in overall length, PTFE, 1in inside diameter, aluminum housing, 0.0015in running clearance. For use with 1in diameter PBC shafts.	Stock	\$129.00
<u>PN20C</u>	PBC Simplicity series single pillow block, plain bearing, 3.38in overall length, PTFE, 1-1/4in inside diameter, aluminum housing, 0.0015in running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$192.00
<u>IPP04G</u>	PBC IP series single pillow block, full ball recirculating bearing, 1.19in overall length, steel, 1/4in inside diameter, aluminum housing. For use with 1/4in diameter PBC shafts.	Stock	\$28.50
<u>IP08G-OP</u>	PBC IP series open full ball recirculating bearing, steel, 1/2in inside diameter, 7/8in outside diameter, 1-1/4in overall length. For use with 1/2in diameter PBC shafts.	Stock	\$25.50
<u>IPP06G</u>	PBC IP series single pillow block, full ball recirculating bearing, 1.31in overall length, steel, 3/8in inside diameter, aluminum housing. For use with 3/8in diameter PBC shafts.	Stock	\$53.00
<u>IP10G-OP</u>	PBC IP series open full ball recirculating bearing, steel, 5/8in inside diameter, 1-1/8in outside diameter, 1-1/2in overall length. For use with 5/8in diameter PBC shafts.	Stock	\$26.50

<u>IPP08G</u>	PBC IP series single pillow block, full ball recirculating bearing, 1.69in overall length, steel, 1/2in inside diameter, aluminum housing. For use with 1/2in diameter PBC shafts.	Stock	\$58.00
<u>IP12G-OP</u>	PBC IP series open full ball recirculating bearing, steel, 3/4in inside diameter, 1-1/4in outside diameter, 1-5/8in overall length. For use with 3/4in diameter PBC shafts.	Stock	\$28.50
<u>IPP10G</u>	PBC IP series single pillow block, full ball recirculating bearing, 1.94in overall length, steel, 5/8in inside diameter, aluminum housing. For use with 5/8in diameter PBC shafts.	Stock	\$64.00
<u>IP16G-OP</u>	PBC IP series open full ball recirculating bearing, steel, 1in inside diameter, 1-9/16in outside diameter, 2-1/4in overall length. For use with 1in diameter PBC shafts.	Stock	\$53.00
<u>IPP12G</u>	PBC IP series single pillow block, full ball recirculating bearing, 2.06in overall length, steel, 3/4in inside diameter, aluminum housing. For use with 3/4in diameter PBC shafts.	Stock	\$68.00
<u>IP20G-OP</u>	PBC IP series open full ball recirculating bearing, steel, 1-1/4in inside diameter, 2in outside diameter, 2-5/8in overall length. For use with 1-1/4in diameter PBC shafts.	Stock	\$89.00
<u>IPP16G</u>	PBC IP series single pillow block, full ball recirculating bearing, 2.81in overall length, steel, 1in inside diameter, aluminum housing. For use with 1in diameter PBC shafts.	Stock	\$96.00
<u>IPP20G</u>	PBC IP series single pillow block, full ball recirculating bearing, 3.63in overall length, steel, 1-1/4in inside diameter, aluminum housing. For use with 1-1/4in diameter PBC shafts.	Stock	\$145.00
<u>IPPN08G</u>	PBC IPP series single pillow block, full ball recirculating bearing, 1.5in overall length, steel, 1/2in inside diameter, aluminum housing. For use with 1/2in diameter PBC shafts.	Stock	\$70.00
<u>IPPN10G</u>	PBC IPP series single pillow block, full ball recirculating bearing, 1.75in overall length, steel, 5/8in inside diameter, aluminum housing. For use with 5/8in diameter PBC shafts.	Stock	\$81.00
<u>IPPN12G</u>	PBC IPP series single pillow block, full ball recirculating bearing, 1.88in overall length, steel, 3/4in inside diameter, aluminum housing. For use with 3/4in diameter PBC shafts.	Stock	\$88.00
<u>IPPN16G</u>	PBC IPP series single pillow block, full ball recirculating bearing, 2.63in overall length, steel, 1in inside diameter, aluminum housing. For use with 1in diameter PBC shafts.	Stock	\$126.00
<u>IPPN20G</u>	PBC IPP series single pillow block, full ball recirculating bearing, 3.38in overall length, steel, 1-1/4in inside diameter, aluminum housing. For use with 1-1/4in diameter PBC shafts.	Stock	\$189.00
<u>SPB-08-OPN</u>	PBC SPB series single roller pillow block, cam follower bearing, 1.5in overall length, steel, 1/2in inside diameter, aluminum housing, adjustable running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$186.00
<u>SPB-10-OPN</u>	PBC SPB series single roller pillow block, cam follower bearing, 1.75in overall length, steel, 5/8in inside diameter, aluminum housing, adjustable running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$155.00
<u>SPB-12-OPN</u>	PBC SPB series single roller pillow block, cam follower bearing, 1.87in overall length, steel, 3/4in inside diameter, aluminum housing, adjustable running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$145.00
<u>SPB-16-OPN</u>	PBC SPB series single roller pillow block, cam follower bearing, 2.62in overall length, steel, 1in inside diameter, aluminum housing, adjustable running clearance. For use with 1in diameter PBC shafts.	Stock	\$165.00
<u>SPB-20-OPN</u>	PBC SPB series single roller pillow block, cam follower bearing, 3.37in overall length, steel, 1-1/4in inside diameter, aluminum housing, adjustable running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$198.00
<u>DPB-08-OPN</u>	PBC DPB series double roller pillow block, cam follower bearing, 2in overall length, steel, 1/2in inside diameter, aluminum housing, adjustable running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$292.00
<u>DPB-10-OPN</u>	PBC DPB series double roller pillow block, cam follower bearing, 2.5in overall length, steel, 5/8in inside diameter, aluminum housing, adjustable running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$249.00
<u>DPB-12-OPN</u>	PBC DPB series double roller pillow block, cam follower bearing, 2.62in overall length, steel, 3/4in inside diameter, aluminum housing, adjustable running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$259.00
<u>DPB-16-OPN</u>	PBC DPB series double roller pillow block, cam follower bearing, 2.62in overall length, steel, 1in inside diameter, aluminum housing, adjustable running clearance. For use with 1in diameter PBC shafts.	Stock	\$282.00
<u>DPB-20-OPN</u>	PBC DPB series double roller pillow block, cam follower bearing, 3.37in overall length, steel, 1-1/4in inside diameter, aluminum housing, adjustable running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$388.00
<u>TWN-08-OPN</u>	PBC TWN series twin roller pillow block, cam follower bearing, 3.5in overall length, steel, 1/2in inside diameter, aluminum housing, adjustable running clearance. For use with 1/2in diameter PBC shafts.	Stock	\$312.00
<u>TWN-10-OPN</u>	PBC TWN series twin roller pillow block, cam follower bearing, 4in overall length, steel, 5/8in inside diameter, aluminum housing, adjustable running clearance. For use with 5/8in diameter PBC shafts.	Stock	\$261.00
<u>TWN-12-OPN</u>	PBC TWN series twin roller pillow block, cam follower bearing, 4.5in overall length, steel, 3/4in inside diameter, aluminum housing, adjustable running clearance. For use with 3/4in diameter PBC shafts.	Stock	\$264.00
<u>TWN-16-OPN</u>	PBC TWN series twin roller pillow block, cam follower bearing, 6in overall length, steel, 1in inside diameter, aluminum housing, adjustable running clearance. For use with 1in diameter PBC shafts.	Stock	\$299.00
<u>TWN-20-OPN</u>	PBC TWN series twin roller pillow block, cam follower bearing, 7.5in overall length, steel, 1-1/4in inside diameter, aluminum housing, adjustable running clearance. For use with 1-1/4in diameter PBC shafts.	Stock	\$405.00
Aluminum Linear Bearings			
<u>A-RJZI-01-04</u>	igus drylin R series plain bearing, type J polymer bearing, 1/4in inside diameter, 3/4in overall length, fixed housing, closed, anodized aluminum.	Stock	\$10.50
<u>A-RJUI-01-08</u>	igus drylin R series plain bearing, type J polymer bearing, 1/2in inside diameter, 1-1/4in overall length, fixed housing, closed, anodized aluminum.	Stock	\$12.00
<u>A-RJUI-01-12</u>	igus drylin R series plain bearing, type J polymer bearing, 3/4in inside diameter, 1-5/8in overall length, fixed housing, closed, anodized aluminum.	Stock	\$14.50

<u>A-RJUI-01-16</u>	igus drylin R series plain bearing, type J polymer bearing, 1in inside diameter, 2-1/4in overall length, fixed housing, closed, anodized aluminum.	Stock	\$22.50
<u>A-RJI-01-08</u>	igus drylin R series plain bearing, type J polymer bearing, 1/2in inside diameter, 1-1/4in overall length, fixed housing, closed, type J polymer.	Stock	\$7.25
<u>A-RJI-01-12</u>	igus drylin R series plain bearing, type J polymer bearing, 3/4in inside diameter, 1-5/8in overall length, fixed housing, closed, type J polymer.	Stock	\$7.75
<u>A-RJI-01-16</u>	igus drylin R series plain bearing, type J polymer bearing, 1in inside diameter, 2-1/4in overall length, fixed housing, closed, type J polymer.	Stock	\$11.00
<u>A-OJUI-01-08</u>	igus drylin R series plain bearing, type J polymer bearing, 1/2in inside diameter, 1-1/4in overall length, fixed housing, open, anodized aluminum.	Stock	\$16.00
<u>A-OJUI-01-12</u>	igus drylin R series plain bearing, type J polymer bearing, 3/4in inside diameter, 1-5/8in overall length, fixed housing, open, anodized aluminum.	Stock	\$18.00
<u>A-OJUI-01-16</u>	igus drylin R series plain bearing, type J polymer bearing, 1in inside diameter, 2-1/4in overall length, fixed housing, open, anodized aluminum.	Stock	\$25.00
<u>A-RJUI-03-08</u>	igus drylin R series plain bearing, type J polymer bearing, 1/2in inside diameter, 1-1/4in overall length, self-aligning housing, closed, anodized aluminum.	Stock	\$12.50
<u>A-RJUI-03-12</u>	igus drylin R series plain bearing, type J polymer bearing, 3/4in inside diameter, 1-5/8in overall length, self-aligning housing, closed, anodized aluminum.	Stock	\$14.50
<u>A-RJUI-03-16</u>	igus drylin R series plain bearing, type J polymer bearing, 1in inside diameter, 2-1/4in overall length, self-aligning housing, closed, anodized aluminum.	Stock	\$23.50
<u>A-OJUI-03-08</u>	igus drylin R series plain bearing, type J polymer bearing, 1/2in inside diameter, 1-1/4in overall length, self-aligning housing, open, anodized aluminum.	Stock	\$12.50
<u>A-OJUI-03-12</u>	igus drylin R series plain bearing, type J polymer bearing, 3/4in inside diameter, 1-5/8in overall length, self-aligning housing, open, anodized aluminum.	Stock	\$15.50
<u>A-OJUI-03-16</u>	igus drylin R series plain bearing, type J polymer bearing, 1in inside diameter, 2-1/4in overall length, self-aligning housing, open, anodized aluminum.	Stock	\$23.50
<u>A-FJUI-11-08</u>	igus drylin R series plain bearing, type J polymer bearing, 1/2in inside diameter, 1-11/16in overall length, fixed housing, 4-bolt flange pillow block, anodized aluminum, flanged.	Stock	\$46.00
<u>A-FJUI-11-12</u>	igus drylin R series plain bearing, type J polymer bearing, 3/4in inside diameter, 2-1/16in overall length, fixed housing, 4-bolt flange pillow block, anodized aluminum, flanged.	Stock	\$55.00
<u>A-FJUI-11-16</u>	igus drylin R series plain bearing, type J polymer bearing, 1in inside diameter, 2-13/16in overall length, fixed housing, 4-bolt flange pillow block, anodized aluminum, flanged.	Stock	\$92.00
<u>A-FJUI-13-08</u>	igus drylin R series plain bearing, type J polymer bearing, 1/2in inside diameter, 1-11/16in overall length, self-aligning housing, 4-bolt flange pillow block, anodized aluminum, flanged.	Stock	\$46.00
<u>A-FJUI-13-12</u>	igus drylin R series plain bearing, type J polymer bearing, 3/4in inside diameter, 2-1/16in overall length, self-aligning housing, 4-bolt flange pillow block, anodized aluminum, flanged.	Stock	\$55.00
<u>A-FJUI-13-16</u>	igus drylin R series plain bearing, type J polymer bearing, 1in inside diameter, 2-13/16in overall length, self-aligning housing, 4-bolt flange pillow block, anodized aluminum, flanged.	Stock	\$92.00
<u>A-KBRI-04</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1/4in inside diameter, 0.365in width, 1/4-28 UNF female thread rod end, igumid G polymer. Package of 4.	Stock	\$16.00
<u>A-KBRI-08</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1/2in inside diameter, 0.625in width, 1/2-20 UNF female thread rod end, igumid G polymer. Package of 2.	Stock	\$24.00
<u>A-KBRI-12</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 3/4in inside diameter, 0.875in width, 3/4-16 UNF female thread rod end, igumid G polymer.	Stock	\$18.50
<u>A-KBRI-16</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1in inside diameter, 1.375in width, 1-12 UNF female thread rod end, igumid G polymer.	Stock	\$22.50
<u>A-KARI-04</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1/4in inside diameter, 0.365in width, 1/4-28 UNF male thread rod end, igumid G polymer. Package of 4.	Stock	\$15.50
<u>A-KARI-08</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1/2in inside diameter, 0.625in width, 1/2-20 UNF male thread rod end, igumid G polymer. Package of 2.	Stock	\$15.50
<u>A-KARI-12</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 3/4in inside diameter, 0.875in width, 3/4-16 UNF male thread rod end, igumid G polymer.	Stock	\$12.50
<u>A-KARI-16</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1in inside diameter, 1.375in width, 1-12 UNF male thread rod end, igumid G polymer.	Stock	\$20.00
<u>A-EFOI-04</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 1/4in inside diameter, 2-bolt flange, igumid G polymer. Package of 4.	Stock	\$15.50
<u>A-EFOI-08</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 1/2in inside diameter, 2-bolt flange, igumid G polymer. Package of 2.	Stock	\$16.00
<u>A-EFOI-12</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 3/4in inside diameter, 2-bolt flange, igumid G polymer.	Stock	\$14.50
<u>A-EFOI-16</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 1in inside diameter, 2-bolt flange, igumid G polymer.	Stock	\$18.00
<u>A-KSTI-04</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1/4in inside diameter, pillow block, igumid G polymer. Package of 4.	Stock	\$12.00

<u>A-KSTI-08</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1/2in inside diameter, pillow block, igumid G polymer. Package of 2.	Stock	\$16.00
<u>A-KSTI-12</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 3/4in inside diameter, pillow block, igumid G polymer.	Stock	\$10.00
<u>A-KSTI-16</u>	igus igubal K series mounted spherical bearing, type L280 polymer bearing, 1in inside diameter, pillow block, igumid G polymer.	Stock	\$16.50
<u>A-EFSI-04</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 1/4in inside diameter, 4-bolt flange, igumid G polymer. Package of 4.	Stock	\$22.50
<u>A-EFSI-08</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 1/2in inside diameter, 4-bolt flange, igumid G polymer. Package of 2.	Stock	\$17.00
<u>A-EFSI-12</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 3/4in inside diameter, 4-bolt flange, igumid G polymer.	Stock	\$13.50
<u>A-EFSI-16</u>	igus igubal E series mounted spherical bearing, type L280 polymer bearing, 1in inside diameter, 4-bolt flange, igumid G polymer.	Stock	\$16.00
<u>A-JSI-0406-04</u>	igus iglide series plain bearing, type J polymer, 1/4in inside diameter, 3/8in outside diameter, 1/4in overall length. Package of 10. For use with 1/4in diameter drylin R series shafts.	Stock	\$8.50
<u>A-JSI-0810-08</u>	igus iglide series plain bearing, type J polymer, 1/2in inside diameter, 5/8in outside diameter, 1/2in overall length. Package of 10. For use with 1/2in diameter drylin R series shafts.	Stock	\$11.00
<u>A-JSI-1214-12</u>	igus iglide series plain bearing, type J polymer, 3/4in inside diameter, 7/8in outside diameter, 3/4in overall length. Package of 5. For use with 3/4in diameter drylin R series shafts.	Stock	\$10.00
<u>A-JSI-1618-16</u>	igus iglide series plain bearing, type J polymer, 1in inside diameter, 1-1/8in outside diameter, 1in overall length. Package of 2. For use with 1in diameter drylin R series shafts.	Stock	\$6.50
<u>A-JFI-0406-04</u>	igus iglide series plain bearing, type J polymer, 1/4in inside diameter, 3/8in outside diameter, 1/4in overall length, flanged. Package of 10. For use with 1/4in diameter drylin R series shafts.	Stock	\$8.75
<u>A-JFI-0810-08</u>	igus iglide series plain bearing, type J polymer, 1/2in inside diameter, 5/8in outside diameter, 1/2in overall length, flanged. Package of 10. For use with 1/2in diameter drylin R series shafts.	Stock	\$13.50
<u>A-JFI-1214-12</u>	igus iglide series plain bearing, type J polymer, 3/4in inside diameter, 7/8in outside diameter, 3/4in overall length, flanged. Package of 5. For use with 3/4in diameter drylin R series shafts.	Stock	\$10.50
<u>A-JFI-1618-16</u>	igus iglide series plain bearing, type J polymer, 1in inside diameter, 1-1/8in outside diameter, 1in overall length, flanged. Package of 2. For use with 1in diameter drylin R series shafts.	Stock	\$6.50
<u>A-GSI-0405-04</u>	igus iglide series plain bearing, type G300 polymer, 1/4in inside diameter, 5/16in outside diameter, 1/4in overall length. Package of 10. For use with 1/4in diameter drylin R series shafts.	Stock	\$8.00
<u>A-GSI-0809-08</u>	igus iglide series plain bearing, type G300 polymer, 1/2in inside diameter, 9/16in outside diameter, 1/2in overall length. Package of 10. For use with 1/2in diameter drylin R series shafts.	Stock	\$8.75
<u>A-GSI-1214-12</u>	igus iglide series plain bearing, type G300 polymer, 3/4in inside diameter, 7/8in outside diameter, 3/4in overall length. Package of 5. For use with 3/4in diameter drylin R series shafts.	Stock	\$10.50
<u>A-GSI-1618-16</u>	igus iglide series plain bearing, type G300 polymer, 1in inside diameter, 1-1/8in outside diameter, 1in overall length. Package of 2. For use with 1in diameter drylin R series shafts.	Stock	\$7.25
<u>A-GFI-0405-04</u>	igus iglide series plain bearing, type G300 polymer, 1/4in inside diameter, 5/16in outside diameter, 1/4in overall length, flanged. Package of 10. For use with 1/4in diameter drylin R series shafts.	Stock	\$8.00
<u>A-GFI-0809-08</u>	igus iglide series plain bearing, type G300 polymer, 1/2in inside diameter, 9/16in outside diameter, 1/2in overall length, flanged. Package of 10. For use with 1/2in diameter drylin R series shafts.	Stock	\$9.50
<u>A-GFI-1214-12</u>	igus iglide series plain bearing, type G300 polymer, 3/4in inside diameter, 7/8in outside diameter, 3/4in overall length, flanged. Package of 5. For use with 3/4in diameter drylin R series shafts.	Stock	\$12.00
<u>A-GFI-1618-16</u>	igus iglide series plain bearing, type G300 polymer, 1in inside diameter, 1-1/8in outside diameter, 1in overall length, flanged. Package of 2. For use with 1in diameter drylin R series shafts.	Stock	\$7.25
<u>A-TSI-0405-04</u>	igus iglide series plain bearing, type T500 polymer, 1/4in inside diameter, 5/16in outside diameter, 1/4in overall length. Package of 5. For use with 1/4in diameter drylin R series shafts.	Stock	\$15.00
<u>A-TSI-0809-08</u>	igus iglide series plain bearing, type T500 polymer, 1/2in inside diameter, 9/16in outside diameter, 1/2in overall length. Package of 5. For use with 1/2in diameter drylin R series shafts.	Stock	\$16.50
<u>A-TSI-1214-12</u>	igus iglide series plain bearing, type T500 polymer, 3/4in inside diameter, 7/8in outside diameter, 3/4in overall length. Package of 2. For use with 3/4in diameter drylin R series shafts.	Stock	\$19.00
<u>A-TSI-1618-16</u>	igus iglide series plain bearing, type T500 polymer, 1in inside diameter, 1-1/8in outside diameter, 1in overall length. Package of 2. For use with 1in diameter drylin R series shafts.	Stock	\$25.00
<u>A-TFI-0405-04</u>	igus iglide series plain bearing, type T500 polymer, 1/4in inside diameter, 5/16in outside diameter, 1/4in overall length, flanged. Package of 5. For use with 1/4in diameter drylin R series shafts.	Stock	\$16.00
<u>A-TFI-0809-08</u>	igus iglide series plain bearing, type T500 polymer, 1/2in inside diameter, 9/16in outside diameter, 1/2in overall length, flanged. Package of 5. For use with 1/2in diameter drylin R series shafts.	Stock	\$25.50
<u>A-TFI-1214-12</u>	igus iglide series plain bearing, type T500 polymer, 3/4in inside diameter, 7/8in outside diameter, 3/4in overall length, flanged. Package of 2. For use with 3/4in diameter drylin R series shafts.	Stock	\$21.00
<u>A-TFI-1618-16</u>	igus iglide series plain bearing, type T500 polymer, 1in inside diameter, 1-1/8in outside diameter, 1in overall length, flanged. Package of 2. For use with 1in diameter drylin R series shafts.	Stock	\$26.50

Linear Shaft Supports			
<u>NSB04</u>	PBC linear shaft support, standard profile, anodized aluminum, 11/16in center height. For use with 1/4in diameter PBC shafts.	Stock	\$21.50
<u>NSB06</u>	PBC linear shaft support, standard profile, anodized aluminum, 3/4in center height. For use with 3/8in diameter PBC shafts.	Stock	\$22.00
<u>NSB08</u>	PBC linear shaft support, standard profile, anodized aluminum, 1in center height. For use with 1/2in diameter PBC shafts.	Stock	\$30.00
<u>NSB10</u>	PBC linear shaft support, standard profile, anodized aluminum, 1in center height. For use with 5/8in diameter PBC shafts.	Stock	\$31.50
<u>NSB12</u>	PBC linear shaft support, standard profile, anodized aluminum, 1-1/4in center height. For use with 3/4in diameter PBC shafts.	Stock	\$33.00
<u>NSB16</u>	PBC linear shaft support, standard profile, anodized aluminum, 1-1/2in center height. For use with 1in diameter PBC shafts.	Stock	\$40.50
<u>NSB20</u>	PBC linear shaft support, standard profile, anodized aluminum, 1-3/4in center height. For use with 1-1/4in diameter PBC shafts.	Stock	\$48.50
Helical Pinions			
<u>84010001</u>	GAM helical pinion, Module 1.5, 20 tooth, set screw mount. For use with SureGear PGCN23 series gearboxes.	Stock	\$434.00
<u>84010002</u>	GAM helical pinion, Module 2, 18 tooth, keyed shaft mount. For use with SureGear PGCN34 series gearboxes.	Stock	\$434.00
<u>84010003</u>	GAM helical pinion, Module 2, 18 tooth, keyed shaft mount. For use with SureGear PGA070 and PGB070 series gearboxes.	Stock	\$434.00
<u>84010004</u>	GAM helical pinion, Module 2, 20 tooth, keyed shaft mount. For use with SureGear PGA090 and PGB090 series gearboxes.	Stock	\$440.00
<u>84010005</u>	GAM helical pinion, Module 2, 30 tooth, keyed shaft mount. For use with SureGear PGA120 and PGB120 series gearboxes.	Stock	\$558.00
<u>84010006</u>	GAM helical pinion, Module 3, 22 tooth, keyed shaft mount. For use with SureGear PGA155 and PGB155 series gearboxes.	Stock	\$694.00
<u>84010007</u>	GAM helical pinion, Module 2, 26 tooth, bolt-through mount. For use with SureGear PGD064 series gearboxes.	Stock	\$688.00
<u>84010008</u>	GAM helical pinion, Module 2, 33 tooth, bolt-through mount. For use with SureGear PGD090 series gearboxes.	Stock	\$797.00
<u>84010009</u>	GAM helical pinion, Module 2, 40 tooth, bolt-through mount. For use with SureGear PGD110 series gearboxes.	Stock	\$847.00
Helical Racks			
<u>74020012</u>	GAM helical rack, Module 1.5, 200 tooth, 1m length. For use with Module 1.5 pinions.	Stock	\$220.00
<u>74020004</u>	GAM helical rack, Module 2, 150 tooth, 1m length. For use with Module 2.0 pinions.	Stock	\$220.00
<u>74020005</u>	GAM helical rack, Module 3, 100 tooth, 1m length. For use with Module 3.0 pinions.	Stock	\$247.00
Helical Rack Installation Gauges			
<u>74030010</u>	GAM helical rack installation gauge, for use with Module 1.5 racks.	Stock	\$63.00
<u>74030001</u>	GAM helical rack installation gauge, for use with Module 2.0 racks.	Stock	\$63.00
<u>74030002</u>	GAM helical rack installation gauge, for use with Module 3.0 racks.	Stock	\$75.00
Stainless Steel Worm Gearboxes			
<u>WGSS-175-005-HA</u>	IronHorse heavy duty worm gearbox, 5:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 2.36hp at 1.0 SF, 416 lb-in mechanical output torque, 1-3/4in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,052.00
<u>WGSS-175-010-HA</u>	IronHorse heavy duty worm gearbox, 10:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 1.52hp at 1.0 SF, 495 lb-in mechanical output torque, 1-3/4in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$982.00
<u>WGSS-175-015-HA</u>	IronHorse heavy duty worm gearbox, 15:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 1.09hp at 1.0 SF, 506 lb-in mechanical output torque, 1-3/4in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$982.00
<u>WGSS-175-020-HA</u>	IronHorse heavy duty worm gearbox, 20:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 0.85hp at 1.0 SF, 527 lb-in mechanical output torque, 1-3/4in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$982.00
<u>WGSS-175-030-HA</u>	IronHorse heavy duty worm gearbox, 30:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 0.65hp at 1.0 SF, 532 lb-in mechanical output torque, 1-3/4in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$982.00

[illegible]

<u>WGSS-262-020-HA</u>	IronHorse heavy duty worm gearbox, 20:1 ratio, NEMA 56C input, hollow, 1.9375in diameter output shaft, nominal 2.36hp at 1.0 SF, 1472 lb-in mechanical output torque, 2-5/8in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,706.00
<u>WGSS-262-020-HB</u>	IronHorse heavy duty worm gearbox, 20:1 ratio, NEMA 145TC input, hollow, 1.9375in diameter output shaft, nominal 2.36hp at 1.0 SF, 1472 lb-in mechanical output torque, 2-5/8in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,706.00
<u>WGSS-262-030-HA</u>	IronHorse heavy duty worm gearbox, 30:1 ratio, NEMA 56C input, hollow, 1.9375in diameter output shaft, nominal 1.68hp at 1.0 SF, 1446 lb-in mechanical output torque, 2-5/8in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,706.00
<u>WGSS-262-030-HB</u>	IronHorse heavy duty worm gearbox, 30:1 ratio, NEMA 145TC input, hollow, 1.9375in diameter output shaft, nominal 1.68hp at 1.0 SF, 1446 lb-in mechanical output torque, 2-5/8in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,706.00
<u>WGSS-262-040-HA</u>	IronHorse heavy duty worm gearbox, 40:1 ratio, NEMA 56C input, hollow, 1.9375in diameter output shaft, nominal 1.33hp at 1.0 SF, 1454 lb-in mechanical output torque, 2-5/8in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,706.00
<u>WGSS-262-050-HA</u>	IronHorse heavy duty worm gearbox, 50:1 ratio, NEMA 56C input, hollow, 1.9375in diameter output shaft, nominal 1.08hp at 1.0 SF, 1423 lb-in mechanical output torque, 2-5/8in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,706.00
<u>WGSS-262-060-HA</u>	IronHorse heavy duty worm gearbox, 60:1 ratio, NEMA 56C input, hollow, 1.9375in diameter output shaft, nominal 0.89hp at 1.0 SF, 1279 lb-in mechanical output torque, 2-5/8in center distance, 304 stainless steel housing, top and bottom mount.	Stock	\$1,706.00

Accessories for Stainless Steel Worm Gearboxes

<u>WGSS-175-S</u>	IronHorse gearbox single output shaft, 0.875in. For use with WGSS-175 series gearboxes. (1) bolt, (1) washer, (1) end plate and (3) keys included.	Stock	\$79.00
<u>WGSS-206-S</u>	IronHorse gearbox single output shaft, 1in. For use with WGSS-206 series gearboxes. (1) bolt, (1) washer, (1) end plate and (3) keys included.	Stock	\$85.00
<u>WGSS-237-S</u>	IronHorse gearbox single output shaft, 1.125in. For use with WGSS-237 series gearboxes. (1) bolt, (1) washer, (1) end plate and (3) keys included.	Stock	\$103.00
<u>WGSS-262-S-1125</u>	IronHorse gearbox single output shaft, 1.125in. For use with WGSS-262 series gearboxes. (1) bolt, (1) washer, (1) end plate and (3) keys included.	Stock	\$117.00
<u>WGSS-262-S</u>	IronHorse gearbox single output shaft, 1.25in. For use with WGSS-262 series gearboxes. (1) bolt, (1) washer, (1) end plate and (3) keys included.	Stock	\$117.00
<u>WGSS-175-DS</u>	IronHorse gearbox double output shaft, 0.875in. For use with WGSS-175 series gearboxes. (4) keys, (1) retaining ring and (1) C-clip included.	Stock	\$108.00
<u>WGSS-206-DS</u>	IronHorse gearbox double output shaft, 1in. For use with WGSS-206 series gearboxes. (4) keys, (1) retaining ring and (1) C-clip included.	Stock	\$117.00
<u>WGSS-237-DS</u>	IronHorse gearbox double output shaft, 1.125in. For use with WGSS-237 series gearboxes. (4) keys, (1) retaining ring and (1) C-clip included.	Stock	\$145.00
<u>WGSS-262-DS-1125</u>	IronHorse gearbox double output shaft, 1.125in. For use with WGSS-262 series gearboxes. (4) keys, (1) retaining ring and (1) C-clip included.	Stock	\$159.00
<u>WGSS-262-DS</u>	IronHorse gearbox double output shaft, 1.25in. For use with WGSS-262 series gearboxes. (4) keys, (1) retaining ring and (1) C-clip included.	Stock	\$159.00
<u>WGSS-175-OC</u>	IronHorse output cover, for use with WGSS-175 series gearboxes. Mounting hardware included.	Stock	\$6.00
<u>WGSS-206-OC</u>	IronHorse output cover, for use with WGSS-206 series gearboxes. Mounting hardware included.	Stock	\$6.00
<u>WGSS-237-OC</u>	IronHorse output cover, for use with WGSS-237 series gearboxes. Mounting hardware included.	Stock	\$6.00
<u>WGSS-262-OC</u>	IronHorse output cover, for use with WGSS-262 series gearboxes. Mounting hardware included.	Stock	\$6.00
<u>WGSS-175-OF</u>	IronHorse output flange, for use with WGSS-175 series gearboxes. Mounting hardware included.	Stock	\$191.00
<u>WGSS-206-OF</u>	IronHorse output flange, for use with WGSS-206 series gearboxes. Mounting hardware included.	Stock	\$272.00
<u>WGSS-237-OF</u>	IronHorse output flange, for use with WGSS-237 series gearboxes. Mounting hardware included.	Stock	\$309.00
<u>WGSS-262-OF</u>	IronHorse output flange, for use with WGSS-262 series gearboxes. Mounting hardware included.	Stock	\$346.00
<u>WGSS-175-158-OB</u>	IronHorse output bushing kit, 5/8in bore. For use with WGSS-175 series gearboxes. Includes (2) bushings, (2) keys and (2) set screws.	Stock	\$79.00
<u>WGSS-175-11116-OB</u>	IronHorse output bushing kit, 11/16in bore. For use with WGSS-175 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$79.00
<u>WGSS-175-134-OB</u>	IronHorse output bushing kit, 3/4in bore. For use with WGSS-175 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$79.00
<u>WGSS-175-178-OB</u>	IronHorse output bushing kit, 7/8in bore. For use with WGSS-175 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$79.00
<u>WGSS-206-237-1-OB</u>	IronHorse output bushing kit, 1in bore. For use with WGSS-206 and WGSS-237 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$94.00

<u>WGSS-206-237-118-OB</u>	IronHorse output bushing kit, 1-1/8in bore. For use with WGSS-206 and WGSS-237 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$94.00
<u>WGSS-206-237-1316-OB</u>	IronHorse output bushing kit, 1-3/16in bore. For use with WGSS-206 and WGSS-237 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$94.00
<u>WGSS-206-237-114-OB</u>	IronHorse output bushing kit, 1-1/4in bore. For use with WGSS-206 and WGSS-237 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$94.00
<u>WGSS-262-1-OB</u>	IronHorse output bushing kit, 1in bore. For use with WGSS-262 series gearboxes. Includes (2) bushings and (2) set screws.	Stock	\$122.00
<u>WGSS-262-118-OB</u>	IronHorse output bushing kit, 1-1/8in bore. For use with WGSS-262 series gearboxes. Includes (2) bushings and (2) set screws.	Stock	\$122.00
<u>WGSS-262-1316-OB</u>	IronHorse output bushing kit, 1-3/16in bore. For use with WGSS-262 series gearboxes. Includes (2) bushings and (2) set screws.	Stock	\$122.00
<u>WGSS-262-114-OB</u>	IronHorse output bushing kit, 1-1/4in bore. For use with WGSS-262 series gearboxes. Includes (2) bushings and (2) set screws.	Stock	\$122.00
<u>WGSS-262-1716-OB</u>	IronHorse output bushing kit, 1-7/16in bore. For use with WGSS-262 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$122.00
<u>WGSS-262-112-OB</u>	IronHorse output bushing kit, 1-1/2in bore. For use with WGSS-262 series gearboxes. Includes (2) bushings and (2) keys.	Stock	\$122.00
Cast Iron Worm Gearboxes			
<u>WG-175-005-D</u>	IronHorse heavy-duty worm gearbox, 5:1 ratio, NEMA 56C input, dual, 0.875in diameter output shaft, nominal 2.83hp at 1.0 SF, 499 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00
<u>WG-175-005-H</u>	IronHorse heavy-duty worm gearbox, 5:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 2.83hp at 1.0 SF, 499 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$269.00
<u>WG-175-005-L</u>	IronHorse heavy-duty worm gearbox, 5:1 ratio, NEMA 56C input, left hand, 0.875in diameter output shaft, nominal 2.83hp at 1.0 SF, 499 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$218.00
<u>WG-175-005-R</u>	IronHorse heavy-duty worm gearbox, 5:1 ratio, NEMA 56C input, right hand, 0.875in diameter output shaft, nominal 2.83hp at 1.0 SF, 499 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00
<u>WG-175-010-D</u>	IronHorse heavy-duty worm gearbox, 10:1 ratio, NEMA 56C input, dual, 0.875in diameter output shaft, nominal 1.57hp at 1.0 SF, 515 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00
<u>WG-175-010-H</u>	IronHorse heavy-duty worm gearbox, 10:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 1.57hp at 1.0 SF, 515 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$269.00
<u>WG-175-010-L</u>	IronHorse heavy-duty worm gearbox, 10:1 ratio, NEMA 56C input, left hand, 0.875in diameter output shaft, nominal 1.57hp at 1.0 SF, 515 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$218.00
<u>WG-175-010-R</u>	IronHorse heavy-duty worm gearbox, 10:1 ratio, NEMA 56C input, right hand, 0.875in diameter output shaft, nominal 1.57hp at 1.0 SF, 515 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00
<u>WG-175-015-D</u>	IronHorse heavy-duty worm gearbox, 15:1 ratio, NEMA 56C input, dual, 0.875in diameter output shaft, nominal 1.24hp at 1.0 SF, 554 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00
<u>WG-175-015-H</u>	IronHorse heavy-duty worm gearbox, 15:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 1.24hp at 1.0 SF, 554 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$269.00
<u>WG-175-015-L</u>	IronHorse heavy-duty worm gearbox, 15:1 ratio, NEMA 56C input, left hand, 0.875in diameter output shaft, nominal 1.24hp at 1.0 SF, 554 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$218.00
<u>WG-175-015-R</u>	IronHorse heavy-duty worm gearbox, 15:1 ratio, NEMA 56C input, right hand, 0.875in diameter output shaft, nominal 1.24hp at 1.0 SF, 554 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00
<u>WG-175-020-D</u>	IronHorse heavy-duty worm gearbox, 20:1 ratio, NEMA 56C input, dual, 0.875in diameter output shaft, nominal 1.02hp at 1.0 SF, 596 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00
<u>WG-175-020-H</u>	IronHorse heavy-duty worm gearbox, 20:1 ratio, NEMA 56C input, hollow, 1in diameter output shaft, nominal 1.02hp at 1.0 SF, 596 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$269.00
<u>WG-175-020-L</u>	IronHorse heavy-duty worm gearbox, 20:1 ratio, NEMA 56C input, left hand, 0.875in diameter output shaft, nominal 1.02hp at 1.0 SF, 596 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$218.00
<u>WG-175-020-R</u>	IronHorse heavy-duty worm gearbox, 20:1 ratio, NEMA 56C input, right hand, 0.875in diameter output shaft, nominal 1.02hp at 1.0 SF, 596 lb-in mechanical output torque, 1-3/4in center distance, cast iron housing, tapped-base mount.	Stock	\$219.00

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>WG-325-060-DA</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 56C input, dual, 1.375in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$531.00
<u>WG-325-060-DB</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 145TC input, dual, 1.375in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$531.00
<u>WG-325-060-HA</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 56C input, hollow, 1.937in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$696.00
<u>WG-325-060-HB</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 145TC input, hollow, 1.937in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$696.00
<u>WG-325-060-LA</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 56C input, left hand, 1.375in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$531.00
<u>WG-325-060-LB</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 145TC input, left hand, 1.375in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$531.00
<u>WG-325-060-RA</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 56C input, right hand, 1.375in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$531.00
<u>WG-325-060-RB</u>	IronHorse heavy-duty worm gearbox, 60:1 ratio, NEMA 145TC input, right hand, 1.375in diameter output shaft, nominal 2.03hp at 1.0 SF, 3127 lb-in mechanical output torque, 3-1/4in center distance, cast iron housing, tapped-base mount.	Stock	\$531.00
Accessories for Cast Iron Worm Gearboxes			
<u>WG-175-BASE</u>	IronHorse mounting base, for use with WG-175 series gearboxes. Mounting hardware included.	Stock	\$21.00
<u>WG-206-BASE</u>	IronHorse mounting base, for use with WG-206 series gearboxes. Mounting hardware included.	Stock	\$25.50
<u>WG-237-BASE</u>	IronHorse mounting base, for use with WG-237 series gearboxes. Mounting hardware included.	Stock	\$28.50
<u>WG-262-BASE</u>	IronHorse mounting base, for use with WG-262 series gearboxes. Mounting hardware included.	Stock	\$34.00
<u>WG-325-BASE</u>	IronHorse mounting base, for use with WG-325 series gearboxes. Mounting hardware included.	Stock	\$48.50
Aluminum Worm Gearboxes (NEMA Input)			
<u>WGA-30M-010-H1</u>	IronHorse medium-duty worm gearbox, 10:1 ratio, NEMA 56C input, hollow, 0.625in diameter output shaft, nominal 0.54hp at 1.0 SF, 160 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-020-H1</u>	IronHorse medium-duty worm gearbox, 20:1 ratio, NEMA 56C input, hollow, 0.625in diameter output shaft, nominal 0.28hp at 1.0 SF, 151 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-030-H1</u>	IronHorse medium-duty worm gearbox, 30:1 ratio, NEMA 56C input, hollow, 0.625in diameter output shaft, nominal 0.25hp at 1.0 SF, 177 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-040-H1</u>	IronHorse medium-duty worm gearbox, 40:1 ratio, NEMA 56C input, hollow, 0.625in diameter output shaft, nominal 0.19hp at 1.0 SF, 160 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-060-H1</u>	IronHorse medium-duty worm gearbox, 60:1 ratio, NEMA 56C input, hollow, 0.625in diameter output shaft, nominal 0.12hp at 1.0 SF, 134 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-40M-010-H1</u>	IronHorse medium-duty worm gearbox, 10:1 ratio, NEMA 56C input, hollow, 0.75in diameter output shaft, nominal 1.21hp at 1.0 SF, 370 lb-in mechanical output torque, 40mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$163.00
<u>WGA-40M-020-H1</u>	IronHorse medium-duty worm gearbox, 20:1 ratio, NEMA 56C input, hollow, 0.75in diameter output shaft, nominal 0.63hp at 1.0 SF, 361 lb-in mechanical output torque, 40mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$163.00
<u>WGA-40M-030-H1</u>	IronHorse medium-duty worm gearbox, 30:1 ratio, NEMA 56C input, hollow, 0.75in diameter output shaft, nominal 0.53hp at 1.0 SF, 403 lb-in mechanical output torque, 40mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$163.00
<u>WGA-40M-040-H1</u>	IronHorse medium-duty worm gearbox, 40:1 ratio, NEMA 56C input, hollow, 0.75in diameter output shaft, nominal 0.4hp at 1.0 SF, 378 lb-in mechanical output torque, 40mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$163.00
<u>WGA-40M-060-H1</u>	IronHorse medium-duty worm gearbox, 60:1 ratio, NEMA 56C input, hollow, 0.75in diameter output shaft, nominal 0.25hp at 1.0 SF, 319 lb-in mechanical output torque, 40mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$163.00
<u>WGA-40M-080-H1</u>	IronHorse medium-duty worm gearbox, 80:1 ratio, NEMA 56C input, hollow, 0.75in diameter output shaft, nominal 0.18hp at 1.0 SF, 277 lb-in mechanical output torque, 40mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$163.00

[illegible]

<u>WGA-75M-030-H1</u>	IronHorse medium-duty worm gearbox, 30:1 ratio, NEMA 56C input, hollow, 1.25in diameter output shaft, nominal 2.41hp at 1.0 SF, 2028 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-040-H1</u>	IronHorse medium-duty worm gearbox, 40:1 ratio, NEMA 56C input, hollow, 1.25in diameter output shaft, nominal 1.9hp at 1.0 SF, 2029 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-060-H1</u>	IronHorse medium-duty worm gearbox, 60:1 ratio, NEMA 56C input, hollow, 1.25in diameter output shaft, nominal 1.22hp at 1.0 SF, 1778 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-080-H1</u>	IronHorse medium-duty worm gearbox, 80:1 ratio, NEMA 56C input, hollow, 1.25in diameter output shaft, nominal 0.91hp at 1.0 SF, 1632 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-100-H1</u>	IronHorse medium-duty worm gearbox, 100:1 ratio, NEMA 56C input, hollow, 1.25in diameter output shaft, nominal 0.74hp at 1.0 SF, 1517 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
Accessories for Aluminum Worm Gearboxes (NEMA Input)			
<u>WGA-30M-ACC3</u>	IronHorse gearbox single output shaft, 0.625in. For use with WGA-30M NEMA series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$15.50
<u>WGA-40M-ACC3</u>	IronHorse gearbox single output shaft, 0.75in. For use with WGA-40M NEMA series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$17.50
<u>WGA-50M-ACC3</u>	IronHorse gearbox single output shaft, 1in. For use with WGA-50M NEMA series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$21.00
<u>WGA-63M-ACC3</u>	IronHorse gearbox single output shaft, 1.125in. For use with WGA-63M NEMA series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$27.50
<u>WGA-75M-ACC3</u>	IronHorse gearbox single output shaft, 1.25in. For use with WGA-75M NEMA series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$36.50
<u>WGA-30M-ACC4</u>	IronHorse gearbox double output shaft, 0.625in. For use with WGA-30M NEMA series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$21.00
<u>WGA-40M-ACC4</u>	IronHorse gearbox double output shaft, 0.75in. For use with WGA-40M NEMA series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$24.00
<u>WGA-50M-ACC4</u>	IronHorse gearbox double output shaft, 1in. For use with WGA-50M NEMA series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$27.50
<u>WGA-63M-ACC4</u>	IronHorse gearbox double output shaft, 1.125in. For use with WGA-63M NEMA series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$37.50
<u>WGA-75M-ACC4</u>	IronHorse gearbox double output shaft, 1.25in. For use with WGA-75M NEMA series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$46.00
Aluminum Worm Gearboxes (IEC Input)			
<u>WGA-30M-010-63B14</u>	IronHorse medium-duty worm gearbox, 10:1 ratio, IEC 63B14 input, hollow, 14mm diameter output shaft, nominal 0.54hp at 1.0 SF, 160 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-010-63B5</u>	IronHorse medium-duty worm gearbox, 10:1 ratio, IEC 63B5 input, hollow, 14mm diameter output shaft, nominal 0.54hp at 1.0 SF, 160 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-020-63B14</u>	IronHorse medium-duty worm gearbox, 20:1 ratio, IEC 63B14 input, hollow, 14mm diameter output shaft, nominal 0.28hp at 1.0 SF, 151 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-020-63B5</u>	IronHorse medium-duty worm gearbox, 20:1 ratio, IEC 63B5 input, hollow, 14mm diameter output shaft, nominal 0.28hp at 1.0 SF, 151 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-030-63B14</u>	IronHorse medium-duty worm gearbox, 30:1 ratio, IEC 63B14 input, hollow, 14mm diameter output shaft, nominal 0.25hp at 1.0 SF, 177 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-030-63B5</u>	IronHorse medium-duty worm gearbox, 30:1 ratio, IEC 63B5 input, hollow, 14mm diameter output shaft, nominal 0.25hp at 1.0 SF, 177 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-040-63B14</u>	IronHorse medium-duty worm gearbox, 40:1 ratio, IEC 63B14 input, hollow, 14mm diameter output shaft, nominal 0.19hp at 1.0 SF, 160 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-040-63B5</u>	IronHorse medium-duty worm gearbox, 40:1 ratio, IEC 63B5 input, hollow, 14mm diameter output shaft, nominal 0.19hp at 1.0 SF, 160 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00
<u>WGA-30M-050-63B14</u>	IronHorse medium-duty worm gearbox, 50:1 ratio, IEC 63B14 input, hollow, 14mm diameter output shaft, nominal 0.15hp at 1.0 SF, 151 lb-in mechanical output torque, 30mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$130.00

[illegible]

[illegible]

[illegible]

[illegible]

<u>WGA-75M-040-90B5</u>	IronHorse medium-duty worm gearbox, 40:1 ratio, IEC 90B5 input, hollow, 28mm diameter output shaft, nominal 1.9hp at 1.0 SF, 2029 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-050-80B14</u>	IronHorse medium-duty worm gearbox, 50:1 ratio, IEC 80B14 input, hollow, 28mm diameter output shaft, nominal 1.47hp at 1.0 SF, 1881 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-050-80B5</u>	IronHorse medium-duty worm gearbox, 50:1 ratio, IEC 80B5 input, hollow, 28mm diameter output shaft, nominal 1.47hp at 1.0 SF, 1881 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-060-80B14</u>	IronHorse medium-duty worm gearbox, 60:1 ratio, IEC 80B14 input, hollow, 28mm diameter output shaft, nominal 1.22hp at 1.0 SF, 1778 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-060-80B5</u>	IronHorse medium-duty worm gearbox, 60:1 ratio, IEC 80B5 input, hollow, 28mm diameter output shaft, nominal 1.22hp at 1.0 SF, 1778 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-080-80B14</u>	IronHorse medium-duty worm gearbox, 80:1 ratio, IEC 80B14 input, hollow, 28mm diameter output shaft, nominal 0.91hp at 1.0 SF, 1632 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
<u>WGA-75M-080-80B5</u>	IronHorse medium-duty worm gearbox, 80:1 ratio, IEC 80B5 input, hollow, 28mm diameter output shaft, nominal 0.91hp at 1.0 SF, 1632 lb-in mechanical output torque, 75mm center distance, cast aluminum housing, top, bottom and back mount.	Stock	\$418.00
Accessories for Aluminum Worm Gearboxes (IEC Input)			
<u>WGA-30M-S-IEC</u>	IronHorse gearbox single output shaft, 14mm. For use with WGA-30M IEC series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$14.00
<u>WGA-40M-S-IEC</u>	IronHorse gearbox single output shaft, 18mm. For use with WGA-40M IEC series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$16.00
<u>WGA-50M-S-IEC</u>	IronHorse gearbox single output shaft, 25mm. For use with WGA-50M IEC series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$19.00
<u>WGA-63M-S-IEC</u>	IronHorse gearbox single output shaft, 25mm. For use with WGA-63M IEC series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$25.00
<u>WGA-75M-S-IEC</u>	IronHorse gearbox single output shaft, 28mm. For use with WGA-75M IEC series gearboxes. (3) keys, (1) spacer and (1) retaining ring included.	Stock	\$33.00
<u>WGA-30M-D-IEC</u>	IronHorse gearbox double output shaft, 14mm. For use with WGA-30M IEC series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$19.00
<u>WGA-40M-D-IEC</u>	IronHorse gearbox double output shaft, 18mm. For use with WGA-40M IEC series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$22.00
<u>WGA-50M-D-IEC</u>	IronHorse gearbox double output shaft, 25mm. For use with WGA-50M IEC series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$25.00
<u>WGA-63M-D-IEC</u>	IronHorse gearbox double output shaft, 25mm. For use with WGA-63M IEC series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$34.00
<u>WGA-75M-D-IEC</u>	IronHorse gearbox double output shaft, 28mm. For use with WGA-75M IEC series gearboxes. (4) keys, (2) spacers and (2) retaining rings included.	Stock	\$42.00
<u>WGA-30M-ACC1</u>	IronHorse output flange, for use with all WGA-30M series gearboxes. Mounting hardware included.	Stock	\$12.00
<u>WGA-40M-ACC1</u>	IronHorse output flange, for use with all WGA-40M series gearboxes. Mounting hardware included.	Stock	\$13.00
<u>WGA-50M-ACC1</u>	IronHorse output flange, for use with all WGA-50M series gearboxes. Mounting hardware included.	Stock	\$14.50
<u>WGA-63M-ACC1</u>	IronHorse output flange, for use with all WGA-63M series gearboxes. Mounting hardware included.	Stock	\$18.50
<u>WGA-75M-ACC1</u>	IronHorse output flange, for use with all WGA-75M series gearboxes. Mounting hardware included.	Stock	\$28.50
<u>WGA-30M-ACC2</u>	IronHorse torque arm, for use with all WGA-30M series gearboxes. Mounting hardware included.	Stock	\$15.50
<u>WGA-40M-ACC2</u>	IronHorse torque arm, for use with all WGA-40M series gearboxes. Mounting hardware included.	Stock	\$17.50
<u>WGA-50M-ACC2</u>	IronHorse torque arm, for use with all WGA-50M series gearboxes. Mounting hardware included.	Stock	\$18.50
<u>WGA-63M-ACC2</u>	IronHorse torque arm, for use with all WGA-63M series gearboxes. Mounting hardware included.	Stock	\$29.50
<u>WGA-75M-ACC2</u>	IronHorse torque arm, for use with all WGA-75M series gearboxes. Mounting hardware included.	Stock	\$51.00
<u>WGA-30M-ACC5</u>	IronHorse output cover, for use with all WGA-30M series gearboxes. Mounting hardware included.	Stock	\$6.50
<u>WGA-40M-ACC5</u>	IronHorse output cover, for use with all WGA-40M series gearboxes. Mounting hardware included.	Stock	\$6.50
<u>WGA-50M-ACC5</u>	IronHorse output cover, for use with all WGA-50M series gearboxes. Mounting hardware included.	Stock	\$12.00
<u>WGA-63M-ACC5</u>	IronHorse output cover, for use with all WGA-63M series gearboxes. Mounting hardware included.	Stock	\$12.00
<u>WGA-75M-ACC5</u>	IronHorse output cover, for use with all WGA-75M series gearboxes. Mounting hardware included.	Stock	\$12.00

[illegible]

<u>HBR-77-020-C</u>	IronHorse heavy-duty helical bevel gearbox, 20:1 ratio, 182/4TC-Face input, hollow, 2in diameter output shaft, nominal 5hp at 2.96 SF, 9765 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-77-020-D</u>	IronHorse heavy-duty helical bevel gearbox, 20:1 ratio, 213/5TC-Face input, hollow, 2in diameter output shaft, nominal 10hp at 1.48 SF, 9765 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-77-040-C</u>	IronHorse heavy-duty helical bevel gearbox, 40:1 ratio, 182/4TC-Face input, hollow, 2in diameter output shaft, nominal 5hp at 1.84 SF, 11955 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-77-040-D</u>	IronHorse heavy-duty helical bevel gearbox, 40:1 ratio, 213TC-Face input, hollow, 2in diameter output shaft, nominal 7.5hp at 1.23 SF, 11955 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-77-060-C</u>	IronHorse heavy-duty helical bevel gearbox, 60:1 ratio, 182/4TC-Face input, hollow, 2in diameter output shaft, nominal 3hp at 2.39 SF, 13325 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-77-080-B</u>	IronHorse heavy-duty helical bevel gearbox, 80:1 ratio, 143/5TC-Face input, hollow, 2in diameter output shaft, nominal 2hp at 2.69 SF, 13710 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-77-080-C</u>	IronHorse heavy-duty helical bevel gearbox, 80:1 ratio, 182TC-Face input, hollow, 2in diameter output shaft, nominal 3hp at 1.79 SF, 13710 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-77-120-B</u>	IronHorse heavy-duty helical bevel gearbox, 120:1 ratio, 143TC-Face input, hollow, 2in diameter output shaft, nominal 1hp at 3.42 SF, 12480 lb-in mechanical output torque, Type-77 frame, cast iron housing, vertical or horizontal mount.	Stock	\$2,778.00
<u>HBR-87-020-D</u>	IronHorse heavy-duty helical bevel gearbox, 20:1 ratio, 213/5TC-Face input, hollow, 2.375in diameter output shaft, nominal 10hp at 2.59 SF, 17650 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00
<u>HBR-87-020-E</u>	IronHorse heavy-duty helical bevel gearbox, 20:1 ratio, 254/6TC-Face input, hollow, 2.375in diameter output shaft, nominal 20hp at 1.29 SF, 17650 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00
<u>HBR-87-040-C</u>	IronHorse heavy-duty helical bevel gearbox, 40:1 ratio, 182/4TC-Face input, hollow, 2.375in diameter output shaft, nominal 5hp at 2.95 SF, 20870 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00
<u>HBR-87-040-D</u>	IronHorse heavy-duty helical bevel gearbox, 40:1 ratio, 213/5TC-Face input, hollow, 2.375in diameter output shaft, nominal 10hp at 1.48 SF, 20870 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00
<u>HBR-87-060-C</u>	IronHorse heavy-duty helical bevel gearbox, 60:1 ratio, 182/4TC-Face input, hollow, 2.375in diameter output shaft, nominal 5hp at 2.22 SF, 22270 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00
<u>HBR-87-060-D</u>	IronHorse heavy-duty helical bevel gearbox, 60:1 ratio, 213/5TC-Face input, hollow, 2.375in diameter output shaft, nominal 10hp at 1.11 SF, 22270 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00
<u>HBR-87-080-C</u>	IronHorse heavy-duty helical bevel gearbox, 80:1 ratio, 182/4TC-Face input, hollow, 2.375in diameter output shaft, nominal 5hp at 1.74 SF, 23570 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00
<u>HBR-87-120-C</u>	IronHorse heavy-duty helical bevel gearbox, 120:1 ratio, 182TC-Face input, hollow, 2.375in diameter output shaft, nominal 3hp at 2.08 SF, 23900 lb-in mechanical output torque, Type-87 frame, cast iron housing, vertical or horizontal mount.	Stock	\$4,327.00

Accessories for Helical Gearboxes

<u>HBR-3777V</u>	IronHorse breather plug, replacement. For use with size 37 through 77 HGR- and HBR-series gearboxes.	Stock	\$5.00
<u>HBR-8797V</u>	IronHorse breather plug, replacement. For use with size 87 and larger HGR- and HBR-series gearboxes.	Stock	\$7.50
<u>HBR-37-DS</u>	IronHorse gearbox double output shaft, 1in. For use with HBR-37 series gearboxes. (4) keys, (1) spacer and (1) retaining ring included.	Stock	\$56.00
<u>HBR-37-S</u>	IronHorse gearbox single output shaft, 1in. For use with HBR-37 series gearboxes. (3) keys, (1) end plate, (1) lock washer and (1) bolt included.	Stock	\$29.00
<u>HBR-47-DS</u>	IronHorse gearbox double output shaft, 1.25in. For use with HBR-47 series gearboxes. (4) keys, (1) spacer and (1) retaining ring included.	Stock	\$82.00
<u>HBR-47-S</u>	IronHorse gearbox single output shaft, 1.25in. For use with HBR-47 series gearboxes. (3) keys, (1) end plate, (1) lock washer and (1) bolt included.	Stock	\$41.00
<u>HBR-67-DS</u>	IronHorse gearbox double output shaft, 1.5in. For use with HBR-67 series gearboxes. (4) keys, (1) spacer and (1) retaining ring included.	Stock	\$176.00
<u>HBR-67-S</u>	IronHorse gearbox single output shaft, 1.5in. For use with HBR-67 series gearboxes. (3) keys, (1) end plate, (1) lock washer and (1) bolt included.	Stock	\$87.00
<u>HBR-77-DS</u>	IronHorse gearbox double output shaft, 2in. For use with HBR-77 series gearboxes. (4) keys, (1) spacer and (1) retaining ring included.	Stock	\$228.00

<u>HBR-77-S</u>	IronHorse gearbox single output shaft, 2in. For use with HBR-77 series gearboxes. (3) keys, (1) end plate, (1) lock washer and (1) bolt included.	Stock	\$114.00
<u>HBR-87-DS</u>	IronHorse gearbox double output shaft, 2.375in. For use with HBR-87 series gearboxes. (4) keys, (1) spacer and (1) retaining ring included.	Stock	\$350.00
<u>HBR-87-S</u>	IronHorse gearbox single output shaft, 2.375in. For use with HBR-87 series gearboxes. (3) keys, (1) end plate, (1) lock washer and (1) bolt included.	Stock	\$173.00
High-Precision Inline Strain Wave Servo Motor Gearboxes			
<u>HPGA063-50A1</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 13mm diameter output shaft, nominal output torque 12 N-m (106 lb-in), 1-stage, 63mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$1,051.00
<u>HPGA063-80A1</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 13mm diameter output shaft, nominal output torque 12 N-m (106 lb-in), 1-stage, 63mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$1,051.00
<u>HPGA063-100A1</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 13mm diameter output shaft, nominal output torque 15 N-m (133 lb-in), 1-stage, 63mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$1,051.00
<u>HPGA073-50A2</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 16mm diameter output shaft, nominal output torque 25 N-m (221 lb-in), 1-stage, 73mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,219.00
<u>HPGA073-80A2</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 16mm diameter output shaft, nominal output torque 25 N-m (221 lb-in), 1-stage, 73mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,219.00
<u>HPGA073-100A2</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 16mm diameter output shaft, nominal output torque 30 N-m (266 lb-in), 1-stage, 73mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,219.00
<u>HPGA073-120A2</u>	SureGear high-precision strain wave gearbox, 120:1 ratio, inline, 16mm diameter output shaft, nominal output torque 30 N-m (266 lb-in), 1-stage, 73mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,219.00
<u>HPGA073-160A2</u>	SureGear high-precision strain wave gearbox, 160:1 ratio, inline, 16mm diameter output shaft, nominal output torque 30 N-m (266 lb-in), 1-stage, 73mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,219.00
<u>HPGA088-50A3</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 22mm diameter output shaft, nominal output torque 40 N-m (354 lb-in), 1-stage, 88mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,385.00
<u>HPGA088-80A3</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 22mm diameter output shaft, nominal output torque 40 N-m (354 lb-in), 1-stage, 88mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,385.00
<u>HPGA088-100A3</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 22mm diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, 88mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,385.00
<u>HPGA088-120A3</u>	SureGear high-precision strain wave gearbox, 120:1 ratio, inline, 22mm diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, 88mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,385.00
<u>HPGA088-160A3</u>	SureGear high-precision strain wave gearbox, 160:1 ratio, inline, 22mm diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, 88mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,385.00
<u>HPGA116-50A4</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 32mm diameter output shaft, nominal output torque 100 N-m (885 lb-in), 1-stage, 116mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-80A4</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 32mm diameter output shaft, nominal output torque 100 N-m (885 lb-in), 1-stage, 116mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-100A4</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-135A4</u>	SureGear high-precision strain wave gearbox, 135:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-160A4</u>	SureGear high-precision strain wave gearbox, 160:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-200A4</u>	SureGear high-precision strain wave gearbox, 200:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-50A5</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 32mm diameter output shaft, nominal output torque 100 N-m (885 lb-in), 1-stage, 116mm frame. For use with SureServo SVM-210(B) motors.	Stock	\$1,654.00

<u>HPGA116-80A5</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 32mm diameter output shaft, nominal output torque 100 N-m (885 lb-in), 1-stage, 116mm frame. For use with SureServo SVM-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-100A5</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo SVM-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-135A5</u>	SureGear high-precision strain wave gearbox, 135:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo SVM-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-160A5</u>	SureGear high-precision strain wave gearbox, 160:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo SVM-210(B) motors.	Stock	\$1,654.00
<u>HPGA116-200A5</u>	SureGear high-precision strain wave gearbox, 200:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 116mm frame. For use with SureServo SVM-210(B) motors.	Stock	\$1,654.00

High-Precision Inline Strain Wave Stepper Motor Gearboxes

<u>HPGCN17-505M</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 12 N-m (106 lb-in), 1-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$1,051.00
<u>HPGCN17-805M</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 12 N-m (106 lb-in), 1-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$1,051.00
<u>HPGCN17-1005M</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 15 N-m (133 lb-in), 1-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$1,051.00
<u>HPGCN23-5025</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 25 N-m (221 lb-in), 1-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$1,219.00
<u>HPGCN23-8025</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 25 N-m (221 lb-in), 1-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$1,219.00
<u>HPGCN23-10025</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 30 N-m (266 lb-in), 1-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$1,219.00
<u>HPGCN23-12025</u>	SureGear high-precision strain wave gearbox, 120:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 30 N-m (266 lb-in), 1-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$1,219.00
<u>HPGCN23-16025</u>	SureGear high-precision strain wave gearbox, 160:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 30 N-m (266 lb-in), 1-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$1,219.00
<u>HPGCN34-5050</u>	SureGear high-precision strain wave gearbox, 50:1 ratio, inline, 1in diameter output shaft, nominal output torque 40 N-m (354 lb-in), 1-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$1,385.00
<u>HPGCN34-8050</u>	SureGear high-precision strain wave gearbox, 80:1 ratio, inline, 1in diameter output shaft, nominal output torque 40 N-m (354 lb-in), 1-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$1,385.00
<u>HPGCN34-10050</u>	SureGear high-precision strain wave gearbox, 100:1 ratio, inline, 1in diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$1,385.00
<u>HPGCN34-12050</u>	SureGear high-precision strain wave gearbox, 120:1 ratio, inline, 1in diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$1,385.00
<u>HPGCN34-16050</u>	SureGear high-precision strain wave gearbox, 160:1 ratio, inline, 1in diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$1,385.00

Inline Precision Servo Gearboxes

<u>96200004</u>	LS Electric high-precision planetary gearbox, 5:1 ratio, inline, 16mm diameter output shaft, nominal output torque 54 N-m (478 lb-in), 1-stage, 60mm frame. For use with FBL series 100W-400W motors.	Stock	\$327.00
<u>96200005</u>	LS Electric high-precision planetary gearbox, 10:1 ratio, inline, 16mm diameter output shaft, nominal output torque 42 N-m (372 lb-in), 1-stage, 60mm frame. For use with FBL series 100W-400W motors.	Stock	\$336.00
<u>96200103</u>	LS Electric high-precision planetary gearbox, 20:1 ratio, inline, 22mm diameter output shaft, nominal output torque 143 N-m (1266 lb-in), 2-stage, 90mm frame. For use with FBL series 100W-400W motors.	Stock	\$598.00
<u>96200007</u>	LS Electric high-precision planetary gearbox, 5:1 ratio, inline, 22mm diameter output shaft, nominal output torque 160 N-m (1416 lb-in), 1-stage, 90mm frame. For use with FCL series 750W and 1 kW motors.	Stock	\$426.00
<u>96200008</u>	LS Electric high-precision planetary gearbox, 10:1 ratio, inline, 22mm diameter output shaft, nominal output torque 121 N-m (1071 lb-in), 1-stage, 90mm frame. For use with FCL series 750W and 1 kW motors.	Stock	\$439.00
<u>96200257</u>	LS Electric high-precision planetary gearbox, 20:1 ratio, inline, 32mm diameter output shaft, nominal output torque 295 N-m (2611 lb-in), 2-stage, 115mm frame. For use with FCL series 750W and 1 kW motors.	Stock	\$864.00
<u>96200373</u>	LS Electric high-precision planetary gearbox, 5:1 ratio, inline, 22mm diameter output shaft, nominal output torque 160 N-m (1416 lb-in), 1-stage, 90mm frame. For use with APM-FE series 900W and 1.5 kW motors.	Stock	\$385.00
<u>96200378</u>	LS Electric high-precision planetary gearbox, 10:1 ratio, inline, 22mm diameter output shaft, nominal output torque 121 N-m (1071 lb-in), 1-stage, 90mm frame. For use with APM-FE series 900W and 1.5 kW motors.	Stock	\$396.00
<u>96200393</u>	LS Electric high-precision planetary gearbox, 20:1 ratio, inline, 32mm diameter output shaft, nominal output torque 295 N-m (2611 lb-in), 2-stage, 115mm frame. For use with APM-FE series 900W and 1.5 kW motors.	Stock	\$792.00
<u>96200459</u>	LS Electric high-precision planetary gearbox, 5:1 ratio, inline, 32mm diameter output shaft, nominal output torque 332 N-m (2939 lb-in), 1-stage, 115mm frame. For use with APM-FE series 1.6 kW motors.	Stock	\$549.00
<u>96200464</u>	LS Electric high-precision planetary gearbox, 10:1 ratio, inline, 32mm diameter output shaft, nominal output torque 262 N-m (2319 lb-in), 1-stage, 115mm frame. For use with APM-FE series 1.6 kW motors.	Stock	\$565.00
<u>96200479</u>	LS Electric high-precision planetary gearbox, 20:1 ratio, inline, 40mm diameter output shaft, nominal output torque 295 N-m (2611 lb-in), 2-stage, 142mm frame. For use with APM-FE series 1.6 kW motors.	Stock	\$1,167.00

<u>96200010</u>	LS Electric high-precision planetary gearbox, 5:1 ratio, inline, 32mm diameter output shaft, nominal output torque 332 N-m (2939 lb-in), 1-stage, 115mm frame. For use with APM-FE series 2.2 kW motors.	Stock	\$549.00
<u>96200011</u>	LS Electric high-precision planetary gearbox, 10:1 ratio, inline, 32mm diameter output shaft, nominal output torque 262 N-m (2319 lb-in), 1-stage, 115mm frame. For use with APM-FE series 2.2 kW motors.	Stock	\$565.00
<u>96200445</u>	LS Electric high-precision planetary gearbox, 20:1 ratio, inline, 40mm diameter output shaft, nominal output torque 295 N-m (2611 lb-in), 2-stage, 142mm frame. For use with APM-FE series 2.2 kW motors.	Stock	\$1,167.00
<u>96200013</u>	LS Electric high-precision planetary gearbox, 5:1 ratio, inline, 40mm diameter output shaft, nominal output torque 634 N-m (5612 lb-in), 1-stage, 142mm frame. For use with APM-FF series 3.5 kW and 5.5 kW motors.	Stock	\$847.00
<u>96200014</u>	LS Electric high-precision planetary gearbox, 10:1 ratio, inline, 40mm diameter output shaft, nominal output torque 500 N-m (4426 lb-in), 1-stage, 142mm frame. For use with APM-FF series 3.5 kW and 5.5 kW motors.	Stock	\$872.00
<u>96200701</u>	LS Electric high-precision planetary gearbox, 20:1 ratio, inline, 55mm diameter output shaft, nominal output torque 1060 N-m (9382 lb-in), 2-stage, 180mm frame. For use with APM-FF series 3.5 kW and 5.5 kW motors.	Stock	\$2,035.00
<u>96200016</u>	LS Electric high-precision planetary gearbox, 5:1 ratio, inline, 55mm diameter output shaft, nominal output torque 1195 N-m (10577 lb-in), 1-stage, 180mm frame. For use with APM-FF series 7.5 kW motors.	Stock	\$1,628.00
<u>96200017</u>	LS Electric high-precision planetary gearbox, 10:1 ratio, inline, 55mm diameter output shaft, nominal output torque 980 N-m (8674 lb-in), 1-stage, 180mm frame. For use with APM-FF series 7.5 kW motors.	Stock	\$1,676.00
<u>96200862</u>	LS Electric high-precision planetary gearbox, 15:1 ratio, inline, 55mm diameter output shaft, nominal output torque 897 N-m (7939 lb-in), 2-stage, 180mm frame. For use with APM-FF series 7.5 kW motors.	Stock	\$2,096.00
<u>PGA050-05A1</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline, 12mm diameter output shaft, nominal output torque 9 N-m (80 lb-in), 1-stage, 50mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$432.00
<u>PGA050-10A1</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 12mm diameter output shaft, nominal output torque 6 N-m (53 lb-in), 1-stage, 50mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$456.00
<u>PGA050-15A1</u>	SureGear high-precision planetary gearbox, 15:1 ratio, inline, 12mm diameter output shaft, nominal output torque 6 N-m (53 lb-in), 2-stage, 50mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$609.00
<u>PGA050-25A1</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline, 12mm diameter output shaft, nominal output torque 9 N-m (80 lb-in), 2-stage, 50mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$609.00
<u>PGA070-05A1</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline, 16mm diameter output shaft, nominal output torque 27 N-m (239 lb-in), 1-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$501.00
<u>PGA070-10A1</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 16mm diameter output shaft, nominal output torque 18 N-m (159 lb-in), 1-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$528.00
<u>PGA070-15A1</u>	SureGear high-precision planetary gearbox, 15:1 ratio, inline, 16mm diameter output shaft, nominal output torque 18 N-m (159 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$723.00
<u>PGA070-25A1</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline, 16mm diameter output shaft, nominal output torque 27 N-m (239 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$723.00
<u>PGA070-05A2</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline, 16mm diameter output shaft, nominal output torque 27 N-m (239 lb-in), 1-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$547.00
<u>PGA070-10A2</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 16mm diameter output shaft, nominal output torque 18 N-m (159 lb-in), 1-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$547.00
<u>PGA070-15A2</u>	SureGear high-precision planetary gearbox, 15:1 ratio, inline, 16mm diameter output shaft, nominal output torque 18 N-m (159 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$749.00
<u>PGA070-25A2</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline, 16mm diameter output shaft, nominal output torque 27 N-m (239 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$749.00
<u>PGA070-05A3</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline, 16mm diameter output shaft, nominal output torque 27 N-m (239 lb-in), 1-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$547.00
<u>PGA090-10A3</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 22mm diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$646.00
<u>PGA090-15A3</u>	SureGear high-precision planetary gearbox, 15:1 ratio, inline, 22mm diameter output shaft, nominal output torque 50 N-m (443 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$856.00
<u>PGA090-25A3</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline, 22mm diameter output shaft, nominal output torque 75 N-m (664 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$856.00

<u>PGA090-05A4</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline, 22mm diameter output shaft, nominal output torque 75 N-m (664 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$647.00
<u>PGA090-10A4</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 22mm diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$647.00
<u>PGA090-05A5</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline, 22mm diameter output shaft, nominal output torque 75 N-m (664 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$647.00
<u>PGA090-10A5</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 22mm diameter output shaft, nominal output torque 50 N-m (443 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$647.00
<u>PGA120-15A4</u>	SureGear high-precision planetary gearbox, 15:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,073.00
<u>PGA120-25A4</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline, 32mm diameter output shaft, nominal output torque 180 N-m (1593 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,073.00
<u>PGA120-15A5</u>	SureGear high-precision planetary gearbox, 15:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,073.00
<u>PGA120-25A5</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline, 32mm diameter output shaft, nominal output torque 180 N-m (1593 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,073.00
<u>PGA120-05A6</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline, 32mm diameter output shaft, nominal output torque 180 N-m (1593 lb-in), 1-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$856.00
<u>PGA120-10A6</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 1-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$856.00
<u>PGA155-10A6</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline, 40mm diameter output shaft, nominal output torque 240 N-m (2124 lb-in), 1-stage, 155mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,058.00
<u>PGA155-15A6</u>	SureGear high-precision planetary gearbox, 15:1 ratio, inline, 40mm diameter output shaft, nominal output torque 240 N-m (2124 lb-in), 2-stage, 155mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,439.00
<u>PGA155-25A6</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline, 40mm diameter output shaft, nominal output torque 360 N-m (3186 lb-in), 2-stage, 155mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,439.00
Right-Angle Precision Servo Gearboxes			
<u>PGB070-05A1</u>	SureGear high-precision planetary gearbox, 5:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 22 N-m (195 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$788.00
<u>PGB070-10A1</u>	SureGear high-precision planetary gearbox, 10:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 16 N-m (142 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$940.00
<u>PGB070-15A1</u>	SureGear high-precision planetary gearbox, 15:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 16 N-m (142 lb-in), 3-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$997.00
<u>PGB070-25A1</u>	SureGear high-precision planetary gearbox, 25:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 24 N-m (212 lb-in), 3-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$1,227.00
<u>PGB070-05A2</u>	SureGear high-precision planetary gearbox, 5:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 22 N-m (195 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$940.00
<u>PGB070-10A2</u>	SureGear high-precision planetary gearbox, 10:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 16 N-m (142 lb-in), 2-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$940.00
<u>PGB070-15A2</u>	SureGear high-precision planetary gearbox, 15:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 16 N-m (142 lb-in), 3-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,227.00
<u>PGB070-25A2</u>	SureGear high-precision planetary gearbox, 25:1 ratio, right angle, 16mm diameter output shaft, nominal output torque 24 N-m (212 lb-in), 3-stage, 70mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,227.00
<u>PGB090-15A2</u>	SureGear high-precision planetary gearbox, 15:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 45 N-m (398 lb-in), 3-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,217.00

<u>PGB090-25A2</u>	SureGear high-precision planetary gearbox, 25:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 65 N-m (575 lb-in), 3-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,354.00
<u>PGB090-05A3</u>	SureGear high-precision planetary gearbox, 5:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 65 N-m (575 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,007.00
<u>PGB090-10A3</u>	SureGear high-precision planetary gearbox, 10:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 45 N-m (398 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,007.00
<u>PGB090-15A3</u>	SureGear high-precision planetary gearbox, 15:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 45 N-m (398 lb-in), 3-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,217.00
<u>PGB090-25A3</u>	SureGear high-precision planetary gearbox, 25:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 65 N-m (575 lb-in), 3-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,354.00
<u>PGB090-05A4</u>	SureGear high-precision planetary gearbox, 5:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 65 N-m (575 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,007.00
<u>PGB090-10A4</u>	SureGear high-precision planetary gearbox, 10:1 ratio, right angle, 22mm diameter output shaft, nominal output torque 45 N-m (398 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,007.00
<u>PGB120-15A4</u>	SureGear high-precision planetary gearbox, 15:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 110 N-m (974 lb-in), 3-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,512.00
<u>PGB120-25A4</u>	SureGear high-precision planetary gearbox, 25:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 150 N-m (1328 lb-in), 3-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,682.00
<u>PGB120-05A5</u>	SureGear high-precision planetary gearbox, 5:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,354.00
<u>PGB120-10A5</u>	SureGear high-precision planetary gearbox, 10:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 110 N-m (974 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,354.00
<u>PGB120-15A5</u>	SureGear high-precision planetary gearbox, 15:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 110 N-m (974 lb-in), 3-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,682.00
<u>PGB120-25A5</u>	SureGear high-precision planetary gearbox, 25:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 150 N-m (1328 lb-in), 3-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,682.00
<u>PGB120-05A6</u>	SureGear high-precision planetary gearbox, 5:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 120 N-m (1062 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,354.00
<u>PGB120-10A6</u>	SureGear high-precision planetary gearbox, 10:1 ratio, right angle, 32mm diameter output shaft, nominal output torque 110 N-m (974 lb-in), 2-stage, 120mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,354.00
<u>PGB155-15A6</u>	SureGear high-precision planetary gearbox, 15:1 ratio, right angle, 40mm diameter output shaft, nominal output torque 200 N-m (1770 lb-in), 3-stage, 155mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) motors.	Stock	\$1,951.00
<u>PGB155-25A6</u>	SureGear high-precision planetary gearbox, 25:1 ratio, right angle, 40mm diameter output shaft, nominal output torque 300 N-m (2655 lb-in), 3-stage, 155mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) motors.	Stock	\$1,951.00
<u>PGB155-05A6</u>	SureGear high-precision planetary gearbox, 5:1 ratio, right angle, 40mm diameter output shaft, nominal output torque 200 N-m (1770 lb-in), 2-stage, 155mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,560.00
<u>PGB155-10A6</u>	SureGear high-precision planetary gearbox, 10:1 ratio, right angle, 40mm diameter output shaft, nominal output torque 200 N-m (1770 lb-in), 2-stage, 155mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,560.00
Inline Precision Servo Gearboxes with Hub Style Output			
<u>PGD047-05A1</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline with hub style output, nominal output torque 9 N-m (80 lb-in), 1-stage, 47mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$907.00
<u>PGD047-10A1</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline with hub style output, nominal output torque 6 N-m (53 lb-in), 1-stage, 47mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$907.00
<u>PGD047-25A1</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline with hub style output, nominal output torque 9 N-m (80 lb-in), 2-stage, 47mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$1,056.00
<u>PGD064-50A1</u>	SureGear high-precision planetary gearbox, 50:1 ratio, inline with hub style output, nominal output torque 27 N-m (239 lb-in), 2-stage, 64mm frame. For use with SureServo and SureServo2 SV(2)L-201(B) motors.	Stock	\$1,374.00

<u>PGD064-05A2</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline with hub style output, nominal output torque 27 N-m (239 lb-in), 1-stage, 64mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,174.00
<u>PGD064-10A2</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline with hub style output, nominal output torque 18 N-m (159 lb-in), 1-stage, 64mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,174.00
<u>PGD064-25A2</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline with hub style output, nominal output torque 27 N-m (239 lb-in), 2-stage, 64mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,374.00
<u>PGD090-50A2</u>	SureGear high-precision planetary gearbox, 50:1 ratio, inline with hub style output, nominal output torque 75 N-m (664 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,577.00
<u>PGD090-25A2</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline with hub style output, nominal output torque 75 N-m (664 lb-in), 2-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,577.00
<u>PGD110-50A2</u>	SureGear high-precision planetary gearbox, 50:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 2-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)L-202(B) and SV(2)L-204(B) motors.	Stock	\$1,868.00
<u>PGD090-05A3</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline with hub style output, nominal output torque 75 N-m (664 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,376.00
<u>PGD090-10A3</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline with hub style output, nominal output torque 50 N-m (443 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,376.00
<u>PGD110-25A3</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 2-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$1,868.00
<u>PGD110-50A3</u>	SureGear high-precision planetary gearbox, 50:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 2-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)L-207(B) motors.	Stock	\$2,013.00
<u>PGD090-05A4</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline with hub style output, nominal output torque 75 N-m (664 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,376.00
<u>PGD090-10A4</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline with hub style output, nominal output torque 50 N-m (443 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$1,277.00
<u>PGD110-25A4</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 2-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$2,013.00
<u>PGD110-50A4</u>	SureGear high-precision planetary gearbox, 50:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 2-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)L-210(B) motors.	Stock	\$2,013.00
<u>PGD090-05A5</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline with hub style output, nominal output torque 75 N-m (664 lb-in), 1-stage, 90mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,277.00
<u>PGD110-10A5</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline with hub style output, nominal output torque 120 N-m (1062 lb-in), 1-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$1,588.00
<u>PGD110-25A5</u>	SureGear high-precision planetary gearbox, 25:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 2-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$2,013.00
<u>PGD110-35A5</u>	SureGear high-precision planetary gearbox, 35:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 2-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)M-210(B) motors.	Stock	\$2,013.00
<u>PGD110-05A6</u>	SureGear high-precision planetary gearbox, 5:1 ratio, inline with hub style output, nominal output torque 180 N-m (1593 lb-in), 1-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,588.00
<u>PGD110-10A6</u>	SureGear high-precision planetary gearbox, 10:1 ratio, inline with hub style output, nominal output torque 120 N-m (1062 lb-in), 1-stage, 110mm frame. For use with SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$1,712.00

SureGear NEMA 17 Frame Precision Gearboxes for Small NEMA Motors

<u>PGCN17-055M</u>	SureGear precision planetary gearbox, 5:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 6.5 N-m (58 lb-in), 1-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$411.00
<u>PGCN17-105M</u>	SureGear precision planetary gearbox, 10:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 5 N-m (44 lb-in), 1-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$411.00
<u>PGCN17-255M</u>	SureGear precision planetary gearbox, 25:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 16 N-m (142 lb-in), 2-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$516.00
<u>PGCN17-505M</u>	SureGear precision planetary gearbox, 50:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 16 N-m (142 lb-in), 2-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$516.00
<u>PGCN17-1005M</u>	SureGear precision planetary gearbox, 100:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 5 N-m (44 lb-in), 2-stage, NEMA 17 frame. For use with SureStep NEMA 17 motors.	Stock	\$516.00

SureGear NEMA 23 Frame Precision Gearboxes for Small NEMA Motors				
PGCN23-0525	SureGear precision planetary gearbox, 5:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 6.5 N-m (58 lb-in), 1-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$453.00	
PGCN23-1025	SureGear precision planetary gearbox, 10:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 5 N-m (44 lb-in), 1-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$453.00	
PGCN23-2525	SureGear precision planetary gearbox, 25:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 16 N-m (142 lb-in), 2-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$531.00	
PGCN23-5025	SureGear precision planetary gearbox, 50:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 16 N-m (142 lb-in), 2-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$531.00	
PGCN23-10025	SureGear precision planetary gearbox, 100:1 ratio, inline, 0.375in diameter output shaft, nominal output torque 5 N-m (44 lb-in), 2-stage, NEMA 23 frame. For use with SureStep NEMA 23 motors.	Stock	\$531.00	
SureGear NEMA 34 Frame Precision Gearboxes for Small NEMA Motors				
PGCN34-0550	SureGear precision planetary gearbox, 5:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 26 N-m (230 lb-in), 1-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$539.00	
PGCN34-1050	SureGear precision planetary gearbox, 10:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 16 N-m (142 lb-in), 1-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$539.00	
PGCN34-2550	SureGear precision planetary gearbox, 25:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 42 N-m (372 lb-in), 2-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$731.00	
PGCN34-5050	SureGear precision planetary gearbox, 50:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 42 N-m (372 lb-in), 2-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$731.00	
PGCN34-10050	SureGear precision planetary gearbox, 100:1 ratio, inline, 0.5in diameter output shaft, nominal output torque 16 N-m (142 lb-in), 2-stage, NEMA 34 frame. For use with SureStep NEMA 34 motors.	Stock	\$731.00	
Precision Gearbox Accessories				
PG050-KEY	SureGear output shaft key, replacement, 4 x 4 x 14mm. For use with SureGear PGA050 series gearboxes.	Stock	\$4.50	
PG070-KEY	SureGear output shaft key, replacement, 5 x 5 x 22mm. For use with SureGear PGA070 and PGB070 series gearboxes.	Stock	\$4.75	
PG090-KEY	SureGear output shaft key, replacement, 6 x 6 x 28mm. For use with SureGear PGA090 and PGB090 series gearboxes.	Stock	\$4.50	
PG120-KEY	SureGear output shaft key, replacement, 10 x 8 x 45mm. For use with SureGear PGA120 and PGB120 series gearboxes.	Stock	\$4.50	
PG155-KEY	SureGear output shaft key, replacement, 12 x 8 x 65mm. For use with SureGear PGA155 and PGB155 series gearboxes.	Stock	\$4.50	
PGA4-A5-BUSH	SureGear input shaft bushing, replacement, 28 x 22 x 30.5mm. For use with all SureGear gearboxes using SureServo and SureServo2 SV(2)L-210(B) and SV(2)M-210(B) motors.	Stock	\$33.00	
PGA6-BUSH	SureGear input shaft bushing, replacement, 38 x 35 x 36mm. For use with all SureGear gearboxes using SureServo and SureServo2 SV(2)M-220(B) and SV(2)M-230(B) motors.	Stock	\$22.50	
PGCN17-SK	SureGear mounting screws, replacement. Package of 4. For use with SureGear NEMA 17 gearboxes.	Stock	\$3.00	
PGCN17-BSH5M	SureGear motor shaft bushing, for use with SureGear NEMA 17 gearboxes with 5mm diameter motor shaft.	Stock	\$26.00	
PGCN17-BSH8M	SureGear motor shaft bushing, for use with SureGear NEMA 17 gearboxes with 8mm diameter motor shaft.	Stock	\$26.00	
PGCN17-BSH9M	SureGear motor shaft bushing, for use with SureGear NEMA 17 gearboxes with 9mm diameter motor shaft.	Stock	\$26.00	
PGCN17-BSH25	SureGear motor shaft bushing, for use with SureGear NEMA 17 gearboxes with 1/4in diameter motor shaft.	Stock	\$26.00	
PGCN23-SK	SureGear mounting screws, replacement. Package of 4. For use with SureGear NEMA 23 gearboxes.	Stock	\$3.00	
PGCN23-BSH8M	SureGear motor shaft bushing, for use with SureGear NEMA 23 gearboxes with 8mm diameter motor shaft.	Stock	\$26.00	
PGCN23-BSH9M	SureGear motor shaft bushing, for use with SureGear NEMA 23 gearboxes with 9mm diameter motor shaft.	Stock	\$26.00	
PGCN23-BSH25	SureGear motor shaft bushing, for use with SureGear NEMA 23 gearboxes with 1/4in diameter motor shaft.	Stock	\$26.00	
PGCN23-BSH37	SureGear motor shaft bushing, for use with SureGear NEMA 23 gearboxes with 3/8in diameter motor shaft.	Stock	\$26.00	
PGCN34-SK	SureGear mounting screws, replacement. Package of 4. For use with SureGear NEMA 34 gearboxes.	Stock	\$3.00	
PGCN34-BSH9M	SureGear motor shaft bushing, for use with SureGear NEMA 34 gearboxes with 9mm diameter motor shaft.	Stock	\$26.00	
PGCN34-BSH11M	SureGear motor shaft bushing, for use with SureGear NEMA 34 gearboxes with 11mm diameter motor shaft.	Stock	\$26.00	
PGCN34-BSH37	SureGear motor shaft bushing, for use with SureGear NEMA 34 gearboxes with 3/8in diameter motor shaft.	Stock	\$26.00	
PGCN34-BSH50	SureGear motor shaft bushing, for use with SureGear NEMA 34 gearboxes with 1/2in diameter motor shaft.	Stock	\$26.00	

MXL (0.080in Pitch) Timing Belts and Pulleys

[illegible]

[illegible]

[illegible]

<u>250MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 250 tooth, 20in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$17.50
<u>260MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 260 tooth, 20.8in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$19.00
<u>260MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 260 tooth, 20.8in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$49.50
<u>280MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 280 tooth, 22.4in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$20.50
<u>280MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 280 tooth, 22.4in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$35.00
<u>300MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 300 tooth, 24in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$21.50
<u>300MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 300 tooth, 24in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$37.00
<u>310MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 310 tooth, 24.8in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$21.50
<u>310MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 310 tooth, 24.8in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$49.50
<u>320MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 320 tooth, 25.6in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$21.50
<u>320MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 320 tooth, 25.6in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$49.50
<u>330MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 330 tooth, 26.4in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$21.50
<u>330MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 330 tooth, 26.4in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$49.50
<u>343MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 343 tooth, 27.4in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$22.00
<u>355MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 355 tooth, 28.4in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$22.00
<u>372MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 372 tooth, 29.8in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$23.50
<u>390MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 390 tooth, 31.2in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$24.00
<u>390MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 390 tooth, 31.2in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$27.00
<u>400MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 400 tooth, 32in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$24.00
<u>400MXL025PP</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 400 tooth, 32in pitch length (circumference), polyurethane, polyester reinforced. Package of 3.	Stock	\$42.00
<u>440MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 440 tooth, 35.2in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$25.00
<u>480MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 480 tooth, 38.4in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$25.50
<u>500MXL025NG</u>	SureMotion timing belt, 0.08in MXL pitch, 1/4in wide, 500 tooth, 40in pitch length (circumference), neoprene, fiberglass reinforced. Package of 3.	Stock	\$27.00
<u>A14-MXL025-B0125</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 14 tooth, 0.357in pitch diameter, 1/8in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$20.00
<u>A15-MXL025-B0188</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 15 tooth, 0.382in pitch diameter, 3/16in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$20.00
<u>A16-MXL025-B0188</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 16 tooth, 0.407in pitch diameter, 3/16in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$20.00
<u>A18-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 18 tooth, 0.458in pitch diameter, 1/4in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$20.25
<u>A20-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 20 tooth, 0.509in pitch diameter, 1/4in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$20.50
<u>A21-MXL025-B0188</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 21 tooth, 0.535in pitch diameter, 3/16in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$19.00
<u>A21-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 21 tooth, 0.535in pitch diameter, 1/4in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$21.00
<u>A22-MXL025-B0188</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 22 tooth, 0.56in pitch diameter, 3/16in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$19.00
<u>A30-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 30 tooth, 0.764in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$20.50

<u>A32-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 32 tooth, 0.815in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$21.00
<u>A36-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminom, 0.08in MXL pitch, 36 tooth, 0.917in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$21.50
<u>A40-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 40 tooth, 1.019in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$23.00
<u>A60-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 60 tooth, 1.528in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$27.00
<u>A60NF-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 60 tooth, 1.528in pitch diameter, 1/4in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$24.00
<u>A72NF-MXL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 0.08in MXL pitch, 72 tooth, 1.833in pitch diameter, 1/4in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$27.25
<u>APB10MXL025CF-125</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 10 tooth, 0.255in pitch diameter, 1/8in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$15.00
<u>APB11MXL025CF-125</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 11 tooth, 0.28in pitch diameter, 1/8in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$14.50
<u>APB12MXL025CF-125</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 12 tooth, 0.306in pitch diameter, 1/8in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$15.00
<u>APB14MXL025CF-125</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 14 tooth, 0.357in pitch diameter, 1/8in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$16.00
<u>APB15MXL025CF-188</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 15 tooth, 0.382in pitch diameter, 3/16in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$16.00
<u>APB16MXL025CF-188</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 16 tooth, 0.407in pitch diameter, 3/16in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$17.00
<u>APB18MXL025BF-188</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 18 tooth, 0.458in pitch diameter, 3/16in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.00
<u>APB20MXL025BF-188</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 20 tooth, 0.509in pitch diameter, 3/16in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.00
<u>APB20MXL025CF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 20 tooth, 0.509in pitch diameter, 1/4in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB21MXL025BF-188</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 21 tooth, 0.535in pitch diameter, 3/16in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.00
<u>APB21MXL025CF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 21 tooth, 0.535in pitch diameter, 1/4in bore, oversize hub with flange. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB22MXL025BF-188</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 22 tooth, 0.56in pitch diameter, 3/16in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.00
<u>APB24MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 24 tooth, 0.611in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB25MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 25 tooth, 0.637in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB28MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 28 tooth, 0.713in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB30MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 30 tooth, 0.764in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$19.00
<u>APB32MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 32 tooth, 0.815in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$19.00
<u>APB36MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 36 tooth, 0.917in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$19.00
<u>APB40MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 40 tooth, 1.019in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$21.50
<u>APB42MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 42 tooth, 1.07in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$23.00
<u>APB44MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 44 tooth, 1.12in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$23.00
<u>APB48MXL025BF-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 48 tooth, 1.222in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$27.00
<u>APB60MXL025B-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 60 tooth, 1.528in pitch diameter, 1/4in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$30.00
<u>APB72MXL025B-250</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 72 tooth, 1.833in pitch diameter, 1/4in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$32.00
<u>APB80MXL025B-312</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 80 tooth, 2.037in pitch diameter, 5/16in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$38.50
<u>APB90MXL025B-312</u>	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 90 tooth, 2.292in pitch diameter, 5/16in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$43.50

APB100MXL025B-312	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 100 tooth, 2.546in pitch diameter, 5/16in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$49.50
APB120MXL025B-375	SureMotion timing pulley, aluminum, 0.08in MXL pitch, 120 tooth, 3.056in pitch diameter, 3/8in bore, hub without flanges. For use with 1/4in wide belt.	Stock	\$57.00
XL (0.200in Pitch) Timing Belts and Pulleys			
60XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 30 tooth, 6in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$3.50
60XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 30 tooth, 6in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
70XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 35 tooth, 7in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
80XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 40 tooth, 8in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.00
80XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 40 tooth, 8in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
90XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 45 tooth, 9in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.00
90XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 45 tooth, 9in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.75
100XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 50 tooth, 10in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.00
100XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 50 tooth, 10in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
110XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 55 tooth, 11in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.00
110XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 55 tooth, 11in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
120XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 60 tooth, 12in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$6.75
130XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 65 tooth, 13in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.25
130XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 65 tooth, 13in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$6.75
140XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 70 tooth, 14in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.25
140XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 70 tooth, 14in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$6.75
150XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 75 tooth, 15in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.25
150XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 75 tooth, 15in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$6.75
160XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 80 tooth, 16in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.25
160XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 80 tooth, 16in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.25
170XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 85 tooth, 17in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.50
170XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 85 tooth, 17in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.25
180XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 90 tooth, 18in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.25
190XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 95 tooth, 19in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.50
190XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 95 tooth, 19in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.50
200XL025NG	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 100 tooth, 20in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$4.50
200XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 100 tooth, 20in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.50
210XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 105 tooth, 21in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.50
220XL037NG	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 110 tooth, 22in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$8.00

<u>230XL025NG</u>	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 115 tooth, 23in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
<u>230XL037NG</u>	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 115 tooth, 23in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.75
<u>240XL037NG</u>	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 120 tooth, 24in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$7.75
<u>250XL025NG</u>	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 125 tooth, 25in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
<u>250XL037NG</u>	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 125 tooth, 25in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$8.50
<u>260XL025NG</u>	SureMotion timing belt, 1/5in XL pitch, 1/4in wide, 130 tooth, 26in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$5.00
<u>260XL037NG</u>	SureMotion timing belt, 1/5in XL pitch, 3/8in wide, 130 tooth, 26in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$8.50
<u>A10-XL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 10 tooth, 0.637in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.25
<u>A15-XL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 15 tooth, 0.955in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$19.00
<u>A16-XL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 16 tooth, 1.019in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$19.50
<u>A18-XL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 18 tooth, 1.146in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$20.00
<u>A20-XL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 20 tooth, 1.273in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$21.00
<u>A30-XL025-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 30 tooth, 1.91in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$26.00
<u>A10-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 10 tooth, 0.637in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$18.00
<u>A12-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 12 tooth, 0.764in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$18.50
<u>A14-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 14 tooth, 0.891in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$19.00
<u>A16-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 16 tooth, 1.019in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$20.00
<u>A18-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 18 tooth, 1.146in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$20.25
<u>A19-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 19 tooth, 1.21in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$21.00
<u>A20-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 20 tooth, 1.273in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$22.00
<u>A21-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 21 tooth, 1.337in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$22.00
<u>A22-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 22 tooth, 1.401in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$24.25
<u>A24-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 24 tooth, 1.528in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$24.50
<u>A26-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 26 tooth, 1.655in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$26.00
<u>A28-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 28 tooth, 1.783in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$28.50
<u>A30-XL037-B0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 30 tooth, 1.91in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$29.00
<u>A32-XL037-B0312</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 32 tooth, 2.037in pitch diameter, 5/16in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$30.50
<u>A32NF-XL037-B0312</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 32 tooth, 2.037in pitch diameter, 5/16in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$23.50
<u>A36NF-XL037-B0312</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 36 tooth, 2.292in pitch diameter, 5/16in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$26.00
<u>A40NF-XL037-B0312</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 40 tooth, 2.546in pitch diameter, 5/16in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$31.00
<u>A42NF-XL037-B0312</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 42 tooth, 2.674in pitch diameter, 5/16in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$31.50
<u>A44NF-XL037-B0312</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 44 tooth, 2.801in pitch diameter, 5/16in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$34.00

<u>A48NF-XL037-B0312</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 48 tooth, 3.056in pitch diameter, 5/16in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$37.00
<u>A60NF-XL037-B0375</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 60 tooth, 3.82in pitch diameter, 3/8in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$50.00
<u>A72NF-XL037-B0375</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 72 tooth, 4.584in pitch diameter, 3/8in bore, hub without flanges. For use with 3/8in wide belt.	Stock	\$66.00
<u>A10NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 10 tooth, 0.637in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$17.50
<u>A12NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 12 tooth, 0.764in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$18.00
<u>A14NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 14 tooth, 0.891in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$18.50
<u>A15NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 15 tooth, 0.955in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$19.25
<u>A16NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 16 tooth, 1.019in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$20.00
<u>A18NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 18 tooth, 1.146in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$20.00
<u>A20NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 20 tooth, 1.273in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$21.00
<u>A22NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 22 tooth, 1.401in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$23.50
<u>A24NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 24 tooth, 1.528in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$24.00
<u>A30NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 30 tooth, 1.91in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$27.25
<u>A32NH-XL037-0250</u>	Sung-II Machinery timing pulley, aluminum, 1/5in XL pitch, 32 tooth, 2.037in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$28.25
<u>APB10XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 10 tooth, 0.637in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$12.50
<u>APB11XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 11 tooth, 0.7in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$14.50
<u>APB13XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 13 tooth, 0.828in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$13.50
<u>APB14XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 14 tooth, 0.891in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$15.00
<u>APB15XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 15 tooth, 0.955in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB16XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 16 tooth, 1.019in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB18XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 18 tooth, 1.146in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.00
<u>APB20XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 20 tooth, 1.273in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$17.50
<u>APB21XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 21 tooth, 1.337in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$20.50
<u>APB22XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 22 tooth, 1.401in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$21.50
<u>APB24XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 24 tooth, 1.528in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$23.00
<u>APB26XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 26 tooth, 1.655in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$25.00
<u>APB28XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 28 tooth, 1.783in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$27.50
<u>APB30XL025BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 30 tooth, 1.91in pitch diameter, 1/4in bore, hub with flanges. For use with 1/4in wide belt.	Stock	\$30.50
<u>APB11XL037BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 11 tooth, 0.7in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$13.00
<u>APB12XL037BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 12 tooth, 0.764in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$13.50
<u>APB13XL037BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 13 tooth, 0.828in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$14.50
<u>APB14XL037BF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 14 tooth, 0.891in pitch diameter, 1/4in bore, hub with flanges. For use with 3/8in wide belt.	Stock	\$15.00

[illegible]

<u>APB21XL037AF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 21 tooth, 1.337in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$21.50
<u>APB22XL037AF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 22 tooth, 1.401in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$23.00
<u>APB24XL037AF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 24 tooth, 1.528in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$24.00
<u>APB28XL037AF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 28 tooth, 1.783in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$27.50
<u>APB30XL037AF-250</u>	SureMotion timing pulley, aluminum, 1/5in XL pitch, 30 tooth, 1.91in pitch diameter, 1/4in bore, no hub with flanges. For use with 3/8in wide belt.	Stock	\$30.50
L (0.375in Pitch) Timing Belts, Pulleys and Tapered Bushings			
<u>124L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 33 tooth, 12.4in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$8.50
<u>124L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 33 tooth, 12.4in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$17.00
<u>150L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 40 tooth, 15in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$10.00
<u>150L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 40 tooth, 15in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$19.00
<u>187L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 50 tooth, 18.8in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$11.00
<u>187L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 50 tooth, 18.8in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$21.50
<u>210L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 56 tooth, 21in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$11.50
<u>210L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 56 tooth, 21in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$23.50
<u>225L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 60 tooth, 22.5in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$12.00
<u>225L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 60 tooth, 22.5in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$23.50
<u>240L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 64 tooth, 24in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$12.50
<u>240L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 64 tooth, 24in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$25.00
<u>244L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 65 tooth, 24.4in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$25.00
<u>255L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 68 tooth, 25.5in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$13.00
<u>255L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 68 tooth, 25.5in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$25.00
<u>270L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 72 tooth, 27in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$13.00
<u>270L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 72 tooth, 27in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$27.00
<u>285L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 76 tooth, 28.5in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$13.50
<u>300L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 80 tooth, 30in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$14.50
<u>300L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 80 tooth, 30in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$27.50
<u>322L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 86 tooth, 32.2in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$14.50
<u>322L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 86 tooth, 32.2in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$30.00
<u>345L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 92 tooth, 34.5in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$15.00
<u>345L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 92 tooth, 34.5in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$31.00
<u>367L050NG</u>	SureMotion timing belt, 3/8in L pitch, 1/2in wide, 98 tooth, 36.8in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$16.00
<u>367L100NG</u>	SureMotion timing belt, 3/8in L pitch, 1in wide, 98 tooth, 36.8in pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$33.50

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>SOD48L100AF-SDS</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 48 tooth, 5.73in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires SDS series QD style bushing.	Stock	\$156.00
<u>SOD60L050AF-SD</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 60 tooth, 7.162in pitch diameter, no hub without flanges. For use with 1/2in wide belt. Requires SD series QD style bushing.	Stock	\$153.00
<u>SOD60L100AF-SD</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 60 tooth, 7.162in pitch diameter, no hub without flanges. For use with 1in wide belt. Requires SD series QD style bushing.	Stock	\$159.00
<u>SOD72L050AF-SD</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 72 tooth, 8.594in pitch diameter, no hub without flanges. For use with 1/2in wide belt. Requires SD series QD style bushing.	Stock	\$156.00
<u>SOD72L100AF-SD</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 72 tooth, 8.594in pitch diameter, no hub without flanges. For use with 1in wide belt. Requires SD series QD style bushing.	Stock	\$173.00
<u>SOD84L100AF-SD</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 84 tooth, 10.027in pitch diameter, no hub without flanges. For use with 1in wide belt. Requires SD series QD style bushing.	Stock	\$170.00
<u>STL20L100AF-1108</u>	SureMotion timing pulley, steel, 3/8in L pitch, 20 tooth, 2.387in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 1108 series Taper-Lock style bushing.	Stock	\$78.00
<u>STL22L050AF-1108</u>	SureMotion timing pulley, steel, 3/8in L pitch, 22 tooth, 2.626in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 1108 series Taper-Lock style bushing.	Stock	\$77.00
<u>STL22L100AF-1108</u>	SureMotion timing pulley, steel, 3/8in L pitch, 22 tooth, 2.626in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 1108 series Taper-Lock style bushing.	Stock	\$82.00
<u>STL24L050AF-1210</u>	SureMotion timing pulley, steel, 3/8in L pitch, 24 tooth, 2.865in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 1210 series Taper-Lock style bushing.	Stock	\$81.00
<u>STL24L100AF-1210</u>	SureMotion timing pulley, steel, 3/8in L pitch, 24 tooth, 2.865in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 1210 series Taper-Lock style bushing.	Stock	\$85.00
<u>STL26L050AF-1210</u>	SureMotion timing pulley, steel, 3/8in L pitch, 26 tooth, 3.104in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 1210 series Taper-Lock style bushing.	Stock	\$84.00
<u>STL26L100AF-1210</u>	SureMotion timing pulley, steel, 3/8in L pitch, 26 tooth, 3.104in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 1210 series Taper-Lock style bushing.	Stock	\$98.00
<u>STL28L050AF-1210</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 28 tooth, 3.342in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 1210 series Taper-Lock style bushing.	Stock	\$87.00
<u>STL28L100AF-1610</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 28 tooth, 3.342in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 1610 series Taper-Lock style bushing.	Stock	\$109.00
<u>STL30L050AF-1610</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 30 tooth, 3.581in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 1610 series Taper-Lock style bushing.	Stock	\$91.00
<u>STL32L050AF-1610</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 32 tooth, 3.82in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 1610 series Taper-Lock style bushing.	Stock	\$96.00
<u>STL32L100AF-1610</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 32 tooth, 3.82in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 1610 series Taper-Lock style bushing.	Stock	\$145.00
<u>STL36L050AF-1610</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 36 tooth, 4.297in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 1610 series Taper-Lock style bushing.	Stock	\$125.00
<u>STL40L050AF-2012</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 40 tooth, 4.775in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 2012 series Taper-Lock style bushing.	Stock	\$148.00
<u>STL40L100AF-2012</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 40 tooth, 4.775in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 2012 series Taper-Lock style bushing.	Stock	\$156.00
<u>STL48L050AF-2012</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 48 tooth, 5.73in pitch diameter, no hub with flanges. For use with 1/2in wide belt. Requires 2012 series Taper-Lock style bushing.	Stock	\$180.00
<u>STL48L100AF-2012</u>	SureMotion timing pulley, ductile iron, 3/8in L pitch, 48 tooth, 5.73in pitch diameter, no hub with flanges. For use with 1in wide belt. Requires 2012 series Taper-Lock style bushing.	Stock	\$192.00
<u>STL60L050A-2012</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 60 tooth, 7.162in pitch diameter, no hub without flanges. For use with 1/2in wide belt. Requires 2012 series Taper-Lock style bushing.	Stock	\$260.00
<u>STL72L050A-2012</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 72 tooth, 8.594in pitch diameter, no hub without flanges. For use with 1/2in wide belt. Requires 2012 series Taper-Lock style bushing.	Stock	\$268.00
<u>STL72L100A-2012</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 72 tooth, 8.594in pitch diameter, no hub without flanges. For use with 1in wide belt. Requires 2012 series Taper-Lock style bushing.	Stock	\$306.00
<u>STL84L050A-2517</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 84 tooth, 10.027in pitch diameter, no hub without flanges. For use with 1/2in wide belt. Requires 2517 series Taper-Lock style bushing.	Stock	\$292.00
<u>STL84L100A-2517</u>	SureMotion timing pulley, cast iron, 3/8in L pitch, 84 tooth, 10.027in pitch diameter, no hub without flanges. For use with 1in wide belt. Requires 2517 series Taper-Lock style bushing.	Stock	\$331.00
<u>TL-1108-0500</u>	SureMotion Taper-Lock bushing, 1108 size, 0.500in bore, steel.	Stock	\$25.00
<u>TL-1108-0625</u>	SureMotion Taper-Lock bushing, 1108 size, 0.625in bore, steel.	Stock	\$22.00
<u>TL-1108-0875</u>	SureMotion Taper-Lock bushing, 1108 size, 0.875in bore, steel.	Stock	\$22.00
<u>TL-1108-1000</u>	SureMotion Taper-Lock bushing, 1108 size, 1.000in bore, steel.	Stock	\$22.00
<u>TL-1210-0750</u>	SureMotion Taper-Lock bushing, 1210 size, 0.750in bore, steel.	Stock	\$25.50

TL-1210-0875	SureMotion Taper-Lock bushing, 1210 size, 0.875in bore, steel.	Stock	\$25.50
TL-1210-1000	SureMotion Taper-Lock bushing, 1210 size, 1.000in bore, steel.	Stock	\$25.50
TL-1210-1125	SureMotion Taper-Lock bushing, 1210 size, 1.125in bore, steel.	Stock	\$25.50
TL-1610-0625	SureMotion Taper-Lock bushing, 1610 size, 0.625in bore, steel.	Stock	\$27.50
TL-1610-0750	SureMotion Taper-Lock bushing, 1610 size, 0.750in bore, steel.	Stock	\$27.50
TL-1610-1000	SureMotion Taper-Lock bushing, 1610 size, 1.000in bore, steel.	Stock	\$27.50
TL-1610-1125	SureMotion Taper-Lock bushing, 1610 size, 1.125in bore, steel.	Stock	\$27.50
TL-1610-1250	SureMotion Taper-Lock bushing, 1610 size, 1.250in bore, steel.	Stock	\$27.50
TL-1610-1375	SureMotion Taper-Lock bushing, 1610 size, 1.375in bore, steel.	Stock	\$27.50
TL-2012-0750	SureMotion Taper-Lock bushing, 2012 size, 0.750in bore, steel.	Stock	\$38.50
TL-2012-1000	SureMotion Taper-Lock bushing, 2012 size, 1.000in bore, steel.	Stock	\$38.50
TL-2012-1125	SureMotion Taper-Lock bushing, 2012 size, 1.125in bore, steel.	Stock	\$38.50
TL-2012-1250	SureMotion Taper-Lock bushing, 2012 size, 1.250in bore, steel.	Stock	\$38.50
TL-2012-1375	SureMotion Taper-Lock bushing, 2012 size, 1.375in bore, steel.	Stock	\$38.50
TL-2517-0875	SureMotion Taper-Lock bushing, 2517 size, 0.875in bore, steel.	Stock	\$62.00
TL-2517-1000	SureMotion Taper-Lock bushing, 2517 size, 1.000in bore, steel.	Stock	\$62.00
TL-2517-1125	SureMotion Taper-Lock bushing, 2517 size, 1.125in bore, steel.	Stock	\$62.00
TL-2517-1250	SureMotion Taper-Lock bushing, 2517 size, 1.250in bore, steel.	Stock	\$62.00
TL-2517-1375	SureMotion Taper-Lock bushing, 2517 size, 1.375in bore, steel.	Stock	\$62.00
QD-JA-0500	SureMotion QD bushing, JA size, 0.500in bore, steel.	Stock	\$20.50
QD-JA-0625	SureMotion QD bushing, JA size, 0.625in bore, steel.	Stock	\$19.00
QD-JA-0750	SureMotion QD bushing, JA size, 0.750in bore, steel.	Stock	\$19.00
QD-JA-0875	SureMotion QD bushing, JA size, 0.875in bore, steel.	Stock	\$19.00
QD-SH-0500	SureMotion QD bushing, SH size, 0.500in bore, steel.	Stock	\$27.50
QD-SH-0625	SureMotion QD bushing, SH size, 0.625in bore, steel.	Stock	\$27.50
QD-SH-0750	SureMotion QD bushing, SH size, 0.750in bore, steel.	Stock	\$27.50
QD-SH-0875	SureMotion QD bushing, SH size, 0.875in bore, steel.	Stock	\$27.50
QD-SH-1000	SureMotion QD bushing, SH size, 1.000in bore, steel.	Stock	\$27.50
QD-SDS-0750	SureMotion QD bushing, SDS size, 0.750in bore, steel.	Stock	\$34.00
QD-SDS-0875	SureMotion QD bushing, SDS size, 0.875in bore, steel.	Stock	\$34.00
QD-SDS-1000	SureMotion QD bushing, SDS size, 1.000in bore, steel.	Stock	\$34.00
QD-SDS-1125	SureMotion QD bushing, SDS size, 1.125in bore, steel.	Stock	\$34.00
QD-SD-0750	SureMotion QD bushing, SD size, 0.750in bore, steel.	Stock	\$39.50
QD-SD-0875	SureMotion QD bushing, SD size, 0.875in bore, steel.	Stock	\$39.50
QD-SD-1000	SureMotion QD bushing, SD size, 1.000in bore, steel.	Stock	\$39.50
QD-SD-1125	SureMotion QD bushing, SD size, 1.125in bore, steel.	Stock	\$39.50
QD-SD-1250	SureMotion QD bushing, SD size, 1.250in bore, steel.	Stock	\$39.50
5M (5mm Pitch) Timing Belts and Pulleys			
180-5M-09-NG	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 36 tooth, 180mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$9.50
200-5M-09-NG	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 40 tooth, 200mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$10.00
225-5M-09-NG	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 45 tooth, 225mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$10.00

<u>240-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 48 tooth, 240mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$10.50
<u>275-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 55 tooth, 275mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$11.00
<u>300-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 60 tooth, 300mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$11.50
<u>325-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 65 tooth, 325mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$11.50
<u>350-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 70 tooth, 350mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$12.00
<u>375-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 75 tooth, 375mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$12.00
<u>400-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 80 tooth, 400mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$12.50
<u>425-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 85 tooth, 425mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$13.00
<u>450-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 90 tooth, 450mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$13.00
<u>465-5M-09-NG</u>	SureMotion timing belt, 5mm 5M pitch, 9mm wide, 93 tooth, 465mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$16.00
<u>180-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 36 tooth, 180mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$13.50
<u>200-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 40 tooth, 200mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$14.50
<u>225-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 45 tooth, 225mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$14.50
<u>240-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 48 tooth, 240mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$15.00
<u>275-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 55 tooth, 275mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$17.00
<u>300-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 60 tooth, 300mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$17.00
<u>325-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 65 tooth, 325mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$17.50
<u>350-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 70 tooth, 350mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$18.50
<u>375-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 75 tooth, 375mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$19.00
<u>400-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 80 tooth, 400mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$19.00
<u>425-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 85 tooth, 425mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$20.50
<u>450-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 90 tooth, 450mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$21.50
<u>465-5M-15-NG</u>	SureMotion timing belt, 5mm 5M pitch, 15mm wide, 93 tooth, 465mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$25.00
<u>A20-5M10-SS-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 20 tooth, 1.253in pitch diameter, 5/8in bore, hub with flanges. For use with 9mm wide belt.	Stock	\$46.50
<u>A22-5M10-SS-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 22 tooth, 1.379in pitch diameter, 5/8in bore, hub with flanges. For use with 9mm wide belt.	Stock	\$39.00
<u>A24-5M10-SS-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 24 tooth, 1.504in pitch diameter, 5/8in bore, hub with flanges. For use with 9mm wide belt.	Stock	\$39.00
<u>A25-5M10-SS-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 25 tooth, 1.566in pitch diameter, 5/8in bore, hub with flanges. For use with 9mm wide belt.	Stock	\$39.50
<u>A28-5M10-SS-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 28 tooth, 1.754in pitch diameter, 5/8in bore, hub with flanges. For use with 9mm wide belt.	Stock	\$41.50
<u>A30-5M10-SS-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 30 tooth, 1.88in pitch diameter, 5/8in bore, hub with flanges. For use with 9mm wide belt.	Stock	\$45.00
<u>A32-5M10-SPBO-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 32 tooth, 2.005in pitch diameter, 5/8in bore, no hub with flanges. For use with 9mm wide belt. QD bushing included.	Stock	\$76.50
<u>A36-5M10-SPBO-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 36 tooth, 2.256in pitch diameter, 5/8in bore, no hub with flanges. For use with 9mm wide belt. QD bushing included.	Stock	\$62.00
<u>A40-5M10-SPBO-0625</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 40 tooth, 2.506in pitch diameter, 5/8in bore, no hub with flanges. For use with 9mm wide belt. QD bushing included.	Stock	\$66.00

[illegible]

[illegible]

<u>A44-5M15-SPBO-0875</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 44 tooth, 2.757in pitch diameter, 7/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$108.00
<u>A48-5M15-SPBO-0875</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 48 tooth, 3.008in pitch diameter, 7/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$115.00
<u>A60-5M15-SPBO-0875</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 60 tooth, 3.76in pitch diameter, 7/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$141.00
<u>A72-5M15-SPBO-0875</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 72 tooth, 4.511in pitch diameter, 7/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$170.00
<u>A84-5M15-SPBO-0875</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 84 tooth, 5.263in pitch diameter, 7/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$217.00
<u>A96-5M15-SPBO-0875</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 96 tooth, 6.015in pitch diameter, 7/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$276.00
<u>A120-5M15-SPBO-0875</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 120 tooth, 7.519in pitch diameter, 7/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$372.00
<u>A30-5M15-SS-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 30 tooth, 1.88in pitch diameter, 1-1/8in bore, hub with flanges. For use with 15mm wide belt.	Stock	\$61.00
<u>A32-5M15-SS-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 32 tooth, 2.005in pitch diameter, 1-1/8in bore, hub with flanges. For use with 15mm wide belt.	Stock	\$65.00
<u>A36-5M15-SS-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 36 tooth, 2.256in pitch diameter, 1-1/8in bore, hub with flanges. For use with 15mm wide belt.	Stock	\$71.00
<u>A40-5M15-SS-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 40 tooth, 2.506in pitch diameter, 1-1/8in bore, hub with flanges. For use with 15mm wide belt.	Stock	\$80.00
<u>A42-5M15-SS-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 42 tooth, 2.632in pitch diameter, 1-1/8in bore, hub with flanges. For use with 15mm wide belt.	Stock	\$84.50
<u>A44-5M15-SS-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 44 tooth, 2.757in pitch diameter, 1-1/8in bore, hub with flanges. For use with 15mm wide belt.	Stock	\$89.00
<u>A48-5M15-SS-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 48 tooth, 3.008in pitch diameter, 1-1/8in bore, hub with flanges. For use with 15mm wide belt.	Stock	\$94.00
<u>A60-5M15-SPBO-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 60 tooth, 3.76in pitch diameter, 1-1/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$141.00
<u>A72-5M15-SPBO-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 72 tooth, 4.511in pitch diameter, 1-1/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$170.00
<u>A84-5M15-SPBO-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 84 tooth, 5.263in pitch diameter, 1-1/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$217.00
<u>A96-5M15-SPBO-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 96 tooth, 6.015in pitch diameter, 1-1/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$276.00
<u>A120-5M15-SPBO-1125</u>	Sung-II Machinery timing pulley, aluminum, 5mm 5M pitch, 120 tooth, 7.519in pitch diameter, 1-1/8in bore, no hub with flanges. For use with 15mm wide belt. QD bushing included.	Stock	\$372.00
8M (8mm Pitch) Timing Belts			
<u>440-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 55 tooth, 440mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$33.50
<u>480-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 60 tooth, 480mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$33.50
<u>520-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 65 tooth, 520mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$39.00
<u>560-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 70 tooth, 560mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$37.50
<u>600-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 75 tooth, 600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$39.00
<u>640-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 80 tooth, 640mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$39.00
<u>720-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 90 tooth, 720mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$42.00
<u>800-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 100 tooth, 800mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$45.50
<u>840-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 105 tooth, 840mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$47.00
<u>880-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 110 tooth, 880mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$49.00
<u>920-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 115 tooth, 920mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$49.00
<u>960-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 120 tooth, 960mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$50.00

<u>1040-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 130 tooth, 1040mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$54.00
<u>1064-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 133 tooth, 1064mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$54.00
<u>1120-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 140 tooth, 1120mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$58.00
<u>1160-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 145 tooth, 1160mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$58.00
<u>1200-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 150 tooth, 1200mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$60.00
<u>1224-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 153 tooth, 1224mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$62.00
<u>1280-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 160 tooth, 1280mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$63.00
<u>1440-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 180 tooth, 1440mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$68.00
<u>1512-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 189 tooth, 1512mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$70.00
<u>1584-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 198 tooth, 1584mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$75.00
<u>1600-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 200 tooth, 1600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$75.00
<u>1760-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 220 tooth, 1760mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$81.00
<u>1800-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 225 tooth, 1800mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$82.00
<u>2000-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 250 tooth, 2000mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$90.00
<u>2200-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 275 tooth, 2200mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$98.00
<u>2400-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 300 tooth, 2400mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$105.00
<u>2600-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 325 tooth, 2600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$114.00
<u>2800-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 350 tooth, 2800mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$122.00
<u>3280-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 410 tooth, 3280mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$139.00
<u>3600-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 450 tooth, 3600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$155.00
<u>4400-8M-20-NG</u>	SureMotion timing belt, 8mm 8M pitch, 20mm wide, 550 tooth, 4400mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$183.00
<u>440-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 55 tooth, 440mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$47.00
<u>480-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 60 tooth, 480mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$47.00
<u>520-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 65 tooth, 520mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$54.00
<u>560-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 70 tooth, 560mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$50.00
<u>600-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 75 tooth, 600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$54.00
<u>640-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 80 tooth, 640mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$57.00
<u>720-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 90 tooth, 720mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$60.00
<u>800-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 100 tooth, 800mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$65.00
<u>840-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 105 tooth, 840mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$66.00
<u>880-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 110 tooth, 880mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$70.00
<u>920-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 115 tooth, 920mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$70.00

<u>960-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 120 tooth, 960mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$73.00
<u>1040-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 130 tooth, 1040mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$79.00
<u>1064-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 133 tooth, 1064mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$79.00
<u>1120-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 140 tooth, 1120mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$82.00
<u>1160-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 145 tooth, 1160mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$84.00
<u>1200-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 150 tooth, 1200mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$87.00
<u>1224-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 153 tooth, 1224mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$87.00
<u>1280-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 160 tooth, 1280mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$91.00
<u>1440-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 180 tooth, 1440mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$99.00
<u>1512-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 189 tooth, 1512mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$101.00
<u>1584-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 198 tooth, 1584mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$108.00
<u>1600-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 200 tooth, 1600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$108.00
<u>1760-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 220 tooth, 1760mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$118.00
<u>1800-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 225 tooth, 1800mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$119.00
<u>2000-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 250 tooth, 2000mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$131.00
<u>2200-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 275 tooth, 2200mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$142.00
<u>2400-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 300 tooth, 2400mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$155.00
<u>2600-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 325 tooth, 2600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$165.00
<u>2800-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 350 tooth, 2800mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$176.00
<u>3280-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 410 tooth, 3280mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$198.00
<u>3600-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 450 tooth, 3600mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$219.00
<u>4400-8M-30-NG</u>	SureMotion timing belt, 8mm 8M pitch, 30mm wide, 550 tooth, 4400mm pitch length (circumference), neoprene, fiberglass reinforced.	Stock	\$261.00

Jaw Coupling Hubs and Spiders			
<u>SJC-14C-3</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 3mm bore. Requires SJC-14 series spiders.	Stock	\$10.50
<u>SJC-14C-4</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 4mm bore. Requires SJC-14 series spiders.	Stock	\$10.50
<u>SJC-14C-5</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 5mm bore. Requires SJC-14 series spiders.	Stock	\$10.50
<u>SJC-14C-6</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 6mm bore. Requires SJC-14 series spiders.	Stock	\$10.50
<u>SJC-14C-4.76</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 3/16in bore. Requires SJC-14 series spiders.	Stock	\$10.50
<u>SJC-14C-6.35</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 1/4in bore. Requires SJC-14 series spiders.	Stock	\$10.50
<u>SJC-14-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 14, thermoplastic polyurethane, 98A durometer. For use with SJC-14C series hubs.	Stock	\$5.25
<u>SJC-14-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 14, Hytrel, 98A durometer. For use with SJC-14C series hubs.	Stock	\$5.25
<u>SJC-14-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 14, Hytrel, 63D durometer. For use with SJC-14C series hubs.	Stock	\$5.25

<u>SJC-20C-4</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 4mm bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20C-5</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 5mm bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20C-6</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 6mm bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20C-8</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 8mm bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20C-10</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 10mm bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20C-6.35</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 1/4in bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20C-7.93</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 5/16in bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20C-9.525</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 3/8in bore. Requires SJC-20 series spiders.	Stock	\$11.50
<u>SJC-20-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 20, thermoplastic polyurethane, 98A durometer. For use with SJC-20C series hubs.	Stock	\$6.25
<u>SJC-20-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 20, Hytrel, 98A durometer. For use with SJC-20C series hubs.	Stock	\$6.25
<u>SJC-20-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 20, Hytrel, 63D durometer. For use with SJC-20C series hubs.	Stock	\$6.25
<u>SJC-25C-5</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 25, 5mm bore. Requires SJC-25 series spiders.	Stock	\$12.50
<u>SJC-25C-6</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 25, 6mm bore. Requires SJC-25 series spiders.	Stock	\$12.50
<u>SJC-25C-6.35</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 25, 1/4in bore. Requires SJC-25 series spiders.	Stock	\$12.50
<u>SJC-25C-8</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 25, 8mm bore. Requires SJC-25 series spiders.	Stock	\$12.50
<u>SJC-25C-10</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 25, 10mm bore. Requires SJC-25 series spiders.	Stock	\$12.50
<u>SJC-25C-14</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 25, 14mm bore. Requires SJC-25 series spiders.	Stock	\$12.50
<u>SJC-25-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 25, thermoplastic polyurethane, 98A durometer. For use with SJC-25C series hubs.	Stock	\$6.25
<u>SJC-25-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 25, Hytrel, 98A durometer. For use with SJC-25C series hubs.	Stock	\$6.25
<u>SJC-25-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 25, Hytrel, 63D durometer. For use with SJC-25C series hubs.	Stock	\$6.25
<u>SJCA-30C-5</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 5mm bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-6</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 6mm bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-6.35</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 1/4in bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-8</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 8mm bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-10</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 10mm bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-12</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 12mm bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-14</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 14mm bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-7.93</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 5/16in bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-9.525</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 3/8in bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-12.7</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 1/2in bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJCA-30C-15.875</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 5/8in bore. Requires SJC-30 series spiders.	Stock	\$13.50
<u>SJC-30-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 30, thermoplastic polyurethane, 98A durometer. For use with SJCA-30C series hubs.	Stock	\$6.25

<u>SJC-30-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 30, Hytrel, 98A durometer. For use with SJCA-30C series hubs.	Stock	\$6.25
<u>SJC-30-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 30, Hytrel, 63D durometer. For use with SJCA-30C series hubs.	Stock	\$6.25
<u>SJCB-40C-8</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 8mm bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-10</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 10mm bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-12</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 12mm bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-14</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 14mm bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-16</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 16mm bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-19</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 19mm bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-22</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 22mm bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-9.525</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 3/8in bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-12.7</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 1/2in bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJCB-40C-15.875</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 5/8in bore. Requires SJC-40 series spiders.	Stock	\$18.50
<u>SJC-40-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 40, thermoplastic polyurethane, 98A durometer. For use with SJCB-40C series hubs.	Stock	\$8.25
<u>SJC-40-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 40, Hytrel, 98A durometer. For use with SJCB-40C series hubs.	Stock	\$8.25
<u>SJC-40-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 40, Hytrel, 63D durometer. For use with SJCB-40C series hubs.	Stock	\$8.25
<u>SJC-55C-16</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 16mm bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-19</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 19mm bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-22</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 22mm bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-24</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 24mm bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-25</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 25mm bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-30</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 30mm bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-15.875</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 5/8in bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-19.05</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 3/4in bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-22.225</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 7/8in bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55C-25.4</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 1in bore. Requires SJC-55 series spiders.	Stock	\$29.00
<u>SJC-55-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 55, thermoplastic polyurethane, 98A durometer. For use with SJC-55C series hubs.	Stock	\$9.25
<u>SJC-55-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 55, Hytrel, 98A durometer. For use with SJC-55C series hubs.	Stock	\$9.25
<u>SJC-55-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 55, Hytrel, 63D durometer. For use with SJC-55C series hubs.	Stock	\$9.25
<u>SJC-65C-19</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 19mm bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65C-20</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 20mm bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65C-25</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 25mm bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65C-30</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 30mm bore. Requires SJC-65 series spiders.	Stock	\$43.50

<u>SJC-65C-32</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 32mm bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65C-35</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 35mm bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65C-19.05</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 3/4in bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65C-22.225</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 7/8in bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65C-25.4</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 1in bore. Requires SJC-65 series spiders.	Stock	\$43.50
<u>SJC-65-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 65, thermoplastic polyurethane, 98A durometer. For use with SJC-65C series hubs.	Stock	\$12.50
<u>SJC-65-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 65, Hytrel, 98A durometer. For use with SJC-65C series hubs.	Stock	\$12.50
<u>SJC-65-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 65, Hytrel, 63D durometer. For use with SJC-65C series hubs.	Stock	\$12.50
<u>SJC-80C-32</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 80, 32mm bore. Requires SJC-80 series spiders.	Stock	\$71.00
<u>SJC-80C-35</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 80, 35mm bore. Requires SJC-80 series spiders.	Stock	\$71.00
<u>SJC-80C-40</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 80, 40mm bore. Requires SJC-80 series spiders.	Stock	\$71.00
<u>SJC-80C-42</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 80, 42mm bore. Requires SJC-80 series spiders.	Stock	\$71.00
<u>SJC-80C-28.575</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 80, 1-1/8in bore. Requires SJC-80 series spiders.	Stock	\$71.00
<u>SJC-80C-31.75</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 80, 1-1/4in bore. Requires SJC-80 series spiders.	Stock	\$71.00
<u>SJC-80-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 80, thermoplastic polyurethane, 98A durometer. For use with SJC-80C series hubs.	Stock	\$18.50
<u>SJC-80-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 80, Hytrel, 98A durometer. For use with SJC-80C series hubs.	Stock	\$18.50
<u>SJC-80-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 80, Hytrel, 63D durometer. For use with SJC-80C series hubs.	Stock	\$18.50
<u>SJC-100C-30</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 30mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100C-32</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 32mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100C-35</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 35mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100C-40</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 40mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100C-45</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 45mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100C-50</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 50mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100C-55</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 55mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100C-60</u>	Sung-II Machinery drive coupling hub, jaw type, aluminum alloy, clamp, size 100, 60mm bore. Requires SJC-100 series spiders.	Stock	\$104.00
<u>SJC-100-BL-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 100, thermoplastic polyurethane, 98A durometer. For use with SJC-100C series hubs.	Stock	\$18.50
<u>SJC-100-GR-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 100, Hytrel, 98A durometer. For use with SJC-100C series hubs.	Stock	\$18.50
<u>SJC-100-RD-SLEEVE</u>	Sung-II Machinery drive coupling spider, jaw type, size 100, Hytrel, 63D durometer. For use with SJC-100C series hubs.	Stock	\$18.50
<u>DC-JAC14-03</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 3/16in bore. Requires DC-JS14 series spiders.	Stock	\$14.00
<u>DC-JAC14-05M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 5mm bore. Requires DC-JS14 series spiders.	Stock	\$14.00
<u>DC-JAC14-06M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 6mm bore. Requires DC-JS14 series spiders.	Stock	\$14.00
<u>DC-JAC14-04</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 14, 1/4in bore. Requires DC-JS14 series spiders.	Stock	\$14.00

<u>DC-JS14-80A</u>	SureMotion drive coupling spider, jaw type, size 14, polyurethane, 80A durometer. For use with DC-JAC14 series hubs.	Stock	\$8.00
<u>DC-JS14-92A</u>	SureMotion drive coupling spider, jaw type, size 14, polyurethane, 92A durometer. For use with DC-JAC14 series hubs.	Stock	\$8.00
<u>DC-JS14-98A</u>	SureMotion drive coupling spider, jaw type, size 14, polyurethane, 98A durometer. For use with DC-JAC14 series hubs.	Stock	\$8.00
<u>DC-JAC20-04</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 1/4in bore. Requires DC-JS20 series spiders.	Stock	\$17.00
<u>DC-JAC20-05</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 20, 5/16in bore. Requires DC-JS20 series spiders.	Stock	\$17.75
<u>DC-JS20-80A</u>	SureMotion drive coupling spider, jaw type, size 20, polyurethane, 80A durometer. For use with DC-JAC20 series hubs.	Stock	\$11.25
<u>DC-JS20-92A</u>	SureMotion drive coupling spider, jaw type, size 20, polyurethane, 92A durometer. For use with DC-JAC20 series hubs.	Stock	\$12.00
<u>DC-JS20-98A</u>	SureMotion drive coupling spider, jaw type, size 20, polyurethane, 98A durometer. For use with DC-JAC20 series hubs.	Stock	\$11.50
<u>DC-JAC30-05</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 5/16in bore. Requires DC-JS30 series spiders.	Stock	\$26.00
<u>DC-JAC30-08M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 8mm bore. Requires DC-JS30 series spiders.	Stock	\$25.50
<u>DC-JAC30-06</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 3/8in bore. Requires DC-JS30 series spiders.	Stock	\$26.00
<u>DC-JAC30-10M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 10mm bore. Requires DC-JS30 series spiders.	Stock	\$26.00
<u>DC-JAC30-12M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 12mm bore. Requires DC-JS30 series spiders.	Stock	\$26.00
<u>DC-JAC30-08</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 30, 1/2in bore. Requires DC-JS30 series spiders.	Stock	\$26.00
<u>DC-JS30-80A</u>	SureMotion drive coupling spider, jaw type, size 30, polyurethane, 80A durometer. For use with DC-JAC30 series hubs.	Stock	\$13.00
<u>DC-JS30-92A</u>	SureMotion drive coupling spider, jaw type, size 30, polyurethane, 92A durometer. For use with DC-JAC30 series hubs.	Stock	\$13.25
<u>DC-JS30-98A</u>	SureMotion drive coupling spider, jaw type, size 30, polyurethane, 98A durometer. For use with DC-JAC30 series hubs.	Stock	\$13.25
<u>DC-JAC40-08M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 8mm bore. Requires DC-JS40 series spiders.	Stock	\$30.00
<u>DC-JAC40-06</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 3/8in bore. Requires DC-JS40 series spiders.	Stock	\$30.25
<u>DC-JAC40-10M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 10mm bore. Requires DC-JS40 series spiders.	Stock	\$30.25
<u>DC-JAC40-12M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 12mm bore. Requires DC-JS40 series spiders.	Stock	\$30.25
<u>DC-JAC40-08</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 1/2in bore. Requires DC-JS40 series spiders.	Stock	\$30.50
<u>DC-JAC40-14M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 14mm bore. Requires DC-JS40 series spiders.	Stock	\$30.25
<u>DC-JAC40-10</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 5/8in bore. Requires DC-JS40 series spiders.	Stock	\$30.25
<u>DC-JAC40-16M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 16mm bore. Requires DC-JS40 series spiders.	Stock	\$30.00
<u>DC-JAC40-12</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 40, 3/4in bore. Requires DC-JS40 series spiders.	Stock	\$30.50
<u>DC-JS40-80A</u>	SureMotion drive coupling spider, jaw type, size 40, polyurethane, 80A durometer. For use with DC-JAC40 series hubs.	Stock	\$14.50
<u>DC-JS40-92A</u>	SureMotion drive coupling spider, jaw type, size 40, polyurethane, 92A durometer. For use with DC-JAC40 series hubs.	Stock	\$14.50
<u>DC-JS40-98A</u>	SureMotion drive coupling spider, jaw type, size 40, polyurethane, 98A durometer. For use with DC-JAC40 series hubs.	Stock	\$14.50
<u>DC-JAC55-10</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 5/8in bore. Requires DC-JS55 series spiders.	Stock	\$35.00
<u>DC-JAC55-19M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 19mm bore. Requires DC-JS55 series spiders.	Stock	\$30.50
<u>DC-JAC55-12</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 3/4in bore. Requires DC-JS55 series spiders.	Stock	\$35.50

<u>DC-JAC55-22M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 22mm bore. Requires DC-JS55 series spiders.	Stock	\$35.00
<u>DC-JAC55-14</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 55, 7/8in bore. Requires DC-JS55 series spiders.	Stock	\$35.50
<u>DC-JS55-80A</u>	SureMotion drive coupling spider, jaw type, size 55, polyurethane, 80A durometer. For use with DC-JAC55 series hubs.	Stock	\$16.00
<u>DC-JS55-92A</u>	SureMotion drive coupling spider, jaw type, size 55, polyurethane, 92A durometer. For use with DC-JAC55 series hubs.	Stock	\$16.00
<u>DC-JS55-98A</u>	SureMotion drive coupling spider, jaw type, size 55, polyurethane, 98A durometer. For use with DC-JAC55 series hubs.	Stock	\$16.00
<u>DC-JAC65-20</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 1-1/4in bore. Requires DC-JS65 series spiders.	Stock	\$57.00
<u>DC-JAC65-32M</u>	SureMotion drive coupling hub, jaw type, aluminum alloy, clamp, size 65, 32mm bore. Requires DC-JS65 series spiders.	Stock	\$57.00
<u>DC-JS65-80A</u>	SureMotion drive coupling spider, jaw type, size 65, polyurethane, 80A durometer. For use with DC-JAC65 series hubs.	Stock	\$20.50
<u>DC-JS65-92A</u>	SureMotion drive coupling spider, jaw type, size 65, polyurethane, 92A durometer. For use with DC-JAC65 series hubs.	Stock	\$20.50
<u>DC-JS65-98A</u>	SureMotion drive coupling spider, jaw type, size 65, polyurethane, 98A durometer. For use with DC-JAC65 series hubs.	Stock	\$20.50
Oldham Coupling Hubs and Torque Discs			
<u>SOH-16C-4</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 16, 4mm bore. Requires SOH-16-DISC torque disc.	Stock	\$10.50
<u>SOH-16C-4.76</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 16, 3/16in bore. Requires SOH-16-DISC torque disc.	Stock	\$10.50
<u>SOH-16C-5</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 16, 5mm bore. Requires SOH-16-DISC torque disc.	Stock	\$10.50
<u>SOH-16C-6</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 16, 6mm bore. Requires SOH-16-DISC torque disc.	Stock	\$10.50
<u>SOH-16-DISC</u>	Sung-II Machinery drive coupling torque disc, Oldham, size 16, Polyacetal. For use with SOH-16C series hubs.	Stock	\$3.00
<u>SOH-20C-5</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 20, 5mm bore. Requires SOH-20-DISC torque disc.	Stock	\$11.50
<u>SOH-20C-6</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 20, 6mm bore. Requires SOH-20-DISC torque disc.	Stock	\$11.50
<u>SOH-20C-6.35</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 20, 1/4in bore. Requires SOH-20-DISC torque disc.	Stock	\$11.50
<u>SOH-20C-7.93</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 20, 5/16in bore. Requires SOH-20-DISC torque disc.	Stock	\$11.50
<u>SOH-20C-8</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 20, 8mm bore. Requires SOH-20-DISC torque disc.	Stock	\$11.50
<u>SOH-20C-9.525</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 20, 3/8in bore. Requires SOH-20-DISC torque disc.	Stock	\$11.50
<u>SOH-20C-10</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 20, 10mm bore. Requires SOH-20-DISC torque disc.	Stock	\$11.50
<u>SOH-20-DISC</u>	Sung-II Machinery drive coupling torque disc, Oldham, size 20, Polyacetal. For use with SOH-20C series hubs.	Stock	\$3.75
<u>SOH-25C-6</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 6mm bore. Requires SOH-25-DISC torque disc.	Stock	\$12.50
<u>SOH-25C-6.35</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 1/4in bore. Requires SOH-25-DISC torque disc.	Stock	\$12.50
<u>SOH-25C-8</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 8mm bore. Requires SOH-25-DISC torque disc.	Stock	\$12.50
<u>SOH-25C-9.525</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 3/8in bore. Requires SOH-25-DISC torque disc.	Stock	\$12.50
<u>SOH-25C-10</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 10mm bore. Requires SOH-25-DISC torque disc.	Stock	\$12.50
<u>SOH-25C-12</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 12mm bore. Requires SOH-25-DISC torque disc.	Stock	\$12.50
<u>SOH-25-DISC</u>	Sung-II Machinery drive coupling torque disc, Oldham, size 25, Polyacetal. For use with SOH-25C series hubs.	Stock	\$3.75
<u>SOH-32C-8</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 32, 8mm bore. Requires SOH-32-DISC torque disc.	Stock	\$15.50
<u>SOH-32C-9.525</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 32, 3/8in bore. Requires SOH-32-DISC torque disc.	Stock	\$15.50

<u>SOH-32C-10</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 32, 10mm bore. Requires SOH-32-DISC torque disc.	Stock	\$15.50
<u>SOH-32C-12</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 32, 12mm bore. Requires SOH-32-DISC torque disc.	Stock	\$15.50
<u>SOH-32C-14</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 32, 14mm bore. Requires SOH-32-DISC torque disc.	Stock	\$15.50
<u>SOH-32C-12.7</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 32, 1/2in bore. Requires SOH-32-DISC torque disc.	Stock	\$15.50
<u>SOH-32-DISC</u>	Sung-II Machinery drive coupling torque disc, Oldham, size 32, Polyacetal. For use with SOH-32C series hubs.	Stock	\$3.75
<u>SOH-43C-12</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 43, 12mm bore. Requires SOH-43-DISC torque disc.	Stock	\$25.00
<u>SOH-43C-12.7</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 43, 1/2in bore. Requires SOH-43-DISC torque disc.	Stock	\$25.00
<u>SOH-43C-14</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 43, 14mm bore. Requires SOH-43-DISC torque disc.	Stock	\$25.00
<u>SOH-43C-15.875</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 43, 5/8in bore. Requires SOH-43-DISC torque disc.	Stock	\$25.00
<u>SOH-43C-16</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 43, 16mm bore. Requires SOH-43-DISC torque disc.	Stock	\$25.00
<u>SOH-43C-19</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 43, 19mm bore. Requires SOH-43-DISC torque disc.	Stock	\$25.00
<u>SOH-43-DISC</u>	Sung-II Machinery drive coupling torque disc, Oldham, size 43, Polyacetal. For use with SOH-43C series hubs.	Stock	\$7.25
<u>SOH-57C-15.875</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 5/8in bore. Requires SOH-57-DISC torque disc.	Stock	\$41.50
<u>SOH-57C-16</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 16mm bore. Requires SOH-57-DISC torque disc.	Stock	\$41.50
<u>SOH-57C-19</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 19mm bore. Requires SOH-57-DISC torque disc.	Stock	\$41.50
<u>SOH-57C-19.05</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 3/4in bore. Requires SOH-57-DISC torque disc.	Stock	\$41.50
<u>SOH-57C-22</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 22mm bore. Requires SOH-57-DISC torque disc.	Stock	\$41.50
<u>SOH-57C-22.225</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 7/8in bore. Requires SOH-57-DISC torque disc.	Stock	\$41.50
<u>SOH-57C-24</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 24mm bore. Requires SOH-57-DISC torque disc.	Stock	\$41.50
<u>SOH-57-DISC</u>	Sung-II Machinery drive coupling torque disc, Oldham, size 57, Polyacetal. For use with SOH-57C series hubs.	Stock	\$7.25
<u>SOHM-70C-20</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 20mm bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-19.05</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 3/4in bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-22.225</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 7/8in bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-25</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 25mm bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-25.4</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 1in bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-28.575</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 1-1/8in bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-30</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 30mm bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-31.75</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 1-1/4in bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOHM-70C-35</u>	Sung-II Machinery drive coupling hub, Oldham, aluminum alloy, clamp, size 70, 35mm bore. Requires SOH-70-DISC torque disc.	Stock	\$52.00
<u>SOH-70-DISC</u>	Sung-II Machinery drive coupling torque disc, Oldham, size 70, Polyacetal. For use with SOHM-70C series hubs.	Stock	\$17.50
<u>DC-DAC19-05M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 19, 5mm bore. Requires DC-DDS19 torque disc.	Stock	\$19.50
<u>DC-DAC19-04</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 19, 1/4in bore. Requires DC-DDS19 torque disc.	Stock	\$19.50
<u>DC-DAC19-08M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 19, 8mm bore. Requires DC-DDS19 torque disc.	Stock	\$19.50

<u>DC-DDS19</u>	SureMotion drive coupling torque disc, Oldham, size 19, Delrin. For use with DC-DAC19 series hubs.	Stock	\$2.25
<u>DC-DAC25-04</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 1/4in bore. Requires DC-DDS25 torque disc.	Stock	\$26.50
<u>DC-DAC25-08M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 8mm bore. Requires DC-DDS25 torque disc.	Stock	\$26.50
<u>DC-DAC25-06</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 3/8in bore. Requires DC-DDS25 torque disc.	Stock	\$26.50
<u>DC-DAC25-10M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 10mm bore. Requires DC-DDS25 torque disc.	Stock	\$26.50
<u>DC-DAC25-12M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 25, 12mm bore. Requires DC-DDS25 torque disc.	Stock	\$26.50
<u>DC-DDS25</u>	SureMotion drive coupling torque disc, Oldham, size 25, Delrin. For use with DC-DAC25 series hubs.	Stock	\$4.75
<u>DC-DAC33-06</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 33, 3/8in bore. Requires DC-DDS33 torque disc.	Stock	\$38.00
<u>DC-DAC33-10M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 33, 10mm bore. Requires DC-DDS33 torque disc.	Stock	\$28.00
<u>DC-DAC33-12M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 33, 12mm bore. Requires DC-DDS33 torque disc.	Stock	\$38.00
<u>DC-DAC33-08</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 33, 1/2in bore. Requires DC-DDS33 torque disc.	Stock	\$38.00
<u>DC-DAC33-14M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 33, 14mm bore. Requires DC-DDS33 torque disc.	Stock	\$37.50
<u>DC-DAC33-10</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 33, 5/8in bore. Requires DC-DDS33 torque disc.	Stock	\$30.00
<u>DC-DAC33-16M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 33, 16mm bore. Requires DC-DDS33 torque disc.	Stock	\$18.50
<u>DC-DDS33</u>	SureMotion drive coupling torque disc, Oldham, size 33, Delrin. For use with DC-DAC33 series hubs.	Stock	\$8.00
<u>DC-DAC41-08</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 41, 1/2in bore. Requires DC-DDS41 torque disc.	Stock	\$41.50
<u>DC-DAC41-14M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 41, 14mm bore. Requires DC-DDS41 torque disc.	Stock	\$42.00
<u>DC-DAC41-10</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 41, 5/8in bore. Requires DC-DDS41 torque disc.	Stock	\$41.75
<u>DC-DAC41-16M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 41, 16mm bore. Requires DC-DDS41 torque disc.	Stock	\$42.00
<u>DC-DAC41-19M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 41, 19mm bore. Requires DC-DDS41 torque disc.	Stock	\$42.00
<u>DC-DAC41-12</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 41, 3/4in bore. Requires DC-DDS41 torque disc.	Stock	\$42.00
<u>DC-DDS41</u>	SureMotion drive coupling torque disc, Oldham, size 41, Delrin. For use with DC-DAC41 series hubs.	Stock	\$10.00
<u>DC-DAC50-08</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 50, 1/2in bore. Requires DC-DDS50 torque disc.	Stock	\$86.00
<u>DC-DAC50-14M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 50, 14mm bore. Requires DC-DDS50 torque disc.	Stock	\$86.00
<u>DC-DAC50-10</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 50, 5/8in bore. Requires DC-DDS50 torque disc.	Stock	\$86.00
<u>DC-DAC50-16M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 50, 16mm bore. Requires DC-DDS50 torque disc.	Stock	\$86.00
<u>DC-DAC50-19M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 50, 19mm bore. Requires DC-DDS50 torque disc.	Stock	\$86.00
<u>DC-DAC50-12</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 50, 3/4in bore. Requires DC-DDS50 torque disc.	Stock	\$86.00
<u>DC-DAC50-16</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 50, 1in bore. Requires DC-DDS50 torque disc.	Stock	\$86.00
<u>DC-DDS50</u>	SureMotion drive coupling torque disc, Oldham, size 50, Delrin. For use with DC-DAC50 series hubs.	Stock	\$23.00
<u>DC-DAC57-10</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 5/8in bore. Requires DC-DDS57 torque disc.	Stock	\$94.00
<u>DC-DAC57-16M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 16mm bore. Requires DC-DDS57 torque disc.	Stock	\$94.00
<u>DC-DAC57-19M</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 19mm bore. Requires DC-DDS57 torque disc.	Stock	\$94.00

<u>DC-DAC57-12</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 3/4in bore. Requires DC-DDS57 torque disc.	Stock	\$94.00
<u>DC-DAC57-16</u>	SureMotion drive coupling hub, Oldham, aluminum alloy, clamp, size 57, 1in bore. Requires DC-DDS57 torque disc.	Stock	\$94.00
<u>DC-DDS57</u>	SureMotion drive coupling torque disc, Oldham, size 57, Delrin. For use with DC-DAC57 series hubs.	Stock	\$32.00
Servo Beam Drive Couplings			
<u>SRB-16C-4-4</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 16, 4 x 4mm bore.	Stock	\$25.00
<u>SRB-16C-4-5</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 16, 4 x 5mm bore.	Stock	\$25.00
<u>SRB-16C-4-6</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 16, 4 x 6mm bore.	Stock	\$25.00
<u>SRB-16C-5-5</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 16, 5 x 5mm bore.	Stock	\$25.00
<u>SRB-16C-5-6</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 16, 5 x 6mm bore.	Stock	\$25.00
<u>SRB-16C-6-6</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 16, 6 x 6mm bore.	Stock	\$25.00
<u>SRB-19C-5-5</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 5 x 5mm bore.	Stock	\$25.00
<u>SRB-19C-5-6</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 5 x 6mm bore.	Stock	\$25.00
<u>SRB-19C-5-6.35</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 5 x 6.35mm (1/4in) bore.	Stock	\$25.00
<u>SRB-19C-5-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 5 x 8mm bore.	Stock	\$25.00
<u>SRB-19C-6-6</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 6 x 6mm bore.	Stock	\$25.00
<u>SRB-19C-6-6.35</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 6 x 6.35mm (1/4in) bore.	Stock	\$25.00
<u>SRB-19C-6-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 6 x 8mm bore.	Stock	\$25.00
<u>SRB-19C-6.35-6.35</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 6.35 (1/4in) x 6.35mm (1/4in) bore.	Stock	\$25.00
<u>SRB-19C-6.35-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 6.35 (1/4in) x 8mm bore.	Stock	\$25.00
<u>SRB-19C-8-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 19, 8 x 8mm bore.	Stock	\$25.00
<u>SRB-22C-5-5</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 5 x 5mm bore.	Stock	\$27.00
<u>SRB-22C-5-6</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 5 x 6mm bore.	Stock	\$27.00
<u>SRB-22C-5-6.35</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 5 x 6.35mm (1/4in) bore.	Stock	\$27.00
<u>SRB-22C-5-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 5 x 8mm bore.	Stock	\$27.00
<u>SRB-22C-5-9.525</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 5 x 9.525mm (3/8in) bore.	Stock	\$27.00
<u>SRB-22C-5-10</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 5 x 10mm bore.	Stock	\$27.00
<u>SRB-22C-6-6</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6 x 6mm bore.	Stock	\$27.00
<u>SRB-22C-6-6.35</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6 x 6.35mm (1/4in) bore.	Stock	\$27.00
<u>SRB-22C-6-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6 x 8mm bore.	Stock	\$27.00
<u>SRB-22C-6-9.525</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6 x 9.525mm (3/8in) bore.	Stock	\$27.00
<u>SRB-22C-6-10</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6 x 10mm bore.	Stock	\$27.00
<u>SRB-22C-6.35-6.35</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6.35 (1/4in) x 6.35mm (1/4in) bore.	Stock	\$27.00
<u>SRB-22C-6.35-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6.35 (1/4in) x 8mm bore.	Stock	\$27.00
<u>SRB-22C-6.35-9.525</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6.35 (1/4in) x 9.525mm (3/8in) bore.	Stock	\$27.00
<u>SRB-22C-6.35-10</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 6.35 (1/4in) x 10mm bore.	Stock	\$27.00
<u>SRB-22C-8-8</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 8 x 8mm bore.	Stock	\$27.00
<u>SRB-22C-8-9.525</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 22, 8 x 9.525mm (3/8in) bore.	Stock	\$27.00

[illegible]

<u>SRBA-49C-19-20</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 49, 19 x 20mm bore.	Stock	\$113.00
<u>SRBA-49C-20-20</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 49, 20 x 20mm bore.	Stock	\$113.00
<u>SRBA-60C-16-16</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 16 x 16mm bore.	Stock	\$135.00
<u>SRBA-60C-16-18</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 16 x 18mm bore.	Stock	\$135.00
<u>SRBA-60C-16-19</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 16 x 19mm bore.	Stock	\$135.00
<u>SRBA-60C-16-20</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 16 x 20mm bore.	Stock	\$135.00
<u>SRBA-60C-16-22</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 16 x 22mm bore.	Stock	\$135.00
<u>SRBA-60C-16-24</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 16 x 24mm bore.	Stock	\$135.00
<u>SRBA-60C-18-18</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 18 x 18mm bore.	Stock	\$135.00
<u>SRBA-60C-18-19</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 18 x 19mm bore.	Stock	\$135.00
<u>SRBA-60C-18-20</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 18 x 20mm bore.	Stock	\$135.00
<u>SRBA-60C-18-22</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 18 x 22mm bore.	Stock	\$135.00
<u>SRBA-60C-18-24</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 18 x 24mm bore.	Stock	\$135.00
<u>SRBA-60C-19-19</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 19 x 19mm bore.	Stock	\$135.00
<u>SRBA-60C-19-20</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 19 x 20mm bore.	Stock	\$135.00
<u>SRBA-60C-19-22</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 19 x 22mm bore.	Stock	\$135.00
<u>SRBA-60C-19-24</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 19 x 24mm bore.	Stock	\$135.00
<u>SRBA-60C-20-20</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 20 x 20mm bore.	Stock	\$135.00
<u>SRBA-60C-20-22</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 20 x 22mm bore.	Stock	\$135.00
<u>SRBA-60C-20-24</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 20 x 24mm bore.	Stock	\$135.00
<u>SRBA-60C-22-22</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 22 x 22mm bore.	Stock	\$135.00
<u>SRBA-60C-22-24</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 22 x 24mm bore.	Stock	\$135.00
<u>SRBA-60C-24-24</u>	Sung-II Machinery drive coupling, servo-beam, 7075-T6 aluminum alloy, clamp, size 60, 24 x 24mm bore.	Stock	\$135.00
<u>DC-SBS19-0404</u>	SureMotion drive coupling, servo-beam, stainless steel, setscrew, size 19, 1/4in bore.	Stock	\$165.00
<u>DC-SBS25-0808</u>	SureMotion drive coupling, servo-beam, stainless steel, setscrew, size 25, 1/2in bore.	Stock	\$204.00
<u>DC-SBS32-1010</u>	SureMotion drive coupling, servo-beam, stainless steel, setscrew, size 32, 5/8in bore.	Stock	\$225.00
<u>DC-SBS38-1212</u>	SureMotion drive coupling, servo-beam, stainless steel, setscrew, size 38, 3/4in bore.	Stock	\$258.00
<u>DC-SBS44-1414</u>	SureMotion drive coupling, servo-beam, stainless steel, setscrew, size 44, 7/8in bore.	Stock	\$441.00
<u>DC-SBS51-1616</u>	SureMotion drive coupling, servo-beam, stainless steel, setscrew, size 51, 1in bore.	Stock	\$515.00
<u>DC-SBS63-2020</u>	SureMotion drive coupling, servo-beam, stainless steel, setscrew, size 63, 1-1/4in bore.	Stock	\$592.00
Servo High Gain Drive Couplings			
<u>SHR-18C-4-8</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 18, 4 x 8mm bore.	Stock	\$44.50
<u>SHR-18C-5-8</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 18, 5 x 8mm bore.	Stock	\$44.50
<u>SHR-18C-6-8</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 18, 6 x 8mm bore.	Stock	\$44.50
<u>SHR-18C-6.35-8</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 18, 6.35 (1/4in) x 8mm bore.	Stock	\$44.50
<u>SHR-18C-8-8</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 18, 8 x 8mm bore.	Stock	\$44.50
<u>SHR-24C-8-8</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 24, 8 x 8mm bore.	Stock	\$47.00
<u>SHR-24C-8-10</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 24, 8 x 10mm bore.	Stock	\$47.00
<u>SHR-24C-8-12</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 24, 8 x 12mm bore.	Stock	\$47.00
<u>SHR-29C-8-8</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 29, 8 x 8mm bore.	Stock	\$51.00
<u>SHR-29C-8-10</u>	Sung-II Machinery drive coupling, servo high gain, aluminum alloy, clamp, size 29, 8 x 10mm bore.	Stock	\$51.00

[illegible]

Double Loop Drive Couplings			
DC-DLSS10-02	SureMotion drive coupling, double loop, stainless steel, setscrew, size 10, 1/8in bore.	Stock	\$44.00
DC-DLSS10-03	SureMotion drive coupling, double loop, stainless steel, setscrew, size 10, 3/16in bore.	Stock	\$44.00
DC-DLSS10-06M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 10, 6mm bore.	Stock	\$44.00
DC-DLSS10-04	SureMotion drive coupling, double loop, stainless steel, setscrew, size 10, 1/4in bore.	Stock	\$44.00
DC-DLSS10-05	SureMotion drive coupling, double loop, stainless steel, setscrew, size 10, 5/16in bore.	Stock	\$43.00
DC-DLSS10-08M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 10, 8mm bore.	Stock	\$42.00
DC-DLSS20-04	SureMotion drive coupling, double loop, stainless steel, setscrew, size 20, 1/4in bore.	Stock	\$49.00
DC-DLSS20-05	SureMotion drive coupling, double loop, stainless steel, setscrew, size 20, 5/16in bore.	Stock	\$49.00
DC-DLSS20-08M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 20, 8mm bore.	Stock	\$49.00
DC-DLSS20-06	SureMotion drive coupling, double loop, stainless steel, setscrew, size 20, 3/8in bore.	Stock	\$49.00
DC-DLSS20-12M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 20, 12mm bore.	Stock	\$49.00
DC-DLSS20-08	SureMotion drive coupling, double loop, stainless steel, setscrew, size 20, 1/2in bore.	Stock	\$49.00
DC-DLSS30-12M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 30, 12mm bore.	Stock	\$55.00
DC-DLSS30-08	SureMotion drive coupling, double loop, stainless steel, setscrew, size 30, 1/2in bore.	Stock	\$55.00
DC-DLSS30-14M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 30, 14mm bore.	Stock	\$55.00
DC-DLSS30-10	SureMotion drive coupling, double loop, stainless steel, setscrew, size 30, 5/8in bore.	Stock	\$55.00
DC-DLSS40-08	SureMotion drive coupling, double loop, stainless steel, setscrew, size 40, 1/2in bore.	Stock	\$60.50
DC-DLSS40-14M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 40, 14mm bore.	Stock	\$60.50
DC-DLSS40-10	SureMotion drive coupling, double loop, stainless steel, setscrew, size 40, 5/8in bore.	Stock	\$60.50
DC-DLSS40-16M	SureMotion drive coupling, double loop, stainless steel, setscrew, size 40, 16mm bore.	Stock	\$60.50
Bore Reducers			
DC-BRS04-02	SureMotion bore reducer, clamping, stainless steel body, 1/4in outside diameter, 1/8in inside diameter.	Stock	\$27.50
DC-BRS04-04M	SureMotion bore reducer, clamping, stainless steel body, 1/4in outside diameter, 4mm inside diameter.	Stock	\$27.50
DC-BRS04-03	SureMotion bore reducer, clamping, stainless steel body, 1/4in outside diameter, 3/16in inside diameter.	Stock	\$27.50
DC-BRS04-05M	SureMotion bore reducer, clamping, stainless steel body, 1/4in outside diameter, 5mm inside diameter.	Stock	\$27.50
DC-BRS08-06M	SureMotion bore reducer, clamping, stainless steel body, 1/2in outside diameter, 6mm inside diameter.	Stock	\$36.00
DC-BRS08-04	SureMotion bore reducer, clamping, stainless steel body, 1/2in outside diameter, 1/4in inside diameter.	Stock	\$36.00
DC-BRS08-05	SureMotion bore reducer, clamping, stainless steel body, 1/2in outside diameter, 5/16in inside diameter.	Stock	\$37.00
DC-BRS08-08M	SureMotion bore reducer, clamping, stainless steel body, 1/2in outside diameter, 8mm inside diameter.	Stock	\$36.00
DC-BRS08-06	SureMotion bore reducer, clamping, stainless steel body, 1/2in outside diameter, 3/8in inside diameter.	Stock	\$37.00
DC-BRS08-10M	SureMotion bore reducer, clamping, stainless steel body, 1/2in outside diameter, 10mm inside diameter.	Stock	\$37.00
DC-BRS10-10M	SureMotion bore reducer, clamping, stainless steel body, 5/8in outside diameter, 10mm inside diameter.	Stock	\$42.05
DC-BRS10-07	SureMotion bore reducer, clamping, stainless steel body, 5/8in outside diameter, 7/16in inside diameter.	Stock	\$42.05
DC-BRS10-12M	SureMotion bore reducer, clamping, stainless steel body, 5/8in outside diameter, 12mm inside diameter.	Stock	\$42.05
DC-BRS10-08	SureMotion bore reducer, clamping, stainless steel body, 5/8in outside diameter, 1/2in inside diameter.	Stock	\$42.05
DC-BRS10-14M	SureMotion bore reducer, clamping, stainless steel body, 5/8in outside diameter, 14mm inside diameter.	Stock	\$42.05
DC-BRS10-09	SureMotion bore reducer, clamping, stainless steel body, 5/8in outside diameter, 9/16in inside diameter.	Stock	\$42.05
DC-BRS12-06	SureMotion bore reducer, clamping, stainless steel body, 3/4in outside diameter, 3/8in inside diameter.	Stock	\$50.00
DC-BRS12-12M	SureMotion bore reducer, clamping, stainless steel body, 3/4in outside diameter, 12mm inside diameter.	Stock	\$50.00
DC-BRS12-08	SureMotion bore reducer, clamping, stainless steel body, 3/4in outside diameter, 1/2in inside diameter.	Stock	\$50.00

DC-BRS12-10	SureMotion bore reducer, clamping, stainless steel body, 3/4in outside diameter, 5/8in inside diameter.	Stock	\$50.00
DC-BRS12-16M	SureMotion bore reducer, clamping, stainless steel body, 3/4in outside diameter, 16mm inside diameter.	Stock	\$50.00
DC-BRS12-11	SureMotion bore reducer, clamping, stainless steel body, 3/4in outside diameter, 11/16in inside diameter.	Stock	\$50.00
DC-BRS14-14M	SureMotion bore reducer, clamping, stainless steel body, 7/8in outside diameter, 14mm inside diameter.	Stock	\$54.00
DC-BRS14-10	SureMotion bore reducer, clamping, stainless steel body, 7/8in outside diameter, 5/8in inside diameter.	Stock	\$54.00
DC-BRS14-16M	SureMotion bore reducer, clamping, stainless steel body, 7/8in outside diameter, 16mm inside diameter.	Stock	\$54.00
DC-BRS14-11	SureMotion bore reducer, clamping, stainless steel body, 7/8in outside diameter, 11/16in inside diameter.	Stock	\$54.00
DC-BRS14-18M	SureMotion bore reducer, clamping, stainless steel body, 7/8in outside diameter, 18mm inside diameter.	Stock	\$54.00
DC-BRS14-12	SureMotion bore reducer, clamping, stainless steel body, 7/8in outside diameter, 3/4in inside diameter.	Stock	\$54.00
DC-BRS16-10	SureMotion bore reducer, clamping, stainless steel body, 1in outside diameter, 5/8in inside diameter.	Stock	\$54.00
DC-BRS16-18M	SureMotion bore reducer, clamping, stainless steel body, 1in outside diameter, 18mm inside diameter.	Stock	\$55.00
DC-BRS16-12	SureMotion bore reducer, clamping, stainless steel body, 1in outside diameter, 3/4in inside diameter.	Stock	\$33.00
DC-BRS16-20M	SureMotion bore reducer, clamping, stainless steel body, 1in outside diameter, 20mm inside diameter.	Stock	\$33.00
DC-BRS16-13	SureMotion bore reducer, clamping, stainless steel body, 1in outside diameter, 13/16in inside diameter.	Stock	\$55.00
DC-BRS16-14	SureMotion bore reducer, clamping, stainless steel body, 1in outside diameter, 7/8in inside diameter.	Stock	\$55.00
DC-BRS20-22M	SureMotion bore reducer, clamping, stainless steel body, 1-1/4in outside diameter, 22mm inside diameter.	Stock	\$56.00
DC-BRS20-24M	SureMotion bore reducer, clamping, stainless steel body, 1-1/4in outside diameter, 24mm inside diameter.	Stock	\$56.00
DC-BRS20-25M	SureMotion bore reducer, clamping, stainless steel body, 1-1/4in outside diameter, 25mm inside diameter.	Stock	\$56.00
DC-BRS20-16	SureMotion bore reducer, clamping, stainless steel body, 1-1/4in outside diameter, 1in inside diameter.	Stock	\$56.00
DC-BRS20-17	SureMotion bore reducer, clamping, stainless steel body, 1-1/4in outside diameter, 1-1/16in inside diameter.	Stock	\$56.00
DC-BRS20-18	SureMotion bore reducer, clamping, stainless steel body, 1-1/4in outside diameter, 1-1/8in inside diameter.	Stock	\$56.00
LS XGB PLC Motion Components			
XBF-HD02A	LS Electric XGB counter input module, 500 kHz maximum switching frequency, 2 high-speed input point(s), 5-24 VDC, sinking, 2-channel, differential encoder input(s), 2 high-speed output point(s), 5-24 VDC, sinking, external 24 VDC required.	Stock	\$279.00
SureServo2 Drives, Motors and Cables (115/230V)			
SV2A-2040	SureServo2 servo drive, 400W, 110/230 VAC, 1 and 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 100W-400W systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$421.00
SV2A-2075	SureServo2 servo drive, 750W, 110/230 VAC, 1 and 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 750W systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$525.00
SV2A-2150	SureServo2 servo drive, 1.5 kW, 110/230 VAC, 1 and 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 1 kW and 1.5 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$560.00
SV2A-2200	SureServo2 servo drive, 2 kW, 110/230 VAC, 1 and 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 2 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$658.00
SV2A-2300	SureServo2 servo drive, 3 kW, 230 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 3 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$726.00
SV2A-2550	SureServo2 servo drive, 5.5 kW, 230 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 4.5 kW and 5.5 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$920.00
SV2A-2750	SureServo2 servo drive, 7.5 kW, 230 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 7.5 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,075.00
SV2A-2F00	SureServo2 servo drive, 15 kW, 230 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 11 kW and 15 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,405.00
SV2L-201N	SureServo2 low inertia AC brushless servo motor, 100W, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2040 400W drive.	Stock	\$315.00
SV2L-201B	SureServo2 low inertia AC brushless servo motor, 100W, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2040 400W drive.	Stock	\$461.00
SV2L-202N	SureServo2 low inertia AC brushless servo motor, 200W, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2040 400W drive.	Stock	\$347.00
SV2L-202B	SureServo2 low inertia AC brushless servo motor, 200W, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2040 400W drive.	Stock	\$512.00

<u>SV2L-204N</u>	SureServo2 low inertia AC brushless servo motor, 400W, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2040 400W drive.	Stock	\$374.00
<u>SV2L-204B</u>	SureServo2 low inertia AC brushless servo motor, 400W, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2040 400W drive.	Stock	\$527.00
<u>SV2L-207N</u>	SureServo2 low inertia AC brushless servo motor, 750W, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2075 750W drive.	Stock	\$400.00
<u>SV2L-207B</u>	SureServo2 low inertia AC brushless servo motor, 750W, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2075 750W drive.	Stock	\$561.00
<u>SV2L-210N</u>	SureServo2 low inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2150 1.5 kW drive.	Stock	\$525.00
<u>SV2L-210B</u>	SureServo2 low inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2150 1.5 kW drive.	Stock	\$772.00
<u>SV2M-210N</u>	SureServo2 medium inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2150 1.5 kW drive.	Stock	\$547.00
<u>SV2M-210B</u>	SureServo2 medium inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2150 1.5 kW drive.	Stock	\$782.00
<u>SV2M-215N</u>	SureServo2 medium inertia AC brushless servo motor, 1.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2150 1.5 kW drive.	Stock	\$591.00
<u>SV2M-215B</u>	SureServo2 medium inertia AC brushless servo motor, 1.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2150 1.5 kW drive.	Stock	\$875.00
<u>SV2M-220N</u>	SureServo2 medium inertia AC brushless servo motor, 2 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2200 2 kW drive.	Stock	\$716.00
<u>SV2M-220B</u>	SureServo2 medium inertia AC brushless servo motor, 2 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2200 2 kW drive.	Stock	\$949.00
<u>SV2M-230N</u>	SureServo2 medium inertia AC brushless servo motor, 3 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2300 3 kW drive.	Stock	\$809.00
<u>SV2M-230B</u>	SureServo2 medium inertia AC brushless servo motor, 3 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2300 3 kW drive.	Stock	\$1,042.00
<u>SV2H-245N</u>	SureServo2 high inertia AC brushless servo motor, 4.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2550 5.5 kW drive.	Stock	\$1,002.00
<u>SV2H-245B</u>	SureServo2 high inertia AC brushless servo motor, 4.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2550 5.5 kW drive.	Stock	\$1,557.00
<u>SV2H-255N</u>	SureServo2 high inertia AC brushless servo motor, 5.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2550 5.5 kW drive.	Stock	\$1,155.00
<u>SV2H-255B</u>	SureServo2 high inertia AC brushless servo motor, 5.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2550 5.5 kW drive.	Stock	\$1,725.00
<u>SV2H-275N</u>	SureServo2 high inertia AC brushless servo motor, 7.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2750 7.5 kW drive.	Stock	\$1,400.00
<u>SV2H-275B</u>	SureServo2 high inertia AC brushless servo motor, 7.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2750 7.5 kW drive.	Stock	\$2,188.00
<u>SV2H-2B0N</u>	SureServo2 high inertia AC brushless servo motor, 11 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2F00 15 kW drive.	Stock	\$2,152.00
<u>SV2H-2B0B</u>	SureServo2 high inertia AC brushless servo motor, 11 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2F00 15 kW drive.	Stock	\$2,950.00
<u>SV2H-2F0N</u>	SureServo2 high inertia AC brushless servo motor, 15 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-2F00 15 kW drive.	Stock	\$2,483.00
<u>SV2H-2F0B</u>	SureServo2 high inertia AC brushless servo motor, 15 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-2F00 15 kW drive.	Stock	\$3,400.00

SureServo2 Drives, Motors and Cables (460V)

<u>SV2A-4040</u>	SureServo2 servo drive, 400W, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 400W systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$506.00
<u>SV2A-4075</u>	SureServo2 servo drive, 750W, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 750W systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$534.00
<u>SV2A-4150</u>	SureServo2 servo drive, 1.5 kW, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 1 kW and 1.5 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$732.00
<u>SV2A-4200</u>	SureServo2 servo drive, 2 kW, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 2 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$713.00
<u>SV2A-4300</u>	SureServo2 servo drive, 3 kW, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 3 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$803.00
<u>SV2A-4550</u>	SureServo2 servo drive, 5.5 kW, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 4.5 kW and 5.5 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$920.00
<u>SV2A-4750</u>	SureServo2 servo drive, 7.5 kW, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 7.5 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,155.00

<u>SV2A-4F00</u>	SureServo2 servo drive, 15 kW, 460 VAC, 3-phase, (1) RS-485 (RJ45) port(s), Modbus RTU and Modbus ASCII. For use with 11 kW and 15 kW systems. Optional EtherNet/IP and Modbus TCP cards available.	Stock	\$1,499.00
<u>SV2L-404N</u>	SureServo2 low inertia AC brushless servo motor, 400W, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4040 400W drive.	Stock	\$396.00
<u>SV2L-404B</u>	SureServo2 low inertia AC brushless servo motor, 400W, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4040 400W drive.	Stock	\$567.00
<u>SV2L-407N</u>	SureServo2 low inertia AC brushless servo motor, 750W, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4075 750W drive.	Stock	\$427.00
<u>SV2L-407B</u>	SureServo2 low inertia AC brushless servo motor, 750W, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4075 750W drive.	Stock	\$611.00
<u>SV2L-410N</u>	SureServo2 low inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4150 1.5 kW drive.	Stock	\$556.00
<u>SV2L-410B</u>	SureServo2 low inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4150 1.5 kW drive.	Stock	\$820.00
<u>SV2M-410N</u>	SureServo2 medium inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4150 1.5 kW drive.	Stock	\$583.00
<u>SV2M-410B</u>	SureServo2 medium inertia AC brushless servo motor, 1 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4150 1.5 kW drive.	Stock	\$842.00
<u>SV2L-415N</u>	SureServo2 low inertia AC brushless servo motor, 1.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4150 1.5 kW drive.	Stock	\$638.00
<u>SV2L-415B</u>	SureServo2 low inertia AC brushless servo motor, 1.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4150 1.5 kW drive.	Stock	\$941.00
<u>SV2L-420N</u>	SureServo2 low inertia AC brushless servo motor, 2 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4200 2 kW drive.	Stock	\$756.00
<u>SV2L-420B</u>	SureServo2 low inertia AC brushless servo motor, 2 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4200 2 kW drive.	Stock	\$989.00
<u>SV2H-430N</u>	SureServo2 high inertia AC brushless servo motor, 3 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4300 3 kW drive.	Stock	\$905.00
<u>SV2H-430B</u>	SureServo2 high inertia AC brushless servo motor, 3 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4300 3 kW drive.	Stock	\$1,101.00
<u>SV2H-445N</u>	SureServo2 high inertia AC brushless servo motor, 4.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4550 5.5 kW drive.	Stock	\$1,033.00
<u>SV2H-445B</u>	SureServo2 high inertia AC brushless servo motor, 4.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4550 5.5 kW drive.	Stock	\$1,602.00
<u>SV2H-455N</u>	SureServo2 high inertia AC brushless servo motor, 5.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4550 5.5 kW drive.	Stock	\$1,190.00
<u>SV2H-455B</u>	SureServo2 high inertia AC brushless servo motor, 5.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4550 5.5 kW drive.	Stock	\$1,775.00
<u>SV2H-475N</u>	SureServo2 high inertia AC brushless servo motor, 7.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4750 7.5 kW drive.	Stock	\$1,442.00
<u>SV2H-475B</u>	SureServo2 high inertia AC brushless servo motor, 7.5 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4750 7.5 kW drive.	Stock	\$2,252.00
<u>SV2H-4B0N</u>	SureServo2 high inertia AC brushless servo motor, 11 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4F00 15 kW drive.	Stock	\$2,215.00
<u>SV2H-4B0B</u>	SureServo2 high inertia AC brushless servo motor, 11 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4F00 15 kW drive.	Stock	\$3,036.00
<u>SV2H-4F0N</u>	SureServo2 high inertia AC brushless servo motor, 15 kW, 3-phase input, 24-bit (16777216 ppr) encoder. For use with SureServo2 SV2A-4F00 15 kW drive.	Stock	\$2,556.00
<u>SV2H-4F0B</u>	SureServo2 high inertia AC brushless servo motor, 15 kW, 3-phase input, 24-bit (16777216 ppr) encoder, integrated brake. For use with SureServo2 SV2A-4F00 15 kW drive.	Stock	\$3,500.00
CN1 I/O Components for SureServo2 Drive Systems			
<u>SV2-CN1-RTB50</u>	SureServo2 feedthrough module, 50-pole, DIN rail mount. For use with all SureServo2 drives.	Stock	\$78.00
<u>SV2-CN1-LTB20</u>	SureServo2 feedthrough module, 20-pole, direct mount. For use with all SureServo2 drives.	Stock	\$59.00
Accessories for SureServo2 Drive Systems			
<u>SV2-PRO</u>	SureServo2 Pro Windows configuration software, USB or free download. For use with all SureServo2 drives. Requires PC USB port.	Stock	\$21.00
<u>SV2-CM-MODTCP</u>	SureServo2 communication module, Modbus TCP, 1 port, (1) Ethernet (RJ45) port(s). For use with all SureServo2 drives.	Stock	\$134.00
<u>SV2-CM-ENETIP</u>	SureServo2 communication module, EtherNet/IP, 1 port, (1) Ethernet (RJ45) port(s). For use with all SureServo2 drives.	Stock	\$143.00
<u>SV2-TOR1</u>	SureServo2 toroid, EMI/RFI filtering, 40mm inside diameter, 72mm outside diameter, 16mm thick. For use with all SureServo2 drives.	Stock	\$19.00

<u>SV2-CN3-CON-2</u>	SureServo2 splitter, (2) RS-485 (RJ45) to (1) RS-485 (RJ45). For use with all SureServo2 drives.	Stock	\$17.00
<u>SV2-CN3-TR2</u>	SureServo2 terminating resistor, 120 ohm, RJ45 8P8C male. For use with all SureServo2 drives.	Stock	\$7.50
<u>SV2-BBOX-1</u>	SureServo2 encoder single battery box, for use with all SureServo2 drives. (1) AA ER14505 lithium battery included.	Stock	\$32.50
Replacement Fans for Servo Drives			
<u>SV2-FAN-1</u>	SureServo2 main cooling fan, replacement, 40 x 40 x 15mm, 12 VDC. For use with SureServo2 SV2A-2075 and SV2A-2150 drives. Electrical connector included.	Stock	\$21.50
<u>SV2-FAN-2</u>	SureServo2 main cooling fan, replacement, 50 x 50 x 20mm, 12 VDC. For use with SureServo2 SV2A-2200 and SV2A-2300 drives. Electrical connector included.	Stock	\$15.50
<u>SV2-FAN-3</u>	SureServo2 main cooling fan, replacement, 50 x 50 x 20mm, 12 VDC. For use with SureServo2 SV2A-4040, SV2A-4075 and SV2A-4150 drives. Electrical connector included.	Stock	\$33.00
<u>SV2-FAN-4</u>	SureServo2 main cooling fan, replacement, 60 x 60 x 25mm, 12 VDC. For use with SureServo2 SV2A-2550, SV2A-4300 and SV2A-4550 drives. Electrical connector included.	Stock	\$35.00
<u>SV2-FAN-5</u>	SureServo2 main cooling fan, replacement, 60 x 60 x 20mm, 12 VDC. For use with SureServo2 SV2A-2550, SV2A-4200 and SV2A-4550 drives. Electrical connector included.	Stock	\$27.50
<u>SV2-FAN-6</u>	SureServo2 main cooling fan, replacement, 70 x 70 x 25mm, 12 VDC. For use with SureServo2 SV2A-2750 and SV2A-4750 drives. Electrical connector included.	Stock	\$39.00
<u>SV2-FAN-7</u>	SureServo2 main cooling fan, replacement, 92 x 92 x 38mm, 24 VDC. For use with SureServo2 SV2A-2F00 drive. Electrical connector included.	Stock	\$66.00
<u>SV2-FAN-8</u>	SureServo2 main cooling fan, replacement, 92 x 92 x 38mm, 12 VDC. For use with SureServo2 SV2A-4F00 drive. Electrical connector included.	Stock	\$55.00
Connector Components for SureServo2 Drive Systems			
<u>SV2-CON-KIT</u>	SureServo2 connector kit, replacement. For use with 400W, 750W and 1.5 kW SureServo2 drives. Includes (1) SV2-CN10-STO STO connector, (2) AC power connectors, (1) power resistor connector, (1) motor power connector and (2) wire insert tools.	Stock	\$31.00
<u>SV2-CN1-CON</u>	SureServo2 I/O connector, 50-pin. For use with all SureServo2 drives.	Stock	\$25.00
<u>SV2-CN10-STO</u>	SureServo2 STO connector, replacement, 8-pin. For use with all SureServo2 drives.	Stock	\$14.50
LS Electric PHOX EtherCAT Servo Motors, Drives and Motor Cables (24-80 VDC)			
<u>PHOX-03-080NS-AD</u>	LS Electric servo drive, 150W, 24-80 VDC, (2) Ethernet 100Base-TX (RJ45) port(s), EtherCAT Slave. For use with 100W systems.	Stock	\$477.00
<u>PHOX-06-080NS-AD</u>	LS Electric servo drive, 300W, 24-80 VDC, (2) Ethernet 100Base-TX (RJ45) port(s), EtherCAT Slave. For use with 200W-300W systems.	Stock	\$499.00
<u>APMC-FAL01AM8N-8-AD</u>	LS Electric low inertia DC brushless servo motor, 100W, 3-phase input, 18-bit (262144 ppr) encoder. For use with LS Electric PHOX-03-080NS-AD 3A drive.	Stock	\$294.00
<u>APMC-FBL01AMK-8-AD</u>	LS Electric low inertia DC brushless servo motor, 100W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric PHOX-03-080NS-AD 3A drive.	Stock	\$297.00
<u>APMC-FBL02AMK-8-AD</u>	LS Electric low inertia DC brushless servo motor, 200W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric PHOX-06-080NS-AD 6A drive.	Stock	\$325.00
<u>APMC-FBL03AMK-8-AD</u>	LS Electric low inertia DC brushless servo motor, 300W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric PHOX-06-080NS-AD 6A drive.	Stock	\$336.00
<u>APMC-FAL01AM8N2-8-AD</u>	LS Electric low inertia DC brushless servo motor, 100W, 3-phase input, 18-bit (262144 ppr) encoder, integrated brake. For use with LS Electric PHOX-03-080NS-AD 3A drive.	Stock	\$506.00
<u>APMC-FBL01AMK2-8-AD</u>	LS Electric low inertia DC brushless servo motor, 100W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric PHOX-03-080NS-AD 3A drive.	Stock	\$512.00
<u>APMC-FBL02AMK2-8-AD</u>	LS Electric low inertia DC brushless servo motor, 200W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric PHOX-06-080NS-AD 6A drive.	Stock	\$534.00
<u>APMC-FBL03AMK2-8-AD</u>	LS Electric low inertia DC brushless servo motor, 300W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric PHOX-06-080NS-AD 6A drive.	Stock	\$545.00
Connector Components for LS Electric PHOX DC Servo Systems			
<u>PHOX-CON-A</u>	AutomationDirect drive power connector, replacement, 8-pin. For use with all LS Electric PHOX series drives.	Stock	\$16.50
<u>PHOX-CON-B</u>	AutomationDirect drive STO connector, replacement, 6-pin. For use with all LS Electric PHOX series drives. Requires PHOX-CON-D drive STO/brake crimp pins.	Stock	\$5.50
<u>PHOX-CON-C</u>	AutomationDirect drive brake connector, replacement, 4-pin. For use with all LS Electric PHOX series drives. Requires PHOX-CON-D drive STO/brake crimp pins.	Stock	\$5.50
<u>PHOX-CON-D</u>	AutomationDirect drive STO/brake crimp pins, replacement. Package of 10. For use with all LS Electric PHOX series drives.	Stock	\$10.00
<u>PHOX-CON-E</u>	AutomationDirect drive encoder connector, 15-pin. For use with all LS Electric PHOX series drives.	Stock	\$11.00

LS Electric iX7NH Series Drives, Motors and Cables (115/230V)			
IX7NHA004U-AD	LS Electric servo drive, 400W, 110/230 VAC, 1 and 3-phase, (2) Ethernet 100Base-TX (RJ45) port(s), EtherCAT Slave and Modbus TCP. For use with 100W-400W systems.	Stock	\$561.00
IX7NHA008U-AD	LS Electric servo drive, 750W, 230 VAC, 1 and 3-phase, (2) Ethernet 100Base-TX (RJ45) port(s), EtherCAT Slave and Modbus TCP. For use with 750W systems.	Stock	\$691.00
IX7NHA010U-AD	LS Electric servo drive, 1 kW, 230 VAC, 1 and 3-phase, (2) Ethernet 100Base-TX (RJ45) port(s), EtherCAT Slave and Modbus TCP. For use with 1 kW systems.	Stock	\$703.00
IX7NHA020U-AD	LS Electric servo drive, 2 kW, 230 VAC, 1 and 3-phase, (2) Ethernet 100Base-TX (RJ45) port(s), EtherCAT Slave and Modbus TCP. For use with 1 kW 1-phase and 1.5 kW-2.2 kW 3-phase systems.	Stock	\$793.00
IX7NHA035U-AD	LS Electric servo drive, 3.5 kW, 230 VAC, 1 and 3-phase, (2) Ethernet 100Base-TX (RJ45) port(s), EtherCAT Slave and Modbus TCP. For use with 1.5 kW-2.2 kW 1-phase and 3.5 kW 3-phase systems.	Stock	\$823.00
CN1 I/O Components for iX7NH Series Servo Systems			
APCS-L7NCN1T-AD	LS Electric CN1 feedthrough terminal block, 20-pole, DIN rail mount. For use with all LS Electric iX7 series drives. 1.6ft/0.5m control cable included.	Stock	\$64.00
APCS-L7NCN1T01-AD	LS Electric CN1 feedthrough terminal block, 20-pole, DIN rail mount. For use with all LS Electric iX7 series drives. 3.2ft/1m control cable included.	Stock	\$67.00
APCS-L7NCN1T015-AD	LS Electric CN1 feedthrough terminal block, 20-pole, DIN rail mount. For use with all LS Electric iX7 series drives. 4.9ft/1.5m control cable included.	Stock	\$69.00
APCS-L7NCN1T02-AD	LS Electric CN1 feedthrough terminal block, 20-pole, DIN rail mount. For use with all LS Electric iX7 series drives. 6.5ft/2m control cable included.	Stock	\$72.00
Connector Components for LS Electric iX7NH Series Servo Systems			
APC-CN2NNA-AD	LS Electric I/O connector, replacement, 20-pin. For use with all LS Electric iX7 series drives.	Stock	\$28.50
APCS-CN6K-AD	LS Electric STO connector, replacement, 6-pin. For use with all LS Electric iX7 series drives.	Stock	\$33.50
APC-CN3NNA-AD	LS Electric drive encoder connector, 14-pin. For use with all LS Electric L7C, L7P and iX7 series drives.	Stock	\$35.50
APC-EF00BS-AD	LS Electric motor encoder connector, 17-pin. For use with all LS Electric APM-FE and APM-FF series motors.	Stock	\$22.50
IX7-CON-A	AutomationDirect drive power connector, replacement, 11-pin. For use with LS Electric iX7 series 400W, 800W and 1 kW drives.	Stock	\$21.00
IX7-CON-B	AutomationDirect drive power connector, replacement, 4-pin. For use with LS Electric iX7 series 400W, 800W and 1 kW drives.	Stock	\$21.00
IX7-CON-C	AutomationDirect drive power connector release, replacement. For use with LS Electric iX7 series 400W, 800W and 1 kW drives.	Stock	\$10.00
IX7-CON-D	AutomationDirect drive power connector, replacement, 4-pin. For use with LS Electric iX7 series 2 kW and 3.5 kW drives.	Stock	\$21.00
IX7-CON-E	AutomationDirect drive power connector, replacement, 5-pin. For use with LS Electric iX7 series 2 kW and 3.5 kW drives.	Stock	\$21.00
IX7-CON-F	AutomationDirect drive power connector, replacement, 6-pin. For use with LS Electric iX7 series 2 kW and 3.5 kW drives.	Stock	\$21.00
L7P-CON-E	AutomationDirect drive analog monitor crimp pins, package of 5. For use with all LS Electric L7P and iX7 series drives. Requires L7P-CON-F drive analog monitor crimp connector.	Stock	\$0.75
L7P-CON-F	AutomationDirect drive analog monitor crimp connector, 4-pin. For use with all LS Electric L7P and iX7 series drives. Requires L7P-CON-E drive analog monitor crimp pins.	Stock	\$2.25
L7P-CON-G	AutomationDirect drive analog monitor IDC connector, 4-pin. For use with all LS Electric L7P and iX7 series drives.	Stock	\$2.25
LS Electric L7CA Series Servo System Components			
L7CA004U-AD	LS Electric servo drive, 400W, 230 VAC, 1-phase, (1) RS-422/RS-485 (CN1) port(s), Modbus RTU. For use with 100W-400W systems.	Stock	\$325.00
L7CA010U-AD	LS Electric servo drive, 1 kW, 230 VAC, 1-phase, (1) RS-422/RS-485 (CN1) port(s), Modbus RTU. For use with 750W-1 kW systems.	Stock	\$408.00
APMC-FBL01AYK-AD	LS Electric low inertia AC brushless servo motor, 100W, 3-phase input, 17-bit (131072 ppr) encoder. For use with LS Electric L7C L7CA004U-AD 400W drive.	Stock	\$238.00
APMC-FBL01AYK2-AD	LS Electric low inertia AC brushless servo motor, 100W, 3-phase input, 17-bit (131072 ppr) encoder, integrated brake. For use with LS Electric L7C L7CA004U-AD 400W drive.	Stock	\$438.00
APMC-FBL02AYK-AD	LS Electric low inertia AC brushless servo motor, 200W, 3-phase input, 17-bit (131072 ppr) encoder. For use with LS Electric L7C L7CA004U-AD 400W drive.	Stock	\$281.00
APMC-FBL02AYK2-AD	LS Electric low inertia AC brushless servo motor, 200W, 3-phase input, 17-bit (131072 ppr) encoder, integrated brake. For use with LS Electric L7C L7CA004U-AD 400W drive.	Stock	\$492.00
APMC-FBL04AYK-AD	LS Electric low inertia AC brushless servo motor, 400W, 3-phase input, 17-bit (131072 ppr) encoder. For use with LS Electric L7C L7CA004U-AD 400W drive.	Stock	\$295.00
APMC-FBL04AYK2-AD	LS Electric low inertia AC brushless servo motor, 400W, 3-phase input, 17-bit (131072 ppr) encoder, integrated brake. For use with LS Electric L7C L7CA004U-AD 400W drive.	Stock	\$503.00

<u>APMC-FCL08AYK-AD</u>	LS Electric low inertia AC brushless servo motor, 750W, 3-phase input, 17-bit (131072 ppr) encoder. For use with LS Electric L7C L7CA010U-AD 1 kW drive.	Stock	\$349.00
<u>APMC-FCL08AYK2-AD</u>	LS Electric low inertia AC brushless servo motor, 750W, 3-phase input, 17-bit (131072 ppr) encoder, integrated brake. For use with LS Electric L7C L7CA010U-AD 1 kW drive.	Stock	\$549.00
<u>APMC-FCL10AYK-AD</u>	LS Electric low inertia AC brushless servo motor, 1 kW, 3-phase input, 17-bit (131072 ppr) encoder. For use with LS Electric L7C L7CA010U-AD 1 kW drive.	Stock	\$426.00
<u>APMC-FCL10AYK2-AD</u>	LS Electric low inertia AC brushless servo motor, 1 kW, 3-phase input, 17-bit (131072 ppr) encoder, integrated brake. For use with LS Electric L7C L7CA010U-AD 1 kW drive.	Stock	\$645.00
Accessories for LS Electric L7CA Series Drive Systems			
<u>APCS-140R50-AD</u>	LS Electric braking resistor, 140W, 50 ohm, encapsulated. For use with 400W LS Electric drives.	Stock	\$21.00
<u>APCS-300R30-AD</u>	LS Electric braking resistor, 300W, 30 ohm, encapsulated. For use with all LS Electric 230 VAC 750W and 1 kW drives.	Stock	\$27.00
<u>TB1-10A0D0</u>	LS Electric EMI input filter, 250 VAC, 1-phase, 10A, panel mount, EMI/RFI filtering, 2-stage, drive rated, standard performance, screw terminals. For use with 1-phase AC drives.	Stock	\$76.00
<u>TB6-B010LBEI</u>	LS Electric EMI input filter, 440 VAC, 3-phase, 10A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals. For use with 1-phase or 3-phase AC drives.	Stock	\$98.00
Connector Components for LS Electric L7CA Series Drive Systems			
<u>5452573</u>	AutomationDirect drive power connector, replacement, 7-pin. For use with all LS Electric L7C series drives.	Stock	\$10.00
LS Electric L7PA Series 230V Servo Motors, Drives and Motor Cables			
<u>L7PA004U-AD</u>	LS Electric servo drive, 400W, 230 VAC, 1 and 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 100W-400W systems.	Stock	\$446.00
<u>L7PA010U-AD</u>	LS Electric servo drive, 1 kW, 230 VAC, 1 and 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 750W and 1 kW systems.	Stock	\$559.00
<u>L7PA020U-AD</u>	LS Electric servo drive, 2 kW, 230 VAC, 1 and 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 1 kW 1-phase and 1.5 kW-2.2 kW 3-phase systems.	Stock	\$714.00
<u>L7PA035U-AD</u>	LS Electric servo drive, 3.5 kW, 230 VAC, 1 and 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 1.5 kW-2.2 kW 1-phase and 3.5 kW systems 3-phase systems.	Stock	\$733.00
<u>L7PA050U-AD</u>	LS Electric servo drive, 5 kW, 230 VAC, 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 5 kW and 5.5 kW systems.	Stock	\$1,060.00
<u>L7PA075U-AD</u>	LS Electric servo drive, 7.5 kW, 230 VAC, 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 7.5 kW systems.	Stock	\$1,517.00
<u>APMC-FBL01AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 100W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA004U-AD and iX7NHA004U-AD 400W drives.	Stock	\$309.00
<u>APMC-FBL01AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 100W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA004U-AD and iX7NHA004U-AD 400W drives.	Stock	\$556.00
<u>APMC-FBL02AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 200W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA004U-AD and iX7NHA004U-AD 400W drives.	Stock	\$361.00
<u>APMC-FBL02AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 200W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA004U-AD and iX7NHA004U-AD 400W drives.	Stock	\$583.00
<u>APMC-FBL04AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 400W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA004U-AD and iX7NHA004U-AD 400W drives.	Stock	\$373.00
<u>APMC-FBL04AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 400W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA004U-AD and iX7NHA004U-AD 400W drives.	Stock	\$595.00
<u>APMC-FCL08AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 750W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA010U-AD 1 kW drive and iX7NHA008U-AD 750W drives.	Stock	\$458.00
<u>APMC-FCL08AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 750W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA010U-AD 1 kW drive and iX7NHA008U-AD 750W drives.	Stock	\$684.00
<u>APMC-FCL10AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 1 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA010U-AD and iX7NHA010U-AD 1 kW drives and L7PA020U-AD and iX7NHA020U-AD 2 kW drives with 1-phase input.	Stock	\$508.00
<u>APMC-FCL10AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 1 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA010U-AD and iX7NHA010U-AD 1 kW drives and L7PA020U-AD and iX7NHA020U-AD 2 kW drives with 1-phase input.	Stock	\$725.00
<u>APM-FE15AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 1.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA020U-AD and iX7NHA020U-AD with 3-phase input and L7PA035U-AD and iX7NHA035U-AD with 1-phase input.	Stock	\$729.00
<u>APM-FE15AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 1.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA020U-AD and iX7NHA020U-AD with 3-phase input and L7PA035U-AD and iX7NHA035U-AD with 1-phase input.	Stock	\$957.00
<u>APM-FE16DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 1.6 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA020U-AD and iX7NHA020U-AD with 3-phase input and L7PA035U-AD and iX7NHA035U-AD with 1-phase input.	Stock	\$782.00

<u>APM-FE16DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 1.6 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA020U-AD and iX7NHA020U-AD with 3-phase input and L7PA035U-AD and iX7NHA035U-AD with 1-phase input.	Stock	\$1,012.00
<u>APM-FE22DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 2.2 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA020U-AD and iX7NHA020U-AD with 3-phase input and L7PA035U-AD and iX7NHA035U-AD with 1-phase input.	Stock	\$719.00
<u>APM-FE22DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 2.2 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA020U-AD and iX7NHA020U-AD with 3-phase input and L7PA035U-AD and iX7NHA035U-AD with 1-phase input.	Stock	\$922.00
<u>APM-FF35DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 3.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA035U-AD and iX7NHA035U-AD 3.5 kW drives with 3-phase input.	Stock	\$945.00
<u>APM-FF35DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 3.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA035U-AD and iX7NHA035U-AD 3.5 kW drives with 3-phase input.	Stock	\$1,224.00
<u>APM-FF55DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 5.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA050U-AD 5 kW drive.	Stock	\$1,045.00
<u>APM-FF55DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 5.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA050U-AD 5 kW drive.	Stock	\$1,317.00
<u>APM-FF75DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 7.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PA075U-AD 7.5 kW drive.	Stock	\$1,238.00
<u>APM-FF75DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 7.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PA075U-AD 7.5 kW drive.	Stock	\$1,500.00
LS Electric L7PB Series 460V Servo Motors, Drives and Motor Cables			
<u>L7PB010U-AD</u>	LS Electric servo drive, 1 kW, 460 VAC, 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 900W-1 kW systems.	Stock	\$617.00
<u>L7PB020U-AD</u>	LS Electric servo drive, 2 kW, 460 VAC, 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 1.5 kW-2.2 kW systems.	Stock	\$739.00
<u>L7PB035U-AD</u>	LS Electric servo drive, 3.5 kW, 460 VAC, 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 3.5 kW systems.	Stock	\$761.00
<u>L7PB050U-AD</u>	LS Electric servo drive, 5 kW, 460 VAC, 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 5 kW and 5.5 kW systems.	Stock	\$1,063.00
<u>L7PB075U-AD</u>	LS Electric servo drive, 7.5 kW, 460 VAC, 3-phase, (2) RS-422/RS-485 (RJ45) port(s), Modbus RTU. For use with 7.5 kW systems.	Stock	\$1,201.00
<u>APM-FEP09AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 900W, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PB010U-AD 1 kW drive.	Stock	\$669.00
<u>APM-FEP09AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 900W, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PB010U-AD 1 kW drive.	Stock	\$899.00
<u>APM-FEP15AMK-AD</u>	LS Electric low inertia AC brushless servo motor, 1.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PB020U-AD 2 kW drive.	Stock	\$732.00
<u>APM-FEP15AMK2-AD</u>	LS Electric low inertia AC brushless servo motor, 1.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PB020U-AD 2 kW drive.	Stock	\$994.00
<u>APM-FEP16DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 1.6 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PB020U-AD 2 kW drive.	Stock	\$791.00
<u>APM-FEP16DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 1.6 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PB020U-AD 2 kW drive.	Stock	\$1,054.00
<u>APM-FEP22DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 2.2 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PB020U-AD 2 kW drive.	Stock	\$727.00
<u>APM-FEP22DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 2.2 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PB020U-AD 2 kW drive.	Stock	\$930.00
<u>APM-FFP35DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 3.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PB035U-AD 3.5 kW drive.	Stock	\$945.00
<u>APM-FFP35DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 3.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PB035U-AD 3.5 kW drive.	Stock	\$1,240.00
<u>APM-FFP55DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 5.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PB050U-AD 5 kW drive.	Stock	\$1,041.00
<u>APM-FFP55DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 5.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PB050U-AD 5 kW drive.	Stock	\$1,312.00
<u>APM-FFP75DMK-AD</u>	LS Electric medium inertia AC brushless servo motor, 7.5 kW, 3-phase input, 19-bit (524288 ppr) encoder. For use with LS Electric L7PB075U-AD 7.5 kW drive.	Stock	\$1,241.00
<u>APM-FFP75DMK2-AD</u>	LS Electric medium inertia AC brushless servo motor, 7.5 kW, 3-phase input, 19-bit (524288 ppr) encoder, integrated brake. For use with LS Electric L7PB075U-AD 7.5 kW drive.	Stock	\$1,504.00
Accessories for LS Electric L7P Series Servo Drive Systems			
<u>APC-600R30-AD</u>	LS Electric braking resistor, 600W, 30 ohm, encapsulated. For use with LS Electric 230 VAC 2 kW and 3.5 kW drives. Requires (2) customer-supplied M5 screws and cable lugs.	Stock	\$48.00

<u>APC-600R28-AD</u>	LS Electric braking resistor, 600W, 28 ohm, encapsulated. For use with LS Electric 230 VAC 5.5 kW and 7.5 kW drives. Requires (2) customer-supplied M5 screws and cable lugs.	Stock	\$73.00
<u>APCS-300R82-AD</u>	LS Electric braking resistor, 300W, 82 ohm, encapsulated. For use with LS Electric 460 VAC 1 kW drives.	Stock	\$18.00
<u>APCS-600R140-AD</u>	LS Electric braking resistor, 600W, 140 ohm, encapsulated. For use with LS Electric 460 VAC 2 kW and 3.5 kW drives. Requires (2) customer-supplied M5 screws and cable lugs.	Stock	\$48.00
<u>APCS-600R75-AD</u>	LS Electric braking resistor, 600W, 75 ohm, encapsulated. For use with LS Electric 460 VAC 5.5 kW and 7.5 kW drives. Requires (2) customer-supplied M5 screws and cable lugs.	Stock	\$48.00
<u>TB6-B020NBDC</u>	LS Electric EMI input filter, 550 VAC, 3-phase, 20A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals. For use with 1-phase or 3-phase AC drives.	Stock	\$124.00
<u>TB6-B030NBDC</u>	LS Electric EMI input filter, 550 VAC, 3-phase, 30A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals. For use with 1-phase or 3-phase AC drives.	Stock	\$118.00
<u>TB6-B040AS</u>	LS Electric EMI input filter, 550 VAC, 3-phase, 40A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals. For use with 1-phase or 3-phase AC drives.	Stock	\$204.00
<u>TB6-B060LAS</u>	LS Electric EMI input filter, 550 VAC, 3-phase, 60A, panel mount, EMI/RFI filtering, drive rated, standard performance, screw terminals. For use with 1-phase or 3-phase AC drives.	Stock	\$354.00

Connector Components for LS Electric L7P Series Servo Drive Systems

<u>APC-CN1NNA-AD</u>	LS Electric I/O connector, 50-pin. For use with all LS Electric L7C and L7P series drives.	Stock	\$35.50
<u>APCS-BATT36-AD</u>	LS Electric battery, replacement. For use with LS Electric encoder feedback cables for 19-bit encoders. AA ER6V lithium battery.	Stock	\$40.50
<u>L7P-CON-A</u>	AutomationDirect drive power connector, replacement, 11-pin. For use with LS Electric L7PA series 230 VAC 400W and 1 kW drives.	Stock	\$16.50
<u>L7P-CON-B</u>	AutomationDirect drive power connector, replacement, 3-pin. For use with LS Electric L7PA series 230 VAC 400W and 1 kW drives.	Stock	\$8.75
<u>L7P-CON-C</u>	AutomationDirect drive power connector, replacement, 11-pin. For use with LS Electric L7PB series 460 VAC 1 kW drives and all L7P series 2 kW and 3.5 kW drives.	Stock	\$22.00
<u>L7P-CON-D</u>	AutomationDirect drive power connector, replacement, 3-pin. For use with LS Electric L7PB series 460 VAC 1 kW drives and all L7P series 2 kW and 3.5 kW drives.	Stock	\$8.25

Single-Shaft Stepper Motors

<u>STP-MTRL-14026</u>	SureStep stepper motor, NEMA 14 frame, IP40, single shaft, 0.35A, 8 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTL-xxx cable.	Stock	\$29.00
<u>STP-MTRL-14034</u>	SureStep stepper motor, NEMA 14 frame, IP40, single shaft, 0.8A, 20 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTL-xxx cable.	Stock	\$28.00
<u>STP-MTR-17040</u>	SureStep stepper motor, NEMA 17 frame, IP40, single shaft, 1.7A, 61 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$23.00
<u>STP-MTR-17048</u>	SureStep stepper motor, NEMA 17 frame, IP40, single shaft, 2A, 83 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$30.00
<u>STP-MTR-17060</u>	SureStep stepper motor, NEMA 17 frame, IP40, single shaft, 2A, 115 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$54.00
<u>STP-MTR-23055</u>	SureStep stepper motor, NEMA 23 frame, IP40, single shaft, 2.8A, 166 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$43.50
<u>STP-MTR-23079</u>	SureStep stepper motor, NEMA 23 frame, IP40, single shaft, 2.8A, 276 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$56.00
<u>STP-MTRH-23079</u>	SureStep stepper motor, NEMA 23 frame, IP40, single shaft, 5.6A, 286 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$63.00
<u>STP-MTR-34066</u>	SureStep stepper motor, NEMA 34 frame, IP40, single shaft, 2.8A, 434 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$132.00
<u>STP-MTRH-34066</u>	SureStep stepper motor, NEMA 34 frame, IP40, single shaft, 6.3A, 434 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$161.00
<u>STP-MTRH-34097</u>	SureStep stepper motor, NEMA 34 frame, IP40, single shaft, 6.3A, 800 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$184.00
<u>STP-MTRH-34127</u>	SureStep stepper motor, NEMA 34 frame, IP40, single shaft, 6.3A, 1288 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$197.00
<u>STP-MTRAC-23044</u>	SureStep stepper motor, NEMA 23 frame, IP40, single shaft, 0.71A, 75 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$140.00
<u>STP-MTRAC-23055</u>	SureStep stepper motor, NEMA 23 frame, IP40, single shaft, 0.71A, 149 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$170.00
<u>STP-MTRAC-23078</u>	SureStep stepper motor, NEMA 23 frame, IP40, single shaft, 0.71A, 227 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$182.00
<u>STP-MTRAC-34075</u>	SureStep stepper motor, NEMA 34 frame, IP40, single shaft, 2.15A, 821 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$267.00
<u>STP-MTRAC-34115</u>	SureStep stepper motor, NEMA 34 frame, IP40, single shaft, 2.05A, 1110 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$276.00

<u>STP-MTRAC-34156</u>	SureStep stepper motor, NEMA 34 frame, IP40, single shaft, 2.5A, 1841 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$295.00
<u>STP-MTRAC-42100</u>	SureStep stepper motor, NEMA 42 frame, IP40, single shaft, 4.2A, 1728 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42-xxx cable.	Stock	\$289.00
<u>STP-MTRACH-42100</u>	SureStep stepper motor, NEMA 42 frame, IP40, single shaft, 6A, 1742 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42H-xxx cable.	Stock	\$289.00
<u>STP-MTRAC-42151</u>	SureStep stepper motor, NEMA 42 frame, IP40, single shaft, 6A, 3116 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42-xxx cable.	Stock	\$472.00
<u>STP-MTRACH-42151</u>	SureStep stepper motor, NEMA 42 frame, IP40, single shaft, 8A, 3116 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42H-xxx cable.	Stock	\$472.00
<u>STP-MTRAC-42202</u>	SureStep stepper motor, NEMA 42 frame, IP40, single shaft, 6A, 4390 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42-xxx cable.	Stock	\$582.00
<u>STP-MTRACH-42202</u>	SureStep stepper motor, NEMA 42 frame, IP40, single shaft, 8A, 4532 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42H-xxx cable.	Stock	\$587.00
IP65 Stepper Motors			
<u>STP-MTR-17040W</u>	SureStep stepper motor, NEMA 17 frame, IP65, single shaft, 1.7A, 61 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTW-xxx cable.	Stock	\$162.00
<u>STP-MTR-17048W</u>	SureStep stepper motor, NEMA 17 frame, IP65, single shaft, 2A, 83 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTW-xxx cable.	Stock	\$168.00
<u>STP-MTR-17060W</u>	SureStep stepper motor, NEMA 17 frame, IP65, single shaft, 2A, 115 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTW-xxx cable.	Stock	\$221.00
<u>STP-MTR-23055W</u>	SureStep stepper motor, NEMA 23 frame, IP65, single shaft, 2.8A, 166 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTW-xxx cable.	Stock	\$199.00
<u>STP-MTR-23079W</u>	SureStep stepper motor, NEMA 23 frame, IP65, single shaft, 2.8A, 276 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTW-xxx cable.	Stock	\$218.00
<u>STP-MTRH-23079W</u>	SureStep stepper motor, NEMA 23 frame, IP65, single shaft, 5.6A, 286 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTHW-xxx cable.	Stock	\$315.00
<u>STP-MTR-34066W</u>	SureStep stepper motor, NEMA 34 frame, IP65, single shaft, 2.8A, 434 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTW-xxx cable.	Stock	\$261.00
<u>STP-MTRH-34066W</u>	SureStep stepper motor, NEMA 34 frame, IP65, single shaft, 6.3A, 434 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTHW-xxx cable.	Stock	\$360.00
<u>STP-MTRH-34097W</u>	SureStep stepper motor, NEMA 34 frame, IP65, single shaft, 6.3A, 800 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTHW-xxx cable.	Stock	\$406.00
<u>STP-MTRH-34127W</u>	SureStep stepper motor, NEMA 34 frame, IP65, single shaft, 6.3A, 1288 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTHW-xxx cable.	Stock	\$444.00
Dual Shaft and Encoder Stepper Motors			
<u>STP-MTRL-14026E</u>	SureStep stepper motor, NEMA 14 frame, IP40, dual shaft, external (field-wireable) encoder, 0.35A, 8 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTL-xxx and STP-CBL-EBxxx cables.	Stock	\$112.00
<u>STP-MTRL-14034E</u>	SureStep stepper motor, NEMA 14 frame, IP40, dual shaft, external (field-wireable) encoder, 0.8A, 20 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTL-xxx and STP-CBL-EBxxx cables.	Stock	\$117.00
<u>STP-MTRL-14026D</u>	SureStep stepper motor, NEMA 14 frame, IP40, dual shaft, encoder ready, 0.35A, 8 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTL-xxx cable.	Stock	\$32.50
<u>STP-MTRL-14034D</u>	SureStep stepper motor, NEMA 14 frame, IP40, dual shaft, encoder ready, 0.8A, 20 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTL-xxx cable.	Stock	\$41.00
<u>STP-MTR-17040E</u>	SureStep stepper motor, NEMA 17 frame, IP40, dual shaft, external (field-wireable) encoder, 1.7A, 61 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx and STP-CBL-EBxxx cables.	Stock	\$110.00
<u>STP-MTR-17040D</u>	SureStep stepper motor, NEMA 17 frame, IP40, dual shaft, encoder ready, 1.7A, 61 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$31.00
<u>STP-MTR-17048E</u>	SureStep stepper motor, NEMA 17 frame, IP40, dual shaft, external (field-wireable) encoder, 2A, 83 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx and STP-CBL-EBxxx cables.	Stock	\$116.00
<u>STP-MTR-17048D</u>	SureStep stepper motor, NEMA 17 frame, IP40, dual shaft, encoder ready, 2A, 83 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$36.50
<u>STP-MTR-17060E</u>	SureStep stepper motor, NEMA 17 frame, IP40, dual shaft, external (field-wireable) encoder, 2A, 115 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx and STP-CBL-EBxxx cables.	Stock	\$133.00
<u>STP-MTR-17060D</u>	SureStep stepper motor, NEMA 17 frame, IP40, dual shaft, encoder ready, 2A, 115 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$55.00
<u>STP-MTR-23055E</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, external (field-wireable) encoder, 2.8A, 166 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx and STP-CBL-EBxxx cables.	Stock	\$137.00

<u>STP-MTR-23055D</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, encoder ready, 2.8A, 166 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$49.50
<u>STP-MTR-23079E</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, external (field-wireable) encoder, 2.8A, 276 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx and STP-CBL-EBxxx cables.	Stock	\$151.00
<u>STP-MTR-23079D</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, encoder ready, 2.8A, 276 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$72.00
<u>STP-MTRH-23079E</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, external (field-wireable) encoder, 5.6A, 286 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx and STP-CBL-EBxxx cables.	Stock	\$158.00
<u>STP-MTRH-23079D</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, encoder ready, 5.6A, 286 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$85.00
<u>STP-MTR-34066D</u>	SureStep stepper motor, NEMA 34 frame, IP40, dual shaft, encoder ready, 2.8A, 434 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXT-xxx cable.	Stock	\$164.00
<u>STP-MTRH-34066D</u>	SureStep stepper motor, NEMA 34 frame, IP40, dual shaft, encoder ready, 6.3A, 434 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$175.00
<u>STP-MTRH-34097D</u>	SureStep stepper motor, NEMA 34 frame, IP40, dual shaft, encoder ready, 6.3A, 800 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$217.00
<u>STP-MTRH-34127D</u>	SureStep stepper motor, NEMA 34 frame, IP40, dual shaft, encoder ready, 6.3A, 1288 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires STP-EXTH-xxx cable.	Stock	\$217.00
<u>STP-MTRAC-23044D</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, encoder ready, 0.71A, 75 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$165.00
<u>STP-MTRAC-23055D</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, encoder ready, 0.71A, 149 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$195.00
<u>STP-MTRAC-23078D</u>	SureStep stepper motor, NEMA 23 frame, IP40, dual shaft, encoder ready, 0.71A, 227 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$229.00
<u>STP-MTRAC-34075D</u>	SureStep stepper motor, NEMA 34 frame, IP40, dual shaft, encoder ready, 2.15A, 821 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$268.00
<u>STP-MTRAC-34115D</u>	SureStep stepper motor, NEMA 34 frame, IP40, dual shaft, encoder ready, 2.05A, 1110 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$277.00
<u>STP-MTRAC-34156D</u>	SureStep stepper motor, NEMA 34 frame, IP40, dual shaft, encoder ready, 2.5A, 1841 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar.	Stock	\$296.00
<u>STP-MTRAC-42100D</u>	SureStep stepper motor, NEMA 42 frame, IP40, dual shaft, encoder ready, 4.2A, 1728 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42-xxx cable.	Stock	\$312.00
<u>STP-MTRACH-42100D</u>	SureStep stepper motor, NEMA 42 frame, IP40, dual shaft, encoder ready, 6A, 1742 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42H-xxx cable.	Stock	\$312.00
<u>STP-MTRAC-42151D</u>	SureStep stepper motor, NEMA 42 frame, IP40, dual shaft, encoder ready, 6A, 3116 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42-xxx cable.	Stock	\$495.00
<u>STP-MTRACH-42151D</u>	SureStep stepper motor, NEMA 42 frame, IP40, dual shaft, encoder ready, 8A, 3116 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42H-xxx cable.	Stock	\$495.00
<u>STP-MTRAC-42202D</u>	SureStep stepper motor, NEMA 42 frame, IP40, dual shaft, encoder ready, 6A, 4390 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42-xxx cable.	Stock	\$599.00
<u>STP-MTRACH-42202D</u>	SureStep stepper motor, NEMA 42 frame, IP40, dual shaft, encoder ready, 8A, 4532 oz-in holding torque, 1.8-degree step angle, 200 steps per revolution, bipolar. Requires SureStep STP-EXT42H-xxx cable.	Stock	\$607.00
<u>STP-MTRA-17DMP</u>	SureStep damper, metal body. For use with NEMA 17 stepper motors with 5mm shafts. Mounting set screw included.	Stock	\$16.50
<u>STP-MTRA-23DMP</u>	SureStep damper, metal body. For use with NEMA 23 stepper motors with 1/4in shafts. Mounting set screw included.	Stock	\$37.50

Stepper Drives

<u>LW4D3070N2I1-00</u>	Ever Motion Solutions DC open/closed loop advanced microstepping stepper drive, 10A per phase, 2-phase output, 24-75 VDC, bipolar, position mode, 200 to 65536 steps per revolution. Requires LW4D3KIT-C0 connector kit or LW4D3KIT-050 cable kit.	Stock	\$105.00
<u>LW3D3070N0A1-00</u>	Ever Motion Solutions DC open loop advanced microstepping stepper drive, 10A per phase, 2-phase output, 24-80 VDC, bipolar, position mode, 200 to 51200 steps per revolution.	Stock	\$205.00
<u>LW3A9030N2A1-00</u>	Ever Motion Solutions AC open loop advanced microstepping stepper drive, 4.2A per phase, 2-phase output, 100-240 VAC, bipolar, position mode, 200 to 65536 steps per revolution.	Stock	\$290.00
<u>DM322E</u>	Leadshine DC open loop microstepping stepper drive, 2.2A per phase, 2-phase output, 12-24 VDC, bipolar, position mode, 400 to 12800 steps per revolution.	Stock	\$32.50
<u>STP-DRV-4830</u>	SureStep DC open loop microstepping stepper drive, 3A per phase, 2-phase output, 12-48 VDC, bipolar, position mode, 200 to 25600 steps per revolution.	Stock	\$97.00
<u>EM542S</u>	Leadshine DC open loop microstepping stepper drive, 4.2A per phase, 2-phase output, 24-48 VDC, bipolar, position mode, 200 to 25600 steps per revolution.	Stock	\$59.00
<u>DM542E</u>	Leadshine DC open loop microstepping stepper drive, 4.2A per phase, 2-phase output, 24-48 VDC, bipolar, position mode, 400 to 25600 steps per revolution.	Stock	\$45.50

<u>STP-DRV-4845</u>	SureStep DC open loop microstepping stepper drive, 4.5A per phase, 2-phase output, 24-48 VDC, bipolar, position mode, 200 to 20000 steps per revolution.	Stock	\$98.00
<u>DM805-AI</u>	Leadshine DC open loop advanced microstepping stepper drive, 7A per phase, 2-phase output, 24-70 VDC, bipolar, velocity and position mode, 200 to 12800 steps per revolution.	Stock	\$129.00
<u>STP-DRV-4850</u>	SureStep DC open loop advanced microstepping stepper drive, 5A per phase, 2-phase output, 24-48 VDC, bipolar, velocity and position mode, 200 to 51200 steps per revolution.	Stock	\$286.00
<u>EM556S</u>	Leadshine DC open loop microstepping stepper drive, 5.6A per phase, 2-phase output, 24-48 VDC, bipolar, position mode, 200 to 25600 steps per revolution.	Stock	\$72.00
<u>DM556E</u>	Leadshine DC open loop microstepping stepper drive, 5.6A per phase, 2-phase output, 24-48 VDC, bipolar, position mode, 400 to 25600 steps per revolution.	Stock	\$50.00
<u>DM860E</u>	Leadshine DC open loop microstepping stepper drive, 7.2A per phase, 2-phase output, 24-70 VDC, bipolar, position mode, 400 to 51200 steps per revolution.	Stock	\$67.00
<u>DMA860E</u>	Leadshine AC/DC open loop microstepping stepper drive, 7.2A per phase, 2-phase output, 24-70 VAC/24-90 VDC, bipolar, position mode, 400 to 51200 steps per revolution.	Stock	\$87.00
<u>STP-DRV-6575</u>	SureStep DC open loop microstepping stepper drive, 7.5A per phase, 2-phase output, 24-75 VDC, bipolar, position mode, 200 to 20000 steps per revolution.	Stock	\$110.00
<u>STP-DRV-80100</u>	SureStep DC open loop advanced microstepping stepper drive, 10A per phase, 2-phase output, 24-80 VDC, bipolar, velocity and position mode, 200 to 51200 steps per revolution.	Stock	\$338.00
<u>STP-DRVAC-24025</u>	SureStep AC open loop microstepping stepper drive, 2.5A per phase, 2-phase output, 90-240 VAC, bipolar, position mode, 200 to 25600 steps per revolution.	Stock	\$236.00
<u>EVER-STUDIO</u>	Ever Motion Solutions Windows configuration software, free download only. For use with Ever Motion Solutions stepper drives with service interface port. Requires PC USB port.	Stock	\$0.00
<u>SM-PRO</u>	SureMotion Pro Windows configuration software, USB or free download. For use with SureStep stepper drives with serial port. Requires PC serial port, USB-RS232-1 or STP-USB485-4W serial adapters.	Stock	\$10.50
Integrated Stepper Motors / Drives			
<u>STP-MTRD-17038</u>	SureStep DC open loop integrated stepper motor/drive, microstepping, NEMA 17 frame, IP20, 2A, 12-48 VDC, 68 oz-in holding torque, 200 to 25000 steps per revolution.	Stock	\$170.00
<u>STP-MTRD-17038E</u>	SureStep DC open loop integrated stepper motor/drive, microstepping, NEMA 17 frame, IP20, 2A, 12-48 VDC, 68 oz-in holding torque, 200 to 25000 steps per revolution, external (field-wireable) encoder.	Stock	\$260.00
<u>STP-MTRD-17030R</u>	SureStep DC open loop integrated stepper motor/drive, advanced microstepping, NEMA 17 frame, IP20, 2A, 12-48 VDC, 54 oz-in holding torque, 200 to 51200 steps per revolution, (1) RS-485 (4-pin) port(s).	Stock	\$305.00
<u>STP-MTRD-17038R</u>	SureStep DC open loop integrated stepper motor/drive, advanced microstepping, NEMA 17 frame, IP20, 2A, 12-48 VDC, 68 oz-in holding torque, 200 to 51200 steps per revolution, (1) RS-485 (4-pin) port(s).	Stock	\$310.00
<u>STP-MTRD-17030RE</u>	SureStep DC open/closed loop integrated stepper motor/drive, advanced microstepping, NEMA 17 frame, IP20, 2A, 12-48 VDC, 54 oz-in holding torque, 200 to 51200 steps per revolution, internal (inaccessible) encoder, (1) RS-485 (4-pin) port(s).	Stock	\$490.00
<u>STP-MTRD-17038RE</u>	SureStep DC open/closed loop integrated stepper motor/drive, advanced microstepping, NEMA 17 frame, IP20, 2A, 12-48 VDC, 68 oz-in holding torque, 200 to 51200 steps per revolution, internal (inaccessible) encoder, (1) RS-485 (4-pin) port(s).	Stock	\$483.00
<u>STP-MTRD-23042</u>	SureStep DC open loop integrated stepper motor/drive, microstepping, NEMA 23 frame, IP20, 5A, 12-48 VDC, 125 oz-in holding torque, 200 to 25000 steps per revolution.	Stock	\$205.00
<u>STP-MTRD-23065</u>	SureStep DC open loop integrated stepper motor/drive, microstepping, NEMA 23 frame, IP20, 5A, 12-48 VDC, 210 oz-in holding torque, 200 to 25000 steps per revolution.	Stock	\$247.00
<u>STP-MTRD-23042E</u>	SureStep DC open loop integrated stepper motor/drive, microstepping, NEMA 23 frame, IP20, 5A, 12-48 VDC, 125 oz-in holding torque, 200 to 25000 steps per revolution, external (field-wireable) encoder.	Stock	\$350.00
<u>STP-MTRD-23065E</u>	SureStep DC open loop integrated stepper motor/drive, microstepping, NEMA 23 frame, IP20, 5A, 12-48 VDC, 210 oz-in holding torque, 200 to 25000 steps per revolution, external (field-wireable) encoder.	Stock	\$369.00
<u>STP-MTRD-23042R</u>	SureStep DC open loop integrated stepper motor/drive, advanced microstepping, NEMA 23 frame, IP20, 5A, 12-70 VDC, 125 oz-in holding torque, 200 to 51200 steps per revolution, (1) RS-485 (4-pin) port(s).	Stock	\$346.00
<u>STP-MTRD-23065R</u>	SureStep DC open loop integrated stepper motor/drive, advanced microstepping, NEMA 23 frame, IP20, 5A, 12-70 VDC, 210 oz-in holding torque, 200 to 51200 steps per revolution, (1) RS-485 (4-pin) port(s).	Stock	\$347.00
<u>STP-MTRD-23042RE</u>	SureStep DC open/closed loop integrated stepper motor/drive, advanced microstepping, NEMA 23 frame, IP20, 5A, 12-70 VDC, 125 oz-in holding torque, 200 to 51200 steps per revolution, internal (inaccessible) encoder, (1) RS-485 (4-pin) port(s).	Stock	\$494.00
<u>STP-MTRD-23065RE</u>	SureStep DC open/closed loop integrated stepper motor/drive, advanced microstepping, NEMA 23 frame, IP20, 5A, 12-70 VDC, 210 oz-in holding torque, 200 to 51200 steps per revolution, internal (inaccessible) encoder, (1) RS-485 (4-pin) port(s).	Stock	\$507.00
<u>STP-MTRD-24075RV</u>	SureStep DC open loop integrated stepper motor/drive, advanced microstepping, NEMA 24 frame, IP20, 6A, 12-70 VDC, 340 oz-in holding torque, 200 to 51200 steps per revolution, (1) RS-485 (4-pin) port(s).	Stock	\$449.00
<u>STP-MTRD-24075RVE</u>	SureStep DC open/closed loop integrated stepper motor/drive, advanced microstepping, NEMA 24 frame, IP20, 6A, 12-70 VDC, 340 oz-in holding torque, 200 to 51200 steps per revolution, internal (inaccessible) encoder, (1) RS-485 (4-pin) port(s).	Stock	\$525.00
<u>STP-USB485-4W</u>	SureStep PC adapter, USB B to RS-485. For use with SureStep STP-MTRD-xxxxR integrated stepper motor/drives. (1) 3ft USB A to USB B cable included. Requires STP-485DB9-CBL-2 communication cable.	Stock	\$132.00

Power Supplies and Regeneration for Stepper Systems			
STP-DRVA-RC-050A	SureStep regen clamp, 50W, 10-80 VDC, 10 ohm, enclosed. For use with DC input stepper and servo drives.	Stock	\$91.00
STP-DRVA-BR-100	SureStep braking resistor, 100W, 10 ohm, encapsulated. For use with multiple stepper drives. Requires STP-DRVA-RC-050 regen clamp.	Stock	\$142.00
Accessories and Spare Parts for Stepper Systems			
LW4D3KIT-C0	Ever Motion Solutions connector kit, for use with Ever Motion Solutions LW4D3070N2I1-00 microstepping drive, includes (1) drive power connector, (1) motor power connector, (1) encoder connector and (1) control signal connector.	Stock	\$8.00
LW3D-CON-A	Ever Motion Solutions drive/motor power connector, replacement. For use with Ever Motion Solutions LW3D3070N0A1-00 microstepping drive.	Stock	\$11.00
LW3D-CON-B	Ever Motion Solutions control signal connector, replacement. For use with Ever Motion Solutions LW3D3070N0A1-00 microstepping drive.	Stock	\$20.00
LW3A-CON-A	Ever Motion Solutions drive/motor power connector, replacement. For use with Ever Motion Solutions LW3A9030N2A1-00 microstepping drive.	Stock	\$14.50
LW3A-CON-B	Ever Motion Solutions control signal connector, replacement. For use with Ever Motion Solutions LW3A9030N2A1-00 microstepping drive.	Stock	\$28.50
Stepper Motor Linear Actuators			
STP-LE17-2A06ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, double stack, 2A, 6in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, no end machining.	Stock	\$127.00
STP-LE17-2A09ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, double stack, 2A, 9in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, no end machining.	Stock	\$135.00
STP-LE17-2A12ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, double stack, 2A, 12in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, no end machining.	Stock	\$131.00
STP-LE17-2A06ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, double stack, 2A, 6in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, journal and groove end machining.	Stock	\$141.00
STP-LE17-2A09ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, double stack, 2A, 9in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, journal and groove end machining.	Stock	\$152.00
STP-LE17-2A12ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, double stack, 2A, 12in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, journal and groove end machining.	Stock	\$152.00
STP-LE17-3A06ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, triple stack, 2A, 6in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, no end machining.	Stock	\$137.00
STP-LE17-3A09ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, triple stack, 2A, 9in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, no end machining.	Stock	\$148.00
STP-LE17-3A12ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, triple stack, 2A, 12in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, no end machining.	Stock	\$149.00
STP-LE17-3A06ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, triple stack, 2A, 6in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, journal and groove end machining.	Stock	\$160.00
STP-LE17-3A09ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, triple stack, 2A, 9in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, journal and groove end machining.	Stock	\$163.00
STP-LE17-3A12ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, triple stack, 2A, 12in lead screw length, 0.25in/rev, 0.25in lead screw diameter, screw code A, journal and groove end machining.	Stock	\$167.00
STP-LE17-3B06ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, triple stack, 2A, 6in lead screw length, 0.5in/rev, 0.25in lead screw diameter, screw code B, no end machining.	Stock	\$145.00
STP-LE17-3B09ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, triple stack, 2A, 9in lead screw length, 0.5in/rev, 0.25in lead screw diameter, screw code B, no end machining.	Stock	\$148.00
STP-LE17-3B12ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, triple stack, 2A, 12in lead screw length, 0.5in/rev, 0.25in lead screw diameter, screw code B, no end machining.	Stock	\$153.00
STP-LE17-3B06ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, triple stack, 2A, 6in lead screw length, 0.5in/rev, 0.25in lead screw diameter, screw code B, journal and groove end machining.	Stock	\$161.00
STP-LE17-3B09ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, triple stack, 2A, 9in lead screw length, 0.5in/rev, 0.25in lead screw diameter, screw code B, journal and groove end machining.	Stock	\$163.00
STP-LE17-3B12ADJ	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 17 frame, IP40, triple stack, 2A, 12in lead screw length, 0.5in/rev, 0.25in lead screw diameter, screw code B, journal and groove end machining.	Stock	\$167.00
STP-LE17-2C06ANN	SureStep stepper motor linear actuator, external nut, NEMA 17 frame, IP40, double stack, 2A, 6in lead screw length, 3mm/rev, 6.5mm lead screw diameter, screw code C, no end machining.	Stock	\$129.00

[illegible]

<u>STP-LE23-1G09ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, single stack, 2.1A, 9in lead screw length, 2mm/rev, 12mm lead screw diameter, screw code G, journal and groove end machining.	Stock	\$225.00
<u>STP-LE23-1G12ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, single stack, 2.1A, 12in lead screw length, 2mm/rev, 12mm lead screw diameter, screw code G, journal and groove end machining.	Stock	\$230.00
<u>STP-LE23-1H06ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, single stack, 2.1A, 6in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, no end machining.	Stock	\$188.00
<u>STP-LE23-1H09ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, single stack, 2.1A, 9in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, no end machining.	Stock	\$205.00
<u>STP-LE23-1H12ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, single stack, 2.1A, 12in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, no end machining.	Stock	\$212.00
<u>STP-LE23-1H06ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, single stack, 2.1A, 6in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, journal and groove end machining.	Stock	\$217.00
<u>STP-LE23-1H09ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, single stack, 2.1A, 9in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, journal and groove end machining.	Stock	\$223.00
<u>STP-LE23-1H12ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, single stack, 2.1A, 12in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, journal and groove end machining.	Stock	\$227.00
<u>STP-LE23-3H06ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, triple stack, 3A, 6in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, no end machining.	Stock	\$232.00
<u>STP-LE23-3H09ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, triple stack, 3A, 9in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, no end machining.	Stock	\$239.00
<u>STP-LE23-3H12ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, triple stack, 3A, 12in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, no end machining.	Stock	\$246.00
<u>STP-LE23-3H06ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, triple stack, 3A, 6in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, journal and groove end machining.	Stock	\$250.00
<u>STP-LE23-3H09ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, triple stack, 3A, 9in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, journal and groove end machining.	Stock	\$256.00
<u>STP-LE23-3H12ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, triple stack, 3A, 12in lead screw length, 6mm/rev, 12mm lead screw diameter, screw code H, journal and groove end machining.	Stock	\$261.00
<u>STP-LE23-3K06ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, triple stack, 3A, 6in lead screw length, 1in/rev, 0.5in lead screw diameter, screw code K, no end machining.	Stock	\$248.00
<u>STP-LE23-3K09ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, triple stack, 3A, 9in lead screw length, 1in/rev, 0.5in lead screw diameter, screw code K, no end machining.	Stock	\$259.00
<u>STP-LE23-3K12ANN</u>	SureStep stepper motor linear actuator, external nut, NEMA 23 frame, IP40, triple stack, 3A, 12in lead screw length, 1in/rev, 0.5in lead screw diameter, screw code K, no end machining.	Stock	\$269.00
<u>STP-LE23-3K06ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, triple stack, 3A, 6in lead screw length, 1in/rev, 0.5in lead screw diameter, screw code K, journal and groove end machining.	Stock	\$263.00
<u>STP-LE23-3K09ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, triple stack, 3A, 9in lead screw length, 1in/rev, 0.5in lead screw diameter, screw code K, journal and groove end machining.	Stock	\$262.00
<u>STP-LE23-3K12ADJ</u>	SureStep stepper motor linear actuator, external nut, encoder ready, NEMA 23 frame, IP40, triple stack, 3A, 12in lead screw length, 1in/rev, 0.5in lead screw diameter, screw code K, journal and groove end machining.	Stock	\$266.00
Accessories for Stepper Motor Linear Actuators			
<u>STP-LA-NTFA</u>	SureStep lead screw flange nut, replacement, triangular, 0.25in/rev, 0.25in lead screw diameter. For use with SureStep STP-LE series screw code A linear actuators.	Stock	\$25.00
<u>STP-LA-NRFA</u>	SureStep lead screw flange nut, round, 0.25in/rev, 0.25in lead screw diameter. For use with SureStep STP-LE series screw code A linear actuators.	Stock	\$24.00
<u>STP-LA-NTFB</u>	SureStep lead screw flange nut, replacement, triangular, 0.5in/rev, 0.25in lead screw diameter. For use with SureStep STP-LE series screw code B linear actuators.	Stock	\$25.00
<u>STP-LA-NRFB</u>	SureStep lead screw flange nut, round, 0.5in/rev, 0.25in lead screw diameter. For use with SureStep STP-LE series screw code B linear actuators.	Stock	\$24.00
<u>STP-LA-NTFC</u>	SureStep lead screw flange nut, replacement, triangular, 3mm/rev, 6.5mm lead screw diameter. For use with SureStep STP-LE series screw code C linear actuators.	Stock	\$25.00
<u>STP-LA-NRFC</u>	SureStep lead screw flange nut, round, 3mm/rev, 6.5mm lead screw diameter. For use with SureStep STP-LE series screw code C linear actuators.	Stock	\$24.00
<u>STP-LA-NTFD</u>	SureStep lead screw flange nut, replacement, triangular, 1.25mm/rev, 8mm lead screw diameter. For use with SureStep STP-LE series screw code D linear actuators.	Stock	\$24.00
<u>STP-LA-NRFD</u>	SureStep lead screw flange nut, round, 1.25mm/rev, 8mm lead screw diameter. For use with SureStep STP-LE series screw code D linear actuators.	Stock	\$24.00

<u>STP-LA-NTFE</u>	SureStep lead screw flange nut, replacement, triangular, 8mm/rev, 8mm lead screw diameter. For use with SureStep STP-LE series screw code E linear actuators.	Stock	\$28.00
<u>STP-LA-NRFE</u>	SureStep lead screw flange nut, round, 8mm/rev, 8mm lead screw diameter. For use with SureStep STP-LE series screw code E linear actuators.	Stock	\$25.00
<u>STP-LA-NTFF</u>	SureStep lead screw flange nut, replacement, triangular, 10.5mm/rev, 10mm lead screw diameter. For use with SureStep STP-LE series screw code F linear actuators.	Stock	\$40.00
<u>STP-LA-NRFF</u>	SureStep lead screw flange nut, round, 10.5mm/rev, 10mm lead screw diameter. For use with SureStep STP-LE series screw code F linear actuators.	Stock	\$27.50
<u>STP-LA-NTFG</u>	SureStep lead screw flange nut, replacement, triangular, 2mm/rev, 12mm lead screw diameter. For use with SureStep STP-LE series screw code G linear actuators.	Stock	\$42.50
<u>STP-LA-NRFG</u>	SureStep lead screw flange nut, round, 2mm/rev, 12mm lead screw diameter. For use with SureStep STP-LE series screw code G linear actuators.	Stock	\$42.50
<u>STP-LA-NTFH</u>	SureStep lead screw flange nut, replacement, triangular, 6mm/rev, 12mm lead screw diameter. For use with SureStep STP-LE series screw code H linear actuators.	Stock	\$42.50
<u>STP-LA-NRFH</u>	SureStep lead screw flange nut, round, 6mm/rev, 12mm lead screw diameter. For use with SureStep STP-LE series screw code H linear actuators.	Stock	\$42.50
<u>STP-LA-NTFK</u>	SureStep lead screw flange nut, replacement, triangular, 1in/rev, 0.5in lead screw diameter. For use with SureStep STP-LE series screw code K linear actuators.	Stock	\$44.00
<u>STP-LA-NRFK</u>	SureStep lead screw flange nut, round, 1in/rev, 0.5in lead screw diameter. For use with SureStep STP-LE series screw code K linear actuators.	Stock	\$42.50

Accessories for SureServo1 Drive Systems

<u>SVC-PCCFG-CBL</u>	SureServo programming cable, 9-pin D-sub to IEEE1394, 6ft cable length. For use with SureServo Pro configuration software.	Stock	\$41.50
<u>SV-PRO</u>	SureServo Pro Windows configuration software, free download only. For use with all SureServo servo systems. Requires PC serial port, USB-RS232-1 or USB-485M serial adapters.	Stock	\$0.00
<u>SVA-CON-1</u>	SureServo connector kit, replacement. For use with SureServo SVA-2040 and SVA-2100 servo drives. Includes (1) input power connector, (1) output power connector and (1) brake resistor connector.	Stock	\$30.00

Open Frame Motor Starters

<u>AE16ANS0AC</u>	Eaton Freedom series non-combination motor starter, 7A, 3-pole, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$466.00
<u>AE16ANS0BC</u>	Eaton Freedom series non-combination motor starter, 7A, 3-pole, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$507.00
<u>AE16BNS0AC</u>	Eaton Freedom series non-combination motor starter, 10A, 3-pole, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$517.00
<u>AE16BNS0BC</u>	Eaton Freedom series non-combination motor starter, 10A, 3-pole, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$517.00
<u>AE16CNS0AC</u>	Eaton Freedom series non-combination motor starter, 12A, 3-pole, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$592.00
<u>AE16CNS0BC</u>	Eaton Freedom series non-combination motor starter, 12A, 3-pole, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$592.00
<u>AE16DNS0AC</u>	Eaton Freedom series non-combination motor starter, 18A, 3-pole, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$640.00
<u>AE16DNS0BC</u>	Eaton Freedom series non-combination motor starter, 18A, 3-pole, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$640.00
<u>AE16ENS0AC</u>	Eaton Freedom series non-combination motor starter, 25A, 3-pole, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$691.00
<u>AE16ENS0BC</u>	Eaton Freedom series non-combination motor starter, 25A, 3-pole, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$691.00
<u>AE16FNS0AC</u>	Eaton Freedom series non-combination motor starter, 32A, 3-pole, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$764.00
<u>AE16FNS0BC</u>	Eaton Freedom series non-combination motor starter, 32A, 3-pole, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage, bi-metallic, 45mm frame.	Stock	\$764.00

General Purpose Enclosed Manual Motor Starters

<u>ESWS-B9D15A-RM26</u>	WEG Electric ESWS series non-combination motor starter, 9A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 2.8-4.0A Adjustable, NEMA 1.	Stock	\$102.00
<u>ESWS-B9V24A-RM26</u>	WEG Electric ESWS series non-combination motor starter, 9A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 2.8-4.0A Adjustable, NEMA 1.	Stock	\$102.00
<u>ESWS-B9D15A-RM27</u>	WEG Electric ESWS series non-combination motor starter, 9A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 4.0-6.3A Adjustable, NEMA 1.	Stock	\$102.00
<u>ESWS-B9V24A-RM27</u>	WEG Electric ESWS series non-combination motor starter, 9A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 4.0-6.3A Adjustable, NEMA 1.	Stock	\$102.00
<u>ESWS-B9D15A-RM28</u>	WEG Electric ESWS series non-combination motor starter, 9A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 5.6-8.0A Adjustable, NEMA 1.	Stock	\$102.00

[illegible]

[illegible]

<u>ESW-B80D39A-R75</u>	WEG Electric ESW series non-combination motor starter, 80A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 63.0-80.0A adjustable, NEMA 1.	Stock	\$269.00
Washdown Enclosed Manual Motor Starters			
<u>PESWS-B9D15AX-RM60</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 2.8-4.0A Adjustable, NEMA 4/4X.	Stock	\$69.00
<u>PESWS-B9V24AX-RM60</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 2.8-4.0A Adjustable, NEMA 4/4X.	Stock	\$76.00
<u>PESWS-B9D15AX-RM61</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 4.0-6.3A Adjustable, NEMA 4/4X.	Stock	\$69.00
<u>PESWS-B9V24AX-RM61</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 4.0-6.3A Adjustable, NEMA 4/4X.	Stock	\$76.00
<u>PESWS-B9D15AX-RM62</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 5.6-8.0A Adjustable, NEMA 4/4X.	Stock	\$76.00
<u>PESWS-B9V24AX-RM62</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 5.6-8.0A Adjustable, NEMA 4/4X.	Stock	\$76.00
<u>PESWS-B9D15AX-RM63</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 7.0-10.0A Adjustable, NEMA 4/4X.	Stock	\$76.00
<u>PESWS-B9V24AX-RM63</u>	WEG Electric PESWS series non-combination motor starter, 9A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 7.0-10.0A Adjustable, NEMA 4/4X.	Stock	\$76.00
<u>PESWS-B12D15AX-RM64</u>	WEG Electric PESWS series non-combination motor starter, 12A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 8.0-12.5A Adjustable, NEMA 4/4X.	Stock	\$84.00
<u>PESWS-B12V24AX-RM64</u>	WEG Electric PESWS series non-combination motor starter, 12A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 8.0-12.5A Adjustable, NEMA 4/4X.	Stock	\$84.00
<u>PESWS-B18D15AX-RM65</u>	WEG Electric PESWS series non-combination motor starter, 18A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 10.0-15.0A Adjustable, NEMA 4/4X.	Stock	\$90.00
<u>PESWS-B18V24AX-RM65</u>	WEG Electric PESWS series non-combination motor starter, 18A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 10.0-15.0A Adjustable, NEMA 4/4X.	Stock	\$90.00
<u>PESWS-B18D15AX-RM66</u>	WEG Electric PESWS series non-combination motor starter, 18A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 11.0-17.0A Adjustable, NEMA 4/4X.	Stock	\$90.00
<u>PESWS-B18V24AX-RM66</u>	WEG Electric PESWS series non-combination motor starter, 18A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 11.0-17.0A Adjustable, NEMA 4/4X.	Stock	\$90.00
<u>PESWS-B25D15AX-RM67</u>	WEG Electric PESWS series non-combination motor starter, 25A, 2-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 15.0-23.0A Adjustable, NEMA 4/4X.	Stock	\$96.00
<u>PESWS-B25V24AX-RM67</u>	WEG Electric PESWS series non-combination motor starter, 25A, 2-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 15.0-23.0A Adjustable, NEMA 4/4X.	Stock	\$96.00
<u>PESW-B9D15AX-R57</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 0.8-1.2A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9V24AX-R57</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 0.8-1.2A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D39AX-R57</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 0.8-1.2A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D15AX-R58</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 1.2-1.8A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9V24AX-R58</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 1.2-1.8A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D39AX-R58</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 1.2-1.8A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D15AX-R59</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 1.8-2.8A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9V24AX-R59</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 1.8-2.8A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D39AX-R59</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 1.8-2.8A adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D15AX-R60</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 2.8-4.0A Adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9V24AX-R60</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 2.8-4.0A Adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D39AX-R60</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 2.8-4.0A Adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D15AX-R61</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 4.0-6.3A Adjustable, NEMA 4/4X.	Stock	\$103.00
<u>PESW-B9D15AX-R62</u>	WEG Electric PESW series non-combination motor starter, 9A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 5.6-8.0A Adjustable, NEMA 4/4X.	Stock	\$103.00

<u>PESW-B65V24AX-R73</u>	WEG Electric PESW series non-combination motor starter, 65A, 3-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 50.0-63.0A adjustable, NEMA 4/4X.	Stock	\$308.00
<u>PESW-B65D39AX-R73</u>	WEG Electric PESW series non-combination motor starter, 65A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 50.0-63.0A adjustable, NEMA 4/4X.	Stock	\$308.00
<u>PESW-B80D15AX-R74</u>	WEG Electric PESW series non-combination motor starter, 80A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 57.0-70.0A adjustable, NEMA 4/4X.	Stock	\$319.00
<u>PESW-B80V24AX-R74</u>	WEG Electric PESW series non-combination motor starter, 80A, 3-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 57.0-70.0A adjustable, NEMA 4/4X.	Stock	\$319.00
<u>PESW-B80D39AX-R74</u>	WEG Electric PESW series non-combination motor starter, 80A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 57.0-70.0A adjustable, NEMA 4/4X.	Stock	\$319.00
<u>PESW-B80D15AX-R75</u>	WEG Electric PESW series non-combination motor starter, 80A, 3-pole, 120 VAC (50/60Hz) coil voltage, bi-metallic, 63.0-80.0A adjustable, NEMA 4/4X.	Stock	\$334.00
<u>PESW-B80V24AX-R75</u>	WEG Electric PESW series non-combination motor starter, 80A, 3-pole, 208-240 VAC (60Hz)/180-208 VAC (50Hz) coil voltage, bi-metallic, 63.0-80.0A adjustable, NEMA 4/4X.	Stock	\$334.00
<u>PESW-B80D39AX-R75</u>	WEG Electric PESW series non-combination motor starter, 80A, 3-pole, 480 VAC (50/60Hz) coil voltage, bi-metallic, 63.0-80.0A adjustable, NEMA 4/4X.	Stock	\$334.00
Accessories for Motor Starters			
<u>KESWHP</u>	WEG Electric control adapter, for use with ESW series manual motor protector. (1) hand-off-auto selector switch and (1) 22mm hole with plug included.	Stock	\$44.00
<u>KESWFP</u>	WEG Electric control adapter, for use with ESW series manual motor protector. (1) on-off selector switch and (1) 22mm hole with plug included.	Stock	\$44.00
<u>KESWPE</u>	WEG Electric control adapter, for use with ESW series manual motor protector. (1) E-stop button and (1) 22mm hole with plug included.	Stock	\$44.00
<u>KESWPP</u>	WEG Electric control adapter, for use with ESW series manual motor protector. (2) 22mm holes with plugs included.	Stock	\$14.50
Manual Motor Protectors			
<u>MPW40-3-U001</u>	WEG Electric MPW40 series manual motor protector, rotary, 1A, thermal overload, 0.63-1.0A adjustable, 13A instantaneous trip rating, open, 45mm frame.	Stock	\$54.00
<u>MPW40-3-D016</u>	WEG Electric MPW40 series manual motor protector, rotary, 1.6A, thermal overload, 1.0-1.6A adjustable, 20.8A instantaneous trip rating, open, 45mm frame.	Stock	\$54.00
<u>MPW40-3-D025</u>	WEG Electric MPW40 series manual motor protector, rotary, 2.5A, thermal overload, 1.6-2.5A adjustable, 32.5A instantaneous trip rating, open, 45mm frame.	Stock	\$54.00
<u>MPW40-3-U004</u>	WEG Electric MPW40 series manual motor protector, rotary, 4A, thermal overload, 2.5-4.0A adjustable, 52A instantaneous trip rating, open, 45mm frame.	Stock	\$54.00
<u>MPW40-3-D063</u>	WEG Electric MPW40 series manual motor protector, rotary, 6.3A, thermal overload, 4.0-6.3A Adjustable, 82A instantaneous trip rating, open, 45mm frame.	Stock	\$54.00
<u>MPW40-3-U010</u>	WEG Electric MPW40 series manual motor protector, rotary, 10A, thermal overload, 6.3-10.0A adjustable, 130A instantaneous trip rating, open, 45mm frame.	Stock	\$54.00
<u>MPW40-3-U016</u>	WEG Electric MPW40 series manual motor protector, rotary, 16A, thermal overload, 10.0-16.0A adjustable, 208A instantaneous trip rating, open, 45mm frame.	Stock	\$59.00
<u>MPW40-3-U020</u>	WEG Electric MPW40 series manual motor protector, rotary, 20A, thermal overload, 16.0-20.0A adjustable, 260A instantaneous trip rating, open, 45mm frame.	Stock	\$65.00
<u>MPW40-3-U025</u>	WEG Electric MPW40 series manual motor protector, rotary, 25A, thermal overload, 20.0-25.0A adjustable, 325A instantaneous trip rating, open, 45mm frame.	Stock	\$77.00
<u>MPW40-3-U032</u>	WEG Electric MPW40 series manual motor protector, rotary, 32A, thermal overload, 25.0-32.0A adjustable, 416A instantaneous trip rating, open, 45mm frame.	Stock	\$82.00
<u>MPW40-3-U040</u>	WEG Electric MPW40 series manual motor protector, rotary, 40A, thermal overload, 32.0-40.0A adjustable, 520A instantaneous trip rating, open, 45mm frame.	Stock	\$98.00
<u>MPW80-3-U040</u>	WEG Electric MPW80 series manual motor protector, rotary, 40A, thermal overload, 32.0-40.0A adjustable, 520A instantaneous trip rating, open, 54mm frame.	Stock	\$149.00
<u>MPW80-3-U050</u>	WEG Electric MPW80 series manual motor protector, rotary, 50A, thermal overload, 40.0-50.0A adjustable, 650A instantaneous trip rating, open, 54mm frame.	Stock	\$149.00
<u>MPW80-3-U065</u>	WEG Electric MPW80 series manual motor protector, rotary, 65A, thermal overload, 50.0-65.0A adjustable, 845A instantaneous trip rating, open, 54mm frame.	Stock	\$149.00
<u>GP2E01</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 0.16A, thermal overload, 0.1-0.16 adjustable, 1.5A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E02</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 0.25A, thermal overload, 0.16-0.25 adjustable, 2.4A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E03</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 0.4A, thermal overload, 0.25-0.40 adjustable, 5A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E04</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 0.63A, thermal overload, 0.40-0.63 adjustable, 8A instantaneous trip rating, 45mm frame.	Stock	\$69.00

<u>GP2E05</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 1A, thermal overload, 0.63-1 adjustable, 13A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E06</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 1.6A, thermal overload, 1-1.6 adjustable, 22.5A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E07</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 2.5A, thermal overload, 1.6-2.5 adjustable, 33.5A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E08</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 4A, thermal overload, 2.5-4 adjustable, 51A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E10</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 6.3A, thermal overload, 4-6.3 adjustable, 78A instantaneous trip rating, 45mm frame.	Stock	\$69.00
<u>GP2E14</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 10A, thermal overload, 6-10 adjustable, 138A instantaneous trip rating, 45mm frame.	Stock	\$74.00
<u>GP2E16</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 14A, thermal overload, 9-14 adjustable, 170A instantaneous trip rating, 45mm frame.	Stock	\$74.00
<u>GP2E20</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 18A, thermal overload, 13-18 adjustable, 223A instantaneous trip rating, 45mm frame.	Stock	\$74.00
<u>GP2E21</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 23A, thermal overload, 17-23 adjustable, 327A instantaneous trip rating, 45mm frame.	Stock	\$74.00
<u>GP2E22</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 25A, thermal overload, 20-25 adjustable, 327A instantaneous trip rating, 45mm frame.	Stock	\$88.00
<u>GP2E32</u>	Schneider Electric Easy TeSys series manual motor protector, pushbutton, 32A, thermal overload, 24-32 adjustable, 416A instantaneous trip rating, 45mm frame.	Stock	\$111.00
<u>HMMP-32HR-0.16</u>	IronHorse manual motor protector, rotary, 0.16A, thermal overload, 0.1-0.16A adjustable, 2.1A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-0.25</u>	IronHorse manual motor protector, rotary, 0.25A, thermal overload, 0.16-0.25A adjustable, 3.3A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-0.40</u>	IronHorse manual motor protector, rotary, 0.4A, thermal overload, 0.25-0.4A adjustable, 5.2A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-0.63</u>	IronHorse manual motor protector, rotary, 0.63A, thermal overload, 0.4-0.63A adjustable, 8.2A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-1</u>	IronHorse manual motor protector, rotary, 1A, thermal overload, 0.63-1A adjustable, 13A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-1.6</u>	IronHorse manual motor protector, rotary, 1.6A, thermal overload, 1-1.6A adjustable, 20.8A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-2.5</u>	IronHorse manual motor protector, rotary, 2.5A, thermal overload, 1.6-2.5A adjustable, 32.5A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-4</u>	IronHorse manual motor protector, rotary, 4A, thermal overload, 2.5-4A adjustable, 52A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-6</u>	IronHorse manual motor protector, rotary, 6A, thermal overload, 4.0-6.0A adjustable, 78A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-8</u>	IronHorse manual motor protector, rotary, 8A, thermal overload, 5-8A adjustable, 104A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-10</u>	IronHorse manual motor protector, rotary, 10A, thermal overload, 6-10A adjustable, 130A instantaneous trip rating, 45mm frame.	Stock	\$48.50
<u>HMMP-32HR-13</u>	IronHorse manual motor protector, rotary, 13A, thermal overload, 9-13A adjustable, 169A instantaneous trip rating, 45mm frame.	Stock	\$58.00
<u>HMMP-32HR-17</u>	IronHorse manual motor protector, rotary, 17A, thermal overload, 11-17A adjustable, 221A instantaneous trip rating, 45mm frame.	Stock	\$58.00
<u>HMMP-32HR-22</u>	IronHorse manual motor protector, rotary, 22A, thermal overload, 14-22A adjustable, 286A instantaneous trip rating, 45mm frame.	Stock	\$58.00
<u>HMMP-32HR-26</u>	IronHorse manual motor protector, rotary, 26A, thermal overload, 18 -26A adjustable, 338A instantaneous trip rating, 45mm frame.	Stock	\$58.00
<u>HMMP-32HR-40</u>	IronHorse manual motor protector, rotary, 40A, thermal overload, 28-40A adjustable, 520A instantaneous trip rating, 45mm frame.	Stock	\$58.00
<u>HMMP-63HR-26</u>	IronHorse manual motor protector, rotary, 26A, thermal overload, 18-26A adjustable, 338A instantaneous trip rating, 55mm frame.	Stock	\$147.00
<u>HMMP-63HR-32</u>	IronHorse manual motor protector, rotary, 32A, thermal overload, 22-32A adjustable, 416A instantaneous trip rating, 55mm frame.	Stock	\$147.00
<u>HMMP-63HR-40</u>	IronHorse manual motor protector, rotary, 40A, thermal overload, 28-40A adjustable, 520A instantaneous trip rating, 55mm frame.	Stock	\$147.00
<u>HMMP-63HR-50</u>	IronHorse manual motor protector, rotary, 50A, thermal overload, 34-50A adjustable, 650A instantaneous trip rating, 55mm frame.	Stock	\$147.00
<u>HMMP-63HR-63</u>	IronHorse manual motor protector, rotary, 63A, thermal overload, 45-63A adjustable, 819A instantaneous trip rating, 55mm frame.	Stock	\$147.00

<u>HMMP-100HR-75</u>	IronHorse manual motor protector, rotary, 75A, thermal overload, 55-75A adjustable, 975A instantaneous trip rating, 70mm frame.	Stock	\$269.00
<u>HMMP-100HR-90</u>	IronHorse manual motor protector, rotary, 90A, thermal overload, 70-90A adjustable, 1170A instantaneous trip rating, 70mm frame.	Stock	\$269.00
<u>HMMP-100HR-100</u>	IronHorse manual motor protector, rotary, 100A, thermal overload, 80-100A adjustable, 1300A instantaneous trip rating, 70mm frame.	Stock	\$269.00
<u>BM3RHB-P16</u>	Fuji Electric BM3R series manual motor protector, rotary, 0.16A, thermal overload, 0.1-0.16A adjustable, 2.1A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-P25</u>	Fuji Electric BM3R series manual motor protector, rotary, 0.25A, thermal overload, 0.16-0.25A adjustable, 3.3A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-P40</u>	Fuji Electric BM3R series manual motor protector, rotary, 0.4A, thermal overload, 0.25-0.4A adjustable, 5.2A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-P63</u>	Fuji Electric BM3R series manual motor protector, rotary, 0.63A, thermal overload, 0.4-0.63A adjustable, 8.2A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-001</u>	Fuji Electric BM3R series manual motor protector, rotary, 1A, thermal overload, 0.63-1.0A adjustable, 13A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-1P6</u>	Fuji Electric BM3R series manual motor protector, rotary, 1.6A, thermal overload, 1.0-1.6A adjustable, 20.8A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-2P5</u>	Fuji Electric BM3R series manual motor protector, rotary, 2.5A, thermal overload, 1.6-2.5A adjustable, 32.5A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-004</u>	Fuji Electric BM3R series manual motor protector, rotary, 4A, thermal overload, 2.5-4.0A adjustable, 52A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-6P3</u>	Fuji Electric BM3R series manual motor protector, rotary, 6.3A, thermal overload, 4.0-6.3A Adjustable, 81.9A instantaneous trip rating, open, 45mm frame.	Stock	\$97.00
<u>BM3RHB-010</u>	Fuji Electric BM3R series manual motor protector, rotary, 10A, thermal overload, 6.3-10.0A adjustable, 130A instantaneous trip rating, open, 45mm frame.	Stock	\$102.00
<u>BM3VHB-010</u>	Fuji Electric BM3V series manual motor protector, rotary, 10A, thermal overload, 6.3-10.0A adjustable, 130A instantaneous trip rating, open, 55mm frame.	Stock	\$237.00
<u>BM3RHB-013</u>	Fuji Electric BM3R series manual motor protector, rotary, 13A, thermal overload, 9.0-13.0A adjustable, 169A instantaneous trip rating, open, 45mm frame.	Stock	\$102.00
<u>BM3VHB-013</u>	Fuji Electric BM3V series manual motor protector, rotary, 13A, thermal overload, 9.0-13.0A adjustable, 169A instantaneous trip rating, open, 55mm frame.	Stock	\$237.00
<u>BM3RHB-016</u>	Fuji Electric BM3R series manual motor protector, rotary, 16A, thermal overload, 11.0-16.0A adjustable, 208A instantaneous trip rating, open, 45mm frame.	Stock	\$102.00
<u>BM3VHB-016</u>	Fuji Electric BM3V series manual motor protector, rotary, 16A, thermal overload, 11.0-16.0A adjustable, 208A instantaneous trip rating, open, 55mm frame.	Stock	\$237.00
<u>BM3RHB-020</u>	Fuji Electric BM3R series manual motor protector, rotary, 20A, thermal overload, 14.0-20.0A adjustable, 260A instantaneous trip rating, open, 45mm frame.	Stock	\$102.00
<u>BM3VHB-020</u>	Fuji Electric BM3V series manual motor protector, rotary, 20A, thermal overload, 14.0-20.0A adjustable, 260A instantaneous trip rating, open, 55mm frame.	Stock	\$237.00
<u>BM3RHB-025</u>	Fuji Electric BM3R series manual motor protector, rotary, 25A, thermal overload, 19.0-25.0A adjustable, 325A instantaneous trip rating, open, 45mm frame.	Stock	\$123.00
<u>BM3VHB-025</u>	Fuji Electric BM3V series manual motor protector, rotary, 25A, thermal overload, 19.0-25.0A adjustable, 325A instantaneous trip rating, open, 55mm frame.	Stock	\$278.00
<u>BM3RHB-032</u>	Fuji Electric BM3R series manual motor protector, rotary, 32A, thermal overload, 24.0-32.0A adjustable, 416A instantaneous trip rating, open, 45mm frame.	Stock	\$154.00
<u>BM3VHB-032</u>	Fuji Electric BM3V series manual motor protector, rotary, 32A, thermal overload, 24.0-32.0A adjustable, 416A instantaneous trip rating, open, 55mm frame.	Stock	\$293.00
<u>BM3VHB-040</u>	Fuji Electric BM3V series manual motor protector, rotary, 40A, thermal overload, 28.0-40.0A adjustable, 520A instantaneous trip rating, open, 55mm frame.	Stock	\$293.00
<u>BM3VHB-050</u>	Fuji Electric BM3V series manual motor protector, rotary, 50A, thermal overload, 35.0-50.0A adjustable, 650A instantaneous trip rating, open, 55mm frame.	Stock	\$305.00
<u>BM3VHB-063</u>	Fuji Electric BM3V series manual motor protector, rotary, 63A, thermal overload, 45.0-63.0A adjustable, 819A instantaneous trip rating, open, 55mm frame.	Stock	\$305.00
<u>MS25-63</u>	AutomationDirect MS25 series manual motor protector, pushbutton, 0.63A, thermal overload, 0.4-0.63A adjustable, 8A instantaneous trip rating, open, 45mm frame.	Stock	\$63.00
<u>MS25-100</u>	AutomationDirect MS25 series manual motor protector, pushbutton, 1A, thermal overload, 0.63-1.0A adjustable, 12A instantaneous trip rating, open, 45mm frame.	Stock	\$63.00
Accessories for Manual Motor Protectors			
<u>TSB</u>	WEG Electric field installable short circuit alarm contact, left side mount, (2) N.O./ (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$15.00
<u>ACBF-11</u>	WEG Electric field installable auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$8.25

<u>ACBS-02</u>	WEG Electric field installable auxiliary contact, left side mount, (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$9.00
<u>ACBS-11</u>	WEG Electric field installable auxiliary contact, left side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$9.00
<u>ACBS-20</u>	WEG Electric field installable auxiliary contact, left side mount, (2) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$9.00
<u>GV2MC01</u>	Schneider Electric Easy TeSys series enclosure without manual motor protector, 5.12 x 3.66 x 3.31in, polycarbonate, IP41. For use with Schneider Electric GP2E01 to GP2E32 manual motor protectors.	Stock	\$64.00
<u>GV2MC02</u>	Schneider Electric Easy TeSys series enclosure without manual motor protector, 5.12 x 3.66 x 3.31in, polycarbonate, IP55. For use with Schneider Electric GP2E01 to GP2E32 manual motor protectors.	Stock	\$92.00
<u>GPEFC11</u>	Schneider Electric field installable auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 0.6A @ 120 VAC, screw terminal. For use with Schneider Electric GP2E01 to GP2E32 manual motor protectors.	Stock	\$13.00
<u>GV2AF3</u>	Schneider Electric link module, for use with Schneider Electric GP2E01 to GP2E32 manual motor protectors and DPE09 to DPE38 contactors.	Stock	\$4.00
<u>GV1G09</u>	Schneider Electric incoming power terminal block, 3-pole, 63A, 16-4 AWG. For use with Schneider Electric GV2G busbars. For incoming power to busbar system.	Stock	\$40.50
<u>GV2G245</u>	Schneider Electric busbar, 63A, 600 VAC, 2 -pin, cut to length not permitted.	Stock	\$27.50
<u>GV2G345</u>	Schneider Electric busbar, 63A, 600 VAC, 3 -pin, cut to length not permitted.	Stock	\$34.00
<u>GV2G445</u>	Schneider Electric busbar, 63A, 600 VAC, 4 -pin, cut to length not permitted.	Stock	\$40.50
<u>HPX1-AUX20-F</u>	IronHorse field installable auxiliary contact, front mount, (2) N.O. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$9.50
<u>HPX1-AUX11-F</u>	IronHorse field installable auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$9.50
<u>HPX1-AUX02-F</u>	IronHorse field installable auxiliary contact, front mount, (2) N.C. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$9.50
<u>HPX1-AUX20-S</u>	IronHorse field installable auxiliary contact, left side mount, (2) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$11.00
<u>HPX1-AUX11-S</u>	IronHorse field installable auxiliary contact, left side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$11.00
<u>HPX1-AUX02-S</u>	IronHorse field installable auxiliary contact, left side mount, (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$11.00
<u>HPX1-ALM11-S</u>	IronHorse field installable alarm contact, left side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMMP-32H manual motor manual motor protectors.	Stock	\$15.00
<u>HPX1-MALM11-S</u>	IronHorse field installable short circuit alarm contact, left side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$16.00
<u>HPX2-ALM11-S</u>	IronHorse field installable alarm contact, left side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMMP-63H and HMMP-100H manual motor protectors.	Stock	\$15.00
<u>BZ0WIA</u>	Fuji Electric auxiliary contact, front mount, (1) N.O. contact(s), 1.5A @ 230VAC/0.55A @ 110VDC. For use with BM3R/BM3V series manual motor protector.	Stock	\$11.50
<u>BZ0WIB</u>	Fuji Electric auxiliary contact, front mount, (1) N.C. contact(s), 1.5A @ 230VAC/0.55A @ 110VDC. For use with BM3R/BM3V series manual motor protector.	Stock	\$11.50
<u>BZ0WUAA</u>	Fuji Electric auxiliary contact, left side mount, (2) N.O. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC. For use with BM3R/BM3V series manual motor protector.	Stock	\$16.50
<u>BZ0WUABL</u>	Fuji Electric auxiliary contact, left side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC. For use with BM3R/BM3V series manual motor protector.	Stock	\$16.50
<u>BZ0WUBBL</u>	Fuji Electric auxiliary contact, left side mount, (2) N.C. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC. For use with BM3R/BM3V series manual motor protector.	Stock	\$16.50
<u>BZ0KIA</u>	Fuji Electric alarm contact, front mount, (1) N.O. contact(s), 1.5A @ 230VAC/0.55A @ 110VDC, phase loss or short circuit. For use with BM3R/BM3V series manual motor protector.	Stock	\$11.50
<u>BZ0KIB</u>	Fuji Electric alarm contact, front mount, (1) N.C. contact(s), 1.5A @ 230VAC/0.55A @ 110VDC, phase loss or short circuit. For use with BM3R/BM3V series manual motor protector.	Stock	\$11.50
<u>BZ0WKUAA</u>	Fuji Electric alarm/auxiliary contact, (1) N.O. auxiliary/ (1) N.O. alarm contact(s), 6A @ 120 VAC/1.1A @ 120 VDC, phase loss or short circuit. For use with BM3R/BM3V series manual motor protector.	Stock	\$20.00
<u>BZ0TKUAB</u>	Fuji Electric short circuit alarm contact, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC. For use with BM3R/BM3V series manual motor protector.	Stock	\$25.00
<u>BZ0FDZU</u>	Fuji Electric shunt trip, right side mount, 120 VAC coil voltage.	Stock	\$33.50
<u>BZ0FKZUD</u>	Fuji Electric shunt trip, right side mount, 24 VDC coil voltage.	Stock	\$33.50
<u>BZ0RDZU</u>	Fuji Electric undervoltage trip, right side mount, 120 VAC sensing range.	Stock	\$33.50
<u>BZ0R4ZU</u>	Fuji Electric undervoltage trip, right side mount, 460-480 VAC sensing range.	Stock	\$33.50
<u>SRMPD51</u>	WEG Electric field installable shunt trip, right side mount, 20-24 VAC (50/60Hz) coil voltage, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50

<u>SRMPD59</u>	WEG Electric field installable shunt trip, right side mount, 100-127 VAC (50/60Hz) coil voltage, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>SRMPD65</u>	WEG Electric field installable shunt trip, right side mount, 200-240 VAC (50/60Hz) coil voltage, screw terminal. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>URMPD02</u>	WEG Electric field installable undervoltage trip, right side mount, 24 VAC (50/60Hz) sensing range, screw terminals. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>URMPV18</u>	WEG Electric field installable undervoltage trip, right side mount, 110 VAC (50Hz)/120 VAC (60Hz) sensing range, screw terminals. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>URMPV23</u>	WEG Electric field installable undervoltage trip, right side mount, 180 VAC (50Hz)/208 VAC (60Hz) sensing range, screw terminals. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>URMPV30</u>	WEG Electric field installable undervoltage trip, right side mount, 208 VAC (50Hz)/240 VAC (60Hz) sensing range, screw terminals. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>URMPV37</u>	WEG Electric field installable undervoltage trip, right side mount, 230-240 VAC (50Hz)/240-277 VAC (60Hz) sensing range, screw terminals. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>URMPV47</u>	WEG Electric field installable undervoltage trip, right side mount, 400-415 VAC (50Hz)/480 VAC (60Hz) sensing range, screw terminals. For use with MPW40 and MPW80 series manual motor protectors.	Stock	\$22.50
<u>HPX1-SHT-120VAC</u>	IronHorse field installable shunt trip, right side mount, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$23.00
<u>HPX1-UVT-120VAC</u>	IronHorse field installable undervoltage trip, right side mount, 120 VAC (60Hz)/110 VAC (50Hz) sensing range, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$23.00
<u>HPX1-UVT-220VAC</u>	IronHorse field installable undervoltage trip, right side mount, 200-220 VAC (60Hz)/200 VAC (50Hz) sensing range, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$23.00
<u>HPX1-UVT-480VAC</u>	IronHorse field installable undervoltage trip, right side mount, 460-480 VAC (60Hz)/415-440 VAC (50Hz) sensing range, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$23.00
<u>HPX1-SHT-480VAC</u>	IronHorse field installable shunt trip, right side mount, 460-480 VAC (60Hz)/415-440 VAC (50Hz) coil voltage, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$23.00
<u>HPX1-SHT-220VAC</u>	IronHorse field installable shunt trip, right side mount, 200-220 VAC (60Hz)/200 VAC (50Hz) coil voltage, screw terminal. For use with HMMP-32H to HMMP-100H manual motor protectors.	Stock	\$23.00
<u>HPX1-BB3P-2SP</u>	IronHorse busbar, 64A, 600 VAC, cut to length not permitted, connects up to 2 HMMP-32H Manual motor protectors without accessories. Use HPX1-PTB-MP power terminal to connect feeder.	Stock	\$11.00
<u>HPX1-BB3P-3SP</u>	IronHorse busbar, 64A, 600 VAC, cut to length not permitted, connects up to 3 HMMP-32H Manual motor protectors without accessories. Use HPX1-PTB-MP power terminal to connect feeder.	Stock	\$13.50
<u>HPX1-BB3P-4SP</u>	IronHorse busbar, 64A, 600 VAC, cut to length not permitted, connects up to 4 HMMP-32H Manual motor protectors without accessories. Use HPX1-PTB-MP power terminal to connect feeder.	Stock	\$15.50
<u>HPX1-BB3P-5SP</u>	IronHorse busbar, 64A, 600 VAC, cut to length not permitted, connects up to 5 HMMP-32H Manual motor protectors without accessories. Use HPX1-PTB-MP power terminal to connect feeder.	Stock	\$23.50
<u>HPX2-BB3P-2SP</u>	IronHorse busbar, 108A, 600 VAC, cut to length not permitted, connects up to 2 HMMP-63H Manual motor protectors without accessories.	Stock	\$15.50
<u>HPX2-BB3P-3SP</u>	IronHorse busbar, 108A, 600 VAC, cut to length not permitted, connects up to 3 HMMP-63H Manual motor protectors without accessories.	Stock	\$21.00
<u>HPX1-TMC-BB</u>	IronHorse busbar cover, for use with unused exposed busbar pins on the HPX1-BB3P busbars.	Stock	\$3.25
<u>HPX2-TMC-BB</u>	IronHorse busbar cover, for use with unused exposed busbar pins on the HPX2-BB3P busbars.	Stock	\$5.00
<u>HPX1-PTBE-MP</u>	IronHorse incoming power terminal block, 3-pole, 64A, 12-4 AWG. For use with HMMP-32H manual motor protectors. Required when using a HMMP-32H in a UL Type E application.	Stock	\$16.50
<u>HPX1-PTB-MP</u>	IronHorse incoming power terminal block, 3-pole, 64A, 12-4 AWG. For use with HPX1-BB3P busbars. For incoming power to busbar system.	Stock	\$14.50
<u>HPX1-MBPT</u>	IronHorse mounting plate adapter, for use with HMMP-32H manual motor protector and HMC-9 to HMC-40 contactors with AC or DC coils.	Stock	\$10.50
<u>HPX2-MBPT</u>	IronHorse mounting plate adapter, for use with HMMP-63H manual motor protector and HMC-50 and HMC-65 contactors with AC or DC coils.	Stock	\$15.50
<u>HPX3-MBPT</u>	IronHorse mounting plate adapter, for use with HMMP-100H manual motor protector and HMC-75 to HMC-100 contactors with AC or DC coils.	Stock	\$21.00
<u>HPX3-PBR-MP</u>	IronHorse phase barrier, package of 4. For use with HMMP-100H manual motor protectors. Required by UL to increase clearance distance.	Stock	\$5.00
<u>HMX1-LM22-AC</u>	IronHorse link module, for use with HMMP-32H manual motor protectors and HMC-9 to HMC-22 contactors with AC coils.	Stock	\$9.00
<u>HMX1-LM22-DC</u>	IronHorse link module, for use with HMMP-32H manual motor protectors and HMC-9 to HMC-22 contactors with DC coils.	Stock	\$9.00
<u>HMX2-LM32-AC</u>	IronHorse link module, for use with HMMP-32H manual motor protectors and HMC-32 or HMC-40 contactors with AC coils.	Stock	\$10.00
<u>HMX2-LM32-DC</u>	IronHorse link module, for use with HMMP-32H manual motor protectors and HMC-32 or HMC-40 contactors with DC coils.	Stock	\$10.00

<u>HMX3-LM63-AC</u>	IronHorse link module, for use with HMMP-63H manual motor protectors and HMC-50 or HMC-65 contactors with AC coils.	Stock	\$10.50
<u>HMX3-LM63-DC</u>	IronHorse link module, for use with HMMP-63H manual motor protectors and HMC-50 or HMC-65 contactors with DC coils.	Stock	\$10.50
<u>HMX4-LM100-AC</u>	IronHorse link module, for use with HMMP-100H manual motor protectors and HMC-75 to HMC-100 contactors with AC coils.	Stock	\$11.50
<u>HMX4-LM100-DC</u>	IronHorse link module, for use with HMMP-100H manual motor protectors and HMC-75 to HMC-100 contactors with DC coils.	Stock	\$11.50
<u>BZ0TCRE</u>	Fuji Electric terminal shroud, line side. For use with BM3RHB series manual motor protector.	Stock	\$16.00
<u>BZ0SET</u>	Fuji Electric panel mount adapter, package of 10. For use with BM3R series manual motor protector.	Stock	\$11.50
<u>BZ0BR02A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 2 BM3RH MMS units without accessories.	Stock	\$25.00
<u>BZ0BR03A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 3 BM3RH MMS units without accessories.	Stock	\$22.00
<u>BZ0BR04A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 4 BM3RH MMS units without accessories.	Stock	\$26.50
<u>BZ0BR05A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 5 BM3RH MMS units without accessories.	Stock	\$28.00
<u>BZ0BR12A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 2 BM3RH MMS units with one (9mm wide) accessory.	Stock	\$21.00
<u>BZ0BR13A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 3 BM3RH MMS units with one (9mm wide) accessory.	Stock	\$25.50
<u>BZ0BR14A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 4 BM3RH MMS units with one (9mm wide) accessory.	Stock	\$28.00
<u>BZ0BR15A</u>	Fuji Electric busbar, 64A Max, cut to length not permitted, connects up to 5 BM3RH MMS units with one (9mm wide) accessory.	Stock	\$29.50
<u>BZ0BV02A</u>	Fuji Electric busbar, 126A Max, cut to length not permitted, connects up to 2 BM3V MMS units without accessories.	Stock	\$40.00
<u>BZ0BV04A</u>	Fuji Electric busbar, 126A Max, cut to length not permitted, connects up to 4 BM3V MMS units without accessories.	Stock	\$59.00
<u>BZ0BV12A</u>	Fuji Electric busbar, 126A Max, cut to length not permitted, connects up to 2 BM3V MMS units with one (9mm wide) accessory.	Stock	\$42.50
<u>BZ0BFRA</u>	Fuji Electric incoming power terminal block, maximum current 64A, maximum wire size 4AWG. For use with BM3RH busbars. For incoming power to busbar system.	Stock	\$22.00
<u>BZ0BFVA</u>	Fuji Electric incoming power terminal block, maximum current 126A, maximum wire size 4AWG. For use with BM3V busbars. For incoming power to busbar system.	Stock	\$45.00
<u>BZ0BCRA</u>	Fuji Electric busbar cover, for use with unused exposed busbar pins on the BM3RH busbars.	Stock	\$6.00
<u>BZ0LRE22AA</u>	Fuji Electric link module, for use with BM3RH series manual motor protector and SC-E02x, SC-E03x, SC-E04x or SC-E05x contactors with AC Coils.	Stock	\$17.00
<u>BZ0LRE22GA</u>	Fuji Electric link module, for use with BM3RH series manual motor protector and SC-E02x, SC-E03x, SC-E04x or SC-E05x contactors with DC Coils.	Stock	\$22.00
<u>BZ0LRE32AA</u>	Fuji Electric link module, for use with BM3RH series manual motor protector and SC-E1x contactors with AC Coils.	Stock	\$20.00
<u>BZ0LRE32GA</u>	Fuji Electric link module, for use with BM3RH series manual motor protector and SC-E1x contactors with DC Coils.	Stock	\$25.00
<u>BZ0LVE51AA</u>	Fuji Electric link module, for use with BM3V series manual motor protector and SC-E1x, SC-E2x or SC-E2Sx contactors with AC Coils.	Stock	\$22.00
<u>BZ0LVE51GA</u>	Fuji Electric link module, for use with BM3V series manual motor protector and SC-E1x, SC-E2x or SC-E2Sx contactors with DC Coils.	Stock	\$26.50
<u>BZ0LVE65AA</u>	Fuji Electric link module, for use with BM3V series manual motor protector and SC-E3x contactors with AC Coils.	Stock	\$26.50
<u>BZ0LVE65GA</u>	Fuji Electric link module, for use with BM3V series manual motor protector and SC-E3x contactors with DC Coils.	Stock	\$31.50
<u>BZ0BPRE22A</u>	Fuji Electric baseplate, for use with BM3RH series manual motor protector and SC-E02x, SC-E03x, SC-E04x or SC-E05x contactors with AC or DC coils.	Stock	\$21.00
<u>BZ0BPRE32A</u>	Fuji Electric baseplate, for use with BM3RH series manual motor protector and SC-E1x contactors with AC or DC coils.	Stock	\$22.50
<u>BZ0BPVE51A</u>	Fuji Electric baseplate, for use with BM3V series manual motor protector and SC-E1x, SC-E2x or SC-E2Sx contactors with AC or DC coils.	Stock	\$25.50
<u>CLT32MPW40</u>	WEG Electric current limiter, 35mm DIN rail mount. For use with MPW40 series manual motor protectors.	Stock	\$45.00
<u>ECCMP-40B38</u>	WEG Electric link module, for use with MPW40 protectors and CWB9 through CWB38 series contactors with AC coils.	Stock	\$10.00

<u>ECCMP-40B38DC</u>	WEG Electric link module, for use with MPW40 protectors and CWB9 through CWB38 series contactors with DC coils.	Stock	\$10.00
<u>ECCMP-C0</u>	WEG Electric link module, for use with MPW40 protectors and CWC07 through CWC016 series miniature contactors with AC or DC coils. Not for use with 4-Pole CWC series miniature contactors.	Stock	\$8.50
<u>ECCMP-C025</u>	WEG Electric link module, for use with MPW40 protectors and CWC025 series miniature contactors with AC coils. Not for use with 4-Pole CWC series miniature contactors.	Stock	\$8.50
<u>ECCMP-80B80</u>	WEG Electric link module, for use with MPW80 protectors and CWB40 through CWB80 series contactors with AC and DC coils.	Stock	\$37.50
<u>LST25</u>	WEG Electric incoming power terminal block, 3-pole, maximum current 63A, 20-8 AWG. For use with MPW40 series manual motor protectors. Required when using a MPW40 in a UL Type E application 32A and less.	Stock	\$17.00
<u>LST65</u>	WEG Electric incoming power terminal block, 3-pole, maximum current 120A, 8-4 AWG. For use with MPW80 series manual motor protectors.	Stock	\$33.50
Handles for Manual Motor Protectors			
<u>RMMP-130</u>	WEG Electric rotary handle, selector, black/gray, external front mount, 2-position, lockable in OFF only, NEMA 1/3R, IP55. For use with MPW40 series manual motor protectors. 130mm shaft included.	Stock	\$28.50
<u>RMMP-130E</u>	WEG Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, NEMA 1/3R, IP55. For use with MPW40 series manual motor protectors. 130mm shaft included.	Stock	\$28.50
<u>RMMP-330</u>	WEG Electric rotary handle, selector, black/gray, external front mount, 2-position, lockable in OFF only, NEMA 1/3R, IP55. For use with MPW40 series manual motor protectors. 330mm shaft included.	Stock	\$34.50
<u>RMMP-330E</u>	WEG Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, NEMA 1/3R, IP55. For use with MPW40 series manual motor protectors. 330mm shaft included.	Stock	\$34.50
<u>MRX-130</u>	WEG Electric rotary handle, selector, black/gray, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW40 series manual motor protectors. 130mm shaft included.	Stock	\$42.50
<u>MRX-130E</u>	WEG Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW40 series manual motor protectors. 130mm shaft included.	Stock	\$42.50
<u>MRX-330</u>	WEG Electric rotary handle, selector, black/gray, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW40 series manual motor protectors. 330mm shaft included.	Stock	\$46.50
<u>MRX-330E</u>	WEG Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW40 series manual motor protectors. 330mm shaft included.	Stock	\$46.50
<u>MRX65-130</u>	WEG Electric rotary handle, selector, black/gray, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW80 series manual motor protectors. 130mm shaft included.	Stock	\$47.50
<u>MRX65-130E</u>	WEG Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW80 series manual motor protectors. 130mm shaft included.	Stock	\$47.50
<u>MRX65-330</u>	WEG Electric rotary handle, selector, black/gray, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW80 series manual motor protectors. 330mm shaft included.	Stock	\$51.00
<u>MRX65-330E</u>	WEG Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X, IP65. For use with MPW80 series manual motor protectors. 330mm shaft included.	Stock	\$51.00
<u>HPX1-EHRN3R-GY1</u>	IronHorse rotary handle, selector, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3R, IP65. For use with HMMP-32H manual motor manual motor protectors. 115mm shaft, operator and mounting screws included.	Stock	\$29.50
<u>HPX1-EHRN3R-GY3</u>	IronHorse rotary handle, selector, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3R, IP65. For use with HMMP-32H manual motor protectors. 315mm shaft, operator and mounting screws included.	Stock	\$29.50
<u>HPX2-EHRN3R-GY1</u>	IronHorse rotary handle, selector, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3R, IP65. For use with HMMP-63H manual motor protectors. 115mm shaft, operator and mounting screws included.	Stock	\$29.50
<u>HPX2-EHRN3R-GY3</u>	IronHorse rotary handle, selector, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3R, IP65. For use with HMMP-63H manual motor protectors. 315mm shaft, operator and mounting screws included.	Stock	\$29.50
<u>HPX3-EHRN3R-GY1</u>	IronHorse rotary handle, selector, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3R, IP65. For use with HMMP-100H manual motor protectors. 115mm shaft, operator and mounting screws included.	Stock	\$29.50
<u>HPX3-EHRN3R-GY3</u>	IronHorse rotary handle, selector, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3R, IP65. For use with HMMP-100H manual motor protectors. 315mm shaft, operator and mounting screws included.	Stock	\$29.50
<u>BZ0VBBL</u>	Fuji Electric rotary handle, selector, black, external front mount, 2-position, lockable in OFF only, defeatable. For use with BM3RH series manual motor protector. Handle, shaft, operator, and mounting screws included.	Stock	\$49.00
<u>BZ0VYRL</u>	Fuji Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable. For use with BM3RH series manual motor protector. Shaft, operator, and mounting screws included.	Stock	\$51.00
<u>BZ0VBBM</u>	Fuji Electric rotary handle, selector, black, external front mount, 2-position, lockable in OFF only, defeatable. For use with BM3V series manual motor protector. Handle, shaft, operator, and mounting screws included.	Stock	\$49.00
<u>BZ0VYRM</u>	Fuji Electric rotary handle, selector, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable. For use with BM3V series manual motor protector. Handle, shaft, operator, and mounting screws included.	Stock	\$51.00

Miniature IEC Magnetic Contactors

[illegible]

[illegible]

<u>CWC016-10-30V24</u>	WEG Electric CWC series IEC miniature contactor, 16A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 208-240 VAC (60Hz) coil voltage.	Stock	\$21.00
<u>CWC016-10-30V47</u>	WEG Electric CWC series IEC miniature contactor, 16A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 480 VAC (60Hz) coil voltage.	Stock	\$21.00
<u>CWC016-00-22R02</u>	WEG Electric CWC series IEC miniature contactor, 16A, (2) N.O./(2) N.C. power poles, 12 VDC coil voltage.	Stock	\$27.00
<u>CWC016-00-22R03</u>	WEG Electric CWC series IEC miniature contactor, 16A, (2) N.O./(2) N.C. power poles, 24 VDC coil voltage.	Stock	\$27.00
<u>CWC016-00-22V04</u>	WEG Electric CWC series IEC miniature contactor, 16A, (2) N.O./(2) N.C. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$23.50
<u>CWC016-00-22V18</u>	WEG Electric CWC series IEC miniature contactor, 16A, (2) N.O./(2) N.C. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$23.50
<u>CWC016-00-22V24</u>	WEG Electric CWC series IEC miniature contactor, 16A, (2) N.O./(2) N.C. power poles, 208-240 VAC (60Hz) coil voltage.	Stock	\$23.50
<u>CWC016-00-22V47</u>	WEG Electric CWC series IEC miniature contactor, 16A, (2) N.O./(2) N.C. power poles, 480 VAC (60Hz) coil voltage.	Stock	\$23.50
<u>CWC016-00-40L02</u>	WEG Electric CWC series IEC miniature contactor, 16A, (4) N.O. power poles, 12 VDC coil voltage, low consumption.	Stock	\$27.00
<u>CWC016-00-40L03</u>	WEG Electric CWC series IEC miniature contactor, 16A, (4) N.O. power poles, 24 VDC coil voltage, low consumption.	Stock	\$27.00
<u>CWC016-00-40V04</u>	WEG Electric CWC series IEC miniature contactor, 16A, (4) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$23.50
<u>CWC016-00-40V18</u>	WEG Electric CWC series IEC miniature contactor, 16A, (4) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$23.50
<u>CWC016-00-40V24</u>	WEG Electric CWC series IEC miniature contactor, 16A, (4) N.O. power poles, 208-240 VAC (60Hz) coil voltage.	Stock	\$23.50
<u>CWC016-00-40V47</u>	WEG Electric CWC series IEC miniature contactor, 16A, (4) N.O. power poles, 480 VAC (60Hz) coil voltage.	Stock	\$23.50
<u>CWC025-00-30V04</u>	WEG Electric CWC series IEC miniature contactor, 22A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$24.00
<u>CWC025-00-30V18</u>	WEG Electric CWC series IEC miniature contactor, 22A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$24.00
<u>CWC025-00-30V24</u>	WEG Electric CWC series IEC miniature contactor, 22A, (3) N.O. power poles, 208-240 VAC (60Hz) coil voltage.	Stock	\$24.00
<u>CWC025-00-30V47</u>	WEG Electric CWC series IEC miniature contactor, 22A, (3) N.O. power poles, 480 VAC (60Hz) coil voltage.	Stock	\$24.00

IEC Safety Contactors

<u>CWBS9-33-30C03</u>	WEG Electric CWBS series IEC safety contactor, 9A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VDC coil voltage.	Stock	\$91.00
<u>CWBS9-33-30D02</u>	WEG Electric CWBS series IEC safety contactor, 9A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VAC (50/60Hz) coil voltage.	Stock	\$80.00
<u>CWBS9-33-30D15</u>	WEG Electric CWBS series IEC safety contactor, 9A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 120 VAC (50/60Hz) coil voltage.	Stock	\$80.00
<u>CWBS12-33-30C03</u>	WEG Electric CWBS series IEC safety contactor, 12A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VDC coil voltage.	Stock	\$102.00
<u>CWBS12-33-30D02</u>	WEG Electric CWBS series IEC safety contactor, 12A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VAC (50/60Hz) coil voltage.	Stock	\$89.00
<u>CWBS12-33-30D15</u>	WEG Electric CWBS series IEC safety contactor, 12A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 120 VAC (50/60Hz) coil voltage.	Stock	\$89.00
<u>CWBS18-33-30C03</u>	WEG Electric CWBS series IEC safety contactor, 18A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VDC coil voltage.	Stock	\$116.00
<u>CWBS18-33-30D02</u>	WEG Electric CWBS series IEC safety contactor, 18A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VAC (50/60Hz) coil voltage.	Stock	\$102.00
<u>CWBS18-33-30D15</u>	WEG Electric CWBS series IEC safety contactor, 18A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 120 VAC (50/60Hz) coil voltage.	Stock	\$102.00
<u>CWBS25-33-30C03</u>	WEG Electric CWBS series IEC safety contactor, 25A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VDC coil voltage.	Stock	\$129.00
<u>CWBS25-33-30D02</u>	WEG Electric CWBS series IEC safety contactor, 25A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VAC (50/60Hz) coil voltage.	Stock	\$114.00
<u>CWBS25-33-30D15</u>	WEG Electric CWBS series IEC safety contactor, 25A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 120 VAC (50/60Hz) coil voltage.	Stock	\$114.00
<u>CWBS32-33-30C03</u>	WEG Electric CWBS series IEC safety contactor, 32A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VDC coil voltage.	Stock	\$151.00
<u>CWBS32-33-30D02</u>	WEG Electric CWBS series IEC safety contactor, 32A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 24 VAC (50/60Hz) coil voltage.	Stock	\$132.00
<u>CWBS32-33-30D15</u>	WEG Electric CWBS series IEC safety contactor, 32A, (3) N.O. power poles, (3) N.O./(3) N.C. safety auxiliary contacts, 120 VAC (50/60Hz) coil voltage.	Stock	\$132.00

[illegible]

[illegible]

[illegible]

[illegible]

<u>HMC-400A30-22-FB</u>	IronHorse IEC contactor, 400A, (3) N.O. power poles, (2) N.O./ (2) N.C. auxiliary contacts, 100-240 VAC (50/60Hz)/100-200 VDC coil voltage, low consumption electronic.	Stock	\$782.00
<u>SC-E02PG-24VDC</u>	Fuji Electric SC-E02PG series IEC contactor, 9A, (3) N.O. power poles, 24 VDC coil voltage.	Stock	\$30.50
<u>SC-E02P-24VAC</u>	Fuji Electric SC-E02P series IEC contactor, 9A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$26.50
<u>SC-E02P-110VAC</u>	Fuji Electric SC-E02P series IEC contactor, 9A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$26.50
<u>SC-E02P-220VAC</u>	Fuji Electric SC-E02P series IEC contactor, 9A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$26.50
<u>SC-E02P-440VAC</u>	Fuji Electric SC-E02P series IEC contactor, 9A, (3) N.O. power poles, 440-480 VAC (60Hz) coil voltage.	Stock	\$26.50
<u>SC-E02P-500VAC</u>	Fuji Electric SC-E02P series IEC contactor, 9A, (3) N.O. power poles, 500-550 VAC (60Hz) coil voltage.	Stock	\$26.50
<u>SC-E03PG-24VDC</u>	Fuji Electric SC-E03PG series IEC contactor, 12A, (3) N.O. power poles, 24 VDC coil voltage.	Stock	\$48.50
<u>SC-E03P-24VAC</u>	Fuji Electric SC-E03P series IEC contactor, 12A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$33.50
<u>SC-E03P-110VAC</u>	Fuji Electric SC-E03P series IEC contactor, 12A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$33.50
<u>SC-E03P-220VAC</u>	Fuji Electric SC-E03P series IEC contactor, 12A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$33.50
<u>SC-E03P-440VAC</u>	Fuji Electric SC-E03P series IEC contactor, 12A, (3) N.O. power poles, 440-480 VAC (60Hz) coil voltage.	Stock	\$33.50
<u>SC-E04PG-24VDC</u>	Fuji Electric SC-E04PG series IEC contactor, 18A, (3) N.O. power poles, 24 VDC coil voltage.	Stock	\$59.00
<u>SC-E04P-24VAC</u>	Fuji Electric SC-E04P series IEC contactor, 18A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$42.00
<u>SC-E04P-110VAC</u>	Fuji Electric SC-E04P series IEC contactor, 18A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$42.00
<u>SC-E04P-220VAC</u>	Fuji Electric SC-E04P series IEC contactor, 18A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$42.00
<u>SC-E04P-440VAC</u>	Fuji Electric SC-E04P series IEC contactor, 18A, (3) N.O. power poles, 440-480 VAC (60Hz) coil voltage.	Stock	\$42.00
<u>SC-E04P-500VAC</u>	Fuji Electric SC-E04P series IEC contactor, 18A, (3) N.O. power poles, 500-550 VAC (60Hz) coil voltage.	Stock	\$42.00
<u>SC-E05PG-24VDC</u>	Fuji Electric SC-E05PG series IEC contactor, 25A, (3) N.O. power poles, 24 VDC coil voltage.	Stock	\$69.00
<u>SC-E05P-24VAC</u>	Fuji Electric SC-E05P series IEC contactor, 25A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$54.00
<u>SC-E05P-110VAC</u>	Fuji Electric SC-E05P series IEC contactor, 25A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$54.00
<u>SC-E05P-220VAC</u>	Fuji Electric SC-E05P series IEC contactor, 25A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$54.00
<u>SC-E05P-440VAC</u>	Fuji Electric SC-E05P series IEC contactor, 25A, (3) N.O. power poles, 440-480 VAC (60Hz) coil voltage.	Stock	\$54.00
<u>SC-E05P-500VAC</u>	Fuji Electric SC-E05P series IEC contactor, 25A, (3) N.O. power poles, 500-550 VAC (60Hz) coil voltage.	Stock	\$54.00
<u>SC-E1G-24VDC</u>	Fuji Electric SC-E1G series IEC contactor, 32A, (3) N.O. power poles, 24 VDC coil voltage.	Stock	\$85.00
<u>SC-E1-24VAC</u>	Fuji Electric SC-E1 series IEC contactor, 32A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$72.00
<u>SC-E1-110VAC</u>	Fuji Electric SC-E1 series IEC contactor, 32A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$72.00
<u>SC-E1-220VAC</u>	Fuji Electric SC-E1 series IEC contactor, 32A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$72.00
<u>SC-E1-440VAC</u>	Fuji Electric SC-E1 series IEC contactor, 32A, (3) N.O. power poles, 440-480 VAC (60Hz) coil voltage.	Stock	\$72.00
<u>SC-E1-500VAC</u>	Fuji Electric SC-E1 series IEC contactor, 32A, (3) N.O. power poles, 500-550 VAC (60Hz) coil voltage.	Stock	\$72.00
<u>SC-E2G-24VDC</u>	Fuji Electric SC-E2G series IEC contactor, 40A, (3) N.O. power poles, 24 VDC coil voltage.	Stock	\$124.00
<u>SC-E2SG-24VDC</u>	Fuji Electric SC-E2SG series IEC contactor, 50A, (3) N.O. power poles, 24 VDC coil voltage.	Stock	\$146.00
<u>SC-E2-24VAC</u>	Fuji Electric SC-E2 series IEC contactor, 40A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$102.00
<u>SC-E2S-24VAC</u>	Fuji Electric SC-E2S series IEC contactor, 50A, (3) N.O. power poles, 24 VAC (60Hz) coil voltage.	Stock	\$124.00
<u>SC-E2-110VAC</u>	Fuji Electric SC-E2 series IEC contactor, 40A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$102.00
<u>SC-E2S-110VAC</u>	Fuji Electric SC-E2S series IEC contactor, 50A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$124.00
<u>SC-E2-220VAC</u>	Fuji Electric SC-E2 series IEC contactor, 40A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$102.00

[illegible]

[illegible]

<u>GH15KT-3-00A</u>	AutomationDirect GH15 series IEC contactor, 80A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$286.00
<u>GH15LT-3-00A</u>	AutomationDirect GH15 series IEC contactor, 95A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$339.00
<u>GH15LT-3-00B</u>	AutomationDirect GH15 series IEC contactor, 95A, (3) N.O. power poles, 240 VAC (60Hz)/212 VAC (50Hz) coil voltage.	Stock	\$339.00
<u>GH15MT-3-00A</u>	AutomationDirect GH15 series IEC contactor, 110A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz)/110 VDC coil voltage.	Stock	\$376.00
<u>GH15MT-3-00B</u>	AutomationDirect GH15 series IEC contactor, 110A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$376.00
<u>GH15NT-3-00A</u>	AutomationDirect GH15 series IEC contactor, 150A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz)/110 VDC coil voltage.	Stock	\$498.00
<u>GH15PT-3-00A</u>	AutomationDirect GH15 series IEC contactor, 175A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz)/110 VDC coil voltage.	Stock	\$603.00
<u>GH15PT-3-00B</u>	AutomationDirect GH15 series IEC contactor, 175A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz)/220 VDC coil voltage.	Stock	\$603.00
<u>GH15RT-3-00A</u>	AutomationDirect GH15 series IEC contactor, 210A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz)/110 VDC coil voltage.	Stock	\$751.00
<u>GH15ST-3-00A</u>	AutomationDirect GH15 series IEC contactor, 260A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz)/110 VDC coil voltage.	Stock	\$801.00
<u>GH15TT-3-00A</u>	AutomationDirect GH15 series IEC contactor, 315A, (3) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz)/110 VDC coil voltage.	Stock	\$1,065.00
<u>GH15TT-3-00B</u>	AutomationDirect GH15 series IEC contactor, 315A, (3) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz)/220 VDC coil voltage.	Stock	\$1,065.00
<u>CE15AN4AB</u>	Eaton Freedom series IEC contactor, 7A, (4) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$310.00
<u>CE15AN4BB</u>	Eaton Freedom series IEC contactor, 7A, (4) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$310.00
<u>CE15BN4AB</u>	Eaton Freedom series IEC contactor, 10A, (4) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$319.00
<u>CE15BN4BB</u>	Eaton Freedom series IEC contactor, 10A, (4) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$319.00
<u>CE15CN4AB</u>	Eaton Freedom series IEC contactor, 12A, (4) N.O. power poles, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$392.00
<u>CE15CN4BB</u>	Eaton Freedom series IEC contactor, 12A, (4) N.O. power poles, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$392.00
<u>CE15DNS3AB</u>	Eaton Freedom series IEC contactor, 18A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$467.00
<u>CE15DNS3BB</u>	Eaton Freedom series IEC contactor, 18A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$467.00
<u>CE15ENS3AB</u>	Eaton Freedom series IEC contactor, 25A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$516.00
<u>CE15ENS3BB</u>	Eaton Freedom series IEC contactor, 25A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$516.00
<u>CE15FNS3AB</u>	Eaton Freedom series IEC contactor, 32A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 120 VAC (60Hz)/110 VAC (50Hz) coil voltage.	Stock	\$586.00
<u>CE15FNS3BB</u>	Eaton Freedom series IEC contactor, 32A, (3) N.O. power poles, (1) N.O. auxiliary contacts, 240 VAC (60Hz)/220 VAC (50Hz) coil voltage.	Stock	\$586.00

Accessories for Magnetic Contactors

<u>BFC0-02</u>	WEG Electric auxiliary contact, front mount, (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor.	Stock	\$5.00
<u>BFC0-04</u>	WEG Electric auxiliary contact, front mount, (4) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.25
<u>BFC0-11</u>	WEG Electric auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor.	Stock	\$5.00
<u>BFC0-13</u>	WEG Electric auxiliary contact, front mount, (1) N.O./ (3) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC0-20</u>	WEG Electric auxiliary contact, front mount, (2) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor.	Stock	\$5.00
<u>BFC0-22</u>	WEG Electric auxiliary contact, front mount, (2) N.O./ (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00

<u>BFC0-31</u>	WEG Electric auxiliary contact, front mount, (3) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC0-40</u>	WEG Electric auxiliary contact, front mount, (4) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC4-02</u>	WEG Electric auxiliary contact, front mount, (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor.	Stock	\$5.00
<u>BFC4-04</u>	WEG Electric auxiliary contact, front mount, (4) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC4-11</u>	WEG Electric auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor.	Stock	\$5.00
<u>BFC4-13</u>	WEG Electric auxiliary contact, front mount, (1) N.O./ (3) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC4-20</u>	WEG Electric auxiliary contact, front mount, (2) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor.	Stock	\$5.00
<u>BFC4-22</u>	WEG Electric auxiliary contact, front mount, (2) N.O./ (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC4-31</u>	WEG Electric auxiliary contact, front mount, (3) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC4-40</u>	WEG Electric auxiliary contact, front mount, (4) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 4-pole CWC07 through CWC016 series miniature contactor with standard consumption AC or DC coils.	Stock	\$8.00
<u>BFC025-02</u>	WEG Electric auxiliary contact, front mount, (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC025 series miniature contactor.	Stock	\$5.00
<u>BFC025-11</u>	WEG Electric auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC025 series miniature contactor.	Stock	\$5.00
<u>BFC025-20</u>	WEG Electric auxiliary contact, front mount, (2) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with any 3-pole CWC025 series miniature contactor.	Stock	\$5.00
<u>BLB-11</u>	WEG Electric field installable auxiliary contact, side mount, (1) N.O./ (1) N.C. contact(s), 1.5A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with CWBx9 to CWBx125 series contactors.	Stock	\$8.75
<u>BFB-04</u>	WEG Electric field installable auxiliary contact, front mount, (4) N.C. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with CWB9 to CWB125 series contactors.	Stock	\$12.50
<u>BFB-11</u>	WEG Electric field installable auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with CWB9 to CWB125 series contactors.	Stock	\$8.00
<u>BFB-20</u>	WEG Electric field installable auxiliary contact, front mount, (2) N.O. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with CWB9 to CWB125 series contactors.	Stock	\$8.25
<u>BFB-22</u>	WEG Electric field installable auxiliary contact, front mount, (2) N.O./ (2) N.C. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with CWB9 to CWB125 series contactors.	Stock	\$12.50
<u>BFB-40</u>	WEG Electric field installable auxiliary contact, front mount, (4) N.O. contact(s), 6A @ 120 VAC/0.22A @ 120 VDC, screw terminal. For use with CWB9 to CWB125 series contactors.	Stock	\$12.50
<u>DPEAN11</u>	Schneider Electric field installable auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with Schneider Electric DPE09 to DPE38 contactors.	Stock	\$13.00
<u>LAD9R1</u>	Schneider Electric reversing connection kit, for use with Schneider Electric DPE09 to DPE38 contactors, includes line and loadside connection bars and mechanical interlock.	Stock	\$44.50
<u>HMX1-AUX11-S</u>	IronHorse field installable auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC, screw terminal. For use with HMC-9 to HMC-150 contactors.	Stock	\$7.25
<u>HMX1-AUX11-F</u>	IronHorse field installable auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMC-9 to HMC-150 contactors.	Stock	\$7.25
<u>HMX1-AUX40-F</u>	IronHorse field installable auxiliary contact, front mount, (4) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMC-9 to HMC-150 contactors.	Stock	\$12.50
<u>HMX1-AUX04-F</u>	IronHorse field installable auxiliary contact, front mount, (4) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMC-9 to HMC-150 contactors.	Stock	\$12.50
<u>HMX1-AUX13-F</u>	IronHorse field installable auxiliary contact, front mount, (1) N.O./ (3) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMC-9 to HMC-150 contactors.	Stock	\$12.50
<u>HMX1-AUX31-F</u>	IronHorse field installable auxiliary contact, front mount, (3) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with HMC-9 to HMC-150 contactors.	Stock	\$12.50
<u>HMX3-AUX11-S</u>	IronHorse field installable auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC, screw terminal. For use with HMC-185 to HMC-400 contactors.	Stock	\$8.25
<u>C320KGS1</u>	Eaton auxiliary contact, side mount, (1) N.O. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC. For use with Cutler-Hammer AE series starters and CE series contactors.	Stock	\$72.00

<u>C320KGS3</u>	Eaton auxiliary contact, side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/1.1A @ 120 VDC. For use with Cutler-Hammer AE series starters and CE series contactors.	Stock	\$100.00
<u>GH15S11</u>	AutomationDirect auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC. For use with all GH15 series contactors.	Stock	\$24.00
<u>GH15T11</u>	AutomationDirect auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC. For use with all GH15 series contactors.	Stock	\$21.00
<u>GH15T22</u>	AutomationDirect auxiliary contact, front mount, (2) N.O./ (2) N.C. contact(s), 6A @ 120 VAC. For use with all GH15 series contactors.	Stock	\$27.50
<u>GH15T31</u>	AutomationDirect auxiliary contact, front mount, (3) N.O./ (1) N.C. contact(s), 6A @ 120 VAC. For use with all GH15 series contactors.	Stock	\$27.50
<u>GH15T40</u>	AutomationDirect auxiliary contact, front mount, (4) N.O. contact(s), 6A @ 120 VAC. For use with all GH15 series contactors.	Stock	\$27.50
<u>SZ-A11T</u>	Fuji Electric auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with SC-E02x, SC-E03x, SC-E04x, SC-E05x, SC-E1x, SC-E2x, SC-E2Sx, SC-E3x, and SC-E4x contactors.	Stock	\$16.50
<u>SZ-A20T</u>	Fuji Electric auxiliary contact, front mount, (2) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with SC-E02x, SC-E03x, SC-E04x, SC-E05x, SC-E1x, SC-E2x, SC-E2Sx, SC-E3x, and SC-E4x contactors.	Stock	\$16.50
<u>SZ-A22T</u>	Fuji Electric auxiliary contact, front mount, (2) N.O./ (2) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with SC-E02x, SC-E03x, SC-E04x, SC-E05x, SC-E1x, SC-E2x, SC-E2Sx, SC-E3x, and SC-E4x contactors.	Stock	\$25.00
<u>SZ-AS1T</u>	Fuji Electric auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with SC-E02x, SC-E03x, SC-E04x, SC-E05x, SC-E1x, SC-E2x, SC-E2Sx, SC-E3x, and SC-E4x contactors.	Stock	\$25.00
<u>SZ-AS2T</u>	Fuji Electric auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with SC-E5x, SC-E6x, SC-E7x, 3NC4Qx, 3NC4Hx, 3NC5Fx and 3NC5Hx contactors.	Stock	\$25.00
<u>BIC0</u>	WEG Electric mechanical interlock, front mount. For use with CWC07 through CWC016 series miniature contactor. Mechanically connects contactors to prevents both from being pulled in at the same time.	Stock	\$3.50
<u>RMC0</u>	WEG Electric mechanical latch, front mount. For use with CWC07 through CWC016 series miniature contactor. Mechanically connects contactors and interlocks them so that latching one resets the other.	Stock	\$4.00
<u>SZ-RM</u>	Fuji Electric mechanical interlock, for use with SC-E02x, SC-E03x, SC-E04x, SC-E05x, SC-E1x, SC-E2x, SC-E2Sx, SC-E3x and SC-E4x contactors, mechanically connects contactors to prevents both from being pulled in at the same time.	Stock	\$21.00
<u>IM1</u>	WEG Electric mechanical interlock, side mount. For use with CWBx9 to CWBx38 series contactors. Allows for mechanical connection of two contactors to prevent both from being pulled in at the same time. Adds zero to width.	Stock	\$5.25
<u>IM2</u>	WEG Electric mechanical interlock, side mount. For use with CWBx40 to CWBx125 series contactors. Allows for mechanical connection of two contactors to prevent both from being pulled in at the same time. Adds zero to width.	Stock	\$6.50
<u>HMX1-MI</u>	IronHorse mechanical interlock, side mount. For use with HMC-9 to HMC-150 contactors. Allows for mechanical connection of two contactors to prevent both from being pulled in at the same time.	Stock	\$14.00
<u>HMX2-MI</u>	IronHorse mechanical interlock, side mount. For use with HMC-185 to HMC-400 contactors. Allows for mechanical connection of two contactors to prevent both from being pulled in at the same time.	Stock	\$40.00
<u>HMX1-TMC-CR</u>	IronHorse terminal shroud, line and load side, 3-pole. Package of 2. For use with HMC-185 and HMC-225 contactors.	Stock	\$10.50
<u>HMX2-TMC-CR</u>	IronHorse terminal shroud, line and load side, 3-pole. Package of 2. For use with HMC-265 to HMC-400 contactors.	Stock	\$14.50
<u>HMX1-PBR-CR</u>	IronHorse phase barrier, package of 4. For use with HMC-185 to HMC-400 contactors.	Stock	\$3.75
<u>BM0H</u>	AutomationDirect mechanical interlock, for use with GH15BN, GH15CN, GH15DN, GH15ET, GH15FT GH15GT, GH15HT, GH15JT, GH15KT, GH15LT or GH15MT series contactors, mechanically connects contactors to prevents both from being pulled in at the same time.	Stock	\$13.00
<u>BM3H-AD</u>	AutomationDirect mechanical interlock, for use with GH15NT, GH15PT, GH15RT, GH15ST or GH15TT series contactors, mechanically connects contactors to prevents both from being pulled in at the same time.	Stock	\$33.00
<u>ECC0-R</u>	WEG Electric reversing connection kit, for use with CWC07 through CWC016 series miniature contactor, includes line and loadside connection bars and instruction sheet.	Stock	\$11.00
<u>EC-R1</u>	WEG Electric reversing connection kit, for use with CWB9 to CWB38 series contactors. Line and loadside connection bars included.	Stock	\$24.00
<u>EC-R2</u>	WEG Electric reversing connection kit, for use with CWB40 to CWB80 series contactors. Line and loadside connection bars included.	Stock	\$29.50
<u>EC-R3</u>	WEG Electric reversing connection kit, for use with CWB95 to CWB125 series contactors. Line and loadside connection bars included.	Stock	\$39.50
<u>HMX1-BBREV</u>	IronHorse reversing connection kit, for use with HMC-9 to HMC-22 contactors, includes line and loadside connection bars.	Stock	\$14.50
<u>HMX2-BBREV</u>	IronHorse reversing connection kit, for use with HMC-32 and HMC-40 contactors, includes line and loadside connection bars.	Stock	\$14.50

<u>HMX3-BBREV</u>	IronHorse reversing connection kit, for use with HMC-50 and HMC-65 Contactors, includes line and loadside connection bars.	Stock	\$22.00
<u>HMX4-BBREV</u>	IronHorse reversing connection kit, for use with HMC-75 to HMC-100 contactors, includes line and loadside connection bars.	Stock	\$46.00
<u>SZ-ERW1A</u>	Fuji Electric reversing connection bar, line side only mount. For use with Fuji Electric SC-E02x, SC-E03x, SC-E04x, SC-E05x contactors.	Stock	\$10.00
<u>SZ-ERW1B</u>	Fuji Electric reversing connection bar, load side mount. For use with Fuji Electric SC-E02x, SC-E03x, SC-E04x, SC-E05x contactors without a thermal overload relay.	Stock	\$10.00
<u>SZ-ERW1D</u>	Fuji Electric reversing connection bar, load side mount. For use with Fuji Electric SC-E02x, SC-E03x, SC-E04x, SC-E05x contactors and a thermal overload relay.	Stock	\$10.00
<u>SZ-ERW2A</u>	Fuji Electric reversing connection bar, line side only mount. For use with SC-E1x, SC-E2x and SC-E2Sx contactors.	Stock	\$20.00
<u>SZ-ERW2B</u>	Fuji Electric reversing connection bar, load side mount. For use with SC-E1x, SC-E2x and SC-E2Sx contactors without a thermal overload relay.	Stock	\$20.00
<u>SZ-ERW2D</u>	Fuji Electric reversing connection bar, load side mount. For use with SC-E1x, SC-E2x and SC-E2Sx contactors and a thermal overload relay.	Stock	\$20.00
<u>SZ-ERW3A</u>	Fuji Electric reversing connection bar, line side only mount. For use with SC-E3x and SC-E4x contactors.	Stock	\$35.50
<u>SZ-ERW3B</u>	Fuji Electric reversing connection bar, load side mount. For use with SC-E3x and SC-E4x contactors without a thermal overload relay.	Stock	\$35.50
<u>SZ-ERW3D</u>	Fuji Electric reversing connection bar, load side mount. For use with SC-E3x and SC-E4x contactors and a thermal overload relay.	Stock	\$35.50
<u>HMX1-LUG-CR</u>	IronHorse box type wiring lug, line or load mount, 1 openings, #1 AWG-300 MCM wire(s). Package of 3. For use with HMC-185 and HMC-225 contactors.	Stock	\$40.00
<u>HMX2-LUG-CR</u>	IronHorse box type wiring lug, line or load mount, 2 openings, #3 AWG-4/0 MCM wire(s). Package of 3. For use with HMC-265 to HMC-400 contactors.	Stock	\$79.00
<u>KAL-4</u>	AutomationDirect box type wiring lug, line or load mount, 2 openings, #6 AWG-300 MCM wire(s). For use with GH15RT, GH15ST or GH15TT series contactors or RTD320 series overloads. Mounting hardware included.	Stock	\$27.50
<u>MR3-AD</u>	AutomationDirect box type wiring lug, line or load mount, 1 openings, #5 AWG-4/0 wire(s). For use with GH15NT or GH15PT series contactors or RTD180 series overloads. Integral cover included.	Stock	\$15.50
<u>PRT3-AD</u>	AutomationDirect terminal shroud, line or load side, 3-pole. For use with GH15RT, GH15ST or GH15TT series contactors.	Stock	\$33.00
<u>PR37-AD</u>	AutomationDirect terminal shroud, line or load side, 3-pole. For use with GH15NT or GH15PT series contactors.	Stock	\$33.00
<u>SZ-N8T</u>	Fuji Electric terminal shroud, for use with contactor sizes 3NC4Q to 3NC4H.	Stock	\$72.00
<u>SZ-N11T</u>	Fuji Electric terminal shroud, for use with contactor sizes 3NC5F to 3NC5H.	Stock	\$90.00
<u>SZ-WN8T</u>	Fuji Electric terminal shroud, for use with size 3NK4Q thermal overload relays.	Stock	\$109.00
<u>SZ-WN10T</u>	Fuji Electric terminal shroud, for use with size 3NK4H thermal overload relays.	Stock	\$109.00
<u>SZ-WN11T</u>	Fuji Electric terminal shroud, for use with size 3NK5H thermal overload relays.	Stock	\$125.00
<u>DIC0-1C33</u>	WEG Electric surge suppressor, diode, 12-600 VDC. For use with CWC07 through CWC016 series miniature contactor.	Stock	\$4.25
<u>RCC0-1D49</u>	WEG Electric surge suppressor, resistor-capacitor, 12-24 VAC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>RCC0-2D53</u>	WEG Electric surge suppressor, resistor-capacitor, 24-48 VAC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>RCC0-3D55</u>	WEG Electric surge suppressor, resistor-capacitor, 50-127 VAC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>RCC0-4D63</u>	WEG Electric surge suppressor, resistor-capacitor, 130-250 VAC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>RCC0-5D84</u>	WEG Electric surge suppressor, resistor-capacitor, 275-380 VAC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>RCC0-6D73</u>	WEG Electric surge suppressor, resistor-capacitor, 400-510 VAC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>VR0-1E49</u>	WEG Electric surge suppressor, varistor, 12-48 VAC/12-60 VDC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>VR0-2E34</u>	WEG Electric surge suppressor, varistor, 50-127 VAC/60-180 VDC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>VR0-3E50</u>	WEG Electric surge suppressor, varistor, 130-275 VAC/180-300 VDC. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$4.25
<u>DIB-C33</u>	WEG Electric surge suppressor, diode, 12-600 VDC. For use with CWB9 to CWB110 series contactors.	Stock	\$12.50

<u>VRB-D73</u>	WEG Electric surge suppressor, varistor, 400-510 VAC (50/60Hz). For use with CWB9 to CWB110 series contactors.	Stock	\$12.50
<u>VRB-E34</u>	WEG Electric surge suppressor, varistor, 50-127 VAC (50/60Hz)/60-180 VDC. For use with CWB9 to CWB110 series contactors.	Stock	\$12.50
<u>VRB-E50</u>	WEG Electric surge suppressor, varistor, 130-250 VAC (50/60Hz)/180-300 VDC. For use with CWB9 to CWB110 series contactors.	Stock	\$12.50
<u>SZ-Z1</u>	Fuji Electric surge suppressor, varistor, 24-48 VAC/VDC. For use with SC-E02x, SC-E03x, SC-E04x and SC-E05x contactors.	Stock	\$20.00
<u>SZ-Z2</u>	Fuji Electric surge suppressor, varistor, 100-250 VAC/VDC. For use with SC-E02x, SC-E03x, SC-E04x and SC-E05x contactors.	Stock	\$20.00
<u>SZ-Z31</u>	Fuji Electric surge suppressor, varistor, 24-48 VAC/VDC. For use with SC-E1x, SC-E2x, SC-E2Sx, SC-E3x and SC-E4x contactors.	Stock	\$22.00
<u>SZ-Z32</u>	Fuji Electric surge suppressor, varistor, 100-250 VAC/VDC. For use with SC-E1x, SC-E2x, SC-E2Sx, SC-E3x and SC-E4x contactors.	Stock	\$22.00
<u>SZ-Z4</u>	Fuji Electric surge suppressor, resistor-capacitor, 24-48 VAC/VDC. For use with SC-E02x, SC-E03x, SC-E04x and SC-E05x contactors.	Stock	\$18.50
<u>SZ-Z5</u>	Fuji Electric surge suppressor, resistor-capacitor, 100-250 VAC/VDC. For use with SC-E02x, SC-E03x, SC-E04x and SC-E05x contactors.	Stock	\$22.00
<u>SZ-Z34</u>	Fuji Electric surge suppressor, resistor-capacitor, 24-48 VAC/VDC. For use with SC-E1x, SC-E2x, SC-E2Sx, SC-E3x and SC-E4x contactors.	Stock	\$22.00
<u>SZ-Z35</u>	Fuji Electric surge suppressor, resistor-capacitor, 100-250 VAC/VDC. For use with SC-E1x, SC-E2x, SC-E2Sx, SC-E3x and SC-E4x contactors.	Stock	\$22.00
<u>SZ-Z36</u>	Fuji Electric surge suppressor, resistor-capacitor, 24-48 VAC/VDC. For use with SC-E1Gx, SC-E2Gx, SC-E2SGx, SC-E3Gx and SC-E4Gx contactors.	Stock	\$22.00
<u>SZ-Z37</u>	Fuji Electric surge suppressor, resistor-capacitor, 100-250 VAC/VDC. For use with SC-E1Gx, SC-E2Gx, SC-E2SGx, SC-E3Gx and SC-E4Gx contactors.	Stock	\$22.00
<u>HMX1-SSVRC-AC</u>	IronHorse surge suppressor, varistor-resistor-capacitor, 24-48 VAC. For use with HMC-9 to HMC-150 contactors.	Stock	\$10.50
<u>HMX2-SSVRC-AC</u>	IronHorse surge suppressor, varistor-resistor-capacitor, 100-125 VAC. For use with HMC-9 to HMC-150 contactors.	Stock	\$10.50
<u>HMX3-SSVRC-AC</u>	IronHorse surge suppressor, varistor-resistor-capacitor, 200-240 VAC. For use with HMC-9 to HMC-150 contactors.	Stock	\$10.50
<u>HMX1-SSVRC-DC</u>	IronHorse surge suppressor, varistor-resistor-capacitor, 24-48 VDC. For use with HMC-9 to HMC-150 contactors.	Stock	\$10.50
<u>HMX1-SSV-ACDC</u>	IronHorse surge suppressor, varistor, 24-48 VAC/VDC. For use with HMC-9 to HMC-150 contactors.	Stock	\$8.50
<u>HMX2-SSV-ACDC</u>	IronHorse surge suppressor, varistor, 100-125 VAC/VDC. For use with HMC-9 to HMC-150 contactors.	Stock	\$8.50
<u>HMX3-SSV-ACDC</u>	IronHorse surge suppressor, varistor, 200-240 VAC/VDC. For use with HMC-9 to HMC-150 contactors.	Stock	\$8.50
<u>ECC0-SD</u>	WEG Electric Star-Delta wiring kit, for use with CWC07 through CWC016 series miniature contactor, includes line and loadside connection bars and instruction sheet.	Stock	\$12.00
<u>TETC0-U030S-D52</u>	WEG Electric timing relay, Star-Delta time delay, 3 to 30 seconds, 24-28 VAC/VDC operating voltage. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$41.50
<u>TETC0-U030S-D61</u>	WEG Electric timing relay, Star-Delta time delay, 3 to 30 seconds, 110-130 VAC/VDC operating voltage. For use with CWC07 through CWC025 series miniature contactor.	Stock	\$41.50

Electronic IEC Overload Relays

<u>XTOE1P6CCSS</u>	Eaton XT series electronic overload relay, 0.33-1.65A adjustable, solid state, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$102.00
<u>XTOE005CCSS</u>	Eaton XT series electronic overload relay, 1.0-5.0A adjustable, solid state, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$131.00
<u>XTOE020CCSS</u>	Eaton XT series electronic overload relay, 4.0-20.0A adjustable, solid state, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$131.00
<u>XTOE045CCSS</u>	Eaton XT series electronic overload relay, 9.0-45.0A adjustable, solid state, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$147.00
<u>XTOE100GCSS</u>	Eaton XT series electronic overload relay, 20.0-100.0A adjustable, solid state, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$166.00
<u>XTOE175GCSS</u>	Eaton XT series electronic overload relay, 35.0-175.0A adjustable, solid state, local reset, stand-alone power connection(s), panel mount. For use with any contactor.	Stock	\$218.00
<u>XTOE175GCSP</u>	Eaton XT series electronic overload relay, 35.0-175.0A adjustable, solid state, local reset, pass through power connection(s), panel mount. For use with any contactor.	Stock	\$226.00
<u>XTOE1P6CGSS</u>	Eaton XT series electronic overload relay, 0.33-1.65A adjustable, solid state, ground fault protection, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$129.00
<u>XTOE005CGSS</u>	Eaton XT series electronic overload relay, 1.0-5.0A adjustable, solid state, ground fault protection, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$137.00

<u>XTOE020CGSS</u>	Eaton XT series electronic overload relay, 4.0-20.0A adjustable, solid state, ground fault protection, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$137.00
<u>XTOE045CGSS</u>	Eaton XT series electronic overload relay, 9.0-45.0A adjustable, solid state, ground fault protection, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$153.00
<u>XTOE100GGSS</u>	Eaton XT series electronic overload relay, 20.0-100.0A adjustable, solid state, ground fault protection, local reset, stand-alone power connection(s), DIN rail or panel mount. For use with any contactor.	Stock	\$180.00
<u>XTOE175GGSP</u>	Eaton XT series electronic overload relay, 35.0-175.0A adjustable, solid state, ground fault protection, local reset, pass through power connection(s), panel mount. For use with any contactor.	Stock	\$245.00
<u>RWB40E-3-A4U002</u>	WEG Electric RWB40E series electronic overload relay, 0.4-2.0A adjustable, solid state, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$53.00
<u>RWB40E-3-A4U008</u>	WEG Electric RWB40E series electronic overload relay, 1.6-8.0A adjustable, solid state, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$53.00
<u>RWB40E-3-A4U025</u>	WEG Electric RWB40E series electronic overload relay, 5.0-25.0A adjustable, solid state, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$53.00
<u>RWB40E-3-A4U040</u>	WEG Electric RWB40E series electronic overload relay, 8.0-40.0A adjustable, solid state, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$83.00

Thermal Overload Relays

<u>RW17-1D3-D004</u>	WEG Electric RW17-1D series thermal overload relay, 0.28-0.4A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-C063</u>	WEG Electric RW17-1D series thermal overload relay, 0.4-0.63A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-D008</u>	WEG Electric RW17-1D series thermal overload relay, 0.56-0.8A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-D012</u>	WEG Electric RW17-1D series thermal overload relay, 0.8-1.2A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-D018</u>	WEG Electric RW17-1D series thermal overload relay, 1.2-1.8A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-D028</u>	WEG Electric RW17-1D series thermal overload relay, 1.8-2.8A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-U004</u>	WEG Electric RW17-1D series thermal overload relay, 2.8-4.0A Adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-D063</u>	WEG Electric RW17-1D series thermal overload relay, 4.0-6.3A Adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-U008</u>	WEG Electric RW17-1D series thermal overload relay, 5.6-8.0A Adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-U010</u>	WEG Electric RW17-1D series thermal overload relay, 7.0-10.0A Adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-2D3-U010</u>	WEG Electric RW17-2D series thermal overload relay, 7.0-10.0A Adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC025 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-D125</u>	WEG Electric RW17-1D series thermal overload relay, 8.0-12.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-U015</u>	WEG Electric RW17-1D series thermal overload relay, 10.0-15.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-2D3-U015</u>	WEG Electric RW17-2D series thermal overload relay, 10.0-15.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC025 series miniature contactors.	Stock	\$21.00
<u>RW17-1D3-U017</u>	WEG Electric RW17-1D series thermal overload relay, 11.0-17.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC07 through CWC016 series miniature contactors.	Stock	\$21.00
<u>RW17-2D3-U017</u>	WEG Electric RW17-2D series thermal overload relay, 11.0-17.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC025 series miniature contactors.	Stock	\$21.00
<u>RW17-2D3-U023</u>	WEG Electric RW17-2D series thermal overload relay, 15.0-23.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC025 series miniature contactors.	Stock	\$21.00
<u>RW17-2D3-D125</u>	WEG Electric RW17-2D series thermal overload relay, 8.0-12.5A Adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC025 series miniature contactors.	Stock	\$21.00
<u>RW17-2D3-U032</u>	WEG Electric RW17-2D series thermal overload relay, 22.0-32.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWC025 series miniature contactors.	Stock	\$21.00
<u>RW27-2D3-D008</u>	WEG Electric RW27-2D series thermal overload relay, 0.56-0.8A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$28.50
<u>RW27-2D3-D012</u>	WEG Electric RW27-2D series thermal overload relay, 0.8-1.2A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$28.50
<u>RW27-2D3-D018</u>	WEG Electric RW27-2D series thermal overload relay, 1.2-1.8A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$28.50
<u>RW27-2D3-D028</u>	WEG Electric RW27-2D series thermal overload relay, 1.8-2.8A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with CWB9 to CWB38 series contactors.	Stock	\$28.50

[illegible]

<u>DPER22</u>	Schneider Electric Easy TeSys series thermal overload relay, 16-24A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with Schneider Electric DPE09 to DPE38 contactors.	Stock	\$29.50
<u>DPER32</u>	Schneider Electric Easy TeSys series thermal overload relay, 23-32A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with Schneider Electric DPE09 to DPE38 contactors.	Stock	\$45.00
<u>HTOR32-0.16-S</u>	IronHorse thermal overload relay, 0.10-0.16A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-0.25-S</u>	IronHorse thermal overload relay, 0.16-0.25A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-0.40-S</u>	IronHorse thermal overload relay, 0.25-0.40A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-0.63-S</u>	IronHorse thermal overload relay, 0.40-0.63A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-1-S</u>	IronHorse thermal overload relay, 0.63-1A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-1.6-S</u>	IronHorse thermal overload relay, 1-1.6A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-2.5-S</u>	IronHorse thermal overload relay, 1.6-2.5A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-4-S</u>	IronHorse thermal overload relay, 2.5-4A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-6-S</u>	IronHorse thermal overload relay, 4.0-6.0A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-8-S</u>	IronHorse thermal overload relay, 5-8A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-10-S</u>	IronHorse thermal overload relay, 7-10A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-13-S</u>	IronHorse thermal overload relay, 9-13A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-18-S</u>	IronHorse thermal overload relay, 12-18A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-22-S</u>	IronHorse thermal overload relay, 16-22A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-25-S</u>	IronHorse thermal overload relay, 18-25A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-32-S</u>	IronHorse thermal overload relay, 22-32A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR32-40-S</u>	IronHorse thermal overload relay, 28-40A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-9 to HMC-40 contactors.	Stock	\$26.50
<u>HTOR63-50-L</u>	IronHorse thermal overload relay, 34-50A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-50 and HMC-65 Contactors.	Stock	\$53.00
<u>HTOR63-65-L</u>	IronHorse thermal overload relay, 45-65A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-50 and HMC-65 Contactors.	Stock	\$53.00
<u>HTOR95-75-L</u>	IronHorse thermal overload relay, 54-75A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-75 to HMC-100 contactors.	Stock	\$77.00
<u>HTOR95-85-L</u>	IronHorse thermal overload relay, 63-85A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-75 to HMC-100 contactors.	Stock	\$77.00
<u>HTOR95-95-L</u>	IronHorse thermal overload relay, 70-95A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-75 to HMC-100 contactors.	Stock	\$77.00
<u>HTOR95-100-L</u>	IronHorse thermal overload relay, 80-100A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-75 to HMC-100 contactors.	Stock	\$77.00
<u>HTOR150-105-L</u>	IronHorse thermal overload relay, 80-105A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-130 and HMC-150 contactors.	Stock	\$147.00
<u>HTOR150-130-L</u>	IronHorse thermal overload relay, 95-130A adjustable, bi-metallic, local reset, direct mount power connection (s). For use with HMC-130 and HMC-150 contactors.	Stock	\$147.00
<u>HTOR150-150-L</u>	IronHorse thermal overload relay, 110-150A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-130 and HMC-150 contactors.	Stock	\$147.00
<u>HTOR225-160-B</u>	IronHorse thermal overload relay, 100-160A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-185 and HMC-225 contactors.	Stock	\$221.00
<u>HTOR225-185-B</u>	IronHorse thermal overload relay, 120-185A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-185 and HMC-225 contactors.	Stock	\$221.00
<u>HTOR225-240-B</u>	IronHorse thermal overload relay, 160-240A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-185 and HMC-225 contactors.	Stock	\$221.00
<u>HTOR400-240-B</u>	IronHorse thermal overload relay, 160-240A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with HMC-265 to HMC-400 contactors.	Stock	\$270.00

[illegible]

[illegible]

<u>RTD32-400</u>	AutomationDirect RTD32 series thermal overload relay, 2.7-4.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15BN to GH15FT 45mm contactors.	Stock	\$81.00
<u>RTD32-600</u>	AutomationDirect RTD32 series thermal overload relay, 4.0-6.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15BN to GH15FT 45mm contactors.	Stock	\$81.00
<u>RTD32-900</u>	AutomationDirect RTD32 series thermal overload relay, 6.0-9.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15BN to GH15FT 45mm contactors.	Stock	\$81.00
<u>RTD32-1100</u>	AutomationDirect RTD32 series thermal overload relay, 8.0-11.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15BN or GH15CN 45mm contactors.	Stock	\$81.00
<u>RTD32-1400</u>	AutomationDirect RTD32 series thermal overload relay, 10.0-14.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15CN to GH15FT 45mm contactors.	Stock	\$87.00
<u>RTD32-1800</u>	AutomationDirect RTD32 series thermal overload relay, 13.0-18.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15DN, GH15ET, or GH15FT 45mm contactors.	Stock	\$87.00
<u>RTD32-2400</u>	AutomationDirect RTD32 series thermal overload relay, 17.0-24.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15ET or GH15FT 45mm contactors.	Stock	\$87.00
<u>RTD65-2800</u>	AutomationDirect RTD65 series thermal overload relay, 20.0-28.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with GH15GT, GH15HT, or GH15JT 60mm contactors.	Stock	\$149.00
<u>RTD32-3200</u>	AutomationDirect RTD32 series thermal overload relay, 23.0-32.0A adjustable, bi-metallic, local reset, direct mount power connection(s), DIN rail mount. For use with GH15ET or GH15FT 45mm contactors.	Stock	\$102.00
<u>RTD65-4200</u>	AutomationDirect RTD65 series thermal overload relay, 28.0-42.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with GH15GT or GH15HT 60mm contactors.	Stock	\$149.00
<u>RTD65-5200</u>	AutomationDirect RTD65 series thermal overload relay, 40.0-52.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with GH15HT or GH15JT 60mm contactors.	Stock	\$185.00
<u>RTD65-6500</u>	AutomationDirect RTD65 series thermal overload relay, 52.0-65.0A adjustable, bi-metallic, local reset, direct mount power connection(s). For use with GH15JT 60mm contactors.	Stock	\$185.00
<u>RTD180-9000</u>	AutomationDirect RTD180 series thermal overload relay, 60.0-90.0A adjustable, bi-metallic, local reset, pass through connection(s), panel mount. For use with GH15KT, GH15LT or GH15MT 79mm contactors.	Stock	\$261.00
<u>RTD180-12000</u>	AutomationDirect RTD180 series thermal overload relay, 80.0-120.0A adjustable, bi-metallic, local reset, pass through connection(s), panel mount. For use with GH15LT or GH15MT 79mm contactors.	Stock	\$332.00
<u>RTD180-18000</u>	AutomationDirect RTD180 series thermal overload relay, 120.0-180.0A adjustable, bi-metallic, local reset, pass through connection(s), panel mount. For use with GH15NT or GH15PT 110mm contactors.	Stock	\$356.00
<u>RTD320-21600</u>	AutomationDirect RTD320 series thermal overload relay, 144.0-216.0A adjustable, bi-metallic, local reset, pass through connection(s), panel mount. For use with GH15RT, GH15ST, or GH15TT 145mm contactors.	Stock	\$413.00
<u>RTD320-32000</u>	AutomationDirect RTD320 series thermal overload relay, 216.0-320.0A adjustable, bi-metallic, local reset, pass through connection(s), panel mount. For use with GH15ST or GH15TT 145mm contactors.	Stock	\$413.00
<u>C306DN3B</u>	Eaton thermal overload relay, bi-metallic, local reset, direct mount power connection(s), panel mount. Requires heater packs, sold separately.	Stock	\$262.00
Heater Packs for Thermal Overload Relays			
<u>H2001B-3</u>	Eaton heater element, 0.254-0.411A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2002B-3</u>	Eaton heater element, 0.375-0.607A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2003B-3</u>	Eaton heater element, 0.560-0.907A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2004B-3</u>	Eaton heater element, 0.814-1.32A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2005B-3</u>	Eaton heater element, 1.2-1.96A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2006B-3</u>	Eaton heater element, 1.79-2.9A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2007B-3</u>	Eaton heater element, 2.15-3.49A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2008B-3</u>	Eaton heater element, 3.23-5.23A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2009B-3</u>	Eaton heater element, 4.55-7.4A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2010B-3</u>	Eaton heater element, 6.75-11.0A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2011B-3</u>	Eaton heater element, 9.14-14.0A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2012B-3</u>	Eaton heater element, 14.0-22.8A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2013B-3</u>	Eaton heater element, 18.7-30.7A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
<u>H2014B-3</u>	Eaton heater element, 23.5-38.5A. Package of 3. For use with C306DN3B overload relay.	Stock	\$140.00
Accessories for IEC Overload Relays			
<u>C440-XCOM</u>	Eaton communication expansion module, for use with XT series electronic overloads. Allows for remote reset.	Stock	\$55.00
<u>ZEB-XRR-120</u>	Eaton remote reset module, for use with XT series electronic overloads. Allows for remote hardwired reset.	Stock	\$70.00

<u>BF27-2D</u>	WEG Electric 35mm DIN rail/panel mount adapter, for use with RW27-2D and RWB40E series thermal overload relays.	Stock	\$8.50
<u>BF67-5D</u>	WEG Electric 35mm DIN rail/panel mount adapter, for use with RW67-5D series thermal overload relays.	Stock	\$15.00
<u>BF117-3D</u>	WEG Electric 35mm DIN rail/panel mount adapter, for use with RW117-3D series thermal overload relays.	Stock	\$17.50
<u>LAD7B106</u>	Schneider Electric 35mm DIN rail/panel mount adapter, for use with Schneider Electric DPER01 to DPER32 thermal overload relays.	Stock	\$12.00
<u>HMX1-TMC-OR</u>	IronHorse terminal shroud, load side, 3-pole. For use with HTOR225 thermal overload relays.	Stock	\$7.00
<u>HMX2-TMC-OR</u>	IronHorse terminal shroud, load side, 3-pole. For use with HTOR400 thermal overload relays.	Stock	\$9.00
<u>HMX1-PADT-OR</u>	IronHorse 35mm DIN rail/panel mount adapter, for use with HTOR32 thermal overload relays.	Stock	\$7.75
<u>HMX2-PADT-OR</u>	IronHorse 35mm DIN rail/panel mount adapter, for use with HTOR63 thermal overload relays.	Stock	\$10.50
<u>HMX3-PADT-OR</u>	IronHorse 35mm DIN rail/panel mount adapter, for use with HTOR95 thermal overload relays.	Stock	\$12.50
<u>HMX4-PADT-OR</u>	IronHorse 35mm DIN rail/panel mount adapter, for use with HTOR150 thermal overload relays.	Stock	\$22.00
<u>SZ-HDE</u>	Fuji Electric 35mm DIN rail/panel mount adapter, for use with TK-E2 series thermal overload relays.	Stock	\$20.00
<u>SZ-HEE</u>	Fuji Electric 35mm DIN rail/panel mount adapter, for use with TK-E3 series thermal overload relays.	Stock	\$23.00
<u>TZ1H26E</u>	Fuji Electric 35mm DIN rail/panel mount adapter, for use with TK26E series thermal overload relays.	Stock	\$12.50
<u>C306TB1</u>	Eaton DIN rail mounting adapter, for use with thermal overload relay C306DN3B.	Stock	\$44.50

Definite Purpose Contactors

<u>WDP25-1L-120</u>	Worldwide Electric WDP series definite purpose contactor, 25A, (1) N.O. + shunt power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.00
<u>WDP25-1L-230</u>	Worldwide Electric WDP series definite purpose contactor, 25A, (1) N.O. + shunt power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.00
<u>WDP25-2L-120</u>	Worldwide Electric WDP series definite purpose contactor, 25A, (2) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$11.50
<u>WDP25-2L-230</u>	Worldwide Electric WDP series definite purpose contactor, 25A, (2) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$11.50
<u>WDP25-3L-120</u>	Worldwide Electric WDP series definite purpose contactor, 25A, (3) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$20.00
<u>WDP25-3L-230</u>	Worldwide Electric WDP series definite purpose contactor, 25A, (3) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$20.00
<u>WDP30-1L-120</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (1) N.O. + shunt power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.50
<u>WDP30-1L-230</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (1) N.O. + shunt power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.50
<u>WDP30-1L-24</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (1) N.O. + shunt power poles, 24 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.50
<u>WDP30-2L-120</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (2) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.00
<u>WDP30-2L-230</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (2) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.00
<u>WDP30-2L-24</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (2) N.O. power poles, 24 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$13.00
<u>WDP30-3L-120</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (3) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$20.00
<u>WDP30-3L-230</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (3) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$20.00
<u>WDP30-3L-24</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (3) N.O. power poles, 24 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$20.00
<u>WDP30-3L-480</u>	Worldwide Electric WDP series definite purpose contactor, 32A, (3) N.O. power poles, 480 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$20.00
<u>WDP40-1L-120</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (1) N.O. + shunt power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$14.50
<u>WDP40-1L-230</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (1) N.O. + shunt power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$14.50
<u>WDP40-2L-120</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (2) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$17.00
<u>WDP40-2L-230</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (2) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$17.00

<u>WDP40-3L-120</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (3) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$26.50
<u>WDP40-3L-230</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (3) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$26.50
<u>WDP40-3L-24</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (3) N.O. power poles, 24 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$26.50
<u>WDP40-3L-480</u>	Worldwide Electric WDP series definite purpose contactor, 40A, (3) N.O. power poles, 480 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$26.50
<u>WDP50-3L-120</u>	Worldwide Electric WDP series definite purpose contactor, 50A, (3) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$40.00
<u>WDP50-3L-230</u>	Worldwide Electric WDP series definite purpose contactor, 50A, (3) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$40.00
<u>WDP50-3L-24</u>	Worldwide Electric WDP series definite purpose contactor, 50A, (3) N.O. power poles, 24 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$40.00
<u>WDP60-3L-120</u>	Worldwide Electric WDP series definite purpose contactor, 60A, (3) N.O. power poles, 120 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$66.00
<u>WDP60-3L-230</u>	Worldwide Electric WDP series definite purpose contactor, 60A, (3) N.O. power poles, 230 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$66.00
<u>WDP60-3L-24</u>	Worldwide Electric WDP series definite purpose contactor, 60A, (3) N.O. power poles, 24 VAC 50/60 Hz coil voltage. Box lugs with 1/4in quick-connect terminals included.	Stock	\$66.00

Accessories for Definite Purpose Contactors

<u>WDPAXFC11</u>	Worldwide Electric auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 3A @ 120 VAC/0.5A @ 125 VDC. For use with WDP25 to WDP60 3-Pole contactors only. Screw connection terminals included.	Stock	\$17.00
<u>WDPAXFC11Q</u>	Worldwide Electric auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 3A @ 120 VAC/0.5A @ 125 VDC. For use with WDP25 to WDP60 3-Pole contactors only. 1/4in quick-connect terminals included.	Stock	\$17.00
<u>WDPAXFD11</u>	Worldwide Electric auxiliary contact, left or right side mount, (1) SPDT contact(s), 3A @ 120 VAC/0.5A @ 125 VDC. For use with WDP25 to WDP40 3-Pole contactors only. (1) Microswitch with 1/4in quick-connect terminals included.	Stock	\$17.00
<u>WDPAXFD22</u>	Worldwide Electric auxiliary contact, left or right side mount, (2) SPDT contact(s), 3A @ 120 VAC/0.5A @ 125 VDC. For use with WDP25 to WDP40 3-Pole contactors only. (2) Microswitches with 1/4in quick-connect terminals included.	Stock	\$20.00

Accessories for Disconnects and Motor Controllers

<u>30100</u>	Bryant enclosure without manual motor controller, NEMA 1. Lockout/tagout hardware and switch mounting screws included. Use as a replacement enclosure for 30102D and 30103D or use with switch 30002D or switch 30003D to make a 30A manual motor controller.	Stock	\$25.50
------------------------------	---	-------	---------

Single Conductor Wire and Cable

<u>AWM26BK10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, black, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26BL10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, blue, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26BW10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, blue with white stripe, 300V, 1000ft spool.	Stock	\$44.25
<u>AWM26BN10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, brown, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26GY10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, gray, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26GN10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, green, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26GYL10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, green with yellow stripe, 300V, 1000ft spool.	Stock	\$44.25
<u>AWM26OR10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, orange, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26PL10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, purple, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26RD10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, red, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26WH10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, white, 300V, 1000ft spool.	Stock	\$32.75
<u>AWM26WB10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, white with blue stripe, 300V, 1000ft spool.	Stock	\$44.25
<u>AWM26YL10</u>	Atlas Wire AWM hook-up wire, single conductor, 26 AWG, 7-stranded, tinned copper, PVC conductor insulation material, yellow, 300V, 1000ft spool.	Stock	\$32.75

[illegible]

<u>MTW22GYL10</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 1000ft spool.	Stock	\$59.00
<u>AWM22OR10</u>	Atlas Wire AWM hook-up wire, single conductor, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, orange, 300V, 1000ft spool.	Stock	\$47.75
<u>MTW22OR</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, orange, 600V, 500ft spool.	Stock	\$27.00
<u>MTW22OR10</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, orange, 600V, 1000ft spool.	Stock	\$48.50
<u>AWM22PL10</u>	Atlas Wire AWM hook-up wire, single conductor, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, purple, 300V, 1000ft spool.	Stock	\$47.75
<u>MTW22PL</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, purple, 600V, 500ft spool.	Stock	\$27.00
<u>AWM22RD10</u>	Atlas Wire AWM hook-up wire, single conductor, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, red, 300V, 1000ft spool.	Stock	\$47.75
<u>MTW22RD</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, red, 600V, 500ft spool.	Stock	\$27.00
<u>MTW22RD10</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, red, 600V, 1000ft spool.	Stock	\$48.50
<u>AWM22WH10</u>	Atlas Wire AWM hook-up wire, single conductor, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, white, 300V, 1000ft spool.	Stock	\$47.75
<u>MTW22WH</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, white, 600V, 500ft spool.	Stock	\$27.00
<u>MTW22WH10</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, white, 600V, 1000ft spool.	Stock	\$48.50
<u>AWM22WB10</u>	Atlas Wire AWM hook-up wire, single conductor, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, white with blue stripe, 300V, 1000ft spool.	Stock	\$59.00
<u>MTW22WB</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 500ft spool.	Stock	\$31.00
<u>MTW22WB10</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 1000ft spool.	Stock	\$59.00
<u>MTW22WO</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, white with orange stripe, 600V, 500ft spool.	Stock	\$31.00
<u>AWM22YL10</u>	Atlas Wire AWM hook-up wire, single conductor, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, yellow, 300V, 1000ft spool.	Stock	\$47.75
<u>MTW22YL</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 500ft spool.	Stock	\$27.00
<u>MTW22YL10</u>	Atlas Wire MTW hook-up wire, single conductor, 22 AWG, 7-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 1000ft spool.	Stock	\$48.50
<u>AWM20BK</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, black, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20BK</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, black, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20BK10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, black, 600V, 1000ft spool.	Stock	\$59.00
<u>AWM20BL</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, blue, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20BL</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, blue, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20BL10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, blue, 600V, 1000ft spool.	Stock	\$59.00
<u>AWM20BW</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, blue with white stripe, 300V, 500ft spool.	Stock	\$36.50
<u>MTW20BW</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 500ft spool.	Stock	\$41.50
<u>MTW20BW10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 1000ft spool.	Stock	\$65.00
<u>AWM20BN</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, brown, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20BN</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, brown, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20BN10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, brown, 600V, 1000ft spool.	Stock	\$58.00
<u>AWM20GY</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, gray, 300V, 500ft spool.	Stock	\$31.00

<u>MTW20GY</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, gray, 600V, 500ft spool.	Stock	\$32.00
<u>AWM20GN</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, green, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20GN</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, green, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20GN10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, green, 600V, 1000ft spool.	Stock	\$59.00
<u>AWM20GYL</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, green with yellow stripe, 300V, 500ft spool.	Stock	\$36.50
<u>MTW20GYL</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 500ft spool.	Stock	\$41.50
<u>MTW20GYL10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 1000ft spool.	Stock	\$65.00
<u>AWM20OR</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, orange, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20OR</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, orange, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20OR10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, orange, 600V, 1000ft spool.	Stock	\$59.00
<u>AWM20PL</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, purple, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20PL</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, purple, 600V, 500ft spool.	Stock	\$32.00
<u>AWM20RD</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, red, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20RD</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, red, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20RD10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, red, 600V, 1000ft spool.	Stock	\$59.00
<u>AWM20WH</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, white, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20WH</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, white, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20WH10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, white, 600V, 1000ft spool.	Stock	\$59.00
<u>AWM20WB</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, white with blue stripe, 300V, 500ft spool.	Stock	\$36.50
<u>MTW20WB</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 500ft spool.	Stock	\$41.50
<u>MTW20WB10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 1000ft spool.	Stock	\$65.00
<u>MTW20WO</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, white with orange stripe, 600V, 500ft spool.	Stock	\$41.50
<u>AWM20YL</u>	Atlas Wire AWM hook-up wire, single conductor, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, yellow, 300V, 500ft spool.	Stock	\$31.00
<u>MTW20YL</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 500ft spool.	Stock	\$32.00
<u>MTW20YL10</u>	Atlas Wire MTW hook-up wire, single conductor, 20 AWG, 10-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 1000ft spool.	Stock	\$59.00
<u>A61901</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 19 AWG (0.75mm2), 24-stranded, tinned copper, PVC conductor insulation material, black, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$82.00
<u>A61902</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 19 AWG (0.75mm2), 24-stranded, tinned copper, PVC conductor insulation material, blue, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$82.00
<u>A61903</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 19 AWG (0.75mm2), 24-stranded, tinned copper, PVC conductor insulation material, brown, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$82.00
<u>A61914</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 19 AWG (0.75mm2), 24-stranded, tinned copper, PVC conductor insulation material, dark blue, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$82.00
<u>A61900</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 19 AWG (0.75mm2), 24-stranded, tinned copper, PVC conductor insulation material, green/yellow, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$82.00
<u>A61904</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 19 AWG (0.75mm2), 24-stranded, tinned copper, PVC conductor insulation material, red, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$82.00
<u>AWM18BK</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, black, 300V, 500ft spool.	Stock	\$38.75

<u>A61801</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 18 AWG (1.0mm2), 32-stranded, tinned copper, PVC conductor insulation material, black, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$98.00
<u>MTW18BK</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, black, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18BK10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, black, 600V, 1000ft spool.	Stock	\$91.00
<u>MTW18BK25</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, black, 600V, 2500ft reel.	Stock	\$217.00
<u>TFFN18BK</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>TFFN18BK25</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 2500ft reel.	Stock	\$220.00
<u>AWM18BL</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, blue, 300V, 500ft spool.	Stock	\$38.75
<u>A61802</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 18 AWG (1.0mm2), 32-stranded, tinned copper, PVC conductor insulation material, blue, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$98.00
<u>MTW18BL</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18BL10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue, 600V, 1000ft spool.	Stock	\$91.00
<u>MTW18BL25</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue, 600V, 2500ft reel.	Stock	\$217.00
<u>TFFN18BL</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>TFFN18BL25</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue, nylon jacket, clear, 600V, 2500ft reel.	Stock	\$220.00
<u>AWM18BW</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, blue with white stripe, 300V, 500ft spool.	Stock	\$44.50
<u>MTW18BW</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 500ft spool.	Stock	\$53.00
<u>MTW18BW10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 1000ft spool.	Stock	\$98.00
<u>MTW18BW25</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 2500ft reel.	Stock	\$249.00
<u>TFFN18BW</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue with white stripe, nylon jacket, clear, 600V, 500ft spool.	Stock	\$54.00
<u>TFFN18BW25</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, blue with white stripe, nylon jacket, clear, 600V, 2500ft reel.	Stock	\$252.00
<u>AWM18BN</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, brown, 300V, 500ft spool.	Stock	\$38.75
<u>A61803</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 18 AWG (1.0mm2), 32-stranded, tinned copper, PVC conductor insulation material, brown, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$98.00
<u>MTW18BN</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, brown, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18BN10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, brown, 600V, 1000ft spool.	Stock	\$91.00
<u>TFFN18BN</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, brown, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>A61814</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 18 AWG (1.0mm2), 32-stranded, tinned copper, PVC conductor insulation material, dark blue, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$98.00
<u>AWM18GY</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, gray, 300V, 500ft spool.	Stock	\$38.75
<u>MTW18GY</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, gray, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18GY10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, gray, 600V, 1000ft spool.	Stock	\$91.00
<u>TFFN18GY</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, gray, nylon jacket, clear, 600V, 500ft spool.	Stock	\$45.50
<u>AWM18GN</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, green, 300V, 500ft spool.	Stock	\$38.75
<u>MTW18GN</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, green, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18GN10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, green, 600V, 1000ft spool.	Stock	\$91.00

<u>TFFN18GN</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, green, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>AWM18GYL</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, green with yellow stripe, 300V, 500ft spool.	Stock	\$44.50
<u>MTW18GYL</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 500ft spool.	Stock	\$58.00
<u>MTW18GYL10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 1000ft spool.	Stock	\$99.00
<u>A61800</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 18 AWG (1.0mm2), 32-stranded, tinned copper, PVC conductor insulation material, green/yellow, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$98.00
<u>AWM18OR</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, orange, 300V, 500ft spool.	Stock	\$38.75
<u>MTW18OR</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, orange, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18OR10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, orange, 600V, 1000ft spool.	Stock	\$91.00
<u>TFFN18OR</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, orange, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>AWM18PL</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, purple, 300V, 500ft spool.	Stock	\$38.75
<u>MTW18PL</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, purple, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18PL10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, purple, 600V, 1000ft spool.	Stock	\$91.00
<u>TFFN18PL</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, purple, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>AWM18RD</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, red, 300V, 500ft spool.	Stock	\$38.75
<u>A61804</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 18 AWG (1.0mm2), 32-stranded, tinned copper, PVC conductor insulation material, red, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$98.00
<u>MTW18RD</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, red, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18RD10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, red, 600V, 1000ft spool.	Stock	\$91.00
<u>MTW18RD25</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, red, 600V, 2500ft reel.	Stock	\$217.00
<u>TFFN18RD</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, red, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>TFFN18RD25</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, red, nylon jacket, clear, 600V, 2500ft reel.	Stock	\$220.00
<u>AWM18WH</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, white, 300V, 500ft spool.	Stock	\$38.75
<u>MTW18WH</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, white, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18WH10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, white, 600V, 1000ft spool.	Stock	\$91.00
<u>TFFN18WH</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, white, nylon jacket, clear, 600V, 500ft spool.	Stock	\$47.50
<u>AWM18WB</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, white with blue stripe, 300V, 500ft spool.	Stock	\$44.50
<u>MTW18WB</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 500ft spool.	Stock	\$53.00
<u>MTW18WB10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 1000ft spool.	Stock	\$99.00
<u>MTW18WO</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, white with orange stripe, 600V, 500ft spool.	Stock	\$53.00
<u>A61844</u>	LUTZE HAR H05V-K hook-up wire, single conductor, 18 AWG (1.0mm2), 32-stranded, tinned copper, PVC conductor insulation material, white/blue, 300/500V (H05V2-K), 600V (MTW), 328ft carton.	Stock	\$98.00
<u>AWM18YL</u>	Atlas Wire AWM hook-up wire, single conductor, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, yellow, 300V, 500ft spool.	Stock	\$38.75
<u>MTW18YL</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 500ft spool.	Stock	\$47.00
<u>MTW18YL10</u>	Atlas Wire MTW hook-up wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 1000ft spool.	Stock	\$91.00

<u>TFFN18YL</u>	Atlas Wire TFFN building wire, single conductor, 18 AWG, 16-stranded, bare copper, PVC conductor insulation material, yellow, nylon jacket, clear, 600V, 500ft spool.	Stock	\$45.50
<u>AWM16BK</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, black, 300V, 500ft spool.	Stock	\$54.50
<u>A61601</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, black, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>MTW16BK</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, black, 600V, 500ft spool.	Stock	\$67.00
<u>MTW16BK10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, black, 600V, 1000ft spool.	Stock	\$127.00
<u>MTW16BK25</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, black, 600V, 2500ft reel.	Stock	\$286.00
<u>TFFN16BK</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00
<u>AWM16BL</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, blue, 300V, 500ft spool.	Stock	\$54.50
<u>A61602</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, blue, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>MTW16BL</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue, 600V, 500ft spool.	Stock	\$67.00
<u>MTW16BL10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue, 600V, 1000ft spool.	Stock	\$127.00
<u>MTW16BL25</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue, 600V, 2500ft reel.	Stock	\$286.00
<u>TFFN16BL</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00
<u>TFFN16BL25</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue, nylon jacket, clear, 600V, 2500ft reel.	Stock	\$272.00
<u>AWM16BW</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, blue with white stripe, 300V, 500ft spool.	Stock	\$60.25
<u>MTW16BW</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 500ft spool.	Stock	\$73.00
<u>MTW16BW10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 1000ft spool.	Stock	\$141.00
<u>MTW16BW25</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 2500ft reel.	Stock	\$286.00
<u>TFFN16BW</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, blue with white stripe, nylon jacket, clear, 600V, 500ft spool.	Stock	\$60.00
<u>A61615</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, blue/white, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>AWM16BN</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, brown, 300V, 500ft spool.	Stock	\$54.50
<u>A61603</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, brown, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>MTW16BN</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, brown, 600V, 500ft spool.	Stock	\$67.00
<u>TFFN16BN</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, brown, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00
<u>A61614</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, dark blue, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>AWM16GY</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, gray, 300V, 500ft spool.	Stock	\$54.50
<u>MTW16GY</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, gray, 600V, 500ft spool.	Stock	\$67.00
<u>TFFN16GY</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, gray, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00
<u>AWM16GN</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, green, 300V, 500ft spool.	Stock	\$54.50
<u>MTW16GN</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, green, 600V, 500ft spool.	Stock	\$67.00
<u>MTW16GN10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, green, 600V, 1000ft spool.	Stock	\$127.00
<u>TFFN16GN</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, green, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00

<u>AWM16GYL</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, green with yellow stripe, 300V, 500ft spool.	Stock	\$60.25
<u>MTW16GYL</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 500ft spool.	Stock	\$73.00
<u>MTW16GYL10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 1000ft spool.	Stock	\$141.00
<u>A61600</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, green/yellow, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>AWM16OR</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, orange, 300V, 500ft spool.	Stock	\$54.50
<u>A61609</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, orange, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>MTW16OR</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, orange, 600V, 500ft spool.	Stock	\$67.00
<u>TFFN16OR</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, orange, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00
<u>AWM16PL</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, purple, 300V, 500ft spool.	Stock	\$54.50
<u>MTW16PL</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, purple, 600V, 500ft spool.	Stock	\$67.00
<u>AWM16RD</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, red, 300V, 500ft spool.	Stock	\$54.50
<u>A61604</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, red, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>MTW16RD</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, red, 600V, 500ft spool.	Stock	\$67.00
<u>MTW16RD10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, red, 600V, 1000ft spool.	Stock	\$127.00
<u>MTW16RD25</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, red, 600V, 2500ft reel.	Stock	\$286.00
<u>TFFN16RD</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, red, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00
<u>TFFN16RD25</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, red, nylon jacket, clear, 600V, 2500ft reel.	Stock	\$268.00
<u>AWM16WH</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, white, 300V, 500ft spool.	Stock	\$54.50
<u>A61605</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, white, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>MTW16WH</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, white, 600V, 500ft spool.	Stock	\$67.00
<u>MTW16WH10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, white, 600V, 1000ft spool.	Stock	\$127.00
<u>MTW16WH25</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, white, 600V, 2500ft reel.	Stock	\$286.00
<u>TFFN16WH</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, white, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00
<u>AWM16WB</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, white with blue stripe, 300V, 500ft spool.	Stock	\$60.25
<u>MTW16WB</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 500ft spool.	Stock	\$59.00
<u>MTW16WB10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 1000ft spool.	Stock	\$141.00
<u>MTW16WO</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, white with orange stripe, 600V, 500ft spool.	Stock	\$73.00
<u>A61644</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 16 AWG (1.50mm2), 30-stranded, tinned copper, PVC conductor insulation material, white/blue, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$125.00
<u>AWM16YL</u>	Atlas Wire AWM hook-up wire, single conductor, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, yellow, 300V, 500ft spool.	Stock	\$54.50
<u>MTW16YL</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 500ft spool.	Stock	\$67.00
<u>MTW16YL10</u>	Atlas Wire MTW hook-up wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 1000ft spool.	Stock	\$127.00
<u>TFFN16YL</u>	Atlas Wire TFFN building wire, single conductor, 16 AWG, 26-stranded, bare copper, PVC conductor insulation material, yellow, nylon jacket, clear, 600V, 500ft spool.	Stock	\$57.00

<u>A61401</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 14 AWG (2.50mm2), 50-stranded, tinned copper, PVC conductor insulation material, black, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$183.00
<u>MTW14BK</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, black, 600V, 500ft spool.	Stock	\$96.00
<u>MTW14BK10</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, black, 600V, 1000ft spool.	Stock	\$192.00
<u>MTW14BK25</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, black, 600V, 2500ft reel.	Stock	\$461.00
<u>THHN14BK</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00
<u>A61402</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 14 AWG (2.50mm2), 50-stranded, tinned copper, PVC conductor insulation material, blue, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$183.00
<u>MTW14BL</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, blue, 600V, 500ft spool.	Stock	\$96.00
<u>MTW14BL10</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, blue, 600V, 1000ft spool.	Stock	\$192.00
<u>THHN14BL</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, blue, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00
<u>MTW14BW</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, blue with white stripe, 600V, 500ft spool.	Stock	\$102.00
<u>THHN14BW</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, blue with white stripe, nylon jacket, clear, 600V, 500ft spool.	Stock	\$104.00
<u>A61403</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 14 AWG (2.50mm2), 50-stranded, tinned copper, PVC conductor insulation material, brown, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$183.00
<u>MTW14BN</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, brown, 600V, 500ft spool.	Stock	\$96.00
<u>THHN14BN</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, brown, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00
<u>A61414</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 14 AWG (2.50mm2), 50-stranded, tinned copper, PVC conductor insulation material, dark blue, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$183.00
<u>MTW14GY</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, gray, 600V, 500ft spool.	Stock	\$96.00
<u>THHN14GY</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, gray, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00
<u>MTW14GN</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, green, 600V, 500ft spool.	Stock	\$96.00
<u>MTW14GN10</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, green, 600V, 1000ft spool.	Stock	\$192.00
<u>THHN14GN</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, green, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00
<u>MTW14GYL</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 500ft spool.	Stock	\$102.00
<u>MTW14GYL10</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, 600V, 1000ft spool.	Stock	\$196.00
<u>THHN14GYL</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, nylon jacket, clear, 600V, 500ft spool.	Stock	\$104.00
<u>A61400</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 14 AWG (2.50mm2), 50-stranded, tinned copper, PVC conductor insulation material, green/yellow, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$183.00
<u>MTW14OR</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, orange, 600V, 500ft spool.	Stock	\$96.00
<u>THHN14OR</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, orange, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00
<u>MTW14PL</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, purple, 600V, 500ft spool.	Stock	\$96.00
<u>THHN14PL</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, purple, nylon jacket, clear, 600V, 500ft spool.	Stock	\$84.00
<u>A61404</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 14 AWG (2.50mm2), 50-stranded, tinned copper, PVC conductor insulation material, red, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$183.00
<u>MTW14RD</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, red, 600V, 500ft spool.	Stock	\$96.00
<u>MTW14RD10</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, red, 600V, 1000ft spool.	Stock	\$192.00
<u>THHN14RD</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, red, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00

<u>A61405</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 14 AWG (2.50mm ²), 50-stranded, tinned copper, PVC conductor insulation material, white, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$183.00
<u>MTW14WH</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, white, 600V, 500ft spool.	Stock	\$96.00
<u>MTW14WH10</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, white, 600V, 1000ft spool.	Stock	\$178.00
<u>THHN14WH</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, white, nylon jacket, clear, 600V, 500ft spool.	Stock	\$97.00
<u>MTW14WB</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, white with blue stripe, 600V, 500ft spool.	Stock	\$102.00
<u>MTW14YL</u>	Atlas Wire MTW hook-up wire, single conductor, 14 AWG, 41-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 500ft spool.	Stock	\$96.00
<u>THHN14YL</u>	Atlas Wire THHN building wire, single conductor, 14 AWG, 19-stranded, bare copper, PVC conductor insulation material, yellow, nylon jacket, clear, 600V, 500ft spool.	Stock	\$84.00
<u>A61201</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 12 AWG (4mm ²), 56-stranded, tinned copper, PVC conductor insulation material, black, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$275.00
<u>MTW12BK</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, black, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12BK</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW12BL</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, blue, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12BL</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, blue, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW12BN</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, brown, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12BN</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, brown, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW12GY</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, gray, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12GY</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, gray, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW12GN</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, green, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12GN</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, green, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>THHN12GYL</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, nylon jacket, clear, 600V, 500ft spool.	Stock	\$151.00
<u>A61200</u>	LUTZE HAR H07V-K hook-up wire, single conductor, 12 AWG (4mm ²), 56-stranded, tinned copper, PVC conductor insulation material, green/yellow, 450/750V (H07V2-K), 600V (MTW), 328ft carton.	Stock	\$275.00
<u>MTW12OR</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, orange, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12OR</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, orange, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW12RD</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, red, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12RD</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, red, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW12WH</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, white, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12WH</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, white, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW12YL</u>	Atlas Wire MTW hook-up wire, single conductor, 12 AWG, 65-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 500ft spool.	Stock	\$142.00
<u>THHN12YL</u>	Atlas Wire THHN building wire, single conductor, 12 AWG, 19-stranded, bare copper, PVC conductor insulation material, yellow, nylon jacket, clear, 600V, 500ft spool.	Stock	\$145.00
<u>MTW10BK</u>	Atlas Wire MTW hook-up wire, single conductor, 10 AWG, 105-stranded, bare copper, PVC conductor insulation material, black, 600V, 500ft reel.	Stock	\$227.00
<u>THHN10BK</u>	Atlas Wire THHN building wire, single conductor, 10 AWG, 19-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft spool.	Stock	\$232.00
<u>MTW10BN</u>	Atlas Wire MTW hook-up wire, single conductor, 10 AWG, 105-stranded, bare copper, PVC conductor insulation material, brown, 600V, 500ft reel.	Stock	\$227.00
<u>THHN10BN</u>	Atlas Wire THHN building wire, single conductor, 10 AWG, 19-stranded, bare copper, PVC conductor insulation material, brown, nylon jacket, clear, 600V, 500ft spool.	Stock	\$232.00

<u>MTW10GN</u>	Atlas Wire MTW hook-up wire, single conductor, 10 AWG, 105-stranded, bare copper, PVC conductor insulation material, green, 600V, 500ft reel.	Stock	\$227.00
<u>THHN10GN</u>	Atlas Wire THHN building wire, single conductor, 10 AWG, 19-stranded, bare copper, PVC conductor insulation material, green, nylon jacket, clear, 600V, 500ft spool.	Stock	\$232.00
<u>THHN10GYL</u>	Atlas Wire THHN building wire, single conductor, 10 AWG, 19-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, nylon jacket, clear, 600V, 500ft spool.	Stock	\$238.00
<u>MTW10OR</u>	Atlas Wire MTW hook-up wire, single conductor, 10 AWG, 105-stranded, bare copper, PVC conductor insulation material, orange, 600V, 500ft reel.	Stock	\$227.00
<u>THHN10OR</u>	Atlas Wire THHN building wire, single conductor, 10 AWG, 19-stranded, bare copper, PVC conductor insulation material, orange, nylon jacket, clear, 600V, 500ft spool.	Stock	\$232.00
<u>MTW10WH</u>	Atlas Wire MTW hook-up wire, single conductor, 10 AWG, 105-stranded, bare copper, PVC conductor insulation material, white, 600V, 500ft reel.	Stock	\$227.00
<u>THHN10WH</u>	Atlas Wire THHN building wire, single conductor, 10 AWG, 19-stranded, bare copper, PVC conductor insulation material, white, nylon jacket, clear, 600V, 500ft spool.	Stock	\$232.00
<u>MTW10YL</u>	Atlas Wire MTW hook-up wire, single conductor, 10 AWG, 105-stranded, bare copper, PVC conductor insulation material, yellow, 600V, 500ft reel.	Stock	\$227.00
<u>THHN10YL</u>	Atlas Wire THHN building wire, single conductor, 10 AWG, 19-stranded, bare copper, PVC conductor insulation material, yellow, nylon jacket, clear, 600V, 500ft spool.	Stock	\$232.00
<u>DLO8BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 8 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$1.20
<u>MTW8BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 8 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$0.83
<u>THHN8BK</u>	Atlas Wire THHN building wire, single conductor, 8 AWG, 19-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft reel.	Stock	\$380.00
<u>MTW8BR-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 8 AWG, bare copper, PVC conductor insulation material, brown, cut to length.	Stock	\$1.10
<u>THHN8GN</u>	Atlas Wire THHN building wire, single conductor, 8 AWG, 19-stranded, bare copper, PVC conductor insulation material, green, nylon jacket, clear, 600V, 500ft reel.	Stock	\$380.00
<u>MTW8GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 8 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$1.10
<u>THHN8GYL</u>	Atlas Wire THHN building wire, single conductor, 8 AWG, 19-stranded, bare copper, PVC conductor insulation material, green with yellow stripe, nylon jacket, clear, 600V, 500ft reel.	Stock	\$386.00
<u>MTW8OR-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 8 AWG, bare copper, PVC conductor insulation material, orange, cut to length.	Stock	\$1.10
<u>MTW8YL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 8 AWG, bare copper, PVC conductor insulation material, yellow, cut to length.	Stock	\$1.10
<u>DLO6BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 6 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$1.72
<u>MTW6BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 6 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$1.17
<u>THHN6BK</u>	Atlas Wire THHN building wire, single conductor, 6 AWG, 19-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft reel.	Stock	\$583.00
<u>MTW6BR-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 6 AWG, bare copper, PVC conductor insulation material, brown, cut to length.	Stock	\$1.22
<u>MTW6GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 6 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$1.22
<u>MTW6OR-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 6 AWG, bare copper, PVC conductor insulation material, orange, cut to length.	Stock	\$1.22
<u>MTW6YL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 6 AWG, bare copper, PVC conductor insulation material, yellow, cut to length.	Stock	\$1.22
<u>DLO4BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 4 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$2.64
<u>MTW4BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 4 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$1.80
<u>THHN4BK</u>	Atlas Wire THHN building wire, single conductor, 4 AWG, 19-stranded, bare copper, PVC conductor insulation material, black, nylon jacket, clear, 600V, 500ft reel.	Stock	\$981.00
<u>MTW4GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 4 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$1.91
<u>DLO2BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 2 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$3.63

<u>MTW2BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 2 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$2.77
<u>MTW2GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 2 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$2.77
<u>MTW1BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 1 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$3.54
<u>MTW1GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 1 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$3.54
<u>DLO1-0BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 1/0 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$5.96
<u>MTW1-0BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 1/0 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$4.45
<u>MTW1-0GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 1/0 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$4.45
<u>DLO2-0BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 2/0 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$7.36
<u>MTW2-0BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 2/0 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$5.49
<u>MTW2-0GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 2/0 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$5.49
<u>DLO3-0BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 3/0 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$8.61
<u>MTW3-0BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 3/0 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$6.87
<u>MTW3-0GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 3/0 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$6.87
<u>DLO4-0BK-1</u>	Southwire flexible power cable, unshielded, HDFPC-DLO, RHH/RHW-2 and RW90, single conductor, 4/0 AWG, tinned copper, EPDM thermoset rubber conductor insulation material, black, CPE thermoset rubber jacket, black, cut to length.	Stock	\$10.94
<u>MTW4-0BK-1</u>	Direct Wire flexible power cable, unshielded, MTW and THHW, single conductor, 4/0 AWG, bare copper, PVC conductor insulation material, black, cut to length.	Stock	\$8.58
<u>MTW4-0GYL-1</u>	Direct Wire All-Flex flexible power cable, unshielded, MTW and THHW, single conductor, 4/0 AWG, bare copper, PVC conductor insulation material, green with yellow stripe, cut to length.	Stock	\$8.58
Portable Cord			
<u>SOOW-18-2BK-1</u>	Southwire portable cord, unshielded, SOOW, 600V, 2 conductors, 18 AWG, EPDM thermoset rubber conductor insulation material, black and white, CPE thermoset rubber jacket, black, cut to length.	Stock	\$0.50
<u>H11161802-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 2 conductors, 18 AWG, EPDM thermoset rubber conductor insulation material, black and white, CPE thermoset rubber jacket, black, cut to length.	Stock	\$0.38
<u>H11131802-1</u>	Helukabel portable cord, unshielded, SJOOW, 300V, 2 conductors, 18 AWG, EPDM thermoset rubber conductor insulation material, black and white, CPE thermoset rubber jacket, black, cut to length.	Stock	\$0.33
<u>SEOOW-18-2BK-1</u>	Southwire portable cord, unshielded, SEOOW, 600V, 2 conductors, 18 AWG, TPE conductor insulation material, black and white, TPE jacket, black, cut to length.	Stock	\$0.53
<u>SJEOOW-18-2BK-1</u>	Southwire portable cord, unshielded, SJEOOW, 300V, 2 conductors, 18 AWG, TPE conductor insulation material, black and white, TPE jacket, black, cut to length.	Stock	\$0.43
<u>SJOOW-18-3BK-1</u>	Southwire portable cord, unshielded, SJOOW, 300V, 3 conductors (includes ground), 18 AWG, EPDM thermoset rubber conductor insulation material, black, white and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$0.56
<u>H11161803-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 3 conductors (includes ground), 18 AWG, EPDM thermoset rubber conductor insulation material, black, white and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$0.51
<u>H11131803-1</u>	Helukabel portable cord, unshielded, SJOOW, 300V, 3 conductors (includes ground), 18 AWG, EPDM thermoset rubber conductor insulation material, black, white and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$0.46
<u>SEOOW-18-3BK-1</u>	Southwire portable cord, unshielded, SEOOW, 600V, 3 conductors (includes ground), 18 AWG, TPE conductor insulation material, black, white and green, TPE jacket, black, cut to length.	Stock	\$0.66
<u>SJEOOW-18-3BK-1</u>	Southwire portable cord, unshielded, SJEOOW, 300V, 3 conductors (includes ground), 18 AWG, TPE conductor insulation material, black, white and green, TPE jacket, black, cut to length.	Stock	\$0.51
<u>SOOW-18-4BK-1</u>	Southwire portable cord, unshielded, SOOW, 600V, 4 conductors (includes ground), 18 AWG, EPDM thermoset rubber conductor insulation material, black, white, red and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$0.75

[illegible]

[illegible]

<u>H11161004-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 4 conductors (includes ground), 10 AWG, EPDM thermoset rubber conductor insulation material, black, white, red and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$2.88
<u>H11131004-1</u>	Helukabel portable cord, unshielded, SJOOW, 300V, 4 conductors (includes ground), 10 AWG, EPDM thermoset rubber conductor insulation material, black, white, red and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$2.83
<u>SEOOW-10-4BK-1</u>	Southwire portable cord, unshielded, SEOOW, 600V, 4 conductors (includes ground), 10 AWG, TPE conductor insulation material, black, white, red and green, TPE jacket, black, cut to length.	Stock	\$3.04
<u>SJEOW-10-4BK-1</u>	Southwire portable cord, unshielded, SJEOW, 300V, 4 conductors (includes ground), 10 AWG, TPE conductor insulation material, black, white, red and green, TPE jacket, black, cut to length.	Stock	\$2.81
<u>H11161005-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 5 conductors (includes ground), 10 AWG, EPDM thermoset rubber conductor insulation material, black, white, red, green and orange, CPE thermoset rubber jacket, black, cut to length.	Stock	\$3.52
<u>H11160803-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 3 conductors (includes ground), 8 AWG, EPDM thermoset rubber conductor insulation material, black, white and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$3.33
<u>H11160804-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 4 conductors (includes ground), 8 AWG, EPDM thermoset rubber conductor insulation material, black, white, red and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$4.40
<u>W-8-4BK-1</u>	Southwire portable cord, unshielded, W, 2000V, 4 conductors (includes ground), 8 AWG, EPDM thermoset rubber conductor insulation material, black, white, red and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$5.77
<u>SOOW-6-3BK-1</u>	Direct Wire portable cord, unshielded, SOOW, 600V, 3 conductors (includes ground), 6 AWG, EPDM thermoset rubber conductor insulation material, black, white and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$5.61
<u>H11160603-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 3 conductors (includes ground), 6 AWG, EPDM thermoset rubber conductor insulation material, black, white and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$4.91
<u>H11160604-1</u>	Helukabel portable cord, unshielded, SOOW, 600V, 4 conductors (includes ground), 6 AWG, EPDM thermoset rubber conductor insulation material, black, white, red and green, CPE thermoset rubber jacket, black, cut to length.	Stock	\$6.49

Tray-rated General Purpose Cable

<u>H62020-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 2 conductors, 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers, PVC jacket, black, cut to length.	Stock	\$0.51
<u>H62021-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 3 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$0.63
<u>H62022-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 4 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$0.73
<u>H62023-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 5 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$0.85
<u>H62024-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 7 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$1.31
<u>H62026-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 12 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$1.83
<u>H62027-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 18 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$2.53
<u>H62028-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 25 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$3.45
<u>H62902-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 2 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers, PVC jacket, black, cut to length.	Stock	\$0.67
<u>H62903-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 3 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$0.80
<u>H62904-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 4 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$0.98
<u>H62905-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 5 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$1.16

[illegible]

<u>H62959-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 3 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$1.75
<u>H62960-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 4 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$2.26
<u>H62961-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 5 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$2.85
<u>H62963-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 7 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$3.92
<u>H62965-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 12 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$6.67
<u>H62971-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 3 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$2.77
<u>H62972-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 4 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$3.78
<u>H62973-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 5 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$4.70
<u>H62978-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 4 conductors (includes ground), 8 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$7.08
<u>H62981-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 4 conductors (includes ground), 6 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$9.35
<u>H62984-1</u>	Helukabel TrayControl 600 flexible control cable, unshielded, 4 conductors (includes ground), 4 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$14.46
Low Voltage Control and Signal Cable			
<u>CF11-01-04-02-1</u>	igus continuous flexing control and signal cable, shielded, 4 twisted pairs, 26 AWG (0.14mm ²), 18-stranded, bare copper, TPE conductor insulation material, TPE jacket, blue, cut to length.	Stock	\$5.49
<u>Q8165-1</u>	Quabbin control and signal cable, shielded, 3 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.26
<u>Q8170-1</u>	Quabbin control and signal cable, shielded, 4 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.29
<u>Q8175-1</u>	Quabbin control and signal cable, shielded, 5 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.34
<u>Q8180-1</u>	Quabbin control and signal cable, shielded, 6 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.36
<u>Q8185-1</u>	Quabbin control and signal cable, shielded, 7 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.47
<u>Q8190-1</u>	Quabbin control and signal cable, shielded, 8 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.49
<u>Q8195-1</u>	Quabbin control and signal cable, shielded, 9 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.58
<u>Q8200-1</u>	Quabbin control and signal cable, shielded, 10 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.61
<u>Q8205-1</u>	Quabbin control and signal cable, shielded, 15 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.94
<u>Q8215-1</u>	Quabbin control and signal cable, shielded, 25 conductors, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.50
<u>CF11-02-01-02-1</u>	igus continuous flexing control and signal cable, shielded, 1 twisted pair, 24 AWG (0.25mm ²), bare copper, TPE conductor insulation material, white and brown, TPE jacket, blue, cut to length.	Stock	\$3.71
<u>CF211-02-01-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 1 twisted pair, 24 AWG (0.25mm ²), bare copper, TPE conductor insulation material, white and brown, PVC jacket, gray, cut to length.	Stock	\$1.48
<u>CF211-P-02-01-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 1 twisted pair, 24 AWG (0.25mm ²), bare copper, TPE conductor insulation material, white and brown, PUR jacket, gray, cut to length.	Stock	\$2.08
<u>CF11-02-02-02-1</u>	igus continuous flexing control and signal cable, shielded, 2 twisted pairs, 24 AWG (0.25mm ²), bare copper, TPE conductor insulation material, pair 1: white and brown and pair 2: green and yellow, TPE jacket, blue, cut to length.	Stock	\$4.80

<u>CF211-02-02-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 2 twisted pairs, 24 AWG (0.25mm2), bare copper, TPE conductor insulation material, pair 1: white and brown and pair 2: green and yellow, PVC jacket, gray, cut to length.	Stock	\$2.39
<u>CF211-P-02-02-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 2 twisted pairs, 24 AWG (0.25mm2), bare copper, TPE conductor insulation material, pair 1: white and brown and pair 2: green and yellow, PUR jacket, gray, cut to length.	Stock	\$3.46
<u>Q8110-1</u>	Quabbin control and signal cable, shielded, 2 twisted pairs, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.36
<u>CF11-02-03-02-1</u>	igus continuous flexing control and signal cable, shielded, 3 twisted pairs, 24 AWG (0.25mm2), bare copper, TPE conductor insulation material, pair 1: white and brown, pair 2: green and yellow and pair 3: grey and pink, TPE jacket, blue, cut to length.	Stock	\$6.40
<u>CF211-P-02-03-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 3 twisted pairs, 24 AWG (0.25mm2), bare copper, TPE conductor insulation material, pair 1: white and brown, pair 2: green and yellow and pair 3: grey and pink, PUR jacket, gray, cut to length.	Stock	\$4.06
<u>CF11-02-04-02-1</u>	igus continuous flexing control and signal cable, shielded, 4 twisted pairs, 24 AWG (0.25mm2), 32-stranded, bare copper, TPE conductor insulation material, TPE jacket, blue, cut to length.	Stock	\$8.08
<u>CF211-02-04-02-1</u>	igus continuous flexing control and signal cable, shielded, 4 twisted pairs, 24 AWG (0.25mm2), 32-stranded, bare copper, TPE conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.36
<u>CF211-P-02-04-02-1</u>	igus continuous flexing control and signal cable, shielded, 4 twisted pairs, 24 AWG (0.25mm2), 32-stranded, bare copper, TPE conductor insulation material, PUR jacket, gray, cut to length.	Stock	\$4.63
<u>Q8508-1</u>	Quabbin control and signal cable, shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.59
<u>Q8138-1</u>	Quabbin control and signal cable, shielded, 8 twisted pairs, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.91
<u>Q0160-1</u>	Quabbin control and signal cable, shielded, 2 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.36
<u>Q7115-1</u>	Quabbin control and signal cable, unshielded, 2 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.19
<u>Q7315-1</u>	Quabbin control and signal cable, shielded, 2 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.24
<u>Q7320-1</u>	Quabbin control and signal cable, shielded, 2 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.31
<u>A3032203-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 3 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.82
<u>A3132203-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 3 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.21
<u>Q0190-1</u>	Quabbin control and signal cable, unshielded, 3 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.40
<u>Q7120-1</u>	Quabbin control and signal cable, unshielded, 3 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.24
<u>Q7121-1</u>	Quabbin control and signal cable, unshielded, 3 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.26
<u>Q7325-1</u>	Quabbin control and signal cable, shielded, 3 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.33
<u>A3032204-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 4 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.91
<u>A3132204-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 4 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.36
<u>Q7125-1</u>	Quabbin control and signal cable, unshielded, 4 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.32
<u>Q7525-1</u>	Quabbin control and signal cable, shielded, 4 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.33
<u>Q7131-1</u>	Quabbin control and signal cable, unshielded, 5 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.41
<u>Q7135-1</u>	Quabbin control and signal cable, unshielded, 6 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.38
<u>Q7535-1</u>	Quabbin control and signal cable, shielded, 6 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.45
<u>Q7140-1</u>	Quabbin control and signal cable, unshielded, 7 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.54
<u>A3032208-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 8 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.44
<u>A3132208-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 8 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.92

<u>Q7145-1</u>	Quabbin control and signal cable, unshielded, 8 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.53
<u>Q7545-1</u>	Quabbin control and signal cable, shielded, 8 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.68
<u>Q7150-1</u>	Quabbin control and signal cable, unshielded, 9 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.69
<u>Q7155-1</u>	Quabbin control and signal cable, unshielded, 10 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.74
<u>Q7555-1</u>	Quabbin control and signal cable, shielded, 10 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.81
<u>Q7160-1</u>	Quabbin control and signal cable, unshielded, 12 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.70
<u>Q7560-1</u>	Quabbin control and signal cable, shielded, 12 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.92
<u>A3032215-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 15 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.32
<u>A3132215-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 15 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.27
<u>Q7165-1</u>	Quabbin control and signal cable, unshielded, 15 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.08
<u>Q7565-1</u>	Quabbin control and signal cable, shielded, 15 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.12
<u>Q7170-1</u>	Quabbin control and signal cable, unshielded, 20 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.22
<u>A3032225-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 25 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.65
<u>A3132225-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 25 conductors, 22 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$4.52
<u>Q7175-1</u>	Quabbin control and signal cable, unshielded, 25 conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.85
<u>Q7395-1</u>	Quabbin control and signal cable, shielded, 2 twisted pairs, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.32
<u>Q7465-1</u>	Quabbin control and signal cable, shielded, (1) shielded pair, (2) unshielded conductors, 22 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.40
<u>CF211-03-03-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 3 twisted pairs, 22 AWG (0.34mm2), bare copper, TPE conductor insulation material, pair 1: white and brown, pair 2: green and yellow and pair 3: grey and pink, PVC jacket, gray, cut to length.	Stock	\$3.28
<u>Q0165-1</u>	Quabbin control and signal cable, shielded, 2 conductors, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.37
<u>Q6140-1</u>	Quabbin control and signal cable, shielded, 2 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.39
<u>A3032003-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 3 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.88
<u>A3132003-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 3 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.47
<u>Q0195-1</u>	Quabbin control and signal cable, unshielded, 3 conductors, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.45
<u>Q0220-1</u>	Quabbin control and signal cable, shielded, 3 conductors, 20 AWG, 10-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.45
<u>Q6145-1</u>	Quabbin control and signal cable, shielded, 3 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.43
<u>A3032004-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 4 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.06
<u>A3132004-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 4 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.67
<u>Q6100-1</u>	Quabbin control and signal cable, unshielded, 4 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.49
<u>A3032008-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 8 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.97
<u>A3132008-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 8 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.63
<u>A3032015-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 15 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.28
<u>A3132015-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 15 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$4.35

<u>A3032025-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 25 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$5.15
<u>A3132025-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 25 conductors, 20 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$6.39
<u>CF211-05-01-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 1 twisted pair, 20 AWG (0.50mm2), bare copper, TPE conductor insulation material, white and brown, PVC jacket, gray, cut to length.	Stock	\$1.57
<u>CF211-P-05-01-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 1 twisted pair, 20 AWG (0.50mm2), bare copper, TPE conductor insulation material, white and brown, PUR jacket, gray, cut to length.	Stock	\$2.01
<u>Q6130-1</u>	Quabbin control and signal cable, unshielded, 1 twisted pair, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.29
<u>CF211-05-02-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 2 twisted pairs, 20 AWG (0.50mm2), bare copper, TPE conductor insulation material, pair 1: white and brown and pair 2: green and yellow, PVC jacket, gray, cut to length.	Stock	\$2.79
<u>CF211-P-05-02-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 2 twisted pairs, 20 AWG (0.50mm2), bare copper, TPE conductor insulation material, pair 1: white and brown and pair 2: green and yellow, PUR jacket, gray, cut to length.	Stock	\$3.56
<u>Q6151-1</u>	Quabbin control and signal cable, shielded, 2 twisted pairs, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.72
<u>CF211-05-03-02-1</u>	igus continuous flexing control and signal cable, shielded, AWM, 3 twisted pairs, 20 AWG (0.50mm2), bare copper, TPE conductor insulation material, pair 1: white and brown, pair 2: green and yellow and pair 3: grey and pink, PVC jacket, gray, cut to length.	Stock	\$3.54
<u>CF211-05-04-02-1</u>	igus continuous flexing control and signal cable, shielded, 4 twisted pairs, 20 AWG (0.50mm2), 28-stranded, bare copper, TPE conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$4.89
<u>CF211-P-05-04-02-1</u>	igus continuous flexing control and signal cable, shielded, 4 twisted pairs, 20 AWG (0.50mm2), 28-stranded, bare copper, TPE conductor insulation material, PUR jacket, gray, cut to length.	Stock	\$7.06
<u>Q0140-1</u>	Quabbin control and signal cable, unshielded, 2 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.35
<u>Q4140-1</u>	Quabbin control and signal cable, unshielded, 2 conductors, 18 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.42
<u>Q4165-1</u>	Quabbin control and signal cable, shielded, 2 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.43
<u>Q4560-1</u>	Quabbin control and signal cable, unshielded, 2 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.33
<u>A3031803-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 3 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.35
<u>A3131803-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 3 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.11
<u>Q0200-1</u>	Quabbin control and signal cable, unshielded, 3 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.53
<u>Q4170-1</u>	Quabbin control and signal cable, shielded, 3 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.58
<u>A3031804-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 4 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.64
<u>A3131804-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 4 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.35
<u>Q4100-1</u>	Quabbin control and signal cable, unshielded, 4 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.56
<u>Q4175-1</u>	Quabbin control and signal cable, shielded, 4 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.61
<u>Q4105-1</u>	Quabbin control and signal cable, unshielded, 5 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.66
<u>Q4177-1</u>	Quabbin control and signal cable, shielded, 6 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.87
<u>Q4110-1</u>	Quabbin control and signal cable, unshielded, 7 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.05
<u>A3031808-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 8 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.79
<u>A3131808-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 8 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.57
<u>Q4120-1</u>	Quabbin control and signal cable, unshielded, 12 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.82
<u>Q4125-1</u>	Quabbin control and signal cable, unshielded, 15 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.36
<u>A3031815-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 15 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$5.03

<u>A3131815-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 15 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$6.03
<u>Q4130-1</u>	Quabbin control and signal cable, unshielded, 19 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.84
<u>A3031825-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 25 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$7.76
<u>A3131825-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 25 conductors, 18 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$9.19
<u>Q4135-1</u>	Quabbin control and signal cable, unshielded, 25 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.77
<u>Q0170-1</u>	Quabbin control and signal cable, shielded, 1 twisted pair, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.42
<u>Q0225-1</u>	Quabbin control and signal cable, shielded, 1 twisted triad, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.63
<u>Q3130-1</u>	Quabbin control and signal cable, unshielded, 2 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.65
<u>A3031603-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 3 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.34
<u>A3131603-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 3 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.10
<u>Q3100-1</u>	Quabbin control and signal cable, unshielded, 4 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.84
<u>A3031604-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 4 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.82
<u>A3131604-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 4 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.40
<u>A3031608-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 8 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.32
<u>A3131608-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 8 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.89
<u>A3031615-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 15 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$5.59
<u>A3131615-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 15 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$6.92
<u>A3031625-1</u>	LUTZE ELECTRONIC flexible control and signal cable, unshielded, 25 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$9.20
<u>A3131625-1</u>	LUTZE ELECTRONIC flexible control and signal cable, overall shielded, 25 conductors, 16 AWG, 26-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$10.96
<u>SAC-24-3U-1GY-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 3 conductors, 24 AWG, bare copper, PVC conductor insulation material, black, brown and blue, PVC jacket, gray, cut to length.	Stock	\$0.38
<u>SAC-24-3U-1YL-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 3 conductors, 24 AWG, bare copper, PVC conductor insulation material, black, brown and blue, PVC jacket, yellow, cut to length.	Stock	\$0.37
<u>SAC-24-4U-1GY-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 4 conductors, 24 AWG, bare copper, PVC conductor insulation material, black, brown, blue and white, PVC jacket, gray, cut to length.	Stock	\$0.43
<u>SAC-24-4U-1YL-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 4 conductors, 24 AWG, bare copper, PVC conductor insulation material, black, brown, blue and white, PVC jacket, yellow, cut to length.	Stock	\$0.43
<u>SAC-22-3U-1GY-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 3 conductors, 22 AWG, bare copper, PVC conductor insulation material, black, brown and blue, PVC jacket, gray, cut to length.	Stock	\$0.43
<u>SAC-22-3U-1YL-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 3 conductors, 22 AWG, bare copper, PVC conductor insulation material, black, brown and blue, PVC jacket, yellow, cut to length.	Stock	\$0.43
<u>SAC-22-4U-1GY-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 4 conductors, 22 AWG, bare copper, PVC conductor insulation material, black, brown, blue and white, PVC jacket, gray, cut to length.	Stock	\$0.50
<u>SAC-22-4U-1YL-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 4 conductors, 22 AWG, bare copper, PVC conductor insulation material, black, brown, blue and white, PVC jacket, yellow, cut to length.	Stock	\$0.50
<u>SAC-22-5U-1GY-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 5 conductors, 22 AWG, bare copper, PVC conductor insulation material, black, brown, blue, white and green/yellow, PVC jacket, gray, cut to length.	Stock	\$0.60
<u>SAC-22-5U-1YL-1</u>	AutomationDirect flexible sensor/actuator cable, unshielded, 5 conductors, 22 AWG, bare copper, PVC conductor insulation material, black, brown, blue, white and green/yellow, PVC jacket, yellow, cut to length.	Stock	\$0.60
600V Rated General Purpose Control Cable			
<u>A3082003-1</u>	LUTZE Silflex flexible control cable, unshielded, 3 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.14

<u>A3092003-1</u>	LUTZE Silflex flexible control cable, shielded, 3 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.01
<u>CC600-20-3U-1</u>	Quabbin control cable, unshielded, 3 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.50
<u>V30156-1</u>	Southwire flexible control cable, unshielded, 3 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$0.63
<u>A3082004-1</u>	LUTZE Silflex flexible control cable, unshielded, 4 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.36
<u>A3092004-1</u>	LUTZE Silflex flexible control cable, shielded, 4 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.08
<u>CC600-20-4U-1</u>	Quabbin control cable, unshielded, 4 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.59
<u>V30158-1</u>	Southwire flexible control cable, unshielded, 4 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$0.76
<u>A3082005-1</u>	LUTZE Silflex flexible control cable, unshielded, 5 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.60
<u>A3092005-1</u>	LUTZE Silflex flexible control cable, shielded, 5 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.40
<u>V30160-1</u>	Southwire flexible control cable, unshielded, 5 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$0.86
<u>A3082007-1</u>	LUTZE Silflex flexible control cable, unshielded, 7 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.07
<u>A3092007-1</u>	LUTZE Silflex flexible control cable, shielded, 7 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.76
<u>V30162-1</u>	Southwire flexible control cable, unshielded, 7 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.05
<u>CC600-20-9U-1</u>	Quabbin control cable, unshielded, 9 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.16
<u>V30164-1</u>	Southwire flexible control cable, unshielded, 9 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.49
<u>A3082012-1</u>	LUTZE Silflex flexible control cable, unshielded, 12 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.17
<u>A3092012-1</u>	LUTZE Silflex flexible control cable, shielded, 12 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$4.05
<u>CC600-20-12U-1</u>	Quabbin flexible control cable, unshielded, 12 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.32
<u>V30186-1</u>	Southwire flexible control cable, unshielded, 12 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.85
<u>CC600-20-15U-1</u>	Quabbin control cable, unshielded, 15 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.68
<u>V30188-1</u>	Southwire flexible control cable, unshielded, 18 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.54
<u>CC600-20-19U-1</u>	Quabbin control cable, unshielded, 19 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.93
<u>A3082025-1</u>	LUTZE Silflex flexible control cable, unshielded, 25 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$6.30
<u>A3092025-1</u>	LUTZE Silflex flexible control cable, shielded, 25 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$7.60

<u>CC600-20-25U-1</u>	Quabbin control cable, unshielded, 25 conductors, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.49
<u>V30190-1</u>	Southwire flexible control cable, unshielded, 25 conductors (includes ground), 20 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$3.48
<u>CC600-18-2U-1</u>	Quabbin control cable, unshielded, 2 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.42
<u>A3081803-1</u>	LUTZE Silflex flexible control cable, unshielded, 3 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.21
<u>A3091803-1</u>	LUTZE Silflex flexible control cable, shielded, 3 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.11
<u>CC600-18-3S-1</u>	Quabbin control cable, shielded, 3 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.61
<u>CC600-18-3U-1</u>	Quabbin control cable, unshielded, 3 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.50
<u>MCTC-18-3S-1</u>	Southwire flexible control cable, shielded, 3 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.34
<u>PMTTC-18U-3BK-1</u>	Southwire flexible power/control cable, unshielded, 3 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$0.70
<u>V40166-1</u>	Southwire flexible control cable, unshielded, 3 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$0.72
<u>VNTC-18-3-BK-1</u>	Southwire control cable, unshielded, 3 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.43
<u>A3081804-1</u>	LUTZE Silflex flexible control cable, unshielded, 4 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.47
<u>A3091804-1</u>	LUTZE Silflex flexible control cable, shielded, 4 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.43
<u>CC600-18-4S-1</u>	Quabbin control cable, shielded, 4 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.73
<u>CC600-18-4U-1</u>	Quabbin control cable, unshielded, 4 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.61
<u>MCTC-18-4S-1</u>	Southwire flexible control cable, shielded, 4 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.50
<u>PMTTC-18U-4BK-1</u>	Southwire flexible power/control cable, unshielded, 4 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$0.77
<u>V40168-1</u>	Southwire flexible control cable, unshielded, 4 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$0.88
<u>A3081805-1</u>	LUTZE Silflex flexible control cable, unshielded, 5 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.86
<u>A3091805-1</u>	LUTZE Silflex flexible control cable, shielded, 5 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.01
<u>CC600-18-5S-1</u>	Quabbin control cable, shielded, 5 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.84
<u>CC600-18-5U-1</u>	Quabbin control cable, unshielded, 5 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.75
<u>MCTC-18-5S-1</u>	Southwire flexible control cable, shielded, 5 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.61
<u>PMTTC-18U-5BK-1</u>	Southwire flexible power/control cable, unshielded, 5 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.06
<u>V40170-1</u>	Southwire flexible control cable, unshielded, 5 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.05

<u>VNTC-18-6-BK-1</u>	Southwire control cable, unshielded, 6 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.67
<u>A3081807-1</u>	LUTZE Silflex flexible control cable, unshielded, 7 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.41
<u>A3091807-1</u>	LUTZE Silflex flexible control cable, shielded, 7 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.59
<u>CC600-18-7S-1</u>	Quabbin control cable, shielded, 7 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.06
<u>CC600-18-7U-1</u>	Quabbin control cable, unshielded, 7 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.93
<u>MCTC-18-7S-1</u>	Southwire flexible control cable, shielded, 7 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.08
<u>PMTC-18U-7BK-1</u>	Southwire flexible power/control cable, unshielded, 7 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.31
<u>V40172-1</u>	Southwire flexible control cable, unshielded, 7 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.40
<u>VNTC-18-8-BK-1</u>	Southwire control cable, unshielded, 8 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.86
<u>A3081809-1</u>	LUTZE Silflex flexible control cable, unshielded, 9 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.10
<u>CC600-18-9S-1</u>	Quabbin control cable, shielded, 9 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.29
<u>CC600-18-9U-1</u>	Quabbin control cable, unshielded, 9 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.18
<u>MCTC-18-9S-1</u>	Southwire flexible control cable, shielded, 9 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.27
<u>PMTC-18U-9BK-1</u>	Southwire flexible power/control cable, unshielded, 9 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.59
<u>V40174-1</u>	Southwire flexible control cable, unshielded, 9 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.48
<u>VNTC-18-10-BK-1</u>	Southwire control cable, unshielded, 10 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.04
<u>A3081812-1</u>	LUTZE Silflex flexible control cable, unshielded, 12 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.86
<u>A3091812-1</u>	LUTZE Silflex flexible control cable, shielded, 12 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$5.16
<u>CC600-18-12S-1</u>	Quabbin flexible control cable, shielded, 12 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.80
<u>MCTC-18-12S-1</u>	Southwire flexible control cable, shielded, 12 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.61
<u>PMTC-18U-12BK-1</u>	Southwire flexible power/control cable, unshielded, 12 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.91
<u>V40176-1</u>	Southwire flexible control cable, unshielded, 12 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.10
<u>VNTC-18-12-BK-1</u>	Southwire control cable, unshielded, 12 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.28
<u>CC600-18-15U-1</u>	Quabbin control cable, unshielded, 15 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.05
<u>A3081818-1</u>	LUTZE Silflex flexible control cable, unshielded, 18 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$5.73

<u>V40178-1</u>	Southwire flexible control cable, unshielded, 18 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.92
<u>CC600-18-19S-1</u>	Quabbin control cable, shielded, 19 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.74
<u>CC600-18-19U-1</u>	Quabbin control cable, unshielded, 19 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.59
<u>VNTC-18-19-BK-1</u>	Southwire control cable, unshielded, 19 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$2.13
<u>VNTC-18-24-BK-1</u>	Southwire control cable, unshielded, 24 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$2.52
<u>A3081825-1</u>	LUTZE Silflex flexible control cable, unshielded, 25 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$7.68
<u>A3091825-1</u>	LUTZE Silflex flexible control cable, shielded, 25 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$9.56
<u>CC600-18-25U-1</u>	Quabbin control cable, unshielded, 25 conductors, 18 AWG, 16-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.75
<u>MCTC-18-25S-1</u>	Southwire flexible control cable, shielded, 25 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$4.95
<u>PMTTC-18U-25BK-1</u>	Southwire flexible power/control cable, unshielded, 25 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$3.90
<u>V40180-1</u>	Southwire flexible control cable, unshielded, 25 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$3.90
<u>A3081603-1</u>	LUTZE Silflex flexible control cable, unshielded, 3 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.58
<u>A3091603-1</u>	LUTZE Silflex flexible control cable, shielded, 3 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.66
<u>CC600-16-3S-1</u>	Quabbin control cable, shielded, 3 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.07
<u>MCTC-16-3S-1</u>	Southwire flexible control cable, shielded, 3 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.56
<u>PMTTC-16U-3BK-1</u>	Southwire flexible power/control cable, unshielded, 3 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$0.85
<u>V50196-1</u>	Southwire flexible control cable, unshielded, 3 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$0.85
<u>VNTC-16-3-BK-1</u>	Southwire control cable, unshielded, 3 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.59
<u>A3081604-1</u>	LUTZE Silflex flexible control cable, unshielded, 4 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.78
<u>A3091604-1</u>	LUTZE Silflex flexible control cable, shielded, 4 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.12
<u>CC600-16-4S-1</u>	Quabbin control cable, shielded, 4 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.31
<u>CC600-16-4U-1</u>	Quabbin control cable, unshielded, 4 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.14
<u>MCTC-16-4S-1</u>	Southwire flexible control cable, shielded, 4 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.74
<u>PMTTC-16U-4BK-1</u>	Southwire flexible power/control cable, unshielded, 4 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.01
<u>V50198-1</u>	Southwire flexible control cable, unshielded, 4 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.05

<u>VNTC-16-4-BK-1</u>	Southwire control cable, unshielded, 4 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.69
<u>A3081605-1</u>	LUTZE Silflex flexible control cable, unshielded, 5 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.27
<u>A3091605-1</u>	LUTZE Silflex flexible control cable, shielded, 5 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.33
<u>CC600-16-5U-1</u>	Quabbin control cable, unshielded, 5 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.38
<u>MCTC-16-5S-1</u>	Southwire flexible control cable, shielded, 5 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.07
<u>PMTC-16U-5BK-1</u>	Southwire flexible power/control cable, unshielded, 5 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.23
<u>V50200-1</u>	Southwire flexible control cable, unshielded, 5 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.23
<u>VNTC-16-5-BK-1</u>	Southwire control cable, unshielded, 5 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.84
<u>A3081607-1</u>	LUTZE Silflex flexible control cable, unshielded, 7 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.92
<u>A3091607-1</u>	LUTZE Silflex flexible control cable, shielded, 7 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$4.38
<u>CC600-16-7U-1</u>	Quabbin control cable, unshielded, 7 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.88
<u>MCTC-16-7S-1</u>	Southwire flexible control cable, shielded, 7 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.48
<u>V50202-1</u>	Southwire flexible control cable, unshielded, 7 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.67
<u>VNTC-16-7-BK-1</u>	Southwire control cable, unshielded, 7 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.18
<u>CC600-16-9U-1</u>	Quabbin control cable, unshielded, 9 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.36
<u>MCTC-16-9S-1</u>	Southwire flexible control cable, shielded, 9 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$3.00
<u>PMTC-16U-9BK-1</u>	Southwire flexible power/control cable, unshielded, 9 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$2.05
<u>V50206-1</u>	Southwire flexible control cable, unshielded, 9 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.06
<u>VNTC-16-9-BK-1</u>	Southwire control cable, unshielded, 9 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.50
<u>A3081612-1</u>	LUTZE Silflex flexible control cable, unshielded, 12 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$4.79
<u>CC600-16-12U-1</u>	Quabbin flexible control cable, unshielded, 12 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.09
<u>MCTC-16-12S-1</u>	Southwire flexible control cable, shielded, 12 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$4.04
<u>PMTC-16U-12BK-1</u>	Southwire flexible power/control cable, unshielded, 12 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$2.80
<u>V50208-1</u>	Southwire flexible control cable, unshielded, 12 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.82
<u>VNTC-16-12-BK-1</u>	Southwire control cable, unshielded, 12 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.85

<u>CC600-16-15U-1</u>	Quabbin control cable, unshielded, 15 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$3.46
<u>A3081618-1</u>	LUTZE Silflex flexible control cable, unshielded, 18 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$7.27
<u>V50212-1</u>	Southwire flexible control cable, unshielded, 18 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$4.06
<u>CC600-16-19U-1</u>	Quabbin control cable, unshielded, 19 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$4.14
<u>VNTC-16-19-BK-1</u>	Southwire control cable, unshielded, 19 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$3.36
<u>A3081625-1</u>	LUTZE Silflex flexible control cable, unshielded, 25 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$9.59
<u>A3091625-1</u>	LUTZE Silflex flexible control cable, shielded, 25 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$11.91
<u>CC600-16-25U-1</u>	Quabbin control cable, unshielded, 25 conductors, 16 AWG, 19-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$5.38
<u>MCTC-16-25S-1</u>	Southwire flexible control cable, shielded, 25 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$6.91
<u>V50214-1</u>	Southwire flexible control cable, unshielded, 25 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$5.61
<u>A3081641-1</u>	LUTZE Silflex flexible control cable, unshielded, 41 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$16.19
<u>V50216-1</u>	Southwire flexible control cable, unshielded, 41 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$9.23
<u>CC600-14-2U-1</u>	Quabbin control cable, unshielded, 2 conductors, 14 AWG, 41-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.01
<u>A3081403-1</u>	LUTZE Silflex flexible control cable, unshielded, 3 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.01
<u>A3091403-1</u>	LUTZE Silflex flexible control cable, shielded, 3 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.73
<u>CC600-14-3U-1</u>	Quabbin control cable, unshielded, 3 conductors, 14 AWG, 41-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.37
<u>MCTC-14-3S-1</u>	Southwire flexible control cable, shielded, 3 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.01
<u>PMTc-14U-3BK-1</u>	Southwire flexible power/control cable, unshielded, 3 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.19
<u>V60127-1</u>	Southwire flexible control cable, unshielded, 3 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.19
<u>VNTC-14-3-BK-1</u>	Southwire control cable, unshielded, 3 conductors, 14 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.77
<u>A3081404-1</u>	LUTZE Silflex flexible control cable, unshielded, 4 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.43
<u>A3091404-1</u>	LUTZE Silflex flexible control cable, shielded, 4 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$4.13
<u>CC600-14-4S-1</u>	Quabbin control cable, shielded, 4 conductors, 14 AWG, 41-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.07
<u>CC600-14-4U-1</u>	Quabbin control cable, unshielded, 4 conductors, 14 AWG, 41-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.78
<u>MCTC-14-4S-1</u>	Southwire flexible control cable, shielded, 4 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.44

<u>PMTC-14U-4BK-1</u>	Southwire flexible power/control cable, unshielded, 4 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.49
<u>V60129-1</u>	Southwire flexible control cable, unshielded, 4 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.42
<u>VNTC-14-4-BK-1</u>	Southwire control cable, unshielded, 4 conductors, 14 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$0.91
<u>A3081405-1</u>	LUTZE Silflex flexible control cable, unshielded, 5 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.09
<u>CC600-14-5U-1</u>	Quabbin control cable, unshielded, 5 conductors, 14 AWG, 41-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.19
<u>V60131-1</u>	Southwire flexible control cable, unshielded, 5 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$1.45
<u>VNTC-14-5-BK-1</u>	Southwire control cable, unshielded, 5 conductors, 14 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.19
<u>CC600-14-7U-1</u>	Quabbin control cable, unshielded, 7 conductors, 14 AWG, 41-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$2.96
<u>MCTC-14-7S-1</u>	Southwire flexible control cable, shielded, 7 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$3.25
<u>V60133-1</u>	Southwire flexible control cable, unshielded, 7 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.52
<u>VNTC-14-7-BK-1</u>	Southwire control cable, unshielded, 7 conductors, 14 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.72
<u>PMTC-14U-9BK-1</u>	Southwire flexible power/control cable, unshielded, 9 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$3.09
<u>V60135-1</u>	Southwire flexible control cable, unshielded, 9 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$3.09
<u>PMTC-14U-12BK-1</u>	Southwire flexible power/control cable, unshielded, 12 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$4.19
<u>V60137-1</u>	Southwire flexible control cable, unshielded, 12 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$4.19
<u>VNTC-14-12-BK-1</u>	Southwire control cable, unshielded, 12 conductors, 14 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$2.85
<u>PMTC-14U-18BK-1</u>	Southwire flexible power/control cable, unshielded, 18 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$5.75
<u>V60139-1</u>	Southwire flexible control cable, unshielded, 18 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$5.71
<u>A3081425-1</u>	LUTZE Silflex flexible control cable, unshielded, 25 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$14.01
<u>V60141-1</u>	Southwire flexible control cable, unshielded, 25 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$7.97
<u>A3081203-1</u>	LUTZE Silflex flexible control cable, unshielded, 3 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$2.99
<u>PMTC-12U-3BK-1</u>	Southwire flexible power/control cable, unshielded, 3 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$1.92
<u>VNTC-12-3-BK-1</u>	Southwire control cable, unshielded, 3 conductors, 12 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.08
<u>A3081204-1</u>	LUTZE Silflex flexible control cable, unshielded, 4 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.49

<u>A3091204-1</u>	LUTZE Siiflex flexible control cable, shielded, 4 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$5.95
<u>MCTC-12-4S-1</u>	Southwire flexible control cable, shielded, 4 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.98
<u>PMTC-12U-4BK-1</u>	Southwire flexible power/control cable, unshielded, 4 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$2.27
<u>V70107-1</u>	Southwire flexible control cable, unshielded, 4 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$2.15
<u>VNTC-12-4-BK-1</u>	Southwire control cable, unshielded, 4 conductors, 12 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.38
<u>A3081205-1</u>	LUTZE Siiflex flexible control cable, unshielded, 5 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$4.64
<u>PMTC-12U-5BK-1</u>	Southwire flexible power/control cable, unshielded, 5 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$2.72
<u>VNTC-12-5-BK-1</u>	Southwire control cable, unshielded, 5 conductors, 12 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.68
<u>PMTC-12U-7BK-1</u>	Southwire flexible power/control cable, unshielded, 7 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$3.78
<u>VNTC-10-3-BK-1</u>	Southwire control cable, unshielded, 3 conductors, 10 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$1.57
<u>A3081004-1</u>	LUTZE Siiflex flexible control cable, unshielded, 4 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$5.54
<u>MCTC-10-4S-1</u>	Southwire flexible control cable, shielded, 4 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$4.77
<u>PMTC-10U-4BK-1</u>	Southwire flexible power/control cable, unshielded, 4 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$3.36
<u>V80059-1</u>	Southwire flexible control cable, unshielded, 4 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$3.36
<u>VNTC-10-4-BK-1</u>	Southwire control cable, unshielded, 4 conductors, 10 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$2.04
<u>PMTC-10U-5BK-1</u>	Southwire flexible power/control cable, unshielded, 5 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$4.11
<u>VNTC-10-5-BK-1</u>	Southwire control cable, unshielded, 5 conductors, 10 AWG, bare copper, PVC/Nylon conductor insulation material, method 1 table 2 color code, PVC jacket, black, cut to length.	Stock	\$2.59
<u>PMTC-8U-4BK-1</u>	Southwire flexible power/control cable, unshielded, 4 conductors (includes ground), 8 AWG, bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$4.97
600V Rated 24VDC (NFPA 79) Control Cable			
<u>A3251803-1</u>	LUTZE Siiflex flexible control cable, unshielded, 3 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, blue with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$1.20
<u>A3251805-1</u>	LUTZE Siiflex flexible control cable, unshielded, 5 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, blue with white numbers and green/yellow ground, #2 conductor is white/blue, PVC jacket, gray, cut to length.	Stock	\$1.67
<u>A3251807-1</u>	LUTZE Siiflex flexible control cable, unshielded, 7 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, blue with white numbers and green/yellow ground, #2 conductor is white/blue, PVC jacket, gray, cut to length.	Stock	\$2.33
<u>A3251812-1</u>	LUTZE Siiflex flexible control cable, unshielded, 12 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, blue with white numbers and green/yellow ground, #2 conductor is white/blue, PVC jacket, gray, cut to length.	Stock	\$3.63
<u>A3251819-1</u>	LUTZE Siiflex flexible control cable, unshielded, 19 conductors (includes ground), 18 AWG, bare copper, PVC/Nylon conductor insulation material, blue with white numbers and green/yellow ground, #2 conductor is white/blue, PVC jacket, gray, cut to length.	Stock	\$5.53

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>A1481625-1</u>	LUTZE SUPERFLEX continuous flexing control cable, unshielded, 25 conductors (includes ground), 16 AWG (1.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$12.91
<u>A1481404-1</u>	LUTZE SUPERFLEX continuous flexing control cable, unshielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.86
<u>A1491404-1</u>	LUTZE SUPERFLEX continuous flexing control cable, shielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$5.11
<u>CF130US-25-04-1</u>	igus continuous flexing control cable, unshielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$3.98
<u>CF140US-25-04-1</u>	igus continuous flexing control cable, shielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$6.25
<u>CF5-25-04-1</u>	igus continuous flexing control cable, unshielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, PVC conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, green, cut to length.	Stock	\$3.97
<u>CF6-25-04-1</u>	igus continuous flexing control cable, shielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, PVC conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, green, cut to length.	Stock	\$5.47
<u>CF9-UL-25-04-1</u>	igus continuous flexing control cable, unshielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$6.79
<u>A1481405-1</u>	LUTZE SUPERFLEX continuous flexing control cable, unshielded, 5 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$4.64
<u>A1491405-1</u>	LUTZE SUPERFLEX continuous flexing control cable, shielded, 5 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$5.98
<u>CF9-UL-25-05-1</u>	igus continuous flexing control cable, unshielded, 5 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, gray, cut to length.	Stock	\$7.63
<u>A1481407-1</u>	LUTZE SUPERFLEX continuous flexing control cable, unshielded, 7 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$6.15
<u>A1491407-1</u>	LUTZE SUPERFLEX continuous flexing control cable, shielded, 7 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$7.85
<u>CF130US-25-07-1</u>	igus continuous flexing control cable, unshielded, 7 conductors (includes ground), 14 AWG (2.50mm2), bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$8.58
<u>CF5-25-07-1</u>	igus continuous flexing control cable, unshielded, 7 conductors (includes ground), 14 AWG (2.50mm2), bare copper, PVC conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, green, cut to length.	Stock	\$6.27
<u>A1481204-1</u>	LUTZE SUPERFLEX continuous flexing control cable, unshielded, 4 conductors (includes ground), 12 AWG (4mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$6.37
<u>A1491204-1</u>	LUTZE SUPERFLEX continuous flexing control cable, shielded, 4 conductors (includes ground), 12 AWG (4mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$7.50
<u>CF130US-40-04-1</u>	igus continuous flexing control cable, unshielded, 4 conductors (includes ground), 12 AWG (4mm2), bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$5.81
<u>CF140US-40-04-1</u>	igus continuous flexing control cable, shielded, 4 conductors (includes ground), 12 AWG (4mm2), bare copper, PVC/Nylon conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$8.01
<u>A1481207-1</u>	LUTZE SUPERFLEX continuous flexing control cable, unshielded, 7 conductors (includes ground), 12 AWG (4mm2), bare copper, TPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, gray, cut to length.	Stock	\$10.34
Motor Supply Cable			
<u>A1061804-1</u>	LUTZE DRIVEFLEX VFD cable, 4 conductors (includes ground), 18 AWG, 19-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$3.33
<u>A4061804-1</u>	LUTZE MOTIONFLEX continuous flexing VFD cable, shielded, 4 conductors (includes ground), 18 AWG, 41-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$4.83

<u>A6061804-1</u>	LUTZE Silflex FBP VFD cable, overall foil and braid shielded, 4 conductors (includes ground), 18 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$4.00
<u>H63140-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 16 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$2.61
<u>A1061604-1</u>	LUTZE DRIVEFLEX VFD cable, 4 conductors (includes ground), 16 AWG, 26-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$3.73
<u>A3161604-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 16 AWG, bare copper, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$3.93
<u>A3171604-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 16 AWG, bare copper, (1) shielded 18 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$5.70
<u>A4061604-1</u>	LUTZE MOTIONFLEX continuous flexing VFD cable, shielded, 4 conductors (includes ground), 16 AWG, 65-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$5.32
<u>A6061604-1</u>	LUTZE Silflex FBP VFD cable, overall foil and braid shielded, 4 conductors (includes ground), 16 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$4.60
<u>VFDC-16-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 16 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$3.02
<u>VFD-SC-16-4B-1P-1</u>	Southwire flexible VFD/Servo cable, shielded, 4 conductors (includes ground), 16 AWG, 26-stranded, tinned copper, (1) shielded 16 AWG twisted pair, XLPE conductor insulation material, TPE jacket, black, cut to length.	Stock	\$5.28
<u>H63137-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 14 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$3.51
<u>A1061404-1</u>	LUTZE DRIVEFLEX VFD cable, 4 conductors (includes ground), 14 AWG, 41-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$4.40
<u>A3161404-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 14 AWG, bare copper, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$5.08
<u>A3171404-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 14 AWG, bare copper, (1) shielded 18 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$6.99
<u>A4061404-1</u>	LUTZE MOTIONFLEX continuous flexing VFD cable, shielded, 4 conductors (includes ground), 14 AWG, 104-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$5.94
<u>A6061404-1</u>	LUTZE Silflex FBP VFD cable, overall foil and braid shielded, 4 conductors (includes ground), 14 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$5.80
<u>VFDC-14-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 14 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$3.60
<u>VFD-SC-14-4B-1P-1</u>	Southwire flexible VFD/Servo cable, shielded, 4 conductors (includes ground), 14 AWG, 41-stranded, tinned copper, (1) shielded 16 AWG twisted pair, XLPE conductor insulation material, TPE jacket, black, cut to length.	Stock	\$5.93
<u>H63141-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 12 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$4.44
<u>A1061204-1</u>	LUTZE DRIVEFLEX VFD cable, 4 conductors (includes ground), 12 AWG, 65-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$5.69
<u>A3161204-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 12 AWG, bare copper, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$7.14
<u>A3171204-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 12 AWG, bare copper, (1) shielded 18 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$8.62
<u>A4061204-1</u>	LUTZE MOTIONFLEX continuous flexing VFD cable, shielded, 4 conductors (includes ground), 12 AWG, 168-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$7.65
<u>A6061204-1</u>	LUTZE Silflex FBP VFD cable, overall foil and braid shielded, 4 conductors (includes ground), 12 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$7.70
<u>VFDC-12-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 12 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$4.49
<u>VFD-SC-12-4B-1P-1</u>	Southwire flexible VFD/Servo cable, shielded, 4 conductors (includes ground), 12 AWG, 65-stranded, tinned copper, (1) shielded 16 AWG twisted pair, XLPE conductor insulation material, TPE jacket, black, cut to length.	Stock	\$6.88
<u>H63142-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 10 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$6.31

<u>A1061004-1</u>	LUTZE DRIVEFLEX VFD cable, 4 conductors (includes ground), 10 AWG, 105-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$9.22
<u>A3161004-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 10 AWG, bare copper, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$10.77
<u>A3171004-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 10 AWG, bare copper, (1) shielded 18 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$12.34
<u>A4061004-1</u>	LUTZE MOTIONFLEX continuous flexing VFD cable, shielded, 4 conductors (includes ground), 10 AWG, 259-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$10.06
<u>A6061004-1</u>	LUTZE Silflex FBP VFD cable, overall foil and braid shielded, 4 conductors (includes ground), 10 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$11.30
<u>VFDC-10-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 10 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$5.89
<u>VFD-SC-10-4B-1P-1</u>	Southwire flexible VFD/Servo cable, shielded, 4 conductors (includes ground), 10 AWG, 105-stranded, tinned copper, (1) shielded 16 AWG twisted pair, XLPE conductor insulation material, TPE jacket, black, cut to length.	Stock	\$7.96
<u>H63143-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 8 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$10.18
<u>A1060804-1</u>	LUTZE DRIVEFLEX VFD cable, 4 conductors (includes ground), 8 AWG, 168-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$14.03
<u>A3160804-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 8 AWG, bare copper, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$17.77
<u>A3170804-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 8 AWG, bare copper, (1) shielded 18 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$19.08
<u>A4060804-1</u>	LUTZE MOTIONFLEX continuous flexing VFD cable, shielded, 4 conductors (includes ground), 8 AWG, 336-stranded, tinned copper, XLPE conductor insulation material, XHHW-2 jacket, black, cut to length.	Stock	\$15.48
<u>VFDC-8-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 8 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$10.70
<u>H63144-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 6 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$17.62
<u>A3170604-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 6 AWG, bare copper, (1) shielded 18 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$26.84
<u>VFDC-6-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 6 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$14.07
<u>H63145-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 4 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$24.98
<u>A3170404-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 4 AWG, bare copper, (1) shielded 16 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$34.89
<u>VFDC-4-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 4 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$19.97
<u>H63146-1</u>	Helukabel TOPFLEX 600 VFD cable, shielded, 4 conductors (includes ground), 2 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$40.66
<u>A3170204-1</u>	LUTZE Silflex flexible servo cable, shielded, 4 conductors (includes ground), 2 AWG, bare copper, (1) shielded 16 AWG twisted pair, PVC/Nylon conductor insulation material, brown, black, blue and green/yellow ground, TPE jacket, orange, cut to length.	Stock	\$50.16
<u>VFDC-2-4B-1</u>	Southwire VFD cable, shielded, 4 conductors (includes ground), 2 AWG, tinned copper, XLPE conductor insulation material, black with white numbers and green/yellow ground, TPE jacket, black, cut to length.	Stock	\$29.15
<u>CF31-15-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 16 AWG (1.50mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$4.99
<u>CF30-15-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 16 AWG (1.50mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$2.76
<u>CF31-25-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$5.93
<u>CF30-25-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 14 AWG (2.50mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$3.69

<u>CF31-40-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 12 AWG (4mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$8.31
<u>CF30-40-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 12 AWG (4mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$5.26
<u>CF31-60-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 10 AWG (6mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$11.36
<u>CF30-60-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 10 AWG (6mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$7.48
<u>CF31-100-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 8 AWG (10mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$16.72
<u>CF30-100-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 8 AWG (10mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$12.84
<u>CF31-160-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 6 AWG (16mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$23.40
<u>CF30-160-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 6 AWG (16mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$18.09
<u>CF31-250-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 4 AWG (25mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$35.81
<u>CF30-250-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 4 AWG (25mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$26.84
<u>CF31-350-04-1</u>	igus continuous flexing motor supply cable, shielded, 4 conductors (includes ground), 2 AWG (35mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$51.08
<u>CF30-350-04-1</u>	igus continuous flexing motor supply cable, unshielded, 4 conductors (includes ground), 2 AWG (35mm2), bare copper, TPE conductor insulation material, black with white print and green/yellow ground, PVC jacket, black, cut to length.	Stock	\$39.88

Data and Communication Cable

<u>Q5082-1</u>	Quabbin Datamax continuous flexing Cat5e industrial Ethernet cable, shielded, 2 twisted pairs, 26 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, Zero Halogen Flame Retardant (ZHFR) jacket, teal, cut to length.	Stock	\$1.38
<u>Q5772-1</u>	Quabbin continuous flexing Cat5e industrial Ethernet cable, unshielded, 2 twisted pairs, 24 AWG, 7/32-stranded, tinned copper, HDPE conductor insulation material, FR-TPE jacket, teal, cut to length.	Stock	\$0.70
<u>Q5025-1</u>	Quabbin continuous flexing Cat5e industrial Ethernet cable, shielded, 2 twisted pairs, 24 AWG, 7/32-stranded, tinned copper, HDPE conductor insulation material, FR-TPE jacket, teal, cut to length.	Stock	\$1.34
<u>A104307-1</u>	LUTZE flexible Profinet Type B cable, shielded, 1 star quad, 22 AWG, 7-stranded, tinned copper, special polyolefin conductor insulation material, PVC jacket, green, cut to length.	Stock	\$1.86
<u>A104301-1</u>	LUTZE flexible Profinet Type A cable, shielded, 1 star quad, 22 AWG, solid, bare copper, special polyolefin conductor insulation material, PVC jacket, green, cut to length.	Stock	\$1.60
<u>Q5506-1</u>	Quabbin Datamax Cat5e Ethernet cable, unshielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, blue, cut to length.	Stock	\$0.43
<u>Q2906-1</u>	Quabbin Datamax Cat5e Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, blue, cut to length.	Stock	\$0.54
<u>Q5088-1</u>	Quabbin Datamax continuous flexing Cat5e industrial Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, TPE jacket, teal, cut to length.	Stock	\$1.26
<u>Q5077-1</u>	Quabbin Datamax continuous flexing Cat5e industrial Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, Zero Halogen Flame Retardant (ZHFR) jacket, teal, cut to length.	Stock	\$1.30
<u>Q5730-1</u>	Quabbin Datamax Cat5e industrial Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, polyolefin conductor insulation material, polyurethane jacket, black, cut to length.	Stock	\$1.44
<u>Q5943-1</u>	Quabbin Datamax Cat5e Ethernet cable, unshielded, 4 twisted pairs, 24 AWG, solid, bare copper, polyethylene conductor insulation material, PVC jacket, black, cut to length.	Stock	\$0.64
<u>Q5752-1</u>	Quabbin continuous flexing Cat5e industrial Ethernet cable, unshielded, 4 twisted pairs, 24 AWG, 7/32-stranded, tinned copper, HDPE conductor insulation material, FR-TPE jacket, teal, cut to length.	Stock	\$0.81
<u>Q5944-1</u>	Quabbin Datamax flexible Cat5e industrial Ethernet cable, unshielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, PVC jacket, black, cut to length.	Stock	\$0.67

<u>Q5090-1</u>	Quabbin continuous flexing Cat5e industrial Ethernet cable, shielded, 4 twisted pairs, 24 AWG, 7/32-stranded, tinned copper, HDPE conductor insulation material, FR-TPE jacket, teal, cut to length.	Stock	\$1.46
<u>A1040020-1</u>	LUTZE MOTIONFLEX continuous flexing Cat5e industrial Ethernet cable, shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, TPE jacket, teal, cut to length.	Stock	\$3.02
<u>Q5941-1</u>	Quabbin Cat5e industrial Ethernet cable, unshielded, 4 twisted pairs, 22 AWG, solid, bare copper, polyethylene conductor insulation material, PVC jacket, black, cut to length.	Stock	\$0.79
<u>Q5942-1</u>	Quabbin Cat5e industrial Ethernet cable, unshielded, 4 twisted pairs, 22 AWG, solid, bare copper, polyethylene conductor insulation material, PVC jacket, teal, cut to length.	Stock	\$0.79
<u>A104349-1</u>	LUTZE flexible Cat5e industrial Ethernet cable, shielded, 4 twisted pairs, 22 AWG, 7-stranded, tinned copper, special polyolefin conductor insulation material, PVC jacket, teal, cut to length.	Stock	\$2.96
<u>Q2260-1</u>	Quabbin Datamax Cat6 Ethernet cable, unshielded, 4 twisted pairs, 28 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, low smoke zero halogen (LSZH) jacket, black, cut to length.	Stock	\$0.63
<u>Q2045-1</u>	Quabbin Datamax Cat6 Ethernet cable, shielded, 4 twisted pairs, 28 AWG, 7-stranded, tinned copper, foamed FEP conductor insulation material, PVC jacket, black, cut to length.	Stock	\$1.10
<u>Q2067-1</u>	Quabbin Datamax Cat6 Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, foamed FEP conductor insulation material, PVC jacket, black, cut to length.	Stock	\$0.99
<u>Q2936-1</u>	Quabbin Datamax Cat6 Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, blue, cut to length.	Stock	\$0.72
<u>Q2025-1</u>	Quabbin Datamax Cat6 Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, low smoke zero halogen (LSZH) jacket, black, cut to length.	Stock	\$0.91
<u>A1040006-1</u>	LUTZE Cat6 industrial Ethernet cable, shielded, 4 twisted pairs, 22 AWG, solid, bare copper, HDPE conductor insulation material, PVC jacket, teal, cut to length.	Stock	\$2.97
<u>Q5026-1</u>	Quabbin continuous flexing Cat6/6a industrial Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, TPE jacket, teal, cut to length.	Stock	\$1.66
<u>Q5919-1</u>	Quabbin Datamax continuous flexing Cat6/6a industrial Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, polyurethane jacket, black, cut to length.	Stock	\$1.72
<u>Q5922-1</u>	Quabbin continuous flexing Cat6/6a industrial Ethernet cable, shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, TPE jacket, teal, cut to length.	Stock	\$1.77
<u>Q5936-1</u>	Quabbin Datamax continuous flexing Cat6/6a industrial Ethernet cable, shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, polyurethane jacket, black, cut to length.	Stock	\$1.92
<u>Q2034-1</u>	Quabbin Datamax Cat6a Ethernet cable, shielded, 4 twisted pairs, 28 AWG, 7-stranded, tinned copper, foamed FEP conductor insulation material, PVC jacket, black, cut to length.	Stock	\$1.16
<u>Q2270-1</u>	Quabbin Datamax Cat6a Ethernet cable, shielded, 4 twisted pairs, 28 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, low smoke zero halogen (LSZH) jacket, black, cut to length.	Stock	\$0.74
<u>Q2056-1</u>	Quabbin Datamax Cat6a Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, foamed FEP conductor insulation material, PVC jacket, black, cut to length.	Stock	\$1.18
<u>Q2948-1</u>	Quabbin Datamax Cat6a Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, blue, cut to length.	Stock	\$0.76
<u>A104338-1</u>	LUTZE flexible Cat6a industrial Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, bare copper, special polyolefin conductor insulation material, PVC jacket, green, cut to length.	Stock	\$2.24
<u>Q5123-1</u>	Quabbin Datamax continuous flexing Cat6a industrial Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, Zero Halogen Flame Retardant (ZHFR) jacket, black, cut to length.	Stock	\$1.71
<u>Q2279-1</u>	Quabbin Datamax Cat6a Ethernet cable, shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, low smoke zero halogen (LSZH) jacket, black, cut to length.	Stock	\$0.84
<u>A1040030-1</u>	LUTZE MOTIONFLEX continuous flexing Cat6a industrial Ethernet cable, shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, HDPE conductor insulation material, TPE jacket, teal, cut to length.	Stock	\$3.46
<u>Q2206-1</u>	Quabbin Datamax Cat6e Ethernet cable, unshielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, blue, cut to length.	Stock	\$0.49
<u>Q5094-1</u>	Quabbin continuous flexing Profinet cable, shielded, PLTC and CL3, 4 conductors, 22 AWG, tinned copper, polyethylene conductor insulation material, white, blue, yellow and orange, TPE jacket, green, cut to length.	Stock	\$1.34
<u>Q5099-1</u>	Quabbin continuous flexing Profinet cable, shielded, PLTC-ER and CM, 4 conductors, 22 AWG, tinned copper, polyethylene conductor insulation material, white, blue, yellow and orange, TPE jacket, green, cut to length.	Stock	\$1.44
<u>Q5924-1</u>	Quabbin Datamax continuous flexing Profinet cable, shielded, PLTC, ITC and AWM, 2 twisted pairs, 22 AWG, tinned copper, HDPE conductor insulation material, white, blue, yellow and orange, TPE jacket, green, cut to length.	Stock	\$1.44
<u>A104397-1</u>	LUTZE flexible Cat6a industrial Ethernet Profinet cable, shielded, 4 twisted pairs, 22 AWG, solid, bare copper, special polyolefin conductor insulation material, PVC jacket, green, cut to length.	Stock	\$4.15
<u>A104265-1</u>	LUTZE continuous flexing Profibus cable, shielded, 1 twisted pair, 24 AWG, 19-stranded, bare copper, special polyolefin conductor insulation material, PUR jacket, purple, cut to length.	Stock	\$3.51
<u>A104293-1</u>	LUTZE Profibus cable, shielded, 1 twisted pair, 22 AWG, solid, bare copper, special polyolefin conductor insulation material, PVC jacket, purple, cut to length.	Stock	\$1.61
<u>CFBUS-PVC-001-1</u>	igus continuous flexing Profibus cable, shielded, AWM, 1 twisted pair, 24 AWG (0.25mm2), bare copper, TPE conductor insulation material, red and green, PVC jacket, purple, cut to length.	Stock	\$2.23

<u>A1022203-1</u>	LUTZE IO-Link flexible control cable, unshielded, 3 conductors, 22 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown and blue, PVC jacket, yellow, cut to length.	Stock	\$1.11
<u>A1022204-1</u>	LUTZE IO-Link flexible control cable, unshielded, 4 conductors, 22 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue and white, PVC jacket, yellow, cut to length.	Stock	\$1.27
<u>A1022205-1</u>	LUTZE IO-Link flexible control cable, unshielded, 5 conductors, 22 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue, white and gray, PVC jacket, yellow, cut to length.	Stock	\$1.52
<u>A1022003-1</u>	LUTZE IO-Link flexible control cable, unshielded, 3 conductors, 20 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown and blue, PVC jacket, yellow, cut to length.	Stock	\$1.25
<u>A1022004-1</u>	LUTZE IO-Link flexible control cable, unshielded, 4 conductors, 20 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue and white, PVC jacket, yellow, cut to length.	Stock	\$1.52
<u>A1022005-1</u>	LUTZE IO-Link flexible control cable, unshielded, 5 conductors, 20 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue, white and gray, PVC jacket, yellow, cut to length.	Stock	\$1.62
<u>A1021803-1</u>	LUTZE IO-Link flexible control cable, unshielded, 3 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown and blue, PVC jacket, yellow, cut to length.	Stock	\$1.47
<u>A1021804-1</u>	LUTZE IO-Link flexible control cable, unshielded, 4 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue and white, PVC jacket, yellow, cut to length.	Stock	\$1.78
<u>A1021805-1</u>	LUTZE IO-Link flexible control cable, unshielded, 5 conductors, 18 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue, white and gray, PVC jacket, yellow, cut to length.	Stock	\$2.25
<u>A1021603-1</u>	LUTZE IO-Link flexible control cable, unshielded, 3 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown and blue, PVC jacket, yellow, cut to length.	Stock	\$1.85
<u>A1021604-1</u>	LUTZE IO-Link flexible control cable, unshielded, 4 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue and white, PVC jacket, yellow, cut to length.	Stock	\$2.28
<u>A1021605-1</u>	LUTZE IO-Link flexible control cable, unshielded, 5 conductors, 16 AWG, bare copper, PVC/Nylon conductor insulation material, black, brown, blue, white and gray, PVC jacket, yellow, cut to length.	Stock	\$2.77
<u>Q8105-1</u>	Quabbin RS-232 low capacitance data serial cable, shielded, 1 twisted pair, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.31
<u>Q8602-1</u>	Quabbin RS-422 low capacitance data serial cable, shielded, 1 twisted pair, 24 AWG, 7-stranded, tinned copper, foam polypropylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.34
<u>Q8302-1</u>	Quabbin RS-422/RS-485 low capacitance data serial cable, shielded, 1 twisted pair, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.65
<u>Q0356-1</u>	Quabbin RS-422/RS-485 low capacitance data serial cable, shielded, 1.5 twisted pair (includes ground), 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.75
<u>Q8504-1</u>	Quabbin RS-232 low capacitance data serial cable, shielded, 2 twisted pairs, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.51
<u>Q8604-1</u>	Quabbin RS-422 low capacitance data serial cable, shielded, 2 twisted pairs, 24 AWG, 7-stranded, tinned copper, foam polypropylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.75
<u>Q8804-1</u>	Quabbin RS-422 low capacitance data serial cable, shielded, 2 twisted pairs, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.73
<u>Q8304-1</u>	Quabbin RS-422/RS-485 low capacitance data serial cable, shielded, 2 twisted pairs, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.80
<u>Q8506-1</u>	Quabbin RS-232 low capacitance data serial cable, shielded, 3 twisted pairs, 24 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.59
<u>Q8606-1</u>	Quabbin RS-422 low capacitance data serial cable, shielded, 3 twisted pairs, 24 AWG, 7-stranded, tinned copper, foam polypropylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.88
<u>Q8806-1</u>	Quabbin RS-422 low capacitance data serial cable, shielded, 3 twisted pairs, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.82
<u>Q8306-1</u>	Quabbin RS-485 low capacitance data serial cable, shielded, 3 twisted pairs, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.89
<u>Q8308-1</u>	Quabbin RS-485 low capacitance data serial cable, shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.05
<u>Q0357-1</u>	Quabbin RS-422/RS-485 low capacitance data serial cable, shielded, 1.5 twisted pair (includes ground), 22 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.90
<u>Q7380-1</u>	Quabbin serial cable, individual shielded, 3 twisted pairs, 22 AWG, solid, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.80
<u>Q0358-1</u>	Quabbin RS-422/RS-485 low capacitance data serial cable, shielded, 1.5 twisted pair (includes ground), 20 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.15
<u>Q6155-1</u>	Quabbin serial cable, individual shielded, 3 twisted pairs, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$1.08
<u>Q6135-1</u>	Quabbin serial cable, unshielded, 3 twisted pairs, 20 AWG, 7-stranded, tinned copper, PVC conductor insulation material, PVC jacket, gray, cut to length.	Stock	\$0.89
<u>H82839-1</u>	Helukabel HELUKAT continuous flexing Cat5e industrial Ethernet cable, overall shielded, 4 twisted pairs, 26 AWG, 19-stranded, bare copper, polyolefin conductor insulation material, PUR jacket, green, cut to length.	Stock	\$1.79
<u>H800068-1</u>	Helukabel HELUKAT flexible Cat5e industrial Ethernet cable, overall shielded, 4 twisted pairs, 26 AWG, 7-stranded, bare copper, polyolefin conductor insulation material, PUR jacket, gray, cut to length.	Stock	\$1.18

<u>H800067-1</u>	Helukabel HELUKAT continuous flexing Cat5 industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 26 AWG, 19-stranded, bare copper, polypropylene conductor insulation material, PUR jacket, green, cut to length.	Stock	\$3.02
<u>H805702-1</u>	Helukabel HELUKAT flexible Cat5e industrial Ethernet cable, overall shielded, 2 twisted pairs, 26 AWG, 7-stranded, bare copper, foam polyethylene conductor insulation material, PUR jacket, blue, cut to length.	Stock	\$1.05
<u>H82838-1</u>	Helukabel HELUKAT continuous flexing Cat5e industrial Ethernet cable, overall shielded, 1 star quad, 26 AWG, 19-stranded, bare copper, polyolefin conductor insulation material, PUR jacket, green, cut to length.	Stock	\$1.13
<u>H803693-1</u>	Helukabel HELUKAT flexible Cat6a industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 22 AWG, solid, bare copper, foam polyethylene conductor insulation material, PVC jacket, green, cut to length.	Stock	\$1.94
<u>H805704-1</u>	Helukabel HELUKAT flexible Cat6a industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, foam polyethylene conductor insulation material, PVC jacket, green, cut to length.	Stock	\$3.85
<u>H803387-1</u>	Helukabel HELUKAT continuous flexing Cat6 industrial Ethernet cable, overall shielded, 4 twisted pairs, 26 AWG, 19-stranded, tinned copper, polypropylene conductor insulation material, PUR jacket, green, cut to length.	Stock	\$2.35
<u>H805655-1</u>	Helukabel HELUKAT Cat6 industrial Ethernet cable, overall shielded, 4 twisted pairs, 24 AWG, solid, bare copper, polyethylene conductor insulation material, PVC jacket, green, cut to length.	Stock	\$2.66
<u>H805703-1</u>	Helukabel HELUKAT flexible Cat6a industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, foam polyethylene conductor insulation material, PUR jacket, green, cut to length.	Stock	\$5.05
<u>H805548-1</u>	Helukabel HELUKAT flexible Cat6a industrial Ethernet cable, overall shielded, 4 twisted pairs, 26 AWG, 7-stranded, tinned copper, foam polyethylene conductor insulation material, PUR jacket, green, cut to length.	Stock	\$3.45
<u>H802184-1</u>	Helukabel HELUKAT flexible Cat7 industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 26 AWG, 7-stranded, bare copper, foam polyethylene conductor insulation material, PUR jacket, green, cut to length.	Stock	\$1.62
<u>H805680-1</u>	Helukabel HELUKAT Cat7a industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 23 AWG, solid, bare copper, foam polyethylene conductor insulation material, polyurethane (PUR) jacket, green, cut to length.	Stock	\$1.89
<u>H805614-1</u>	Helukabel HELUKAT flexible Cat7 industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 24 AWG, 7-stranded, tinned copper, foam polyethylene conductor insulation material, PUR jacket, green, cut to length.	Stock	\$5.77
<u>H801197-1</u>	Helukabel HELUKAT Cat7e industrial Ethernet cable, individual and overall shielded, 4 twisted pairs, 23 AWG, solid, bare copper, foam polyethylene conductor insulation material, polyurethane (PUR) jacket, green, cut to length.	Stock	\$1.78
<u>H801651-1</u>	Helukabel HELUKAT flexible Profinet Type B cable, individual and overall shielded, (2) shielded twisted pairs, (4) unshielded conductors, 22 AWG and 16 AWG, 7-stranded, bare copper, polyethylene conductor insulation material, FRNC jacket, green, cut to length.	Stock	\$4.13
<u>H802914-1</u>	Helukabel HELUKAT flexible Profinet Type C cable, overall shielded, 1 star quad, 22 AWG, 7-stranded, tinned copper, polyethylene conductor insulation material, PVC jacket, green, cut to length.	Stock	\$1.78
<u>H802186-1</u>	Helukabel HELUKAT continuous flexing Profinet Type C cable, overall shielded, 1 star quad, 22 AWG, 19-stranded, tinned copper, polyethylene conductor insulation material, PUR jacket, green, cut to length.	Stock	\$1.93
<u>H802293-1</u>	Helukabel HELUKAT flexible Profinet cable, overall shielded, 1 star quad, 22 AWG, 7-stranded, tinned copper, XLPE conductor insulation material, X-FRNC jacket, black, cut to length.	Stock	\$3.93
<u>H11007800-1</u>	Helukabel HELUKAT continuous flexing Profinet Type R cable, overall shielded, 1 star quad, 22 AWG, 19-stranded, tinned copper, polyolefin conductor insulation material, PUR jacket, green, cut to length.	Stock	\$2.28
<u>H802185-1</u>	Helukabel HELUKAT flexible Profinet Type B cable, overall shielded, 1 star quad, 22 AWG, 7-stranded, tinned copper, FRNC conductor insulation material, FRNC jacket, green, cut to length.	Stock	\$5.46
Process and Instrumentation Cable			
<u>PLTC3-20-1S-1</u>	Quabbin instrumentation cable, overall shielded, PLTC, 300V, 1 twisted pair, 20 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$0.29
<u>PLTC3-20-1TS-1</u>	Quabbin instrumentation cable, overall shielded, PLTC and ITC, 300V, 1 twisted triad, 20 AWG, PVC conductor insulation material, black, white and red, PVC jacket, black, cut to length.	Stock	\$0.35
<u>PLTC3-20-2S-1</u>	Quabbin instrumentation cable, overall shielded, PLTC, 300V, 2 twisted pairs, 20 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$0.47
<u>PLTC3-20-2SS-1</u>	Quabbin instrumentation cable, individual and overall shielded, PLTC, 300V, 2 twisted pairs, 20 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$0.60
<u>PLTC3-20-2TS-1</u>	Quabbin instrumentation cable, overall shielded, PLTC and ITC, 300V, 2 twisted triads, 20 AWG, PVC conductor insulation material, black, white and red, PVC jacket, black, cut to length.	Stock	\$0.72
<u>PLTC3-20-2TSS-1</u>	Quabbin instrumentation cable, individual and overall shielded, PLTC and ITC, 300V, 2 twisted triads, 20 AWG, PVC conductor insulation material, black, white and red, PVC jacket, black, cut to length.	Stock	\$0.85
<u>PLTC3-20-4S-1</u>	Quabbin instrumentation cable, overall shielded, PLTC, 300V, 4 twisted pairs, 20 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$0.76
<u>PLTC3-20-4SS-1</u>	Quabbin instrumentation cable, individual and overall shielded, PLTC, 300V, 4 twisted pairs, 20 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$1.03

[illegible]

<u>THMWJ-20-1U-G-1</u>	TE Wire & Cable Type J thermocouple extension wire, unshielded, 2 conductors, 20 AWG, iron and copper-nickel, fiberglass conductor insulation material, white and red, fiberglass jacket, brown with black stripe, cut to length.	Stock	\$0.40
<u>THMWJ-20-1S-P-1</u>	TE Wire & Cable Type J thermocouple extension wire, shielded, 2 conductors, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$0.46
<u>THMWJ-20-1U-P-1</u>	TE Wire & Cable Type J thermocouple extension wire, unshielded, 2 conductors, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$0.30
<u>THMWK-20-1U-S-1</u>	TE Wire & Cable Type K thermocouple extension wire, unshielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, braided vitreous silica conductor insulation material, white and white/red, braided vitreous silica jacket, white, cut to length.	Stock	\$2.09
<u>THMWK-20-1U-F-1</u>	TE Wire & Cable Type K thermocouple extension wire, unshielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, FEP Teflon conductor insulation material, yellow and red, FEP Teflon jacket, brown, cut to length.	Stock	\$0.94
<u>THMWK-20-1U-G-1</u>	TE Wire & Cable Type K thermocouple extension wire, unshielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, fiberglass conductor insulation material, yellow and red, fiberglass jacket, brown with yellow stripe, cut to length.	Stock	\$0.55
<u>THMWK-20-1U-HG-1</u>	TE Wire & Cable Type K thermocouple extension wire, unshielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, high temperature fiberglass conductor insulation material, yellow and red, high temperature fiberglass jacket, brown, cut to length.	Stock	\$0.78
<u>THMWK-20-1S-P-1</u>	TE Wire & Cable Type K thermocouple extension wire, shielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$0.63
<u>THMWK-20-1U-P-1</u>	TE Wire & Cable Type K thermocouple extension wire, unshielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$0.45
<u>THMWT-20-1U-G-1</u>	TE Wire & Cable Type T thermocouple extension wire, unshielded, 2 conductors, 20 AWG, copper and copper-nickel, fiberglass conductor insulation material, blue and red, fiberglass jacket, brown with (2) blue stripes, cut to length.	Stock	\$0.40
<u>THMWT-20-1S-P-1</u>	TE Wire & Cable Type T thermocouple extension wire, shielded, 2 conductors, 20 AWG, copper and copper-nickel, PVC conductor insulation material, blue and red, PVC jacket, blue, cut to length.	Stock	\$0.51
<u>THMWT-20-1U-P-1</u>	TE Wire & Cable Type T thermocouple extension wire, unshielded, 2 conductors, 20 AWG, copper and copper-nickel, PVC conductor insulation material, blue and red, PVC jacket, blue, cut to length.	Stock	\$0.34
<u>THMWJ-UL-20-1S-F-1</u>	TE Wire & Cable Type J thermocouple PLTC extension wire, shielded, 2 conductors, 20 AWG, iron and copper-nickel, FEP Teflon conductor insulation material, white and red, FEP Teflon jacket, black, cut to length.	Stock	\$0.95
<u>THMWJ-UL-20-1U-P-1</u>	TE Wire & Cable Type J thermocouple PLTC extension wire, unshielded, 2 conductors, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$0.35
<u>THMWK-UL-20-1S-F-1</u>	TE Wire & Cable Type K thermocouple PLTC extension wire, shielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, FEP Teflon conductor insulation material, yellow and red, FEP Teflon jacket, yellow, cut to length.	Stock	\$1.16
<u>THMWK-UL-20-1U-P-1</u>	TE Wire & Cable Type K thermocouple PLTC extension wire, unshielded, 2 conductors, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$0.72
<u>THMWJ-20-2SS-P-1</u>	TE Wire & Cable Type J thermocouple PLTC and ITC extension cable, individual and overall shielded, 2 twisted pairs, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$1.26
<u>THMWJ-20-2S-P-1</u>	TE Wire & Cable Type J thermocouple PLTC and ITC extension cable, shielded, 2 twisted pairs, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$1.07
<u>THMWK-20-2SS-P-1</u>	TE Wire & Cable Type K thermocouple PLTC and ITC extension cable, individual and overall shielded, 2 twisted pairs, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$1.64
<u>THMWK-20-2S-P-1</u>	TE Wire & Cable Type K thermocouple PLTC and ITC extension cable, shielded, 2 twisted pairs, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$1.54
<u>THMWJ-20-4SS-P-1</u>	TE Wire & Cable Type J thermocouple PLTC and ITC extension cable, individual and overall shielded, 4 twisted pairs, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$2.25
<u>THMWJ-20-4S-P-1</u>	TE Wire & Cable Type J thermocouple PLTC and ITC extension cable, shielded, 4 twisted pairs, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$1.75
<u>THMWK-20-4SS-P-1</u>	TE Wire & Cable Type K thermocouple PLTC and ITC extension cable, individual and overall shielded, 4 twisted pairs, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$2.92
<u>THMWK-20-4S-P-1</u>	TE Wire & Cable Type K thermocouple PLTC and ITC extension cable, shielded, 4 twisted pairs, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$2.41
<u>THMWJ-20-8SS-P-1</u>	TE Wire & Cable Type J thermocouple PLTC and ITC extension cable, individual and overall shielded, 8 twisted pairs, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$4.06

<u>THMWJ-20-8S-P-1</u>	TE Wire & Cable Type J thermocouple PLTC and ITC extension cable, shielded, 8 twisted pairs, 20 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$3.76
<u>THMWK-20-8SS-P-1</u>	TE Wire & Cable Type K thermocouple PLTC and ITC extension cable, individual and overall shielded, 8 twisted pairs, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$4.89
<u>THMWK-20-8S-P-1</u>	TE Wire & Cable Type K thermocouple PLTC and ITC extension cable, shielded, 8 twisted pairs, 20 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$4.09
<u>THMWJ-16-1U-P-1</u>	TE Wire & Cable Type J thermocouple extension wire, unshielded, 2 conductors, 16 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$0.71
<u>THMWK-16-1U-P-1</u>	TE Wire & Cable Type K thermocouple extension wire, unshielded, 2 conductors, 16 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$1.12
<u>THMWJ-UL-16-1S-F-1</u>	TE Wire & Cable Type J thermocouple PLTC extension wire, shielded, 2 conductors, 16 AWG, iron and copper-nickel, FEP Teflon conductor insulation material, white and red, FEP Teflon jacket, black, cut to length.	Stock	\$1.52
<u>THMWJ-UL-16-1S-P-1</u>	TE Wire & Cable Type J thermocouple PLTC extension wire, shielded, 2 conductors, 16 AWG, iron and copper-nickel, PVC conductor insulation material, white and red, PVC jacket, black, cut to length.	Stock	\$0.89
<u>THMWK-UL-16-1S-F-1</u>	TE Wire & Cable Type K thermocouple PLTC extension wire, shielded, 2 conductors, 16 AWG, nickel-chromium and nickel-aluminum, FEP Teflon conductor insulation material, yellow and red, FEP Teflon jacket, yellow, cut to length.	Stock	\$2.00
<u>THMWK-UL-16-1S-P-1</u>	TE Wire & Cable Type K thermocouple PLTC extension wire, shielded, 2 conductors, 16 AWG, nickel-chromium and nickel-aluminum, PVC conductor insulation material, yellow and red, PVC jacket, yellow, cut to length.	Stock	\$1.34

Rotary Encoders

<u>A41S-0100-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 100 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$108.00
<u>A41S-0200-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 200 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$101.00
<u>A41S-0360-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 360 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$101.00
<u>A41S-0500-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 500 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$101.00
<u>A41S-1000-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 1000 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$109.00
<u>A41S-1024-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 1024 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$109.00
<u>A41S-2000-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 2000 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$109.00
<u>A41S-2048-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 2048 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$109.00
<u>A41S-3600-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 3600 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$109.00
<u>A41S-4096-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 4096 ppr, 1/4in solid shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$109.00
<u>A41H-0100-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 100 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$113.00
<u>A41H-0200-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 200 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$107.00
<u>A41H-0360-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 360 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$107.00
<u>A41H-0500-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 500 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$107.00

<u>A41H-1000-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 1000 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$113.00
<u>A41H-1024-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 1024 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$113.00
<u>A41H-2000-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 2000 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$113.00
<u>A41H-2048-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 2048 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$113.00
<u>A41H-3600-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 3600 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$113.00
<u>A41H-4096-HZCP6-AL2</u>	Lika Electronic A41 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 4096 ppr, 1/4in hollow shaft, 41mm diameter body, IP64, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$113.00
<u>AQ58S-PRG-HZCP9-M12</u>	Lika Electronic AQ58 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, up to 14-bit (16384 ppr), 3/8in solid shaft, 58mm diameter body, IP65, radial exit, M12 male.	Stock	\$160.00
<u>AQ59H-PRG-HZC15-M12</u>	Lika Electronic AQ59 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, up to 14-bit (16384 ppr), multiple shafts (6mm - 15mm), 59mm diameter body, IP65, radial exit, M12 male.	Stock	\$160.00
<u>A50H-0360-HZCP6-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 360 ppr, 1/4in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A50H-1000-HZCP6-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 1000 ppr, 1/4in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A50H-1024-HZCP6-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 1024 ppr, 1/4in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A50H-2048-HZCP6-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 2048 ppr, 1/4in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A50H-0360-HZCP9-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 360 ppr, 3/8in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A50H-1000-HZCP9-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 1000 ppr, 3/8in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A50H-1024-HZCP9-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 1024 ppr, 3/8in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A50H-2048-HZCP9-RL2</u>	Lika Electronic A50 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 2048 ppr, 3/8in hollow shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$116.00
<u>A80H-1024-HZC30-M23</u>	Lika Electronic A80 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 1024 ppr, multiple shafts (5/8in - 30mm), 80mm diameter body, IP64, radial exit, M23 male.	Stock	\$164.00
<u>A80H-1024-HZC30-RL2</u>	Lika Electronic A80 series incremental (quadrature) rotary encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 1024 ppr, multiple shafts (5/8in - 30mm), 80mm diameter body, IP64, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$164.00
<u>AR01-0250-HM12-A</u>	Lika Electronic AR01 series incremental (quadrature) rotary measuring wheel encoder assembly, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, 250 ppr. (1) encoder, (2) measuring wheels, (1) spring-loaded arm and (1) mounting bracket included.	Stock	\$329.00
<u>AR01-1250-HM12-A</u>	Lika Electronic AR01 series incremental (quadrature) rotary measuring wheel encoder assembly, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, 1250 ppr. (1) encoder, (2) measuring wheels, (1) spring-loaded arm and (1) mounting bracket included.	Stock	\$329.00
<u>AR01X-0250-HM12</u>	Lika Electronic AR01 series incremental (quadrature) rotary encoder, replacement, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 250 ppr, 15mm dual shaft, 58mm diameter body, IP65, radial exit, M12 male.	Stock	\$231.00
<u>AR01X-1250-HM12</u>	Lika Electronic AR01 series incremental (quadrature) rotary encoder, replacement, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 1250 ppr, 15mm dual shaft, 58mm diameter body, IP65, radial exit, M12 male.	Stock	\$231.00
<u>TRD-SR100AD</u>	JTEKT TRD-SR series incremental (quadrature) rotary encoder, 5-26 VDC, NPN open collector output, light duty, 100 ppr, 6mm solid shaft, 38mm diameter body, IP50, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$103.00

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>TRD-GK1000-RZD</u>	JTEKT TRD-GK series incremental (quadrature) rotary encoder, 10-30 VDC, push-pull (totem) output, heavy duty, 1000 ppr, 10mm solid shaft, 78mm diameter body, IP65, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$384.00
<u>TRD-GK1200-RZD</u>	JTEKT TRD-GK series incremental (quadrature) rotary encoder, 10-30 VDC, push-pull (totem) output, heavy duty, 1200 ppr, 10mm solid shaft, 78mm diameter body, IP65, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$384.00
<u>TRD-GK2000-RZD</u>	JTEKT TRD-GK series incremental (quadrature) rotary encoder, 10-30 VDC, push-pull (totem) output, heavy duty, 2000 ppr, 10mm solid shaft, 78mm diameter body, IP65, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$459.00
<u>TRD-GK2500-RZD</u>	JTEKT TRD-GK series incremental (quadrature) rotary encoder, 10-30 VDC, push-pull (totem) output, heavy duty, 2500 ppr, 10mm solid shaft, 78mm diameter body, IP65, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$545.00
<u>TRD-GK3600-RZD</u>	JTEKT TRD-GK series incremental (quadrature) rotary encoder, 10-30 VDC, push-pull (totem) output, heavy duty, 3600 ppr, 10mm solid shaft, 78mm diameter body, IP65, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$608.00
<u>TRD-GK5000-RZD</u>	JTEKT TRD-GK series incremental (quadrature) rotary encoder, 10-30 VDC, push-pull (totem) output, heavy duty, 5000 ppr, 10mm solid shaft, 78mm diameter body, IP65, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$608.00
<u>TRD-NA32NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 32 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA64NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 64 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA128NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 128 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA180NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 180 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA256NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 256 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA360NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 360 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA512NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 512 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA720NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 720 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA1024NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 1024 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
<u>TRD-NA2048NWD</u>	JTEKT TRD-NA series single-turn absolute (gray code) rotary encoder, 10-26 VDC, NPN open collector output, medium duty, 2048 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$384.00
Modular Kit Encoders for Stepper Motors			
<u>AMT102-V</u>	Same Sky AMT10 series incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, up to 2048 ppr, dipswitch configurable. For use with NEMA 14, 17, and 23 dual shaft motors.	Stock	\$25.00
<u>AMT103-V</u>	Same Sky AMT10 series incremental (quadrature) rotary modular kit encoder, 5 VDC, axial exit, push-pull (totem) output, up to 2048 ppr, dipswitch configurable. For use with NEMA 14, 17, and 23 dual shaft motors.	Stock	\$25.00
<u>AMT112S-V</u>	Same Sky AMT11 series incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, up to 4096 ppr, software configurable. For use with NEMA 14, 17, and 23 dual shaft motors.	Stock	\$41.50
<u>AMT112Q-V</u>	Same Sky AMT11 series incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) output, up to 4096 ppr, software configurable. For use with NEMA 14, 17, and 23 dual shaft motors.	Stock	\$46.50
<u>AMT312D-V</u>	Same Sky AMT31 series incremental (quadrature)/commutation rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) encoder output, up to 4096 ppr, software configurable, line driver (differential) commutation output.	Stock	\$54.00
<u>AMT312S-V</u>	Same Sky AMT31 series incremental (quadrature)/commutation rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) encoder output, up to 4096 ppr, software configurable, push-pull (totem) commutation output.	Stock	\$44.00
<u>AMT132S-V</u>	Same Sky AMT13 series incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, up to 4096 ppr, software configurable. For use with NEMA 34 dual shaft motors.	Stock	\$44.00
<u>AMT132Q-V</u>	Same Sky AMT13 series incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) output, up to 4096 ppr, software configurable. For use with NEMA 34 dual shaft motors.	Stock	\$47.00
<u>AMT332S-V</u>	Same Sky AMT33 series incremental (quadrature)/commutation rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) encoder output, up to 4096 ppr, software configurable, push-pull (totem) commutation output. For use with NEMA 34 dual shaft motors.	Stock	\$48.50
<u>AMT332D-V</u>	Same Sky AMT33 series incremental (quadrature)/commutation rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) encoder output, up to 4096 ppr, software configurable, line driver (differential) commutation output.	Stock	\$52.00

<u>STP-MTRA-ENC1</u>	SureStep incremental (quadrature) rotary modular kit encoder, replacement, 5 VDC, radial exit, line driver (differential) output, 1000 ppr. For use with SureStep stepper motors with 5mm rear shaft.	Stock	\$91.00
<u>STP-MTRA-ENC2</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, 1000 ppr. For use with SureStep stepper motors with 5mm rear shaft.	Stock	\$79.00
<u>STP-MTRA-ENC3</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) output, 400 ppr. For use with SureStep stepper motors with 5mm rear shaft.	Stock	\$89.00
<u>STP-MTRA-ENC4</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, 400 ppr. For use with SureStep stepper motors with 5mm rear shaft.	Stock	\$76.00
<u>STP-MTRA-ENC5</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) output, 1000 ppr. For use with SureStep stepper motors with 1/4in rear shaft.	Stock	\$91.00
<u>STP-MTRA-ENC6</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, 1000 ppr. For use with SureStep stepper motors with 1/4in rear shaft.	Stock	\$79.00
<u>STP-MTRA-ENC7</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) output, 400 ppr. For use with SureStep stepper motors with 1/4in rear shaft.	Stock	\$89.00
<u>STP-MTRA-ENC8</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, 400 ppr. For use with SureStep stepper motors with 1/4in rear shaft.	Stock	\$76.00
<u>STP-MTRA-ENC11</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) output, 1000 ppr. For use with SureStep stepper motors with 3/8in rear shaft.	Stock	\$105.00
<u>STP-MTRA-ENC12</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, 1000 ppr. For use with SureStep stepper motors with 3/8in rear shaft.	Stock	\$92.00
<u>STP-MTRA-ENC13</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, line driver (differential) output, 400 ppr. For use with SureStep stepper motors with 3/8in rear shaft.	Stock	\$103.00
<u>STP-MTRA-ENC14</u>	SureStep incremental (quadrature) rotary modular kit encoder, 5 VDC, radial exit, push-pull (totem) output, 400 ppr. For use with SureStep stepper motors with 3/8in rear shaft.	Stock	\$90.00

Draw Wire Encoders

<u>DWI-2M-H0500-RL2</u>	Lika Electronic DWI series incremental (quadrature) linear draw wire encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, light duty, 0.05mm/count, 6.5ft/2m draw wire, IP64, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$249.00
<u>DWI-5M-H2000-RL2</u>	Lika Electronic DWI series incremental (quadrature) linear draw wire encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 0.025mm/count, 16.4ft/5m draw wire, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$405.00
<u>DWI-10M-H2000-RL2</u>	Lika Electronic DWI series incremental (quadrature) linear draw wire encoder, 5-30 VDC, universal (line driver or NPN/PNP open collector) output, medium duty, 0.025mm/count, 32.8ft/10m draw wire, IP65, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$470.00
<u>DWP-2M-4A-RL2</u>	Lika Electronic DWP series analog linear draw wire encoder, 10-30 VDC, 4-20 mA output, medium duty, potentiometer, 6.5ft/2m draw wire, IP64, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$299.00
<u>DWP-2M-0V-RL2</u>	Lika Electronic DWP series analog linear draw wire encoder, 15-30 VDC, 0-10 VDC output, medium duty, potentiometer, 6.5ft/2m draw wire, IP64, 6.5ft/2m cable length, radial exit, pigtail.	Stock	\$299.00
<u>DWA-5M-4A-M12</u>	Lika Electronic DWA series programmable analog linear draw wire encoder, 13-30 VDC, 4-20 mA output, medium duty, 0.366 μ A/step, 16.4ft/5m draw wire, IP65, radial exit, 5-pin M12 female A-coded.	Stock	\$550.00
<u>DWA-5M-0V-M12</u>	Lika Electronic DWA series programmable analog linear draw wire encoder, 13-30 VDC, 0-10 VDC output, medium duty, 0.153 mV/step, 16.4ft/5m draw wire, IP65, radial exit, 5-pin M12 female A-coded.	Stock	\$550.00
<u>DWA-10M-4A-M12</u>	Lika Electronic DWA series programmable analog linear draw wire encoder, 13-30 VDC, 4-20 mA output, medium duty, 0.366 μ A/step, 32.8ft/10m draw wire, IP65, radial exit, 5-pin M12 female A-coded.	Stock	\$625.00
<u>DWA-10M-0V-M12</u>	Lika Electronic DWA series programmable analog linear draw wire encoder, 13-30 VDC, 0-10 VDC output, medium duty, 0.153 mV/step, 32.8ft/10m draw wire, IP65, radial exit, 5-pin M12 female A-coded.	Stock	\$625.00

Accessories for Encoders

<u>BR1-6</u>	Lika Electronic reducer bushing, 15mm to 6mm, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>BR1-6.35</u>	Lika Electronic reducer bushing, 15mm to 1/4in, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>BR1-8</u>	Lika Electronic reducer bushing, 15mm to 8mm, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>ML16P-4-635D</u>	AutomationDirect encoder coupling, 4mm to 1/4in bore, aluminum alloy body, setscrew. For use with JTEKT TRD-MX series encoders and NEMA size 23 stepper motors.	Stock	\$54.00
<u>BR1-9.52</u>	Lika Electronic reducer bushing, 15mm to 3/8in, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>BR1-10</u>	Lika Electronic reducer bushing, 15mm to 10mm, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>BR1-11</u>	Lika Electronic reducer bushing, 15mm to 11mm, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>BR1-12</u>	Lika Electronic reducer bushing, 15mm to 12mm, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>BR1-12.7</u>	Lika Electronic reducer bushing, 15mm to 1/2in, metal. For use with Lika Electronic AQ59 series encoders.	Stock	\$7.75
<u>BR2-15.875</u>	Lika Electronic reducer bushing, 30mm to 5/8in, metal. For use with Lika Electronic A80 series encoders. Mounting hardware included.	Stock	\$11.00

<u>BR2-19</u>	Lika Electronic reducer bushing, 30mm to 19mm, metal. For use with Lika Electronic A80 series encoders. Mounting hardware included.	Stock	\$11.00
<u>BR2-20</u>	Lika Electronic reducer bushing, 30mm to 20mm, metal. For use with Lika Electronic A80 series encoders. Mounting hardware included.	Stock	\$11.00
<u>BR2-7/8</u>	Lika Electronic reducer bushing, 30mm to 7/8in, metal. For use with Lika Electronic A80 series encoders. Mounting hardware included.	Stock	\$11.00
<u>BR2-25.4</u>	Lika Electronic reducer bushing, 30mm to 1in, metal. For use with Lika Electronic A80 series encoders. Mounting hardware included.	Stock	\$11.00
<u>BR2-1-1/8</u>	Lika Electronic reducer bushing, 30mm to 1 1/8in, metal. For use with Lika Electronic A80 series encoders. Mounting hardware included.	Stock	\$11.00
<u>PF4266</u>	Lika Electronic round mounting flange, 48mm bolt hole circle, metal. For use with Lika Electronic A41 series encoders. Mounting hardware included.	Stock	\$13.00
<u>PF4256</u>	Lika Electronic round mounting flange, 61mm bolt hole circle, metal. For use with Lika Electronic AQ58 series encoders. Mounting hardware included.	Stock	\$38.50
<u>PF0408</u>	Lika Electronic spring-loaded encoder mount, metal. For use with Lika Electronic AQ58 series encoders. Mounting hardware included.	Stock	\$142.00
<u>PF4257</u>	Lika Electronic right angle bracket, metal. For use with Lika Electronic AQ58 series encoders. Mounting hardware included.	Stock	\$21.00
<u>PF4259</u>	Lika Electronic square mounting flange, 92mm bolt hole circle, metal. For use with Lika Electronic AQ58 series encoders. Mounting hardware included.	Stock	\$24.00
<u>PF4274</u>	Lika Electronic round mounting flange, 70mm bolt hole circle, metal. For use with Lika Electronic AQ58 series encoders. Mounting hardware included.	Stock	\$109.00
<u>PF4258</u>	Lika Electronic round mounting flange, 75mm and 100mm bolt hole circle, metal. For use with Lika Electronic AQ58 series encoders. Mounting hardware included.	Stock	\$21.00
<u>PF5000-A</u>	Lika Electronic square mounting flange, 70mm bolt hole circle, metal. For use with Lika Electronic AQ58 series encoders. Mounting hardware included.	Stock	\$17.50
<u>LKM-386</u>	Lika Electronic servo mount clamp, metal. For use with Lika Electronic AQ58 and A41 series encoders. Mounting hardware included.	Stock	\$10.00
<u>STP-MTRA-42ENC</u>	SureStep encoder mounting plate, metal body. For use with SureStep NEMA 42 stepper motors with dual shafts. Encoder mounting screws and mounting plate screws included. Mounting holes for Same Sky AMT132/AMT332 encoders and US Digital E6 encoders.	Stock	\$12.00
<u>KIT-XX59</u>	Lika Electronic servo mount clamp, metal. For use with Lika Electronic AQ58 and AQ59 series encoders. Mounting hardware included.	Stock	\$10.00
<u>KIT-C50</u>	Lika Electronic encoder mounting plate, replacement, metal. For use with Lika Electronic A50 series encoders. Mounting hardware included.	Stock	\$10.00
<u>E-PFL121</u>	Lika Electronic mating connector, 12-pin M23 connector, 24 AWG, accepts cable diameter size 5mm. For use with Lika Electronic A80 series encoders.	Stock	\$16.50
<u>KIT-C80</u>	Lika Electronic encoder mounting plate, replacement, metal. For use with Lika Electronic A80 series encoders. Mounting hardware included.	Stock	\$10.00
<u>LIKA-IP-IQ</u>	Lika Electronic Windows configuration software, free download only. For use with Lika Electronic AQ58 and AQ59 series encoders. Requires Lika Electronic KIT-IP/IQ58-USB-M12 or KIT-IP/IQ58 programming cables.	Stock	\$0.00
<u>GJ-4D</u>	AutomationDirect encoder coupling, 4mm bore, glass fiber body, setscrew. For use with JTEKT TRD-MX series encoders.	Stock	\$12.50
<u>ML13P-4-476D</u>	AutomationDirect encoder coupling, 4mm to 3/16in bore, aluminum alloy body, setscrew. For use with JTEKT TRD-MX series encoders.	Stock	\$54.00
<u>ARM-075-5-4D</u>	AutomationDirect encoder coupling, 4mm to 5mm bore, aluminum alloy body, setscrew. For use with JTEKT TRD-MX series encoders and NEMA size 17 stepper motors.	Stock	\$54.00
<u>GJ-635D</u>	AutomationDirect encoder coupling, 1/4in bore, glass fiber reinforced resin body, setscrew. For use with JTEKT TRDA-2E series encoders.	Stock	\$23.00
<u>GJK-953D</u>	AutomationDirect encoder coupling, 3/8in bore, glass fiber reinforced resin body, setscrew. For use with JTEKT TRDA-20 and TRDA-25 series encoders.	Stock	\$28.50
<u>ARM-075-635-635D</u>	AutomationDirect encoder coupling, 1/4in bore, aluminum alloy body, setscrew. For use with JTEKT TRDA-2E series encoders.	Stock	\$55.00
<u>ARM-100-9525-9525D</u>	AutomationDirect encoder coupling, 3/8in bore, aluminum alloy body, setscrew. For use with JTEKT TRDA-20 and TRDA-25 series encoders.	Stock	\$53.00
<u>GJ-6D</u>	AutomationDirect encoder coupling, 6mm bore, glass fiber reinforced resin body, setscrew. For use with JTEKT TRD-S series encoders.	Stock	\$9.75
<u>GJ-8D</u>	AutomationDirect encoder coupling, 8mm bore, glass fiber reinforced resin body, setscrew. For use with JTEKT TRD-N/NA series encoders.	Stock	\$11.50
<u>GJ-10D</u>	AutomationDirect encoder coupling, 10mm bore, glass fiber reinforced resin body, setscrew. For use with JTEKT TRD-GK series encoders.	Stock	\$12.50
<u>TRDA-25CON-RZWD</u>	AutomationDirect mating connector, 7-pin Military Style (MS), 16 AWG, accepts cable diameter size 12mm. For use with JTEKT TRDA-25 series encoders with push-pull (totem pole) output.	Stock	\$55.00
<u>RU-075D</u>	JTEKT encoder coupling, 6mm bore, aluminum alloy body, setscrew. For use with JTEKT TRD-S series encoders.	Stock	\$61.00

<u>RU-100D</u>	JTEKT encoder coupling, 10mm bore, aluminum alloy body, setscrew. For use with JTEKT TRD-GK series encoders.	Stock	\$63.00
<u>JU-100D</u>	AutomationDirect encoder coupling, 8mm bore, aluminum alloy body, setscrew. For use with JTEKT TRD-N/NA series encoders.	Stock	\$54.00
<u>MCGL16-6-635</u>	AutomationDirect encoder coupling, 6mm to 1/4in bore, aluminum alloy body, setscrew. For use with JTEKT TRD-S and TRDA-2E series encoders.	Stock	\$34.50
<u>MCGL20-8-635</u>	AutomationDirect encoder coupling, 8mm to 1/4in bore, aluminum alloy body, setscrew. For use with JTEKT TRD-N/NA and TRDA-2E series encoders.	Stock	\$45.00
<u>TRDA-25CON-VWD</u>	AutomationDirect mating connector, 10-pin Military Style (MS), 16 AWG, accepts cable diameter size 15mm. For use with JTEKT TRDA-25 series encoders with line driver (differential) output.	Stock	\$61.00
<u>MCGL25-10-635</u>	AutomationDirect encoder coupling, 10mm to 1/4in bore, aluminum alloy body, setscrew. For use with JTEKT TRD-GK and TRDA-2E series encoders.	Stock	\$57.00
<u>MCGL20-8-952</u>	AutomationDirect encoder coupling, 8mm to 3/8in bore, aluminum alloy body, setscrew. For use with JTEKT TRD-N/NA and TRDA-20/25 series encoders.	Stock	\$46.00
<u>MCGL25-10-952</u>	AutomationDirect encoder coupling, 10mm to 3/8in bore, aluminum alloy body, setscrew. For use with JTEKT TRD-GK and TRDA-20/25 series encoders.	Stock	\$58.00
<u>STP-MTRA-SC-1412</u>	AutomationDirect encoder/stepper coupling, 1/4in to 1/2in bore, engineered polymer body, setscrew. For use with JTEKT TRDA-2E series encoders and NEMA size 34 stepper motors.	Stock	\$30.00
<u>STP-MTRA-SC-3812</u>	AutomationDirect encoder/stepper coupling, 3/8in to 1/2in bore, engineered polymer body, setscrew. For use with JTEKT TRDA-20 and TRDA-25 series encoders and NEMA size 34 stepper motors.	Stock	\$30.00
<u>STP-MTRA-RB-85</u>	AutomationDirect reducer bushing, 8mm to 5mm, aluminum alloy. For use with JTEKT TRD-NH and TRD-SH series hollow shaft encoders and NEMA size 17 stepper motors.	Stock	\$9.25
<u>SRT-035D</u>	JTEKT right angle bracket, metal. For use with JTEKT TRD-SR series encoders.	Stock	\$24.00
<u>MT-030D</u>	JTEKT right angle bracket, metal. For use with JTEKT TRD-MX series encoders. Bracket and encoder mounting hardware included.	Stock	\$41.00
<u>JT-035D</u>	JTEKT right angle bracket, metal. For use with JTEKT TRD-N/NH/NA series encoders. Mounting hardware included.	Stock	\$19.00
<u>RT-11D</u>	JTEKT right angle bracket, metal. For use with JTEKT TRD-GK series encoders. Mounting hardware included.	Stock	\$34.50
<u>AMT-PGRM-17C</u>	Same Sky programming cable, miniB-USB to 17-pin connector, 1ft cable length. For use with Same Sky AMT112 and AMT312 encoders. Requires USB A to miniB-USB cable.	Stock	\$27.00
<u>AMT-PGRM-18C</u>	Same Sky programming cable, miniB-USB to 18-pin connector, 1ft cable length. For use with Same Sky AMT13 and AMT33 encoders. Requires USB A to miniB-USB cable.	Stock	\$24.50
<u>LM-001D</u>	JTEKT right angle bracket, metal. For use with JTEKT TRDA-20 series encoders. Mounting hardware included. Requires TRDA-20SND or TRDA-25SND replacement mounting flange and (4) customer-supplied #6-32 UNC x 1/2in fasteners.	Stock	\$126.00
<u>2ET-035D</u>	JTEKT right angle bracket, metal. For use with JTEKT TRDA-2E series encoders. Bracket and encoder mounting hardware included.	Stock	\$63.00
<u>CUI-3132-1FT</u>	Same Sky encoder cable, 5-pin connector to pigtail, 1ft cable length. For use with Same Sky AMT102 encoders.	Stock	\$5.00
<u>KM-9D</u>	JTEKT servo mount clamp, metal. For use with JTEKT TRD-GK series encoders. Mounting hardware included.	Stock	\$8.50
<u>NM-9D</u>	JTEKT servo mount clamp, metal. For use with JTEKT TRD-N/NA encoder mounting. Mounting hardware included.	Stock	\$8.50
<u>CUI-3131-10FT</u>	Same Sky encoder cable, 5-pin connector to pigtail, shielded, twisted pair, 10ft cable length. For use with Same Sky AMT102 encoders.	Stock	\$30.00
<u>CUI-3131-20FT</u>	Same Sky encoder cable, 5-pin connector to pigtail, shielded, twisted pair, 20ft cable length. For use with Same Sky AMT102 encoders.	Stock	\$49.00
<u>NF-55D</u>	JTEKT servo mount flange kit, metal. For use with JTEKT TRD-N/NA series encoder (includes NM-9D). Includes (1) aluminum flange, (1) NM-9D clamp and bracket and encoder mounting hardware.	Stock	\$21.00
<u>CUI-435-1FT</u>	Same Sky encoder cable, 5-pin connector to pigtail, 1ft cable length. For use with Same Sky AMT103 encoders.	Stock	\$5.50
<u>SHRS-040D</u>	JTEKT flexible mounting bracket, metal. For use with JTEKT TRD-SHR series IP50 hollow shaft encoders.	Stock	\$9.50
<u>SHRS-045D</u>	JTEKT flexible mounting bracket, replacement, metal. For use with JTEKT TRD-SHR series IP50 hollow shaft encoders.	Stock	\$9.50
<u>SHRS-W40D</u>	JTEKT flexible mounting bracket, replacement, metal. For use with JTEKT TRD-SHR series IP65 hollow shaft encoders.	Stock	\$9.50
<u>TRD-SH-BKT</u>	JTEKT flexible mounting bracket, replacement, metal. For use with JTEKT TRD-SH series hollow shaft encoders.	Stock	\$7.00
<u>TRD-NH-BKT</u>	JTEKT flexible mounting bracket, replacement, metal. For use with JTEKT TRD-NH series hollow shaft encoders.	Stock	\$6.75
<u>F-2D</u>	JTEKT round mounting flange, 1.86in bolt hole circle, (1.05in height), metal. For use with JTEKT TRDA-2E series encoders. Flange and encoder mounting hardware included.	Stock	\$44.50

F-3D	JTEKT round mounting flange, 2.95in bolt hole circle (1.34in height), metal. For use with JTEKT TRDA-2E series encoders. Flange and encoder mounting hardware included.	Stock	\$79.00
F-6D	JTEKT round mounting flange, 1.86in bolt hole circle, (1.34in height), metal. For use with JTEKT TRDA-2E series encoders. Flange and encoder mounting hardware included.	Stock	\$60.00
F-7D	JTEKT round mounting flange, 1in bolt hole circle (0.20in height), metal. For use with JTEKT TRDA-2E series encoders. Flange and encoder mounting hardware included.	Stock	\$44.50
AMT-18C-3-120	Same Sky encoder cable, 18-pin connector to pigtail, shielded, twisted pair, 10ft cable length. For use with Same Sky AMT13 and AMT33 encoders.	Stock	\$105.00
F-8D	JTEKT round mounting flange, 2.95in bolt hole circle, (1.71in height), metal. For use with JTEKT TRDA-2E series encoders. Flange and encoder mounting hardware included.	Stock	\$60.00
CUI-KIT-1	Same Sky encoder accessory kit, replacement. For use with Same Sky AMT102 encoders. Includes (1) AMT102 base, (1) AMT102 wide base, and (1) AMT10 sleeve kit (9 sleeves sized from 2-8mm).	Stock	\$6.50
TRDA-20SND	JTEKT square mounting flange, metal. For use with JTEKT TRDA-20 series encoders.	Stock	\$62.00
CUI-KIT-2	Same Sky encoder accessory kit, replacement. For use with Same Sky AMT103 encoders. Includes (1) AMT standard base, (1) AMT standard wide base, and (1) AMT10 sleeve kit (9 sleeves sized from 2-8mm).	Stock	\$6.50
TRDA-20R1D	JTEKT round mounting flange, 1-1/2in bolt hole circle, metal. For use with JTEKT TRDA-20 series encoders.	Stock	\$28.50
TRDA-20R2D	JTEKT round mounting flange, 1-5/8in bolt hole circle, metal. For use with JTEKT TRDA-20 series encoders.	Stock	\$41.00
CUI-KIT-3	Same Sky encoder accessory kit, replacement. For use with Same Sky AMT11, AMT21 and AMT31 encoders. Includes (1) AMT standard base, (1) AMT standard wide base, and (1) AMT standard sleeve kit (9 sleeves sized from 2-8mm).	Stock	\$6.50
TRDA-25SND	JTEKT square mounting flange, metal. For use with JTEKT TRDA-25 series encoders.	Stock	\$41.00
CUI-KIT-4	Same Sky encoder sleeve kit, replacement. For use with Same Sky AMT13 and AMT33 encoders. Includes (8) sleeves sized from 9-14mm.	Stock	\$6.50
STP-MTRA-SCRWKT-1	SureStep encoder mounting screw kit, for use with all stepper encoders, includes (2) M3 x 15mm, (2) M3 x 8mm, (2) M2.5 x 5mm, (2) M2.5 x 4mm, (3) M2 x 5mm, (2) #4-40 x 1/4in, and (2) #2-56 x 1/4in screws.	Stock	\$5.50
TRDA-25RND	JTEKT round mounting flange, 1-7/8in bolt hole circle, metal. For use with JTEKT TRDA-25 series encoders.	Stock	\$41.00
CUI-3131-6FT	Same Sky encoder cable, 5-pin connector to pigtail, shielded, twisted pair, 6ft cable length. For use with Same Sky AMT102 encoders.	Stock	\$10.50
CUI-3934-6FT	Same Sky encoder cable, 5-pin connector to pigtail, shielded, twisted pair, 6ft cable length. For use with Same Sky AMT103 encoders.	Stock	\$26.50
CUI-435-10FT	Same Sky encoder cable, 5-pin connector to pigtail, 10ft cable length. For use with Same Sky AMT103 encoders.	Stock	\$22.00
CUI-435-20FT	Same Sky encoder cable, 5-pin connector to pigtail, 20ft cable length. For use with Same Sky AMT103 encoders.	Stock	\$30.00
AMT-17C-1-036	Same Sky encoder cable, 17-pin connector to pigtail, shielded, twisted pair, 3ft cable length. For use with Same Sky AMT112 and AMT312 encoders.	Stock	\$40.00
AMT-17C-1-072	Same Sky encoder cable, 17-pin connector to pigtail, shielded, twisted pair, 6ft cable length. For use with Same Sky AMT112 and AMT312 encoders.	Stock	\$81.00
AMT-17C-1-120	Same Sky encoder cable, 17-pin connector to pigtail, shielded, twisted pair, 10ft cable length. For use with Same Sky AMT112 and AMT312 encoders.	Stock	\$121.00
AMT-18C-3-036	Same Sky encoder cable, 18-pin connector to pigtail, shielded, twisted pair, 3ft cable length. For use with Same Sky AMT13 and AMT33 encoders.	Stock	\$27.50
AMT-18C-3-072	Same Sky encoder cable, 18-pin connector to pigtail, shielded, twisted pair, 6ft cable length. For use with Same Sky AMT13 and AMT33 encoders.	Stock	\$67.00
3mm Tubular Inductive Proximity Sensors			
DW-AD-621-03E-961	Contrinex inductive proximity sensor, tubular, 3mm diameter x 12mm body, 304 stainless steel housing, NPN, N.O., 0.8mm sensing distance, flush, 8000 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$163.00
DW-AD-623-03E-961	Contrinex inductive proximity sensor, tubular, 3mm diameter x 12mm body, 304 stainless steel housing, PNP, N.O., 0.8mm sensing distance, flush, 8000 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$163.00
PY3-AN-1A	AutomationDirect inductive proximity sensor, tubular, 3mm diameter x 22mm body, stainless steel housing, NPN, N.O. output, 0.6mm sensing distance, flush, 5 kHz switching frequency, IP67, pigtail.	Stock	\$95.00
PY3-AP-1A	AutomationDirect inductive proximity sensor, tubular, 3mm diameter x 22mm body, stainless steel housing, PNP, N.O. output, 0.6mm sensing distance, flush, 5 kHz switching frequency, IP67, pigtail.	Stock	\$95.00
DW-AD-621-03-960	Contrinex inductive proximity sensor, tubular, 3mm diameter x 12mm body, stainless steel housing, NPN, N.O. output, 1mm sensing distance, flush, 8 kHz switching frequency, IP67, pigtail.	Stock	\$84.00
DW-AD-623-03-960	Contrinex inductive proximity sensor, tubular, 3mm diameter x 12mm body, stainless steel housing, PNP, N.O. output, 1mm sensing distance, flush, 8 kHz switching frequency, IP67, pigtail.	Stock	\$84.00
DW-AD-622-03	Contrinex inductive proximity sensor, tubular, 3mm diameter x 22mm body, stainless steel housing, NPN, N.C. output, 1mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$84.00
DW-AD-624-03	Contrinex inductive proximity sensor, tubular, 3mm diameter x 22mm body, stainless steel housing, PNP, N.C. output, 1mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$84.00

[illegible]

[illegible]

[illegible]

<u>AE1-AP-4F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 50mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, non-flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$26.50
<u>AE6-AN-3A</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 35.5mm body, nickel-plated brass housing, NPN, N.O. output, 2mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$31.00
<u>AE6-AN-3F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 40mm body, nickel-plated brass housing, NPN, N.O. output, 2mm sensing distance, flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$41.50
<u>AE6-AP-3A</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 35.5mm body, nickel-plated brass housing, PNP, N.O. output, 2mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$31.00
<u>AE6-AP-3F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 40mm body, nickel-plated brass housing, PNP, N.O. output, 2mm sensing distance, flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>AE6-AN-4A</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 35.5mm body, nickel-plated brass housing, NPN, N.O. output, 4mm sensing distance, non-flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$31.00
<u>AE6-AN-4F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 40mm body, nickel-plated brass housing, NPN, N.O. output, 4mm sensing distance, non-flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$41.50
<u>AE6-AP-4A</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 35.5mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, non-flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$31.00
<u>AE6-AP-4F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 40mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, non-flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>PNE6-AN-5F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 30mm body, stainless steel housing, NPN, N.O. output, 3mm sensing distance, flush, 1.5 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>PNE6-AP-5F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 30mm body, stainless steel housing, PNP, N.O. output, 3mm sensing distance, flush, 1.5 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>PNE6-CP-5F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 30mm body, stainless steel housing, PNP, N.C. output, 3mm sensing distance, flush, 1.5 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>PNE6-AN-6F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 30mm body, stainless steel housing, NPN, N.O. output, 6mm sensing distance, non-flush, 800 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>PNE6-AP-6F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 30mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, non-flush, 800 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>PNE6-CP-6F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 30mm body, stainless steel housing, PNP, N.C. output, 6mm sensing distance, non-flush, 800 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.00
<u>DW-AD-501-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated nickel silver housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$64.00
<u>DW-AS-501-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$64.00
<u>DW-AD-503-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated nickel silver housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$64.00
<u>DW-AS-503-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$64.00
<u>DW-AS-501-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated nickel silver housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>DW-AD-502-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated nickel silver housing, NPN, N.C. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$64.00
<u>DW-AS-502-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, NPN, N.C. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$64.00
<u>DW-AS-502-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated nickel silver housing, NPN, N.C. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>DW-AS-503-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated nickel silver housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>DW-AD-504-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated nickel silver housing, PNP, N.C. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$64.00

<u>DW-AS-504-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, PNP, N.C. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$64.00
<u>DW-AS-504-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated nickel silver housing, PNP, N.C. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>DW-AD-511-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated brass housing, NPN, N.O. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$68.00
<u>DW-AS-511-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, NPN, N.O. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$68.00
<u>DW-AS-511-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated brass housing, NPN, N.O. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>DW-AS-512-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, NPN, N.C. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$68.00
<u>DW-AS-512-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated brass housing, NPN, N.C. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>DW-AD-513-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated brass housing, PNP, N.O. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$68.00
<u>DW-AS-513-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, PNP, N.O. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$68.00
<u>DW-AS-513-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated brass housing, PNP, N.O. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>DW-AD-514-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated brass housing, PNP, N.C. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$68.00
<u>DW-AS-514-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, PNP, N.C. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$68.00
<u>DW-AS-514-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated brass housing, PNP, N.C. output, 6mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>KSE-AP-3F</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 40mm body, 316 stainless steel housing, PNP, N.O. output, 3mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.50
<u>KSE-AP-4F</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 40mm body, 316 stainless steel housing, PNP, N.O. output, 6mm sensing distance, non-flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$31.50
<u>AE1-AN-5A</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated brass housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$75.00
<u>AE1-AN-5F</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$75.00
<u>AE1-AP-5A</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated brass housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$75.00
<u>AE1-AP-5F</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$75.00
<u>DW-AD-521-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated nickel silver housing, NPN, N.O. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$106.00
<u>DW-AD-523-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated nickel silver housing, PNP, N.O. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$106.00
<u>DW-AS-521-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, NPN, N.O. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$106.00
<u>DW-AS-523-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, PNP, N.O. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$106.00
<u>DW-AS-521-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated nickel silver housing, NPN, N.O. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$106.00

<u>DW-AS-523-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated nickel silver housing, PNP, N.O. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>DW-AD-524-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated nickel silver housing, PNP, N.C. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$106.00
<u>DW-AS-522-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, NPN, N.C. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$106.00
<u>DW-AS-524-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated nickel silver housing, PNP, N.C. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$106.00
<u>DW-AS-524-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, chrome-plated nickel silver housing, PNP, N.C. output, 4mm sensing distance, semi-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>DW-AD-509-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated brass housing, 0-5 VDC analog output, 4mm sensing distance, semi-flush, IP67, pigtail.	Stock	\$150.00
<u>DW-AS-509-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, 0-5 VDC analog output, 4mm sensing distance, semi-flush, IP67, 3-pin M8 quick-disconnect.	Stock	\$150.00
<u>DW-AD-509-M8-390</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, chrome-plated brass housing, 0-10 VDC analog output, 4mm sensing distance, semi-flush, IP67, pigtail.	Stock	\$150.00
<u>DW-AS-509-M8-390</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, chrome-plated brass housing, 0-10 VDC analog output, 4mm sensing distance, semi-flush, IP67, 3-pin M8 quick-disconnect.	Stock	\$150.00
<u>V3E1-R0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 62mm body, nickel-plated brass housing, N.O. output, 2mm sensing distance, flush, 25 Hz (AC)/900 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$51.00
<u>V3E1-R0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 82mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 2mm sensing distance, flush, 25 Hz (AC)/900 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$51.00
<u>V3E1-R0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 62mm body, nickel-plated brass housing, N.O. output, 4mm sensing distance, non-flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$51.00
<u>V3E1-R0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 82mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 4mm sensing distance, non-flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$51.00
<u>V3E1-S0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 62mm body, nickel-plated brass housing, N.C. output, 2mm sensing distance, flush, 25 Hz (AC)/900 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$51.00
<u>V3E1-S0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 82mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 2mm sensing distance, flush, 25 Hz (AC)/900 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$51.00
<u>V3E1-S0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 62mm body, nickel-plated brass housing, N.C. output, 4mm sensing distance, non-flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$51.00
<u>V3E1-S0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 8mm diameter x 82mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 4mm sensing distance, non-flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$51.00
<u>PEW2-AN-3F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 250 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$35.00
<u>PEW2-AP-3F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 250 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$37.00
<u>PEW2-AN-4F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, NPN, N.O. output, 5mm sensing distance, non-flush, 500 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$35.00
<u>PEW2-AP-4F</u>	ProSense inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, PNP, N.O. output, 5mm sensing distance, non-flush, 500 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$37.00
<u>DW-AD-711-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, NPN, N.O. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, pigtail.	Stock	\$106.00
<u>DW-AD-713-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, pigtail.	Stock	\$106.00
<u>DW-AS-711-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, stainless steel housing, NPN, N.O. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, 3-pin M8 quick-disconnect.	Stock	\$106.00

<u>DW-AS-713-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, 3-pin M8 quick-disconnect.	Stock	\$106.00
<u>DW-AS-711-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, stainless steel housing, NPN, N.O. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>DW-AS-713-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>DW-AD-712-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, NPN, N.C. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, pigtail.	Stock	\$106.00
<u>DW-AD-714-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 45mm body, stainless steel housing, PNP, N.C. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, pigtail.	Stock	\$106.00
<u>DW-AS-714-M8-001</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, stainless steel housing, PNP, N.C. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, 3-pin M8 quick-disconnect.	Stock	\$106.00
<u>DW-AS-714-M8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 66mm body, stainless steel housing, PNP, N.C. output, 6mm sensing distance, non-flush, 700 Hz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>WSE-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 60mm body, weld coated 316 stainless steel housing, PNP, N.O. output, 2mm sensing distance, flush, 100 Hz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$57.00
<u>WSE-AN-3H</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 60mm body, weld coated 316 stainless steel housing, NPN, N.O. output, 2mm sensing distance, flush, 100 Hz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$63.00
<u>WSE-A0-3E</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 45mm body, weld coated 316 stainless steel housing, NPN/PNP, N.O. output, 2mm sensing distance, flush, 150 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$63.00
<u>WSE-A0-3A</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 45mm body, weld coated 316 stainless steel housing, NPN/PNP, N.O. output, 2mm sensing distance, flush, 150 Hz switching frequency, IP67, pigtail.	Stock	\$61.00
<u>WKE-AP-3F</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 40mm body, weld coated 316 stainless steel housing, PNP, N.O. output, 3mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$35.00
<u>WKE-AP-4F</u>	AutomationDirect inductive proximity sensor, tubular, 8mm diameter x 40mm body, weld coated 316 stainless steel housing, PNP, N.O. output, 6mm sensing distance, non-flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 3-pin M8 quick-disconnect.	Stock	\$35.00
<u>DW-AD-503-P8</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 30mm body, 304 stainless steel housing, PNP, N.O., 1.5mm sensing distance, flush, 800 Hz switching frequency, IP68, pigtail.	Stock	\$163.00
<u>DW-HD-621-M8-100</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, 304 stainless steel housing, NPN, N.O., 2mm sensing distance, flush, 600 Hz switching frequency, IP67, pigtail.	Stock	\$180.00
<u>DW-HD-623-M8-100</u>	Contrinex inductive proximity sensor, tubular, 8mm diameter x 60mm body, 304 stainless steel housing, PNP, N.O., 2mm sensing distance, flush, 600 Hz switching frequency, IP67, pigtail.	Stock	\$180.00
10mm Tubular Inductive Proximity Sensors			
<u>DW-AD-603-M10E-620</u>	Contrinex inductive proximity sensor, tubular, 10mm diameter x 35mm body, 304 stainless steel housing, PNP, N.O., 0.6mm sensing distance, flush, 2000 Hz switching frequency, IP68, pigtail.	Stock	\$295.00
<u>DW-AD-603-M10E-637</u>	Contrinex inductive proximity sensor, tubular, 10mm diameter x 35mm body, 304 stainless steel housing, PNP, N.O., 0.6mm sensing distance, flush, 2000 Hz switching frequency, IP68, pigtail.	Stock	\$295.00
12mm Tubular Inductive Proximity Sensors			
<u>PAM-AP-1A</u>	AchieVe inductive proximity sensor, tubular, 12mm diameter x 35mm body, nickel-plated brass housing, PNP, N.O. output, 2mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$10.50
<u>PAM-AP-1H</u>	AchieVe inductive proximity sensor, tubular, 12mm diameter x 45mm body, nickel-plated brass housing, PNP, N.O. output, 2mm sensing distance, flush, 3 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$10.50
<u>PAM-AN-1H</u>	AchieVe inductive proximity sensor, tubular, 12mm diameter x 45mm body, nickel-plated brass housing, NPN, N.O. output, 2mm sensing distance, flush, 3 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$10.50
<u>PAM-AP-2A</u>	AchieVe inductive proximity sensor, tubular, 12mm diameter x 35mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67, pigtail.	Stock	\$10.50
<u>PAM-AP-2H</u>	AchieVe inductive proximity sensor, tubular, 12mm diameter x 45mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$10.50
<u>PAM-AN-2H</u>	AchieVe inductive proximity sensor, tubular, 12mm diameter x 45mm body, nickel-plated brass housing, NPN, N.O. output, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$10.50
<u>PBM6-AN-1A</u>	ProSense inductive proximity sensor, tubular, 12mm diameter x 42.5mm body, nickel-plated brass housing, NPN, N.O. output, 2mm sensing distance, flush, 1000 Hz switching frequency, IP67, pigtail.	Stock	\$10.50
<u>PBM6-AN-1H</u>	ProSense inductive proximity sensor, tubular, 12mm diameter x 48.4mm body, nickel-plated brass housing, NPN, N.O. output, 2mm sensing distance, flush, 1000 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$11.50

[illegible]

<u>AM1-AP-2H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 65mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.50
<u>AM1-A0-1A</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 2mm sensing distance, flush, 1.5 kHz switching frequency, IP67, pigtail.	Stock	\$28.50
<u>AM1-A0-1H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 75mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 2mm sensing distance, flush, 1.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$28.50
<u>AM1-A0-2A</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 4mm sensing distance, non-flush, 1.5 kHz switching frequency, IP67, pigtail.	Stock	\$28.50
<u>AM1-A0-2H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 75mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 4mm sensing distance, non-flush, 1.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$28.50
<u>DW-AD-621-M12-120</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 35mm body, nickel-plated brass housing, NPN, N.O. output, 4mm sensing distance, flush, 2.5 kHz switching frequency, IP67, pigtail.	Stock	\$21.00
<u>DW-AS-621-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, NPN, N.O. output, 4mm sensing distance, flush, 2.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.00
<u>DW-AD-623-M12-120</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 35mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, flush, 2.5 kHz switching frequency, IP67, pigtail.	Stock	\$21.00
<u>DW-AS-623-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, PNP, N.O. output, 4mm sensing distance, flush, 2.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.00
<u>DW-AS-624-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, PNP, N.C. output, 4mm sensing distance, flush, 2.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.00
<u>DW-AD-631-M12-120</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 35mm body, nickel-plated brass housing, NPN, N.O. output, 8mm sensing distance, non-flush, 1.4 kHz switching frequency, IP67, pigtail.	Stock	\$21.00
<u>DW-AS-631-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, NPN, N.O. output, 8mm sensing distance, non-flush, 1.4 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.00
<u>DW-AD-633-M12-120</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 35mm body, nickel-plated brass housing, PNP, N.O. output, 8mm sensing distance, non-flush, 1.4 kHz switching frequency, IP67, pigtail.	Stock	\$21.00
<u>DW-AS-633-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, PNP, N.O. output, 8mm sensing distance, non-flush, 1.4 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.00
<u>DW-AS-634-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, PNP, N.C. output, 8mm sensing distance, non-flush, 1.4 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.00
<u>KSM6-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, 316 stainless steel housing, PNP, N.O. output, 4mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$31.50
<u>KSM-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 60mm body, 316 stainless steel housing, PNP, N.O. output, 4mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$31.50
<u>PNM6-AN-3A</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, bronze-plated brass housing, NPN, N.O. output, 4mm sensing distance, flush, 700 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$25.00
<u>PNM6-AN-3H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, bronze-plated brass housing, NPN, N.O. output, 4mm sensing distance, flush, 700 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>PNM6-CN-3A</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, bronze-plated brass housing, NPN, N.C. output, 4mm sensing distance, flush, 700 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$25.00
<u>PNM6-CN-3H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, bronze-plated brass housing, NPN, N.C. output, 4mm sensing distance, flush, 700 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>PNM6-AP-3A</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, bronze-plated brass housing, PNP, N.O. output, 4mm sensing distance, flush, 700 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$25.00
<u>PNM6-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, bronze-plated brass housing, PNP, N.O. output, 4mm sensing distance, flush, 700 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>PNM6-CP-3A</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, bronze-plated brass housing, PNP, N.C. output, 4mm sensing distance, flush, 700 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$25.00

[illegible]

[illegible]

<u>DW-AS-504-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, PNP, N.C. output, 6mm sensing distance, semi-flush, 800 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$65.00
<u>DW-AD-511-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, NPN, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$69.00
<u>DW-AS-511-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, NPN, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>DW-AS-512-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, NPN, N.C. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>DW-AD-513-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, PNP, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$69.00
<u>DW-AS-513-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, PNP, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>DW-AD-514-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, PNP, N.C. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$69.00
<u>DW-AS-514-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, PNP, N.C. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>AM1-AN-5H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, chrome-plated brass housing, NPN, N.O. output, 6mm sensing distance, semi-flush, 800 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$85.00
<u>AM1-AP-5H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, chrome-plated brass housing, PNP, N.O. output, 6mm sensing distance, semi-flush, 800 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$85.00
<u>KSM6-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, 316 stainless steel housing, PNP, N.O. output, 10mm sensing distance, non-flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$31.50
<u>KSM-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 60mm body, 316 stainless steel housing, PNP, N.O. output, 10mm sensing distance, non-flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$31.50
<u>DW-AD-521-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, NPN, N.O. output, 8mm sensing distance, semi-flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$90.00
<u>DW-AD-523-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, PNP, N.O. output, 8mm sensing distance, semi-flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$90.00
<u>DW-AS-521-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, NPN, N.O. output, 8mm sensing distance, semi-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>DW-AS-523-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, PNP, N.O. output, 8mm sensing distance, semi-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>DW-AD-524-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, PNP, N.C. output, 8mm sensing distance, semi-flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$90.00
<u>DW-AS-522-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, NPN, N.C. output, 8mm sensing distance, semi-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>DW-AS-524-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, PNP, N.C. output, 8mm sensing distance, semi-flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>DW-AD-509-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, 0-5 VDC or 1-5 mA analog output, 6mm sensing distance, semi-flush, IP67, pigtail.	Stock	\$105.00
<u>DW-AS-509-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, 0-5 VDC or 1-5 mA analog output, 6mm sensing distance, semi-flush, IP67, 4-pin M12 quick-disconnect.	Stock	\$105.00
<u>DW-AD-509-M12-390</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, chrome-plated brass housing, 0-10 VDC or 4-20 mA analog output, 6mm sensing distance, semi-flush, IP67, pigtail.	Stock	\$105.00
<u>DW-AS-509-M12-390</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, chrome-plated brass housing, 0-10 VDC or 4-20 mA analog output, 6mm sensing distance, semi-flush, IP67, 4-pin M12 quick-disconnect.	Stock	\$105.00
<u>VM1-A0-1B</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 72mm body, nickel-plated brass housing, N.O. output, 2mm sensing distance, flush, 25 Hz switching frequency, IP67, pigtail.	Stock	\$47.00
<u>VM1-A0-1H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 65mm body, nickel-plated brass housing, N.O. output, 2mm sensing distance, flush, 25 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$47.00
<u>VM1-A0-2B</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 72mm body, nickel-plated brass housing, N.O. output, 4mm sensing distance, non-flush, 25 Hz switching frequency, IP67, pigtail.	Stock	\$47.00

<u>VM1-A0-2H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 65mm body, nickel-plated brass housing, N.O. output, 4mm sensing distance, non-flush, 25 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$47.00
<u>V3M1-R0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 4mm sensing distance, flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3M1-R0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 65mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 4mm sensing distance, flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>V3M1-R0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, non-flush, 25 Hz (AC)/500 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3M1-R0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 65mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, non-flush, 25 Hz (AC)/500 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>V3M1-S0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 4mm sensing distance, flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3M1-S0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 65mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 4mm sensing distance, flush, 25 Hz (AC)/750 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>V3M1-S0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 60mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, non-flush, 25 Hz (AC)/500 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3M1-S0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 65mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, non-flush, 25 Hz (AC)/500 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>PFM1-BN-1H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 2mm sensing distance, flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PFM1-BP-1H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 2mm sensing distance, flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PFM1-BN-2H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PFM1-BP-2H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PFM1-BN-3H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 4mm sensing distance, flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PFM1-BP-3H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 4mm sensing distance, flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PFM1-BN-4H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 8mm sensing distance, non-flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PFM1-BP-4H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 8mm sensing distance, non-flush, 2 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>PMW-0N-1H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, stainless steel housing, NPN, N.O./N.C. complementary outputs, 2mm sensing distance, flush, 2 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$51.00
<u>PMW-0N-2H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, stainless steel housing, NPN, N.O./N.C. complementary outputs, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$51.00
<u>PMW-0P-1H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, stainless steel housing, PNP, N.O./N.C. complementary outputs, 2mm sensing distance, flush, 2 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$51.00
<u>PMW-0P-2H</u>	Micro Detectors inductive proximity sensor, tubular, 12mm diameter x 64.8mm body, stainless steel housing, PNP, N.O./N.C. complementary outputs, 4mm sensing distance, non-flush, 2 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$51.00
<u>PMW2-AP-3H</u>	ProSense inductive proximity sensor, tubular, 12mm diameter x 45mm body, stainless steel housing, PNP, N.O. output, 4mm sensing distance, flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$37.50

<u>PMW2-AP-4H</u>	ProSense inductive proximity sensor, tubular, 12mm diameter x 45mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, non-flush, 250 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$37.50
<u>PMW-AN-5A</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 50mm body, stainless steel housing, NPN, N.O. output, 6mm sensing distance, flush, 400 Hz switching frequency, IP68, pigtail.	Stock	\$111.00
<u>PMW-AN-5H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, NPN, N.O. output, 6mm sensing distance, flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$111.00
<u>PMW-AP-5A</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 50mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, flush, 400 Hz switching frequency, IP68, pigtail.	Stock	\$111.00
<u>PMW-AP-5H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, flush, 400 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$111.00
<u>DW-AD-711-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, stainless steel housing, NPN, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$106.00
<u>DW-AD-713-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, stainless steel housing, PNP, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$106.00
<u>DW-AS-711-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, NPN, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>DW-AS-713-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, PNP, N.O. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>DW-AD-712-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, stainless steel housing, NPN, N.C. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$106.00
<u>DW-AD-714-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 50mm body, stainless steel housing, PNP, N.C. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$106.00
<u>DW-AS-712-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, NPN, N.C. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>DW-AS-714-M12</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, PNP, N.C. output, 10mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>WSM-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 45mm body, weld coated 316 stainless steel housing, PNP, N.O. output, 4mm sensing distance, flush, 2 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$47.00
<u>WSM-A0-3E</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 40mm body, weld coated 316 stainless steel housing, NPN/PNP, N.O. output, 4mm sensing distance, flush, 75 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$66.00
<u>WKM-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 65mm body, weld coated brass housing, PNP, N.O. output, 4mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$35.00
<u>WKM-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 12mm diameter x 65mm body, weld coated brass housing, PNP, N.O. output, 8mm sensing distance, non-flush, 2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$47.00
<u>DW-AS-711-M12-967</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm, 304 stainless steel housing, NPN, N.O., 3mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$105.00
<u>DW-AS-713-M12-967</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 60mm, 304 stainless steel housing, PNP, N.O., 3mm sensing distance, non-flush, 400 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$105.00
<u>DW-AS-503-P12-630</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 56mm body, 304 stainless steel housing, PNP, N.O., 1.5mm sensing distance, flush, 600 Hz switching frequency, IP68, 4-pin M12 quick-disconnect.	Stock	\$175.00
<u>DW-AS-503-P12-624</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 56mm body, 304 stainless steel housing, PNP, N.O., 1.5mm sensing distance, flush, 600 Hz switching frequency, IP68, 4-pin M12 quick-disconnect.	Stock	\$175.00
<u>DW-LS-703-P12G</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 61mm body, 304 stainless steel housing, PNP, N.O., 1.5mm sensing distance, flush, 850 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$225.00
<u>DW-HD-601-M12-200</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 59mm body, 304 stainless steel housing, NPN, N.O., 3mm sensing distance, flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$189.00
<u>DW-HD-603-M12-200</u>	Contrinex inductive proximity sensor, tubular, 12mm diameter x 59mm body, 304 stainless steel housing, PNP, N.O., 3mm sensing distance, flush, 500 Hz switching frequency, IP67, pigtail.	Stock	\$189.00
<u>GF711S</u>	ifm efector inductive proximity sensor, tubular, 12mm diameter x 70mm body, stainless steel housing, PNP, (2) OSSD, 0.5-4mm enable zone, non-flush, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$169.00
<u>GF854S</u>	ifm efector inductive proximity sensor, tubular, 12mm diameter x 60mm body, bronze-plated brass housing, PNP, (2) OSSD, >6mm enable zone, non-flush, IP65 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$125.00

18mm Tubular Inductive Proximity Sensors

[illegible]

<u>AK1-AN-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64mm body, nickel-plated brass housing, NPN, N.O. output, 8mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$23.00
<u>AK1-AP-2A</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 50mm body, nickel-plated brass housing, PNP, N.O. output, 8mm sensing distance, non-flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$20.50
<u>AK1-AP-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64mm body, nickel-plated brass housing, PNP, N.O. output, 8mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$23.00
<u>AK1-A0-1A</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 50mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 5mm sensing distance, flush, 600 Hz switching frequency, IP67, pigtail.	Stock	\$29.50
<u>AK1-A0-1H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 5mm sensing distance, flush, 600 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$29.50
<u>AK1-A0-2A</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 50mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 8mm sensing distance, non-flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$29.50
<u>AK1-A0-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 8mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$29.50
<u>DW-AS-621-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, nickel-plated brass housing, NPN, N.O. output, 8mm sensing distance, flush, 1.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$22.50
<u>DW-AS-623-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.O. output, 8mm sensing distance, flush, 1.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$22.50
<u>DW-AS-624-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.C. output, 8mm sensing distance, flush, 1.5 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$22.50
<u>DW-AS-631-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, nickel-plated brass housing, NPN, N.O. output, 12mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$22.50
<u>DW-AS-633-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.O. output, 12mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$22.50
<u>DW-AS-634-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.C. output, 12mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$22.50
<u>KSK6-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, 316 stainless steel housing, PNP, N.O. output, 8mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$37.00
<u>KSK-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 60mm body, 316 stainless steel housing, PNP, N.O. output, 8mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$37.00
<u>KSK6-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, 316 stainless steel housing, PNP, N.O. output, 12mm sensing distance, non-flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$37.00
<u>KSK-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 60mm body, 316 stainless steel housing, PNP, N.O. output, 15mm sensing distance, non-flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$37.00
<u>PNK6-AN-3A</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, bronze-plated brass housing, NPN, N.O. output, 8mm sensing distance, flush, 400 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$26.00
<u>PNK6-AN-3H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, bronze-plated brass housing, NPN, N.O. output, 8mm sensing distance, flush, 400 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$26.00
<u>PNK6-CN-3A</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, bronze-plated brass housing, NPN, N.C. output, 8mm sensing distance, flush, 400 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$26.00
<u>PNK6-CN-3H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, bronze-plated brass housing, NPN, N.C. output, 8mm sensing distance, flush, 400 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$26.00
<u>PNK6-AP-3A</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, bronze-plated brass housing, PNP, N.O. output, 8mm sensing distance, flush, 400 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$26.00
<u>PNK6-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, bronze-plated brass housing, PNP, N.O. output, 8mm sensing distance, flush, 400 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$26.00

[illegible]

[illegible]

<u>DW-AS-514-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, chrome-plated brass housing, PNP, N.C. output, 20mm sensing distance, non-flush, 500 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$71.00
<u>DW-AD-509-M18-120</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 36mm body, chrome-plated brass housing, 0-5 VDC or 1-5 mA analog output, 10mm sensing distance, semi-flush, IP67, pigtail.	Stock	\$110.00
<u>DW-AS-509-M18-120</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 48.5mm body, chrome-plated brass housing, 0-5 VDC or 1-5 mA analog output, 10mm sensing distance, semi-flush, IP67, 4-pin M12 quick-disconnect.	Stock	\$110.00
<u>DW-AD-509-M18-320</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 36mm body, chrome-plated brass housing, 0-10 VDC or 4-20 mA analog output, 10mm sensing distance, semi-flush, IP67, pigtail.	Stock	\$110.00
<u>DW-AS-509-M18-320</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 48.5mm body, chrome-plated brass housing, 0-10 VDC or 4-20 mA analog output, 10mm sensing distance, semi-flush, IP67, 4-pin M12 quick-disconnect.	Stock	\$110.00
<u>VK1-A0-1B</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 60mm body, nickel-plated brass housing, N.O. output, 5mm sensing distance, flush, 25 Hz switching frequency, IP67, pigtail.	Stock	\$41.50
<u>VK1-A0-1H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 74mm body, nickel-plated brass housing, N.O. output, 5mm sensing distance, flush, 25 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$41.50
<u>VK1-A0-2B</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 60mm body, nickel-plated brass housing, N.O. output, 8mm sensing distance, non-flush, 25 Hz switching frequency, IP67, pigtail.	Stock	\$41.50
<u>VK1-A0-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 74mm body, nickel-plated brass housing, N.O. output, 8mm sensing distance, non-flush, 25 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$41.50
<u>V3K1-R0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 60mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, flush, 25 Hz (AC)/600 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3K1-R0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64.5mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, flush, 25 Hz (AC)/600 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>V3K1-R0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 60mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 10mm sensing distance, non-flush, 25 Hz (AC)/550 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3K1-R0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64.5mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 10mm sensing distance, non-flush, 25 Hz (AC)/550 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>V3K1-S0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 60mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, flush, 25 Hz (AC)/600 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3K1-S0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64.5mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 6mm sensing distance, flush, 25 Hz (AC)/600 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>V3K1-S0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 60mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 10mm sensing distance, non-flush, 25 Hz (AC)/550 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$49.00
<u>V3K1-S0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 64.5mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 10mm sensing distance, non-flush, 25 Hz (AC)/550 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$49.00
<u>PFK1-BN-1H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 5mm sensing distance, flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PFK1-BP-1H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 5mm sensing distance, flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PFK1-BN-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 8mm sensing distance, non-flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PFK1-BP-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 8mm sensing distance, non-flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PFK1-BN-3H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 8mm sensing distance, flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PFK1-BP-3H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 8mm sensing distance, flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PFK1-BN-4H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, NPN, N.O./N.C. complementary outputs, 12mm sensing distance, non-flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00

<u>PFK1-BP-4H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63mm body, 316L stainless steel housing, PNP, N.O./N.C. complementary outputs, 12mm sensing distance, non-flush, 1.5 kHz switching frequency, IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>VFK1-A0-1M</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 70mm body, 316L stainless steel housing, N.O. output, 5mm sensing distance, flush, 25 Hz (AC)/400 Hz (DC) switching frequency, IP68 IP69K, 1/2in - 20UNF thread.	Stock	\$73.00
<u>VFK1-A0-2M</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 70mm body, 316L stainless steel housing, N.O. output, 12mm sensing distance, non-flush, 25 Hz (AC)/300 Hz (DC) switching frequency, IP68 IP69K, 1/2in - 20UNF thread.	Stock	\$73.00
<u>PKW-0N-1H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, NPN, N.O./N.C. complementary outputs, 5mm sensing distance, flush, 1 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PKW-0N-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, NPN, N.O./N.C. complementary outputs, 8mm sensing distance, non-flush, 1 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PKW-0P-1H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, PNP, N.O./N.C. complementary outputs, 5mm sensing distance, flush, 1 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PKW-0P-2H</u>	Micro Detectors inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, PNP, N.O./N.C. complementary outputs, 8mm sensing distance, non-flush, 1 kHz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$55.00
<u>PKW2-AP-3H</u>	ProSense inductive proximity sensor, tubular, 18mm diameter x 45mm body, stainless steel housing, PNP, N.O. output, 8mm sensing distance, flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$39.50
<u>PKW2-AP-4H</u>	ProSense inductive proximity sensor, tubular, 18mm diameter x 45mm body, stainless steel housing, PNP, N.O. output, 12mm sensing distance, non-flush, 250 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$39.50
<u>PKW-AN-5A</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, NPN, N.O. output, 10mm sensing distance, flush, 200 Hz switching frequency, IP68, pigtail.	Stock	\$114.00
<u>PKW-AN-5H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, NPN, N.O. output, 10mm sensing distance, flush, 200 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$114.00
<u>PKW-AP-5A</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, PNP, N.O. output, 10mm sensing distance, flush, 200 Hz switching frequency, IP68, pigtail.	Stock	\$114.00
<u>PKW-AP-5H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, PNP, N.O. output, 10mm sensing distance, flush, 200 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$114.00
<u>DW-AD-711-M18</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 50mm body, stainless steel housing, NPN, N.O. output, 20mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$109.00
<u>DW-AD-713-M18</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 50mm body, stainless steel housing, PNP, N.O. output, 20mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$109.00
<u>DW-AS-711-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, NPN, N.O. output, 20mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$109.00
<u>DW-AS-713-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, PNP, N.O. output, 20mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$109.00
<u>DW-AD-712-M18</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 50mm body, stainless steel housing, NPN, N.C. output, 20mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$109.00
<u>DW-AD-714-M18</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 50mm body, stainless steel housing, PNP, N.C. output, 20mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$109.00
<u>DW-AS-714-M18-002</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, stainless steel housing, PNP, N.C. output, 20mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$109.00
<u>WSK-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 45mm body, weld coated 316 stainless steel housing, PNP, N.O. output, 8mm sensing distance, flush, 2 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$48.00
<u>WKK-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 65mm body, weld coated brass housing, PNP, N.O. output, 8mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$43.00
<u>WKK-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 18mm diameter x 65mm body, weld coated brass housing, PNP, N.O. output, 12mm sensing distance, non-flush, 2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$56.00
<u>DW-AS-711-M18-96Z</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, 304 stainless steel housing, NPN, N.O., 5mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$119.00

<u>DW-AS-713-M18-967</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 63.5mm body, 304 stainless steel housing, PNP, N.O., 5mm sensing distance, non-flush, 200 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$119.00
<u>DW-HD-601-M18-310</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 76mm body, 304 stainless steel housing, NPN, N.O., 5mm sensing distance, flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$249.00
<u>DW-HD-603-M18-310</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 76mm body, 304 stainless steel housing, PNP, N.O., 5mm sensing distance, flush, 400 Hz switching frequency, IP67, pigtail.	Stock	\$249.00
<u>DW-HD-601-M18-411</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 76mm body, 304 stainless steel housing, NPN, N.O., 5mm sensing distance, flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$300.00
<u>DW-HD-603-M18-411</u>	Contrinex inductive proximity sensor, tubular, 18mm diameter x 76mm body, 304 stainless steel housing, PNP, N.O., 5mm sensing distance, flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$300.00
<u>GG711S</u>	ifm efector inductive proximity sensor, tubular, 18mm diameter x 70.5mm body, stainless steel housing, PNP, (2) OSSD, 1-8mm enable zone, non-flush, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$174.00
<u>GG712S</u>	ifm efector inductive proximity sensor, tubular, 18mm diameter x 70.5mm body, bronze-plated brass housing, PNP, (2) OSSD, 1-5mm enable zone, flush, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$174.00
<u>GG851S</u>	ifm efector inductive proximity sensor, tubular, 18mm diameter x 86.5mm body, bronze-plated brass housing, PNP, (2) OSSD, >10mm enable zone, flush, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$174.00
<u>GG854S</u>	ifm efector inductive proximity sensor, tubular, 18mm diameter x 60mm body, bronze-plated brass housing, PNP, (2) OSSD, >11.5mm enable zone, non-flush, IP65 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$135.00
<u>GG855S</u>	ifm efector inductive proximity sensor, tubular, 18mm diameter x 60mm body, bronze-plated brass housing, PNP, (2) OSSD, >7.5mm enable zone, flush, IP65 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$135.00
30mm Tubular Inductive Proximity Sensors			
<u>PBT6-AN-1H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 67.7mm body, nickel-plated brass housing, NPN, N.O. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.50
<u>PBT6-AP-1A</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 49.2mm body, nickel-plated brass housing, PNP, N.O. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$17.50
<u>PBT6-AP-1H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 56.6mm body, nickel-plated brass housing, PNP, N.O. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.50
<u>PBT6-CP-1H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 60.3mm body, nickel-plated brass housing, PNP, N.C. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.50
<u>PBT6-AN-2H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 67.7mm body, nickel-plated brass housing, NPN, N.O. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.50
<u>PBT6-AP-2A</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 49.2mm body, nickel-plated brass housing, PNP, N.O. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$17.50
<u>PBT6-AP-2H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 56.6mm body, nickel-plated brass housing, PNP, N.O. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.50
<u>PBT6-CP-2H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 60.3mm body, nickel-plated brass housing, PNP, N.C. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$20.50
<u>DW-AS-601-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, NPN, N.O. output, 10mm sensing distance, flush, 1.2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>DW-AS-603-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.O. output, 10mm sensing distance, flush, 1.2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>DW-AS-604-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.C. output, 10mm sensing distance, flush, 1.2 kHz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>DW-AS-611-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, NPN, N.O. output, 15mm sensing distance, non-flush, 700 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>DW-AS-613-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.O. output, 15mm sensing distance, non-flush, 700 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>DW-AS-614-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.C. output, 15mm sensing distance, non-flush, 700 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$25.00
<u>AT1-AN-1A</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN, N.O. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$26.50

<u>AT1-AN-1H</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN, N.O. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$27.50
<u>AT1-AP-1A</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, PNP, N.O. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$26.50
<u>AT1-AP-1H</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, PNP, N.O. output, 10mm sensing distance, flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$27.50
<u>AT1-AN-2A</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN, N.O. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$26.50
<u>AT1-AN-2H</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN, N.O. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$27.50
<u>AT1-AP-2A</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, PNP, N.O. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, pigtail.	Stock	\$26.50
<u>AT1-AP-2H</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, PNP, N.O. output, 15mm sensing distance, non-flush, 300 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$27.50
<u>AT1-A0-1A</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 10mm sensing distance, flush, 150 Hz switching frequency, IP67, pigtail.	Stock	\$43.00
<u>AT1-A0-1H</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 10mm sensing distance, flush, 150 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>AT1-A0-2A</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 15mm sensing distance, non-flush, 150 Hz switching frequency, IP67, pigtail.	Stock	\$43.00
<u>AT1-A0-2H</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, NPN/PNP, N.O. output, 15mm sensing distance, non-flush, 150 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>DW-AS-631-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, NPN, N.O. output, 25mm sensing distance, non-flush, 200 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$29.00
<u>DW-AS-633-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, nickel-plated brass housing, PNP, N.O. output, 25mm sensing distance, non-flush, 200 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$29.00
<u>KST6-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 45mm body, 316 stainless steel housing, PNP, N.O. output, 15mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$45.50
<u>KST-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 60mm body, 316 stainless steel housing, PNP, N.O. output, 15mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$45.50
<u>KST-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 60mm body, 316 stainless steel housing, PNP, N.O. output, 30mm sensing distance, non-flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$45.50
<u>PNT6-AP-3A</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, PNP, N.O. output, 15mm sensing distance, flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$33.00
<u>PNT6-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, PNP, N.O. output, 15mm sensing distance, flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$33.00
<u>PNT6-CP-3A</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, PNP, N.C. output, 15mm sensing distance, flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$33.00
<u>PNT6-CP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, PNP, N.C. output, 15mm sensing distance, flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$33.00
<u>PNT6-AN-4A</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, NPN, N.O. output, 22mm sensing distance, non-flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$33.00
<u>PNT6-AN-4H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, NPN, N.O. output, 22mm sensing distance, non-flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$33.00
<u>PNT6-AP-4A</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, PNP, N.O. output, 22mm sensing distance, non-flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, pigtail.	Stock	\$33.00
<u>PNT6-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, bronze-plated brass housing, PNP, N.O. output, 22mm sensing distance, non-flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$33.00

[illegible]

<u>DW-AS-501-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 73.5mm body, chrome-plated brass housing, NPN, N.O. output, 22mm sensing distance, semi-flush, 200 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$71.00
<u>DW-AS-503-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 73.5mm body, chrome-plated brass housing, PNP, N.O. output, 22mm sensing distance, semi-flush, 200 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$71.00
<u>DW-AS-504-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 73.5mm body, chrome-plated brass housing, PNP, N.C. output, 22mm sensing distance, semi-flush, 200 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$71.00
<u>DW-AD-511-M30</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 60mm body, chrome-plated brass housing, NPN, N.O. output, 40mm sensing distance, non-flush, 100 Hz switching frequency, IP67, pigtail.	Stock	\$78.00
<u>DW-AD-513-M30</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 60mm body, chrome-plated brass housing, PNP, N.O. output, 40mm sensing distance, non-flush, 100 Hz switching frequency, IP67, pigtail.	Stock	\$78.00
<u>DW-AS-511-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 73.5mm body, chrome-plated brass housing, NPN, N.O. output, 40mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$78.00
<u>DW-AS-513-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 73.5mm body, chrome-plated brass housing, PNP, N.O. output, 40mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$78.00
<u>DW-AS-514-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 73.5mm body, chrome-plated brass housing, PNP, N.C. output, 40mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$78.00
<u>DW-AS-509-M30-120</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 48.5mm body, chrome-plated brass housing, 0-5 VDC or 1-5 mA analog output, 20mm sensing distance, semi-flush, IP67, 4-pin M12 quick-disconnect.	Stock	\$121.00
<u>DW-AS-509-M30-320</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 48.5mm body, chrome-plated brass housing, 0-10 VDC or 4-20 mA analog output, 20mm sensing distance, semi-flush, IP67, 4-pin M12 quick-disconnect.	Stock	\$121.00
<u>VT1-A0-1B</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, N.O. output, 10mm sensing distance, flush, 25 Hz switching frequency, IP67, pigtail.	Stock	\$49.50
<u>VT1-A0-2B</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, N.O. output, 15mm sensing distance, non-flush, 25 Hz switching frequency, IP67, pigtail.	Stock	\$49.50
<u>V3T1-R0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 55mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 12mm sensing distance, flush, 25 Hz (AC)/250 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$53.00
<u>V3T1-R0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 12mm sensing distance, flush, 25 Hz (AC)/250 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$53.00
<u>V3T1-R0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 55mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 18mm sensing distance, non-flush, 25 Hz (AC)/190 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$53.00
<u>V3T1-R0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, N.O. (VAC) or N.O./N.C. (VDC) output, 18mm sensing distance, non-flush, 25 Hz (AC)/190 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$53.00
<u>V3T1-S0-3A8F</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 55mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 12mm sensing distance, flush, 25 Hz (AC)/250 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$53.00
<u>V3T1-S0-3Q</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 12mm sensing distance, flush, 25 Hz (AC)/250 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$53.00
<u>V3T1-S0-4A8F</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 55mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 18mm sensing distance, non-flush, 25 Hz (AC)/190 Hz (DC) switching frequency, IP67, pigtail.	Stock	\$53.00
<u>V3T1-S0-4Q</u>	Micro Detectors inductive proximity sensor, tubular, 30mm diameter x 60mm body, nickel-plated brass housing, N.C. (VAC) or N.O./N.C. (VDC) output, 18mm sensing distance, non-flush, 25 Hz (AC)/190 Hz (DC) switching frequency, IP67, 1/2in - 20UNF thread.	Stock	\$53.00
<u>PFT1-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, 316L stainless steel housing, PNP, N.O. output, 14mm sensing distance, flush, 50 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$61.00
<u>PFT2-AP-4H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 70mm body, 316L stainless steel housing, PNP, N.O. output, 22mm sensing distance, non-flush, 100 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$61.00
<u>VFT1-A0-1M</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 70mm body, 316L stainless steel housing, N.O. output, 14mm sensing distance, flush, 25 Hz (AC)/100 Hz (DC) switching frequency, IP68 IP69K, 1/2in - 20UNF thread.	Stock	\$78.00
<u>VFT1-A0-2M</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 70mm body, 316L stainless steel housing, N.O. output, 22mm sensing distance, non-flush, 25 Hz (AC)/100 Hz (DC) switching frequency, IP68 IP69K, 1/2in - 20UNF thread.	Stock	\$78.00

<u>PTW2-AP-3H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 50mm body, stainless steel housing, PNP, N.O. output, 15mm sensing distance, flush, 50 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>PTW2-AP-4H</u>	ProSense inductive proximity sensor, tubular, 30mm diameter x 65mm body, stainless steel housing, PNP, N.O. output, 25mm sensing distance, non-flush, 100 Hz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>PTW-AN-5A</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, stainless steel housing, NPN, N.O. output, 20mm sensing distance, flush, 100 Hz switching frequency, IP68, pigtail.	Stock	\$132.00
<u>PTW-AN-5H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, stainless steel housing, NPN, N.O. output, 20mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$132.00
<u>PTW-AP-5A</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, stainless steel housing, PNP, N.O. output, 20mm sensing distance, flush, 100 Hz switching frequency, IP68, pigtail.	Stock	\$132.00
<u>PTW-AP-5H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, stainless steel housing, PNP, N.O. output, 20mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$132.00
<u>DW-AD-711-M30</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 50mm body, stainless steel housing, NPN, N.O. output, 40mm sensing distance, non-flush, 90 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$131.00
<u>DW-AD-713-M30</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 50mm body, stainless steel housing, PNP, N.O. output, 40mm sensing distance, non-flush, 90 Hz switching frequency, IP68 IP69K, pigtail.	Stock	\$131.00
<u>DW-AS-711-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, stainless steel housing, NPN, N.O. output, 40mm sensing distance, non-flush, 90 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>DW-AS-713-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, stainless steel housing, PNP, N.O. output, 40mm sensing distance, non-flush, 90 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>DW-AS-714-M30-002</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, stainless steel housing, PNP, N.C. output, 40mm sensing distance, non-flush, 90 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>WKT-AP-3H</u>	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 65mm body, weld coated brass housing, PNP, N.O. output, 15mm sensing distance, flush, 2 kHz switching frequency, IP65 IP66 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>DW-AS-713-M30-967</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 63.5mm body, 304 stainless steel housing, PNP, N.O., 12mm sensing distance, non-flush, 90 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$135.00
<u>DW-HD-601-M30-310</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 75mm body, 304 stainless steel housing, NPN, N.O., 10mm sensing distance, flush, 200 Hz switching frequency, IP67, pigtail.	Stock	\$285.00
<u>DW-HD-603-M30-310</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 75mm body, 304 stainless steel housing, PNP, N.O., 10mm sensing distance, flush, 200 Hz switching frequency, IP67, pigtail.	Stock	\$285.00
<u>DW-HD-601-M30-411</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 75mm body, 304 stainless steel housing, NPN, N.O., 10mm sensing distance, flush, 200 Hz switching frequency, IP67, pigtail.	Stock	\$340.00
<u>DW-HD-603-M30-411</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 75mm body, 304 stainless steel housing, PNP, N.O., 10mm sensing distance, flush, 200 Hz switching frequency, IP67, pigtail.	Stock	\$340.00
<u>DW-HD-611-M30-411</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 83mm body, 304 stainless steel housing, NPN, N.O., 15mm sensing distance, non-flush, 150 Hz switching frequency, IP67, pigtail.	Stock	\$340.00
<u>DW-HD-613-M30-411</u>	Contrinex inductive proximity sensor, tubular, 30mm diameter x 83mm body, 304 stainless steel housing, PNP, N.O., 15mm sensing distance, non-flush, 150 Hz switching frequency, IP67, pigtail.	Stock	\$340.00
<u>GI711S</u>	ifm efector inductive proximity sensor, tubular, 30mm diameter x 70mm body, stainless steel housing, PNP, (2) OSSD, 1-15mm enable zone, non-flush, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$187.00
<u>GI854S</u>	ifm efector inductive proximity sensor, tubular, 30mm diameter x 65mm body, bronze-plated brass housing, PNP, (2) OSSD, >21.5mm enable zone, non-flush, IP65 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$144.00
<u>GI855S</u>	ifm efector inductive proximity sensor, tubular, 30mm diameter x 65mm body, bronze-plated brass housing, PNP, (2) OSSD, >14.5mm enable zone, flush, IP65 IP67 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$144.00
<u>GI701S</u>	ifm efector inductive proximity sensor, tubular, 30mm diameter x 80mm body, stainless steel housing, PNP, (2) OSSD, 6-12mm enable zone, non-flush, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$188.00
50mm Tubular Inductive Proximity Sensors			
<u>DW-HD-613-M50-517</u>	Contrinex inductive proximity sensor, tubular, 50mm diameter x 68mm body, 304 stainless steel housing, PNP, N.O., 25mm sensing distance, non-flush, 150 Hz switching frequency, IP67, pigtail.	Stock	\$575.00
Small Rectangular Inductive Proximity Sensors			
<u>CR5-AN-1A</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, NPN, N.O. output, 0.8mm sensing distance, flush, 5 kHz switching frequency, IP67, pigtail.	Stock	\$47.50
<u>CR5-AN-2A</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, NPN, N.O. output, 1.5mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$75.00

<u>CR5-AN-1F</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, NPN, N.O. output, 0.8mm sensing distance, flush, 5 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$54.00
<u>CR5-AN-2F</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, NPN, N.O. output, 1.5mm sensing distance, flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$86.00
<u>CR5-AP-1A</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, PNP, N.O. output, 0.8mm sensing distance, flush, 5 kHz switching frequency, IP67, pigtail.	Stock	\$47.50
<u>CR5-AP-2A</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, PNP, N.O. output, 1.5mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$75.00
<u>CR5-AP-1F</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, PNP, N.O. output, 0.8mm sensing distance, flush, 5 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$54.00
<u>CR5-AP-2F</u>	AutomationDirect inductive proximity sensor, rectangular, 5 x 5 x 25mm body, nickel-plated brass housing, PNP, N.O. output, 1.5mm sensing distance, flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$86.00
<u>CR8-AN-1A</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 40mm body, nickel-plated brass housing, NPN, N.O. output, 1.5mm sensing distance, flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$32.50
<u>CR8-AN-1F</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 59mm body, nickel-plated brass housing, NPN, N.O. output, 1.5mm sensing distance, flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$32.50
<u>CR8-AN-2A</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 40mm body, nickel-plated brass housing, NPN, N.O. output, 2mm sensing distance, flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$45.00
<u>CR8-AN-2F</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 59mm body, nickel-plated brass housing, NPN, N.O. output, 2mm sensing distance, flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$45.00
<u>CR8-AN-3A</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 40mm body, nickel-plated brass housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$102.00
<u>CR8-AN-3F</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 59mm body, nickel-plated brass housing, NPN, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$102.00
<u>CR8-AP-1A</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 40mm body, nickel-plated brass housing, PNP, N.O. output, 1.5mm sensing distance, flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$32.50
<u>CR8-AP-1F</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 59mm body, nickel-plated brass housing, PNP, N.O. output, 1.5mm sensing distance, flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$32.50
<u>CR8-AP-2A</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 40mm body, nickel-plated brass housing, PNP, N.O. output, 2mm sensing distance, flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$45.00
<u>CR8-AP-2F</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 59mm body, nickel-plated brass housing, PNP, N.O. output, 2mm sensing distance, flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$45.00
<u>CR8-AP-3A</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 40mm body, nickel-plated brass housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, pigtail.	Stock	\$102.00
<u>CR8-AP-3F</u>	AutomationDirect inductive proximity sensor, rectangular, 8 x 8 x 59mm body, nickel-plated brass housing, PNP, N.O. output, 3mm sensing distance, semi-flush, 1 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$102.00
<u>DW-AD-509-C8-390</u>	Contrinex inductive proximity sensor, rectangular, 8 x 8 x 50mm body, chrome-plated brass housing, 0-10 VDC analog output, 4mm sensing distance, semi-flush, IP67, pigtail.	Stock	\$169.00
<u>DW-AS-509-C8-390</u>	Contrinex inductive proximity sensor, rectangular, 8 x 8 x 59mm body, chrome-plated brass housing, 0-10 VDC analog output, 4mm sensing distance, semi-flush, IP67, 3-pin M8 quick-disconnect.	Stock	\$169.00
<u>P8-AN-1F</u>	ProSense inductive proximity sensor, rectangular, 8 x 4.7 x 16mm body, polyamide housing, top sensing, NPN, N.O. output, 1.5mm sensing distance, flush, 2.5 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$78.00
<u>P8-AP-1F</u>	ProSense inductive proximity sensor, rectangular, 8 x 4.7 x 16mm body, polyamide housing, top sensing, PNP, N.O. output, 1.5mm sensing distance, flush, 2.5 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$78.00
<u>P8-CN-1A</u>	ProSense inductive proximity sensor, rectangular, 8 x 4.7 x 16mm body, polyamide housing, top sensing, NPN, N.C. output, 1.5mm sensing distance, flush, 2.5 kHz switching frequency, IP67, pigtail.	Stock	\$78.00
<u>P8-AN-2A</u>	ProSense inductive proximity sensor, rectangular, 8 x 4.7 x 16mm body, polyamide housing, top sensing, NPN, N.O. output, 2.5mm sensing distance, non-flush, 2.5 kHz switching frequency, IP67, pigtail.	Stock	\$78.00
<u>P8-AP-2F</u>	ProSense inductive proximity sensor, rectangular, 8 x 4.7 x 16mm body, polyamide housing, top sensing, PNP, N.O. output, 2.5mm sensing distance, non-flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$78.00
<u>P8-CP-2F</u>	ProSense inductive proximity sensor, rectangular, 8 x 4.7 x 16mm body, polyamide housing, top sensing, PNP, N.C. output, 2.5mm sensing distance, non-flush, 3 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$78.00
<u>DR10-AN-1A</u>	Micro Detectors inductive proximity sensor, rectangular, 10.3 x 28 x 16mm body, polyphthalamide housing, NPN, N.O. output, 3mm sensing distance, flush, 3 kHz switching frequency, IP67, pigtail.	Stock	\$33.50

[illegible]

Large Rectangular Inductive Proximity Sensors			
D80-0P-4T	ProSense inductive proximity sensor, rectangular, 80 x 40 x 105mm body, polyphenylene ether housing, PNP, N.O./N.C. selectable output, 20-60mm sensing distance, non-flush, 100 Hz switching frequency, IP65, terminal chamber.	Stock	\$167.00
D80-0P-4H	ProSense inductive proximity sensor, rectangular, 80 x 40 x 105mm body, polyphenylene ether housing, PNP, N.O./N.C. selectable output, 20-60mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$167.00
D80-AP-3H	ProSense inductive proximity sensor, rectangular, 80 x 40 x 92mm body, polyphenylene ether housing, PNP, N.O. output, 50mm sensing distance, flush, 70 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$161.00
D80V-A0-3M	ProSense inductive proximity sensor, rectangular, 80 x 40 x 92mm body, polyphenylene ether housing, N.O. output, 50mm sensing distance, flush, 25 Hz switching frequency, IP67, 3-pin mini and 7/8in - 16UNF thread.	Stock	\$161.00
D80V-A0-3Q	ProSense inductive proximity sensor, rectangular, 80 x 40 x 92mm body, polyphenylene ether housing, N.O. output, 50mm sensing distance, flush, 25 Hz switching frequency, IP67, 3-pin 1/2in - 20UNF thread.	Stock	\$161.00
LF40-AP-1H	AutomationDirect inductive proximity sensor, rectangular, 40 x 40 x 66mm body, die-cast zinc nickel-plated housing, PNP, N.O. output, 20mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$52.00
LF40-AP-2H	AutomationDirect inductive proximity sensor, rectangular, 40 x 40 x 66mm body, die-cast zinc nickel-plated housing, PNP, N.O. output, 35mm sensing distance, non-flush, 80 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$52.00
LF40-0P-1H	AutomationDirect inductive proximity sensor, rectangular, 40 x 40 x 66mm body, die-cast zinc nickel-plated housing, PNP, N.O./N.C. complementary outputs, 20mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$56.00
LF40-0P-2H	AutomationDirect inductive proximity sensor, rectangular, 40 x 40 x 66mm body, die-cast zinc nickel-plated housing, PNP, N.O./N.C. complementary outputs, 35mm sensing distance, non-flush, 80 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$56.00
GM705S	ifm effector inductive proximity sensor, rectangular, 40 x 40 x 66mm body, die-cast zinc housing, PNP, (2) OSSD, 4-20mm enable zone, non-flush, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$275.00
GM701S	ifm effector inductive proximity sensor, rectangular, 40 x 40 x 66mm body, die-cast zinc housing, PNP, (2) OSSD, 10-15mm enable zone, non-flush, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$275.00
Accessories for Inductive Proximity Sensors			
OPT2037	Wenglor mounting bracket, right-angle, 316L stainless steel. Package of 2. For use with 3mm sensors.	Stock	\$27.50
OPT2107	Wenglor mounting bracket, right-angle, plastic. For use with 6.5mm sensors.	Stock	\$8.75
D80-BRKT-3	ProSense mounting bracket, parallel, stainless steel. For use with D80-xx-3x flush mount prox sensors only.	Stock	\$33.00
8mm Tubular Magnetic Proximity Sensors			
MAE-AP-1F	AutomationDirect magnetic proximity sensor, tubular, 8mm diameter x 60mm body, 316L stainless steel housing, PNP, N.O. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$65.00
MAE-AP-1A	AutomationDirect magnetic proximity sensor, tubular, 8mm diameter x 50mm body, 316L stainless steel housing, PNP, N.O. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP67, pigtail.	Stock	\$65.00
12mm Tubular Magnetic Proximity Sensors			
MMW-AP-1H	AutomationDirect magnetic proximity sensor, tubular, 12mm diameter x 60mm body, 316L stainless steel housing, PNP, N.O. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$67.00
MMW-AN-1H	AutomationDirect magnetic proximity sensor, tubular, 12mm diameter x 60mm body, 316L stainless steel housing, NPN, N.O. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$67.00
MMW-CP-1H	AutomationDirect magnetic proximity sensor, tubular, 12mm diameter x 60mm body, 316L stainless steel housing, PNP, N.C. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$67.00
MAFM1-AP-1H	ProSense magnetic proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, PNP, N.O. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP65 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$49.50
18mm Tubular Magnetic Proximity Sensors			
MKW-AP-1H	AutomationDirect magnetic proximity sensor, tubular, 18mm diameter x 60mm body, 316L stainless steel housing, PNP, N.O. output, 70mm sensing distance, flush, 5 kHz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$70.00
MKW-AN-1H	AutomationDirect magnetic proximity sensor, tubular, 18mm diameter x 60mm body, 316L stainless steel housing, NPN, N.O. output, 70mm sensing distance, flush, 5 kHz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$70.00
MKW-CP-1H	AutomationDirect magnetic proximity sensor, tubular, 18mm diameter x 60mm body, 316L stainless steel housing, PNP, N.C. output, 70mm sensing distance, flush, 5 kHz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$70.00

<u>MAFK1-AP-1H</u>	ProSense magnetic proximity sensor, tubular, 18mm diameter x 60mm body, stainless steel housing, PNP, N.O. output, 70mm sensing distance, flush, 5 kHz switching frequency, IP65 IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$55.00
Rectangular Magnetic Proximity Sensors			
<u>MDR-AP-1F</u>	AutomationDirect magnetic proximity sensor, rectangular, 10.2 x 36.8 x 16mm body, polybutylene terephthalate housing, PNP, N.O. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$54.00
<u>MDR-AP-1A</u>	AutomationDirect magnetic proximity sensor, rectangular, 10.2 x 27.8 x 16mm body, polybutylene terephthalate housing, PNP, N.O. output, 60mm sensing distance, flush, 5 kHz switching frequency, IP67, pigtail.	Stock	\$54.00
Accessories for Magnetic Proximity Sensors			
<u>MAG-1</u>	AutomationDirect damping magnet, M1.0, samarium cobalt. For use with magnetic proximity sensors.	Stock	\$5.00
<u>MAG-3</u>	AutomationDirect damping magnet, M3.0, barium ferrite. For use with magnetic proximity sensors.	Stock	\$5.00
<u>MAG-4</u>	AutomationDirect damping magnet, M4.0, barium ferrite. For use with magnetic proximity sensors.	Stock	\$5.00
<u>MAG-5</u>	AutomationDirect damping magnet, M5.0, barium ferrite. For use with magnetic proximity sensors.	Stock	\$8.25
<u>AW-MAG-3</u>	AutomationDirect damping magnet, M3.1, barium ferrite, 316L stainless steel coating. For use with magnetic proximity sensors.	Stock	\$43.00
<u>AW-MAG</u>	AutomationDirect damping magnet, M4.1, barium ferrite, 316L stainless steel coating. For use with magnetic proximity sensors.	Stock	\$47.50
8mm Tubular Capacitive Proximity Sensors			
<u>CE1-AN-1A</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 42mm body, stainless steel housing, NPN, N.O. output, 1.5mm sensing distance, flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$118.00
<u>CE1-AP-1A</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 42mm body, stainless steel housing, PNP, N.O. output, 1.5mm sensing distance, flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$118.00
<u>CE1-AP-1F</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 54mm body, stainless steel housing, PNP, N.O. output, 1.5mm sensing distance, flush, 100 Hz switching frequency, IP65, 3-pin M8 quick-disconnect.	Stock	\$118.00
<u>CE1-CP-1A</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 42mm body, stainless steel housing, PNP, N.C. output, 1.5mm sensing distance, flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$118.00
<u>CE1-CP-1F</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 54mm body, stainless steel housing, PNP, N.C. output, 1.5mm sensing distance, flush, 100 Hz switching frequency, IP65, 3-pin M8 quick-disconnect.	Stock	\$118.00
<u>CE1-AN-2A</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 42mm body, stainless steel housing, NPN, N.O. output, 3mm sensing distance, non-flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$118.00
<u>CE1-AP-2A</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 42mm body, stainless steel housing, PNP, N.O. output, 3mm sensing distance, non-flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$118.00
<u>CE1-AP-2F</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 54mm body, stainless steel housing, PNP, N.O. output, 3mm sensing distance, non-flush, 100 Hz switching frequency, IP65, 3-pin M8 quick-disconnect.	Stock	\$118.00
<u>CE1-CP-2A</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 42mm body, stainless steel housing, PNP, N.C. output, 3mm sensing distance, non-flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$118.00
<u>CE1-CP-2F</u>	ProSense capacitive proximity sensor, tubular, 8mm diameter x 54mm body, stainless steel housing, PNP, N.C. output, 3mm sensing distance, non-flush, 100 Hz switching frequency, IP65, 3-pin M8 quick-disconnect.	Stock	\$118.00
12mm Tubular Capacitive Proximity Sensors			
<u>CM1-AP-1H</u>	AutomationDirect capacitive proximity sensor, tubular, 12mm diameter x 59.8mm body, stainless steel housing, PNP, N.O. output, 6mm sensing distance, flush, 50 Hz switching frequency, IP65, 4-pin M12 quick-disconnect.	Stock	\$101.00
<u>CM1-AP-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 12mm diameter x 61.2mm body, stainless steel housing, PNP, N.O. output, 12mm sensing distance, non-flush, 50 Hz switching frequency, IP65, 4-pin M12 quick-disconnect.	Stock	\$101.00
<u>BCS00P4</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 75mm body, stainless steel housing, PNP, N.O., 8mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>BCS00P1</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 75mm body, stainless steel housing, PNP, N.C., 4mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>BCS00P0</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 75mm body, stainless steel housing, PNP, N.O., 4mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>BCS00R1</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 61mm body, polybutylene terephthalate housing, PNP, N.C., 8mm sensing distance, non-flush, 100 Hz switching frequency, IP67, pigtail.	Stock	\$151.00
<u>BCS00R0</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 61mm body, polybutylene terephthalate housing, PNP, N.O., 8mm sensing distance, non-flush, 100 Hz switching frequency, IP67, pigtail.	Stock	\$109.00
<u>BCS00PJ</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 75mm body, polybutylene terephthalate housing, PNP, N.O., 4mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$108.00

<u>BCS00PU</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 61mm body, polybutylene terephthalate housing, PNP, N.O., 4mm sensing distance, flush, 100 Hz switching frequency, IP67, pigtail.	Stock	\$109.00
<u>BCS017L</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, NPN/PNP, N.C., 5mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$273.00
<u>BCS017A</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, NPN/PNP, N.C., 8mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$281.00
<u>BCS017K</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, NPN/PNP, N.O., 5mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$273.00
<u>BCS0179</u>	Balluff capacitive proximity sensor, tubular, 12mm diameter x 60mm body, stainless steel housing, NPN/PNP, N.O., 8mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$281.00
18mm Tubular Capacitive Proximity Sensors			
<u>CK2-AP-1H</u>	AutomationDirect capacitive proximity sensor, tubular, 18mm diameter x 92.5mm body, polybutylene terephthalate housing, PNP, N.O. output, 8mm sensing distance, flush, 30 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$73.00
<u>CK2-AP-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 18mm diameter x 92.5mm body, polybutylene terephthalate housing, PNP, N.O. output, 15mm sensing distance, non-flush, 30 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$73.00
<u>CK2-CP-1H</u>	AutomationDirect capacitive proximity sensor, tubular, 18mm diameter x 92.5mm body, polybutylene terephthalate housing, PNP, N.C. output, 8mm sensing distance, flush, 30 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$73.00
<u>CK2-CP-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 18mm diameter x 92.5mm body, polybutylene terephthalate housing, PNP, N.C. output, 15mm sensing distance, non-flush, 30 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$73.00
<u>CK1-00-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 18mm diameter x 87mm body, polybutylene terephthalate housing, NPN/PNP, N.O./N.C. selectable output, 12mm sensing distance, non-flush, 10 Hz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>BCS00MF</u>	Balluff capacitive proximity sensor, tubular, 18mm diameter x 88.5mm body, stainless steel housing, PNP, N.O., 8mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$135.00
<u>BCS00LM</u>	Balluff capacitive proximity sensor, tubular, 18mm diameter x 88.5mm body, polybutylene terephthalate housing, PNP, N.O., 15mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$116.00
<u>BCS00MJ</u>	Balluff capacitive proximity sensor, tubular, 18mm diameter x 88.5mm body, polybutylene terephthalate housing, NPN, N.O., 8mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$116.00
<u>BCS00M8</u>	Balluff capacitive proximity sensor, tubular, 18mm diameter x 88.5mm body, polybutylene terephthalate housing, PNP, N.O., 8mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$116.00
<u>BCS00NZ</u>	Balluff capacitive proximity sensor, tubular, 18mm diameter x 75mm body, polybutylene terephthalate housing, PNP, N.O., 8mm sensing distance, flush, 100 Hz switching frequency, IP67, pigtail.	Stock	\$119.00
<u>BCS006A</u>	Balluff capacitive proximity sensor, tubular, 18mm diameter x 75mm body, stainless steel housing, PNP, N.O., 15mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$228.00
30mm Tubular Capacitive Proximity Sensors			
<u>CT2-AP-1A</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.O. output, 15mm sensing distance, flush, 40 Hz switching frequency, IP65 IP67 IP69K, pigtail.	Stock	\$69.00
<u>CT2-AP-1H</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.O. output, 15mm sensing distance, flush, 40 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>CT2-CP-1A</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.C. output, 15mm sensing distance, flush, 40 Hz switching frequency, IP65 IP67 IP69K, pigtail.	Stock	\$69.00
<u>CT2-CP-1H</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.C. output, 15mm sensing distance, flush, 40 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>CT2-AP-2A</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.O. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, pigtail.	Stock	\$69.00
<u>CT2-AP-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.O. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>CT2-AN-2A</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, NPN, N.O. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, pigtail.	Stock	\$69.00
<u>CT2-AN-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, NPN, N.O. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$69.00

<u>CT2-CP-2A</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.C. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, pigtail.	Stock	\$69.00
<u>CT2-CP-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, PNP, N.C. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>CT2-CN-2A</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, NPN, N.C. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, pigtail.	Stock	\$69.00
<u>CT2-CN-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 92mm body, polybutylene terephthalate housing, NPN, N.C. output, 25mm sensing distance, non-flush, 40 Hz switching frequency, IP65 IP67 IP69K, 4-pin M12 quick-disconnect.	Stock	\$69.00
<u>CT1-00-2H</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 90mm body, polybutylene terephthalate housing, NPN/PNP, N.O./N.C. selectable output, 40mm sensing distance, non-flush, 10 Hz switching frequency, IP65 IP67, 4-pin M12 quick-disconnect.	Stock	\$92.00
<u>CT1-AP-1A</u>	Micro Detectors capacitive proximity sensor, tubular, 30mm diameter x 71mm body, nickel-plated brass housing, PNP, N.O. output, 15mm sensing distance, flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$96.00
<u>CT1-AN-1A</u>	Micro Detectors capacitive proximity sensor, tubular, 30mm diameter x 71mm body, nickel-plated brass housing, NPN, N.O. output, 15mm sensing distance, flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$96.00
<u>CT1-AP-2A</u>	Micro Detectors capacitive proximity sensor, tubular, 30mm diameter x 71mm body, nickel-plated brass housing, PNP, N.O. output, 20mm sensing distance, non-flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$96.00
<u>CT1-CP-2A</u>	Micro Detectors capacitive proximity sensor, tubular, 30mm diameter x 71mm body, nickel-plated brass housing, PNP, N.C. output, 20mm sensing distance, non-flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$96.00
<u>CT1-AN-2A</u>	Micro Detectors capacitive proximity sensor, tubular, 30mm diameter x 71mm body, nickel-plated brass housing, NPN, N.O. output, 20mm sensing distance, non-flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$96.00
<u>CT1-CN-2A</u>	Micro Detectors capacitive proximity sensor, tubular, 30mm diameter x 71mm body, nickel-plated brass housing, NPN, N.C. output, 20mm sensing distance, non-flush, 100 Hz switching frequency, IP65, pigtail.	Stock	\$96.00
<u>CTV-00-2M</u>	AutomationDirect capacitive proximity sensor, tubular, 30mm diameter x 90mm body, polybutylene terephthalate housing, N.O./N.C. selectable output, 40mm sensing distance, non-flush, 10 Hz switching frequency, IP65 IP67, 1/2in - 20UNF thread.	Stock	\$123.00
<u>BCS004T</u>	Balluff capacitive proximity sensor, tubular, 30mm diameter x 87mm body, stainless steel housing, PNP, N.O./N.C. selectable, 20mm sensing distance, flush, 100 Hz switching frequency, IP66, 4-pin M12 quick-disconnect.	Stock	\$215.00
<u>BCS00NH</u>	Balluff capacitive proximity sensor, tubular, 30mm diameter x 78.5mm body, polybutylene terephthalate housing, PNP, N.O., 25mm sensing distance, non-flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>BCS00NA</u>	Balluff capacitive proximity sensor, tubular, 30mm diameter x 79mm body, polybutylene terephthalate housing, PNP, N.O., 15mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>BCS007F</u>	Balluff capacitive proximity sensor, tubular, 30mm diameter x 87mm body, polybutylene terephthalate housing, PNP, N.O./N.C. selectable, 30mm sensing distance, non-flush, 100 Hz switching frequency, IP66, 4-pin M12 quick-disconnect.	Stock	\$162.00
<u>BCS004M</u>	Balluff capacitive proximity sensor, tubular, 30mm diameter x 87mm body, polybutylene terephthalate housing, PNP, N.O./N.C. selectable, 20mm sensing distance, flush, 100 Hz switching frequency, IP66, 4-pin M12 quick-disconnect.	Stock	\$162.00
<u>BCS004K</u>	Balluff capacitive proximity sensor, tubular, 30mm diameter x 82mm body, polybutylene terephthalate housing, PNP, N.O./N.C. selectable, 20mm sensing distance, flush, 100 Hz switching frequency, IP66, pigtail.	Stock	\$164.00
<u>BCS007L</u>	Balluff capacitive proximity sensor, tubular, 30mm diameter x 86.5mm body, stainless steel housing, PNP, N.O./N.C. selectable, 30mm sensing distance, non-flush, 100 Hz switching frequency, IP66, 4-pin M12 quick-disconnect.	Stock	\$250.00
50mm Round Capacitive Proximity Sensors			
<u>BCS003K</u>	Balluff capacitive proximity sensor, round, 50mm diameter x 10mm body, polyoxymethylene (POM) housing, top sensing, NPN/PNP, N.O./N.C. selectable, 25mm sensing distance, flush, 50 Hz switching frequency, IP67, pigtail.	Stock	\$139.00
<u>BCS003L</u>	Balluff capacitive proximity sensor, round, 50mm diameter x 10mm body, polyoxymethylene (POM) housing, top sensing, NPN/PNP, N.O./N.C. selectable, 25mm sensing distance, flush, 50 Hz switching frequency, IP65, 3-pin M8 quick-disconnect.	Stock	\$135.00
Small Rectangular Capacitive Proximity Sensors			
<u>CR1-00-2A</u>	AutomationDirect capacitive proximity sensor, rectangular, 20 x 14 x 48mm body, polybutylene terephthalate housing, NPN/PNP, N.O./N.C. selectable output, 12mm sensing distance, non-flush, 10 Hz switching frequency, IP65 IP67, pigtail.	Stock	\$78.00
<u>BCS012A</u>	Balluff capacitive proximity sensor, rectangular, 34 x 16 x 8mm body, polypropylene (PP) housing, top sensing, PNP, N.O., 8mm sensing distance, flush, 50 Hz switching frequency, IP67, pigtail.	Stock	\$151.00
<u>BCS012T</u>	Balluff capacitive proximity sensor, rectangular, 34 x 16 x 8mm body, polypropylene (PP) housing, top sensing, PNP, N.O., 8mm sensing distance, flush, 100 Hz switching frequency, IP67, 4-pin M8 quick-disconnect.	Stock	\$154.00

<u>BCS00TR</u>	Balluff capacitive proximity sensor, rectangular, 40 x 40 x 10mm body, polybutylene terephthalate housing, top sensing, NPN/PNP, N.O./N.C. selectable, 20mm sensing distance, flush, 100 Hz switching frequency, IP67, pigtail.	Stock	\$99.00
<u>BCS00U6</u>	Balluff capacitive proximity sensor, rectangular, 40 x 40 x 10mm body, polybutylene terephthalate housing, top sensing, PNP, N.O., 20mm sensing distance, flush, 100 Hz switching frequency, IP67, 3-pin M8 quick-disconnect.	Stock	\$99.00
Mounting Wells for Capacitive Proximity Sensors			
<u>MWK-01</u>	AutomationDirect sensor mounting well, PTFE body, 3/4in male NPT process connection, 18mm bore, 2.25in overall length, 1.50in insertion length.	Stock	\$47.00
<u>MWT-01</u>	AutomationDirect sensor mounting well, PTFE body, 1-1/4in male NPT process connection, 30mm bore, 2.55in overall length, 2.07in insertion length.	Stock	\$57.00
Accessories for Capacitive Proximity Sensors			
<u>CR1-ADPTR</u>	AutomationDirect mounting adapter, plastic. For use with CR1 series capacitive proximity sensors. Mounting hardware included.	Stock	\$5.00
Diffuse Photoelectric Sensors with Background Suppression			
<u>BTF15-BDTL</u>	Autonics photoelectric sensor, rectangular, diffuse with background suppression, visible red, 1-15mm sensing distance, light-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTF15-BDTL-P</u>	Autonics photoelectric sensor, rectangular, diffuse with background suppression, visible red, 1-15mm sensing distance, light-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>BTF15-BDTD</u>	Autonics photoelectric sensor, rectangular, diffuse with background suppression, visible red, 1-15mm sensing distance, dark-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTF15-BDTD-P</u>	Autonics photoelectric sensor, rectangular, diffuse with background suppression, visible red, 1-15mm sensing distance, dark-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>F8RS-LP-1F</u>	ProSense photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 0-20mm sensing distance, light-on, PNP, 450 Hz switching frequency, 3-pin M8 quick-disconnect.	Stock	\$181.00
<u>F8RS-LN-1F</u>	ProSense photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 0-20mm sensing distance, light-on, NPN, 450 Hz switching frequency, 3-pin M8 quick-disconnect.	Stock	\$181.00
<u>F8RS-LP-2F</u>	ProSense photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 7-30mm sensing distance, light-on, PNP, potentiometer, 450 Hz switching frequency, 3-pin M8 quick-disconnect.	Stock	\$181.00
<u>F8RS-LN-2F</u>	ProSense photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 7-30mm sensing distance, light-on, NPN, potentiometer, 450 Hz switching frequency, 3-pin M8 quick-disconnect.	Stock	\$181.00
<u>LHR-M18MA-PMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$51.50
<u>LHR-M18MA-TMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$51.50
<u>LHR-M18MA-PMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$51.50
<u>LHR-M18MA-TMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$51.50
<u>LHR-M18PA-PMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$35.50
<u>LHR-M18PA-TMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$35.50
<u>LHR-M18PA-PMK-603</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 700 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$35.50
<u>LHR-M18PA-TMK-603</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 700 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$35.50
<u>LHR-M18PA-PMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$35.50
<u>LHR-M18PA-TMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 700 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$35.50

<u>LHR-M18PA-PMK-101</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 700 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$35.50
<u>LHR-M18PA-TMK-101</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic, diffuse with background suppression, 10-250mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 700 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$35.50
<u>F18RS-BN-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse with background suppression, 50-150mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 500 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$57.00
<u>F18RS-BP-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse with background suppression, 50-150mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 500 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$57.00
<u>F18RS-BN-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse with background suppression, 50-150mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$57.00
<u>F18RS-BP-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse with background suppression, 50-150mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$57.00
<u>MQ0-00-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic, diffuse with background suppression, 50mm sensing distance, selectable light-on/dark-on, 25 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$76.00
<u>MQ1-00-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic, diffuse with background suppression, 100mm sensing distance, selectable light-on/dark-on, 25 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$76.00
<u>FKLS-BN-1E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 30-100mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKLS-BP-1E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 30-100mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKLS-BN-3E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 90-degree, 30-80mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FKLS-BP-3E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 90-degree, 30-80mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FKLW-BN-1E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 30-150mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKLW-BP-1E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 30-150mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKLW-BN-3E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 90-degree, 30-130mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FKLW-BP-3E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse with background suppression, 90-degree, 30-130mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FALS-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 30-100mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$122.00
<u>FALS-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 30-100mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$122.00
<u>FALS-BN-3E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 90-degree, 30-80mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$132.00
<u>FALS-BP-3E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 90-degree, 30-80mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$132.00
<u>FALW-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 30-150mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$122.00
<u>FALW-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 30-150mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$122.00
<u>FALW-BN-3E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 90-degree, 30-130mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$132.00

<u>FALW-BP-3E</u>	AutomationDirect photoelectric sensor, tubular, threaded, nickel-plated brass, diffuse with background suppression, 90-degree, 30-130mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1.5 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$132.00
<u>C18B-AN-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, 10-120mm sensing distance, light-on, NPN, potentiometer, 500 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$88.00
<u>C18B-AN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, 10-120mm sensing distance, light-on, NPN, potentiometer, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>C18B-AP-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, 10-120mm sensing distance, light-on, PNP, potentiometer, 500 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$88.00
<u>C18B-AP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, 10-120mm sensing distance, light-on, PNP, potentiometer, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>C18B-AN-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, right-angle lens, 10-120mm sensing distance, light-on, NPN, potentiometer, 500 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$137.00
<u>C18B-AN-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, right-angle lens, 10-120mm sensing distance, light-on, NPN, potentiometer, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$137.00
<u>C18B-AP-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, right-angle lens, 10-120mm sensing distance, light-on, PNP, potentiometer, 500 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$137.00
<u>C18B-AP-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal, diffuse with background suppression, right-angle lens, 10-120mm sensing distance, light-on, PNP, potentiometer, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$137.00
<u>FFRS-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel, diffuse with background suppression, 30-130mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$103.00
<u>FFRS-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel, diffuse with background suppression, 30-130mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$103.00
<u>FFRS-ON-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel, diffuse with background suppression, 30-130mm sensing distance, selectable light-on/dark-on, NPN, teach-in button, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$103.00
<u>FFRS-OP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel, diffuse with background suppression, 30-130mm sensing distance, selectable light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$103.00
<u>FFRS-BP-1E77</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel, diffuse with background suppression, 60-100mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 400 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$111.00
<u>FFRS-OP-1E77</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel, diffuse with background suppression, 60-100mm sensing distance, selectable light-on/dark-on, PNP, teach-in button, 400 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$111.00
<u>GX3-AN-1E</u>	AutomationDirect photoelectric sensor, rectangular, plastic, diffuse with background suppression, right-angle lens, 100mm sensing distance, light-on, NPN, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$65.00
<u>GX3-AP-1E</u>	AutomationDirect photoelectric sensor, rectangular, plastic, diffuse with background suppression, right-angle lens, 100mm sensing distance, light-on, PNP, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$65.00
<u>GX3-AN-2E</u>	AutomationDirect photoelectric sensor, rectangular, plastic, diffuse with background suppression, right-angle lens, 150mm sensing distance, light-on, NPN, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$65.00
<u>GX3-AP-2E</u>	AutomationDirect photoelectric sensor, rectangular, plastic, diffuse with background suppression, right-angle lens, 150mm sensing distance, light-on, PNP, 1 kHz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$65.00
<u>E58-30DP150-GLP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 150mm sensing distance, light-on, solid state relay, 100 Hz switching frequency, 7in cable length, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$400.00
<u>E58-30DP150-GDP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 150mm sensing distance, dark-on, solid state relay, 100 Hz switching frequency, 7in cable length, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$428.00
<u>E58-30DPS280-GLP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 280mm sensing distance, light-on, solid state relay, 100 Hz switching frequency, 7in cable length, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$400.00
<u>E58-30DPS280-GDP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 280mm sensing distance, dark-on, solid state relay, 100 Hz switching frequency, 7in cable length, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$400.00
<u>E58-30DP150-HLP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 150mm sensing distance, light-on, NPN/PNP, 625 Hz switching frequency, 7in cable length, 4-pin M12 quick-disconnect.	Stock	\$400.00
<u>E58-30DP150-HDP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 150mm sensing distance, dark-on, NPN/PNP, 625 Hz switching frequency, 7in cable length, 4-pin M12 quick-disconnect.	Stock	\$400.00
<u>E58-30DPS280-HLP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 280mm sensing distance, light-on, NPN/PNP, 625 Hz switching frequency, 7in cable length, 4-pin M12 quick-disconnect.	Stock	\$400.00

<u>E58-30DPS280-HDP</u>	Eaton photoelectric sensor, tubular, threaded, diffuse with background suppression, 280mm sensing distance, dark-on, NPN/PNP, 625 Hz switching frequency, 7in cable length, 4-pin M12 quick-disconnect.	Stock	\$400.00
<u>RWRS-LP-1A</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 3-15mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$51.00
<u>RWRS-LP-1F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 3-15mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>RWRS-LN-1F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 3-15mm sensing distance, light-on, NPN, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>RWRS-LP-3A</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-30mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$51.00
<u>RWRS-LP-3F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-30mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>RWRS-LN-3F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-30mm sensing distance, light-on, NPN, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>RWRS-LP-5A</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-50mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$51.00
<u>RWRS-LP-5F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-50mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>RWRS-LN-5F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-50mm sensing distance, light-on, NPN, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>RWRS-LP-7A</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-80mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$51.00
<u>RWRS-LP-7F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-80mm sensing distance, light-on, PNP, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>RWRS-LN-7F</u>	ProSense photoelectric sensor, rectangular, diffuse with background suppression, 1-80mm sensing distance, light-on, NPN, 1000 Hz switching frequency, 11.8in/300mm cable length, 4-pin M8 quick-disconnect.	Stock	\$53.00
<u>OPT2147</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-200mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>OPT2148</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-200mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>OPT2157</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-300mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$224.00
<u>OPT2158</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-300mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$224.00
<u>OPT2149</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-500mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>OPT2150</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-500mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$106.00
<u>OPT2153</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-1200mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$102.00
<u>OPT2154</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-1200mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 500 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$102.00
<u>F16RS-LP-1F</u>	ProSense photoelectric sensor, rectangular, die-cast zinc, diffuse with background suppression, 5-30mm sensing distance, light-on, PNP, 500 Hz switching frequency, 0.6ft/0.2m cable length, 3-pin M8 quick-disconnect.	Stock	\$123.00
<u>F16RS-LN-1F</u>	ProSense photoelectric sensor, rectangular, die-cast zinc, diffuse with background suppression, 5-30mm sensing distance, light-on, NPN, 500 Hz switching frequency, 0.6ft/0.2m cable length, 3-pin M8 quick-disconnect.	Stock	\$123.00
<u>LHR-C23PA-PMK-603</u>	Contrinex photoelectric sensor, rectangular, diffuse with background suppression, 15-250mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1000 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$39.50
<u>LHR-C23PA-PMK-101</u>	Contrinex photoelectric sensor, rectangular, diffuse with background suppression, 15-250mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1000 Hz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$39.50
<u>LHR-C23PA-PMS-603</u>	Contrinex photoelectric sensor, rectangular, diffuse with background suppression, 15-250mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1000 Hz switching frequency, 4-pin M8 quick-disconnect.	Stock	\$39.50

[illegible]

<u>OPT2173</u>	Wenglor photoelectric sensor, rectangular, plastic, diffuse with background suppression, 0-1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 500 Hz switching frequency, 7.8in/200mm cable length, 4-pin M12 quick-disconnect.	Stock	\$224.00
<u>OPT2174</u>	Wenglor photoelectric sensor, rectangular, plastic, diffuse with background suppression, 0-1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 500 Hz switching frequency, 7.8in/200mm cable length, 4-pin M8 quick-disconnect.	Stock	\$224.00
<u>OPT2016</u>	Wenglor photoelectric sensor, rectangular, polycarbonate, diffuse with background suppression, 0-1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, 4-pin M8 quick-disconnect.	Stock	\$343.00
<u>OPT2017</u>	Wenglor photoelectric sensor, rectangular, polycarbonate, diffuse with background suppression, 0-1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, 7.8in/200mm cable length, 4-pin M12 quick-disconnect.	Stock	\$343.00
<u>OPT2018</u>	Wenglor photoelectric sensor, rectangular, polycarbonate, diffuse with background suppression, 0-1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, 7.8in/200mm cable length, 4-pin M8 quick-disconnect.	Stock	\$343.00
<u>OPT2019</u>	Wenglor photoelectric sensor, rectangular, polycarbonate, diffuse with background suppression, 0-1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, 6.5ft/2m cable length, pigtail.	Stock	\$343.00
<u>OPT2007</u>	Wenglor photoelectric sensor, square, polycarbonate, diffuse with background suppression, 60-660mm sensing distance, complementary light-on/dark-on, NPN/PNP, teach-in button, 100 Hz switching frequency, 5-pin M12 quick-disconnect.	Stock	\$422.00
<u>OPT2170</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-3m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 500 Hz switching frequency, 5-pin M12 quick-disconnect.	Stock	\$280.00
<u>OPT2171</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 0-3m sensing distance, complementary light-on/dark-on, NPN, teach-in button, 500 Hz switching frequency, 5-pin M12 quick-disconnect.	Stock	\$280.00
<u>OPT2010</u>	Wenglor photoelectric sensor, square, polycarbonate, diffuse with background suppression, 0-3m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, 5-pin M12 quick-disconnect.	Stock	\$331.00
<u>OPT2151</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 50-400mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$103.00
<u>OPT2152</u>	Wenglor photoelectric sensor, square, plastic, diffuse with background suppression, 50-400mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 800 Hz switching frequency, 4-pin M12 quick-disconnect.	Stock	\$103.00
<u>OPT2168</u>	Wenglor photoelectric sensor, rectangular, plastic, diffuse with background suppression, 30-150mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1000 Hz switching frequency, 4-pin M8 quick-disconnect.	Stock	\$103.00
<u>OPT2169</u>	Wenglor photoelectric sensor, rectangular, plastic, diffuse with background suppression, 30-150mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1000 Hz switching frequency, 4-pin M8 quick-disconnect.	Stock	\$103.00
Diffuse Photoelectric Sensors			
<u>BTF30-DDTL</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-30mm sensing distance, light-on, NPN, 1 kHz switching frequency, polybutylene terephthalate housing, pigtail.	Stock	\$79.00
<u>BTF30-DDTL-P</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-30mm sensing distance, light-on, PNP, 1 kHz switching frequency, polybutylene terephthalate housing, pigtail.	Stock	\$79.00
<u>BTF30-DDTD</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-30mm sensing distance, dark-on, NPN, 1 kHz switching frequency, polybutylene terephthalate housing, pigtail.	Stock	\$79.00
<u>BTF30-DDTD-P</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-30mm sensing distance, dark-on, PNP, 1 kHz switching frequency, polybutylene terephthalate housing, pigtail.	Stock	\$79.00
<u>BTS15-LDTL</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-15mm sensing distance, light-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTS15-LDTL-P</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-15mm sensing distance, light-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>BTS15-LDTD</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-15mm sensing distance, dark-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTS15-LDTD-P</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-15mm sensing distance, dark-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>BTS30-LDTL</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-30mm sensing distance, light-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTS30-LDTL-P</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-30mm sensing distance, light-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>BTS30-LDTD</u>	Autonics photoelectric sensor, rectangular, diffuse, visible red, 5-30mm sensing distance, dark-on, NPN, 3-wire, pigtail.	Stock	\$98.00

[illegible]

[illegible]

<u>F18I2-0N-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 100mm sensing distance, selectable light-on/dark-on, NPN, 500 Hz switching frequency, polybutylene terephthalate housing, pigtail.	Stock	\$37.50
<u>F18I2-0P-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 100mm sensing distance, selectable light-on/dark-on, PNP, 500 Hz switching frequency, polybutylene terephthalate housing, pigtail.	Stock	\$37.50
<u>F18I2-0N-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 100mm sensing distance, selectable light-on/dark-on, NPN, 500 Hz switching frequency, polybutylene terephthalate housing, 4-pin M12 quick-disconnect.	Stock	\$35.00
<u>F18I2-0P-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 100mm sensing distance, selectable light-on/dark-on, PNP, 500 Hz switching frequency, polybutylene terephthalate housing, 4-pin M12 quick-disconnect.	Stock	\$35.00
<u>F18I6-0N-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, selectable light-on/dark-on, NPN, 500 Hz switching frequency, potentiometer, polybutylene terephthalate housing, pigtail.	Stock	\$36.50
<u>F18I6-0P-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, selectable light-on/dark-on, PNP, 500 Hz switching frequency, potentiometer, polybutylene terephthalate housing, pigtail.	Stock	\$36.50
<u>F18I6-0N-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, selectable light-on/dark-on, NPN, 500 Hz switching frequency, potentiometer, polybutylene terephthalate housing, 4-pin M12 quick-disconnect.	Stock	\$35.00
<u>F18I6-0P-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, selectable light-on/dark-on, PNP, 500 Hz switching frequency, potentiometer, polybutylene terephthalate housing, 4-pin M12 quick-disconnect.	Stock	\$35.00
<u>F18I8-BN-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, complementary light-on/dark-on, NPN, 1000 Hz switching frequency, potentiometer, polybutylene terephthalate housing, pigtail.	Stock	\$49.50
<u>F18I8-BP-0A</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, complementary light-on/dark-on, PNP, 1000 Hz switching frequency, potentiometer, polybutylene terephthalate housing, pigtail.	Stock	\$49.50
<u>F18I8-BN-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, complementary light-on/dark-on, NPN, 1000 Hz switching frequency, potentiometer, polybutylene terephthalate housing, 4-pin M12 quick-disconnect.	Stock	\$47.50
<u>F18I8-BP-0E</u>	ProSense photoelectric sensor, tubular, threaded, diffuse, infrared, 700mm sensing distance, complementary light-on/dark-on, PNP, 1000 Hz switching frequency, potentiometer, polybutylene terephthalate housing, 4-pin M12 quick-disconnect.	Stock	\$47.50
<u>SS5-0P-4A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 200mm sensing distance, selectable light-on/dark-on, PNP, 250 Hz switching frequency, plastic housing, pigtail.	Stock	\$43.50
<u>MV2-A0-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 100mm sensing distance, light-on, 25 Hz switching frequency, plastic housing, pigtail.	Stock	\$49.00
<u>MV2-A0-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 100mm sensing distance, light-on, 25 Hz switching frequency, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>MV4-A0-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 200mm sensing distance, light-on, 25 Hz switching frequency, plastic housing, pigtail.	Stock	\$49.00
<u>MV4-A0-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 200mm sensing distance, light-on, 25 Hz switching frequency, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>MV6-A0-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 400mm sensing distance, light-on, 25 Hz switching frequency, plastic housing, pigtail.	Stock	\$49.00
<u>MV6-A0-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 400mm sensing distance, light-on, 25 Hz switching frequency, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>FKL4-BN-1E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse, Class 1 red laser, 0-300mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 1 kHz switching frequency, nickel-plated brass housing, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKL4-BP-1E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse, Class 1 red laser, 0-300mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 1 kHz switching frequency, nickel-plated brass housing, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKL4-BN-3E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse, 90-degree, Class 1 red laser, 0-200mm sensing distance, complementary light-on/dark-on, NPN, 1 kHz switching frequency, teach-in button, nickel-plated brass housing, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FKL4-BP-3E</u>	AchieVe photoelectric sensor, tubular, threaded, diffuse, 90-degree, Class 1 red laser, 0-200mm sensing distance, complementary light-on/dark-on, PNP, 1 kHz switching frequency, teach-in button, nickel-plated brass housing, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FAL4-BP-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, Class 1 red laser, 10-300mm sensing distance, complementary light-on/dark-on, PNP, 800 Hz switching frequency, potentiometer, plastic housing, pigtail.	Stock	\$146.00
<u>FAL4-BP-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, Class 1 red laser, 10-300mm sensing distance, complementary light-on/dark-on, PNP, 800 Hz switching frequency, potentiometer, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>FAL4-BN-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, Class 1 red laser, 10-300mm sensing distance, complementary light-on/dark-on, NPN, 800 Hz switching frequency, potentiometer, plastic housing, pigtail.	Stock	\$146.00

<u>FAL4-BN-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, Class 1 red laser, 10-300mm sensing distance, complementary light-on/dark-on, NPN, 800 Hz switching frequency, potentiometer, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>C18D-0N-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 600mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1 kHz switching frequency, metal housing, pigtail.	Stock	\$54.00
<u>C18D-0N-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 600mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1 kHz switching frequency, metal housing, 4-pin M12 quick-disconnect.	Stock	\$54.00
<u>C18D-0P-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 600mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1 kHz switching frequency, metal housing, pigtail.	Stock	\$54.00
<u>C18D-0P-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 600mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1 kHz switching frequency, metal housing, 4-pin M12 quick-disconnect.	Stock	\$54.00
<u>C18D-0N-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, right-angle lens, visible red, 600mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1 kHz switching frequency, metal housing, pigtail.	Stock	\$68.00
<u>C18D-0N-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, right-angle lens, visible red, 600mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 1 kHz switching frequency, metal housing, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>C18D-0P-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, right-angle lens, visible red, 600mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1 kHz switching frequency, metal housing, pigtail.	Stock	\$68.00
<u>C18D-0P-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, right-angle lens, visible red, 600mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 1 kHz switching frequency, metal housing, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>FFR3-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 100mm sensing distance, complementary light-on/dark-on, NPN, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFR3-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 100mm sensing distance, complementary light-on/dark-on, PNP, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFR3-0N-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 100mm sensing distance, selectable light-on/dark-on, NPN, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFR3-0P-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, visible red, 100mm sensing distance, selectable light-on/dark-on, PNP, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFI7-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 400mm sensing distance, complementary light-on/dark-on, NPN, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFI7-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 400mm sensing distance, complementary light-on/dark-on, PNP, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFI7-0N-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 400mm sensing distance, selectable light-on/dark-on, NPN, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFI7-0P-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 400mm sensing distance, selectable light-on/dark-on, PNP, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$86.00
<u>FFI8-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 800mm sensing distance, complementary light-on/dark-on, NPN, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>FFI8-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 800mm sensing distance, complementary light-on/dark-on, PNP, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>FFI8-0N-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 800mm sensing distance, selectable light-on/dark-on, NPN, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>FFI8-0P-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, diffuse, infrared, 800mm sensing distance, selectable light-on/dark-on, PNP, 500 Hz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>ET28.3-4P-200-M12</u>	Leuze photoelectric sensor, rectangular, diffuse, visible red, 1-650mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 500 Hz switching frequency, ABS plastic housing, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>ET28.3-4P</u>	Leuze photoelectric sensor, rectangular, diffuse, visible red, 1-650mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 500 Hz switching frequency, ABS plastic housing, pigtail.	Stock	\$62.00

[illegible]

<u>FMR6-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, visible red, 500mm sensing distance, selectable light-on/dark-on, PNP, potentiometer, 1 kHz switching frequency, 316L stainless steel housing, pigtail.	Stock	\$56.00
<u>FMR6-0P-0E</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, visible red, 500mm sensing distance, selectable light-on/dark-on, PNP, potentiometer, 1 kHz switching frequency, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$58.00
<u>FMR6-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, visible red, 500mm sensing distance, selectable light-on/dark-on, PNP, potentiometer, 1 kHz switching frequency, 316L stainless steel housing, 4-pin M8 quick-disconnect.	Stock	\$56.00
<u>FMR6-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, visible red, 500mm sensing distance, selectable light-on/dark-on, NPN, potentiometer, 1 kHz switching frequency, 316L stainless steel housing, pigtail.	Stock	\$56.00
<u>FMR6-0N-0E</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, visible red, 500mm sensing distance, selectable light-on/dark-on, NPN, potentiometer, 1 kHz switching frequency, 316L stainless steel housing, 4-pin M12 quick-disconnect.	Stock	\$58.00
<u>FMR6-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, visible red, 500mm sensing distance, selectable light-on/dark-on, NPN, potentiometer, 1 kHz switching frequency, 316L stainless steel housing, 4-pin M8 quick-disconnect.	Stock	\$56.00
<u>CX3-AN-1A</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, infrared, 600mm sensing distance, light-on, NPN, potentiometer, 1 kHz switching frequency, plastic housing, pigtail.	Stock	\$63.00
<u>CX3-AN-1F</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, infrared, 600mm sensing distance, light-on, NPN, potentiometer, 1 kHz switching frequency, plastic housing, 3-pin M8 quick-disconnect.	Stock	\$63.00
<u>CX3-AP-1A</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, infrared, 600mm sensing distance, light-on, PNP, potentiometer, 1 kHz switching frequency, plastic housing, pigtail.	Stock	\$63.00
<u>CX3-AP-1F</u>	AutomationDirect photoelectric sensor, rectangular, diffuse, infrared, 600mm sensing distance, light-on, PNP, potentiometer, 1 kHz switching frequency, plastic housing, 3-pin M8 quick-disconnect.	Stock	\$63.00
<u>1351E-6513</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 500 Hz switching frequency, plastic housing, pigtail.	Stock	\$166.00
<u>1351E-6517</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 500 Hz switching frequency, plastic housing, pigtail.	Stock	\$150.00
<u>1351E-6514</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, SPDT EM relay, potentiometer, 66 Hz switching frequency, plastic housing, pigtail.	Stock	\$158.00
<u>1351E-6534</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, SPDT EM relay, potentiometer, 66 Hz switching frequency, plastic housing, 5-pin AC micro connector and 1/2in - 20UNF thread.	Stock	\$158.00
<u>1351E-6543</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 500 Hz switching frequency, plastic housing, 4-pin AC micro connector and 1/2in - 20UNF thread.	Stock	\$166.00
<u>1351E-6547</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 500 Hz switching frequency, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$150.00
<u>1351E-6504</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, SPDT EM relay, potentiometer, 66 Hz switching frequency, plastic housing, 5-pin mini connector and 7/8in - 16UNF thread.	Stock	\$158.00
<u>1351E-6503</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 500 Hz switching frequency, plastic housing, 4-pin mini connector and 7/8in - 16UNF thread.	Stock	\$167.00
<u>1351E-6507</u>	Eaton photoelectric sensor, rectangular, diffuse, infrared, 10ft sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 500 Hz switching frequency, plastic housing, 4-pin mini connector and 7/8in - 16UNF thread.	Stock	\$153.00
<u>OPT2500</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 30-80mm sensing distance, (2) PNP, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$802.00
<u>OPT2501</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 30-80mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,317.00
<u>OPT2502</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 blue laser, 30-80mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,368.00
<u>OPT2503</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 40-240mm sensing distance, (2) PNP, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$802.00
<u>OPT2504</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 40-240mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,317.00
<u>OPT2505</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 blue laser, 40-240mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,368.00
<u>OPT2506</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 50-350mm sensing distance, (2) PNP, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$802.00
<u>OPT2507</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 50-350mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,317.00
<u>OPT2508</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 blue laser, 50-350mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,368.00

<u>OPT2509</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 60-660mm sensing distance, (2) PNP, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$802.00
<u>OPT2510</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 60-660mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,317.00
<u>OPT2511</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 blue laser, 60-660mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,368.00
<u>OPT2512</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 60-660mm sensing distance, (2) NPN, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$802.00
<u>OPT2513</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 blue laser, 60-660mm sensing distance, (2) PNP, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$905.00
<u>OPT2514</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 blue laser, 60-660mm sensing distance, (2) NPN, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$905.00
<u>OPT2515</u>	Wenglor photoelectric sensor, rectangular, diffuse, Class 1 red laser, 150-1000mm sensing distance, (2) PNP, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,008.00
<u>OPT2516</u>	Wenglor photoelectric sensor, rectangular, diffuse, Class 1 red laser, 150-1000mm sensing distance, (2) NPN, teach-in button, 650 Hz switching frequency, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,008.00
<u>OPT2517</u>	Wenglor photoelectric sensor, rectangular, diffuse, Class 1 red laser, 150-1000mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,522.00
<u>OPT2518</u>	Wenglor photoelectric sensor, rectangular, diffuse, Class 2 blue laser, 150-1000mm sensing distance, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$1,574.00
<u>OPT2001</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 red laser, 30-80mm sensing distance, teach-in button, polycarbonate housing, 8-pin M12 quick-disconnect.	Stock	\$841.00
<u>OPT2002</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 30-80mm sensing distance, teach-in button, polycarbonate housing, 8-pin M12 quick-disconnect.	Stock	\$841.00
<u>OPT2003</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 red laser, 40-160mm sensing distance, teach-in button, polycarbonate housing, 8-pin M12 quick-disconnect.	Stock	\$841.00
<u>OPT2004</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 40-160mm sensing distance, teach-in button, polycarbonate housing, 8-pin M12 quick-disconnect.	Stock	\$841.00
<u>OPT2005</u>	Wenglor photoelectric sensor, square, diffuse, Class 2 red laser, 50-350mm sensing distance, teach-in button, polycarbonate housing, 8-pin M12 quick-disconnect.	Stock	\$841.00
<u>OPT2006</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 50-350mm sensing distance, teach-in button, polycarbonate housing, 8-pin M12 quick-disconnect.	Stock	\$841.00
<u>OPT2011</u>	Wenglor photoelectric sensor, square, diffuse, Class 1 red laser, 0.05-3.05m sensing distance, selectable light-on/dark-on, NPN/PNP, 250 Hz switching frequency, teach-in button, polycarbonate housing, 4-pin M12 quick-disconnect.	Stock	\$415.00
<u>OPT2012</u>	Wenglor photoelectric sensor, rectangular, diffuse, Class 1 red laser, 0.2-6.2m sensing distance, selectable light-on/dark-on, NPN/PNP, 50 Hz switching frequency, teach-in button, polycarbonate housing, 4-pin M12 quick-disconnect.	Stock	\$440.00
<u>OPT2013</u>	Wenglor photoelectric sensor, rectangular, diffuse, Class 2 red laser, 0.1-10.1m sensing distance, selectable light-on/dark-on, NPN/PNP, 50 Hz switching frequency, teach-in button, polycarbonate housing, 8-pin M12 quick-disconnect.	Stock	\$758.00
<u>OPT2014</u>	Wenglor photoelectric sensor, rectangular, diffuse, Class 2 red laser, 0.1-10.1m sensing distance, selectable light-on/dark-on, NPN/PNP, 50 Hz switching frequency, teach-in button, polycarbonate housing, 4-pin M12 quick-disconnect.	Stock	\$457.00
<u>OPT2023</u>	Wenglor color sensor, square, diffuse, white, 30-40mm sensing distance, selectable light-on/dark-on, NPN/PNP, teach-in button, 1.8 kHz switching frequency, plastic housing, 8-pin M12 quick-disconnect.	Stock	\$402.00
<u>OPT2024</u>	Wenglor contrast sensor, rectangular, diffuse, white, 12-18mm sensing distance, selectable light-on/dark-on, PNP, teach-in button, 5 kHz switching frequency, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>OPT2025</u>	Wenglor contrast sensor, rectangular, diffuse, white, 12-18mm sensing distance, selectable light-on/dark-on, NPN, teach-in button, 5 kHz switching frequency, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>OPT2026</u>	Wenglor contrast sensor, square, diffuse, white, 12-16mm sensing distance, selectable light-on/dark-on, PNP, teach-in button, 25 kHz switching frequency, plastic housing, 8-pin M12 quick-disconnect.	Stock	\$224.00
<u>OPT2027</u>	Wenglor contrast sensor, square, diffuse, white, 12-16mm sensing distance, selectable light-on/dark-on, NPN, teach-in button, 25 kHz switching frequency, plastic housing, 8-pin M12 quick-disconnect.	Stock	\$224.00
<u>OPT2029</u>	Wenglor contrast sensor, square, diffuse, white, 30-40mm sensing distance, selectable light-on/dark-on, NPN, teach-in button, 25 kHz switching frequency, plastic housing, 8-pin M12 quick-disconnect.	Stock	\$224.00
<u>S8-PR-3-W13-NN</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, 6-12mm sensing distance, selectable light-on/dark-on, NPN, 25 kHz switching frequency, teach-in button, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>S8-PR-3-W13-PP</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, 6-12mm sensing distance, selectable light-on/dark-on, PNP, 25 kHz switching frequency, teach-in button, plastic housing, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>S8-PR-5-W13-NN</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, 6-12mm sensing distance, selectable light-on/dark-on, NPN, 25 kHz switching frequency, teach-in button, plastic housing, 4-pin M8 quick-disconnect.	Stock	\$88.00
<u>S8-PR-5-W13-PP</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, 6-12mm sensing distance, selectable light-on/dark-on, PNP, 25 kHz switching frequency, teach-in button, plastic housing, 4-pin M8 quick-disconnect.	Stock	\$88.00

<u>S8-MR-5-W13-NN</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, 6-12mm sensing distance, selectable light-on/dark-on, NPN, 25 kHz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M8 quick-disconnect.	Stock	\$122.00
<u>S8-MR-5-W13-PP</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, 6-12mm sensing distance, selectable light-on/dark-on, PNP, 25 kHz switching frequency, teach-in button, 316L stainless steel housing, 4-pin M8 quick-disconnect.	Stock	\$122.00
<u>TL46-W-815</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, vertical spot orientation, 6-12mm sensing distance, selectable light-on/dark-on, NPN/PNP, 15 kHz switching frequency, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$167.00
<u>TL46-W-815L</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, horizontal spot orientation, 6-12mm sensing distance, selectable light-on/dark-on, NPN/PNP, 15 kHz switching frequency, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$167.00
<u>TL46-WJ-815</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, vertical spot orientation, 6-12mm sensing distance, selectable light-on/dark-on, PNP, 50 kHz switching frequency, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$424.00
<u>TL46-WJ-815L</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, horizontal spot orientation, 6-12mm sensing distance, selectable light-on/dark-on, PNP, 50 kHz switching frequency, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$424.00
<u>TL46-WL-815</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, vertical spot orientation, 6-12mm sensing distance, selectable light-on/dark-on, NPN/PNP, 20 kHz switching frequency, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$197.00
<u>TL46-WL-815L</u>	Datalogic contrast sensor, rectangular, diffuse, RGB, horizontal spot orientation, 6-12mm sensing distance, selectable light-on/dark-on, NPN/PNP, 20 kHz switching frequency, teach-in button, aluminum housing, 5-pin M12 quick-disconnect.	Stock	\$197.00
Retroreflective Photoelectric Sensors			
<u>BTS200-MDTL</u>	Autonics photoelectric sensor, rectangular, retroreflective, visible red, 10-200mm sensing distance, light-on, NPN, 3-wire, pigtail.	Stock	\$84.00
<u>BTS200-MDTL-P</u>	Autonics photoelectric sensor, rectangular, retroreflective, visible red, 10-200mm sensing distance, light-on, PNP, 3-wire, pigtail.	Stock	\$84.00
<u>BTS200-MDTD</u>	Autonics photoelectric sensor, rectangular, retroreflective, visible red, 10-200mm sensing distance, dark-on, NPN, 3-wire, pigtail.	Stock	\$84.00
<u>BTS200-MDTD-P</u>	Autonics photoelectric sensor, rectangular, retroreflective, visible red, 10-200mm sensing distance, dark-on, PNP, 3-wire, pigtail.	Stock	\$84.00
<u>F8RP-DP-1F</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0-1m sensing distance, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$109.00
<u>F8RP-DN-1F</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0-1m sensing distance, dark-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$109.00
<u>LRR-M12MA-NMK-603</u>	Contrinex photoelectric sensor, tubular, threaded, retroreflective, visible red, 0.15-4m sensing distance, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$45.50
<u>LRR-M12MA-NMK-101</u>	Contrinex photoelectric sensor, tubular, threaded, retroreflective, visible red, 0.15-4m sensing distance, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$45.50
<u>LRR-M12MA-NMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, retroreflective, visible red, 0.15-4m sensing distance, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$45.50
<u>LRR-M12MA-NMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, retroreflective, visible red, 0.15-4m sensing distance, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$45.50
<u>FDMP-0N-1A</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, selectable light-on/dark-on, NPN, teach-in button, 4-wire, pigtail.	Stock	\$43.00
<u>FDMP-0N-1H</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, selectable light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$43.00
<u>FDMP-0P-1A</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, selectable light-on/dark-on, PNP, teach-in button, 4-wire, pigtail.	Stock	\$43.00
<u>FDMP-0P-1H</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, selectable light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$43.00
<u>DMP-0N-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, selectable light-on/dark-on, NPN, teach-in button, 4-wire, pigtail.	Stock	\$61.00
<u>DMP-0P-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, selectable light-on/dark-on, PNP, teach-in button, 4-wire, pigtail.	Stock	\$61.00
<u>DMP-0N-1H</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, selectable light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$61.00
<u>LRR-M18MA-NMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, retroreflective, visible red, 0.02-7m sensing distance, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$41.50
<u>LRR-M18MA-NMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, retroreflective, visible red, 0.02-7m sensing distance, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$41.50
<u>LRR-M18PA-NMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.02-7m sensing distance, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$27.00
<u>LRR-M18PA-NMK-603</u>	Contrinex photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.02-7m sensing distance, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$27.00

<u>LRR-M18PA-NMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.02-7m sensing distance, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$27.00
<u>LRR-M18PA-NMK-101</u>	Contrinex photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.02-7m sensing distance, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$27.00
<u>FBP-LN-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2.5m sensing distance, light-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$36.00
<u>FBP-DN-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2.5m sensing distance, dark-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00
<u>FBP-LP-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2.5m sensing distance, light-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$36.00
<u>FBP-DP-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2.5m sensing distance, dark-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00
<u>F18RP-0N-0A</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, selectable light-on/dark-on, NPN, potentiometer, pigtail.	Stock	\$42.00
<u>F18RP-0P-0A</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, selectable light-on/dark-on, PNP, potentiometer, pigtail.	Stock	\$42.00
<u>F18RP-0N-0E</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 4-pin M12 quick-disconnect.	Stock	\$38.50
<u>F18RP-0P-0E</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 4-pin M12 quick-disconnect.	Stock	\$38.50
<u>F18RP-BN-0A</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, complementary light-on/dark-on, NPN, potentiometer, pigtail.	Stock	\$48.50
<u>F18RP-BP-0A</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, complementary light-on/dark-on, PNP, potentiometer, pigtail.	Stock	\$48.50
<u>F18RP-BN-0E</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-pin M12 quick-disconnect.	Stock	\$47.50
<u>F18RP-BP-0E</u>	ProSense photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 0.1-4m sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-pin M12 quick-disconnect.	Stock	\$47.50
<u>MVP-A0-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 3m sensing distance, dark-on, 3-wire, pigtail.	Stock	\$52.00
<u>MVP-A0-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 3m sensing distance, dark-on, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$52.00
<u>FKLN-BN-1E</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, Class 1 red laser, 0.05-30m sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKLN-BP-1E</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, Class 1 red laser, 0.05-30m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$108.00
<u>FKLN-BN-3E</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, 90-degree, Class 1 red laser, 0.05-30m sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FKLN-BP-3E</u>	AchieVe photoelectric sensor, tubular, threaded, polarized retroreflective, 90-degree, Class 1 red laser, 0.05-30m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$117.00
<u>FALN-BP-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, Class 1 red laser, 0.06-30m sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-wire, pigtail.	Stock	\$146.00
<u>FALN-BP-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, Class 1 red laser, 0.06-30m sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>FALN-BN-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, Class 1 red laser, 0.06-30m sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-wire, pigtail.	Stock	\$146.00
<u>FALN-BN-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, Class 1 red laser, 0.06-30m sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>C18P-AN-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, dark-on, NPN, 3-wire, pigtail.	Stock	\$57.00
<u>C18P-AN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, dark-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$57.00
<u>C18P-AP-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, dark-on, PNP, 3-wire, pigtail.	Stock	\$57.00
<u>C18P-AP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 2m sensing distance, dark-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$57.00
<u>C18P-AN-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, right-angle lens, visible red, 2m sensing distance, dark-on, NPN, 3-wire, pigtail.	Stock	\$73.00
<u>C18P-AN-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, right-angle lens, visible red, 2m sensing distance, dark-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$73.00

<u>C18P-AP-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, right-angle lens, visible red, 2m sensing distance, dark-on, PNP, 3-wire, pigtail.	Stock	\$73.00
<u>C18P-AP-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, right-angle lens, visible red, 2m sensing distance, dark-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$73.00
<u>FFRP-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>FFRP-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>FFRP-ON-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, selectable light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>FFRP-OP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, selectable light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$88.00
<u>FFRN-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>FFRN-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>FFRN-ON-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, selectable light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>FFRN-OP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 4m sensing distance, selectable light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>PRK28-4P-200-M12</u>	Leuze photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.02-4.5m sensing distance, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>PRK28-4P</u>	Leuze photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.02-4.5m sensing distance, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$62.00
<u>PRK28-2N-200-M12</u>	Leuze photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.02-4.5m sensing distance, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>PRK28-2N</u>	Leuze photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.02-4.5m sensing distance, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$62.00
<u>GXP-AN-1E</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, right-angle lens, visible red, 4m sensing distance, light-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$52.00
<u>GXP-AP-1E</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, right-angle lens, visible red, 4m sensing distance, light-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$52.00
<u>GXP-CN-1E</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, right-angle lens, visible red, 4m sensing distance, dark-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$52.00
<u>GXP-CP-1E</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, right-angle lens, visible red, 4m sensing distance, dark-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$52.00
<u>E58-30RS18-GLP</u>	Eaton photoelectric sensor, tubular, threaded, retroreflective, visible red, 18m sensing distance, light-on, solid state relay, 3-wire, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$383.00
<u>E58-30RS18-GDP</u>	Eaton photoelectric sensor, tubular, threaded, retroreflective, visible red, 18m sensing distance, dark-on, solid state relay, 3-wire, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$383.00
<u>E58-30RP10-GLP</u>	Eaton photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 10m sensing distance, light-on, solid state relay, 3-wire, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$394.00
<u>E58-30RP10-GDP</u>	Eaton photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 10m sensing distance, dark-on, solid state relay, 3-wire, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$394.00
<u>E58-30RS18-HLP</u>	Eaton photoelectric sensor, tubular, threaded, retroreflective, visible red, 18m sensing distance, light-on, NPN/PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$383.00
<u>E58-30RS18-HDP</u>	Eaton photoelectric sensor, tubular, threaded, retroreflective, visible red, 18m sensing distance, dark-on, NPN/PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$383.00
<u>E58-30RP10-HLP</u>	Eaton photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 10m sensing distance, light-on, NPN/PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$394.00
<u>E58-30RP10-HDP</u>	Eaton photoelectric sensor, tubular, threaded, polarized retroreflective, visible red, 10m sensing distance, dark-on, NPN/PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$394.00
<u>RWRP-DP-0A</u>	ProSense photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.02-1.8m sensing distance, dark-on, PNP, 3-wire, pigtail.	Stock	\$51.00
<u>RWRP-DP-0F</u>	ProSense photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.02-1.8m sensing distance, dark-on, PNP, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$51.00
<u>RWRP-DN-0F</u>	ProSense photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.02-1.8m sensing distance, dark-on, NPN, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$51.00
<u>OPT2133</u>	Wenglor photoelectric sensor, square, retroreflective, visible red, 0-7m sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$82.00
<u>OPT2134</u>	Wenglor photoelectric sensor, square, retroreflective, visible red, 0-7m sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$82.00
<u>OPT2135</u>	Wenglor photoelectric sensor, square, retroreflective, visible red, 0-11m sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$92.00

<u>OPT2136</u>	Wenglor photoelectric sensor, square, retroreflective, visible red, 0-11m sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$92.00
<u>OPT2137</u>	Wenglor photoelectric sensor, square, retroreflective, Class 1 red laser, 0-9.5m sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-pin M12 quick-disconnect.	Stock	\$224.00
<u>OPT2138</u>	Wenglor photoelectric sensor, square, retroreflective, Class 1 red laser, 0-9.5m sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-pin M12 quick-disconnect.	Stock	\$224.00
<u>F16RP-DP-1F</u>	ProSense photoelectric sensor, rectangular, polarized retroreflective, visible red, 0-1m sensing distance, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$110.00
<u>F16RP-DN-1F</u>	ProSense photoelectric sensor, rectangular, polarized retroreflective, visible red, 0-1m sensing distance, dark-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$110.00
<u>LRR-C23PA-NMK-603</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 30-6000mm sensing distance, complementary light-on/dark-on, PNP, IO-Link only, 4-wire, pigtail.	Stock	\$35.00
<u>LRR-C23PA-NMK-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 30-6000mm sensing distance, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$35.00
<u>LRR-C23PA-NMS-603</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 30-6000mm sensing distance, complementary light-on/dark-on, PNP, IO-Link only, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$35.00
<u>LRR-C23PA-NMS-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 30-6000mm sensing distance, complementary light-on/dark-on, NPN, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$35.00
<u>QMRN-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.1-5m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, pigtail.	Stock	\$55.00
<u>QMRN-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.1-5m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$55.00
<u>QMRN-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.1-5m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, pigtail.	Stock	\$55.00
<u>QMRN-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 0.1-5m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$55.00
<u>QMIC-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.1-7m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, pigtail.	Stock	\$55.00
<u>QMIC-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.1-7m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$55.00
<u>QMIC-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.1-7m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, pigtail.	Stock	\$55.00
<u>QMIC-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.1-7m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$55.00
<u>FMRP-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 5m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, pigtail.	Stock	\$66.00
<u>FMRP-0P-0E</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 5m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>FMRP-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 5m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$66.00
<u>FMRP-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 5m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, pigtail.	Stock	\$66.00
<u>FMRP-0N-0E</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 5m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$68.00
<u>FMRP-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 5m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$66.00
<u>CXP-AN-1A</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 2m sensing distance, dark-on, NPN, potentiometer, 3-wire, pigtail.	Stock	\$66.00
<u>CXP-AN-1F</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 2m sensing distance, dark-on, NPN, potentiometer, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$66.00
<u>CXP-AP-1A</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 2m sensing distance, dark-on, PNP, potentiometer, 3-wire, pigtail.	Stock	\$66.00
<u>CXP-AP-1F</u>	AutomationDirect photoelectric sensor, rectangular, polarized retroreflective, visible red, 2m sensing distance, dark-on, PNP, potentiometer, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$66.00
<u>1451E-6513</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 4-wire, pigtail.	Stock	\$153.00
<u>1451E-6517</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 4-wire, pigtail.	Stock	\$141.00
<u>1451E-6514</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, SPDT EM relay, potentiometer, 5-wire, pigtail.	Stock	\$153.00
<u>1451E-6534</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, SPDT EM relay, potentiometer, 5-wire, 5-pin AC micro connector and 1/2in - 20UNF thread.	Stock	\$153.00
<u>1451E-6543</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 4-wire, 4-pin AC micro connector.	Stock	\$153.00

<u>1451E-6547</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$141.00
<u>1451E-6504</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, SPDT EM relay, potentiometer, 5-wire, 7/8in - 16UNF thread and 5-pin mini connector.	Stock	\$153.00
<u>1451E-6503</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 4-wire, 4-pin mini connector and 7/8in - 16UNF thread.	Stock	\$160.00
<u>1451E-6507</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 16ft sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 4-wire, 4-pin mini connector and 7/8in - 16UNF thread.	Stock	\$148.00
<u>OPT2139</u>	Wenglor photoelectric sensor, square, retroreflective, visible red, 0-2.6m sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$129.00
<u>OPT2140</u>	Wenglor photoelectric sensor, square, retroreflective, visible red, 0-2.6m sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$129.00
<u>TRR-C23PA-TMK-603</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 20-4200mm sensing distance, complementary light-on/dark-on, PNP, teach-in button, 4-wire, pigtail.	Stock	\$54.00
<u>TRR-C23PA-TMK-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 20-4200mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, pigtail.	Stock	\$54.00
<u>TRR-C23PA-TMS-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 20-4200mm sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$54.00
<u>TRR-C23PA-PMK-603</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 20-4200mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-wire, pigtail.	Stock	\$54.00
<u>TRR-C23PA-PMK-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 20-4200mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-wire, pigtail.	Stock	\$54.00
<u>TRR-C23PA-PMS-603</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 20-4200mm sensing distance, complementary light-on/dark-on, PNP, potentiometer, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$54.00
<u>TRR-C23PA-PMS-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, visible red, 20-4200mm sensing distance, complementary light-on/dark-on, NPN, potentiometer, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$54.00
<u>TRU-C23PA-TMK-603</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, ultra violet, 1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 4-wire, pigtail.	Stock	\$120.00
<u>TRU-C23PA-TMK-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, ultra violet, 1m sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, pigtail.	Stock	\$120.00
<u>TRU-C23PA-TMS-603</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, ultra violet, 1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$120.00
<u>TRU-C23PA-TMS-101</u>	Contrinex photoelectric sensor, rectangular, polarized retroreflective, ultra violet, 1m sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$120.00
<u>QMRL-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.4-4m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, pigtail.	Stock	\$63.00
<u>QMRL-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.4-4m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$63.00
<u>QMRL-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.4-4m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, pigtail.	Stock	\$63.00
<u>QMRL-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.4-4m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$63.00
<u>QMRG-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.05-1m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, pigtail.	Stock	\$63.00
<u>QMRG-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.05-1m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$63.00
<u>QMRG-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.05-1m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, pigtail.	Stock	\$63.00
<u>QMRG-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, visible red, 0.05-1m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$63.00
<u>QMIG-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.05-1m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, pigtail.	Stock	\$63.00
<u>QMIG-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.05-1m sensing distance, selectable light-on/dark-on, NPN, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$63.00
<u>QMIG-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.05-1m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, pigtail.	Stock	\$63.00
<u>QMIG-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, retroreflective, infrared, 0.05-1m sensing distance, selectable light-on/dark-on, PNP, potentiometer, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$63.00
<u>FFRL-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, retroreflective, visible red, 1m sensing distance, complementary light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>FFRL-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, retroreflective, visible red, 1m sensing distance, complementary light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>FFRL-0N-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, retroreflective, visible red, 1m sensing distance, selectable light-on/dark-on, NPN, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00

<u>FFRL-0P-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, retroreflective, visible red, 1m sensing distance, selectable light-on/dark-on, PNP, teach-in button, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$90.00
<u>1452E-6513</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 45in sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 4-wire, pigtail.	Stock	\$241.00
<u>1452E-6517</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 45in sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 4-wire, pigtail.	Stock	\$233.00
<u>1452E-6543</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 45in sensing distance, selectable light-on/dark-on, solid state relay, potentiometer, 4-wire, 4-pin AC micro connector and 1/2in - 20UNF thread.	Stock	\$233.00
<u>1452E-6547</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 45in sensing distance, selectable light-on/dark-on, NPN/PNP, potentiometer, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$233.00
<u>1452E-6504</u>	Eaton photoelectric sensor, rectangular, polarized retroreflective, visible red, 45in sensing distance, selectable light-on/dark-on, SPDT EM relay, potentiometer, 5-wire, 5-pin mini connector and 7/8in - 16UNF thread.	Stock	\$232.00
<u>OPT2015</u>	Wenglor photoelectric sensor, rectangular, retroreflective, Class 1 red laser, 0.2-100.2m sensing distance, selectable light-on/dark-on, NPN/PNP, teach-in button, 8-pin M12 quick-disconnect.	Stock	\$872.00
Through-Beam Photoelectric Sensors			
<u>BTF1M-TDTL</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, light-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTF1M-TDTL-P</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, light-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>BTF1M-TDTD</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, dark-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTF1M-TDTD-P</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>BPS3M-TDT</u>	Autonics photoelectric sensor, rectangular, polycarbonate housing, through-beam pair, infrared, 0-3m sensing distance, 10.8-26.4 VDC operating voltage, dark-on, NPN, 3-wire, pigtail.	Stock	\$91.00
<u>BPS3M-TDT-P</u>	Autonics photoelectric sensor, rectangular, polycarbonate housing, through-beam pair, infrared, 0-3m sensing distance, 10.8-26.4 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$91.00
<u>BPS3M-TDTL</u>	Autonics photoelectric sensor, rectangular, polycarbonate housing, through-beam pair, infrared, 0-3m sensing distance, 10.8-26.4 VDC operating voltage, light-on, NPN, 3-wire, pigtail.	Stock	\$91.00
<u>BPS3M-TDTL-P</u>	Autonics photoelectric sensor, rectangular, polycarbonate housing, through-beam pair, infrared, 0-3m sensing distance, 10.8-26.4 VDC operating voltage, light-on, PNP, 3-wire, pigtail.	Stock	\$91.00
<u>BTS1M-TDTL</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, light-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTS1M-TDTL-P</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, light-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>BTS1M-TDTD</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, dark-on, NPN, 3-wire, pigtail.	Stock	\$98.00
<u>BTS1M-TDTD-P</u>	Autonics photoelectric sensor, rectangular, polybutylene terephthalate housing, through-beam pair, visible red, 0-1m sensing distance, 10.8-26.4 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$98.00
<u>LLR-D04MA-NMK-400</u>	Contrinex photoelectric sensor, tubular, smooth, stainless steel housing, through-beam emitter, visible red, 0-600mm sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$45.50
<u>LLR-D04MA-NMS-400</u>	Contrinex photoelectric sensor, tubular, smooth, stainless steel housing, through-beam emitter, visible red, 0-600mm sensing distance, 10-30 VDC operating voltage, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$45.50
<u>LLR-D04MA-NMK-404</u>	Contrinex photoelectric sensor, tubular, smooth, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$59.00
<u>LLR-D04MA-NMS-404</u>	Contrinex photoelectric sensor, tubular, smooth, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$59.00
<u>LLR-D04MA-NMK-302</u>	Contrinex photoelectric sensor, tubular, smooth, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, pigtail.	Stock	\$59.00
<u>LLR-D04MA-NMS-302</u>	Contrinex photoelectric sensor, tubular, smooth, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$59.00
<u>LLR-M05MA-NMK-400</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam emitter, visible red, 0-600mm sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$45.50
<u>LLR-M05MA-NMS-400</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam emitter, visible red, 0-600mm sensing distance, 10-30 VDC operating voltage, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$45.50
<u>LLR-M05MA-NMK-404</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$59.00
<u>LLR-M05MA-NMS-404</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$59.00
<u>LLR-M05MA-NMK-302</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, pigtail.	Stock	\$59.00
<u>LLR-M05MA-NMS-302</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-600mm sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$59.00

<u>F8RE-00-1F</u>	ProSense photoelectric sensor, tubular, threaded, stainless steel housing, through-beam emitter, visible red, 0-2.2m sensing distance, 10-30 VDC operating voltage, 2-wire, 3-pin M8 quick-disconnect.	Stock	\$97.00
<u>F8RR-DN-1F</u>	ProSense photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-2.2m sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$97.00
<u>F8RR-DP-1F</u>	ProSense photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-2.2m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$97.00
<u>HEE-00-3A</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam emitter, infrared, 1m sensing distance, 10-30 VDC operating voltage, 2-wire, pigtail.	Stock	\$42.50
<u>HEE-00-3F</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam emitter, infrared, 1m sensing distance, 10-30 VDC operating voltage, 2-wire, 3-pin M8 quick-disconnect.	Stock	\$43.50
<u>HER-AP-3A</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 1m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$61.00
<u>HER-CP-3A</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 1m sensing distance, 10-30 VDC operating voltage, light-on, PNP, 3-wire, pigtail.	Stock	\$66.00
<u>HER-AP-3F</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 1m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$64.00
<u>HER-CP-3F</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 1m sensing distance, 10-30 VDC operating voltage, light-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$66.00
<u>HER-AN-3F</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 1m sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$64.00
<u>HER-CN-3F</u>	AutomationDirect photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 1m sensing distance, 10-30 VDC operating voltage, light-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$66.00
<u>LLR-M12MA-NMK-400</u>	Contrinex photoelectric sensor, tubular, threaded, chrome-plated brass housing, through-beam emitter, visible red, 0-10m sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$27.50
<u>LLR-M12MA-NMK-603</u>	Contrinex photoelectric sensor, tubular, threaded, chrome-plated brass housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$38.00
<u>LLR-M12MA-NMK-101</u>	Contrinex photoelectric sensor, tubular, threaded, chrome-plated brass housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$38.00
<u>LLR-M12MA-NMS-400</u>	Contrinex photoelectric sensor, tubular, threaded, chrome-plated brass housing, through-beam emitter, visible red, 0-10m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$27.50
<u>LLR-M12MA-NMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, chrome-plated brass housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00
<u>LLR-M12MA-NMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, chrome-plated brass housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00
<u>FDME-00-1A</u>	AchieVe photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, infrared, 4m sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$26.50
<u>FDME-00-1H</u>	AchieVe photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, infrared, 4m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$26.50
<u>FDMR-0N-1A</u>	AchieVe photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$33.00
<u>FDMR-0N-1H</u>	AchieVe photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$33.00
<u>FDMR-0P-1A</u>	AchieVe photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$33.00
<u>FDMR-0P-1H</u>	AchieVe photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$33.00
<u>DMR-0N-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$44.00
<u>DMR-0P-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$44.00
<u>DMR-0N-1H</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$44.00
<u>DMR-0P-1H</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 4m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$44.00
<u>DME-00-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, infrared, 4m sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$35.00
<u>DME-00-1H</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, infrared, 4m sensing distance, 10-30 VDC operating voltage, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$35.00
<u>LLR-M18MA-NMS-400</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam emitter, visible red, 0-30m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$27.50
<u>LLR-M18MA-NMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-30m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00

<u>LLR-M18MA-NMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, stainless steel housing, through-beam receiver, 0-30m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00
<u>LLR-M18PA-NMS-400</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic housing, through-beam emitter, visible red, 0-30m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$20.00
<u>LLR-M18PA-NMK-400</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic housing, through-beam emitter, visible red, 0-30m sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$20.00
<u>LLR-M18PA-NMS-603</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic housing, through-beam receiver, 0-30m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$23.00
<u>LLR-M18PA-NMK-603</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic housing, through-beam receiver, 0-30m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$23.00
<u>LLR-M18PA-NMS-101</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic housing, through-beam receiver, 0-30m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$23.00
<u>LLR-M18PA-NMK-101</u>	Contrinex photoelectric sensor, tubular, threaded, ABS plastic housing, through-beam receiver, 0-30m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$23.00
<u>FBE-00-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam emitter, visible red, 8m sensing distance, 10-30 VDC operating voltage, 2-wire, 4-pin M12 quick-disconnect.	Stock	\$26.00
<u>FBR-LN-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 8m sensing distance, 10-30 VDC operating voltage, light-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$31.00
<u>FBR-DN-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 8m sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$31.00
<u>FBR-LP-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 8m sensing distance, 10-30 VDC operating voltage, light-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$31.00
<u>FBR-DP-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 8m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$31.00
<u>F18IR-0N-0A</u>	ProSense photoelectric sensor, tubular, threaded, polybutylene terephthalate housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, pigtail.	Stock	\$36.50
<u>F18IR-0P-0A</u>	ProSense photoelectric sensor, tubular, threaded, polybutylene terephthalate housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, pigtail.	Stock	\$36.50
<u>F18IR-0N-0E</u>	ProSense photoelectric sensor, tubular, threaded, polybutylene terephthalate housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 4-pin M12 quick-disconnect.	Stock	\$29.50
<u>F18IR-0P-0E</u>	ProSense photoelectric sensor, tubular, threaded, polybutylene terephthalate housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 4-pin M12 quick-disconnect.	Stock	\$29.50
<u>F18IE-00-0A</u>	ProSense photoelectric sensor, tubular, threaded, polybutylene terephthalate housing, through-beam emitter, infrared, 25m sensing distance, 10-30 VDC operating voltage, pigtail.	Stock	\$29.50
<u>F18IE-00-0E</u>	ProSense photoelectric sensor, tubular, threaded, polybutylene terephthalate housing, through-beam emitter, infrared, 25m sensing distance, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$29.50
<u>MVE-00-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam emitter, infrared, 16m sensing distance, 20-253 VAC operating voltage, 2-wire, pigtail.	Stock	\$42.00
<u>MVE-00-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam emitter, infrared, 16m sensing distance, 20-253 VAC operating voltage, 2-wire, 4-pin M12 quick-disconnect.	Stock	\$42.00
<u>MVR-A0-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 16m sensing distance, 20-253 VAC operating voltage, dark-on, 3-wire, pigtail.	Stock	\$42.00
<u>MVR-A0-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 16m sensing distance, 20-253 VAC operating voltage, dark-on, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$42.00
<u>FKLD-BN-1E</u>	AchieVe photoelectric sensor, tubular, threaded, nickel-plated brass housing, through-beam receiver, 0.05-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00
<u>FKLD-BP-1E</u>	AchieVe photoelectric sensor, tubular, threaded, nickel-plated brass housing, through-beam receiver, 0.05-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$38.00
<u>FKLD-BN-3E</u>	AchieVe photoelectric sensor, tubular, threaded, nickel-plated brass housing, through-beam receiver, 90-degree, 0.05-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$43.00
<u>FKLD-BP-3E</u>	AchieVe photoelectric sensor, tubular, threaded, nickel-plated brass housing, through-beam receiver, 90-degree, 0.05-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$43.00
<u>FKLH-X0-1E</u>	AchieVe photoelectric sensor, tubular, threaded, nickel-plated brass housing, through-beam emitter, Class 1 red laser, 0.05-50m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$70.00
<u>FKLH-X0-3E</u>	AchieVe photoelectric sensor, tubular, threaded, nickel-plated brass housing, through-beam emitter, 90-degree, Class 1 red laser, 0.05-50m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$75.00

<u>FALH-X0-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam emitter, Class 1 red laser, 50m sensing distance, 10-30 VDC operating voltage, 2-wire, pigtail.	Stock	\$102.00
<u>FALH-X0-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam emitter, Class 1 red laser, 50m sensing distance, 10-30 VDC operating voltage, 2-wire, 4-pin M12 quick-disconnect.	Stock	\$102.00
<u>FALD-BN-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 0.1-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$51.00
<u>FALD-BN-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 0.1-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$51.00
<u>FALD-BP-0A</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 0.1-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$51.00
<u>FALD-BP-0E</u>	AutomationDirect photoelectric sensor, tubular, threaded, plastic housing, through-beam receiver, 0.1-50m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$51.00
<u>C18E-00-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, visible red, 6m sensing distance, 10-36 VDC operating voltage, 3-wire, pigtail.	Stock	\$36.00
<u>C18E-00-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, visible red, 6m sensing distance, 10-36 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$36.00
<u>C18R-0N-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$50.00
<u>C18R-0N-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$50.00
<u>C18R-0P-1A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$50.00
<u>C18R-0P-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$50.00
<u>C18E-00-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, right-angle lens, visible red, 6m sensing distance, 10-36 VDC operating voltage, 3-wire, pigtail.	Stock	\$50.00
<u>C18E-00-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam emitter, right-angle lens, visible red, 6m sensing distance, 10-36 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$50.00
<u>C18R-0N-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, right-angle lens, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$65.00
<u>C18R-0N-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, right-angle lens, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$65.00
<u>C18R-0P-2A</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, right-angle lens, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$65.00
<u>C18R-0P-2E</u>	AutomationDirect photoelectric sensor, tubular, threaded, metal housing, through-beam receiver, right-angle lens, 6m sensing distance, 10-36 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$54.00
<u>FFIZ-BN-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel housing, through-beam receiver, 20m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>FFIZ-BP-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel housing, through-beam receiver, 20m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>FFIZ-0N-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel housing, through-beam receiver, 20m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>FFIZ-0P-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel housing, through-beam receiver, 20m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$64.00
<u>FFIH-00-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel housing, through-beam emitter, infrared, 20m sensing distance, 10-30 VDC operating voltage, 2-wire, 4-pin M12 quick-disconnect.	Stock	\$61.00
<u>FFIH-X0-1E</u>	AutomationDirect photoelectric sensor, tubular, threaded, 316L stainless steel housing, through-beam emitter, infrared, 20m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$62.00
<u>LS28-9D-M12</u>	Leuze photoelectric sensor, rectangular, ABS plastic housing, through-beam emitter, visible red, 0-10m sensing distance, 10-30 VDC operating voltage, 2-wire, 4-pin M12 quick-disconnect.	Stock	\$42.00
<u>LS28-9D</u>	Leuze photoelectric sensor, rectangular, ABS plastic housing, through-beam emitter, visible red, 0-10m sensing distance, 10-30 VDC operating voltage, 2-wire, pigtail.	Stock	\$49.00
<u>LS28I</u>	Leuze photoelectric sensor, rectangular, ABS plastic housing, through-beam emitter, infrared, 0-10m sensing distance, 10-30 VDC operating voltage, 2-wire, pigtail.	Stock	\$55.00

<u>LE28-4P-M12</u>	Leuze photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$54.00
<u>LE28-4P</u>	Leuze photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$62.00
<u>LE28-2N-M12</u>	Leuze photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$54.00
<u>LE28-2N</u>	Leuze photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 0-10m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$62.00
<u>GXR-AP-1E</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam receiver, right-angle lens, 20m sensing distance, 10-30 VDC operating voltage, light-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$47.00
<u>GXR-CN-1E</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam receiver, right-angle lens, 20m sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$47.00
<u>GXR-CP-1E</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam receiver, right-angle lens, 20m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$47.00
<u>GXE-00-1E</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam emitter, right-angle lens, visible red, 20m sensing distance, 10-30 VDC operating voltage, 2-wire, 4-pin M12 quick-disconnect.	Stock	\$40.00
<u>E58-30TS250-GAP</u>	Eaton photoelectric sensor, tubular, threaded, 303 stainless steel housing, through-beam emitter, visible red, 250m sensing distance, 15-30 VDC/20-132 VAC operating voltage, 2-wire, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$286.00
<u>E58-30TD250-GLP</u>	Eaton photoelectric sensor, tubular, threaded, 303 stainless steel housing, through-beam receiver, 250m sensing distance, 15-30 VDC/20-132 VAC operating voltage, light-on, solid state relay, 3-wire, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$302.00
<u>E58-30TD250-GDP</u>	Eaton photoelectric sensor, tubular, threaded, 303 stainless steel housing, through-beam receiver, 250m sensing distance, 15-30 VDC/20-132 VAC operating voltage, dark-on, solid state relay, 3-wire, 4-pin AC micro 1/2in-20 UNF thread.	Stock	\$302.00
<u>E58-30TS250-HAP</u>	Eaton photoelectric sensor, tubular, threaded, 303 stainless steel housing, through-beam emitter, visible red, 250m sensing distance, 10-30 VDC operating voltage, 2-wire, 4-pin M12 quick-disconnect.	Stock	\$286.00
<u>E58-30TD250-HLP</u>	Eaton photoelectric sensor, tubular, threaded, 303 stainless steel housing, through-beam receiver, 250m sensing distance, 10-30 VDC operating voltage, light-on, NPN/PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$302.00
<u>E58-30TD250-HDP</u>	Eaton photoelectric sensor, tubular, threaded, 303 stainless steel housing, through-beam receiver, 250m sensing distance, 10-30 VDC operating voltage, dark-on, NPN/PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$302.00
<u>RWRE-00-0A</u>	ProSense photoelectric sensor, rectangular, ABS plastic housing, through-beam emitter, visible red, 3m sensing distance, 10-30 VDC operating voltage, 2-wire, pigtail.	Stock	\$34.50
<u>RWRE-00-0F</u>	ProSense photoelectric sensor, rectangular, ABS plastic housing, through-beam emitter, visible red, 3m sensing distance, 10-30 VDC operating voltage, 2-wire, 4-pin M8 quick-disconnect.	Stock	\$34.50
<u>RWRR-DP-0A</u>	ProSense photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 3m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$43.50
<u>RWRR-DP-0F</u>	ProSense photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 3m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$43.50
<u>RWRR-DN-0F</u>	ProSense photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 3m sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$43.50
<u>OPT2130</u>	Wenglor photoelectric sensor, square, plastic housing, through-beam receiver, 0-20m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$71.00
<u>OPT2131</u>	Wenglor photoelectric sensor, square, plastic housing, through-beam receiver, 0-20m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$71.00
<u>OPT2132</u>	Wenglor photoelectric sensor, square, plastic housing, through-beam emitter, visible red, 0-20m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$78.00
<u>F16RE-00-1F</u>	ProSense photoelectric sensor, rectangular, die-cast zinc housing, through-beam emitter, visible red, 0-2.2m sensing distance, 10-30 VDC operating voltage, 2-wire, 3-pin M8 quick-disconnect.	Stock	\$97.00
<u>F16RR-DP-1F</u>	ProSense photoelectric sensor, rectangular, die-cast zinc housing, through-beam receiver, 0-2.2m sensing distance, 10-30 VDC operating voltage, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$97.00
<u>F16RR-DN-1F</u>	ProSense photoelectric sensor, rectangular, die-cast zinc housing, through-beam receiver, 0-2.2m sensing distance, 10-30 VDC operating voltage, dark-on, NPN, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$97.00
<u>LLR-C23PA-NMK-400</u>	Contrinex photoelectric sensor, rectangular, ABS plastic housing, through-beam emitter, visible red, 25m sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$21.00
<u>LLR-C23PA-NMS-400</u>	Contrinex photoelectric sensor, rectangular, ABS plastic housing, through-beam emitter, visible red, 25m sensing distance, 10-30 VDC operating voltage, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$21.00
<u>LLR-C23PA-NMK-603</u>	Contrinex photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, pigtail.	Stock	\$28.00
<u>LLR-C23PA-NMK-101</u>	Contrinex photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, pigtail.	Stock	\$28.00
<u>LLR-C23PA-NMS-603</u>	Contrinex photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, PNP, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$28.00

<u>LLR-C23PA-NMS-101</u>	Contrinex photoelectric sensor, rectangular, ABS plastic housing, through-beam receiver, 25m sensing distance, 10-30 VDC operating voltage, complementary light-on/dark-on, NPN, 4-wire, 4-pin M8 quick-disconnect.	Stock	\$28.00
<u>QMRHD-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, visible red, 0-20m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-wire, pigtail.	Stock	\$73.00
<u>QMRHD-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, visible red, 0-20m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$73.00
<u>QMRHD-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, visible red, 0-20m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-wire, pigtail.	Stock	\$73.00
<u>QMRHD-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, visible red, 0-20m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$73.00
<u>QMIHD-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, infrared, 0-30m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-wire, pigtail.	Stock	\$76.00
<u>QMIHD-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, infrared, 0-30m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$76.00
<u>QMIHD-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, infrared, 0-30m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-wire, pigtail.	Stock	\$76.00
<u>QMIHD-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam pair, infrared, 0-30m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$76.00
<u>FMRE-00-0A</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam emitter, visible red, 10m sensing distance, 10-30 VDC operating voltage, 3-wire, pigtail.	Stock	\$44.00
<u>FMRE-00-0E</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam emitter, visible red, 10m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$49.50
<u>FMRE-00-0F</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam emitter, visible red, 10m sensing distance, 10-30 VDC operating voltage, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$44.00
<u>FMRR-0P-0A</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam receiver, 10m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-wire, pigtail.	Stock	\$54.00
<u>FMRR-0P-0E</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam receiver, 10m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$56.00
<u>FMRR-0P-0F</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam receiver, 10m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$54.00
<u>FMRR-0N-0A</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam receiver, 10m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-wire, pigtail.	Stock	\$54.00
<u>FMRR-0N-0E</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam receiver, 10m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-wire, 4-pin M12 quick-disconnect.	Stock	\$56.00
<u>FMRR-0N-0F</u>	AutomationDirect photoelectric sensor, rectangular, 316L stainless steel housing, through-beam receiver, 10m sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-wire, 4-pin M8 quick-disconnect.	Stock	\$54.00
<u>CXE-0N-1A</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam emitter, infrared, 6m sensing distance, 10-36 VDC operating voltage, 3-wire, pigtail.	Stock	\$40.50
<u>CXE-0N-1F</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam emitter, infrared, 6m sensing distance, 10-36 VDC operating voltage, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$40.50
<u>CXR-AP-1A</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam receiver, 6m sensing distance, 10-36 VDC operating voltage, dark-on, PNP, 3-wire, pigtail.	Stock	\$63.00
<u>CXR-AP-1F</u>	AutomationDirect photoelectric sensor, rectangular, plastic housing, through-beam receiver, 6m sensing distance, 10-36 VDC operating voltage, dark-on, PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$63.00
<u>1151E-6513</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam emitter, infrared, 500ft sensing distance, 12-240 VDC/24-240 VAC operating voltage, 4-wire, pigtail.	Stock	\$135.00
<u>1151E-6517</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam emitter, infrared, 500ft sensing distance, 10-40 VDC operating voltage, 4-wire, pigtail.	Stock	\$135.00
<u>1151E-6543</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam emitter, infrared, 500ft sensing distance, 12-240 VDC/24-240 VAC operating voltage, 4-wire, 4-pin AC micro connector and 1/2in - 20UNF thread.	Stock	\$135.00
<u>1151E-6547</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam emitter, infrared, 500ft sensing distance, 10-40 VDC operating voltage, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$135.00
<u>1151E-6504</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam emitter, infrared, 500ft sensing distance, 12-240 VDC/24-240 VAC operating voltage, 4-wire, 4-pin mini connector and 7/8in - 16UNF thread.	Stock	\$135.00
<u>1251E-6513</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam receiver, 500ft sensing distance, 12-240 VDC/24-240 VAC operating voltage, selectable light-on/dark-on, solid state relay, 4-wire, pigtail.	Stock	\$134.00

<u>1251E-6517</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam receiver, 500ft sensing distance, 10-40 VDC operating voltage, selectable light-on/dark-on, NPN/PNP, 4-wire, pigtail.	Stock	\$121.00
<u>1251E-6543</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam receiver, 500ft sensing distance, 12-240 VDC/24-240 VAC operating voltage, selectable light-on/dark-on, solid state relay, 4-wire, 4-pin AC micro connector and 1/2in - 20UNF thread.	Stock	\$134.00
<u>1251E-6547</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam receiver, 500ft sensing distance, 10-40 VDC operating voltage, selectable light-on/dark-on, NPN/PNP, 4-wire, 4-pin M12 quick-disconnect.	Stock	\$121.00
<u>1251E-6504</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam receiver, 500ft sensing distance, 12-240 VDC/24-240 VAC operating voltage, selectable light-on/dark-on, SPDT EM relay, 5-wire, 5-pin mini connector and 7/8in - 16UNF thread.	Stock	\$131.00
<u>1251E-6503</u>	Eaton photoelectric sensor, rectangular, plastic housing, through-beam receiver, 500ft sensing distance, 12-240 VDC/24-240 VAC operating voltage, selectable light-on/dark-on, solid state relay, 4-wire, 4-pin mini connector and 7/8in - 16UNF thread.	Stock	\$135.00
Fiber Optic Sensors			
<u>OPT2040</u>	Wenglor fiber amplifier, rectangular, 1-channel, pushbutton user interface, NPN/PNP, programmable switching, impulse or time delay outputs, 10-30 VDC operating voltage, 4-pin M8 quick-disconnect.	Stock	\$109.00
<u>OPT2041</u>	Wenglor fiber amplifier, rectangular, 1-channel, pushbutton user interface with display, NPN/PNP, programmable switching, impulse, time delay or measurement outputs, 18-30 VDC operating voltage, 4-pin M8 quick-disconnect.	Stock	\$201.00
<u>OPT2042</u>	Wenglor fiber amplifier, rectangular, 3-channel, pushbutton user interface with display, NPN/PNP, programmable switching, impulse, time delay or measurement outputs, 18-30 VDC operating voltage, 4-pin and (2) 8-pin M12 quick-disconnect.	Stock	\$415.00
<u>OPT2043</u>	Wenglor fiber amplifier, rectangular, 1-channel, pushbutton user interface with display, NPN/PNP, programmable switching, impulse, time delay or measurement outputs, 18-30 VDC operating voltage. Requires OPT2042 for operation.	Stock	\$165.00
<u>OPT2050</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, M3 head, stainless steel, polyethylene jacket, 60mm sensing distance, 2m length.	Stock	\$52.00
<u>OPT2052</u>	Wenglor optical fiber, plastic, cuttable, diffuse, coaxial fibers, 3mm diameter head, stainless steel, polyethylene jacket, 60mm sensing distance, 2m length.	Stock	\$65.00
<u>OPT2053</u>	Wenglor optical fiber, plastic, cuttable, diffuse, coaxial fibers, M3 head, stainless steel, polyethylene jacket, 60mm sensing distance, 2m length.	Stock	\$65.00
<u>OPT2054</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, M6 head, nickel-plated brass, polyethylene jacket, 160mm sensing distance, 2m length.	Stock	\$52.00
<u>OPT2055</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, M6 head, nickel-plated brass, polyethylene jacket, 60mm sensing distance, 2m length.	Stock	\$106.00
<u>OPT2056</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, M6 head, stainless steel, flexible, polyethylene jacket, 160mm sensing distance, 2m length.	Stock	\$59.00
<u>OPT2059</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, 12mm flat head, aluminum, polyethylene jacket, 160mm sensing distance, 2m length.	Stock	\$132.00
<u>OPT2060</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, 12mm flat head, aluminum, 90-degree, polyethylene jacket, 50mm sensing distance, 2m length.	Stock	\$132.00
<u>OPT2061</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, M4 head, stainless steel, 90-degree, polyethylene jacket, 70mm sensing distance, 2m length.	Stock	\$132.00
<u>OPT2062</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, 5mm diameter head, stainless steel, 90-degree, polyethylene jacket, 50mm sensing distance, 2m length.	Stock	\$132.00
<u>OPT2063</u>	Wenglor optical fiber, plastic, cuttable, diffuse, parallel fibers, M6 head, nickel-plated brass, polyethylene jacket, 90mm sensing distance, 2m length.	Stock	\$132.00
<u>OPT2064</u>	Wenglor optical fiber, plastic, cuttable, through-beam, parallel fibers, M3 head, stainless steel, polyethylene jacket, 160mm sensing distance, 2m length. Package of 2.	Stock	\$61.00
<u>OPT2065</u>	Wenglor optical fiber, plastic, cuttable, through-beam, parallel fibers, M3 head, nickel-plated brass, polyethylene jacket, 400mm sensing distance, 2m length. Package of 2.	Stock	\$52.00
<u>OPT2070</u>	Wenglor optical fiber, plastic, cuttable, through-beam, parallel fibers, 12mm flat head, aluminum, 90-degree, polyethylene jacket, 200mm sensing distance, 2m length. Package of 2.	Stock	\$132.00
<u>OPT2071</u>	Wenglor optical fiber, plastic, cuttable, through-beam, parallel fibers, M4 head, stainless steel, 90-degree, polyethylene jacket, 250mm sensing distance, 2m length. Package of 2.	Stock	\$132.00
<u>OPT2074</u>	Wenglor optical fiber, plastic, cuttable, through-beam, parallel fibers, M4 head, stainless steel, polyethylene jacket, 350mm sensing distance, 2m length. Package of 2.	Stock	\$44.50
<u>OPT2080</u>	Wenglor optical fiber, glass, diffuse, statistic mixture, 5mm diameter head, stainless steel, stainless steel jacket, 160mm sensing distance, 1m length.	Stock	\$174.00
<u>OPT2082</u>	Wenglor optical fiber, glass, diffuse, separated bundles, M6 head, aluminum, nickel plated brass jacket, 160mm sensing distance, 1m length.	Stock	\$161.00
<u>OPT2086</u>	Wenglor optical fiber, glass, through-beam, parallel fibers, M5 head, aluminum, nickel plated brass jacket, 480mm sensing distance, 1m length. Package of 2.	Stock	\$153.00
<u>SSF-0N-0A</u>	Micro Detectors fiber amplifier, tubular, 1-channel, pushbutton user interface, NPN, selectable light-on/dark-on, 10-30 VDC operating voltage, pigtail.	Stock	\$58.00

<u>SSF-0N-0E</u>	Micro Detectors fiber amplifier, tubular, 1-channel, pushbutton user interface, NPN, selectable light-on/dark-on, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$58.00
<u>SSF-0P-0A</u>	Micro Detectors fiber amplifier, tubular, 1-channel, pushbutton user interface, PNP, selectable light-on/dark-on, 10-30 VDC operating voltage, pigtail.	Stock	\$58.00
<u>SSF-0P-0E</u>	Micro Detectors fiber amplifier, tubular, 1-channel, pushbutton user interface, PNP, selectable light-on/dark-on, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$58.00
<u>CF-CB1-20</u>	Micro Detectors optical fiber, plastic, cuttable, diffuse, M6 head, nickel-plated brass, polyethylene jacket, 50mm sensing distance, 2m length.	Stock	\$32.00
<u>CF-RB6-20</u>	Micro Detectors optical fiber, plastic, cuttable, through-beam, M4 head, nickel-plated brass, polyethylene jacket, 120mm sensing distance, 2m length. Package of 2.	Stock	\$32.00
<u>CF-RBA-20</u>	Micro Detectors optical fiber, plastic, cuttable, through-beam, M7 head, nickel-plated brass, polyethylene jacket, 1200mm sensing distance, 2m length. Package of 2.	Stock	\$55.00
<u>CF-DB1-20</u>	AutomationDirect optical fiber, plastic, cuttable, diffuse, M6 head, nickel-plated brass, polyethylene jacket, 200mm sensing distance, 2m length.	Stock	\$39.50
<u>CF-DB2-20</u>	AutomationDirect optical fiber, plastic, cuttable, diffuse, M6 head, nickel-plated brass, polyethylene jacket, 260mm sensing distance, 2m length.	Stock	\$58.00
<u>CF-DB3-20</u>	AutomationDirect optical fiber, plastic, cuttable, diffuse, M6 head, nickel-plated brass, flexible, polyethylene jacket, 200mm sensing distance, 2m length.	Stock	\$63.00
<u>CF-TB1-20</u>	AutomationDirect optical fiber, plastic, cuttable, through-beam, M3 head, nickel-plated brass, polyethylene jacket, 200mm sensing distance, 2m length. Package of 2.	Stock	\$39.50
<u>CF-TB2-20</u>	AutomationDirect optical fiber, plastic, cuttable, through-beam, M4 head, nickel-plated brass, polyethylene jacket, 700mm sensing distance, 2m length. Package of 2.	Stock	\$39.50
<u>CF-TB3-20</u>	AutomationDirect optical fiber, plastic, cuttable, through-beam, M4 head, nickel-plated brass, polyethylene jacket, 900mm sensing distance, 2m length. Package of 2.	Stock	\$63.00
<u>CF-TB4-20</u>	AutomationDirect optical fiber, plastic, cuttable, through-beam, M6 head, nickel-plated brass, 90-degree, polyethylene jacket, 1800mm sensing distance, 2m length. Package of 2.	Stock	\$79.00
<u>DFP-AN-1A</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, NPN, selectable light-on/dark-on, 10-30 VDC operating voltage, pigtail.	Stock	\$109.00
<u>DFP-AN-1F</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, NPN, selectable light-on/dark-on, 10-30 VDC operating voltage, 4-pin M8 quick-disconnect.	Stock	\$109.00
<u>DFP-AP-1A</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, PNP, selectable light-on/dark-on, 10-30 VDC operating voltage, pigtail.	Stock	\$109.00
<u>DFP-AP-1F</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, PNP, selectable light-on/dark-on, 10-30 VDC operating voltage, 4-pin M8 quick-disconnect.	Stock	\$109.00
<u>DFT-AN-1A</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, pushbutton user interface, NPN, selectable light-on/dark-on, 10-30 VDC operating voltage, pigtail.	Stock	\$172.00
<u>DFT-AN-1F</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, pushbutton user interface, NPN, selectable light-on/dark-on, 10-30 VDC operating voltage, 4-pin M8 quick-disconnect.	Stock	\$172.00
<u>DFT-AP-1A</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, pushbutton user interface, PNP, selectable light-on/dark-on, 10-30 VDC operating voltage, pigtail.	Stock	\$172.00
<u>DFT-AP-1F</u>	AutomationDirect fiber amplifier, rectangular, 1-channel, pushbutton user interface, PNP, selectable light-on/dark-on, 10-30 VDC operating voltage, 4-pin M8 quick-disconnect.	Stock	\$172.00
Fork Sensors			
<u>OGU005G3-T3</u>	di-soric photoelectric fork sensor, U-frame, aluminum housing, through-beam, infrared, 0-5mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, push-pull NPN or PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$168.00
<u>OGU010G3-T3</u>	di-soric photoelectric fork sensor, U-frame, die-cast zinc housing, through-beam, infrared, 0-10mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, push-pull NPN or PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$155.00
<u>OGU020G3-T3</u>	di-soric photoelectric fork sensor, U-frame, die-cast zinc housing, through-beam, infrared, 0-20mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, push-pull NPN or PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$178.00
<u>OGU021G3-T3</u>	di-soric photoelectric fork sensor, U-frame, die-cast zinc housing, through-beam, visible red, 0-20mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, push-pull NPN or PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$173.00
<u>OGU030G3-T3</u>	di-soric photoelectric fork sensor, U-frame, die-cast zinc housing, through-beam, infrared, 0-30mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, push-pull NPN or PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$194.00
<u>OGU031G3-T3</u>	di-soric photoelectric fork sensor, U-frame, die-cast zinc housing, through-beam, visible red, 0-30mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, push-pull NPN or PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$194.00
<u>OGU041G3-T3</u>	di-soric photoelectric fork sensor, U-frame, die-cast zinc housing, through-beam, visible red, 0-40mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, push-pull NPN or PNP, 3-wire, 3-pin M8 quick-disconnect.	Stock	\$202.00

[illegible]

[illegible]

<u>PSWR-0P-7F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, visible red, 0-130mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-pin M8 quick-disconnect.	Stock	\$204.00
<u>PSWR-0N-7F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, visible red, 0-130mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-pin M8 quick-disconnect.	Stock	\$204.00
<u>PSWR-0P-8F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, visible red, 0-160mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-pin M8 quick-disconnect.	Stock	\$227.00
<u>PSWR-0N-8F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, visible red, 0-160mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, NPN, 3-pin M8 quick-disconnect.	Stock	\$227.00
<u>PSWI-0P-4F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, infrared, 0-60mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-pin M8 quick-disconnect.	Stock	\$196.00
<u>PSWI-0P-5F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, infrared, 0-80mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-pin M8 quick-disconnect.	Stock	\$200.00
<u>PSWI-0P-6F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, infrared, 0-100mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-pin M8 quick-disconnect.	Stock	\$204.00
<u>PSWI-0P-7F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, infrared, 0-130mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-pin M8 quick-disconnect.	Stock	\$246.00
<u>PSWI-0P-8F</u>	AutomationDirect photoelectric fork sensor, L-frame, die-cast zinc housing, through-beam, infrared, 0-160mm sensing distance, 10-30 VDC operating voltage, selectable light-on/dark-on, PNP, 3-pin M8 quick-disconnect.	Stock	\$263.00
Reflectors, Lens Adapters, and Splitters for Photoelectric Sensors			
<u>RL102-1</u>	Micro Detectors reflector, round, 25mm. For use with polarized reflective photoelectric sensors.	Stock	\$4.75
<u>RL102</u>	Micro Detectors reflector, round, 25mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$42.00
<u>RL103-1</u>	Micro Detectors reflector, round, 34.5mm. For use with polarized reflective photoelectric sensors.	Stock	\$5.25
<u>RL103</u>	Micro Detectors reflector, round, 34.5mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$47.00
<u>RL104-1</u>	Micro Detectors reflector, round, 46mm. For use with polarized reflective photoelectric sensors.	Stock	\$5.25
<u>RL104</u>	Micro Detectors reflector, round, 46mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$47.00
<u>RL105G-1</u>	Micro Detectors reflector, rectangular, 95mm x 38mm. For use with polarized reflective photoelectric sensors.	Stock	\$4.75
<u>RL105G</u>	Micro Detectors reflector, rectangular, 95mm x 38mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$42.00
<u>RL106G-1</u>	Micro Detectors reflector, rectangular, 182mm x 42mm. For use with polarized reflective photoelectric sensors.	Stock	\$5.25
<u>RL106G</u>	Micro Detectors reflector, rectangular, 182mm x 42mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$47.00
<u>RL110-1</u>	Micro Detectors reflector, round, 84mm. For use with polarized reflective photoelectric sensors.	Stock	\$2.25
<u>RL110</u>	Micro Detectors reflector, round, 84mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$21.00
<u>RL111G-1</u>	Micro Detectors reflector, rectangular, 22.5mm x 47mm. For use with polarized reflective photoelectric sensors.	Stock	\$8.00
<u>RL111G</u>	Micro Detectors reflector, rectangular, 22.5mm x 47mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$66.00
<u>RL112G-1</u>	Micro Detectors reflector, rectangular, 19mm x 73mm. For use with polarized reflective photoelectric sensors.	Stock	\$5.25
<u>RL112G</u>	Micro Detectors reflector, rectangular, 19mm x 73mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$48.50
<u>RL113G-1</u>	Micro Detectors reflector, rectangular, 51.4mm x 60.3mm. For use with polarized reflective photoelectric sensors.	Stock	\$6.50
<u>RL113G</u>	Micro Detectors reflector, rectangular, 51.4mm x 60.3mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$58.00
<u>RL116-1</u>	Micro Detectors reflector, rectangular, 41mm x 60mm. For use with polarized reflective photoelectric sensors.	Stock	\$2.25
<u>RL116</u>	Micro Detectors reflector, rectangular, 41mm x 60mm. Package of 10. For use with polarized reflective photoelectric sensors.	Stock	\$21.00
<u>RL100DA4</u>	Micro Detectors reflective tape, rectangular, 300mm x 200mm. For use with polarized reflective photoelectric sensors.	Stock	\$42.50
<u>RL100DC4</u>	Micro Detectors reflective tape, rectangular, 300mm x 50mm. For use with polarized reflective photoelectric sensors.	Stock	\$13.00

RL100DO1	Micro Detectors reflective tape, rectangular, 100mm x 100mm. For use with polarized reflective photoelectric sensors.	Stock	\$9.75
LXU-0000-025	Contrinex reflector, round, 26.4mm. Package of 1. For use with Contrinex C23 TRU series photoelectric sensors.	Stock	\$15.50
LXU-0000-084	Contrinex reflector, round, 82mm. Package of 1. For use with Contrinex C23 TRU series photoelectric sensors.	Stock	\$15.50
LXU-0001-032	Contrinex reflector, rectangular, 20 x 32mm. Package of 1. For use with Contrinex C23 TRU series photoelectric sensors.	Stock	\$15.50
LXU-0001-064	Contrinex reflector, rectangular, 41 x 60mm. Package of 1. For use with Contrinex C23 TRU series photoelectric sensors.	Stock	\$15.50
OPT2030	Reflector, square, 100 x 100mm. For use with photoelectric laser sensors.	Stock	\$15.00
OPT2167	Wenglor reflector, rectangular, 61 x 51.5mm. For use with OPT2137 & OPT2138.	Stock	\$14.50
RL201-1	Micro Detectors reflector, rectangular, 60mm x 82mm. For use with polarized reflective laser photoelectric sensors.	Stock	\$9.00
RL201	Micro Detectors reflector, rectangular, 60mm x 82mm. Package of 5. For use with polarized reflective laser photoelectric sensors.	Stock	\$42.00
RL203-1	Micro Detectors reflector, rectangular, 19.2mm x 60mm. For use with polarized reflective laser photoelectric sensors.	Stock	\$8.50
RL203	Micro Detectors reflector, rectangular, 19.2mm x 60mm. Package of 5. For use with polarized reflective laser photoelectric sensors.	Stock	\$39.00
RL204-1	Micro Detectors reflector, rectangular, 20mm x 32mm. For use with polarized reflective laser photoelectric sensors.	Stock	\$7.50
RL204	Micro Detectors reflector, rectangular, 20mm x 32mm. Package of 5. For use with polarized reflective laser photoelectric sensors.	Stock	\$33.00
LLW-M18PA-000	Contrinex right-angle beam adapter, ABS plastic, 18mm. For use with Contrinex LLR 18mm photoelectrics. Mirror allows 90 degree light detection.	Stock	\$7.25
LTW-M18PA-000	Contrinex right-angle beam adapter, ABS plastic, 18mm. For use with Contrinex LTR/LRR 18mm photoelectrics. Mirror allows 90 degree light detection.	Stock	\$7.25
LHW-M18PA-000	Contrinex right-angle beam adapter, ABS plastic, 18mm. For use with Contrinex LHR 18mm photoelectrics. Mirror allows 90 degree light detection.	Stock	\$7.25
STQM0	Micro Detectors shutter, plastic. Package of 2. For use with through beam QM series photoelectric sensors. Vertical and horizontal diaphragms (0.5, 1, 2mm) included.	Stock	\$6.50
ST03	Micro Detectors right-angle beam adapter, for use with 18mm sensors (except diffuse reflection models), mirror allows 90 degree light detection.	Stock	\$17.50
ZC4G004	Wenglor T-splitter, 5-pole male M12 barrel to (2) 5-pole female M12 nuts. For use with OPT25xx series laser sensors.	Stock	\$75.00
Mounting Brackets and Rods for Photoelectric Sensors			
OPT2106	Wenglor mounting bracket, right-angle, plastic. For use with 4mm sensors.	Stock	\$8.75
OPT2100	Wenglor mounting bracket, right-angle, plastic. For use with 5mm sensors.	Stock	\$8.75
ST08A	Micro Detectors mounting bracket, axial, zinc plated steel. For use with 8mm sensors.	Stock	\$2.25
ST08C	Micro Detectors mounting bracket, right-angle, zinc plated steel. For use with 8mm sensors.	Stock	\$2.25
OPT2101	Wenglor mounting bracket, right-angle, plastic. For use with 8mm sensors.	Stock	\$8.75
OPT2112	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with 8mm sensors.	Stock	\$12.50
OPT2113	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with 8mm sensors.	Stock	\$22.50
ST12A	Micro Detectors mounting bracket, axial, zinc plated steel. For use with 12mm sensors.	Stock	\$2.25
ST12A7W	Micro Detectors mounting bracket, axial, 316L stainless steel. For use with 12mm sensors.	Stock	\$8.00
ST12C	Micro Detectors mounting bracket, right-angle, zinc plated steel. For use with 12mm sensors.	Stock	\$2.25
ST12C7W	Micro Detectors mounting bracket, right-angle, 316L stainless steel. For use with 12mm sensors.	Stock	\$8.00
OPT2102	Wenglor mounting bracket, right-angle, fixed insertion stop adjustment, plastic. For use with 12mm sensors.	Stock	\$8.75
OPT2103	Wenglor mounting bracket, right-angle, plastic. For use with 12mm sensors.	Stock	\$8.75
OPT2114	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with 12mm sensors.	Stock	\$12.50
OPT2115	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with 12mm sensors.	Stock	\$22.50

<u>OPT2035</u>	Wenglor mounting bracket, right-angle, fine tune vertical and horizontal adjustment, nickel plated steel. For use with 12mm sensors.	Stock	\$41.50
<u>ST18A</u>	Micro Detectors mounting bracket, axial, zinc plated steel. For use with 18mm sensors.	Stock	\$2.25
<u>ST18A7W</u>	Micro Detectors mounting bracket, axial, 316L stainless steel. For use with 18mm sensors.	Stock	\$8.00
<u>ST18C</u>	Micro Detectors mounting bracket, right-angle, zinc plated steel. For use with 18mm sensors.	Stock	\$2.25
<u>ST18C7W</u>	Micro Detectors mounting bracket, right-angle, 316L stainless steel. For use with 18mm sensors.	Stock	\$8.00
<u>OPT2104</u>	Wenglor mounting bracket, right-angle, fixed insertion stop adjustment, plastic. For use with 18mm sensors.	Stock	\$11.50
<u>OPT2105</u>	Wenglor mounting bracket, right-angle, plastic. For use with 18mm sensors.	Stock	\$11.50
<u>OPT2116</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with 18mm sensors.	Stock	\$12.50
<u>OPT2117</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with 18mm sensors.	Stock	\$22.50
<u>OPT2036</u>	Wenglor mounting bracket, right-angle, fine tune vertical and horizontal adjustment, nickel plated steel. For use with 18mm sensors.	Stock	\$41.50
<u>ST02</u>	Micro Detectors mounting bracket, ball swivel, plastic. For use with 18mm sensors.	Stock	\$10.50
<u>ST30A</u>	Micro Detectors mounting bracket, axial, zinc plated steel. For use with 30mm sensors.	Stock	\$2.50
<u>ST30C</u>	Micro Detectors mounting bracket, right-angle, zinc plated steel. For use with 30mm sensors.	Stock	\$2.50
<u>ST30C6W</u>	AutomationDirect mounting bracket, right-angle, 304 stainless steel. For use with 30mm sensors.	Stock	\$6.00
<u>OPT2118</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with 30mm sensors.	Stock	\$12.50
<u>OPT2119</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with 30mm sensors.	Stock	\$22.50
<u>E58KAM30</u>	Eaton mounting bracket, right-angle, vertical and horizontal adjustment, stainless steel. For use with 30mm sensors.	Stock	\$67.00
<u>F16-BRKT</u>	ProSense mounting bracket, parallel, anodized aluminum. For use with F16 series photoelectric sensors.	Stock	\$40.00
<u>F16-BRKT-90</u>	ProSense mounting bracket, right-angle, stainless steel. For use with F16 series photoelectric sensors.	Stock	\$14.00
<u>F16-ADPTR-8</u>	ProSense mounting bracket, zinc plated copper, 8mm profile rail mount. For use with F16 series photoelectric sensors.	Stock	\$28.00
<u>F16-ADPTR-10</u>	ProSense mounting bracket, zinc plated copper, 10mm profile rail mount. For use with F16 series photoelectric sensors.	Stock	\$30.00
<u>LXW-C23PA-000</u>	Contrinex mounting bracket, right-angle horizontal, 304 stainless steel. For use with Contrinex C23 photoelectric sensors.	Stock	\$5.50
<u>LXW-C23PA-001</u>	Contrinex mounting bracket, right-angle vertical, 304 stainless steel. For use with Contrinex C23 photoelectric sensors.	Stock	\$5.50
<u>LXW-C23PA-002</u>	Contrinex mounting bracket, protective, 304 stainless steel. For use with Contrinex C23 photoelectric sensors.	Stock	\$6.50
<u>LXW-C23PA-003</u>	Contrinex mounting bracket, protective dual-axis, 304 stainless steel. For use with Contrinex C23 photoelectric sensors.	Stock	\$14.00
<u>ST101</u>	Micro Detectors mounting bracket, right-angle vertical, 304 stainless steel. For use with QM & FM series photoelectric sensors. Mounting hardware included.	Stock	\$3.25
<u>ST102</u>	Micro Detectors mounting bracket, right-angle horizontal, 304 stainless steel. For use with QM & FM series photoelectric sensors. Mounting hardware included.	Stock	\$3.25
<u>ST103</u>	Micro Detectors mounting bracket, protective vertical, 304 stainless steel. For use with prewired QM series photoelectric sensors only. Mounting hardware included.	Stock	\$5.00
<u>ST104</u>	Micro Detectors mounting bracket, protective horizontal, 304 stainless steel. For use with prewired QM & FM series photoelectric sensors only. Mounting hardware included.	Stock	\$5.00
<u>ST-S8-FRM</u>	Datalogic mounting bracket, vertical, 304 stainless steel. For use with S8 series contrast sensors.	Stock	\$10.00
<u>ST-5072</u>	Datalogic mounting bracket, right-angle, 304 stainless steel. For use with S8 series contrast sensors.	Stock	\$13.00
<u>OPT2034</u>	Wenglor mounting bracket, right-angle, vertical adjustment, nickel plated steel. For use with OPT2024 & OPT2025 photoelectric sensors.	Stock	\$7.50
<u>OPT2124</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with OPT2024 & OPT2025 photoelectric sensors.	Stock	\$12.50
<u>OPT2125</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with OPT2024 & OPT2025 photoelectric sensors.	Stock	\$20.50
<u>OPT2031</u>	Wenglor mounting bracket, right-angle, nickel-plated brass. For use with OPT series 50x50mm photoelectric sensors.	Stock	\$7.50

<u>OPT2038</u>	Wenglor mounting bracket, right-angle, vertical and horizontal adjustment, 304 stainless steel. For use with OPT series 50x50mm photoelectric sensors.	Stock	\$12.00
<u>OPT2122</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with OPT series 50x50mm photoelectric sensors.	Stock	\$12.50
<u>OPT2123</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with OPT series 50x50mm photoelectric sensors.	Stock	\$22.50
<u>OPT2032</u>	Wenglor mounting bracket, right-angle, nickel-plated brass. For use with OPT2012 - OPT2015 photoelectric sensors.	Stock	\$7.50
<u>OPT2126</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with OPT2012 - OPT2015 photoelectric sensors.	Stock	\$12.50
<u>OPT2127</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with OPT2012 - OPT2015 photoelectric sensors.	Stock	\$22.50
<u>OPT2033</u>	Wenglor mounting bracket, right-angle, vertical adjustment, nickel plated steel. For use with OPT series 32x12mm photoelectric sensors.	Stock	\$7.50
<u>OPT2120</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, aluminum, 12mm rod mount. For use with OPT series 32x12mm photoelectric sensors.	Stock	\$12.50
<u>OPT2121</u>	Wenglor mounting bracket, right-angle swivel, 360 degree vertical and horizontal adjustment, 304 stainless steel, 12mm rod mount. For use with OPT series 32x12mm photoelectric sensors.	Stock	\$22.50
<u>6150E-6501</u>	Mounting bracket, right-angle, 1.5in vertical adjustment, nickel plated steel. For use with CH Enhanced 50 Series sensor.	Stock	\$10.50
<u>6150E-6502</u>	Mounting bracket, right-angle, 3.5in vertical adjustment, nickel plated steel. For use with CH Enhanced 50 Series sensor.	Stock	\$13.50
<u>6150E-6503</u>	Mounting bracket, right-angle ball swivel, 60 degree vertical and horizontal adjustment, plastic. For use with CH Enhanced 50 Series sensor.	Stock	\$13.50
<u>OPT2109</u>	Wenglor mounting rod, 12mm diameter, 200mm length, 304 stainless steel.	Stock	\$14.00
<u>OPT2110</u>	Wenglor mounting rod, 12mm diameter, 300mm length, 304 stainless steel.	Stock	\$17.50
<u>OPT2111</u>	Wenglor mounting rod, 12mm diameter, 500mm length, 304 stainless steel.	Stock	\$22.50
<u>OPT2108</u>	Wenglor mounting bracket, right-angle, nickel-plated brass. For use with 12mm mounting rods OPT2109, OPT2110 & OPT2111.	Stock	\$17.50

Sensor Tester and Spare Parts for Photoelectric Sensors

<u>GXM3GD2340</u>	Micro Detectors hex nut, nickel-plated brass, M8 x 1. Package of 6. For use with 8mm sensors.	Stock	\$3.25
<u>GXM31D2474</u>	Micro Detectors hex nut, nickel-plated brass, M12 x 1. Package of 6. For use with 12mm sensors.	Stock	\$8.25
<u>ST29</u>	Micro Detectors hex nut, nickel-plated brass, M18 x 1. Package of 2. For use with 18mm sensors.	Stock	\$7.00
<u>GXM3MD2439</u>	Micro Detectors hex nut, nickel-plated brass, M18 x 1. Package of 6. For use with 18mm sensors.	Stock	\$8.25
<u>GXM3PD2013</u>	Micro Detectors hex nut, nickel-plated brass, M30 x 1.5. Package of 6. For use with 30mm sensors.	Stock	\$14.00

18mm Tubular Ultrasonic Proximity Sensors

<u>OPT2209</u>	Wenglor ultrasonic proximity sensor, tubular, 18mm diameter x 95mm body, stainless steel housing, PNP, 0-10 VDC analog output, N.O., 100-1200mm sensing distance, 7 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$141.00
<u>OPT2210</u>	Wenglor ultrasonic proximity sensor, tubular, 18mm diameter x 86mm body, stainless steel housing, PNP, 0-10 VDC analog output, N.O., 50-400mm sensing distance, 20 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$141.00
<u>UK6A-DN-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 54.9mm body, polybutylene terephthalate housing, NPN, N.O./N.C. selectable output, 40-300mm sensing distance, 12 Hz switching frequency, IP67, pigtail.	Stock	\$132.00
<u>UK6A-DN-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 60.4mm body, polybutylene terephthalate housing, NPN, N.O./N.C. selectable output, 40-300mm sensing distance, 12 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$120.00
<u>UK6A-DP-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 54.9mm body, polybutylene terephthalate housing, PNP, N.O./N.C. selectable output, 40-300mm sensing distance, 12 Hz switching frequency, IP67, pigtail.	Stock	\$132.00
<u>UK6A-DP-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 60.4mm body, polybutylene terephthalate housing, PNP, N.O./N.C. selectable output, 40-300mm sensing distance, 12 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$120.00
<u>UK6A-D1-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 54.9mm body, polybutylene terephthalate housing, 0-10 VDC analog output, 40-300mm sensing distance, 12 Hz switching frequency, IP67, pigtail.	Stock	\$132.00
<u>UK6A-D1-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 60.4mm body, polybutylene terephthalate housing, 0-10 VDC analog output, 40-300mm sensing distance, 12 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$127.00

[illegible]

[illegible]

[illegible]

<u>UK1D-G7-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 150-1600mm sensing distance, 3 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$154.00
<u>UK1D-G7-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 150-1600mm sensing distance, 3 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$163.00
<u>SU2-A1-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 90mm body, polybutylene terephthalate housing, 0-10 VDC analog output, 200-1500mm sensing distance, IP67, 4-pin M12 quick-disconnect.	Stock	\$381.00
<u>UK1F-GN-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 83.6mm body, polybutylene terephthalate housing, NPN, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, pigtail.	Stock	\$173.00
<u>UK1F-GN-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, NPN, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$171.00
<u>UK1F-GN-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, NPN, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$175.00
<u>UK1F-GP-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 83.6mm body, polybutylene terephthalate housing, PNP, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, pigtail.	Stock	\$173.00
<u>UK1F-GP-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, PNP, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$171.00
<u>UK1F-GP-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, PNP, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$175.00
<u>UK1F-GW-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 83.6mm body, polybutylene terephthalate housing, PNP, (2) N.O./N.C. selectable outputs, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, pigtail.	Stock	\$173.00
<u>UK1F-GW-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, PNP, (2) N.O./N.C. selectable outputs, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$171.00
<u>UK1F-GW-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, PNP, (2) N.O./N.C. selectable outputs, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$175.00
<u>UK1F-G1-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 83.6mm body, polybutylene terephthalate housing, 0-10 VDC analog output, 200-2200mm sensing distance, 1 Hz switching frequency, IP67, pigtail.	Stock	\$173.00
<u>UK1F-G1-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, 0-10 VDC analog output, 200-2200mm sensing distance, 1 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$171.00
<u>UK1F-G1-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, 0-10 VDC analog output, 200-2200mm sensing distance, 1 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$175.00
<u>UK1F-G2-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 83.6mm body, polybutylene terephthalate housing, 4-20 mA analog output, 200-2200mm sensing distance, 1 Hz switching frequency, IP67, pigtail.	Stock	\$173.00
<u>UK1F-G2-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, 4-20 mA analog output, 200-2200mm sensing distance, 1 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$171.00
<u>UK1F-G2-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, 4-20 mA analog output, 200-2200mm sensing distance, 1 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$175.00
<u>UK1F-G6-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 83.6mm body, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, pigtail.	Stock	\$173.00
<u>UK1F-G6-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$171.00
<u>UK1F-G6-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$175.00
<u>UK1F-G7-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 83.6mm body, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, pigtail.	Stock	\$173.00

<u>UK1F-G7-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$171.00
<u>UK1F-G7-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 18mm diameter x 91.6mm body, 316L stainless steel housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 200-2200mm sensing distance, 2 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$175.00
30mm Tubular Ultrasonic Proximity Sensors			
<u>UT1B-GW-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 88.8mm body, polybutylene terephthalate housing, PNP, (2) N.O./N.C. selectable outputs, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, pigtail.	Stock	\$240.00
<u>UT1B-GW-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, polybutylene terephthalate housing, PNP, (2) N.O./N.C. selectable outputs, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$234.00
<u>UT1B-GW-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, 316L stainless steel housing, PNP, (2) N.O./N.C. selectable outputs, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$244.00
<u>UT1B-G6-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 88.8mm body, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, pigtail.	Stock	\$240.00
<u>UT1B-G6-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$234.00
<u>UT1B-G6-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, 316L stainless steel housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$244.00
<u>UT1B-G7-0A</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 88.8mm body, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, pigtail.	Stock	\$240.00
<u>UT1B-G7-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$234.00
<u>UT1B-G7-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, 316L stainless steel housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 250-3500mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$244.00
<u>UT2F-GW-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, polybutylene terephthalate housing, PNP, (2) N.O./N.C. selectable outputs, 350-6000mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$337.00
<u>UT5L-GW-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 115mm body, 316L stainless steel housing, PNP, (2) N.O./N.C. selectable outputs, 600-8000mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$381.00
<u>UT2F-G6-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 350-6000mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$337.00
<u>UT2F-G7-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 98.8mm body, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 350-6000mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$337.00
<u>UT5L-G6-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 115mm body, 316L stainless steel housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 600-8000mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$381.00
<u>UT5L-G7-1E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 115mm body, 316L stainless steel housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 600-8000mm sensing distance, 1 Hz switching frequency, IP67, 5-pin M12 quick-disconnect.	Stock	\$381.00
<u>TU1-C1-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 124mm body, polybutylene terephthalate housing, 0-10 VDC analog output, 300-2500mm sensing distance, IP67, 4-pin M12 quick-disconnect.	Stock	\$408.00
<u>TU1-C0-0E</u>	Micro Detectors ultrasonic proximity sensor, tubular, 30mm diameter x 124mm body, polybutylene terephthalate housing, PNP, N.O. output, 300-2500mm sensing distance, 1 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$408.00
Rectangular Ultrasonic Proximity Sensors			
<u>OPT2200</u>	Wenglor ultrasonic proximity sensor, rectangular, 38.5 x 19.5 x 12mm body, polycarbonate housing, PNP, N.O., 30-400mm sensing distance, 30 Hz switching frequency, IP68, 4-pin M8 quick-disconnect.	Stock	\$133.00
<u>OPT2201</u>	Wenglor ultrasonic proximity sensor, rectangular, 38.5 x 19.5 x 12mm body, polycarbonate housing, NPN, N.O., 30-400mm sensing distance, 30 Hz switching frequency, IP68, 4-pin M8 quick-disconnect.	Stock	\$133.00
<u>OPT2202</u>	Wenglor ultrasonic proximity sensor, rectangular, 38.5 x 19.5 x 12mm body, polycarbonate housing, PNP, N.O., 30-400mm sensing distance, 30 Hz switching frequency, IP68, 4-pin M12 quick-disconnect.	Stock	\$133.00

<u>OPT2203</u>	Wenglor ultrasonic proximity sensor, rectangular, 56.5 x 16 x 35mm body, polybutylene terephthalate housing, PNP, N.O., 100-1200mm sensing distance, 7 Hz switching frequency, IP67 IP68, 5-pin M12 quick-disconnect.	Stock	\$146.00
<u>OPT2204</u>	Wenglor ultrasonic proximity sensor, rectangular, 56.5 x 16 x 35mm body, polybutylene terephthalate housing, NPN, N.O., 100-1200mm sensing distance, 7 Hz switching frequency, IP67 IP68, 5-pin M12 quick-disconnect.	Stock	\$146.00
<u>OPT2205</u>	Wenglor ultrasonic proximity sensor, rectangular, 56.5 x 16 x 35mm body, polybutylene terephthalate housing, PNP, N.O., 80-400mm sensing distance, 20 Hz switching frequency, IP67 IP68, 4-pin M12 quick-disconnect.	Stock	\$146.00
<u>OPT2206</u>	Wenglor ultrasonic proximity sensor, rectangular, 56.5 x 16 x 35mm body, polybutylene terephthalate housing, 1-2000mm sensing distance, IP67 IP68, 5-pin M12 quick-disconnect.	Stock	\$101.00
<u>OPT2207</u>	Wenglor ultrasonic proximity sensor, rectangular, 56.5 x 16 x 35mm body, polybutylene terephthalate housing, PNP, N.O., 1-2000mm sensing distance, 7 Hz switching frequency, IP67 IP68, 5-pin M12 quick-disconnect.	Stock	\$133.00
<u>OPT2208</u>	Wenglor ultrasonic proximity sensor, rectangular, 56.5 x 16 x 35mm body, polybutylene terephthalate housing, NPN, N.O., 1-2000mm sensing distance, 7 Hz switching frequency, IP67 IP68, 5-pin M12 quick-disconnect.	Stock	\$133.00
<u>UQ1A-GN-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, NPN, N.O./N.C. selectable output, 40-300mm sensing distance, 8 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$123.00
<u>UQ1A-GP-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, N.O./N.C. selectable output, 40-300mm sensing distance, 8 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$123.00
<u>UQ1A-G6-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 40-300mm sensing distance, 8 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$127.00
<u>UQ1A-G7-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 40-300mm sensing distance, 8 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$127.00
<u>UQ1C-GN-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, NPN, N.O./N.C. selectable output, 60-800mm sensing distance, 5 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$127.00
<u>UQ1C-GP-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, N.O./N.C. selectable output, 60-800mm sensing distance, 5 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$127.00
<u>UQ1C-G6-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 60-800mm sensing distance, 5 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>UQ1C-G7-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 60-800mm sensing distance, 5 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>UQ1D-GN-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, NPN, N.O./N.C. selectable output, 80-1200mm sensing distance, 3 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>UQ1D-GP-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, N.O./N.C. selectable output, 80-1200mm sensing distance, 3 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$131.00
<u>UQ1D-G6-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, 4-20 mA analog output, N.O./N.C. selectable output, 80-1200mm sensing distance, 3 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$139.00
<u>UQ1D-G7-0E</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 53 x 20 x 38mm, polybutylene terephthalate housing, PNP, 0-10 VDC analog output, N.O./N.C. selectable output, 80-1200mm sensing distance, 3 Hz switching frequency, IP67, 4-pin M12 quick-disconnect.	Stock	\$139.00
<u>UHZ-AN-0A</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 20 x 30 x 12mm body, polybutylene terephthalate housing, NPN, N.O. output, 300mm sensing distance, 150 Hz switching frequency, IP67, pigtail.	Stock	\$217.00
<u>UHZ-AP-0A</u>	Micro Detectors ultrasonic proximity sensor, rectangular, 20 x 30 x 12mm body, polybutylene terephthalate housing, PNP, N.O. output, 300mm sensing distance, 150 Hz switching frequency, IP67, pigtail.	Stock	\$217.00
Linear Position Sensors with Fixed Slide			
<u>LSR-33P-0030-A5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 30mm stroke, 33 x 33 x 110mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$103.00
<u>LSR-33P-0050-A5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 50mm stroke, 33 x 33 x 130mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$105.00
<u>LSR-33P-0100-B5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 100mm stroke, 33 x 33 x 180mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$112.00
<u>LSR-33P-0130-C5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 130mm stroke, 33 x 33 x 210mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$118.00

<u>LSR-33P-0150-C5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 150mm stroke, 33 x 33 x 230mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$121.00
<u>LSR-33P-0200-C5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 200mm stroke, 33 x 33 x 280mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$129.00
<u>LSR-33P-0250-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 250mm stroke, 33 x 33 x 330mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$136.00
<u>LSR-33P-0300-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 300mm stroke, 33 x 33 x 380mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$146.00
<u>LSR-33P-0350-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 350mm stroke, 33 x 33 x 430mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$152.00
<u>LSR-33P-0400-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 400mm stroke, 33 x 33 x 480mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$160.00
<u>LSR-33P-0450-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 450mm stroke, 33 x 33 x 530mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$163.00
<u>LSR-33P-0500-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 500mm stroke, 33 x 33 x 580mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$166.00
<u>LSR-33P-0550-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 550mm stroke, 33 x 33 x 630mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$174.00
<u>LSR-33P-0600-D5-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 600mm stroke, 33 x 33 x 680mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$185.00
<u>LSR-33P-0650-D10-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 650mm stroke, 33 x 33 x 730mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$200.00
<u>LSR-33P-0700-D10-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 700mm stroke, 33 x 33 x 780mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$210.00
<u>LSR-33P-0750-D10-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 750mm stroke, 33 x 33 x 830mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$218.00
<u>LSR-33P-0800-D10-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 800mm stroke, 33 x 33 x 880mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$228.00
<u>LSR-33P-0850-D10-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 850mm stroke, 33 x 33 x 930mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$237.00
<u>LSR-33P-0900-D10-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 900mm stroke, 33 x 33 x 980mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$253.00
<u>LSR-33P-1000-D10-C1</u>	ProSense potentiometer linear position sensor, fixed slide, 1000mm stroke, 33 x 33 x 1080mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$273.00
<u>LT-M-0050-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 50mm stroke, 32 x 33 x 113mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$176.00
<u>LT-M-0075-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 75mm stroke, 32 x 33 x 138mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$186.00
<u>LT-M-0100-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 100mm stroke, 32 x 33 x 163mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$189.00
<u>LT-M-0130-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 130mm stroke, 32 x 33 x 193mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$198.00
<u>LT-M-0150-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 150mm stroke, 32 x 33 x 213mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$207.00
<u>LT-M-0175-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 175mm stroke, 32 x 33 x 238mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$212.00
<u>LT-M-0200-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 200mm stroke, 32 x 33 x 264mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$216.00
<u>LT-M-0250-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 250mm stroke, 32 x 33 x 314mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$241.00
<u>LT-M-0300-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 300mm stroke, 32 x 33 x 364mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$244.00
<u>LT-M-0400-S-L</u>	Gefran potentiometer linear position sensor, fixed slide, 400mm stroke, 32 x 33 x 466mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$342.00
<u>PZ12-F-0025-L</u>	Gefran potentiometer linear position sensor, fixed slide, 25mm stroke, 12.7mm diameter x 74.5mm body, flange mount, pigtail, 3.2ft/1m cable length.	Stock	\$173.00
<u>PZ12-F-0050-L</u>	Gefran potentiometer linear position sensor, fixed slide, 50mm stroke, 12.7mm diameter x 99.5mm body, flange mount, pigtail, 3.2ft/1m cable length.	Stock	\$183.00
<u>PZ12-F-0075-L</u>	Gefran potentiometer linear position sensor, fixed slide, 75mm stroke, 12.7mm diameter x 124.5mm body, flange mount, pigtail, 3.2ft/1m cable length.	Stock	\$188.00
<u>PZ12-F-0100-L</u>	Gefran potentiometer linear position sensor, fixed slide, 100mm stroke, 12.7mm diameter x 149.5mm body, flange mount, pigtail, 3.2ft/1m cable length.	Stock	\$195.00
<u>PZ12-F-0200-L</u>	Gefran potentiometer linear position sensor, fixed slide, 200mm stroke, 12.7mm diameter x 249.5mm body, flange mount, pigtail, 3.2ft/1m cable length.	Stock	\$210.00

[illegible]

<u>LZI19-250A-00-20S</u>	Alliance Sensors inductive linear position sensor, fixed slide, 250mm stroke, 5.2mm shaft diameter, 4-20 mA output, 19mm diameter x 266.7mm body, M5 x 0.8 mount, pigtail, 3.2ft/1m cable length.	Stock	\$473.00
<u>LZI19-300A-00-20S</u>	Alliance Sensors inductive linear position sensor, fixed slide, 300mm stroke, 5.2mm shaft diameter, 4-20 mA output, 19mm diameter x 317.5mm body, M5 x 0.8 mount, pigtail, 3.2ft/1m cable length.	Stock	\$498.00
<u>LZI19-375A-00-20S</u>	Alliance Sensors inductive linear position sensor, fixed slide, 375mm stroke, 5.2mm shaft diameter, 4-20 mA output, 19mm diameter x 400mm body, M5 x 0.8 mount, pigtail, 3.2ft/1m cable length.	Stock	\$548.00
Linear Position Sensors with Rodless Slide			
<u>LSRS-33P-0400-D5-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 400mm stroke, 33 x 33 x 558mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$178.00
<u>LSRS-33P-0450-D5-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 450mm stroke, 33 x 33 x 608mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$183.00
<u>LSRS-33P-0500-D5-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 500mm stroke, 33 x 33 x 658mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$193.00
<u>LSRS-33P-0550-D5-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 550mm stroke, 33 x 33 x 708mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$196.00
<u>LSRS-33P-0600-D5-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 600mm stroke, 33 x 33 x 758mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$201.00
<u>LSRS-33P-0650-D10-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 650mm stroke, 33 x 33 x 808mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$207.00
<u>LSRS-33P-0700-D10-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 700mm stroke, 33 x 33 x 858mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$212.00
<u>LSRS-33P-0750-D10-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 750mm stroke, 33 x 33 x 908mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$218.00
<u>LSRS-33P-0800-D10-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 800mm stroke, 33 x 33 x 958mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$222.00
<u>LSRS-33P-0850-D10-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 850mm stroke, 33 x 33 x 1008mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$229.00
<u>LSRS-33P-0900-D10-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 900mm stroke, 33 x 33 x 1058mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$234.00
<u>LSRS-33P-1000-D10-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 1000mm stroke, 33 x 33 x 1158mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$317.00
<u>LSRS-33P-1250-D20-C1</u>	ProSense potentiometer linear position sensor, rodless slide, 1250mm stroke, 33 x 33 x 1408mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$341.00
<u>PK-M-0400-L</u>	Gefran potentiometer linear position sensor, rodless slide, 400mm stroke, 57 x 38 x 556mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$299.00
<u>PK-M-0500-L</u>	Gefran potentiometer linear position sensor, rodless slide, 500mm stroke, 57 x 38 x 659mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$334.00
<u>PK-M-0600-L</u>	Gefran potentiometer linear position sensor, rodless slide, 600mm stroke, 57 x 38 x 761mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$352.00
<u>PK-M-0700-L</u>	Gefran potentiometer linear position sensor, rodless slide, 700mm stroke, 57 x 38 x 863mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$369.00
<u>PK-M-0800-L</u>	Gefran potentiometer linear position sensor, rodless slide, 800mm stroke, 57 x 38 x 963mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$405.00
<u>PK-M-0900-L</u>	Gefran potentiometer linear position sensor, rodless slide, 900mm stroke, 57 x 38 x 1065mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$419.00
<u>PK-M-1000-L</u>	Gefran potentiometer linear position sensor, rodless slide, 1000mm stroke, 57 x 38 x 1167mm body, channel mount, 18mm DIN 43650 Form A.	Stock	\$532.00
<u>WPG-A-M-0050-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 50mm stroke, 4-20 mA output, 33 x 16.3 x 204mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$263.00
<u>WPG-A-M-0050-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 50mm stroke, 0-10 VDC output, 33 x 16.3 x 204mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$263.00
<u>WPG-A-M-0100-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 100mm stroke, 4-20 mA output, 33 x 16.3 x 254mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$265.00
<u>WPG-A-M-0100-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 100mm stroke, 0-10 VDC output, 33 x 16.3 x 254mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$265.00
<u>WPG-A-M-0150-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 150mm stroke, 4-20 mA output, 33 x 16.3 x 304mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$266.00
<u>WPG-A-M-0150-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 150mm stroke, 0-10 VDC output, 33 x 16.3 x 304mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$266.00
<u>WPG-A-M-0200-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 200mm stroke, 4-20 mA output, 33 x 16.3 x 354mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$267.00
<u>WPG-A-M-0200-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 200mm stroke, 0-10 VDC output, 33 x 16.3 x 354mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$267.00

<u>WPG-A-M-0250-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 250mm stroke, 4-20 mA output, 33 x 16.3 x 404mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$268.00
<u>WPG-A-M-0250-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 250mm stroke, 0-10 VDC output, 33 x 16.3 x 404mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$268.00
<u>WPG-A-M-0300-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 300mm stroke, 4-20 mA output, 33 x 16.3 x 454mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$270.00
<u>WPG-A-M-0300-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 300mm stroke, 0-10 VDC output, 33 x 16.3 x 454mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$270.00
<u>WPG-A-M-0400-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 400mm stroke, 4-20 mA output, 33 x 16.3 x 554mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$285.00
<u>WPG-A-M-0400-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 400mm stroke, 0-10 VDC output, 33 x 16.3 x 554mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$285.00
<u>WPG-A-M-0500-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 500mm stroke, 4-20 mA output, 33 x 16.3 x 654mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$294.00
<u>WPG-A-M-0500-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 500mm stroke, 0-10 VDC output, 33 x 16.3 x 654mm, channel mount, 18mm DIN 43650 Form A.	Stock	\$294.00
<u>WPP-A-H-0050-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 50mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 204mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$398.00
<u>WPP-A-H-0050-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 50mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 204mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$398.00
<u>WPP-A-H-0100-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 100mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 254mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$402.00
<u>WPP-A-H-0100-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 100mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 254mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$402.00
<u>WPP-A-H-0150-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 150mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 304mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$404.00
<u>WPP-A-H-0150-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 150mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 304mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$404.00
<u>WPP-A-H-0200-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 200mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 354mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$405.00
<u>WPP-A-H-0200-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 200mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 354mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$405.00
<u>WPP-A-H-0250-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 250mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 404mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$407.00
<u>WPP-A-H-0250-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 250mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 404mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$407.00
<u>WPP-A-H-0300-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 300mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 454mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$408.00
<u>WPP-A-H-0300-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 300mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 454mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$408.00
<u>WPP-A-H-0400-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 400mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 554mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$427.00
<u>WPP-A-H-0400-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 400mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 554mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$427.00
<u>WPP-A-H-0500-E</u>	Gefran magnetostrictive linear position sensor, rodless slide, 500mm stroke, 4-20 and 20-4 mA output, 28.3 x 32 x 654mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$449.00
<u>WPP-A-H-0500-N</u>	Gefran magnetostrictive linear position sensor, rodless slide, 500mm stroke, 0-10 and 10-0 VDC output, 28.3 x 32 x 654mm, channel mount, 8-pin M12 quick-disconnect.	Stock	\$449.00

Linear Position Sensors with Spring Loaded Slide

<u>LSSR-33P-0030-A5-C2</u>	ProSense potentiometer linear position sensor, spring loaded slide, 30mm stroke, 33 x 33 x 127mm body, channel mount, 8mm DIN 43650 Form C.	Stock	\$169.00
<u>LSSR-33P-0050-A5-C2</u>	ProSense potentiometer linear position sensor, spring loaded slide, 50mm stroke, 33 x 33 x 147mm body, channel mount, 8mm DIN 43650 Form C.	Stock	\$169.00
<u>LSSR-33P-0075-A5-C2</u>	ProSense potentiometer linear position sensor, spring loaded slide, 75mm stroke, 33 x 33 x 172mm body, channel mount, 8mm DIN 43650 Form C.	Stock	\$176.00
<u>LSSR-33P-0100-B5-C2</u>	ProSense potentiometer linear position sensor, spring loaded slide, 100mm stroke, 33 x 33 x 197mm body, channel mount, 8mm DIN 43650 Form C.	Stock	\$176.00
<u>LSSR-33P-0150-C5-C2</u>	ProSense potentiometer linear position sensor, spring loaded slide, 150mm stroke, 33 x 33 x 247mm body, channel mount, 8mm DIN 43650 Form C.	Stock	\$187.00
<u>GHSE19-006A-02-10S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 6.4mm stroke, 0-10 VDC output, 19mm diameter x 82.6mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$765.00
<u>GHSE19-013A-02-10S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 13mm stroke, 0-10 VDC output, 19mm diameter x 88.9mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$775.00

<u>GHSE19-025A-02-10S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 25mm stroke, 0-10 VDC output, 19mm diameter x 101.6mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$801.00
<u>GHSE19-050A-02-10S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 50mm stroke, 0-10 VDC output, 19mm diameter x 129.0mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$827.00
<u>GHSE19-075A-02-10S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 75mm stroke, 0-10 VDC output, 19mm diameter x 166.5mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$853.00
<u>GHSE19-100A-02-10S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 100mm stroke, 0-10 VDC output, 19mm diameter x 194.1mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$878.00
<u>GHSI19-006A-02-20S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 6.4mm stroke, 4-20 mA output, 19mm diameter x 82.6mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$765.00
<u>GHSI19-013A-02-20S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 13mm stroke, 4-20 mA output, 19mm diameter x 101.6mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$775.00
<u>GHSI19-025A-02-20S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 25mm stroke, 4-20 mA output, 19mm diameter x 101.6mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$801.00
<u>GHSI19-050A-02-20S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 50mm stroke, 4-20 mA output, 19mm diameter x 129.0mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$827.00
<u>GHSI19-075A-02-20S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 75mm stroke, 4-20 mA output, 19mm diameter x 166.5mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$853.00
<u>GHSI19-100A-02-20S</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 100mm stroke, 4-20 mA output, 19mm diameter x 194.1mm body, 1/2-20 UNF mount, 6-pin PT0.	Stock	\$878.00
<u>PY2-F-0010-S-L</u>	Gefran potentiometer linear position sensor, spring loaded slide, 10mm stroke, 26.5 x 22 x 48mm body, channel mount, pigtail, 3.2ft/1m cable length.	Stock	\$185.00
<u>PY2-F-0025-S-L</u>	Gefran potentiometer linear position sensor, spring loaded slide, 25mm stroke, 26.5 x 22 x 63mm body, channel mount, pigtail, 3.2ft/1m cable length.	Stock	\$191.00
<u>PY2-F-0050-S-L</u>	Gefran potentiometer linear position sensor, spring loaded slide, 50mm stroke, 26.5 x 22 x 88mm body, channel mount, pigtail, 3.2ft/1m cable length.	Stock	\$198.00
<u>PY2-F-0075-S-L</u>	Gefran potentiometer linear position sensor, spring loaded slide, 76mm stroke, 26.5 x 22 x 113mm body, channel mount, pigtail, 3.2ft/1m cable length.	Stock	\$204.00
<u>PY2-F-0100-S-L</u>	Gefran potentiometer linear position sensor, spring loaded slide, 101mm stroke, 26.5 x 22 x 138mm body, channel mount, pigtail, 3.2ft/1m cable length.	Stock	\$208.00
<u>LRSE18-013A-00-10A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 12.5mm stroke, 0-10 VDC output, 19mm diameter x 88.9mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$459.00
<u>LRSE18-025A-00-10A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 25mm stroke, 0-10 VDC output, 19mm diameter x 101.6mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$484.00
<u>LRSE18-050A-00-10A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 50mm stroke, 0-10 VDC output, 19mm diameter x 129.0mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$509.00
<u>LRSE18-075A-00-10A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 75mm stroke, 0-10 VDC output, 19mm diameter x 166.5mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$534.00
<u>LRSE18-100A-00-10A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 100mm stroke, 0-10 VDC output, 19mm diameter x 194.1mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$559.00
<u>LRSI18-013A-00-20A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 12.5mm stroke, 4-20 mA output, 19mm diameter x 88.9mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$459.00
<u>LRSI18-025A-00-20A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 25mm stroke, 4-20 mA output, 19mm diameter x 101.6mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$484.00
<u>LRSI18-050A-00-20A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 50mm stroke, 4-20 mA output, 19mm diameter x 129.0mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$509.00
<u>LRSI18-075A-00-20A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 75mm stroke, 4-20 mA output, 19mm diameter x 166.5mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$534.00
<u>LRSI18-100A-00-20A</u>	Alliance Sensors inductive linear position sensor, spring loaded slide, 100mm stroke, 4-20 mA output, 19mm diameter x 194.1mm body, M18 x 1 mount, pigtail, 3.2ft/1m cable length.	Stock	\$559.00
Linear Position Sensors with Pivoting Slide			
<u>LCR-18P-0010-A2-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 10mm stroke, 18mm diameter x 58mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$122.00
<u>LCR-18P-0025-A2-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 25mm stroke, 18mm diameter x 73mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$124.00
<u>LCR-18P-0050-A2-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 50mm stroke, 18mm diameter x 98mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$129.00
<u>LCR-18P-0075-B5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 75mm stroke, 18mm diameter x 123mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$130.00
<u>LCR-18P-0100-B5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 100mm stroke, 18mm diameter x 148mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$133.00
<u>LCR-18P-0125-B5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 125mm stroke, 18mm diameter x 173mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$136.00

<u>LCR-18P-0150-C5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 150mm stroke, 18mm diameter x 198mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$139.00
<u>LCR-18P-0175-C5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 175mm stroke, 18mm diameter x 223mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$140.00
<u>LCR-18P-0200-C5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 200mm stroke, 18mm diameter x 248mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$141.00
<u>LCR-18P-0250-D5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 250mm stroke, 18mm diameter x 298mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$143.00
<u>LCR-18P-0300-D5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 300mm stroke, 18mm diameter x 348mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$146.00
<u>LCR-18P-0350-D5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 350mm stroke, 18mm diameter x 398mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$153.00
<u>LCR-18P-0400-D5-1A</u>	ProSense potentiometer linear position sensor, pivoting slide, 400mm stroke, 18mm diameter x 448mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$160.00
<u>LCR-38P-0050-A5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 50mm stroke, 38mm diameter x 153mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$162.00
<u>LCR-38P-0100-B5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 100mm stroke, 38mm diameter x 203mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$165.00
<u>LCR-38P-0125-B5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 125mm stroke, 38mm diameter x 228mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$167.00
<u>LCR-38P-0130-C5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 130mm stroke, 38mm diameter x 233mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$168.00
<u>LCR-38P-0150-C5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 150mm stroke, 38mm diameter x 253mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$176.00
<u>LCR-38P-0175-C5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 175mm stroke, 38mm diameter x 278mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$180.00
<u>LCR-38P-0200-C5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 200mm stroke, 38mm diameter x 303mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$188.00
<u>LCR-38P-0225-D5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 225mm stroke, 38mm diameter x 328mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$190.00
<u>LCR-38P-0250-D5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 250mm stroke, 38mm diameter x 353mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$194.00
<u>LCR-38P-0275-D5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 275mm stroke, 38mm diameter x 378mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$196.00
<u>LCR-38P-0300-D5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 300mm stroke, 38mm diameter x 403mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$200.00
<u>LCR-38P-0325-D5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 325mm stroke, 38mm diameter x 428mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$201.00
<u>LCR-38P-0350-D5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 350mm stroke, 38mm diameter x 453mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$202.00
<u>LCR-38P-0375-D5-C1</u>	ProSense potentiometer linear position sensor, pivoting slide, 375mm stroke, 38mm diameter x 478mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$205.00
<u>PC-M-0050-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 50mm stroke, 32 x 35 x 180.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$337.00
<u>PC-M-0100-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 100mm stroke, 32 x 35 x 230.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$359.00
<u>PC-M-0125-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 125mm stroke, 32 x 35 x 255.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$369.00
<u>PC-M-0150-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 150mm stroke, 32 x 35 x 280.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$381.00
<u>PC-M-0175-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 175mm stroke, 32 x 35 x 305.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$388.00
<u>PC-M-0200-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 200mm stroke, 32 x 35 x 331.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$394.00
<u>PC-M-0225-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 225mm stroke, 32 x 35 x 356.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$403.00
<u>PC-M-0275-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 275mm stroke, 32 x 35 x 406.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$417.00
<u>PC-M-0300-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 300mm stroke, 32 x 35 x 431.5mm body, rod eyes mount, 8mm DIN 43650 Form C.	Stock	\$420.00
<u>PZ12-A-0025-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 25mm stroke, 12.7mm diameter x 102mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$237.00
<u>PZ12-A-0050-L</u>	Gefran potentiometer linear position sensor, pivoting slide, 50mm stroke, 12.7mm diameter x 127mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$307.00

[illegible]

<u>LRI27-150R-00-20A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 150mm stroke, 4-20 mA output, 27mm diameter x 228.6mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$630.00
<u>LRLE27-200R-00-10A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 200mm stroke, 0-10 VDC output, 27mm diameter x 292.1mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$772.00
<u>LRLE27-250R-00-10A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 250mm stroke, 0-10 VDC output, 27mm diameter x 342.0mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$822.00
<u>LRLE27-300R-00-10A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 300mm stroke, 0-10 VDC output, 27mm diameter x 393.7mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$872.00
<u>LRLE27-350R-00-10A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 350mm stroke, 0-10 VDC output, 27mm diameter x 444.5mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$922.00
<u>LRLE27-400R-00-10A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 400mm stroke, 0-10 VDC output, 27mm diameter x 495.3mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$972.00
<u>LRLE27-450R-00-10A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 450mm stroke, 0-10 VDC output, 27mm diameter x 546.1mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$1,021.00
<u>LRLI27-200R-00-20A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 200mm stroke, 4-20 mA output, 27mm diameter x 292.1mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$772.00
<u>LRLI27-250R-00-20A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 250mm stroke, 4-20 mA output, 27mm diameter x 342.0mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$822.00
<u>LRLI27-300R-00-20A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 300mm stroke, 4-20 mA output, 27mm diameter x 393.7mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$872.00
<u>LRLI27-350R-00-20A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 350mm stroke, 4-20 mA output, 27mm diameter x 444.5mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$922.00
<u>LRLI27-400R-00-20A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 400mm stroke, 4-20 mA output, 27mm diameter x 495.3mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$972.00
<u>LRLI27-450R-00-20A</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 450mm stroke, 4-20 mA output, 27mm diameter x 546.1mm body, rod eyes mount, pigtail, 3.2ft/1m cable length.	Stock	\$1,021.00
<u>LVE45-100R-01-10S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 100mm stroke, 12.5mm shaft diameter, 0-10 VDC output, 45mm diameter x 250.9mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,116.00
<u>LVE45-150R-01-10S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 150mm stroke, 12.5mm shaft diameter, 0-10 VDC output, 45mm diameter x 301.7mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,238.00
<u>LVE45-200R-01-10S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 200mm stroke, 12.5mm shaft diameter, 0-10 VDC output, 45mm diameter x 352.5mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,362.00
<u>LVE45-250R-01-10S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 250mm stroke, 12.5mm shaft diameter, 0-10 VDC output, 45mm diameter x 403.3mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,411.00
<u>LVE45-300R-01-10S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 300mm stroke, 12.5mm shaft diameter, 0-10 VDC output, 45mm diameter x 454.1mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,460.00
<u>LVE45-375R-01-10S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 375mm stroke, 12.5mm shaft diameter, 0-10 VDC output, 45mm diameter x 530.4mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,510.00
<u>LVI45-100R-01-20S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 100mm stroke, 12.5mm shaft diameter, 4-20 mA output, 45mm diameter x 250.9mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,116.00
<u>LVI45-150R-01-20S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 150mm stroke, 12.5mm shaft diameter, 4-20 mA output, 45mm diameter x 301.7mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,238.00
<u>LVI45-200R-01-20S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 200mm stroke, 12.5mm shaft diameter, 4-20 mA output, 45mm diameter x 352.5mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,362.00
<u>LVI45-250R-01-20S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 250mm stroke, 12.5mm shaft diameter, 4-20 mA output, 45mm diameter x 403.3mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,411.00
<u>LVI45-300R-01-20S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 300mm stroke, 12.5mm shaft diameter, 4-20 mA output, 45mm diameter x 454.1mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,460.00
<u>LVI45-375R-01-20S</u>	Alliance Sensors inductive linear position sensor, pivoting slide, 375mm stroke, 12.5mm shaft diameter, 4-20 mA output, 45mm diameter x 530.4mm body, rod eyes mount, 5-pin M12 quick-disconnect.	Stock	\$1,510.00
Accessories for Linear Position Sensors			
<u>LSR33-ACC-KIT</u>	ProSense mounting hardware, replacement. For use with ProSense LSR-33P Linear Potentiometers.	Stock	\$31.00
<u>LSRS33-ACC-KIT</u>	ProSense mounting hardware, replacement. For use with ProSense LSRS-33P Linear Potentiometers.	Stock	\$15.50
<u>LCR38-ACC-KIT</u>	ProSense mounting hardware, replacement. For use with ProSense LCR-38P Linear Potentiometers.	Stock	\$25.50
<u>LSSR33-ACC-KIT</u>	ProSense mounting hardware, replacement. For use with ProSense LSSR-33P Linear Potentiometers.	Stock	\$15.50
<u>AR01X-WHEEL-A</u>	Lika Electronic encoder measuring wheel, replacement, 4in diameter (12.5in circumference), 15mm shaft, metal. For use with Lika Electronic AR01 series measuring wheel encoder assemblies.	Stock	\$49.50
<u>AR01X-WHEEL-B</u>	Lika Electronic encoder measuring wheel, replacement, 80mm diameter (250mm circumference), 15mm shaft, metal. For use with Lika Electronic AR01 series measuring wheel encoder assemblies.	Stock	\$83.00
<u>EC-M12F8-LKM8-05</u>	Lika Electronic encoder cable, M12 axial female to pigtail, shielded, 16.4ft/5m cable length. For use with Lika Electronic AR01 series measuring wheel encoder assemblies.	Stock	\$44.00

EC-M12F8-LKM8-10	Lika Electronic encoder cable, M12 axial female to pigtail, shielded, 32.8ft/10m cable length. For use with Lika Electronic AR01 series measuring wheel encoder assemblies.	Stock	\$62.00
CON006-1KJ	Gefran field wireable connector, 18mm DIN 43650 Form A, 90-degree cable entry, 4-pole. For use with Gefran LT, PK and WPG linear position sensors.	Stock	\$8.75
CON008-1KJ	Gefran field wireable connector, 9.4mm DIN 43650 Form C, 90-degree cable entry, 4-pole. For use with Gefran PC series potentiometers.	Stock	\$8.75
PKIT009-1KJ	Gefran mounting brackets, for use with Gefran LT Series potentiometers.	Stock	\$13.00
PKIT015-1KJ	Gefran rod eye joint accessory, for use with Gefran LT Series potentiometers.	Stock	\$23.50
PKIT059-1KJ	Gefran mounting brackets, for use with 100 to 900mm Gefran PK Series potentiometers.	Stock	\$13.00
PKIT061-1KJ	Gefran mounting brackets, for use with 1000 to 2000mm Gefran PK Series potentiometers.	Stock	\$15.00
STA074-1KJ	Gefran mounting brackets, for use with Gefran PZ12-S Series potentiometers.	Stock	\$6.00
PT06A-10-6S-SR	Alliance Sensors connector, PT0 6-pin solder, straight cable entry, 6-pole. For use with GHSx linear position sensors.	Stock	\$41.50
PCUR202-1KJ	Gefran cursor, floating mount. For use with Gefran WPG and WPP series magnetostrictive sensors.	Stock	\$35.00
PCUR210-1KJ	Gefran cursor, 5mm axial joint low process connection, slide mount. For use with Gefran WPP series magnetostrictive sensors.	Stock	\$39.00
PCUR211-1KJ	Gefran cursor, 5mm axial joint high process connection, slide mount. For use with Gefran WPP series magnetostrictive sensors.	Stock	\$41.50
PCUR212-1KJ	Gefran cursor, 5mm axial joint process connection, slide mount. For use with Gefran WPP series magnetostrictive sensors.	Stock	\$41.50
PCUR220-1KJ	Gefran cursor, 5mm axial joint low process connection, slide mount. For use with Gefran WPG series magnetostrictive sensors.	Stock	\$39.00
PCUR221-1KJ	Gefran cursor, 5mm axial joint high process connection, slide mount. For use with Gefran WPG series magnetostrictive sensors.	Stock	\$41.50
PCUR222-1KJ	Gefran cursor, 5mm axial joint process connection, slide mount. For use with Gefran WPG series magnetostrictive sensors.	Stock	\$41.50
PKIT090-1KJ	Gefran mounting brackets, 42.5mm hole spacing. For use with Gefran WPP series magnetostrictive sensors.	Stock	\$9.75
PKIT091-1KJ	Gefran mounting brackets, 50mm hole spacing. For use with Gefran WPP series magnetostrictive sensors.	Stock	\$9.75
PKIT590-1KJ	Gefran mounting brackets, 42.5mm hole spacing. For use with Gefran WPG series magnetostrictive sensors.	Stock	\$9.75
PKIT591-1KJ	Gefran mounting brackets, 50mm hole spacing. For use with Gefran WPG series magnetostrictive sensors.	Stock	\$9.75
Inclination Sensors			
GIB-Z-360-V-2A	Gefran inclination sensor, 1 axis, +/- 180 degrees, +/-0.5 degrees accuracy, 0-10 VDC output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$218.00
GIB-Z-360-A-2A	Gefran inclination sensor, 1 axis, +/- 180 degrees, +/-0.5 degrees accuracy, 4-20 mA output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$215.00
GIB-XY-015-V-2A	Gefran inclination sensor, 2 axes, +/- 15 degrees, +/-0.5 degrees accuracy, 0-10 VDC output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$218.00
GIB-XY-015-A-2A	Gefran inclination sensor, 2 axes, +/- 15 degrees, +/-0.5 degrees accuracy, 4-20 mA output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$215.00
GIB-XY-045-V-2A	Gefran inclination sensor, 2 axes, +/- 45 degrees, +/-0.5 degrees accuracy, 0-10 VDC output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$218.00
GIB-XY-045-A-2A	Gefran inclination sensor, 2 axes, +/- 45 degrees, +/-0.5 degrees accuracy, 4-20 mA output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$215.00
GIB-XY-085-V-2A	Gefran inclination sensor, 2 axes, +/- 85 degrees, +/-0.5 degrees accuracy, 0-10 VDC output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$218.00
GIB-XY-085-A-2A	Gefran inclination sensor, 2 axes, +/- 85 degrees, +/-0.5 degrees accuracy, 4-20 mA output, IP67 IP69K, thermoplastic (PBT) housing, pigtail, 6.5ft/2m cable length.	Stock	\$215.00
GIG-Z-360-V-M12	Gefran inclination sensor, 1 axis, +/- 180 degrees, +/-0.5 degrees accuracy, redundant 0-10 VDC output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$351.00
GIG-Z-360-A-M12	Gefran inclination sensor, 1 axis, +/- 180 degrees, +/-0.5 degrees accuracy, redundant 4-20 mA output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$340.00
GIG-XY-015-V-M12	Gefran inclination sensor, 2 axes, +/- 15 degrees, +/-0.5 degrees accuracy, redundant 0-10 VDC output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$351.00
GIG-XY-015-A-M12	Gefran inclination sensor, 2 axes, +/- 15 degrees, +/-0.5 degrees accuracy, redundant 4-20 mA output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$340.00
GIG-XY-045-V-M12	Gefran inclination sensor, 2 axes, +/- 45 degrees, +/-0.5 degrees accuracy, redundant 0-10 VDC output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$351.00

<u>GIG-XY-045-A-M12</u>	Gefran inclination sensor, 2 axes, +/- 45 degrees, +/-0.5 degrees accuracy, redundant 4-20 mA output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$340.00
<u>GIG-XY-085-V-M12</u>	Gefran inclination sensor, 2 axes, +/- 85 degrees, +/-0.5 degrees accuracy, redundant 0-10 VDC output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$351.00
<u>GIG-XY-085-A-M12</u>	Gefran inclination sensor, 2 axes, +/- 85 degrees, +/-0.5 degrees accuracy, redundant 4-20 mA output, IP67, thermoplastic (PBT) housing, (2) 5-pin M12 quick-disconnect.	Stock	\$340.00
<u>PKIT312-1QJ</u>	Gefran magnetic pen, for use with Gefran GIB-XY inclination sensors.	Stock	\$38.50

Limit Switches with Plunger Actuator

<u>BP060A-F</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 1mm pitch, 32.8mm length, 3mm head, stainless steel, ball plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$51.00
<u>BP060A-L</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 1mm pitch, 32.8mm length, 3mm head, stainless steel, ball plunger, 8-13N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$61.00
<u>BP060A-LF</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 1mm pitch, 32.8mm length, 3mm head, stainless steel, ball plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$61.00
<u>BP080A-L</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 1.25mm pitch, 30mm length, 4mm head, stainless steel, ball plunger, 10-16N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$73.00
<u>BP080A-LF</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 1.25mm pitch, 30mm length, 4mm head, stainless steel, ball plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$73.00
<u>BP100A-L</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 1.5mm pitch, 33mm length, 5mm head, stainless steel, ball plunger, 15-20N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$76.00
<u>BP100A-LF</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 1.5mm pitch, 33mm length, 5mm head, stainless steel, ball plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$76.00
<u>BP4SWA</u>	Metrol limit switch, precision touch, 4mm diameter, smooth, 12.8mm length, 3mm head, tungsten carbide, ball plunger, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$86.00
<u>BP5MWA</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 20mm length, 3mm head, tungsten carbide, ball plunger, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$80.00
<u>SP080A-L</u>	Metrol limit switch, spring plunger, 8mm diameter, threaded, 1.25mm pitch, 37mm length, 1.25mm radius head, stainless steel, 2.5mm plunger, 8N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$56.00
<u>CS065A-CL</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.5mm pitch, 55.5mm length, 1.5mm flat head, stainless steel, needle plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$74.00
<u>CS065A-L</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.5mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$66.00
<u>CS065A-LR</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.5mm pitch, 40mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$74.00
<u>CS067A-B</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 42mm length, 4mm flat head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$61.00
<u>CS067A-BL</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 42mm length, 4mm flat head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$72.00
<u>CS067A-BLR</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 40mm length, 4.5mm flat head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$74.00
<u>CS067A</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$56.00
<u>CS067A-CL</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 55.5mm length, 1.5mm flat head, stainless steel, needle plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$91.00
<u>CS067A-L</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$66.00
<u>CS067A-LG</u>	Metrol limit switch, low contact force, precision touch, 6mm diameter, threaded, 0.75mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 0.5N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$67.00
<u>CS067A-LR</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 40mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$72.00
<u>CS067B</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$56.00
<u>CS067B-L</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$66.00
<u>CS067B-LR</u>	Metrol limit switch, precision touch, 6mm diameter, threaded, 0.75mm pitch, 37mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$72.00
<u>CS087A-L</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 43.5mm length, 3mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$66.00

<u>CS087A-LR</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 49.5mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$72.00
<u>CSFN105A-H6X</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 0.5mm pitch, 30mm length, 1.5mm radius head, stainless steel, 2mm plunger, 0.1N contact force, NPN, N.O., 9.8ft/3m cable length, pigtail.	Stock	\$51.00
<u>CSH121A-A</u>	Metrol limit switch, sliding/angled, precision touch, 12mm diameter, threaded, 1mm pitch, 59.5mm length, 5mm radius head, stainless steel, 10mm plunger, 1.5N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$87.00
<u>CSH121A-AL</u>	Metrol limit switch, sliding/angled, precision touch, 12mm diameter, threaded, 1mm pitch, 59.5mm length, 5mm radius head, stainless steel, 10mm plunger, 1.5N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$86.00
<u>CSH121A-APL</u>	Metrol limit switch, sliding/angled, precision touch, 12mm diameter, threaded, 1mm pitch, 59.5mm length, 5mm radius head, plastic, 10mm plunger, 1.5N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$99.00
<u>CSH121B-AL</u>	Metrol limit switch, sliding/angled, precision touch, 12mm diameter, threaded, 1mm pitch, 59.5mm length, 5mm radius head, stainless steel, 10mm plunger, 1.5N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$89.00
<u>CSH121B-APL</u>	Metrol limit switch, sliding/angled, precision touch, 12mm diameter, threaded, 1mm pitch, 59.5mm length, 5mm radius head, plastic, 10mm plunger, 1.5N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$99.00
<u>CSHP085A-L</u>	Metrol limit switch, sliding/angled, precision touch, 8mm diameter, threaded, 0.5mm pitch, 62.5mm length, 3mm radius head, stainless steel, 4.7mm plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$174.00
<u>CSHP085B-L</u>	Metrol limit switch, sliding/angled, precision touch, 8mm diameter, threaded, 0.5mm pitch, 62.5mm length, 3mm radius head, stainless steel, 4.7mm plunger, 1N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$174.00
<u>CSJ055A-CG</u>	Metrol limit switch, low contact force, precision touch, 5mm diameter, threaded, 0.5mm pitch, 55.5mm length, 1.5mm flat head, stainless steel, needle plunger, 0.5N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$58.00
<u>CSJ055A-CL</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 55.5mm length, 1.5mm flat head, stainless steel, needle plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$66.00
<u>CSJ055A</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$49.50
<u>CSJ055A-L</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$59.00
<u>CSJ055A-LR</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 40mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$65.00
<u>CSJS50A</u>	Metrol limit switch, precision touch, 5mm diameter, smooth, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$49.50
<u>CSJS50A-L</u>	Metrol limit switch, precision touch, 5mm diameter, smooth, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$59.00
<u>CSJS50A-LR</u>	Metrol limit switch, precision touch, 5mm diameter, smooth, 40mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$65.00
<u>CSK087A</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 54.5mm length, 3mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$64.00
<u>CSK087A-L</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 54.5mm length, 3mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$74.00
<u>CSK087A-LR</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 66.2mm length, 3mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$70.00
<u>CSK087B-L</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 54.5mm length, 3mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$74.00
<u>CSK087B-LR</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 66.2mm length, 3mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$70.00
<u>CSM105CA</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 0.5mm pitch, 21.5mm length, 2.5mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$61.00
<u>CSM105CA-L</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 0.5mm pitch, 21.5mm length, 2.5mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$68.00
<u>CSM105WA</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 0.5mm pitch, 15mm length, 2.5mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$63.00
<u>CSMP105CA-L</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 0.5mm pitch, 24.7mm length, 2.5mm radius head, stainless steel, 2mm plunger with boot, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$73.00

<u>CSMP105WA</u>	Metrol limit switch, precision touch, 10mm diameter, threaded, 0.5mm pitch, 20.5mm length, 2.5mm radius head, stainless steel, 2mm plunger with boot, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$66.00
<u>CSP087A-AL</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 52.8mm length, 2mm round head, stainless steel, 5.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$86.00
<u>CSP087B-AL</u>	Metrol limit switch, precision touch, 8mm diameter, threaded, 0.75mm pitch, 52.8mm length, 2mm round head, stainless steel, 5.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$86.00
<u>CSS60A-L</u>	Metrol limit switch, precision touch, 6mm diameter, smooth, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$62.00
<u>CSS60A-LR</u>	Metrol limit switch, precision touch, 6mm diameter, smooth, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, 90 degree exit, pigtail.	Stock	\$62.00
<u>CSS60B-L</u>	Metrol limit switch, precision touch, 6mm diameter, smooth, 42mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$62.00
<u>CSS80A-L</u>	Metrol limit switch, precision touch, 8mm diameter, smooth, 43.5mm length, 3mm radius head, stainless steel, 3.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$62.00
<u>GN-BP161B</u>	Metrol limit switch, vacuum, precision touch, 16mm diameter, threaded, 1mm pitch, 41mm length, 9.5mm head, stainless steel, 2mm plunger, 1.5N contact force, (1) N.C. contact(s), 1.6ft/0.5m cable length, pigtail.	Stock	\$1,252.00
<u>GN-BP5MA</u>	Metrol limit switch, vacuum, precision touch, 5mm diameter, threaded, 0.5mm pitch, 19mm length, 3mm head, stainless steel, ball plunger, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, pigtail.	Stock	\$352.00
<u>GN-BP5MA-R</u>	Metrol limit switch, vacuum, precision touch, 5mm diameter, threaded, 0.5mm pitch, 19mm length, 3mm head, stainless steel, ball plunger, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, pigtail.	Stock	\$359.00
<u>GN-CSK141B</u>	Metrol limit switch, vacuum, precision touch, 14mm diameter, threaded, 1mm pitch, 47mm length, 4mm radius head, stainless steel, 12mm plunger, 0.8N contact force, (1) N.C. contact(s), 1.6ft/0.5m cable length, pigtail.	Stock	\$1,252.00
<u>GN-PT5M3A</u>	Metrol limit switch, vacuum, precision touch, 5mm diameter, threaded, 0.5mm pitch, 21.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$257.00
<u>GN-PT5M3B</u>	Metrol limit switch, vacuum, precision touch, 5mm diameter, threaded, 0.5mm pitch, 18.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.C. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$257.00
<u>HT-BP060A</u>	Metrol limit switch, high temperature, precision touch, 6mm diameter, threaded, 1mm pitch, 47.8mm length, 3mm head, stainless steel, ball plunger, 6-13N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$235.00
<u>HT-CS067A</u>	Metrol limit switch, high temperature, precision touch, 6mm diameter, threaded, 0.75mm pitch, 45.5mm length, 1.5mm radius head, stainless steel, 2mm plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$259.00
<u>P085DB-AL</u>	Metrol limit switch, high precision touch, 8mm diameter, threaded, 0.5mm pitch, 48.8mm length, 2mm round head, stainless steel, 5.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$163.00
<u>P10DA-AL</u>	Metrol limit switch, high precision touch, 10mm diameter, threaded, 0.5mm pitch, 49.8mm length, 2mm round head, stainless steel, 8.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$163.00
<u>P10DB-A</u>	Metrol limit switch, high precision touch, 10mm diameter, threaded, 0.5mm pitch, 42mm length, 2mm round head, stainless steel, 8.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$142.00
<u>P10DB-AL</u>	Metrol limit switch, high precision touch, 10mm diameter, threaded, 0.5mm pitch, 42mm length, 2mm round head, stainless steel, 8.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$163.00
<u>P10DHA-TML</u>	Metrol limit switch, high precision touch, 14mm diameter, threaded, 0.5mm pitch, 61mm length, 8mm roller head, stainless steel, 2.5mm plunger, 1N contact force, (1) N.O. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$343.00
<u>P10DHB-TML</u>	Metrol limit switch, high precision touch, 14mm diameter, threaded, 0.5mm pitch, 55mm length, 8mm roller head, stainless steel, 2.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$343.00
<u>P10DHLTB-TML</u>	Metrol limit switch, high precision touch, 14mm diameter, threaded, 0.5mm pitch, 84.5mm length, 8mm roller head, stainless steel, 2.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$377.00
<u>P10DLB-AL</u>	Metrol limit switch, high precision touch, 10mm diameter, threaded, 0.5mm pitch, 70mm length, 2mm round head, stainless steel, 8.5mm plunger, 1N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$164.00
<u>P11DDB-DLD</u>	Metrol limit switch, tool setter, high precision touch, 23 x 38 x 18mm, 5mm flat head, stainless steel, 16mm plunger, 1.5N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$189.00
<u>P11DDB-DULD</u>	Metrol limit switch, tool setter, high precision touch, 23 x 38 x 18mm, 5mm flat head, tungsten carbide, 16mm plunger, 1.5N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$205.00
<u>P11EDB-DULD</u>	Metrol limit switch, tool setter, high precision touch, 27 x 38 x 18mm, 5mm flat head, tungsten carbide, 16mm plunger, 1.5N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$205.00
<u>P11DMB-DULD</u>	Metrol limit switch, tool setter, high precision touch, 23 x 38 x 18mm, 5mm flat head, stainless steel, 16mm plunger, 1.5N contact force, (1) N.C. contact(s), 9.8ft/3m cable length, pigtail.	Stock	\$189.00
<u>P21EDBP-22-28</u>	Metrol limit switch, tool setter, high precision touch, 41 x 45 x 25mm, 10mm flat head, tungsten carbide, 18.5mm plunger, 1.5N contact force, (1) N.C. contact(s), 16.4ft/5m cable length, pigtail.	Stock	\$697.00
<u>PT5M3CB</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 18.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$94.00

<u>PT5M3CB-L</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 18.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$95.00
<u>PTP5M3CB-B</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 25mm length, 3mm flat head, stainless steel, 1.5mm plunger, 0.8N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$111.00
<u>PT5M1WA</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 21.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$102.00
<u>PT5M3WA</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 21.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$79.00
<u>PT5M3WB</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 18.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.C. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$79.00
<u>PT5S3CB-L</u>	Metrol limit switch, precision touch, 5mm diameter, smooth, 18.5mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.5N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$89.00
<u>PTP5M3CB-L</u>	Metrol limit switch, precision touch, 5mm diameter, threaded, 0.5mm pitch, 25mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.8N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$103.00
<u>PTP5S3CB-L</u>	Metrol limit switch, precision touch, 5mm diameter, smooth, 25mm length, 2mm radius head, stainless steel, 1.5mm plunger, 0.8N contact force, (1) N.C. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$97.00
<u>176101-1</u>	IDEM micro limit switch, metal pin plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$15.00
<u>176101-5</u>	IDEM micro limit switch, metal pin plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$54.00
<u>176104-1</u>	IDEM micro limit switch, metal pin plunger long, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$16.00
<u>176104-5</u>	IDEM micro limit switch, metal pin plunger long, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$63.00
<u>176105-1</u>	IDEM micro limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$16.00
<u>176105-5</u>	IDEM micro limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$64.00
<u>176106-1</u>	IDEM micro limit switch, metal plunger with fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$20.50
<u>176106-5</u>	IDEM micro limit switch, metal plunger with fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$78.00
<u>AAM2F11Z11</u>	AutomationDirect IEC limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$14.50
<u>AAM2T14Z11</u>	AutomationDirect IEC limit switch, metal plunger with dust cap, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$15.50
<u>AAP2T10Z11</u>	AutomationDirect IEC limit switch, plastic plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$10.50
<u>AAP2T14Z11</u>	AutomationDirect IEC limit switch, galvanized steel plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$15.00
<u>ABM1E11Z11</u>	AutomationDirect IEC limit switch, stainless steel plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) PG13.5 cable entry.	Stock	\$23.00
<u>ABM2E11Z11</u>	AutomationDirect IEC limit switch, stainless steel plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM5E11Z11</u>	AutomationDirect IEC limit switch, stainless steel plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) PG13.5 cable entries.	Stock	\$51.00
<u>ABM6E11Z11</u>	AutomationDirect IEC limit switch, stainless steel plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$53.00
<u>ABP1H14Z11</u>	AutomationDirect IEC limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$34.50
<u>ABP2H14Z11</u>	AutomationDirect IEC limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00
<u>ADM2F11Z11</u>	AchieVe IEC limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$18.50
<u>AHP2R002J02-024</u>	AchieVe IEC limit switch, plastic plunger, (2) N.C. contact(s), snap action, solenoid or manual reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$51.00
<u>AHP2T11J02-024</u>	AchieVe IEC limit switch, metal plunger, 90-degree adjustable head, (2) N.C. contact(s), snap action, solenoid reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$46.00
<u>PS116Z11-L200S200</u>	Schmersal compact limit switch, plastic plunger, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, bottom exit.	Stock	\$37.00

<u>PS116Z11-LR200S200</u>	Schmersal compact limit switch, plastic plunger, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, right exit.	Stock	\$37.00
<u>PS116Z11-ST5200</u>	Schmersal compact limit switch, plastic plunger, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, bottom exit.	Stock	\$37.00
<u>PS116Z11-STRS200</u>	Schmersal compact limit switch, plastic plunger, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, right exit.	Stock	\$37.00
<u>PS116T11-L200S200</u>	Schmersal compact limit switch, plastic plunger, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), slow action break before make, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, bottom exit.	Stock	\$37.00
<u>PS116T11-STRS200</u>	Schmersal compact limit switch, plastic plunger, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), slow action break before make, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, right exit.	Stock	\$37.00
<u>AEM2G1101Z11-3R</u>	AutomationDirect compact limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$28.00
<u>AEM2G1101Z11M</u>	AutomationDirect compact limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$27.00
<u>AEM2G1101Z11MR</u>	AutomationDirect compact limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$27.00
<u>AEM2G11X11-3</u>	AutomationDirect compact limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$30.50
<u>AEM2G11Z11-3</u>	AutomationDirect compact limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$30.50
<u>AEM2G1101Z22-3</u>	AchieVe compact limit switch, metal plunger, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G1601Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G1601Z11M</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G1601Z11MR</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G16X11-3</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G16Z11-3</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G1601Z22-3</u>	AchieVe compact limit switch, metal plunger with dust cap, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$38.50
<u>AEM2G16Z11-HF1</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>AEM2G18Z11-3</u>	AutomationDirect compact limit switch, metal plunger with bevel cut, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$42.00
<u>AEM2G2101Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$29.00
<u>AEM2G2101Z11M</u>	AutomationDirect compact limit switch, metal plunger with fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$27.00
<u>AEM2G2101Z11MR</u>	AutomationDirect compact limit switch, metal plunger with fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$27.00
<u>AEM2G21X11-3</u>	AutomationDirect compact limit switch, metal plunger with fixing nuts, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$33.00
<u>AEM2G21Z11-3</u>	AutomationDirect compact limit switch, metal plunger with fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$33.00
<u>AEM2G2101Z22-3</u>	AchieVe compact limit switch, metal plunger with fixing nuts, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEP2G11Z11-1</u>	AutomationDirect compact limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$17.50
<u>AEP2G11Z22-1</u>	AchieVe compact limit switch, metal plunger, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$24.00
<u>AEP2G11Z11MR</u>	AutomationDirect compact limit switch, metal plunger, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$21.00
<u>AEP2G16Z11-1</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$20.00
<u>AEP2G16Z22-1</u>	AchieVe compact limit switch, metal plunger with dust cap, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$26.50

<u>AEP2G16Z11MR</u>	AutomationDirect compact limit switch, metal plunger with dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$24.00
<u>AEP2G21Z22-1</u>	AchieVe compact limit switch, metal plunger with fixing nuts, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$26.50
<u>F25ASP1</u>	Eaton NEMA limit switch, side metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$174.00
<u>F25ASP2</u>	Eaton NEMA limit switch, side metal plunger adjustable, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$198.00
<u>F25ATP1</u>	Eaton NEMA limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$158.00
<u>F25ATP2</u>	Eaton NEMA limit switch, metal plunger adjustable, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$198.00
<u>F25BSP1</u>	Eaton NEMA limit switch, side metal plunger, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$220.00
<u>F25BSP2</u>	Eaton NEMA limit switch, side metal plunger adjustable, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$242.00
<u>F25BTP1</u>	Eaton NEMA limit switch, metal plunger, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$207.00
<u>F25BTP2</u>	Eaton NEMA limit switch, metal plunger adjustable, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$242.00
<u>STE060PA-L</u>	Metrol limit switch, stopper bolt, 6mm diameter, threaded, 1mm pitch, 31.7mm length, 3.4mm flat with hex head, stainless steel, 1.5mm plunger, 2N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$59.00
<u>STE080PA-L</u>	Metrol limit switch, stopper bolt, 8mm diameter, threaded, 1.25mm pitch, 37.5mm length, 4.5mm flat with hex head, stainless steel, 1.5mm plunger, 2N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$79.00
<u>STE100PA-L</u>	Metrol limit switch, stopper bolt, 10mm diameter, threaded, 1.5mm pitch, 37.5mm length, 4.5mm flat with hex head, stainless steel, 1.5mm plunger, 2N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$79.00
<u>STM11A</u>	Metrol limit switch, stopper, 8mm diameter, smooth, 8mm length, 8mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$39.50
<u>STM13A</u>	Metrol limit switch, stopper, 10mm diameter, smooth, 8mm length, 8mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$52.00
<u>STM14A-L</u>	Metrol limit switch, stopper, 10mm diameter, smooth, 15.5mm length, 8mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$73.00
<u>STM31A</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 0.75mm pitch, 8.5mm length, 8mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$54.00
<u>STM32A</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 0.75mm pitch, 15.5mm length, 8mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$47.50
<u>STM32A-L</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 0.75mm pitch, 15.5mm length, 8mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$79.00
<u>STM34A</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 1.5mm pitch, 15.5mm length, 8mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$48.50
<u>STM34A-L</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 1.5mm pitch, 15.5mm length, 13mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$80.00
<u>STM36A-L</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 0.75mm pitch, 18mm length, 4.5mm flat head, stainless steel, 3mm plunger, 0.8N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$56.00
<u>STM63A</u>	Metrol limit switch, stopper, 11mm diameter, smooth, 11.8mm length, 2.5mm radius head, stainless steel, 3mm plunger with boot, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$68.00
<u>STM64A-L</u>	Metrol limit switch, stopper, 11mm diameter, smooth, 18.8mm length, 2.5mm radius head, stainless steel, 3mm plunger with boot, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$86.00
<u>STM81A</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 0.75mm pitch, 11.8mm length, 2.5mm radius head, stainless steel, 3mm plunger with boot, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$73.00
<u>STM82A-HT2</u>	Metrol limit switch, high temperature, stopper, 10mm diameter, threaded, 0.75mm pitch, 19.5mm length, 2.5mm radius head, stainless steel, 3mm plunger with boot, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$211.00
<u>STM82A-L</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 0.75mm pitch, 19.8mm length, 2.5mm radius head, stainless steel, 3mm plunger with boot, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$92.00
<u>STM83A</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 1.5mm pitch, 12.8mm length, 2.5mm radius head, stainless steel, 3mm plunger with boot, 1N contact force, (1) N.O. contact(s), 1.6ft/0.5m cable length, core wire.	Stock	\$68.00
<u>STM84A-L</u>	Metrol limit switch, stopper, 10mm diameter, threaded, 1.5mm pitch, 19.8mm length, 2.5mm radius head, stainless steel, 3mm plunger with boot, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$97.00

<u>STP100DA-L</u>	Metrol limit switch, stopper bolt, 10mm diameter, threaded, 1.5mm pitch, 55.4mm length, 5mm radius head, stainless steel, 5.5mm plunger with downward cover, 4N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$90.00
<u>STP100UA-L</u>	Metrol limit switch, stopper bolt, 10mm diameter, threaded, 1.5mm pitch, 55.4mm length, 5mm radius head, stainless steel, 5.5mm plunger with upward cover, 4N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$90.00
<u>STS060A-HT2</u>	Metrol limit switch, high temperature, stopper bolt, 6mm diameter, threaded, 1mm pitch, 31.7mm length, 3.4mm flat head, stainless steel, 1.5mm plunger, 1N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$216.00
<u>STS060PA</u>	Metrol limit switch, stopper bolt, 6mm diameter, threaded, 1mm pitch, 31.7mm length, 3.4mm flat head, stainless steel, 1.5mm plunger, 2N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$45.00
<u>STS060PA-L</u>	Metrol limit switch, stopper bolt, 6mm diameter, threaded, 1mm pitch, 31.7mm length, 3.4mm flat head, stainless steel, 1.5mm plunger, 2N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$55.00
<u>STS080PA-L</u>	Metrol limit switch, stopper bolt, 8mm diameter, threaded, 1.25mm pitch, 38.2mm length, 4.5mm flat head, stainless steel, 1.5mm plunger, 2N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$73.00
<u>STS100PA-L</u>	Metrol limit switch, stopper bolt, 10mm diameter, threaded, 1.5mm pitch, 38.2mm length, 4.5mm flat head, stainless steel, 1.5mm plunger, 2N contact force, (1) N.O. contact(s), 6.5ft/2m cable length, pigtail.	Stock	\$76.00
<u>Z4S-235-02Z</u>	Schmersal IEC limit switch, metal plunger with fixing nuts, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$36.50
<u>Z4S-235-11Z</u>	Schmersal IEC limit switch, metal plunger with fixing nuts, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$36.50
<u>Z4S-236-02Z</u>	Schmersal IEC limit switch, metal plunger with fixing nuts, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$28.50
<u>Z4S-236-11Z</u>	Schmersal IEC limit switch, metal plunger with fixing nuts, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$28.50
<u>ZS-235-02Z</u>	Schmersal IEC limit switch, metal plunger, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$29.50
<u>ZS-235-11Z</u>	Schmersal IEC limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$29.50
<u>ZS-236-02Z</u>	Schmersal IEC limit switch, plastic plunger, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$15.50
<u>ZS-236-11Z</u>	Schmersal IEC limit switch, plastic plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$15.50
<u>ZS-335-11Z</u>	Schmersal IEC limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$55.00
<u>ZS-336-11Z</u>	Schmersal IEC limit switch, metal plunger, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$23.00
Limit Switches with Plunger plus Roller Actuator			
<u>176107-1</u>	IDEM micro limit switch, metal plunger with metal roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$25.00
<u>176107-5</u>	IDEM micro limit switch, metal plunger with metal roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$101.00
<u>176108-1</u>	IDEM micro limit switch, metal plunger with metal cross roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$25.00
<u>176108-5</u>	IDEM micro limit switch, metal plunger with metal cross roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$101.00
<u>AAM2F12Z11</u>	AutomationDirect IEC limit switch, metal plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$15.50
<u>AAM7F12Z11</u>	AutomationDirect IEC limit switch, metal plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect.	Stock	\$23.00
<u>AAP2T13Z11</u>	AutomationDirect IEC limit switch, galvanized steel plunger with polyamide plastic roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$15.00
<u>AAP7T13Z11</u>	AutomationDirect IEC limit switch, galvanized steel plunger with polyamide plastic roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$16.50
<u>ABM2E13Z11</u>	AutomationDirect IEC limit switch, stainless steel plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM6E13Z11</u>	AutomationDirect IEC limit switch, stainless steel plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$53.00
<u>ABP1H19Z11</u>	AutomationDirect IEC limit switch, metal plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$34.50
<u>ABP2H19Z11</u>	AutomationDirect IEC limit switch, metal plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00

<u>ADM2F12Z11</u>	AchieVe IEC limit switch, metal plunger with metal roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$21.00
<u>ADP2T13Z11</u>	AchieVe IEC limit switch, metal plunger with metal roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$18.50
<u>ADP2T14Z11</u>	AchieVe IEC limit switch, metal plunger with metal roller and dust cap, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$20.00
<u>AHP2T12J02-024</u>	AchieVe IEC limit switch, metal plunger with metal roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, solenoid reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$47.50
<u>PS116Z11-L200R200</u>	Schmersal compact limit switch, plunger with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, bottom exit.	Stock	\$43.00
<u>PS116Z11-LR200R200</u>	Schmersal compact limit switch, plunger with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, right exit.	Stock	\$43.00
<u>PS116Z11-STR200</u>	Schmersal compact limit switch, plunger with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, bottom exit.	Stock	\$43.00
<u>PS116Z11-STRR200</u>	Schmersal compact limit switch, plunger with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, right exit.	Stock	\$43.00
<u>PS116T11-L200R200</u>	Schmersal compact limit switch, plunger with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), slow action break before make, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, bottom exit.	Stock	\$43.00
<u>PS116T11-STRR200</u>	Schmersal compact limit switch, plunger with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), slow action break before make, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, right exit.	Stock	\$43.00
<u>AEM2G1201Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G1201Z11M</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G1201Z11MR</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G12X11-3</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./(1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$37.00
<u>AEM2G12Z11-3</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$37.00
<u>AEM2G1201Z22-3</u>	AchieVe compact limit switch, metal plunger with metal roller, (2) N.O./(2) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$38.50
<u>AEM2G12Z11-HF1</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>AEM2G1301Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G1301Z11M</u>	AutomationDirect compact limit switch, metal plunger with nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G1301Z11MR</u>	AutomationDirect compact limit switch, metal plunger with nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G13X11-3</u>	AutomationDirect compact limit switch, metal plunger with nylon roller, (1) N.O./(1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G13Z11-3</u>	AutomationDirect compact limit switch, metal plunger with nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G1401Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with metal cross roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G1401Z11M</u>	AutomationDirect compact limit switch, metal plunger with metal cross roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G1401Z11MR</u>	AutomationDirect compact limit switch, metal plunger with metal cross roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G14X11-3</u>	AutomationDirect compact limit switch, metal plunger with metal cross roller, (1) N.O./(1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G14Z11-3</u>	AutomationDirect compact limit switch, metal plunger with metal cross roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G1501Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with nylon cross roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$29.00
<u>AEM2G1501Z11M</u>	AutomationDirect compact limit switch, metal plunger with nylon cross roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00

<u>AEM2G1501Z11MR</u>	AutomationDirect compact limit switch, metal plunger with nylon cross roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G15X11-3</u>	AutomationDirect compact limit switch, metal plunger with nylon cross roller, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.00
<u>AEM2G15Z11-3</u>	AutomationDirect compact limit switch, metal plunger with nylon cross roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.00
<u>AEM2G1701Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with metal roller and dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$33.00
<u>AEM2G1701Z11M</u>	AutomationDirect compact limit switch, metal plunger with metal roller and dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$29.00
<u>AEM2G1701Z11MR</u>	AutomationDirect compact limit switch, metal plunger with metal roller and dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$29.00
<u>AEM2G17Z11-3</u>	AutomationDirect compact limit switch, metal plunger with metal roller and dust cap, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$33.00
<u>AEM2G2201Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with metal roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$32.00
<u>AEM2G2201Z11M</u>	AutomationDirect compact limit switch, metal plunger with metal roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$29.00
<u>AEM2G2201Z11MR</u>	AutomationDirect compact limit switch, metal plunger with metal roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$29.00
<u>AEM2G22X11-3</u>	AutomationDirect compact limit switch, metal plunger with metal roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G22Z11-3</u>	AutomationDirect compact limit switch, metal plunger with metal roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G2201Z22-3</u>	AchieVe compact limit switch, metal plunger with metal roller and fixing nuts, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$38.50
<u>AEM2G2301Z11-3R</u>	AutomationDirect compact limit switch, metal plunger with nylon roller with fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$32.00
<u>AEM2G24Z11-3</u>	AutomationDirect compact limit switch, metal plunger with metal cross roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G25Z11-3</u>	AutomationDirect compact limit switch, metal plunger with nylon cross roller and fixing nuts, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEP2G12Z11-1</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$20.00
<u>AEP2G12Z22-1</u>	AchieVe compact limit switch, metal plunger with metal roller, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$27.50
<u>AEP2G12Z11MR</u>	AutomationDirect compact limit switch, metal plunger with metal roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$24.00
<u>AEP2G22Z22-1</u>	AchieVe compact limit switch, metal plunger with metal roller and fixing nuts, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>F25ASP3</u>	Eaton NEMA limit switch, side metal plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$198.00
<u>F25ATP3</u>	Eaton NEMA limit switch, metal plunger with metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$174.00
<u>F25BSP3</u>	Eaton NEMA limit switch, side metal plunger with metal roller, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$237.00
<u>F25BTP3</u>	Eaton NEMA limit switch, metal plunger with metal roller, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$220.00
<u>Z4R-235-02Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller with fixing nuts, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$39.50
<u>Z4R-235-11Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller with fixing nuts, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$39.50
<u>Z4R-236-02Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller with fixing nuts, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$31.50
<u>Z4R-236-11Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller with fixing nuts, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$31.50
<u>ZR-235-02Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$31.50
<u>ZR-235-11Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$31.50

<u>ZR-236-02Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$17.50
<u>ZR-236-11Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$17.50
<u>ZR-335-11Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$57.00
<u>ZR-336-11Z</u>	Schmersal IEC limit switch, metal plunger with plastic roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$29.50
Limit Switches with One-way Lever plus Roller Actuator			
<u>176113-1</u>	IDEM micro limit switch, one-way horizontal hinge lever with steel roller, (1) N.O./(1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$19.50
<u>176113-5</u>	IDEM micro limit switch, one-way horizontal hinge lever with steel roller, (1) N.O./(1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$74.00
<u>AAM2T35Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with nylon roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$16.50
<u>AAM7T35Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with nylon roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect.	Stock	\$23.00
<u>AAP2T35Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with polyamide roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$15.00
<u>AAP7T35Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with polyamide roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$18.50
<u>ABM1E32Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with stainless steel roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) PG13.5 cable entry.	Stock	\$51.00
<u>ABM2E32Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with stainless steel roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM5E32Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with stainless steel roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) PG13.5 cable entries.	Stock	\$51.00
<u>ABM6E32Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with stainless steel roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$53.00
<u>ABP1H35Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with polyamide roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$35.00
<u>ABP2H35Z11</u>	AutomationDirect IEC limit switch, one-way horizontal lever with polyamide roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00
<u>ADM2T35Z11</u>	AchieVe IEC limit switch, one-way horizontal lever with metal roller and dust cap, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$23.00
<u>ADP2T35Z11</u>	AchieVe IEC limit switch, one-way horizontal lever with metal roller and dust cap, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$22.00
<u>AHP2T30J02-024</u>	AchieVe IEC limit switch, one-way horizontal lever with 12.5mm plastic roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, solenoid reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$47.50
<u>AHP2T32J02-024</u>	AchieVe IEC limit switch, one-way vertical lever with 12.5mm plastic roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, solenoid reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$47.50
<u>Z1K-335-11Z</u>	Schmersal IEC limit switch, one-way horizontal lever with plastic roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$70.00
<u>Z1K-336-11Z</u>	Schmersal IEC limit switch, one-way horizontal lever with plastic roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 30mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$44.00
<u>ZK-235-02Z</u>	Schmersal IEC limit switch, one-way horizontal lever with plastic roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$32.50
<u>ZK-235-11Z</u>	Schmersal IEC limit switch, one-way horizontal lever with plastic roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$32.50
<u>ZK-236-02Z</u>	Schmersal IEC limit switch, one-way horizontal lever with plastic roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$21.00
<u>ZK-236-11Z</u>	Schmersal IEC limit switch, one-way horizontal lever with plastic roller, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$21.00

Limit Switches with Lever Actuator			
<u>176102-1</u>	IDEM micro limit switch, lever, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$15.50
<u>176102-5</u>	IDEM micro limit switch, lever, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$57.00
<u>176109-1</u>	IDEM micro limit switch, lever hinge long, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$16.50
<u>176109-5</u>	IDEM micro limit switch, lever hinge long, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$63.00
<u>176110-1</u>	IDEM micro limit switch, lever hinge, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$16.00
<u>176110-5</u>	IDEM micro limit switch, lever hinge, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$63.00
Limit Switches with Lever plus Roller Actuator			
<u>176103-1</u>	IDEM micro limit switch, lever with steel roller, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$16.00
<u>176103-5</u>	IDEM micro limit switch, lever with steel roller, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$63.00
<u>176111-1</u>	IDEM micro limit switch, lever hinge long with steel roller, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$17.00
<u>176111-5</u>	IDEM micro limit switch, lever hinge long with steel roller, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$66.00
<u>176112-1</u>	IDEM micro limit switch, lever hinge with steel roller, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals.	Stock	\$17.00
<u>176112-5</u>	IDEM micro limit switch, lever hinge with steel roller, (1) N.O./ (1) N.C. contact(s), snap action, 25.4mm hole spacing, polybutylene terephthalate, screw terminals. Package of 5.	Stock	\$65.00
Limit Switches with Side Rotary Adjustable Lever plus Roller Actuator			
<u>MD250-11Z</u>	Schmersal heavy duty limit switch, side rotary lever with plastic roller, (1) N.O./ (1) N.C. contact(s), snap action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$513.00
<u>MD250-22Z</u>	Schmersal heavy duty limit switch, side rotary lever with plastic roller, (2) N.O./ (2) N.C. contact(s), snap action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$608.00
<u>TD250-02/02Z</u>	Schmersal heavy duty limit switch, side rotary lever with plastic roller, (2) N.C. left and (2) N.C. right contact(s), slow action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$579.00
<u>TD250-11/11Z</u>	Schmersal heavy duty limit switch, side rotary lever with plastic roller, (1) N.O./ (1) N.C. left and (1) N.O./ (1) N.C. right contact(s), slow action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$579.00
<u>TD250-02Z</u>	Schmersal heavy duty limit switch, side rotary lever with plastic roller, (2) N.C. contact(s), slow action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$490.00
<u>TD250-02/02Z-RMS</u>	Schmersal heavy duty limit switch, side rotary lever with metal roller, (2) N.C. left and (2) N.C. right contact(s), slow action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$579.00
<u>TD250-10/10Z-T</u>	Schmersal heavy duty limit switch, side rotary lever with metal roller, (1) N.O. left and (1) N.O. right contact(s), slow action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$581.00
<u>MD250-11Z-T</u>	Schmersal heavy duty limit switch, side rotary lever with metal roller, (1) N.O./ (1) N.C. contact(s), snap action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$580.00
<u>AAM2F43Z11</u>	AutomationDirect IEC limit switch, side rotary lever with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$16.50
<u>AAM2F46Z11</u>	AutomationDirect IEC limit switch, side rotary lever inward with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$16.50
<u>AAM2F53Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable metal lever with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$16.50
<u>AAM7F43Z11</u>	AutomationDirect IEC limit switch, side rotary lever with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect.	Stock	\$23.00
<u>AAM7F46Z11</u>	AutomationDirect IEC limit switch, side rotary lever inward with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect.	Stock	\$24.00
<u>AAM7F53Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable metal lever with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect.	Stock	\$24.00
<u>AAP2T41Z11</u>	AutomationDirect IEC limit switch, side rotary lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$15.00
<u>AAP2T42Z11</u>	AutomationDirect IEC limit switch, side rotary lever with 50mm rubber roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$14.50

<u>AAP2T45Z11</u>	AutomationDirect IEC limit switch, side rotary lever inward with 18mm nylon roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$14.50
<u>AAP2T5100Z11</u>	AutomationDirect IEC limit switch, side rotary 2mm step adjustable lever with 18mm nylon roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$14.50
<u>AAP2T51Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable metal lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$15.00
<u>AAP2T5200Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with 50mm rubber roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$15.50
<u>AAP7T41Z11</u>	AutomationDirect IEC limit switch, side rotary lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$17.50
<u>AAP7T5100Z11</u>	AutomationDirect IEC limit switch, side rotary 2mm step adjustable lever with 18mm nylon roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$18.50
<u>AAP7T51Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable metal lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$18.50
<u>AAP7T5200Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with 50mm rubber roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$20.00
<u>ABM1E42Z11</u>	AutomationDirect IEC limit switch, side rotary lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) PG13.5 cable entry.	Stock	\$53.00
<u>ABM1E52Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) PG13.5 cable entry.	Stock	\$53.00
<u>ABM2E42Z11</u>	AutomationDirect IEC limit switch, side rotary lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM2E52Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM5E42Z11</u>	AutomationDirect IEC limit switch, side rotary lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) PG13.5 cable entries.	Stock	\$53.00
<u>ABM5E52Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) PG13.5 cable entries.	Stock	\$51.00
<u>ABM6E42Z11</u>	AutomationDirect IEC limit switch, side rotary lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$53.00
<u>ABM6E52Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with stainless steel roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$53.00
<u>ABP1H41Z11</u>	AutomationDirect IEC limit switch, side rotary lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$34.50
<u>ABP1H51Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$35.00
<u>ABP2H41Z11</u>	AutomationDirect IEC limit switch, side rotary lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00
<u>ABP2H51Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable lever with polyamide roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00
<u>ADM2F43Z11</u>	AchieVe IEC limit switch, side rotary lever with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$24.00
<u>ADM2F46Z11</u>	AchieVe IEC limit switch, side rotary lever inward with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$25.50
<u>ADM2F53Z11</u>	AchieVe IEC limit switch, side rotary adjustable metal lever with 18mm metal roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$25.50
<u>ADP2T41Z11</u>	AchieVe IEC limit switch, side rotary lever with 18mm nylon roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$20.00
<u>ADP2T45Z11</u>	AchieVe IEC limit switch, side rotary lever inward with 18mm nylon roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$21.00
<u>ADP2T51Z11</u>	AchieVe IEC limit switch, side rotary adjustable lever with 18mm nylon roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$21.00
<u>ADP2T5100Z11</u>	AchieVe IEC limit switch, side rotary 2mm step adjustable lever with 18mm nylon roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$21.00

<u>AHP2T41J02-024</u>	AchieVe IEC limit switch, side rotary lever with 18mm nylon roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, solenoid reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$48.50
<u>AHP2T5100J02-024</u>	AchieVe IEC limit switch, side rotary 2mm step adjustable lever with 18mm nylon roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, solenoid reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$49.50
<u>AHP2T5200J02-024</u>	AchieVe IEC limit switch, side rotary 2mm step adjustable lever with 50mm nylon roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, solenoid reset, 20-22mm hole spacing, plastic, (2) PG11 and (1) 1/2in NPT cable entries.	Stock	\$51.00
<u>PS116Z11-L200H200</u>	Schmersal compact limit switch, side rotary lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, bottom exit.	Stock	\$45.00
<u>PS116Z11-LR200H200</u>	Schmersal compact limit switch, side rotary lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, right exit.	Stock	\$45.00
<u>PS116Z11-STH200</u>	Schmersal compact limit switch, side rotary lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, bottom exit.	Stock	\$45.00
<u>PS116Z11-STRH200</u>	Schmersal compact limit switch, side rotary lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, right exit.	Stock	\$45.00
<u>PS116T11-L200H200</u>	Schmersal compact limit switch, side rotary lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), slow action break before make, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length.	Stock	\$45.00
<u>PS116T11-STRH200</u>	Schmersal compact limit switch, side rotary lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), slow action break before make, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, right exit.	Stock	\$45.00
<u>PS116Z11-L200N200</u>	Schmersal compact limit switch, side rotary adjustable lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length.	Stock	\$49.00
<u>PS116Z11-LR200N200</u>	Schmersal compact limit switch, side rotary adjustable lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, right exit.	Stock	\$49.00
<u>PS116Z11-STN200</u>	Schmersal compact limit switch, side rotary adjustable lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, bottom exit.	Stock	\$49.00
<u>PS116Z11-STRN200</u>	Schmersal compact limit switch, side rotary adjustable lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, right exit.	Stock	\$49.00
<u>PS116T11-L200N200</u>	Schmersal compact limit switch, side rotary adjustable lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), slow action break before make, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail.	Stock	\$49.00
<u>PS116T11-STRN200</u>	Schmersal compact limit switch, side rotary adjustable lever with plastic roller, 45-degree adjustable head, (1) N.O./(1) N.C. contact(s), slow action break before make, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect.	Stock	\$49.00
<u>AEM2G4120Z11-3R</u>	AutomationDirect compact limit switch, side rotary lever with 14mm nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$29.00
<u>AEM2G4120Z11M</u>	AutomationDirect compact limit switch, side rotary lever with 14mm nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$27.00
<u>AEM2G4120Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with 14mm nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$27.00
<u>AEM2G41X11-3</u>	AutomationDirect compact limit switch, side rotary lever with 14mm nylon roller, (1) N.O./(1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$33.00
<u>AEM2G41Z11-3</u>	AutomationDirect compact limit switch, side rotary lever with 14mm nylon roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$33.00
<u>AEM2G4120Z22-3</u>	AchieVe compact limit switch, side rotary lever with 14mm nylon roller, (2) N.O./(2) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G4220Z11-3R</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$29.00
<u>AEM2G4220Z11M</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$27.00
<u>AEM2G4220Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$27.00
<u>AEM2G42X11-3</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./(1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$33.50
<u>AEM2G42Z11-3</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./(1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$33.50

<u>AEM2G42Z11-HF1</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>AEM2G4320Z11-3R</u>	AutomationDirect compact limit switch, side rotary lever with 14mm ball bearing roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G4320Z11M</u>	AutomationDirect compact limit switch, side rotary lever with 14mm ball bearing roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$27.00
<u>AEM2G4320Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with 14mm ball bearing roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$27.00
<u>AEM2G43X11-3</u>	AutomationDirect compact limit switch, side rotary lever with 14mm ball bearing roller, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.00
<u>AEM2G43Z11-3</u>	AutomationDirect compact limit switch, side rotary lever with 14mm ball bearing roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.00
<u>AEM2G4520Z11-3R</u>	AutomationDirect compact limit switch, side rotary lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G4520Z11M</u>	AutomationDirect compact limit switch, side rotary lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G4520Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G45X11-3</u>	AutomationDirect compact limit switch, side rotary lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G45Z11-3</u>	AutomationDirect compact limit switch, side rotary lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G5120Z11-3R</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$32.00
<u>AEM2G5120Z11M</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G5120Z11MR</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G51X11-3</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G51Z11-3</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$36.50
<u>AEM2G5120Z22-3</u>	AchieVe compact limit switch, side rotary adjustable lever with 18mm nylon roller, (2) N.O./ (2) N.C. contact (s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$39.50
<u>AEM2G51Z11-HF1</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>AEP2G41Z11-1</u>	AutomationDirect compact limit switch, side rotary lever with 14mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$18.50
<u>AEP2G41Z22-1</u>	AchieVe compact limit switch, side rotary lever with 14mm nylon roller, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$25.50
<u>AEP2G41Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with 14mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$23.00
<u>AEP2G42Z11-1</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$18.50
<u>AEP2G42Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with 14mm metal roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$23.00
<u>AEP2G43Z11-1</u>	AutomationDirect compact limit switch, side rotary lever with 14mm ball bearing roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$20.00
<u>AEP2G43Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with 14mm ball bearing roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$24.00
<u>AEP2G51Z11-1</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$20.00
<u>AEP2G51Z22-1</u>	AchieVe compact limit switch, side rotary adjustable lever with 18mm nylon roller, (2) N.O./ (2) N.C. contact (s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$26.50
<u>AEP2G51Z11MR</u>	AutomationDirect compact limit switch, side rotary adjustable lever with 18mm nylon roller, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$23.00
<u>F25ASRL200</u>	Eaton NEMA limit switch, side rotary 1.5in stainless steel lever with Nylatron roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$167.00
<u>F25ASRL201</u>	Eaton NEMA limit switch, side rotary adjustable stainless steel lever with Nylatron roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$184.00

[illegible]

<u>ZV7H-236-02Z-2138</u>	Schmersal IEC limit switch, side rotary adjustable lever with plastic roller, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$32.50
<u>ZV7H-236-11Z-2138</u>	Schmersal IEC limit switch, side rotary adjustable lever with plastic roller, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$32.50
Limit Switches with Side Rotary Lever plus Belt Alignment Roller Actuator			
<u>M.250-11Z-1224</u>	Schmersal heavy duty limit switch, side rotary lever with metal belt roller, (1) N.O./ (1) N.C. contact(s), snap action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$747.00
<u>M.250-22Z-1224</u>	Schmersal heavy duty limit switch, side rotary lever with metal belt roller, (2) N.O./ (2) N.C. contact(s), snap action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$841.00
<u>T.250-02Z-H-966</u>	Schmersal heavy duty limit switch, side rotary lever with metal belt roller, (2) N.C. contact(s), slow action, 122mm hole spacing, cast iron, (2) M25 x 1.5 cable entry.	Stock	\$708.00
Limit Switches with Side Rotary Rod Actuator			
<u>AAM2F71Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable 3mm stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$16.50
<u>AAM7F71Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable 3mm stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect.	Stock	\$24.00
<u>AAP2T71Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$15.00
<u>AAP7T71Z11</u>	AutomationDirect IEC limit switch, side rotary adjustable 3mm stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$18.50
<u>ABM1E71Z11</u>	AutomationDirect IEC limit switch, side rotary stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) PG13.5 cable entry.	Stock	\$53.00
<u>ABM2E71Z11</u>	AutomationDirect IEC limit switch, side rotary stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM5E71Z11</u>	AutomationDirect IEC limit switch, side rotary stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) PG13.5 cable entries.	Stock	\$29.50
<u>ABM6E71Z11</u>	AutomationDirect IEC limit switch, side rotary stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$53.00
<u>ABP1H71Z11</u>	AutomationDirect IEC limit switch, side rotary stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$35.00
<u>ABP2H71Z11</u>	AutomationDirect IEC limit switch, side rotary stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00
<u>ADM2F71Z11</u>	AchieVe IEC limit switch, side rotary adjustable 3mm stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$25.50
<u>ADP2T71Z11</u>	AchieVe IEC limit switch, side rotary adjustable 3mm stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, plastic, (2) PG11 cable entries with (1) 1/2in NPT adapter.	Stock	\$22.00
<u>PS116Z11-L200J200</u>	Schmersal compact limit switch, side rotary adjustable plastic rod, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, bottom exit.	Stock	\$49.00
<u>PS116Z11-LR200J200</u>	Schmersal compact limit switch, side rotary adjustable plastic rod, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 31mm wide body, 20-22mm hole spacing, die-cast zinc with plastic base, pigtail, 6.5ft/2m cable length, right exit.	Stock	\$49.00
<u>PS116Z11-STJ200</u>	Schmersal compact limit switch, side rotary adjustable plastic rod, 45-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, die-cast zinc with plastic base, (1) 4-pin M12 quick-disconnect, bottom exit.	Stock	\$49.00
<u>AEM2G6120Z11-3R</u>	AutomationDirect compact limit switch, side rotary lever with nylon tipped stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G6120Z11M</u>	AutomationDirect compact limit switch, side rotary lever with nylon tipped stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G6120Z11MR</u>	AutomationDirect compact limit switch, side rotary lever with nylon tipped stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G61X11-3</u>	AutomationDirect compact limit switch, side rotary lever with nylon tipped stainless steel spring, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G61Z11-3</u>	AutomationDirect compact limit switch, side rotary lever with nylon tipped stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G7120Z11-3R</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G7120Z11M</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00

<u>AEM2G7120Z11MR</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G71X11-3</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G71Z11-3</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$35.00
<u>AEM2G71Z11-HF1</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>AEM2G7320Z11-3R</u>	AutomationDirect compact limit switch, side rotary adjustable 6mm nylon rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G7320Z11M</u>	AutomationDirect compact limit switch, side rotary adjustable 6mm nylon rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G7320Z11MR</u>	AutomationDirect compact limit switch, side rotary adjustable 6mm nylon rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G73X11-3</u>	AutomationDirect compact limit switch, side rotary adjustable 6mm nylon rod, (1) N.O./ (1) N.C. contact(s), slow action break before make, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.50
<u>AEM2G73Z11-3</u>	AutomationDirect compact limit switch, side rotary adjustable 6mm nylon rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.50
<u>AEM2G74Z11-3</u>	AutomationDirect compact limit switch, side rotary adjustable 6mm fiberglass rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.50
<u>AEM2G75Z11-3</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm square steel shaft, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.50
<u>AEP2G71Z11-1</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$20.00
<u>AEP2G71Z11MR</u>	AutomationDirect compact limit switch, side rotary adjustable 3mm stainless steel rod, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$24.00
<u>F25ASRL142</u>	Eaton NEMA limit switch, side rotary 6in Nylatron loop, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$184.00
<u>F25ASRL421</u>	Eaton NEMA limit switch, side rotary adjustable spring stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$184.00
<u>F25BSRL142</u>	Eaton NEMA limit switch, side rotary 6in Nylatron loop, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$222.00
<u>F25BSRL421</u>	Eaton NEMA limit switch, side rotary adjustable spring stainless steel rod, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$222.00
<u>Z4V10H-335-02Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (2) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$76.00
<u>Z4V10H-335-11Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$76.00
<u>Z4V10H-336-02Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (2) N.C. contact(s), snap action, 30mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$36.50
<u>Z4V10H-336-11Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$36.50
<u>ZV10H-235-02Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$47.00
<u>ZV10H-235-11Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$47.00
<u>ZV10H-236-02Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (2) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$31.50
<u>ZV10H-236-11Z</u>	Schmersal IEC limit switch, side rotary adjustable 6mm plastic rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, glass-fiber thermoplastic, (1) M20 x 1.5 entry with 1/2in NPT adapter.	Stock	\$31.50
Limit Switches with 360-degree Rod or Spring Actuator			
<u>AAM2T93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 1/2in NPT cable entry.	Stock	\$16.50
<u>AAM7T93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect.	Stock	\$24.00
<u>AAP2T93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$14.50
<u>AAP7T93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect.	Stock	\$18.50

<u>ABM1E92Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring with polyamide tip, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) PG13.5 cable entry.	Stock	\$26.00
<u>ABM1E93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) PG13.5 cable entry.	Stock	\$53.00
<u>ABM2E92Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring with polyamide tip, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM2E93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, aluminum, (1) 1/2in NPT cable entry.	Stock	\$53.00
<u>ABM6E92Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring with polyamide tip, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$51.00
<u>ABM6E93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 40mm hole spacing, aluminum, (3) 1/2in NPT cable entries.	Stock	\$53.00
<u>ABP1H92Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring with polyamide tip, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$35.00
<u>ABP1H93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) PG13.5 cable entry.	Stock	\$35.00
<u>ABP2H92Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring with polyamide tip, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00
<u>ABP2H93Z11</u>	AutomationDirect IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 30mm hole spacing, plastic, (1) 1/2in NPT cable entry.	Stock	\$35.00
<u>ADM2T93Z11</u>	AchieVe IEC limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$22.00
<u>AEM2G9201Z11-3R</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring with nylon tip, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G9201Z11M</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring with nylon tip, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$27.00
<u>AEM2G9201Z11MR</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring with nylon tip, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$27.00
<u>AEM2G92Z11-3</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring with nylon tip, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.00
<u>AEM2G9301Z11-3R</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, right exit.	Stock	\$30.50
<u>AEM2G9301Z11M</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, bottom exit.	Stock	\$28.00
<u>AEM2G9301Z11MR</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$28.00
<u>AEM2G93Z11-3</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$34.00
<u>AEM2G9301Z22-3</u>	AchieVe compact limit switch, 360 degree stainless steel spring, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 9.8ft/3m cable length, bottom exit.	Stock	\$37.50
<u>AEM2G93Z11-HF1</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, zinc alloy, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>AEP2G92Z11-1</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring with nylon tip, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$20.00
<u>AEP2G92Z11MR</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring with nylon tip, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$24.00
<u>AEP2G93Z11-1</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$20.00
<u>AEP2G93Z22-1</u>	AchieVe compact limit switch, 360 degree stainless steel spring, (2) N.O./ (2) N.C. contact(s), snap action, 25mm hole spacing, plastic, pigtail, 3.2ft/1m cable length, bottom exit.	Stock	\$28.50
<u>AEP2G93Z11MR</u>	AutomationDirect compact limit switch, 360 degree stainless steel spring, (1) N.O./ (1) N.C. contact(s), snap action, 25mm hole spacing, plastic, (1) 5-pin M12 quick-disconnect, right exit.	Stock	\$24.00
<u>F25AW2</u>	Eaton NEMA limit switch, 360 degree nylon rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$154.00
<u>F25AW3</u>	Eaton NEMA limit switch, 360 degree stainless steel rod, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$154.00
<u>F25AW4</u>	Eaton NEMA limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (1) N.O./ (1) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$158.00
<u>F25BW2</u>	Eaton NEMA limit switch, 360 degree nylon rod, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$226.00
<u>F25BW3</u>	Eaton NEMA limit switch, 360 degree stainless steel rod, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$226.00
<u>F25BW4</u>	Eaton NEMA limit switch, 360 degree stainless steel spring, 90-degree adjustable head, (2) N.O./ (2) N.C. contact(s), snap action, 29.4mm x 60mm hole spacing, die-cast zinc, (1) 1/2in NPT cable entry.	Stock	\$226.00

Limit Switches with Pull Action			
ADM2T9805Z11A	AchieVe IEC limit switch, pull action with ring, 90-degree adjustable head, (1) N.O./(1) N.C. contact(s), snap action, 20-22mm or 40-42mm hole spacing, zinc alloy, (3) 1/2in NPT entries.	Stock	\$31.00
Accessories for Limit Switches			
176000-1	IDEM terminal enclosure, PVC. For use with IDEM micro limit switches.	Stock	\$2.25
176000-5	IDEM terminal enclosure, PVC. Package of 5. For use with IDEM micro limit switches.	Stock	\$10.00
AGZ11-SWITCH	Contact block, snap action, (1) N.O. and (1) N.C contact(s). For use with limit switches.	Stock	\$7.00
AGZ02-SWITCH	Contact block, snap action, (2) N.C. contact(s). For use with limit switches.	Stock	\$6.50
AGX11-SWITCH	Contact block, slow action, delay, (1) N.O. and (1) N.C contact(s). For use with limit switches.	Stock	\$6.50
AGY11-SWITCH	Contact block, slow action, overlay, (1) N.O. and (1) N.C contact(s). For use with limit switches.	Stock	\$6.50
AGW02-SWITCH	Contact block, slow action, delay, (2) N.C. contact(s). For use with limit switches.	Stock	\$7.25
AGW20-SWITCH	Contact block, slow action, overlay, (2) N.O. contact(s). For use with limit switches.	Stock	\$5.00
AGE42-LEVER	Actuator, lever with stainless steel roller. For use with E42 ABM and ABP switches.	Stock	\$6.50
AGE44-LEVER	Actuator, lever with rubber roller. For use with E42 ABM and ABP switches.	Stock	\$6.50
AGE52-LEVER	Actuator, adjustable lever with stainless steel roller. For use with E52 ABM and ABP switches.	Stock	\$8.00
AGE54-LEVER	Actuator, adjustable lever with rubber roller. For use with E52 ABM and ABP switches.	Stock	\$8.00
Detection Light Grids			
FLG-H26-0220	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 220mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$327.00
FLG-H26-0300	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 300mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$366.00
FLG-H26-0460	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 460mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$476.00
FLG-H26-0540	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 540mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$534.00
FLG-H26-0700	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 700mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$635.00
FLG-H26-0780	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 780mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$675.00
FLG-H26-0940	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 940mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$770.00
FLG-H26-1020	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 1020mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$829.00
FLG-H26-1100	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 1100mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$878.00
FLG-H26-1260	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 1260mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$975.00
FLG-H26-1340	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 1340mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$1,020.00
FLG-H26-1420	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 1420mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$1,094.00
FLG-H26-1500	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 1500mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$1,117.00
FLG-H26-1580	ProSense FLG light grid, sender/receiver pair, object detection, 20mm resolution, 1580mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$1,344.00
FLG-A46-0280	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 280mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$308.00
FLG-A46-0440	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 440mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$392.00
FLG-A46-0600	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 600mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$462.00
FLG-A46-0760	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 760mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$540.00
FLG-A46-0920	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 920mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$611.00

<u>FLG-A46-1080</u>	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 1080mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$694.00
<u>FLG-A46-1240</u>	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 1240mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$780.00
<u>FLG-A46-1400</u>	ProSense FLG light grid, sender/receiver pair, object detection, 40mm resolution, 1400mm detection height, 0.1-10m operating distance, NPN/PNP, (1) 8-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect.	Stock	\$831.00
<u>MI151-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 10mm resolution, 140mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$460.00
<u>MI301-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 10mm resolution, 290mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$594.00
<u>MI451-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 10mm resolution, 440mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$728.00
<u>MI601-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 10mm resolution, 590mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$869.00
<u>MI751-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 10mm resolution, 740mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$1,009.00
<u>MI153-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 30mm resolution, 120mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$402.00
<u>MI303-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 30mm resolution, 270mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$498.00
<u>MI453-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 30mm resolution, 420mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$588.00
<u>MI603-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 30mm resolution, 570mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$674.00
<u>MI753-C</u>	ReeR Micron light grid, sender/receiver pair, object detection, 30mm resolution, 720mm detection height, 0-10m operating distance, (2) push-pull complementary, (2) 5-pin M12 quick-disconnects.	Stock	\$763.00
<u>CX0E1RP-05-016V</u>	Micro Detectors CX light grid, sender/receiver pair, object detection, 5mm resolution, 160mm detection height, 0.3-3m operating distance, PNP, (1) 4-pin and (1) 5-pin M12 quick-disconnect.	Stock	\$366.00
<u>CX0E1RP-10-016V</u>	Micro Detectors CX light grid, sender/receiver pair, object detection, 10mm resolution, 160mm detection height, 0.5-6m operating distance, PNP, (1) 4-pin and (1) 5-pin M12 quick-disconnect.	Stock	\$270.00
<u>CX0E1RP-10-032V</u>	Micro Detectors CX light grid, sender/receiver pair, object detection, 10mm resolution, 320mm detection height, 1-6m operating distance, PNP, (1) 4-pin and (1) 5-pin M12 quick-disconnect.	Stock	\$458.00
<u>BX80B-1P-0H</u>	Micro Detectors BX light grid, receiver, object detection, 6mm resolution, 70mm detection height, 0.3-2m operating distance, switch PNP, N.O./N.C. selectable, 4-pin M12 quick-disconnect.	Stock	\$266.00
<u>BX80B-1N-0H</u>	Micro Detectors BX light grid, receiver, object detection, 6mm resolution, 70mm detection height, 0.3-2m operating distance, switch NPN, N.O./N.C. selectable, 4-pin M12 quick-disconnect.	Stock	\$266.00
<u>BX80S-10-0H</u>	Micro Detectors BX light grid, sender, object detection, 6mm resolution, 70mm detection height, 0.3-2m operating distance, 4-pin M12 quick-disconnect.	Stock	\$224.00

Measuring Light Grids

<u>MI301-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 10mm resolution, 290mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$697.00
<u>MI601-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 10mm resolution, 590mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$958.00
<u>MI901-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 10mm resolution, 890mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$1,229.00
<u>MI1201-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 10mm resolution, 1190mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$1,505.00
<u>MI1501-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 10mm resolution, 1490mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$1,789.00
<u>MI303-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 30mm resolution, 270mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$591.00
<u>MI603-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 30mm resolution, 570mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$786.00
<u>MI903-AC</u>	ReeR Micron light grid, sender/receiver pair, measuring, 30mm resolution, 870mm detection height, 0-10m operating distance, (2) push-pull, (2) 4-20mA analog output, configurable, (1) 5-pin M12 quick-disconnect and (1) 8-pin M12 quick-disconnect.	Stock	\$979.00

<u>CX2E0RD-10-096V</u>	Micro Detectors CX light grid, sender/receiver pair, measuring, 10mm resolution, 960mm detection height, 0.3-6m operating distance, PNP, 4-20 mA analog output, configurable, (1) 4-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,067.00
Accessories for Light Grids			
<u>CSU-M5</u>	ReeR programming cable, USB Type A male to M5, black, 6.5ft/2m cable length. For use with Micron X-AC analog models.	Stock	\$64.00
<u>LAD4</u>	ReeR laser alignment tool, Class 2 laser light emission, 50m operating range. For use with ReeR Micron light grids. 2 AAA batteries included.	Stock	\$478.00
<u>SAV8E</u>	ReeR anti-vibration mounting bracket, 90-degree, steel. Package of 8. For use with ReeR Micron light grids. Hardware included.	Stock	\$41.50
<u>SFBE180</u>	ReeR mounting bracket, 180-degree, vertical and horizontal adjustment, steel. Package of 4. For use with ReeR Micron light grids. Hardware included.	Stock	\$49.50
<u>CSY-IOL-H</u>	ReeR IO-Link high signal cable, 3-pin M12 quick-disconnect to (2) 5-pin M12 quick-disconnects, black, 1.3ft/400mm cable length. For use with Micron X-IOL IO-Link models.	Stock	\$66.00
<u>CSY-IOL-L</u>	ReeR IO-Link low signal cable, 3-pin M12 quick-disconnect to (2) 5-pin M12 quick-disconnects, black, 1.3ft/400mm cable length. For use with Micron X-IOL IO-Link models.	Stock	\$66.00
<u>ST151</u>	Micro Detectors mounting bracket, replacement, right-angle, zinc plated steel. Package of 2. For use with CX light grids.	Stock	\$9.00
<u>ST4VS</u>	Micro Detectors mounting bracket, right-angle, zinc plated steel, anti-vibration mount. Package of 4. For use with 160mm height CX light grids.	Stock	\$23.50
<u>ST8VS</u>	Micro Detectors mounting bracket, right-angle, zinc plated steel, anti-vibration mount. Package of 8. For use with 320-960mm height CX light grids.	Stock	\$30.50
<u>FLG-BRKT-01</u>	ProSense FLG series mounting bracket, replacement, lateral orientable, vertical and horizontal adjustment, aluminum. Package of 2. For use with ProSense light grids. Mounting hardware included.	Stock	\$10.00
<u>FLG-BRKT-02</u>	ProSense FLG series mounting bracket, lateral orientable, aluminum. Package of 2. For use with ProSense light grids. Mounting hardware included.	Stock	\$7.00
<u>FLG-WE025</u>	ProSense connection cable, 8-pin M12 quick-disconnect to pigtail, PVC jacket, gray, 8.2ft/2.5m cable length. For use with ProSense light grid senders.	Stock	\$22.00
<u>FLG-WE050</u>	ProSense connection cable, 8-pin M12 quick-disconnect to pigtail, PVC jacket, gray, 16.4ft/5m cable length. For use with ProSense light grid senders.	Stock	\$32.00
<u>FLG-WE100</u>	ProSense connection cable, 8-pin M12 quick-disconnect to pigtail, PVC jacket, gray, 32.8ft/10m cable length. For use with ProSense light grid senders.	Stock	\$52.00
<u>FLG-WR025</u>	ProSense connection cable, 12-pin M12 quick-disconnect to pigtail, PVC jacket, black, 8.2ft/2.5m cable length. For use with ProSense light grid receivers.	Stock	\$25.00
<u>FLG-WR050</u>	ProSense connection cable, 12-pin M12 quick-disconnect to pigtail, PVC jacket, black, 16.4ft/5m cable length. For use with ProSense light grid receivers.	Stock	\$37.00
<u>FLG-WR100</u>	ProSense connection cable, 12-pin M12 quick-disconnect to pigtail, PVC jacket, black, 32.8ft/10m cable length. For use with ProSense light grid receivers.	Stock	\$61.00
Position Indicators			
<u>DD51-AN-0.050-D12</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 0.050 counts per revolution, clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AN-00.20-D12</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 00.20 counts per revolution, clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AN-00.20-S12</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 00.20 counts per revolution, counter clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AR-00.20-D12</u>	Elesa position indicator, 4-digit mechanical, inclined lower, 00.20 counts per revolution, clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AR-00.20-S12</u>	Elesa position indicator, 4-digit mechanical, inclined lower, 00.20 counts per revolution, counter clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AN-001.0-D12</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 001.0 counts per revolution, clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AN-001.0-S12</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 001.0 counts per revolution, counter clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AR-001.0-D12</u>	Elesa position indicator, 4-digit mechanical, inclined lower, 001.0 counts per revolution, clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AR-001.0-S12</u>	Elesa position indicator, 4-digit mechanical, inclined lower, 001.0 counts per revolution, counter clockwise, 1/2in mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AN-0.100-D</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 0.100 counts per revolution, clockwise, 14mm mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AN-00.50-D</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 00.50 counts per revolution, clockwise, 14mm mounting hole size, IP65.	Stock	\$56.00
<u>DD51-AN-00.50-S</u>	Elesa position indicator, 4-digit mechanical, inclined upper, 00.50 counts per revolution, counter clockwise, 14mm mounting hole size, IP65.	Stock	\$56.00

[illegible]

<u>DD51E-SST-IP67</u>	Elesa position indicator, 8mm 5-digit LCD, programmable, 14mm mounting hole size, IP67.	Stock	\$217.00
<u>DD52RE-SST-IP65F34</u>	Elesa position indicator, 12mm 6-digit LCD, programmable, 3/4in mounting hole size, IP65.	Stock	\$226.00
<u>DD52RE-SST-IP67F34</u>	Elesa position indicator, 12mm 6-digit LCD, programmable, 3/4in mounting hole size, IP67.	Stock	\$251.00
<u>DD52RE-SST-IP65</u>	Elesa position indicator, 12mm 6-digit LCD, programmable, 20mm mounting hole size, IP65.	Stock	\$232.00
<u>DD52RE-SST-IP67</u>	Elesa position indicator, 12mm 6-digit LCD, programmable, 20mm mounting hole size, IP67.	Stock	\$257.00

Handwheels

<u>VRTP-80-IR-A516</u>	Elesa handwheel, spoked, 3in diameter, 5/16in bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$35.00
<u>VRTP-100-IR-A38</u>	Elesa handwheel, spoked, 4in diameter, 3/8in bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$49.00
<u>VRTP-125-IR-A38</u>	Elesa handwheel, spoked, 5in diameter, 3/8in bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$51.00
<u>VRTP-160-IR-A12</u>	Elesa handwheel, spoked, 6in diameter, 1/2in bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$56.00
<u>VRTP-200-IR-A58</u>	Elesa handwheel, spoked, 8in diameter, 5/8in bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$66.00
<u>VRTP-80-A516</u>	Elesa handwheel, spoked, 3in diameter, 5/16in bore, polypropylene, matte black.	Stock	\$12.00
<u>VRTP-100-A38</u>	Elesa handwheel, spoked, 4in diameter, 3/8in bore, polypropylene, matte black.	Stock	\$14.00
<u>VRTP-125-A38</u>	Elesa handwheel, spoked, 5in diameter, 3/8in bore, polypropylene, matte black.	Stock	\$15.00
<u>VRTP-160-A12</u>	Elesa handwheel, spoked, 6in diameter, 1/2in bore, polypropylene, matte black.	Stock	\$20.00
<u>VRTP-200-A58</u>	Elesa handwheel, spoked, 8in diameter, 5/8in bore, polypropylene, matte black.	Stock	\$32.00
<u>VRTP-80-IR-A8</u>	Elesa handwheel, spoked, 80mm diameter, 8mm bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$38.00
<u>VRTP-100-IR-A10</u>	Elesa handwheel, spoked, 100mm diameter, 10mm bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$43.00
<u>VRTP-125-IR-A12</u>	Elesa handwheel, spoked, 125mm diameter, 12mm bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$45.00
<u>VRTP-160-IR-A14</u>	Elesa handwheel, spoked, 160mm diameter, 14mm bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$51.00
<u>VRTP-200-IR-A16</u>	Elesa handwheel, spoked, 200mm diameter, 16mm bore, foldaway revolving handle, polypropylene, matte black.	Stock	\$62.00
<u>VRTP-80-A8</u>	Elesa handwheel, spoked, 80mm diameter, 8mm bore, polypropylene, matte black.	Stock	\$11.00
<u>VRTP-100-A10</u>	Elesa handwheel, spoked, 100mm diameter, 10mm bore, polypropylene, matte black.	Stock	\$12.00
<u>VRTP-125-A12</u>	Elesa handwheel, spoked, 125mm diameter, 12mm bore, polypropylene, matte black.	Stock	\$14.00
<u>VRTP-160-A14</u>	Elesa handwheel, spoked, 160mm diameter, 14mm bore, polypropylene, matte black.	Stock	\$20.00
<u>VRTP-200-A16</u>	Elesa handwheel, spoked, 200mm diameter, 16mm bore, polypropylene, matte black.	Stock	\$30.00

Reducer Bushings for Position Indicators

<u>RB51-6</u>	Elesa reducer bushing, 14mm outside diameter, 6mm inside diameter, black oxide steel. For use with Elesa DD51 metric indicators.	Stock	\$7.50
<u>RB51-6-SST-304</u>	Elesa reducer bushing, 14mm outside diameter, 6mm inside diameter, 304 stainless steel. For use with Elesa DD51 metric indicators.	Stock	\$20.00
<u>RB51-8</u>	Elesa reducer bushing, 14mm outside diameter, 8mm inside diameter, black oxide steel. For use with Elesa DD51 metric indicators.	Stock	\$7.50
<u>RB51-8-SST-304</u>	Elesa reducer bushing, 14mm outside diameter, 8mm inside diameter, 304 stainless steel. For use with Elesa DD51 metric indicators.	Stock	\$20.00
<u>RB51-10</u>	Elesa reducer bushing, 14mm outside diameter, 10mm inside diameter, black oxide steel. For use with Elesa DD51 metric indicators.	Stock	\$7.50
<u>RB51-10-SST-304</u>	Elesa reducer bushing, 14mm outside diameter, 10mm inside diameter, 304 stainless steel. For use with Elesa DD51 metric indicators.	Stock	\$20.00
<u>RB51-12</u>	Elesa reducer bushing, 14mm outside diameter, 12mm inside diameter, black oxide steel. For use with Elesa DD51 metric indicators.	Stock	\$7.50
<u>RB51-12-SST-304</u>	Elesa reducer bushing, 14mm outside diameter, 12mm inside diameter, 304 stainless steel. For use with Elesa DD51 metric indicators.	Stock	\$20.00
<u>RB52-12</u>	Elesa reducer bushing, 20mm outside diameter, 12mm inside diameter, black oxide steel. For use with Elesa DD52 metric indicators.	Stock	\$8.00
<u>RB52-12-SST-304</u>	Elesa reducer bushing, 20mm outside diameter, 12mm inside diameter, 304 stainless steel. For use with Elesa DD52 metric indicators.	Stock	\$23.00

<u>RB52-14</u>	Elesa reducer bushing, 20mm outside diameter, 14mm inside diameter, black oxide steel. For use with Elesa DD52 metric indicators.	Stock	\$8.00
<u>RB52-14-SST-304</u>	Elesa reducer bushing, 20mm outside diameter, 14mm inside diameter, 304 stainless steel. For use with Elesa DD52 metric indicators.	Stock	\$23.00
<u>RB52-15</u>	Elesa reducer bushing, 20mm outside diameter, 15mm inside diameter, black oxide steel. For use with Elesa DD52 metric indicators.	Stock	\$8.00
<u>RB52-15-SST-304</u>	Elesa reducer bushing, 20mm outside diameter, 15mm inside diameter, 304 stainless steel. For use with Elesa DD52 metric indicators.	Stock	\$23.00
<u>RB52-16</u>	Elesa reducer bushing, 20mm outside diameter, 16mm inside diameter, black oxide steel. For use with Elesa DD52 metric indicators.	Stock	\$8.00
<u>RB52-16-SST-304</u>	Elesa reducer bushing, 20mm outside diameter, 16mm inside diameter, 304 stainless steel. For use with Elesa DD52 metric indicators.	Stock	\$23.00
<u>RB51-12-14</u>	Elesa reducer bushing, 1/2in outside diameter, 1/4in inside diameter, black oxide steel. For use with Elesa DD51 imperial indicators.	Stock	\$8.50
<u>RB51-12-14-SST-304</u>	Elesa reducer bushing, 1/2in outside diameter, 1/4in inside diameter, 304 stainless steel. For use with Elesa DD51 imperial indicators.	Stock	\$21.00
<u>RB51-12-38</u>	Elesa reducer bushing, 1/2in outside diameter, 3/8in inside diameter, black oxide steel. For use with Elesa DD51 imperial indicators.	Stock	\$8.50
<u>RB51-12-38-SST-304</u>	Elesa reducer bushing, 1/2in outside diameter, 3/8in inside diameter, 304 stainless steel. For use with Elesa DD51 imperial indicators.	Stock	\$21.00
<u>RB52-34-14</u>	Elesa reducer bushing, 3/4in outside diameter, 1/4in inside diameter, black oxide steel. For use with Elesa DD52 imperial indicators.	Stock	\$10.00
<u>RB52-34-38</u>	Elesa reducer bushing, 3/4in outside diameter, 3/8in inside diameter, black oxide steel. For use with Elesa DD52 imperial indicators.	Stock	\$10.00
<u>RB52-34-38-SST-304</u>	Elesa reducer bushing, 3/4in outside diameter, 3/8in inside diameter, 304 stainless steel. For use with Elesa DD52 imperial indicators.	Stock	\$25.00
<u>RB52-34-12</u>	Elesa reducer bushing, 3/4in outside diameter, 1/2in inside diameter, black oxide steel. For use with Elesa DD52 imperial indicators.	Stock	\$10.00
<u>RB52-34-12-SST-304</u>	Elesa reducer bushing, 3/4in outside diameter, 1/2in inside diameter, 304 stainless steel. For use with Elesa DD52 imperial indicators.	Stock	\$25.00
<u>RB52-34-58</u>	Elesa reducer bushing, 3/4in outside diameter, 5/8in inside diameter, black oxide steel. For use with Elesa DD52 imperial indicators.	Stock	\$10.00
<u>RB52-34-58-SST-304</u>	Elesa reducer bushing, 3/4in outside diameter, 5/8in inside diameter, 304 stainless steel. For use with Elesa DD52 imperial indicators.	Stock	\$25.00
1-Phase AC Current Transducers			
<u>ACT050-10-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-10, 0-20, or 0-50A selectable sensing range, 0-10 VDC output.	Stock	\$122.00
<u>ACT200-10-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-100, 0-150, or 0-200A selectable sensing range, 0-10 VDC output.	Stock	\$129.00
<u>ACT050-10-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-10, 0-20, or 0-50A selectable sensing range, 0-10 VDC output.	Stock	\$136.00
<u>ACT200-10-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-100, 0-150, or 0-200A selectable sensing range, 0-10 VDC output.	Stock	\$141.00
<u>ACT005-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-2 or 0-5A selectable sensing range, 4-20 mA output.	Stock	\$105.00
<u>ACT050-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-10, 0-20, or 0-50A selectable sensing range, 4-20 mA output.	Stock	\$108.00
<u>ACT200-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-100, 0-150, or 0-200A selectable sensing range, 4-20 mA output.	Stock	\$153.00
<u>ACT750-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-375, 0-500, or 0-750A selectable sensing range, 4-20 mA output.	Stock	\$255.00
<u>ACT2000-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-1000, 0-1333, or 0-2000A selectable sensing range, 4-20 mA output.	Stock	\$336.00
<u>ACT005-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-2 or 0-5A selectable sensing range, 4-20 mA output.	Stock	\$140.00
<u>ACT050-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-10, 0-20, or 0-50A selectable sensing range, 4-20 mA output.	Stock	\$150.00
<u>ACT200-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-100, 0-150, or 0-200A selectable sensing range, 4-20 mA output.	Stock	\$164.00
<u>ACT400-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-400A sensing range, 4-20 mA output.	Stock	\$267.00
<u>ACT600-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-600A sensing range, 4-20 mA output.	Stock	\$267.00
<u>ACT800-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-800A sensing range, 4-20 mA output.	Stock	\$267.00
<u>ACT1200-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-1200A sensing range, 4-20 mA output.	Stock	\$347.00

<u>ACTR005-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-2 or 0-5A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$193.00
<u>ACTR050-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-10, 0-20, or 0-50A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$178.00
<u>ACTR200-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-100, 0-150, or 0-200A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$180.00
<u>ACTR750-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-375, 0-500, or 0-750A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$292.00
<u>ACTR2000-42L-F</u>	AcuAMP AC current transducer, 1-phase, fixed core, 0-1000, 0-1333, or 0-2000A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$380.00
<u>ACTR005-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-2 or 0-5A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$221.00
<u>ACTR050-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-10, 0-20, or 0-50A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$223.00
<u>ACTR200-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-100, 0-150, or 0-200A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$227.00
<u>ACTR400-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-400A sensing range, True RMS, 4-20 mA output.	Stock	\$308.00
<u>ACTR600-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-600A sensing range, True RMS, 4-20 mA output.	Stock	\$308.00
<u>ACTR800-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-800A sensing range, True RMS, 4-20 mA output.	Stock	\$308.00
<u>ACTR1200-42L-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-1200A sensing range, True RMS, 4-20 mA output.	Stock	\$382.00
<u>ACTR500-42L-S</u>	AcuAMP AC current transducer, flexible split core, 0-500A sensing range, True RMS, 4-20 mA output.	Stock	\$417.00
<u>ACTR1000-42L-S</u>	AcuAMP AC current transducer, flexible split core, 0-1000A sensing range, True RMS, 4-20 mA output.	Stock	\$454.00
<u>ACTR2000-42L-S</u>	AcuAMP AC current transducer, flexible split core, 0-2000A sensing range, True RMS, 4-20 mA output.	Stock	\$454.00
<u>ACTH005-42-24-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-2, 0-5A selectable, with time integration sensing range, True RMS, 4-20 mA output.	Stock	\$227.00
<u>ACTH050-42-24-S</u>	AcuAMP AC current transducer, 1-phase, split core, 0-10, 0-20, 0-50A selectable, with time integration sensing range, True RMS, 4-20 mA output.	Stock	\$227.00
3-Phase AC Current Transducers			
<u>3ACT030-42-24-F</u>	AcuAMP AC current transducer, 3-phase, fixed core, 0-10, 0-15, or 0-30A selectable sensing range, 4-20 mA output.	Stock	\$396.00
<u>3ACT100-42-24-F</u>	AcuAMP AC current transducer, 3-phase, fixed core, 0-30, 0-50, or 0-100A selectable sensing range, 4-20 mA output.	Stock	\$396.00
<u>3ACT200-42-24-F</u>	AcuAMP AC current transducer, 3-phase, fixed core, 0-100, 0-150, or 0-200A selectable sensing range, 4-20 mA output.	Stock	\$396.00
<u>3ACTR030-42-24-F</u>	AcuAMP AC current transducer, 3-phase, fixed core, 0-10, 0-15, or 0-30A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$429.00
<u>3ACTR100-42-24-F</u>	AcuAMP AC current transducer, 3-phase, fixed core, 0-30, 0-50, or 0-100A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$429.00
<u>3ACTR200-42-24-F</u>	AcuAMP AC current transducer, 3-phase, fixed core, 0-100, 0-150, or 0-200A selectable sensing range, True RMS, 4-20 mA output.	Stock	\$429.00
DC Current Transducers			
<u>DCT100-42-24-F</u>	AcuAMP DC current transducer, fixed core, 0-50, 0-75, or 0-100A selectable sensing range, 4-20 mA output.	Stock	\$166.00
<u>DCT200-42-24-F</u>	AcuAMP DC current transducer, fixed core, 0-100, 0-150, or 0-200A selectable sensing range, 4-20 mA output.	Stock	\$166.00
<u>DCT500-42-24-F</u>	AcuAMP DC current transducer, large aperture fixed core, 0-500A sensing range, 4-20 mA output.	Stock	\$292.00
<u>DCT750-42-24-F</u>	AcuAMP DC current transducer, large aperture fixed core, 0-750A sensing range, 4-20 mA output.	Stock	\$301.00
<u>DCT100-42-24-S</u>	AcuAMP DC current transducer, split core, 0-50, 0-75, or 0-100A selectable sensing range, 4-20 mA output.	Stock	\$220.00
<u>DCT200-42-24-S</u>	AcuAMP DC current transducer, split core, 0-100, 0-150, or 0-200A selectable sensing range, 4-20 mA output.	Stock	\$220.00
<u>DCT400-42-24-S</u>	AcuAMP DC current transducer, split core, 0-200, 0-300, or 0-400A selectable sensing range, 4-20 mA output.	Stock	\$220.00
<u>DCT100-10B-24-S</u>	AcuAMP DC current transducer, split core, bi-directional 0-100A sensing range, bipolar +/- 0-10 VDC output.	Stock	\$251.00
<u>DCT200-10B-24-S</u>	AcuAMP DC current transducer, split core, bi-directional 0-200A sensing range, bipolar +/- 0-10 VDC output.	Stock	\$251.00
<u>DCT300-10B-24-S</u>	AcuAMP DC current transducer, split core, bi-directional 0-300A sensing range, bipolar +/- 0-10 VDC output.	Stock	\$251.00

AC Current Switches			
<u>ACSN100-AE-F</u>	AcuAMP AC current switch, fixed core, 0-100A sensing range, 0.5A non-adjustable trip point, solid state switch, N.O. output, 0.15A @ 120 VAC/VDC output rating.	Stock	\$42.00
<u>ACSN250-AE-F</u>	AcuAMP AC current switch, fixed core, 0-250A sensing range, 0.75A non-adjustable trip point, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$64.00
<u>ACSN250-AE-S</u>	AcuAMP AC current switch, split core, 0-250A sensing range, 1.25A non-adjustable trip point, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$78.00
<u>ACS150-AE-F</u>	AcuAMP AC current switch, fixed core, 1-150A sensing range, 1-150A adjustable trip point, 15-turn potentiometer, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$86.00
<u>ACS150-CE-F</u>	AcuAMP AC current switch, fixed core, 1-150A sensing range, 1-150A adjustable trip point, 15-turn potentiometer, solid state switch, N.C. output, 0.2A @ 135 VAC/VDC output rating.	Stock	\$86.00
<u>ACS150-AE-S</u>	AcuAMP AC current switch, split core, 1.75-150A sensing range, 1.75-150A adjustable trip point, 4-turn potentiometer, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$106.00
<u>ACS150-CE-S</u>	AcuAMP AC current switch, split core, 1.75-150A sensing range, 1.75-150A adjustable trip point, 4-turn potentiometer, solid state switch, N.C. output, 0.2A @ 135 VAC/VDC output rating.	Stock	\$106.00
<u>ACSL010-AE-F</u>	AcuAMP AC current switch, fixed core, 0-150A sensing range, 1-10A adjustable trip point, single-turn scaled potentiometer, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$94.00
<u>ACSL050-AE-F</u>	AcuAMP AC current switch, fixed core, 0-150A sensing range, 10-50A adjustable trip point, single-turn scaled potentiometer, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$94.00
<u>ACSL020-AE-S</u>	AcuAMP AC current switch, split core, 0-150A sensing range, 2-20A adjustable trip point, single-turn scaled potentiometer, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$109.00
<u>ACSL050-AE-S</u>	AcuAMP AC current switch, split core, 0-150A sensing range, 20-50A adjustable trip point, single-turn scaled potentiometer, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$109.00
<u>ACS035-2C-24-F</u>	AcuAMP AC current switch, fixed core, 2-35A sensing range, (2) 2-35A adjustable trip point, (2) single-turn potentiometers, (2) SPDT relays output, 1A @ 120 VAC, 2A @ 30 VDC output rating.	Stock	\$237.00
<u>ACS400-2C-24-F</u>	AcuAMP AC current switch, fixed core, 25-400A sensing range, (2) 25-400A adjustable trip point, (2) single-turn potentiometers, (2) SPDT relays output, 1A @ 120 VAC, 2A @ 30 VDC output rating.	Stock	\$237.00
<u>ACS050-AA-24-FD</u>	AcuAMP AC current switch, fixed core, 1-50A sensing range, 1-50A adjustable trip point, single-turn potentiometer with trip point display, solid state switch, N.O. output, 1A @ 240 VAC output rating.	Stock	\$124.00
<u>ACS200-AA-24-FD</u>	AcuAMP AC current switch, fixed core, 4-200A sensing range, 4-200A adjustable trip point, single-turn potentiometer with trip point display, solid state switch, N.O. output, 1A @ 240 VAC output rating.	Stock	\$124.00
<u>ACS200-AA-F</u>	AcuAMP AC current switch, fixed core, 1-6, 6-40, or 40-175A selectable sensing range, 1-175A adjustable trip point, 4-turn potentiometer, solid state switch, N.O. output, 1A @ 240 VAC output rating.	Stock	\$93.00
<u>ACS200-AA-FT</u>	AcuAMP AC current switch, fixed core, 1-6, 6-40, or 40-175A selectable sensing range, 1-175A adjustable trip point, 15-turn potentiometer, solid state switch, N.O. output, 1A @ 240 VAC output rating.	Stock	\$93.00
<u>ACS200-AA3-FT</u>	AcuAMP AC current switch, fixed core, 1-6, 6-40, or 40-175A selectable sensing range, 1-175A adjustable trip point, 15-turn potentiometer, solid state switch, N.O. output, 3A @ 120 VAC output rating.	Stock	\$109.00
<u>ACS200-CA-F</u>	AcuAMP AC current switch, fixed core, 1-6, 6-40, or 40-175A selectable sensing range, 1-175A adjustable trip point, 4-turn potentiometer, solid state switch, N.C. output, 1A @ 240 VAC output rating.	Stock	\$93.00
<u>ACS200-CA-FT</u>	AcuAMP AC current switch, fixed core, 1-6, 6-40, or 40-175A selectable sensing range, 1-175A adjustable trip point, 15-turn potentiometer, solid state switch, N.C. output, 1A @ 240 VAC output rating.	Stock	\$93.00
<u>ACS200-AD-F</u>	AcuAMP AC current switch, fixed core, 1-6, 6-40, or 40-175A selectable sensing range, 1-175A adjustable trip point, 4-turn potentiometer, solid state switch, N.O. output, 0.15A @ 30 VDC output rating.	Stock	\$93.00
<u>ACS200-CD-F</u>	AcuAMP AC current switch, fixed core, 1-6, 6-40, or 40-175A selectable sensing range, 1-175A adjustable trip point, 4-turn potentiometer, solid state switch, N.C. output, 0.15A @ 30 VDC output rating.	Stock	\$93.00
<u>ACS200-AA-S</u>	AcuAMP AC current switch, split core, 1.75-6, 6-40, or 40-200A selectable sensing range, 1.75-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.O. output, 1A @ 240 VAC output rating.	Stock	\$109.00
<u>ACS200-CA-S</u>	AcuAMP AC current switch, split core, 1.75-6, 6-40, or 40-200A selectable sensing range, 1.75-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.C. output, 1A @ 240 VAC output rating.	Stock	\$109.00
<u>ACS200-AD-S</u>	AcuAMP AC current switch, split core, 1.75-6, 6-40, or 40-200A selectable sensing range, 1.75-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.O. output, 0.15A @ 30 VDC output rating.	Stock	\$109.00
<u>ACS200-CD-S</u>	AcuAMP AC current switch, split core, 1.75-6, 6-40, or 40-200A selectable sensing range, 1.75-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.C. output, 0.15A @ 30 VDC output rating.	Stock	\$109.00
<u>ACSX200-AE-F</u>	AcuAMP AC current switch, fixed core, 1.5-12, 12-55, or 55-175A selectable sensing range, 1.5-175A adjustable trip point, 15-turn potentiometer, solid state switch, N.O., adjustable time delay output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$109.00
<u>ACSX200-CE-F</u>	AcuAMP AC current switch, fixed core, 1.5-12, 12-55, or 55-175A selectable sensing range, 1.5-175A adjustable trip point, 15-turn potentiometer, solid state switch, N.C., adjustable time delay output, 0.2A @ 135 VAC/VDC output rating.	Stock	\$109.00
<u>ACSX200-AA-F</u>	AcuAMP AC current switch, fixed core, 1.5-12, 12-55, or 50-175A selectable sensing range, 1.5-175A adjustable trip point, 15-turn potentiometer, solid state switch, N.O., adjustable time delay output, 1A @ 240 VAC output rating.	Stock	\$126.00

<u>ACSX200-AE-S</u>	AcuAMP AC current switch, split core, 2-12, 12-55, or 55-200A selectable sensing range, 2-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.O., adjustable time delay output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$122.00
<u>ACSX200-CE-S</u>	AcuAMP AC current switch, split core, 2-12, 12-55, or 55-200A selectable sensing range, 2-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.C., adjustable time delay output, 0.2A @ 135 VAC/VDC output rating.	Stock	\$122.00
<u>ACSX200-AA-S</u>	AcuAMP AC current switch, split core, 2-12, 12-55, or 55-200A selectable sensing range, 2-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.O., adjustable time delay output, 1A @ 240 VAC output rating.	Stock	\$127.00
<u>ACSX200-CA-S</u>	AcuAMP AC current switch, split core, 2-12, 12-55, or 55-200A selectable sensing range, 2-200A adjustable trip point, 4-turn potentiometer, solid state switch, N.C., adjustable time delay output, 1A @ 240 VAC output rating.	Stock	\$127.00
DC Current Switches			
<u>DCS100-AE-24-F</u>	AcuAMP DC current switch, fixed core, 5-15, 10-50, or 20-100A selectable sensing range, 5-100A adjustable trip point, 11-turn potentiometer, solid state switch, N.O. output, 0.15A @ 240 VAC/VDC output rating.	Stock	\$124.00
<u>DCS100-1C-24-F</u>	AcuAMP DC current switch, fixed core, 5-15, 10-50, or 20-100A selectable sensing range, 5-100A adjustable trip point, 11-turn potentiometer, relay, SPDT output, 5A @ 240 VAC or 3A @ 30 VDC output rating.	Stock	\$130.00
AC Current Indicator			
<u>ACL1</u>	AcuAMP AC current indicator, fixed core, 0.5-100A sensing range, 0.5A non-adjustable trip point.	Stock	\$23.00
Current Transducer / Switch Combo Units			
<u>ACTS050-42AA-24-FD</u>	AcuAMP AC current transducer/switch, 1-phase, fixed core, 0-50A sensing range, 1-50A adjustable trip point, single-turn potentiometer with trip point display, 4-20 mA or solid state switch, N.O. output, 1A @ 240 VAC output rating.	Stock	\$165.00
<u>ACTS200-42AA-24-FD</u>	AcuAMP AC current transducer/switch, 1-phase, fixed core, 0-200A sensing range, 4-200A adjustable trip point, single-turn potentiometer with trip point display, 4-20 mA or solid state switch, N.O. output, 1A @ 240 VAC output rating.	Stock	\$165.00
Voltage Transducers			
<u>VACT150-42L</u>	AcuAMP AC voltage transducer, 0-150 VAC sensing range, True RMS, 4-20 mA output.	Stock	\$190.00
<u>VACT500-42L</u>	AcuAMP AC voltage transducer, 0-500 VAC sensing range, True RMS, 4-20 mA output.	Stock	\$190.00
<u>VDCT015-42-24</u>	AcuAMP DC voltage transducer, 0-15 VDC sensing range, 4-20 mA output.	Stock	\$190.00
<u>VDCT050-42-24</u>	AcuAMP DC voltage transducer, 0-50 VDC sensing range, 4-20 mA output.	Stock	\$190.00
<u>VADT015-42-24</u>	AcuAMP AC/DC voltage transducer, 0-15 VAC/VDC sensing range, True RMS, 4-20 mA output.	Stock	\$190.00
<u>VADT050-42-24</u>	AcuAMP AC/DC voltage transducer, 0-50 VAC/VDC sensing range, True RMS, 4-20 mA output.	Stock	\$190.00
<u>VADT150-42-24</u>	AcuAMP AC/DC voltage transducer, 0-150 VAC/VDC sensing range, True RMS, 4-20 mA output.	Stock	\$190.00
<u>VADT500-42-24</u>	AcuAMP AC/DC voltage transducer, 0-500 VAC/VDC sensing range, True RMS, 4-20 mA output.	Stock	\$190.00
Accessories for Current and Voltage Sensors			
<u>DRA-2B</u>	DIN rail adapter, package of 2. For use with 35mm DIN rail.	Stock	\$6.00
Ground Fault Sensors			
<u>GFS30-M1A-24-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPST-N.O., manual reset output, 24 VAC/VDC operating voltage.	Stock	\$283.00
<u>GFS30-M1B-24-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPST-N.C., manual reset output, 24 VAC/VDC operating voltage.	Stock	\$283.00
<u>GFS30-D1C-24-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPDT normally de-energized, automatic reset output, 24 VAC/VDC operating voltage.	Stock	\$193.00
<u>GFS30-E1C-24-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPDT normally energized, automatic reset output, 24 VAC/VDC operating voltage.	Stock	\$205.00
<u>GFS30-M1A-120A-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPST-N.O., manual reset output, 120 VAC operating voltage.	Stock	\$283.00
<u>GFS30-M1B-120A-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPST-N.C., manual reset output, 120 VAC operating voltage.	Stock	\$283.00
<u>GFS30-D1C-120A-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPDT normally de-energized, automatic reset output, 120 VAC operating voltage.	Stock	\$193.00
<u>GFS30-E1C-120A-F</u>	AcuAMP ground fault sensor, fixed core, 5, 10, or 30 mA selectable trip point, relay, SPDT normally energized, automatic reset output, 120 VAC operating voltage.	Stock	\$205.00
<u>GFSL30-M1A-120A-F</u>	AcuAMP ground fault sensor, large aperture fixed core, 5, 10, or 30 mA selectable trip point, relay, SPST-N.O., manual reset output, 120 VAC operating voltage.	Stock	\$326.00

GFSL30-M1B-120A-F	AcuAMP ground fault sensor, large aperture fixed core, 5, 10, or 30 mA selectable trip point, relay, SPST-N.C., manual reset output, 120 VAC operating voltage.	Stock	\$326.00
Basic Temperature Controllers			
SLB4848-R0	SOLO basic temperature controller, 1/16 DIN, 2-line LCD, RTD or thermocouple input, (1) 5A SPST relay output, 100-240 VAC operating voltage.	Stock	\$52.00
SLB4848-R2	SOLO basic temperature controller, 1/16 DIN, 2-line LCD, RTD or thermocouple input, (1) 5A SPST relay, (2) 3A SPST relays output, 100-240 VAC operating voltage.	Stock	\$61.00
SLB4848-V0	SOLO basic temperature controller, 1/16 DIN, 2-line LCD, RTD or thermocouple input, 12 VDC pulse output, 100-240 VAC operating voltage.	Stock	\$52.00
SLB4848-V2	SOLO basic temperature controller, 1/16 DIN, 2-line LCD, RTD or thermocouple input, 12 VDC pulse, (2) 3A SPST relays output, 100-240 VAC operating voltage.	Stock	\$61.00
SLB4848-C0	SOLO basic temperature controller, 1/16 DIN, 2-line LCD, RTD or thermocouple input, 4-20 mA output, 100-240 VAC operating voltage.	Stock	\$52.00
SLB4848-C2	SOLO basic temperature controller, 1/16 DIN, 2-line LCD, RTD or thermocouple input, 4-20 mA, (2) 3A SPST relays output, 100-240 VAC operating voltage.	Stock	\$61.00
Standard Temperature Controllers			
SL4824-RR	SOLO standard temperature controller, 1/32 DIN, 2-line LED, current, voltage, RTD or thermocouple input, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$125.00
SL4824-RR-D	SOLO standard temperature controller, 1/32 DIN, 2-line LED, current, voltage, RTD or thermocouple input, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$125.00
SL4824-VR	SOLO standard temperature controller, 1/32 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 11-15 VDC pulse, 3A SPST relay output, 100-240 VAC operating voltage, RS-485.	Stock	\$125.00
SL4824-VR-D	SOLO standard temperature controller, 1/32 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 11-15 VDC pulse, 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$125.00
SL4824-CR	SOLO standard temperature controller, 1/32 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 4-20 mA, 3A SPST relay output, 100-240 VAC operating voltage, RS-485.	Stock	\$125.00
SL4824-CR-D	SOLO standard temperature controller, 1/32 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 4-20 mA, 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$125.00
SL4824-LR	SOLO standard temperature controller, 1/32 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 0-10 VDC, 3A SPST relay output, 100-240 VAC operating voltage, RS-485.	Stock	\$125.00
SL4848-RR	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, (2) 5A SPST relays, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$140.00
SL4848-RR-D	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, (2) 5A SPST relays, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$140.00
SL4848-VR	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 11-15 VDC pulse, 5A SPST relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$140.00
SL4848-VR-D	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 11-15 VDC pulse, 5A SPST relay, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$140.00
SL4848-CR	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 4-20 mA, 5A SPST relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$140.00
SL4848-CR-D	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 4-20 mA, 5A SPST relay, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$140.00
SL4848-LR	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 0-10 VDC, 5A SPST relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$140.00
SL4848-VV	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, (2) 11-15 VDC pulse, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$140.00
SL4848-CV	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 4-20 mA, 11-15 VDC pulse, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$140.00
SL4848-LV	SOLO standard temperature controller, 1/16 DIN, 2-line LED, current, voltage, RTD or thermocouple input, 0-10 VDC, 11-15 VDC pulse, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$140.00
SL4896-RRE	SOLO standard temperature controller, 1/8 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, (2) 5A SPDT relays, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$152.00
SL4896-RRE-D	SOLO standard temperature controller, 1/8 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, (2) 5A SPDT relays, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$152.00
SL4896-VRE	SOLO standard temperature controller, 1/8 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 11-15 VDC pulse, 5A SPDT relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$152.00
SL4896-CRE	SOLO standard temperature controller, 1/8 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 4-20 mA, 5A SPDT relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$152.00
SL4896-LRE	SOLO standard temperature controller, 1/8 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 0-10 VDC, 5A SPDT relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$152.00
SL9696-RRE	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, (2) 5A SPDT relays, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$179.00

<u>SL9696-RRE-D</u>	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, (2) 5A SPDT relays, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$179.00
<u>SL9696-VRE</u>	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 11-15 VDC pulse, 5A SPDT relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$179.00
<u>SL9696-CRE</u>	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 4-20 mA, 5A SPDT relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$179.00
<u>SL9696-LRE</u>	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 0-10 VDC, 5A SPDT relay, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$179.00
<u>SL9696-VVE</u>	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, (2) 11-15 VDC pulse, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$179.00
<u>SL9696-CVE</u>	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 4-20 mA, 11-15 VDC pulse, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$179.00
<u>SL9696-LVE</u>	SOLO standard temperature controller, 1/4 DIN, 2-line LED, current, voltage, RTD, thermocouple or event input, 0-10 VDC, 11-15 VDC pulse, (2) 3A SPST relays output, 100-240 VAC operating voltage, RS-485.	Stock	\$179.00
Modular Temperature Controllers			
<u>SLM1-C</u>	SOLO modular temperature controller, main module, current, voltage, thermocouple or RTD input, 4-20 mA, 4-20 mA retransmission or 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
<u>SLM1-L</u>	SOLO modular temperature controller, main module, current, voltage, thermocouple or RTD input, 0-10 VDC, 0-10 VDC retransmission or 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
<u>SLM1-R</u>	SOLO modular temperature controller, main module, current, voltage, thermocouple or RTD input, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
<u>SLM1-V</u>	SOLO modular temperature controller, main module, current, voltage, thermocouple or RTD input, 12 VDC pulse, 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
<u>SLM2-C</u>	SOLO modular temperature controller, extension module, current, voltage, thermocouple or RTD input, 4-20 mA, 4-20 mA retransmission or 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
<u>SLM2-L</u>	SOLO modular temperature controller, extension module, current, voltage, thermocouple or RTD input, 0-10 VDC, 0-10 VDC retransmission or 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
<u>SLM2-R</u>	SOLO modular temperature controller, extension module, current, voltage, thermocouple or RTD input, (2) 3A SPST relays output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
<u>SLM2-V</u>	SOLO modular temperature controller, extension module, current, voltage, thermocouple or RTD input, 12 VDC pulse, 3A SPST relay output, 24 VDC operating voltage, RS-485.	Stock	\$87.00
Advanced Process Controllers			
<u>PPC5-1000</u>	ProSense advanced process controller, 1/4 DIN, 2-line alpha-numeric LCD, bar graph LCD, current, voltage, RTD, thermocouple or discrete input, current, voltage pulse, relay, retransmission output, 100-240 VAC operating voltage.	Stock	\$426.00
<u>PPC5-1001</u>	ProSense advanced process controller, 1/4 DIN, 2-line alpha-numeric LCD, bar graph LCD, current, voltage, RTD, thermocouple or discrete input, current, voltage pulse, relay, retransmission output, 100-240 VAC operating voltage, RS-485.	Stock	\$504.00
<u>PPC5-1002</u>	ProSense advanced process controller, 1/4 DIN, 2-line alpha-numeric LCD, bar graph LCD, current, voltage, RTD, thermocouple or discrete input, current, voltage pulse, relay, retransmission output, 100-240 VAC operating voltage, Ethernet.	Stock	\$543.00
<u>PPC5-1100</u>	ProSense advanced process controller, 1/4 DIN, 2-line alpha-numeric LCD, bar graph LCD, current, voltage, RTD, thermocouple, discrete or auxiliary analog input, current, voltage pulse, relay, retransmission output, 100-240 VAC operating voltage.	Stock	\$497.00
<u>PPC5-1101</u>	ProSense advanced process controller, 1/4 DIN, 2-line alpha-numeric LCD, bar graph LCD, current, voltage, RTD, thermocouple, discrete or auxiliary analog input, current, voltage pulse, relay, retransmission output, 100-240 VAC operating voltage, RS-485.	Stock	\$576.00
<u>PPC5-1102</u>	ProSense advanced process controller, 1/4 DIN, 2-line alpha-numeric LCD, bar graph LCD, current, voltage, RTD, thermocouple, discrete or auxiliary analog input, current, voltage pulse, relay, retransmission output, 100-240 VAC operating voltage, Ethernet.	Stock	\$616.00
Spare Parts and Accessories for Process Controllers			
<u>SL-CLP-1</u>	Mounting clips, package of 8. For use with SL4824 SOLO standard temperature controllers.	Stock	\$17.50
<u>SL-CLP-2</u>	Mounting clips, package of 20. For use with SL4848, SL4896 and SL9696 SOLO standard temperature controllers.	Stock	\$13.50
<u>SL-SOFT</u>	SOLO Windows configuration and monitoring software, free download only. For use with SOLO temperature controllers. Requires USB-485M USB to RS-485 communication adapter.	Stock	\$0.00
<u>PPC5-CBL1</u>	ProSense configuration cable, USB to micro-USB. For use with PPC5 Series advanced process controllers.	Stock	\$231.00
Digital Panel Meters with Analog Input			
<u>DPM1-A-LP</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, analog input, loop powered.	Stock	\$114.00
<u>DPM1-A-H</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, analog input, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$131.00

<u>DPM1-A-L</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, analog input, 21-53 VAC/10.5-70 VDC operating voltage.	Stock	\$131.00
<u>DPM1-A-2R-H</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 8mm 4-digit red LED, analog input, (2) 5A SPST relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$145.00
<u>DPM1-A-2R-L</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 8mm 4-digit red LED, analog input, (2) 5A SPST relays output, 21-53 VAC/10.5-70 VDC operating voltage.	Stock	\$145.00
<u>DPM1-A-A2R-H</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 8mm 4-digit red LED, analog input, 0/4-20 mA, (2) 5A SPST relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$160.00
<u>DPM1-A-A2R-L</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 8mm 4-digit red LED, analog input, 0/4-20 mA, (2) 5A SPST relays output, 21-53 VAC/13.5-70 VDC operating voltage.	Stock	\$160.00
<u>LPM1-A-PNL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 17mm 5-digit black LCD, bar graph LCD, backlight, analog input, loop powered.	Stock	\$174.00
<u>LPM1-A-ENC</u>	ProSense digital panel meter, field mount, 17mm 5-digit black LCD, bar graph LCD, backlight, analog input, loop powered.	Stock	\$249.00
<u>LPM1-A-HAZ</u>	ProSense digital panel meter, field mount, 17mm 5-digit black LCD, bar graph LCD, backlight, analog input, loop powered, hazardous location rated.	Stock	\$370.00
<u>DPM2-AT-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 4-digit red LED, analog, RTD, thermocouple or potentiometer input, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$153.00
<u>DPM2-AT-2R-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 4-digit red LED, analog, RTD, thermocouple or potentiometer input, (2) 8A SPDT relays output, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$167.00
<u>DPM2L-AT-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 20mm 4-digit red LED, analog, RTD, thermocouple or potentiometer input, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$164.00
<u>DPM2L-AT-2R-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 20mm 4-digit red LED, analog, RTD, thermocouple or potentiometer input, (2) 8A SPDT relays output, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$180.00
<u>DPM3-AT-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$190.00
<u>DPM3-AT-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$190.00
<u>DPM3-AT-2R-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, (2) 8A SPDT relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$215.00
<u>DPM3-AT-2R-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, (2) 8A SPDT relays output, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$215.00
<u>DPM3-AT-4R-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, (4) 5A SPST relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$231.00
<u>DPM3-AT-4R-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, (4) 5A SPST relays output, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$231.00
<u>DPM3-AT-A-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, 4-20 mA output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$215.00
<u>DPM3-AT-A-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, 4-20 mA output, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$215.00
<u>DPM3-AT-A2R-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, 4-20 mA, (2) 8A SPDT relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$239.00
<u>DPM3-AT-A2R-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, analog, load cell, RTD or thermocouple input, 4-20 mA, (2) 8A SPDT relays output, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$239.00
Digital Panel Meters with Temperature Input			
<u>DPM1-T-H</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, RTD or thermocouple input, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$131.00
<u>DPM1-T-L</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, RTD or thermocouple input, 21-53 VAC/10.5-70 VDC operating voltage.	Stock	\$131.00
Digital Panel Meters with AC/DC Current / Voltage Input			
<u>DPM1-E-H</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, AC/DC current or voltage input, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$131.00
<u>DPM1-E-L</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, AC/DC current or voltage input, 21-53 VAC/10.5-70 VDC operating voltage.	Stock	\$131.00
<u>DPM2-E-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 4-digit red LED, AC/DC current or voltage input, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$153.00
<u>DPM2-E-2R-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 4-digit red LED, AC/DC current or voltage input, (2) 8A SPDT relays output, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$167.00
<u>DPM3-E-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, True RMS AC/DC current or voltage input, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$222.00

<u>DPM3-E-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, True RMS AC/DC current or voltage input, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$222.00
<u>DPM3-E-A2R-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, True RMS AC/DC current or voltage input, 4-20 mA, (2) 8A SPDT relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$263.00
<u>DPM3-E-A2R-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, True RMS AC/DC current or voltage input, 4-20 mA, (2) 8A SPDT relays output, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$263.00

Digital Panel Meters with Pulse / Frequency Input

<u>DPM1-P-H</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, pulse or frequency input, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$131.00
<u>DPM1-P-L</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 10mm 4-digit red LED, pulse or frequency input, 21-53 VAC/10.5-70 VDC operating voltage.	Stock	\$131.00
<u>DPM1-P-A2R-H</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 8mm 4-digit red LED, pulse or frequency input, 0/4-20 mA or (2) 5A SPST relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$160.00
<u>DPM1-P-A2R-L</u>	ProSense digital panel meter, panel mount, 1/32 DIN, 8mm 4-digit red LED, pulse or frequency input, 0/4-20 mA or (2) 5A SPST relays output, 21-53 VAC/13.5-70 VDC operating voltage.	Stock	\$160.00
<u>DPM2-P-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 4-digit red LED, pulse or frequency input, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$153.00
<u>DPM2-P-2R-HL</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 4-digit red LED, pulse or frequency input, (2) 8A SPDT relays output, 20-265 VAC/11-265 VDC operating voltage.	Stock	\$167.00
<u>DPM3-P-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, pulse or frequency input, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$190.00
<u>DPM3-P-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, pulse or frequency input, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$190.00
<u>DPM3-P-A2R-H</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, pulse or frequency input, 4-20 mA, (2) 8A SPDT relays output, 85-265 VAC/100-300 VDC operating voltage.	Stock	\$239.00
<u>DPM3-P-A2R-L</u>	ProSense digital panel meter, panel mount, 1/8 DIN, 14mm 5-digit tri-color (red, green, amber) LED, pulse or frequency input, 4-20 mA, (2) 8A SPDT relays output, 22-53 VAC/10.5-70 VDC operating voltage.	Stock	\$239.00

Accessories for Digital Panel Meters

<u>DPM-BKT1</u>	ProSense panel mount bracket, for use with DPM2 and DPM3 series 1/8 DIN digital panel meters. Hardware included.	Stock	\$25.00
<u>LPM1-BKT1</u>	ProSense wall/pipe mount bracket, for use with LPM1-A-ENC and LPM1-A-HAZ digital panel meters. Hardware included.	Stock	\$38.50

Electrical Hour Meters

<u>7511</u>	Trumeter electrical hour meter, 9mm 8-digit LCD, discrete input, remote, manual or disabled reset, rectangular flush mount with clip, screw terminals.	Stock	\$40.50
<u>6320-0000-0000</u>	Trumeter electrical hour meter, 8mm 8-digit LCD, discrete input, remote reset, rectangular flush mount with clip, screw terminals.	Stock	\$38.50
<u>6320-1000-0000</u>	Trumeter electrical hour meter, 8mm 8-digit LCD, 3-30 VDC input, remote reset, rectangular flush mount with clip, screw terminals.	Stock	\$38.50
<u>6320-2000-0000</u>	Trumeter electrical hour meter, 8mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, remote reset, rectangular flush mount with clip, screw terminals.	Stock	\$38.50
<u>7511HV</u>	Trumeter electrical hour meter, 9mm 8-digit LCD, 5-110 VDC or 10-240 VAC input, remote, manual or disabled reset, rectangular flush mount with clip, screw terminals.	Stock	\$49.00
<u>3410-2000</u>	Trumeter electrical hour meter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, rectangular flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$24.50
<u>3410-2010</u>	Trumeter electrical hour meter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, remote reset, rectangular flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$25.50
<u>3410-0000</u>	Trumeter electrical hour meter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, rectangular 2-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$24.50
<u>3410-0010</u>	Trumeter electrical hour meter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, remote reset, rectangular 2-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$25.50

Electromechanical Hour Meters

<u>732-0002</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 10-80 VDC input, rectangular flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$24.00
<u>722-0002</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 90-264 VAC input, rectangular flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$24.50
<u>732-0003</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 10-80 VDC input, round flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$24.00
<u>722-0003</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 90-264 VAC input, round flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$24.50

<u>732-0001</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 10-80 VDC input, round 3-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$24.00
<u>722-0004</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 90-264 VAC input, round 3-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$24.50
<u>732-0004</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 10-80 VDC input, rectangular 2-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$24.00
<u>722-0001</u>	Trumeter electromechanical hour meter, 3.6mm 6-digit analog, 90-264 VAC input, rectangular 2-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$24.50

Electrical Counters

<u>7111</u>	Trumeter electrical counter, 9mm 8-digit LCD, discrete input, remote, manual or disabled reset, rectangular flush mount with clip, screw terminals.	Stock	\$40.50
<u>6300-0000-0000</u>	Trumeter electrical counter, 8mm 8-digit LCD, discrete input, remote reset, rectangular flush mount with clip, screw terminals.	Stock	\$37.00
<u>6300-1000-0000</u>	Trumeter electrical counter, 8mm 8-digit LCD, 3-30 VDC input, remote reset, rectangular flush mount with clip, screw terminals.	Stock	\$37.00
<u>6301-2000-0000</u>	Trumeter electrical counter, 8mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, remote reset, rectangular flush mount with clip, screw terminals.	Stock	\$37.00
<u>7111HV</u>	Trumeter electrical counter, 9mm 8-digit LCD, 5-110 VDC or 10-240 VAC input, remote, manual or disabled reset, rectangular flush mount with clip, screw terminals.	Stock	\$49.00
<u>3400-2000</u>	Trumeter electrical counter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, rectangular flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$23.50
<u>3400-2010</u>	Trumeter electrical counter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, remote reset, rectangular flush mount with clip, 1/4in (6.4mm) spade terminals.	Stock	\$24.00
<u>3400-0000</u>	Trumeter electrical counter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, rectangular 2-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$23.50
<u>3400-0010</u>	Trumeter electrical counter, 7mm 8-digit LCD, 10-300 VDC or 20-300 VAC input, remote reset, rectangular 2-hole mount, 1/4in (6.4mm) spade terminals.	Stock	\$24.00

Electromechanical Counters

<u>RV9-4916D</u>	Trumeter electromechanical counter, 4mm 6-digit analog, 12 VDC input, rectangular 2-hole/4-hole base mount, (2) 11in 22 AWG pigtails.	Stock	\$26.00
<u>RV8-4916D</u>	Trumeter electromechanical counter, 4mm 6-digit analog, 24 VDC input, rectangular 2-hole/4-hole base mount, (2) 11in 22 AWG pigtails.	Stock	\$26.00
<u>RV2-4916</u>	Trumeter electromechanical counter, 4mm 6-digit analog, 120 VAC input, rectangular 2-hole/4-hole base mount, (2) 11in 22 AWG pigtails.	Stock	\$27.50
<u>P9-4906</u>	Trumeter electromechanical counter, 4mm 6-digit analog, 12 VDC input, manual reset, rectangular 2-hole mount, (2) 10in 22 AWG pigtails.	Stock	\$65.00
<u>P8-4906</u>	Trumeter electromechanical counter, 4mm 6-digit analog, 24 VDC input, manual reset, rectangular 2-hole mount, (2) 10in 22 AWG pigtails.	Stock	\$65.00
<u>P2-4906</u>	Trumeter electromechanical counter, 4mm 6-digit analog, 115 VAC input, manual reset, rectangular 2-hole mount, (2) 10in 22 AWG pigtails.	Stock	\$63.00

Gaskets and Accessories for Hour Meters and Counters

<u>5003-008</u>	Trumeter gasket, neoprene, NEMA 4/4X. For use with Trumeter 722 and 732 type round flush-mount counters and hour meters.	Stock	\$2.25
<u>5003-009</u>	Trumeter gasket, neoprene, NEMA 4/4X. For use with Trumeter 722, 732, 3400 and 3410 type rectangular flush-mount and round SAE counters and hour meters.	Stock	\$2.25
<u>5003-010</u>	Trumeter gasket, neoprene, NEMA 4/4X. For use with Trumeter 722, 732, 3400 and 3410 type rectangular 2-hole counters and hour meters.	Stock	\$2.25
<u>5003-011</u>	Trumeter gasket, neoprene, NEMA 4/4X. For use with Trumeter 722 and 732 type 3-hole round counters and hour meters.	Stock	\$2.25
<u>5003-013</u>	Trumeter gasket, nitrile rubber, NEMA 4/4X. For use with Trumeter 6300 and 6320 type rectangular DIN 1/32 counters and hour meters.	Stock	\$2.25

Temperature Switches

<u>TSDA25N-0P-0284-H</u>	ProSense temperature sensor/switch, Pt1000 RTD, M12 probe, 50mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, -4 to 284 deg F, Output: switch PNP, N.O./N.C. complementary.	Stock	\$116.00
<u>TSDA25N-AP-0284-H</u>	ProSense temperature sensor/switch, Pt1000 RTD, M12 probe, 50mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, -13 to 284 deg F, Output: switch PNP, N.O., Output 2: switch PNP, N.O.	Stock	\$116.00

Digital Temperature Switches and Transmitters

<u>ET550N-30-1001</u>	ProSense digital temperature sensor/transmitter, Pt100 RTD, M12 probe, 30mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable or 4-20 mA, Output 2: switch PNP, N.O./N.C. selectable or 4-20 mA.	Stock	\$234.00
---------------------------------------	--	-------	----------

<u>ETS50N-50-1001</u>	ProSense digital temperature sensor/transmitter, Pt100 RTD, M12 probe, 50mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable or 4-20 mA, Output 2: switch PNP, N.O./N.C. selectable or 4-20 mA.	Stock	\$235.00
<u>ETS50N-100-1001</u>	ProSense digital temperature sensor/transmitter, Pt100 RTD, M12 probe, 100mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable or 4-20 mA, Output 2: switch PNP, N.O./N.C. selectable or 4-20 mA.	Stock	\$237.00
<u>ETS50N-150-1001</u>	ProSense digital temperature sensor/transmitter, Pt100 RTD, M12 probe, 150mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable or 4-20 mA, Output 2: switch PNP, N.O./N.C. selectable or 4-20 mA.	Stock	\$238.00
<u>ETS25N-30-1001</u>	ProSense digital temperature sensor/transmitter, Pt100 RTD, M12 probe, 30mm insertion length, 1/4in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable or 4-20 mA, Output 2: switch PNP, N.O./N.C. selectable or 4-20 mA.	Stock	\$231.00
<u>ETS25N-50-1001</u>	ProSense digital temperature sensor/transmitter, Pt100 RTD, M12 probe, 50mm insertion length, 1/4in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable or 4-20 mA, Output 2: switch PNP, N.O./N.C. selectable or 4-20 mA.	Stock	\$232.00
<u>ETS50N-30-1003</u>	ProSense digital temperature sensor/switch, Pt100 RTD, M12 probe, 30mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable, Output 2: switch PNP, N.O./N.C. selectable.	Stock	\$165.00
<u>ETS50N-50-1003</u>	ProSense digital temperature sensor/switch, Pt100 RTD, M12 probe, 50mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable, Output 2: switch PNP, N.O./N.C. selectable.	Stock	\$167.00
<u>ETS50N-100-1003</u>	ProSense digital temperature sensor/switch, Pt100 RTD, M12 probe, 100mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable, Output 2: switch PNP, N.O./N.C. selectable.	Stock	\$168.00
<u>ETS50N-150-1003</u>	ProSense digital temperature sensor/switch, Pt100 RTD, M12 probe, 150mm insertion length, 1/2in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable, Output 2: switch PNP, N.O./N.C. selectable.	Stock	\$169.00
<u>ETS25N-30-1003</u>	ProSense digital temperature sensor/switch, Pt100 RTD, M12 probe, 30mm insertion length, 1/4in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable, Output 2: switch PNP, N.O./N.C. selectable.	Stock	\$165.00
<u>ETS25N-50-1003</u>	ProSense digital temperature sensor/switch, Pt100 RTD, M12 probe, 50mm insertion length, 1/4in male NPT process connection, -58 to 302 deg F, Output: switch PNP, N.O./N.C. selectable, Output 2: switch PNP, N.O./N.C. selectable.	Stock	\$167.00

Temperature Sensors

<u>THMJ-C04-03</u>	ProSense temperature sensor, Type J thermocouple, connection head spring-loaded probe, ungrounded, 4in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$81.00
<u>THMJ-C06-01</u>	ProSense temperature sensor, Type J thermocouple, connection head probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$78.00
<u>THMJ-C06-02</u>	ProSense temperature sensor, Type J thermocouple, connection head probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, aluminum screw cover head with terminals.	Stock	\$74.00
<u>THMJ-C06-03</u>	ProSense temperature sensor, Type J thermocouple, connection head spring-loaded probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$85.00
<u>THMJ-C12-01</u>	ProSense temperature sensor, Type J thermocouple, connection head probe, ungrounded, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$83.00
<u>THMJ-C12-02</u>	ProSense temperature sensor, Type J thermocouple, connection head probe, ungrounded, 12in insertion length, 1/4in probe diameter, stainless steel sheath, aluminum screw cover head with terminals.	Stock	\$75.00
<u>THMJ-C12-03</u>	ProSense temperature sensor, Type J thermocouple, connection head spring-loaded probe, ungrounded, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$89.00
<u>THMJ-C18-01</u>	ProSense temperature sensor, Type J thermocouple, connection head probe, ungrounded, 18in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$86.00
<u>THMJ-C18-02</u>	ProSense temperature sensor, Type J thermocouple, connection head probe, ungrounded, 18in insertion length, 1/4in probe diameter, stainless steel sheath, aluminum screw cover head with terminals.	Stock	\$76.00
<u>THMK-C04-03</u>	ProSense temperature sensor, Type K thermocouple, connection head spring-loaded probe, ungrounded, 4in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$81.00
<u>THMK-C06-01</u>	ProSense temperature sensor, Type K thermocouple, connection head probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with terminals.	Stock	\$78.00
<u>THMK-C06-02</u>	ProSense temperature sensor, Type K thermocouple, connection head probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, aluminum screw cover head with terminals.	Stock	\$74.00

[illegible]

<u>NTC10K3-C06-03</u>	ProSense temperature sensor, 10K Type 3 thermistor, connection head spring-loaded probe, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with 2ft 24 AWG wire leads.	Stock	\$75.00
<u>NTC10K3-C12-03</u>	ProSense temperature sensor, 10K Type 3 thermistor, connection head spring-loaded probe, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, aluminum screw cover head with 2ft 24 AWG wire leads.	Stock	\$77.00
<u>NTC10K3-JB06-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box probe, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$57.00
<u>NTC10K3-JB12-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box probe, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$59.50
<u>NTC10K3-JB18-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box probe, 18in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$62.00
<u>NTC10K3-JB06-02</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box probe, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$51.50
<u>NTC10K3-JB12-02</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box probe, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$53.50
<u>NTC10K3-JB18-02</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box probe, 18in insertion length, 1/4in probe diameter, stainless steel sheath, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$56.00
<u>NTC10K3-JB04-03</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box spring-loaded probe, 4in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$62.00
<u>NTC10K3-JB06-03</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box spring-loaded probe, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$63.00
<u>NTC10K3-JB12-03</u>	ProSense temperature sensor, 10K Type 3 thermistor, junction box spring-loaded probe, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 2 x 4in junction box with 2ft 24 AWG wire leads.	Stock	\$65.50
<u>THMJ-HT34-01</u>	ProSense temperature sensor, Type J thermocouple, heat trace probe, ungrounded junction, stainless steel sheath, aluminum screw cover head with terminals.	Stock	\$74.00
<u>RTD1-HT34-01</u>	ProSense temperature sensor, Pt100 RTD, heat trace probe, stainless steel sheath, aluminum screw cover head with terminals.	Stock	\$91.00
<u>THMJ-H04L01-02</u>	ProSense temperature sensor, Type J thermocouple, hex nipple spring-loaded probe, ungrounded, 4in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$55.00
<u>THMJ-H06L01-01</u>	ProSense temperature sensor, Type J thermocouple, hex nipple probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$51.00
<u>THMJ-H06L01-02</u>	ProSense temperature sensor, Type J thermocouple, hex nipple spring-loaded probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$60.00
<u>THMJ-H12L01-01</u>	ProSense temperature sensor, Type J thermocouple, hex nipple probe, ungrounded, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$53.00
<u>THMJ-H12L01-02</u>	ProSense temperature sensor, Type J thermocouple, hex nipple spring-loaded probe, ungrounded, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$63.00
<u>THMJ-H18L01-01</u>	ProSense temperature sensor, Type J thermocouple, hex nipple probe, ungrounded, 18in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$59.00
<u>THMK-H04L01-02</u>	ProSense temperature sensor, Type K thermocouple, hex nipple spring-loaded probe, ungrounded, 4in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$55.00
<u>THMK-H06L01-01</u>	ProSense temperature sensor, Type K thermocouple, hex nipple probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$51.00
<u>THMK-H06L01-02</u>	ProSense temperature sensor, Type K thermocouple, hex nipple spring-loaded probe, ungrounded, 6in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$60.00
<u>THMK-H06L01-03</u>	ProSense temperature sensor, Type K thermocouple, hex nipple probe, ungrounded, 6in insertion length, 1/4in probe diameter, Inconel Alloy 600 sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$53.00
<u>THMK-H12L01-01</u>	ProSense temperature sensor, Type K thermocouple, hex nipple probe, ungrounded, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 1/2in male NPT process connection, 1/2in male NPT with 3in 24 AWG wire leads.	Stock	\$53.00

[illegible]

[illegible]

<u>NTC10K3-T12L06-02</u>	ProSense temperature sensor, 10K Type 3 thermistor, lead wire transition probe, 12in insertion length, 1/4in probe diameter, stainless steel sheath, 6ft 24 AWG wire leads.	Stock	\$37.00
<u>NTC10K3-T18L06-02</u>	ProSense temperature sensor, 10K Type 3 thermistor, lead wire transition probe, 18in insertion length, 1/4in probe diameter, stainless steel sheath, 6ft 24 AWG wire leads.	Stock	\$40.50
<u>THMJ-F06L06-01</u>	ProSense temperature sensor, Type J thermocouple, flange mount probe, ungrounded junction, 6in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 20 AWG wire leads.	Stock	\$50.00
<u>THMJ-F12L06-01</u>	ProSense temperature sensor, Type J thermocouple, flange mount probe, ungrounded junction, 12in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 20 AWG wire leads.	Stock	\$52.00
<u>THMJ-F18L06-01</u>	ProSense temperature sensor, Type J thermocouple, flange mount probe, ungrounded junction, 18in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 20 AWG wire leads.	Stock	\$54.00
<u>THMK-F06L06-01</u>	ProSense temperature sensor, Type K thermocouple, flange mount probe, ungrounded junction, 6in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 20 AWG wire leads.	Stock	\$53.00
<u>THMK-F12L06-01</u>	ProSense temperature sensor, Type K thermocouple, flange mount probe, ungrounded junction, 12in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 20 AWG wire leads.	Stock	\$56.00
<u>THMK-F18L06-01</u>	ProSense temperature sensor, Type K thermocouple, flange mount probe, ungrounded junction, 18in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 20 AWG wire leads.	Stock	\$56.00
<u>RTD1-F06L06-01</u>	ProSense temperature sensor, Pt100 RTD, flange mount probe, 6in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 24 AWG wire leads.	Stock	\$82.00
<u>RTD1-F12L06-01</u>	ProSense temperature sensor, Pt100 RTD, flange mount probe, 12in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 24 AWG wire leads.	Stock	\$84.00
<u>RTD1-F18L06-01</u>	ProSense temperature sensor, Pt100 RTD, flange mount probe, 18in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 24 AWG wire leads.	Stock	\$87.00
<u>NTC10K3-F06L06-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, flange mount probe, 6in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 24 AWG wire leads.	Stock	\$37.50
<u>NTC10K3-F12L06-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, flange mount probe, 12in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 24 AWG wire leads.	Stock	\$40.00
<u>NTC10K3-F18L06-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, flange mount probe, 18in insertion length, 1/4in probe diameter, stainless steel sheath, mounting flange process connection, 6ft 24 AWG wire leads.	Stock	\$43.00
<u>THMJ-V24L06-01</u>	ProSense temperature sensor, Type J thermocouple, cuttable probe, ungrounded junction, 24in insertion length, 1/4in probe diameter, stainless steel sheath, 2ft 20 AWG wire leads.	Stock	\$41.00
<u>THMK-V24L06-01</u>	ProSense temperature sensor, Type K thermocouple, cuttable probe, ungrounded junction, 24in insertion length, 1/4in probe diameter, stainless steel sheath, 2ft 20 AWG wire leads.	Stock	\$43.50
<u>RTD1-V24L06-01</u>	ProSense temperature sensor, Pt100 RTD, cuttable probe, 24in insertion length, 1/4in probe diameter, stainless steel sheath, 2ft 24 AWG wire leads.	Stock	\$58.00
<u>NTC10K3-V24L06-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, cuttable probe, 24in insertion length, 1/4in probe diameter, stainless steel sheath, 2ft 24 AWG wire leads.	Stock	\$39.25
<u>THMJ-MB3T00-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, grounded junction, 3in bolt length, flush tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$51.00
<u>THMJ-MB3T18-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, grounded junction, 3in bolt length, 1/8in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$51.00
<u>THMJ-MB3T14-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, grounded junction, 3in bolt length, 1/4in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$51.00
<u>THMJ-MB3T00-02</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, ungrounded junction, 3in bolt length, flush tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$54.00
<u>THMJ-MB3T18-02</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, ungrounded junction, 3in bolt length, 1/8in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$54.00
<u>THMJ-MB3T14-02</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, ungrounded junction, 3in bolt length, 1/4in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$54.00
<u>THMJ-MB6T00-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, grounded junction, 6in bolt length, flush tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$64.00
<u>THMJ-MB6T18-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, grounded junction, 6in bolt length, 1/8in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$64.00

<u>THMJ-MB6T14-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, grounded junction, 6in bolt length, 1/4in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$64.00
<u>THMJ-MB6T00-02</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, ungrounded junction, 6in bolt length, flush tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$67.00
<u>THMJ-MB6T18-02</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, ungrounded junction, 6in bolt length, 1/8in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$67.00
<u>THMJ-MB6T14-02</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, ungrounded junction, 6in bolt length, 1/4in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 2-pin standard size plug.	Stock	\$67.00
<u>THMJ-MB3TA-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, exposed junction, 3in bolt length, 0 to 1in adjustable tip, stainless steel sheath, 1/2-20 UNF process connection, 2-pin standard size plug.	Stock	\$165.00
<u>THMJ-MB6TA-01</u>	ProSense temperature sensor, Type J thermocouple, melt bolt probe, exposed junction, 6in bolt length, 0 to 1in adjustable tip, stainless steel sheath, 1/2-20 UNF process connection, 2-pin standard size plug.	Stock	\$169.00
<u>RTD1-MB3T00-01</u>	ProSense temperature sensor, Pt100 RTD, melt bolt probe, 3in bolt length, flush tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 3-pin standard size plug.	Stock	\$83.00
<u>RTD1-MB3T18-01</u>	ProSense temperature sensor, Pt100 RTD, melt bolt probe, 3in bolt length, 1/8in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 3-pin standard size plug.	Stock	\$83.00
<u>RTD1-MB3T14-01</u>	ProSense temperature sensor, Pt100 RTD, melt bolt probe, 3in bolt length, 1/4in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 3-pin standard size plug.	Stock	\$83.00
<u>RTD1-MB6T00-01</u>	ProSense temperature sensor, Pt100 RTD, melt bolt probe, 6in bolt length, flush tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 3-pin standard size plug.	Stock	\$91.00
<u>RTD1-MB6T18-01</u>	ProSense temperature sensor, Pt100 RTD, melt bolt probe, 6in bolt length, 1/8in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 3-pin standard size plug.	Stock	\$91.00
<u>RTD1-MB6T14-01</u>	ProSense temperature sensor, Pt100 RTD, melt bolt probe, 6in bolt length, 1/4in tip, stainless steel sheath, 1/2-20 UNF process connection, 6in lead wire extension with 3-pin standard size plug.	Stock	\$91.00
<u>THMJ-D08L04-01</u>	ProSense temperature sensor, Type J thermocouple, spring adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 4ft 20 AWG wire leads.	Stock	\$29.00
<u>THMJ-D08L06-01</u>	ProSense temperature sensor, Type J thermocouple, spring adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 6ft 20 AWG wire leads.	Stock	\$32.00
<u>THMJ-D08L10-01</u>	ProSense temperature sensor, Type J thermocouple, spring adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$36.50
<u>THMJ-D08L10-02</u>	ProSense temperature sensor, Type J thermocouple, spring adjustable immersion probe, ungrounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$36.50
<u>THMK-D08L04-01</u>	ProSense temperature sensor, Type K thermocouple, spring adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 4ft 20 AWG wire leads.	Stock	\$29.00
<u>THMK-D08L06-01</u>	ProSense temperature sensor, Type K thermocouple, spring adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 6ft 20 AWG wire leads.	Stock	\$32.50
<u>THMK-D08L10-01</u>	ProSense temperature sensor, Type K thermocouple, spring adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$37.00
<u>THMK-D08L10-02</u>	ProSense temperature sensor, Type K thermocouple, spring adjustable immersion probe, ungrounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$37.00
<u>RTD1-D08L10-01</u>	ProSense temperature sensor, Pt100 RTD, spring adjustable immersion probe, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 24 AWG wire leads.	Stock	\$61.00
<u>THMJ-A01L04-01</u>	ProSense temperature sensor, Type J thermocouple, armor adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 4ft 20 AWG wire leads.	Stock	\$31.00
<u>THMJ-A01L06-01</u>	ProSense temperature sensor, Type J thermocouple, armor adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 6ft 20 AWG wire leads.	Stock	\$34.50
<u>THMJ-A01L10-01</u>	ProSense temperature sensor, Type J thermocouple, armor adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$41.50
<u>THMJ-A01L10-02</u>	ProSense temperature sensor, Type J thermocouple, armor adjustable immersion probe, ungrounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$42.50

<u>THMK-A01L04-01</u>	ProSense temperature sensor, Type K thermocouple, armor adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 4ft 20 AWG wire leads.	Stock	\$31.50
<u>THMK-A01L06-01</u>	ProSense temperature sensor, Type K thermocouple, armor adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 6ft 20 AWG wire leads.	Stock	\$35.00
<u>THMK-A01L10-01</u>	ProSense temperature sensor, Type K thermocouple, armor adjustable immersion probe, grounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$42.00
<u>THMK-A01L10-02</u>	ProSense temperature sensor, Type K thermocouple, armor adjustable immersion probe, ungrounded, 1/4in insertion length, 3/16in probe diameter, stainless steel sheath, bayonet cap process connection, 10ft 20 AWG wire leads.	Stock	\$43.00
<u>THMJ-B01L06-01</u>	ProSense temperature sensor, Type J thermocouple, bolt-on ring, grounded junction, stainless steel sheath, #6 - #10 (4-5mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$23.50
<u>THMJ-B02L06-01</u>	ProSense temperature sensor, Type J thermocouple, bolt-on ring, grounded junction, stainless steel sheath, #12, 1/4 - 5/16in (5-8mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$23.00
<u>THMJ-B01L06-02</u>	ProSense temperature sensor, Type J thermocouple, bolt-on ring, ungrounded junction, brass sheath, #6 - #10 (4-5mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$35.50
<u>THMJ-B02L06-02</u>	ProSense temperature sensor, Type J thermocouple, bolt-on ring, ungrounded junction, brass sheath, #12, 1/4 - 5/16in (5-8mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$36.50
<u>THMK-B01L06-01</u>	ProSense temperature sensor, Type K thermocouple, bolt-on ring, grounded junction, stainless steel sheath, #6 - #10 (4-5mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$24.00
<u>THMK-B02L06-01</u>	ProSense temperature sensor, Type K thermocouple, bolt-on ring, grounded junction, stainless steel sheath, #12, 1/4 - 5/16in (5-8mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$24.50
<u>THMK-B01L06-02</u>	ProSense temperature sensor, Type K thermocouple, bolt-on ring, ungrounded junction, brass sheath, #6 - #10 (4-5mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$40.00
<u>THMK-B02L06-02</u>	ProSense temperature sensor, Type K thermocouple, bolt-on ring, ungrounded junction, brass sheath, #12, 1/4 - 5/16in (5-8mm) screw or bolt size process connection, 6ft 20 AWG wire leads.	Stock	\$42.00
<u>RTD1-B01L06-01</u>	ProSense temperature sensor, Pt100 RTD, bolt-on ring, brass sheath, #6 - #10 (4-5mm) screw or bolt size process connection, 6ft 24 AWG wire leads.	Stock	\$76.00
<u>RTD1-B02L06-01</u>	ProSense temperature sensor, Pt100 RTD, bolt-on ring, brass sheath, #12, 1/4 - 5/16in (5-8mm) screw or bolt size process connection, 6ft 24 AWG wire leads.	Stock	\$80.00
<u>NTC10K3-B01L06-02</u>	ProSense temperature sensor, 10K Type 3 thermistor, bolt-on ring, brass sheath, #6 - #10 (4-5mm) screw or bolt size process connection, 6ft 24 AWG wire leads.	Stock	\$43.00
<u>NTC10K3-B02L06-02</u>	ProSense temperature sensor, 10K Type 3 thermistor, bolt-on ring, brass sheath, #12, 1/4 - 5/16in (5-8mm) screw or bolt size process connection, 6ft 24 AWG wire leads.	Stock	\$43.00
<u>THMJ-N38P14-01</u>	ProSense temperature sensor, Type J thermocouple, threaded bolt sensor, grounded junction, 3/8in bolt length, 3/16in tip, stainless steel sheath, 1/4-28 UNF process connection, 6ft 24 AWG wire leads.	Stock	\$32.50
<u>THMJ-N38P14-02</u>	ProSense temperature sensor, Type J thermocouple, threaded bolt sensor, ungrounded junction, 3/8in bolt length, 3/16in tip, stainless steel sheath, 1/4-28 UNF process connection, 6ft 24 AWG wire leads.	Stock	\$35.00
<u>THMK-N38P14-01</u>	ProSense temperature sensor, Type K thermocouple, threaded bolt sensor, grounded junction, 3/8in bolt length, 3/16in tip, stainless steel sheath, 1/4-28 UNF process connection, 6ft 24 AWG wire leads.	Stock	\$34.00
<u>THMK-N38P14-02</u>	ProSense temperature sensor, Type K thermocouple, threaded bolt sensor, ungrounded junction, 3/8in bolt length, 3/16in tip, stainless steel sheath, 1/4-28 UNF process connection, 6ft 24 AWG wire leads.	Stock	\$36.50
<u>RTD1-N38P14-01</u>	ProSense temperature sensor, Pt100 RTD, threaded bolt sensor, 3/8in bolt length, 3/16in tip, stainless steel sheath, 1/4-28 UNF process connection, 6ft 24 AWG wire leads.	Stock	\$67.00
<u>NTC10K3-N38P14-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, threaded bolt sensor, 3/8in bolt length, 3/16in tip, stainless steel sheath, 1/4-28 UNF process connection, 6ft 24 AWG wire leads.	Stock	\$37.00
<u>NTC10K3-BR01L06-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, bead sensor, 6ft 24 AWG wire leads.	Stock	\$23.50
<u>THMJ-R01-01</u>	ProSense temperature sensor, Type J thermocouple, room sensor, ungrounded, plastic ventilated housing, metal wall mounting subplate process connection, terminal strip.	Stock	\$43.50
<u>THMJ-R01-02</u>	ProSense temperature sensor, Type J thermocouple, room sensor, plastic ventilated housing, plastic wall mounting subplate process connection, terminal strip.	Stock	\$28.25
<u>RTD1-R01-01</u>	ProSense temperature sensor, Pt100 RTD, room sensor, plastic ventilated housing, metal wall mounting subplate process connection, terminal strip.	Stock	\$45.00
<u>RTD1-R01-02</u>	ProSense temperature sensor, Pt100 RTD, room sensor, plastic ventilated housing, plastic wall mounting subplate process connection, terminal strip.	Stock	\$34.25
<u>NTC10K3-R02-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, room sensor, plastic ventilated housing, plastic wall mounting subplate process connection, terminal strip.	Stock	\$29.50
<u>THMJ-S01L06-01</u>	ProSense temperature sensor, Type J thermocouple, spade sensor, grounded junction, stainless steel, 6ft 20 AWG wire leads.	Stock	\$29.00
<u>THMJ-S02L06-01</u>	ProSense temperature sensor, Type J thermocouple, spade sensor, ungrounded junction, flexible polyimide with adhesive tape backing, 6ft 24 AWG wire leads.	Stock	\$31.50

<u>THMK-S01L06-01</u>	ProSense temperature sensor, Type K thermocouple, spade sensor, grounded junction, stainless steel, 6ft 20 AWG wire leads.	Stock	\$32.50
<u>THMK-S02L06-01</u>	ProSense temperature sensor, Type K thermocouple, spade sensor, ungrounded junction, flexible polyimide with adhesive tape backing, 6ft 24 AWG wire leads.	Stock	\$34.00
<u>RTD1-S02L06-01</u>	ProSense temperature sensor, Pt100 RTD, spade sensor, flexible polyimide with adhesive tape backing, 6ft 24 AWG wire leads.	Stock	\$55.00
<u>NTC10K3-S02L06-01</u>	ProSense temperature sensor, 10K Type 3 thermistor, spade sensor, flexible polyimide with adhesive tape backing, 6ft 24 AWG wire leads.	Stock	\$38.00
<u>THMJ-M01L06-01</u>	ProSense temperature sensor, Type J thermocouple, magnet mount sensor, exposed junction, 10 lb pull magnet process connection, 6ft 20 AWG wire leads.	Stock	\$119.00
<u>THMK-M01L06-01</u>	ProSense temperature sensor, Type K thermocouple, magnet mount sensor, exposed junction, 10 lb pull magnet process connection, 6ft 20 AWG wire leads.	Stock	\$126.00
<u>RTD0100-06-010-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 160mm insertion length, 6mm probe diameter, stainless steel sheath, 4-pin M12 quick-disconnect.	Stock	\$40.50
<u>RTD0100-06-020-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 260mm insertion length, 6mm probe diameter, stainless steel sheath, 4-pin M12 quick-disconnect.	Stock	\$42.00
<u>RTD0100-06-030-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 360mm insertion length, 6mm probe diameter, stainless steel sheath, 4-pin M12 quick-disconnect.	Stock	\$46.00
<u>RTD0100-10-010-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 160mm insertion length, 10mm probe diameter, stainless steel sheath, 4-pin M12 quick-disconnect.	Stock	\$40.50
<u>RTD1-25N-030-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 30mm insertion length, 6mm probe diameter, stainless steel sheath, 1/4in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$78.00
<u>RTD1-25N-050-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 50mm insertion length, 6mm probe diameter, stainless steel sheath, 1/4in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>RTD1-25N-100-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 100mm insertion length, 6mm probe diameter, stainless steel sheath, 1/4in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$80.00
<u>RTD1-25N-150-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 150mm insertion length, 6mm probe diameter, stainless steel sheath, 1/4in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$81.00
<u>RTD1-50N-030-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 30mm insertion length, 6mm probe diameter, stainless steel sheath, 1/2in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$80.00
<u>RTD1-50N-050-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 50mm insertion length, 6mm probe diameter, stainless steel sheath, 1/2in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$81.00
<u>RTD1-50N-100-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 100mm insertion length, 6mm probe diameter, stainless steel sheath, 1/2in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$83.00
<u>RTD1-50N-150-H</u>	ProSense temperature sensor, Pt100 RTD, M12 probe, 150mm insertion length, 6mm probe diameter, stainless steel sheath, 1/2in male NPT process connection, 4-pin M12 quick-disconnect.	Stock	\$84.00
<u>RTD1-S15-030-H</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 30mm insertion length, 6mm probe diameter, stainless steel sheath, 1-1/2in sanitary tri-clamp process connection, 4-pin M12 quick-disconnect.	Stock	\$123.00
<u>RTD1-S15-050-H</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 50mm insertion length, 6mm probe diameter, stainless steel sheath, 1-1/2in sanitary tri-clamp process connection, 4-pin M12 quick-disconnect.	Stock	\$124.00
<u>RTD1-S15-100-H</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 100mm insertion length, 6mm probe diameter, stainless steel sheath, 1-1/2in sanitary tri-clamp process connection, 4-pin M12 quick-disconnect.	Stock	\$128.00
<u>RTD1-S15-150-H</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 150mm insertion length, 6mm probe diameter, stainless steel sheath, 1-1/2in sanitary tri-clamp process connection, 4-pin M12 quick-disconnect.	Stock	\$129.00
<u>RTD1-S04-01</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 4in insertion length, 1/4in probe diameter, stainless steel sheath, 1-1/2in sanitary tri-clamp process connection, white polypropylene screw cover head with terminals.	Stock	\$124.00
<u>RTD1-S04-02</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 4in insertion length, 1/4in probe diameter, stainless steel sheath, 2in sanitary tri-clamp process connection, white polypropylene screw cover head with terminals.	Stock	\$132.00
<u>RTD1-S04-03</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 4in insertion length, 3/8in reduced to 3/16in probe diameter, stainless steel sheath, 1-1/2in sanitary tri-clamp process connection.	Stock	\$158.00
<u>RTD1-S04-04</u>	ProSense temperature sensor, Pt100 RTD, sanitary connection probe, 4in insertion length, 3/8in reduced to 3/16in probe diameter, stainless steel sheath, 2in sanitary tri-clamp process connection, white polypropylene screw cover head with terminals.	Stock	\$160.00
Temperature Transmitters with Integral Sensor			
<u>XTP25N-030-N40140F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, -40 to 140 deg F, 30mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$168.00
<u>XTP25N-050-N40140F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, -40 to 140 deg F, 50mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$169.00
<u>XTP25N-100-N40140F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, -40 to 140 deg F, 100mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$172.00

[illegible]

<u>XTP-360-N40140F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, -40 to 140 deg F, 360mm insertion length, 6mm probe diameter, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$136.00
<u>XTP-160-0300F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 300 deg F, 160mm insertion length, 6mm probe diameter, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$132.00
<u>XTP-260-0300F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 300 deg F, 260mm insertion length, 6mm probe diameter, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$134.00
<u>XTP-360-0300F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 300 deg F, 360mm insertion length, 6mm probe diameter, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$136.00
<u>XTP-160-0100C</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 100 deg C, 160mm insertion length, 6mm probe diameter, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$132.00
<u>XTP-260-0100C</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 100 deg C, 260mm insertion length, 6mm probe diameter, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$134.00
<u>XTP-360-0100C</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 100 deg C, 360mm insertion length, 6mm probe diameter, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$136.00
<u>XTPS15-030-0300F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 300 deg F, 30mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$220.00
<u>XTPS15-050-0300F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 300 deg F, 50mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$221.00
<u>XTPS15-100-0300F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 300 deg F, 100mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$222.00
<u>XTPS15-150-0300F</u>	ProSense temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 300 deg F, 150mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current, 4-pin M12 quick-disconnect.	Stock	\$224.00
<u>TM311-P801/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 30mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$247.00
<u>TM311-TLN8/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 50mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$251.00
<u>TM311-T5U0/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 100mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$251.00
<u>TM311-TLP9/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 150mm insertion length, 6mm probe diameter, 1/4in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$251.00
<u>TM311-ART9/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 30mm insertion length, 6mm probe diameter, 1/2in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$247.00
<u>TM311-TLR0/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 50mm insertion length, 6mm probe diameter, 1/2in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$251.00
<u>TM311-2F91/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 100mm insertion length, 6mm probe diameter, 1/2in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$251.00
<u>TM311-TLT0/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 150mm insertion length, 6mm probe diameter, 1/2in male NPT process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$251.00
<u>TM311-TLU6/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 30mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$234.00
<u>TM311-TLV1/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 50mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$238.00
<u>TM311-TWH1/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 100mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$238.00
<u>TM311-TLX2/0</u>	Endress+Hauser iTHERM temperature sensor/transmitter, Pt100 RTD, M12 probe, 0 to 150 deg C, 150mm insertion length, 6mm probe diameter, 1-1/2in sanitary tri-clamp process connection, Output: 1-channel, current/IO-Link, 4-pin M12 quick-disconnect.	Stock	\$238.00
Temperature Transmitters			
<u>XTH-0100F-J</u>	ProSense temperature transmitter, isolated, Input: 1-channel, Type J thermocouple, 0 to 100 deg F fixed, Output: 1-channel, output current signal range(s) of 4-20 mA, 8-35 VDC operating voltage, DIN Form B connection head mount, screw terminals.	Stock	\$97.00

[illegible]

[illegible]

<u>XTD-0500F-PT1</u>	ProSense temperature transmitter, isolated, Input: 1-channel, Pt100 RTD, 0 to 500 deg F fixed, Output: 1-channel, output current signal range(s) of 4-20 mA, 12-35 VDC operating voltage, 35mm DIN rail mount, removable screw terminal plugs.	Stock	\$123.00
<u>XTD2-0-UNV-S</u>	ProSense programmable temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple/voltage/potentiometer, deg F or deg C, Output: 1-channel, current, 11-36 VDC operating voltage, 35mm DIN rail mount, removable screw terminal plugs.	Stock	\$154.00
<u>XTD2-0-UNV-P</u>	ProSense programmable temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple/voltage/potentiometer, deg F or deg C, Output: 1-channel, current, 11-36 VDC operating voltage, 35mm DIN rail mount, removable push-in terminal plugs.	Stock	\$154.00
<u>TTD-20-N40160F-H</u>	ProSense temperature transmitter, isolated, Input: 1-channel, Pt100 RTD, -40 to 160 deg F fixed, Output: 1-channel, output current signal range(s) of 4-20 mA, 20-32 VDC operating voltage, M12 in-line mount, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>TTD-20-N40300F-H</u>	ProSense temperature transmitter, isolated, Input: 1-channel, Pt100 RTD, -40 to 300 deg F fixed, Output: 1-channel, output current signal range(s) of 4-20 mA, 20-32 VDC operating voltage, M12 in-line mount, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>SC6-5200</u>	ProSense temperature transmitter, isolated, Input: 1-channel, thermocouple, deg C or deg F, Output: 1-channel, current/voltage, 24 VDC operating voltage, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$204.00
<u>SC6-6102</u>	ProSense temperature transmitter, non-isolated, Input: 1-channel, RTD, deg C or deg F, Output: 1-channel, loop powered current, 3.3-35 VDC operating voltage, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$121.00
<u>SC6-6200</u>	ProSense temperature transmitter, isolated, Input: 1-channel, RTD, deg C or deg F, Output: 1-channel, current/voltage, 24 VDC operating voltage, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$190.00
<u>SC6-7102</u>	ProSense temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple, deg C or deg F, Output: 1-channel, loop powered current, 5.5-35 VDC operating voltage, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$178.00
<u>FC-T1</u>	AutomationDirect temperature transmitter, isolated, Input: 1-channel, thermocouple/voltage, deg F or deg C, Output: 1-channel, current, 24 VDC operating voltage, 35mm DIN rail or panel mount, removable screw terminal plugs.	Stock	\$192.00
<u>FC-R1</u>	AutomationDirect temperature transmitter, isolated, Input: 1-channel, RTD, deg F or deg C, Output: 1-channel, current, 24 VDC operating voltage, 35mm DIN rail or panel mount, removable screw terminal plugs.	Stock	\$192.00
<u>SCU-3100</u>	ProSense limit alarm, isolated, Input: 1-channel, current/voltage/RTD/thermocouple/potentiometer, Output: 2-channel, relay, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$252.00
<u>SCU-1400</u>	ProSense signal conditioner, isolated, Input: 1-channel, current/voltage/RTD/thermocouple/potentiometer, Output: 1-channel, current/voltage, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$274.00
<u>SCU-1600</u>	ProSense signal conditioner, isolated, Input: 1-channel, current/voltage/RTD/thermocouple/potentiometer, Output: 3-channel, current/voltage/relay, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$299.00
<u>TMT36-13A9/101</u>	Endress+Hauser iTEMP programmable temperature transmitter, non-isolated, Input: 1-channel, RTD, deg F or deg C, Output: 1-channel, IO-Link, 18-30 VDC operating voltage, DIN Form B connection head mount, screw terminals.	Stock	\$210.00
<u>TMT36-13C0/101</u>	Endress+Hauser iTEMP programmable temperature transmitter, non-isolated, Input: 1-channel, RTD, deg F or deg C, Output: 1-channel, IO-Link, 18-30 VDC operating voltage, DIN Form B connection head mount, push-in terminals.	Stock	\$210.00
<u>TMT72-4LR3/142</u>	Endress+Hauser iTEMP programmable temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple/bipolar voltage/potentiometer, deg F or deg C, Output: 1-channel, current/HART, 10-36 VDC operating voltage, DIN Form B connection head mount, screw terminals.	Stock	\$627.00
<u>TMT72-6XR7/101</u>	Endress+Hauser iTEMP programmable temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple/bipolar voltage/potentiometer, deg F or deg C, Output: 1-channel, current/HART, 10-36 VDC operating voltage, DIN Form B connection head mount, push-in terminals.	Stock	\$627.00
<u>TMT72-4H19/139</u>	Endress+Hauser iTEMP programmable temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple/bipolar voltage/potentiometer, deg F or deg C, Output: 1-channel, current/HART, 11-36 VDC operating voltage, 35mm DIN rail mount, screw terminals.	Stock	\$645.00
<u>TMT72-EQ74/115</u>	Endress+Hauser iTEMP programmable temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple/bipolar voltage/potentiometer, deg F or deg C, Output: 1-channel, current/HART, 11-36 VDC operating voltage, 35mm DIN rail mount, push-in terminals.	Stock	\$645.00
<u>TMT142B-1E60/1W9</u>	Endress+Hauser iTEMP programmable temperature transmitter, isolated, Input: 1-channel, RTD/thermocouple/bipolar voltage/potentiometer, deg F or deg C, Output: 1-channel, current/HART, 11-36 VDC operating voltage, IP66 and IP67, wall mount, (3) 1/2in female NPT.	Stock	\$1,400.00
Infrared Pyrometers			
<u>OPTCSLT15SFCB1</u>	Optris CS LT infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 0-5 VDC, 0-10 VDC, Type K thermocouple, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 7-conductor shielded cable.	Stock	\$125.00
<u>OPTCSLT15SFCB8</u>	Optris CS LT infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 0-5 VDC, 0-10 VDC, Type K thermocouple, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 8m integral 7-conductor shielded cable.	Stock	\$165.00

<u>OPTCSMALT15SF0505</u>	Optris CSmicro LT infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$250.00
<u>OPTCSMVL15SF0505</u>	Optris CSmicro LT infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$250.00
<u>OPTCSMALT15SF33</u>	Optris CSmicro LT infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$300.00
<u>OPTCSMVL15SF33</u>	Optris CSmicro LT infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$300.00
<u>OPTCSMALT22HSF0505</u>	Optris CSmicro LTH infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$370.00
<u>OPTCSMVL22HSF0505</u>	Optris CSmicro LTH infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$370.00
<u>OPTCSMALT22HSF33</u>	Optris CSmicro LTH infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$420.00
<u>OPTCSMVL22HSF33</u>	Optris CSmicro LTH infrared pyrometer, -50 to 1030 deg C, 8-14 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$420.00
<u>OPTCSMA3MLS0505</u>	Optris CSmicro 3M infrared pyrometer, 50 to 350 deg C, 2.3 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$690.00
<u>OPTCSMV3MLS0505</u>	Optris CSmicro 3M infrared pyrometer, 50 to 350 deg C, 2.3 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$690.00
<u>OPTCSMA3MLSF33</u>	Optris CSmicro 3M infrared pyrometer, 50 to 350 deg C, 2.3 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$740.00
<u>OPTCSMV3MLSF33</u>	Optris CSmicro 3M infrared pyrometer, 50 to 350 deg C, 2.3 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$740.00
<u>OPTCSMA3MHSF0505</u>	Optris CSmicro 3M infrared pyrometer, 100 to 600 deg C, 2.3 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$525.00
<u>OPTCSMV3MHSF0505</u>	Optris CSmicro 3M infrared pyrometer, 100 to 600 deg C, 2.3 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$525.00
<u>OPTCSMA3MHSF33</u>	Optris CSmicro 3M infrared pyrometer, 100 to 600 deg C, 2.3 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$575.00
<u>OPTCSMV3MHSF33</u>	Optris CSmicro 3M infrared pyrometer, 100 to 600 deg C, 2.3 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$575.00
<u>OPTCSMA2MHSF0505</u>	Optris CSmicro 2M infrared pyrometer, 385 to 1600 deg C, 1.6 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$560.00
<u>OPTCSMV2MHSF0505</u>	Optris CSmicro 2M infrared pyrometer, 385 to 1600 deg C, 1.6 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 1m integral 5-conductor shielded cable.	Stock	\$560.00
<u>OPTCSMA2MHSF33</u>	Optris CSmicro 2M infrared pyrometer, 385 to 1600 deg C, 1.6 µm spectral range, 4-20 mA, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$610.00
<u>OPTCSMV2MHSF33</u>	Optris CSmicro 2M infrared pyrometer, 385 to 1600 deg C, 1.6 µm spectral range, 0-5 VDC, 0-10 VDC, alarm or pulse output, 5-30 VDC operating voltage, M12x1 threaded end mount, 6m integral 5-conductor shielded cable.	Stock	\$610.00
<u>OPTCSLLTSF</u>	Optris CSLaser LT infrared pyrometer, -30 to 1000 deg C, 8-14 µm spectral range, 4-20 mA and alarm output, 5-30 VDC operating voltage, M48x1.5 threaded end mount, removable screw terminal plug.	Stock	\$700.00
<u>OPTCSL2MLSF</u>	Optris CSLaser 2M infrared pyrometer, 250 to 800 deg C, 1.6 µm spectral range, 4-20 mA and alarm output, 5-30 VDC operating voltage, M48x1.5 threaded end mount, removable screw terminal plug.	Stock	\$800.00
<u>OPTCSL2MHSE</u>	Optris CSLaser 2M infrared pyrometer, 385 to 1600 deg C, 1.6 µm spectral range, 4-20 mA and alarm output, 5-30 VDC operating voltage, M48x1.5 threaded end mount, removable screw terminal plug.	Stock	\$800.00
Thermowells			
<u>TW025-01</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 304 stainless steel body, 2-3/4in overall length, 0.260in bore.	Stock	\$31.00
<u>TW025-03</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 2-3/4in overall length, 0.260in bore.	Stock	\$36.00
<u>TW04-01</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 304 stainless steel body, 4-1/4in overall length, 0.260in bore.	Stock	\$36.00
<u>TW04-02</u>	ProSense thermowell, 1/2in female NPT probe connection, 3/4in male NPT process connection, 304 stainless steel body, 4-1/4in overall length, 0.260in bore.	Stock	\$36.00

<u>TW04-03</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 4-1/4in overall length, 0.260in bore.	Stock	\$45.00
<u>TW04-04</u>	ProSense thermowell, 1/2in female NPT probe connection, 3/4in male NPT process connection, 316 stainless steel body, 4-1/4in overall length, 0.260in bore.	Stock	\$45.00
<u>TW06-01</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 304 stainless steel body, 6-1/4in overall length, 0.260in bore.	Stock	\$49.50
<u>TW06-02</u>	ProSense thermowell, 1/2in female NPT probe connection, 3/4in male NPT process connection, 304 stainless steel body, 6-1/4in overall length, 0.260in bore.	Stock	\$49.50
<u>TW06-03</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 6-1/4in overall length, 0.260in bore.	Stock	\$57.00
<u>TW06-04</u>	ProSense thermowell, 1/2in female NPT probe connection, 3/4in male NPT process connection, 316 stainless steel body, 6-1/4in overall length, 0.260in bore.	Stock	\$57.00
<u>TW09-01</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 304 stainless steel body, 9-1/4in overall length, 0.260in bore.	Stock	\$71.00
<u>TW09-03</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 9-1/4in overall length, 0.260in bore.	Stock	\$82.00
<u>TW12-01</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 304 stainless steel body, 12-1/4in overall length, 0.260in bore.	Stock	\$80.00
<u>TW12-02</u>	ProSense thermowell, 1/2in female NPT probe connection, 3/4in male NPT process connection, 304 stainless steel body, 12-1/4in overall length, 0.260in bore.	Stock	\$80.00
<u>TW12-03</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 12-1/4in overall length, 0.260in bore.	Stock	\$98.00
<u>TW12-04</u>	ProSense thermowell, 1/2in female NPT probe connection, 3/4in male NPT process connection, 316 stainless steel body, 12-1/4in overall length, 0.260in bore.	Stock	\$98.00
<u>RTDTW-06-010-50N</u>	ProSense thermowell, 1/4in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 113mm overall length, 7mm bore.	Stock	\$43.00
<u>RTDTW-06-020-50N</u>	ProSense thermowell, 1/4in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 213mm overall length, 7mm bore.	Stock	\$46.00
<u>RTDTW-06-030-50N</u>	ProSense thermowell, 1/4in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 313mm overall length, 7mm bore.	Stock	\$51.00
<u>RTDTW-10-010-50N</u>	ProSense thermowell, 1/2in female NPT probe connection, 1/2in male NPT process connection, 316 stainless steel body, 92mm overall length, 11mm bore.	Stock	\$43.00
<u>STW04-01</u>	ProSense sanitary thermowell, 1/2in female NPT probe connection, 1-1/2in sanitary tri-clamp process connection, 316 stainless steel body, 4-1/4in overall length, 0.260in bore.	Stock	\$106.00
<u>STW06-01</u>	ProSense sanitary thermowell, 1/2in female NPT probe connection, 1-1/2in sanitary tri-clamp process connection, 316 stainless steel body, 6-1/4in overall length, 0.260in bore.	Stock	\$114.00
<u>STW12-01</u>	ProSense sanitary thermowell, 1/2in female NPT probe connection, 1-1/2in sanitary tri-clamp process connection, 316 stainless steel body, 12-1/4in overall length, 0.260in bore.	Stock	\$159.00
<u>STW04-02</u>	ProSense sanitary thermowell, 1/2in female NPT probe connection, 2in sanitary tri-clamp process connection, 316 stainless steel body, 4-1/4in overall length, 0.260in bore.	Stock	\$118.00
<u>STW06-02</u>	ProSense sanitary thermowell, 1/2in female NPT probe connection, 2in sanitary tri-clamp process connection, 316 stainless steel body, 6-1/4in overall length, 0.260in bore.	Stock	\$127.00
<u>STW12-02</u>	ProSense sanitary thermowell, 1/2in female NPT probe connection, 2in sanitary tri-clamp process connection, 316 stainless steel body, 12-1/4in overall length, 0.260in bore.	Stock	\$164.00

Accessories for Temperature Sensors and Transmitters

<u>BCF18-125N</u>	ProSense compression fitting, brass, 1/8in male NPT process connection. For use with 1/8in outside diameter temperature probes. Brass ferrule included.	Stock	\$3.25
<u>BCF14-125N</u>	ProSense compression fitting, brass, 1/8in male NPT process connection. For use with 1/4in outside diameter temperature probes. Brass ferrule included.	Stock	\$3.25
<u>BCF18-25N</u>	ProSense compression fitting, brass, 1/4in male NPT process connection. For use with 1/8in outside diameter temperature probes. Brass ferrule included.	Stock	\$4.25
<u>BCF14-25N</u>	ProSense compression fitting, brass, 1/4in male NPT process connection. For use with 1/4in outside diameter temperature probes. Brass ferrule included.	Stock	\$4.25
<u>BCF18-50N</u>	ProSense compression fitting, brass, 1/2in male NPT process connection. For use with 1/8in outside diameter temperature probes. Brass ferrule included.	Stock	\$6.00
<u>BCF14-50N</u>	ProSense compression fitting, brass, 1/2in male NPT process connection. For use with 1/4in outside diameter temperature probes. Brass ferrule included.	Stock	\$6.50
<u>CF18-125N</u>	ProSense compression fitting, 316 stainless steel, 1/8in male NPT process connection. For use with 1/8in outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$8.00
<u>CF14-125N</u>	ProSense compression fitting, 316 stainless steel, 1/8in male NPT process connection. For use with 1/4in outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$8.00
<u>CF18-25N</u>	ProSense compression fitting, 316 stainless steel, 1/4in male NPT process connection. For use with 1/8in outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$9.25

<u>CF14-25N</u>	ProSense compression fitting, 316 stainless steel, 1/4in male NPT process connection. For use with 1/4in outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$9.25
<u>CF18-50N</u>	ProSense compression fitting, 316 stainless steel, 1/2in male NPT process connection. For use with 1/8in outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$13.50
<u>CF14-50N</u>	ProSense compression fitting, 316 stainless steel, 1/2in male NPT process connection. For use with 1/4in outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$14.00
<u>CF06-25N</u>	ProSense compression fitting, stainless steel, 1/4in male NPT process connection. For use with 6mm (0.24in) outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$33.00
<u>CF10-50N</u>	ProSense compression fitting, stainless steel, 1/2in male NPT process connection. For use with 10mm outside diameter temperature probes. Stainless steel ferrule included.	Stock	\$34.00
<u>CF18-BC</u>	ProSense adjustable bayonet cap compression fitting, zinc plated brass. For use with 1/8in outside diameter probe sheaths. Brass ferrule included.	Stock	\$10.50
<u>CFTF-18</u>	ProSense ferrule, Teflon. Package of 5. For use with brass or stainless steel compression fittings and 1/8in outside diameter temperature probes.	Stock	\$7.25
<u>CFTF-14</u>	ProSense ferrule, Teflon. Package of 5. For use with brass or stainless steel compression fittings and 1/4in outside diameter temperature probes.	Stock	\$7.75
<u>BA-078</u>	ProSense bayonet adapter, 7/8in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$1.75
<u>BA-100</u>	ProSense bayonet adapter, 1in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$1.75
<u>BA-114</u>	ProSense bayonet adapter, 1-1/4in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$2.25
<u>BA-112</u>	ProSense bayonet adapter, 1-1/2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$2.25
<u>BA-200</u>	ProSense bayonet adapter, 2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$2.50
<u>BA-212</u>	ProSense bayonet adapter, 2-1/2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$2.75
<u>BA-300</u>	ProSense bayonet adapter, 3in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$3.00
<u>BA-312</u>	ProSense bayonet adapter, 3-1/2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter, 1/8in male NPT process connection. For use with adjustable immersion sensors.	Stock	\$3.50
<u>BB125N-50N</u>	ProSense hex head reducer bushing, brass, 1/2in male NPT to 1/8in female NPT.	Stock	\$6.00
<u>PCA-125</u>	ProSense pipe clamp with bayonet adapter, 11/16 to 1-1/4in adjustable diameter, 2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter. For use with adjustable immersion sensors.	Stock	\$19.00
<u>PCA-200</u>	ProSense pipe clamp with bayonet adapter, 1-1/16 to 2in adjustable diameter, 2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter. For use with adjustable immersion sensors.	Stock	\$19.00
<u>PCA-300</u>	ProSense pipe clamp with bayonet adapter, 2-1/16 to 3in adjustable diameter, 2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter. For use with adjustable immersion sensors.	Stock	\$21.00
<u>PCA-425</u>	ProSense pipe clamp with bayonet adapter, 3-5/16 to 4-1/4in adjustable diameter, 2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter. For use with adjustable immersion sensors.	Stock	\$24.00
<u>PCA-500</u>	ProSense pipe clamp with bayonet adapter, 4-1/8 to 7in adjustable diameter, 2in bayonet length, 7/16in bayonet outside diameter, 9/32in bayonet inside diameter. For use with adjustable immersion sensors.	Stock	\$22.50
<u>THMJ-SP</u>	ProSense Type J thermocouple connector, standard round pin plug, 400 deg F (200 deg C), glass filled thermoplastic body, black, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$4.50
<u>THMJ-SJ</u>	ProSense Type J thermocouple connector, standard round pin jack, 400 deg F (200 deg C), glass filled thermoplastic body, black, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$5.75
<u>THMK-SP</u>	ProSense Type K thermocouple connector, standard round pin plug, 400 deg F (200 deg C), glass filled thermoplastic body, yellow, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$4.50
<u>THMK-SJ</u>	ProSense Type K thermocouple connector, standard round pin jack, 400 deg F (200 deg C), glass filled thermoplastic body, yellow, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$5.50
<u>THMK-HSP</u>	ProSense Type K thermocouple connector, high-temperature standard round pin plug, 662 deg F (350 deg C), glass filled thermoplastic body, brown, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$14.00
<u>THMK-HSJ</u>	ProSense Type K thermocouple connector, high-temperature standard round pin jack, 662 deg F (350 deg C), glass filled thermoplastic body, brown, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$16.50
<u>THMT-SP</u>	ProSense Type T thermocouple connector, standard round pin plug, 400 deg F (200 deg C), glass filled thermoplastic body, blue, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$4.75
<u>THMT-SJ</u>	ProSense Type T thermocouple connector, standard round pin jack, 400 deg F (200 deg C), glass filled thermoplastic body, blue, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$6.25
<u>NTC-SJ</u>	ProSense 2-pin thermistor connector, standard round pin jack, 400 deg F (200 deg C), glass filled thermoplastic body, white, copper pins, 32 AWG to 14 AWG wire size range.	Stock	\$6.75
<u>THMJ-MP</u>	ProSense Type J thermocouple connector, miniature flat pin plug, 400 deg F (200 deg C), glass filled thermoplastic body, black, thermocouple material pins, 40 AWG to 20 AWG wire size range.	Stock	\$3.75

<u>THMJ-MJ</u>	ProSense Type J thermocouple connector, miniature flat pin jack, 400 deg. F (200 deg. C), glass filled thermoplastic body, black, thermocouple material pins, 40 AWG to 20 AWG wire size range.	Stock	\$4.25
<u>THMK-MP</u>	ProSense Type K thermocouple connector, miniature flat pin plug, 400 deg F (200 deg C), glass filled thermoplastic body, yellow, thermocouple material pins, 40 AWG to 20 AWG wire size range.	Stock	\$4.00
<u>THMK-MJ</u>	ProSense Type K thermocouple connector, miniature flat pin jack, 400 deg F (200 deg C), glass filled thermoplastic body, yellow, thermocouple material pins, 40 AWG to 20 AWG wire size range.	Stock	\$4.25
<u>THMT-MP</u>	ProSense Type T thermocouple connector, miniature flat pin plug, 400 deg F (200 deg C), glass filled thermoplastic body, blue, thermocouple material pins, 40 AWG to 20 AWG wire size range.	Stock	\$4.00
<u>THMT-MJ</u>	ProSense Type T thermocouple connector, miniature flat pin jack, 400 deg F (200 deg C), glass filled thermoplastic body, blue, thermocouple material pins, 40 AWG to 20 AWG wire size range.	Stock	\$4.50
<u>RTD-SP</u>	ProSense 3-pin RTD connector, standard round pin plug, 400 deg. F (200 deg. C), glass filled thermoplastic body, white, copper pins, 32 AWG to 14 AWG wire size range.	Stock	\$9.25
<u>RTD-SJ</u>	ProSense 3-pin RTD connector, standard round pin jack, 400 deg F (200 deg C), glass filled thermoplastic body, white, copper pins, 32 AWG to 14 AWG wire size range.	Stock	\$12.00
<u>WCB-S</u>	ProSense wire/cable clamp bracket, package of 10. For use with standard thermocouple and RTD connectors.	Stock	\$12.00
<u>WCB-M</u>	ProSense wire/cable clamp bracket, package of 10. For use with miniature thermocouple connectors.	Stock	\$12.00
<u>THMJ-SPJ</u>	ProSense Type J thermocouple connector, standard round pin panel jack, 400 deg F (200 deg C), glass filled thermoplastic body, black, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$11.00
<u>THMK-SPJ</u>	ProSense Type K thermocouple connector, standard round pin panel jack, 400 deg F (200 deg C), glass filled thermoplastic body, yellow, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$10.50
<u>THMT-SPJ</u>	ProSense Type T thermocouple connector, standard round pin panel jack, 400 deg F (200 deg C), glass filled thermoplastic body, blue, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$10.50
<u>THMJ-MPJ</u>	ProSense Type J thermocouple connector, miniature flat pin panel jack, 400 deg F (200 deg C), glass filled thermoplastic body, black, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$8.25
<u>THMK-MPJ</u>	ProSense Type K thermocouple connector, miniature flat pin panel jack, 400 deg F (200 deg C), glass filled thermoplastic body, yellow, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$9.00
<u>THMT-MPJ</u>	ProSense Type T thermocouple connector, miniature flat pin panel jack, 400 deg F (200 deg C), glass filled thermoplastic body, blue, thermocouple material pins, 32 AWG to 14 AWG wire size range.	Stock	\$9.75
<u>CHSC-AL-1</u>	ProSense general purpose screw cover connection head, 1/2in female NPT probe connection, 3/4in female NPT conduit opening, maximum temperature rating of 825 deg F (440 deg C), die-cast aluminum, NEMA 4X, IP66.	Stock	\$24.50
<u>CHTB-2</u>	ProSense terminal base, (2) brass terminals with stainless steel screws, ceramic. For use with ProSense temperature probe connection heads.	Stock	\$6.50
<u>CHTB-3</u>	ProSense terminal base, (3) brass terminals with stainless steel screws, ceramic. For use with ProSense temperature probe connection heads.	Stock	\$7.50
<u>RTD1-C04R-03</u>	ProSense temperature sensor, Pt100 RTD, spring-loaded replacement probe, 5in insertion length, 1/4in probe diameter, stainless steel sheath, 3in 24 AWG wire leads.	Stock	\$51.00
<u>RTD1-C06R-03</u>	ProSense temperature sensor, Pt100 RTD, spring-loaded replacement probe, 7in insertion length, 1/4in probe diameter, stainless steel sheath, 3in 24 AWG wire leads.	Stock	\$53.00
<u>RTD1-C12R-03</u>	ProSense temperature sensor, Pt100 RTD, spring-loaded replacement probe, 13in insertion length, 1/4in probe diameter, stainless steel sheath, 3in 24 AWG wire leads.	Stock	\$55.00
<u>SCU-PDM2</u>	ProSense detachable programming/display module, for use with SCU series signal conditioners.	Stock	\$65.00
<u>SCU-CJC1</u>	ProSense external cold junction compensation (CJC) connector, for use with SCU-3100, SCU-1400, SCU-1600 signal conditioners.	Stock	\$20.00
<u>XTH2-UNV-DISP</u>	ProSense display, polycarbonate. For use with programmable temperature transmitter XTH2-0-UNV-S and XTH2-0-UNV-P.	Stock	\$85.00
<u>XTH2-ENC-F</u>	ProSense field housing, (2) 1/2in female NPT, -40 to +100 degrees C (-40 to 212 degrees F), aluminum, NEMA 4X, IP66 IP68. For use with programmable temperature transmitter XTH2-0-UNV-S and XTH2-0-UNV-P.	Stock	\$68.00
<u>XTH2-ENC-P</u>	ProSense connection head, 1/2in female NPT probe connection, 1/2in female NPT, -40 to +100 degrees C (-40 to 212 degrees F), aluminum, NEMA 4X, IP66 IP68. For use with programmable temperature transmitter XTH2-0-UNV-S and XTH2-0-UNV-P.	Stock	\$68.00
<u>XTH2-ENC-BKT1</u>	ProSense wall mount bracket, 316L stainless steel. For use with field housing XTH2-ENC-F. Mounting hardware included.	Stock	\$23.50
<u>XTH2-ENC-BKT2</u>	ProSense pipe mount bracket, 316L stainless steel. For use with field housing XTH2-ENC-F. Mounting hardware included.	Stock	\$46.00
<u>XT-SOFT</u>	ProSense Windows configuration software, free download only. For use with ProSense temperature transmitter XTP series, digital temperature sensor ETS series and programmable temperature sensor XTD-0-UNV.	Stock	\$0.00
<u>XT-USB</u>	ProSense configuration cable, USB to keyed 4-pin male, 7.9ft/2.4m cable length.	Stock	\$124.00
<u>XT-M12</u>	ProSense adapter, keyed 4-pin female to 4-pin M12. For use with ProSense temperature transmitter XTP series and XT-USB cable.	Stock	\$21.00

<u>ACCTCF</u>	Optris close focus lens, for use with Optris CS LT and Optris CSmicro IR pyrometers.	Stock	\$60.00
<u>ACCTFB</u>	Optris swivel mounting bracket, for use with Optris CS LT and Optris CSmicro IR pyrometers.	Stock	\$30.00
<u>ACCTMB</u>	Optris mounting bolt, M12 x 1. For use with Optris CS LT and Optris CSmicro IR pyrometers and ACCTFB mounting bracket. M12x1 nut included.	Stock	\$30.00
<u>ACCSAP</u>	Optris standard air purge collar, for use with Optris CS LT and Optris CSmicro IR pyrometers.	Stock	\$45.00
<u>ACCTRAM</u>	Optris right angle mirror, for use with Optris CS LT and Optris CSmicro IR pyrometers.	Stock	\$85.00
<u>ACCSMIACC</u>	Optris configuration cable, USB-C to 5-pin terminal, 3.7ft/1.1m cable length. For use with Optris CS IR pyrometers and PC or Android configuration software.	Stock	\$60.00
<u>ACCTLAB</u>	Optris mounting bracket, two axis. For use with Optris CSLaser IR pyrometers.	Stock	\$115.00
<u>ACCTLAP</u>	Optris air purge collar, for use with Optris CSLaser IR pyrometers.	Stock	\$135.00
<u>TID10-1009/0</u>	Endress+Hauser display, polycarbonate. For use with Endress+Hauser TMT36 and TMT72 programmable temperature transmitters.	Stock	\$121.00
<u>FC-35MM</u>	Terminal block, replacement, 3.5mm. Package of 14. For use with FC series signal conditioners.	Stock	\$33.00
<u>FC-5MM</u>	Terminal block, replacement, 5mm. Package of 5. For use with FC series signal conditioners.	Stock	\$18.00
<u>SC6-PCU1</u>	ProSense power connection unit, for use with SC6 series signal conditioners.	Stock	\$112.00
<u>0068060</u>	In-rail-bus, 250mm length. For use with SC6 series signal conditioners and DN-R35S1 series DIN rail.	Stock	\$48.00

Pressure Switches

<u>PSD25-0P-0145H</u>	ProSense electronic pressure switch, 7.5 to 145 psi set point, 316 stainless steel sensing element, PNP, N.O./N.C. complementary, 1/4in male NPT process connection, 9.6-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$125.00
<u>PSD25-0P-1450H</u>	ProSense electronic pressure switch, 75 to 1450 psi set point, 316 stainless steel sensing element, PNP, N.O./N.C. complementary, 1/4in male NPT process connection, 9.6-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$118.00
<u>PSD25-0P-5800H</u>	ProSense electronic pressure switch, 290 to 5800 psi set point, 316 stainless steel sensing element, PNP, N.O./N.C. complementary, 1/4in male NPT process connection, 9.6-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$125.00
<u>MPS25-1C-DV15A</u>	ProSense mechanical pressure switch, 1 to 5 psig deadband range, -15 to 15 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-D30A</u>	ProSense mechanical pressure switch, 1 to 5 psig deadband range, 6 to 30 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-D60A</u>	ProSense mechanical pressure switch, 2 to 10 psig deadband range, 8 to 60 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-D100A</u>	ProSense mechanical pressure switch, 3 to 15 psig deadband range, 10 to 100 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-P200A</u>	ProSense mechanical pressure switch, 3 to 30 psig deadband range, 40 to 200 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$148.00
<u>MPS25-1C-P500A</u>	ProSense mechanical pressure switch, 20 to 100 psig deadband range, 50 to 500 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-P1000A</u>	ProSense mechanical pressure switch, 25 to 150 psig deadband range, 100 to 1000 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-P2000A</u>	ProSense mechanical pressure switch, 30 to 300 psig deadband range, 200 to 2000 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-P5000A</u>	ProSense mechanical pressure switch, 75 to 750 psig deadband range, 500 to 5000 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-P7500A</u>	ProSense mechanical pressure switch, 110 to 1100 psig deadband range, 750 to 7500 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, 1/2in male NPT conduit connection with 6ft cable.	Stock	\$149.00
<u>MPS25-1C-DV15D</u>	ProSense mechanical pressure switch, 1 to 5 psig deadband range, -15 to 15 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-D30D</u>	ProSense mechanical pressure switch, 1 to 5 psig deadband range, 6 to 30 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00

<u>MPS25-1C-D60D</u>	ProSense mechanical pressure switch, 2 to 10 psig deadband range, 8 to 60 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-D100D</u>	ProSense mechanical pressure switch, 3 to 15 psig deadband range, 10 to 100 psig set point, 316 stainless steel sensing element, SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-P200D</u>	ProSense mechanical pressure switch, 3 to 30 psig deadband range, 40 to 200 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-P500D</u>	ProSense mechanical pressure switch, 20 to 100 psig deadband range, 50 to 500 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-P1000D</u>	ProSense mechanical pressure switch, 25 to 150 psig deadband range, 100 to 1000 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-P2000D</u>	ProSense mechanical pressure switch, 30 to 300 psig deadband range, 200 to 2000 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-P5000D</u>	ProSense mechanical pressure switch, 75 to 750 psig deadband range, 500 to 5000 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>MPS25-1C-P7500D</u>	ProSense mechanical pressure switch, 110 to 1100 psig deadband range, 750 to 7500 psig set point, 316 stainless steel sensing element, Buna-N O-ring seal(s), SPDT 3A, 1/4in male NPT process connection, DIN 175301-803C L-connector.	Stock	\$134.00
<u>B424B30IMV</u>	Ashcroft mechanical pressure switch, -30 to -4.5in Hg vacuum set point, 1.5 to 4.0in Hg deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$236.00
<u>B424B15</u>	Ashcroft mechanical pressure switch, 2.25 to 15 psig set point, 0.5 to 1.5 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$206.00
<u>B424B30</u>	Ashcroft mechanical pressure switch, 4.5 to 30 psig set point, 0.5 to 1.5 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$206.00
<u>B424B60</u>	Ashcroft mechanical pressure switch, 9 to 60 psig set point, 1.0 to 3.5 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$206.00
<u>B424B100</u>	Ashcroft mechanical pressure switch, 15 to 100 psig set point, 1.5 to 5.0 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$206.00
<u>B424B200</u>	Ashcroft mechanical pressure switch, 30 to 200 psig set point, 5 to 13 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$206.00
<u>B424B400</u>	Ashcroft mechanical pressure switch, 60 to 400 psig set point, 5 to 24 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$206.00
<u>B424B1000</u>	Ashcroft mechanical pressure switch, 150 to 1000 psig set point, 30 to 110 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/2in male NPT or 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$273.00
<u>B424B3000</u>	Ashcroft mechanical pressure switch, 450 to 3000 psig set point, 80 to 235 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/2in male NPT or 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$273.00
<u>B424V15</u>	Ashcroft mechanical pressure switch, 2.25 to 15 psig set point, 0.7 to 2.1 psig deadband range, Viton sensing element, Viton seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$221.00
<u>B424V30</u>	Ashcroft mechanical pressure switch, 4.5 to 30 psig set point, 0.7 to 2.1 psig deadband range, Viton sensing element, Viton seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$221.00
<u>B424V60</u>	Ashcroft mechanical pressure switch, 9 to 60 psig set point, 1.4 to 4.9 psig deadband range, Viton sensing element, Viton seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$221.00
<u>B424V100</u>	Ashcroft mechanical pressure switch, 15 to 100 psig set point, 2.1 to 7.0 psig deadband range, Viton sensing element, Viton seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$221.00
<u>B424V200</u>	Ashcroft mechanical pressure switch, 30 to 200 psig set point, 7.0 to 18.2 psig deadband range, Viton sensing element, Viton seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$221.00
<u>B424V400</u>	Ashcroft mechanical pressure switch, 60 to 400 psig set point, 7.0 to 33.6 psig deadband range, Viton sensing element, Viton seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$221.00
<u>B420B15</u>	Ashcroft mechanical pressure switch, 2.25 to 15 psig set point, 0.1 to 0.35 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$224.00

<u>B420B60</u>	Ashcroft mechanical pressure switch, 9 to 60 psig set point, 0.3 to 1.0 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$224.00
<u>B420B100</u>	Ashcroft mechanical pressure switch, 15 to 100 psig set point, 0.5 to 1.7 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$224.00
<u>B420B200</u>	Ashcroft mechanical pressure switch, 30 to 200 psig set point, 1 to 3 psig deadband range, Buna-N sensing element, Buna-N seal(s), SPDT 15A, 1/4in female NPT process connection, 3/4in female NPT conduit opening.	Stock	\$224.00
Pressure Transmitters			
<u>LPPT25-20-V30H</u>	AchieVe pressure transmitter, -14.7 to 30 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-0015H</u>	AchieVe pressure transmitter, 0 to 15 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-0030H</u>	AchieVe pressure transmitter, 0 to 30 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-0060H</u>	AchieVe pressure transmitter, 0 to 60 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-0100H</u>	AchieVe pressure transmitter, 0 to 100 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-0200H</u>	AchieVe pressure transmitter, 0 to 200 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-0300H</u>	AchieVe pressure transmitter, 0 to 300 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-0500H</u>	AchieVe pressure transmitter, 0 to 500 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-1000H</u>	AchieVe pressure transmitter, 0 to 1000 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-2000H</u>	AchieVe pressure transmitter, 0 to 2000 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-3000H</u>	AchieVe pressure transmitter, 0 to 3000 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>LPPT25-20-5000H</u>	AchieVe pressure transmitter, 0 to 5000 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 9-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$79.00
<u>WPT25-20-0015H</u>	HydroMode pressure transmitter, 0 to 15 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 8-32 VDC operating voltage, 4-pin M12 quick-disconnect, NSF/ANSI/CAN 61 and NSF 372.	Stock	\$103.00
<u>WPT25-20-0030H</u>	HydroMode pressure transmitter, 0 to 30 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 8-32 VDC operating voltage, 4-pin M12 quick-disconnect, NSF/ANSI/CAN 61 and NSF 372.	Stock	\$103.00
<u>WPT25-20-0050H</u>	HydroMode pressure transmitter, 0 to 50 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 8-32 VDC operating voltage, 4-pin M12 quick-disconnect, NSF/ANSI/CAN 61 and NSF 372.	Stock	\$103.00
<u>WPT25-20-0100H</u>	HydroMode pressure transmitter, 0 to 100 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 8-32 VDC operating voltage, 4-pin M12 quick-disconnect, NSF/ANSI/CAN 61 and NSF 372.	Stock	\$103.00
<u>WPT25-20-0150H</u>	HydroMode pressure transmitter, 0 to 150 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 8-32 VDC operating voltage, 4-pin M12 quick-disconnect, NSF/ANSI/CAN 61 and NSF 372.	Stock	\$103.00
<u>WPT25-20-0200H</u>	HydroMode pressure transmitter, 0 to 200 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 8-32 VDC operating voltage, 4-pin M12 quick-disconnect, NSF/ANSI/CAN 61 and NSF 372.	Stock	\$103.00
<u>WPT25-20-0300H</u>	HydroMode pressure transmitter, 0 to 300 psig range, +/- 1% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/4in male NPT process connection, 8-32 VDC operating voltage, 4-pin M12 quick-disconnect, NSF/ANSI/CAN 61 and NSF 372.	Stock	\$103.00
<u>PTD25-20-VH</u>	ProSense vacuum transmitter, -14.5 to 0 psig range, +/- 0.75% accuracy, ceramic sensing element, Viton seal(s), 20-4 mA analog output, 1/4in male NPT process connection, 9.6-32 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$166.00

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>PMP21-CA1M2SFVXJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 600 psia range, +/- 0.3% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/2in male NPT or 1/4in female NPT process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$413.00
<u>PMP21-CA1M2UFVXJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 1500 psia range, +/- 0.3% accuracy, stainless steel sensing element, 4-20 mA analog output, 1/2in male NPT or 1/4in female NPT process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$413.00
<u>PMP23-CA1M1FF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 6 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1HF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 15 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1KF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 30 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1MF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 60 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1NF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 90 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1PF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 150 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1QF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 240 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1RF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 375 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CA1M1SF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 600 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, 1-1/2in sanitary tri-clamp process connection, 10-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$492.00
<u>PMP23-CAAN1FF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 6 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1HF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 15 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1KF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 30 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1MF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 60 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1NF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 90 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1PF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 150 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1QF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 240 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1RF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 375 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
<u>PMP23-CAAN1SF3CJ</u>	Endress+Hauser Cerabar pressure transmitter, 0 to 600 psig range, +/- 0.3% accuracy, stainless steel sensing element, Output: 4-20 mA, Output 2: IO-Link, 1-1/2in sanitary tri-clamp process connection, 18-30 VDC operating voltage, 4-pin M12 quick-disconnect.	Stock	\$555.00
Digital Pressure Switches/Transmitters			
<u>EPS25-V14-1001</u>	ProSense digital pressure sensor, -14.5 to 14.5 psig range, Output: switch (N.O./N.C.), PNP/NPN selectable, Output 2: switch (N.O./N.C.), PNP/NPN selectable or 4-20 mA/0-10 VDC, 1/4in male NPT process connection.	Stock	\$354.00
<u>EPS25-100WC-1001</u>	ProSense digital pressure sensor, -5 to 100.4 inches of water column range, Output: switch (N.O./N.C.), PNP/NPN selectable, Output 2: switch (N.O./N.C.), PNP/NPN selectable or 4-20 mA/0-10 VDC, 1/4in male NPT process connection.	Stock	\$354.00

[illegible]

<u>DPTA-20-P1B</u>	ProSense air differential pressure transmitter, -0.1 to +0.1in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$161.00
<u>DPTA-20-P25</u>	ProSense air differential pressure transmitter, 0 to 0.25in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$161.00
<u>DPTA-20-P25B</u>	ProSense air differential pressure transmitter, -0.25 to +0.25in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$161.00
<u>DPTA-20-P5</u>	ProSense air differential pressure transmitter, 0 to 0.5in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$161.00
<u>DPTA-20-P5B</u>	ProSense air differential pressure transmitter, -0.5 to +0.5in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$161.00
<u>DPTA-20-01</u>	ProSense air differential pressure transmitter, 0 to 1.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$160.00
<u>DPTA-20-01B</u>	ProSense air differential pressure transmitter, -1.0 to +1.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$160.00
<u>DPTA-20-02</u>	ProSense air differential pressure transmitter, 0 to 2.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$160.00
<u>DPTA-20-02B</u>	ProSense air differential pressure transmitter, -2.0 to +2.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-03</u>	ProSense air differential pressure transmitter, 0 to 3.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-03B</u>	ProSense air differential pressure transmitter, -3.0 to +3.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-05</u>	ProSense air differential pressure transmitter, 0 to 5.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-05B</u>	ProSense air differential pressure transmitter, -5.0 to +5.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-10</u>	ProSense air differential pressure transmitter, 0 to 10.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-10B</u>	ProSense air differential pressure transmitter, -10.0 to +10.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-15</u>	ProSense air differential pressure transmitter, 0 to 15.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-15B</u>	ProSense air differential pressure transmitter, -15.0 to +15.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00
<u>DPTA-20-25</u>	ProSense air differential pressure transmitter, 0 to 25.0in of water column range, 4-20 mA analog output, 1/4in brass barbed process connection, 12 to 36 VDC operating voltage, screw terminals, 35mm DIN rail or panel mount.	Stock	\$156.00

Accessories for Pressure Sensors

<u>SSP545-ADC</u>	Winters siphon, brass body, 1/4in male NPT x 1/4in male NPT.	Stock	\$19.00
<u>SSP556-ADC</u>	Winters siphon, carbon steel body, 1/4in male NPT x 1/4in male NPT.	Stock	\$13.00
<u>SSP595-ADC</u>	Winters siphon, stainless steel body, 1/4in male NPT x 1/4in male NPT.	Stock	\$62.00
<u>SSN517-ADC</u>	Winters heavy oil snubber, porous brass element, brass body, 1/4in male NPT x 1/4in female NPT.	Stock	\$16.50
<u>SSN515-ADC</u>	Winters water snubber, porous brass element, brass body, 1/4in male NPT x 1/4in female NPT.	Stock	\$16.50
<u>SSN516-ADC</u>	Winters air snubber, porous brass element, brass body, 1/4in male NPT x 1/4in female NPT.	Stock	\$16.50
<u>SSN520-ADC</u>	Winters heavy oil snubber, porous stainless steel element, stainless steel body, 1/4in male NPT x 1/4in female NPT.	Stock	\$27.00

<u>SSN518-ADC</u>	Winters water snubber, porous stainless steel element, stainless steel body, 1/4in male NPT x 1/4in female NPT.	Stock	\$22.00
<u>SSN519-ADC</u>	Winters air snubber, porous stainless steel element, stainless steel body, 1/4in male NPT x 1/4in female NPT.	Stock	\$28.50
<u>SASS40-ADC</u>	Winters snubber, adjustable brass stem and PTFE seal element, brass body, 1/4in male NPT x 1/4in female NPT.	Stock	\$42.00
<u>SASS42-ADC</u>	Winters snubber, adjustable stainless steel stem and PTFE seal element, stainless steel body, 1/4in male NPT x 1/4in female NPT.	Stock	\$67.00
<u>NVA1000-ADC</u>	Winters manual isolation and throttling needle valve, straight body soft seat, single handle, stainless steel body, 1/4in male NPT inlet(s), 1/4in female NPT outlet(s).	Stock	\$74.00
<u>NVA2000-ADC</u>	Winters manual isolation and throttling needle valve, straight body hard seat, single handle, stainless steel body, 1/4in male NPT inlet(s), 1/4in female NPT outlet(s).	Stock	\$77.00
<u>BBV1200-ADC</u>	Winters manual block and bleed needle valve, straight body soft seat, double handles, stainless steel body, 1/4in male NPT inlet(s), 1/4in female NPT outlet(s).	Stock	\$181.00
<u>BBV3200-ADC</u>	Winters manual block and bleed needle valve, straight body hard seat, double handles, stainless steel body, 1/4in male NPT inlet(s), 1/4in female NPT outlet(s).	Stock	\$135.00
<u>PSD-CV</u>	Protective cover, plastic. For use with ProSense PSD25, TSD25 & VCST series process switches.	Stock	\$4.25
<u>EPS-CV</u>	ProSense protective cover, for use with ProSense EPS series digital pressure sensors.	Stock	\$7.00
<u>EPS-BKT1</u>	ProSense mounting bracket, for use with ProSense EPS series digital pressure sensors.	Stock	\$10.50
<u>QPS-PMK</u>	ProSense panel mounting bracket, for use with ProSense QPS series pressure switches/transmitters. Mounting hardware included.	Stock	\$2.50
<u>QPS-FMK</u>	ProSense mounting bracket, for use with ProSense QPS series pressure switches/transmitters. Mounting hardware included.	Stock	\$2.50
<u>QPS-CBL</u>	ProSense cable, replacement, 6.6ft/2m cable length. For use with ProSense QPS series digital pressure sensors.	Stock	\$37.50
Mechanical Dial Pressure Gauges			
<u>G15-BDV-8LB</u>	ProSense mechanical pressure gauge, 1.5in diameter, -30 to 0in Hg vacuum/-100 to 0 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, lower mount.	Stock	\$11.50
<u>G15-BD30-8LB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 30 psig/0 to 200 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, lower mount.	Stock	\$11.50
<u>G15-BD60-8LB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 60 psig/0 to 400 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, lower mount.	Stock	\$11.50
<u>G15-BD100-8LB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 100 psig/0 to 700 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, lower mount.	Stock	\$11.50
<u>G15-BD160-8LB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 160 psig/0 to 1100 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, lower mount.	Stock	\$11.50
<u>G15-BD200-8LB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 200 psig/0 to 1400 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, lower mount.	Stock	\$11.50
<u>G15-BDV-8CB</u>	ProSense mechanical pressure gauge, 1.5in diameter, -30 to 0in Hg vacuum/-100 to 0 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, center back mount.	Stock	\$11.50
<u>G15-BD30-8CB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 30 psig/0 to 200 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, center back mount.	Stock	\$11.50
<u>G15-BD60-8CB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 60 psig/0 to 400 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, center back mount.	Stock	\$11.50
<u>G15-BD100-8CB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 100 psig/0 to 700 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, center back mount.	Stock	\$11.50
<u>G15-BD160-8CB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 160 psig/0 to 1100 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, center back mount.	Stock	\$11.50
<u>G15-BD200-8CB</u>	ProSense mechanical pressure gauge, 1.5in diameter, 0 to 200 psig/0 to 1400 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/8in male NPT process connection, center back mount.	Stock	\$11.50
<u>G20-BDV-4LB</u>	ProSense mechanical pressure gauge, 2in diameter, -30 to 0in Hg vacuum/-100 to 0 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$12.00
<u>G20-BD30-4LB</u>	ProSense mechanical pressure gauge, 2in diameter, 0 to 30 psig/0 to 200 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$12.00
<u>G20-BD60-4LB</u>	ProSense mechanical pressure gauge, 2in diameter, 0 to 60 psig/0 to 400 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$12.00
<u>G20-BD100-4LB</u>	ProSense mechanical pressure gauge, 2in diameter, 0 to 100 psig/0 to 700 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$12.00
<u>G20-BD160-4LB</u>	ProSense mechanical pressure gauge, 2in diameter, 0 to 160 psig/0 to 1100 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$12.00
<u>G20-BD200-4LB</u>	ProSense mechanical pressure gauge, 2in diameter, 0 to 200 psig/0 to 1400 kPa, black steel dry case, phosphor bronze, brass wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$12.00

[illegible]

[illegible]

<u>G25-SL60-4LS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 60 psig/0 to 420 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$46.00
<u>G25-SL100-4LS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 100 psig/0 to 700 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$46.00
<u>G25-SL160-4LS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 160 psig/0 to 1100 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$46.00
<u>G25-SL200-4LS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 200 psig/0 to 1400 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$46.00
<u>G25-SL300-4LS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 300 psig/0 to 2100 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$46.00
<u>G25-SL600-4LS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 600 psig/0 to 4200 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$46.00
<u>G25-SL1000-4LS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 1000 psig/0 to 7000 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$46.00
<u>G25-SLV-4CS</u>	ProSense mechanical pressure gauge, 2.5in diameter, -30 to 0in Hg vacuum/-100 to 0 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, center back mount.	Stock	\$46.00
<u>G25-SL30-4CS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 30 psig/0 to 210 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, center back mount.	Stock	\$46.00
<u>G25-SL60-4CS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 60 psig/0 to 420 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, center back mount.	Stock	\$46.00
<u>G25-SL100-4CS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 100 psig/0 to 700 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, center back mount.	Stock	\$46.00
<u>G25-SL160-4CS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 160 psig/0 to 1100 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, center back mount.	Stock	\$46.00
<u>G25-SL200-4CS</u>	ProSense mechanical pressure gauge, 2.5in diameter, 0 to 200 psig/0 to 1400 kPa, stainless steel liquid filled case, stainless steel wetted parts, 1/4in male NPT process connection, center back mount.	Stock	\$46.00

ProSense Digital Pressure Gauges

<u>DPG1-15</u>	ProSense digital pressure gauge, 0 to 15 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-30</u>	ProSense digital pressure gauge, 0 to 30 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-60</u>	ProSense digital pressure gauge, 0 to 60 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-100</u>	ProSense digital pressure gauge, 0 to 100 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-200</u>	ProSense digital pressure gauge, 0 to 200 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-300</u>	ProSense digital pressure gauge, 0 to 300 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-600</u>	ProSense digital pressure gauge, 0 to 600 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-1000</u>	ProSense digital pressure gauge, 0 to 1000 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-3000</u>	ProSense digital pressure gauge, 0 to 3000 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00
<u>DPG1-5000</u>	ProSense digital pressure gauge, 0 to 5000 psig, 0.5% of full scale accuracy, stainless steel wetted parts, 1/4in male NPT process connection, lower mount.	Stock	\$227.00

ProSense Air Differential Pressure Gauges

<u>DGA-01</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 1.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00
<u>DGA-02</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 2.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00
<u>DGA-03</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 3.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00
<u>DGA-04</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 4.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00
<u>DGA-05</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 5.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00

<u>DGA-10</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 10.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-15</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 15.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-20</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 20.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-25</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 25.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-30</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 30.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-40</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 40.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-50</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 50.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-100</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 100.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-150</u>	ProSense differential pressure gauge, 4in dial diameter, 0 to 150.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-01B</u>	ProSense differential pressure gauge, 4in dial diameter, -1.0 to +1.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00
<u>DGA-02B</u>	ProSense differential pressure gauge, 4in dial diameter, -2.0 to +2.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00
<u>DGA-05B</u>	ProSense differential pressure gauge, 4in dial diameter, -5.0 to +5.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$101.00
<u>DGA-10B</u>	ProSense differential pressure gauge, 4in dial diameter, -10.0 to +10.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-15B</u>	ProSense differential pressure gauge, 4in dial diameter, -15.0 to +15.0in of water column, black die-cast aluminum case, aluminum, silicone rubber wetted parts, (2) high and (2) low 1/8in female NPT process connection, panel or surface mount.	Stock	\$108.00
<u>DGA-T</u>	ProSense static pressure tip with compression fitting, for use with DGA series differential pressure gauges or DPTA series differential pressure transmitters.	Stock	\$27.00
<u>DGA-B</u>	ProSense surface mount bracket, for use with DGA series differential pressure gauges. Hardware included.	Stock	\$17.50
<u>DGA-R</u>	ProSense panel mount flange, for use with DGA series differential pressure gauges. Hardware included.	Stock	\$18.00

Bi-Metal Dial Thermometers

<u>T30-N40160-25C</u>	ProSense bi-metal dial thermometer, 3in diameter, 2-1/2in insertion length, -40 to 160 deg F/-40 to 70 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-0250-25C</u>	ProSense bi-metal dial thermometer, 3in diameter, 2 1/2in insertion length, 0 to 250 deg F/-18 to 120 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-50500-25C</u>	ProSense bi-metal dial thermometer, 3in diameter, 2-1/2in insertion length, 50 to 500 deg F/10 to 260 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-150750-25C</u>	ProSense bi-metal dial thermometer, 3in diameter, 2-1/2in insertion length, 150 to 750 deg F/70 to 400 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-N40160-4C</u>	ProSense bi-metal dial thermometer, 3in diameter, 4in insertion length, -40 to 160 deg F/-40 to 70 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-0250-4C</u>	ProSense bi-metal dial thermometer, 3in diameter, 4in insertion length, 0 to 250 deg F/-18 to 120 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-50500-4C</u>	ProSense bi-metal dial thermometer, 3in diameter, 4in insertion length, 50 to 500 deg F/10 to 260 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-150750-4C</u>	ProSense bi-metal dial thermometer, 3in diameter, 4in insertion length, 150 to 750 deg F/70 to 400 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-N40160-6C</u>	ProSense bi-metal dial thermometer, 3in diameter, 6in insertion length, -40 to 160 deg F/-40 to 70 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50

<u>T30-0250-6C</u>	ProSense bi-metal dial thermometer, 3in diameter, 6in insertion length, 0 to 250 deg F/-18 to 120 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-50500-6C</u>	ProSense bi-metal dial thermometer, 3in diameter, 6in insertion length, 50 to 500 deg F/10 to 260 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T30-150750-6C</u>	ProSense bi-metal dial thermometer, 3in diameter, 6in insertion length, 150 to 750 deg F/70 to 400 deg C, 1/2in male NPT process connection, center back mount.	Stock	\$41.50
<u>T50-N40160-25A</u>	ProSense bi-metal dial thermometer, 5in diameter, 2-1/2in insertion length, -40 to 160 deg F/-40 to 70 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-0250-25A</u>	ProSense bi-metal dial thermometer, 5in diameter, 2-1/2in insertion length, 0 to 250 deg F/-18 to 120 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-50500-25A</u>	ProSense bi-metal dial thermometer, 5in diameter, 2-1/2in insertion length, 50 to 500 deg F/10 to 260 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-150750-25A</u>	ProSense bi-metal dial thermometer, 5in diameter, 2-1/2in insertion length, 150 to 750 deg F/70 to 400 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-N40160-4A</u>	ProSense bi-metal dial thermometer, 5in diameter, 4in insertion length, -40 to 160 deg F/-40 to 70 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-0250-4A</u>	ProSense bi-metal dial thermometer, 5in diameter, 4in insertion length, 0 to 250 deg F/-18 to 120 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-50500-4A</u>	ProSense bi-metal dial thermometer, 5in diameter, 4in insertion length, 50 to 500 deg F/10 to 260 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-150750-4A</u>	ProSense bi-metal dial thermometer, 5in diameter, 4in insertion length, 150 to 750 deg F/70 to 400 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-N40160-6A</u>	ProSense bi-metal dial thermometer, 5in diameter, 6in insertion length, -40 to 160 deg F/-40 to 70 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-0250-6A</u>	ProSense bi-metal dial thermometer, 5in diameter, 6in insertion length, 0 to 250 deg F/-18 to 120 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-50500-6A</u>	ProSense bi-metal dial thermometer, 5in diameter, 6in insertion length, 50 to 500 deg F/10 to 260 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-150750-6A</u>	ProSense bi-metal dial thermometer, 5in diameter, 6in insertion length, 150 to 750 deg F/70 to 400 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-N40160-9A</u>	ProSense bi-metal dial thermometer, 5in diameter, 9in insertion length, -40 to 160 deg F/-40 to 70 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-0250-9A</u>	ProSense bi-metal dial thermometer, 5in diameter, 9in insertion length, 0 to 250 deg F/-18 to 120 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-50500-9A</u>	ProSense bi-metal dial thermometer, 5in diameter, 9in insertion length, 50 to 500 deg F/10 to 260 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00
<u>T50-150750-9A</u>	ProSense bi-metal dial thermometer, 5in diameter, 9in insertion length, 150 to 750 deg F/70 to 400 deg C, 1/2in male NPT process connection, center back, adjustable angle mount.	Stock	\$95.00

Ultrasonic Level Sensors and Switches

<u>UG01-0001-40</u>	Flowline EchoPod reflective ultrasonic liquid level sensor, 4.9ft/1.5m sensing range, 4-20 mA and (4) SPST relays, N.O./N.C. selectable, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$550.00
<u>UG03-0001-40</u>	Flowline EchoPod reflective ultrasonic liquid level sensor, 9.8ft/3m sensing range, 4-20 mA and (4) SPST relays, N.O./N.C. selectable, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$625.00
<u>UG06-0001-00</u>	Flowline EchoPod reflective ultrasonic liquid level sensor, 19.6ft/6m sensing range, 4-20 mA, 14-28 VDC operating voltage, LCD digital display with pushbuttons, 2in male NPT process connection.	Stock	\$835.00
<u>UG12-0001-00</u>	Flowline EchoPod reflective ultrasonic liquid level sensor, 39.3ft/12m sensing range, 4-20 mA, 14-28 VDC operating voltage, LCD digital display with pushbuttons, 3in male NPT process connection.	Stock	\$1,094.00
<u>US01-0001-00</u>	Flowline EchoTouch intrinsically safe reflective ultrasonic liquid level sensor, 4.9ft/1.5m sensing range, 4-20 mA, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$675.00
<u>US03-0001-00</u>	Flowline EchoTouch intrinsically safe reflective ultrasonic liquid level sensor, 9.8ft/3m sensing range, 4-20 mA, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$745.00
<u>US06-0001-00</u>	Flowline EchoTouch intrinsically safe reflective ultrasonic liquid level sensor, 19.6ft/6m sensing range, 4-20 mA, 14-28 VDC operating voltage, LCD digital display with pushbuttons, 2in male NPT process connection.	Stock	\$1,040.00
<u>DL14-00</u>	Flowline EchoPod ultrasonic liquid level sensor, 4.1ft/1.25m sensing range, 4-20 mA and (4) SPST relays, N.O./N.C. selectable, 14-28 VDC operating voltage, 1in male NPT process connection.	Stock	\$470.00
<u>DL24-00</u>	Flowline EchoPod ultrasonic liquid level sensor, 9.8ft/3m sensing range, 4-20 mA and (4) SPST relays, N.O./N.C. selectable, 14-28 VDC operating voltage, 1in male NPT process connection.	Stock	\$625.00
<u>DL34-00</u>	Flowline EchoPod ultrasonic liquid level sensor, 18ft/5.5m sensing range, 4-20 mA and (4) SPST relays, N.O./N.C. selectable, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$835.00
<u>DL10-00</u>	Flowline EchoPod ultrasonic liquid level sensor, 4.1ft/1.25m sensing range, 4-20 mA, 14-28 VDC operating voltage, 1in male NPT process connection.	Stock	\$415.00
<u>DX10-00</u>	Flowline EchoPod ultrasonic liquid level sensor, 4.1ft/1.25m sensing range, 0-5 VDC, 0-10 VDC or 976-2000 Hz frequency selectable, 12-28 VDC operating voltage, 1in male NPT process connection.	Stock	\$415.00

<u>DS14-00</u>	Flowline EchoPod ultrasonic liquid level sensor, 4.1ft/1.25m sensing range, (4) SPST relays, N.O./N.C. selectable, 12-24 VAC/VDC operating voltage, 1in male NPT process connection.	Stock	\$505.00
<u>LU27-00</u>	Flowline EchoSonic II ultrasonic liquid level sensor, 9.8ft/3m sensing range, 4-20 mA, 14-28 VDC operating voltage, 1in male NPT process connection.	Stock	\$780.00
<u>LU23-00</u>	Flowline EchoSonic II ultrasonic liquid level sensor, 18ft/5.5m sensing range, 4-20 mA, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$835.00
<u>LU28-00</u>	Flowline EchoSonic II ultrasonic liquid level sensor, 26.2ft/8m sensing range, 4-20 mA, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$1,035.00
<u>LU29-00</u>	Flowline EchoSonic II ultrasonic liquid level sensor, 32.8ft/10m sensing range, 4-20 mA, 14-28 VDC operating voltage, 2in male NPT process connection.	Stock	\$1,190.00
<u>LU80-5101</u>	Flowline EchoSpan ultrasonic liquid level sensor, 9.8ft/3m sensing range, 4-20 mA, 12-28 VDC operating voltage, LCD digital display with pushbuttons, 1in male NPT process connection.	Stock	\$835.00
<u>LU81-5101</u>	Flowline EchoSpan ultrasonic liquid level sensor, 18ft/5.5m sensing range, 4-20 mA, 12-28 VDC operating voltage, LCD digital display with pushbuttons, 2in male NPT process connection.	Stock	\$990.00
<u>LU83-5101</u>	Flowline EchoSpan ultrasonic liquid level sensor, 26.2ft/8m sensing range, 4-20 mA, 12-28 VDC operating voltage, LCD digital display with pushbuttons, 2in male NPT process connection.	Stock	\$1,015.00
<u>LU84-5101</u>	Flowline EchoSpan ultrasonic liquid level sensor, 32.8ft/10m sensing range, 4-20 mA, 12-28 VDC operating voltage, LCD digital display with pushbuttons, 2in male NPT process connection.	Stock	\$1,190.00
<u>LU77-5004</u>	Flowline EchoSwitch ultrasonic liquid level sensor, 9.8ft/3m sensing range, 4-20 mA or (1) SPDT relay, (2) SPST-N.O. relays, 95-250 VAC operating voltage, LCD digital display with pushbuttons, 1in male NPT process connection.	Stock	\$1,075.00
<u>LU74-5004</u>	Flowline EchoSwitch ultrasonic liquid level sensor, 18ft/5.5m sensing range, 4-20 mA or (1) SPDT relay, (2) SPST-N.O. relays, 95-250 VAC operating voltage, LCD digital display with pushbuttons, 2in male NPT process connection.	Stock	\$1,145.00
<u>LU78-5004</u>	Flowline EchoSwitch ultrasonic liquid level sensor, 26.2ft/8m sensing range, 4-20 mA or (1) SPDT relay, (2) SPST-N.O. relays, 95-250 VAC operating voltage, LCD digital display with pushbuttons, 2in male NPT process connection.	Stock	\$1,215.00
<u>LU10-1305</u>	Flowline Switch-Tek ultrasonic liquid level switch, any orientation mount, 0.7in insertion length, polypropylene wetted parts, -40 to 176 deg F, 3/4in male NPT process connection, SPST relay, N.O./N.C. selectable.	Stock	\$345.00
<u>LU10-1405</u>	Flowline Switch-Tek ultrasonic liquid level switch, any orientation mount, 2.1in insertion length, polypropylene wetted parts, -40 to 176 deg F, 3/4in male NPT process connection, SPST relay, N.O./N.C. selectable.	Stock	\$365.00
Radar Level Sensors			
<u>GWR-1600-P</u>	ProSense probe guided wave radar water level sensor, 1570mm maximum sensing range, Output: switch, Output 2: switch or analog, 18-30 VDC operating voltage, 3/4in male NPT process connection.	Stock	\$399.00
<u>GWR-1600-C</u>	ProSense coaxial guided wave radar water or oil level sensor, 1570mm maximum sensing range, Output: switch, Output 2: switch or analog, 18-30 VDC operating voltage, G3/4 male BSPP process connection.	Stock	\$399.00
<u>FMR10-CAQBMVCEVEE2</u>	Endress+Hauser Micropilot pulsed radar liquid level sensor, 26.2ft/8m or 39.3ft/12m with flooding protection tube sensing range, 4-20 mA, 10.5-30 VDC operating voltage, 1-1/2in male NPT process connection.	Stock	\$832.00
<u>LR80-0000</u>	Flowline EchoBeam frequency modulated continuous wave (FMCW) radar liquid or bulk solids level sensor, liquid 32.8ft/10m, solids 16.4ft/5m sensing range, 4-20 mA, 12-30 VDC operating voltage, 1-1/2in male NPT process connection.	Stock	\$795.00
Submersible Hydrostatic Level Sensors			
<u>ELT-005-L30</u>	AchieVe hydrostatic submersible level transmitter, 0 to 5 psig (11.5ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 30ft cable.	Stock	\$314.00
<u>ELT-015-L60</u>	AchieVe hydrostatic submersible level transmitter, 0 to 15 psig (34.6ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 60ft cable.	Stock	\$344.00
<u>ELT-050-L140</u>	AchieVe hydrostatic submersible level transmitter, 0 to 50 psig (115.5ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 140ft cable.	Stock	\$427.00
<u>GPLT-005-L30</u>	ProSense hydrostatic submersible level transmitter, 0 to 5 psig (11.5ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 30ft cable, hazardous location rated.	Stock	\$416.00
<u>GPLT-010-L40</u>	ProSense hydrostatic submersible level transmitter, 0 to 10 psig (23.1ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 40ft cable, hazardous location rated.	Stock	\$431.00
<u>GPLT-015-L60</u>	ProSense hydrostatic submersible level transmitter, 0 to 15 psig (34.6ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 60ft cable, hazardous location rated.	Stock	\$461.00
<u>GPLT-020-L60</u>	ProSense hydrostatic submersible level transmitter, 0 to 20 psig (46.1ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 60ft cable, hazardous location rated.	Stock	\$461.00
<u>GPLT-030-L100</u>	ProSense hydrostatic submersible level transmitter, 0 to 30 psig (69.2ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 100ft cable, hazardous location rated.	Stock	\$521.00
<u>GPLT-050-L140</u>	ProSense hydrostatic submersible level transmitter, 0 to 50 psig (115.5ft of water column) sensing range, 4-20 mA, 0.825in diameter housing, shielded and vented 140ft cable, hazardous location rated.	Stock	\$580.00
<u>NFLT-005-L30</u>	ProSense hydrostatic submersible level transmitter, 0 to 5 psig (11.5ft of water column) sensing range, 4-20 mA, 1.26in diameter housing, shielded and vented 30ft cable, hazardous location rated.	Stock	\$641.00
<u>NFLT-010-L40</u>	ProSense hydrostatic submersible level transmitter, 0 to 10 psig (23.1ft of water column) sensing range, 4-20 mA, 1.26in diameter housing, shielded and vented 40ft cable, hazardous location rated.	Stock	\$655.00

<u>NFLT-015-L60</u>	ProSense hydrostatic submersible level transmitter, 0 to 15 psig (34.6ft of water column) sensing range, 4-20 mA, 1.26in diameter housing, shielded and vented 60ft cable, hazardous location rated.	Stock	\$686.00
<u>NFLT-020-L60</u>	ProSense hydrostatic submersible level transmitter, 0 to 20 psig (46.1ft of water column) sensing range, 4-20 mA, 1.26in diameter housing, shielded and vented 60ft cable, hazardous location rated.	Stock	\$686.00
<u>NFLT-030-L100</u>	ProSense hydrostatic submersible level transmitter, 0 to 30 psig (69.2ft of water column) sensing range, 4-20 mA, 1.26in diameter housing, shielded and vented 100ft cable, hazardous location rated.	Stock	\$747.00
<u>FMX11-CA11DS06</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 0.2 bar (6.7ft of water column) sensing range, 4-20 mA, 22mm diameter housing, shielded and vented 6m (19.7ft) cable.	Stock	\$558.00
<u>FMX11-CA11FS10</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 0.4 bar (13.4ft of water column) sensing range, 4-20 mA, 22mm diameter housing, shielded and vented 10m (32.8ft) cable.	Stock	\$588.00
<u>FMX11-CA11GS10</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 0.6 bar (20.1ft of water column) sensing range, 4-20 mA, 22mm diameter housing, shielded and vented 10m (32.8ft) cable.	Stock	\$588.00
<u>FMX11-CA11HS20</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 1 bar (33.5ft of water column) sensing range, 4-20 mA, 22mm diameter housing, shielded and vented 20m (65.6ft) cable.	Stock	\$664.00
<u>FMX11-CA11KS30</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 2 bar (66.9ft of water column) sensing range, 4-20 mA, 22mm diameter housing, shielded and vented 30m (98.4ft) cable.	Stock	\$740.00
<u>FMX21-FE121DGB10A</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 0.2 bar (6.7ft of water column) sensing range, 4-20 mA, 42mm diameter housing, shielded and vented 10m (32.8ft) cable, hazardous location rated.	Stock	\$1,147.00
<u>FMX21-FE121FGB10A</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 0.4 bar (13.4ft of water column) sensing range, 4-20 mA, 42mm diameter housing, shielded and vented 10m (32.8ft) cable, hazardous location rated.	Stock	\$1,147.00
<u>FMX21-FE121GGB10A</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 0.6 bar (20.1ft of water column) sensing range, 4-20 mA, 42mm diameter housing, shielded and vented 10m (32.8ft) cable, hazardous location rated.	Stock	\$1,147.00
<u>FMX21-FE121HGB11A</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 1 bar (33.5ft of water column) sensing range, 4-20 mA, 42mm diameter housing, shielded and vented 20m (65.6ft) cable, hazardous location rated.	Stock	\$1,205.00
<u>FMX21-FE121KGB15A</u>	Endress+Hauser Waterpilot hydrostatic submersible level transmitter, 0 to 2 bar (66.9ft of water column) sensing range, 4-20 mA, 42mm diameter housing, shielded and vented 30m (98.4ft) cable, hazardous location rated.	Stock	\$1,319.00

Vibration Fork Level Switches

<u>VFL50-100S-3H</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 1/2in male NPT process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect.	Stock	\$193.00
<u>VFL50-100L-3H</u>	ProSense vibration fork liquid level switch, any orientation mount, 3.44in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 1/2in male NPT process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect.	Stock	\$211.00
<u>VFL50-150S-3H</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 302 deg F, 1/2in male NPT process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect.	Stock	\$217.00
<u>VFL50-100S-3D</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 1/2in male NPT process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$193.00
<u>VFL50-100L-3D</u>	ProSense vibration fork liquid level switch, any orientation mount, 3.44in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 1/2in male NPT process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$211.00
<u>VFL50-150S-3D</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 302 deg F, 1/2in male NPT process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$217.00
<u>VFL75-100S-3H</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 3/4in male NPT process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect.	Stock	\$193.00
<u>VFL75-100L-3H</u>	ProSense vibration fork liquid level switch, any orientation mount, 3.44in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 3/4in male NPT process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect.	Stock	\$211.00
<u>VFL75-150S-3H</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 302 deg F, 3/4in male NPT process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect.	Stock	\$217.00
<u>VFL75-100S-3D</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 3/4in male NPT process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$193.00
<u>VFL75-100L-3D</u>	ProSense vibration fork liquid level switch, any orientation mount, 3.44in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 3/4in male NPT process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$211.00

<u>VFL75-150S-3D</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 302 deg F, 3/4in male NPT process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$217.00
<u>VFL75-100S-2D</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 212 deg F, 3/4in male NPT process connection, AC/DC, 2-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$193.00
<u>VFL75-150S-2D</u>	ProSense vibration fork liquid level switch, any orientation mount, 1.89in insertion length, 316L stainless steel wetted parts, -40 to 302 deg F, 3/4in male NPT process connection, AC/DC, 2-wire, N.O. or N.C., EN 175301-803-A connector.	Stock	\$217.00
<u>LZ12-1405</u>	Flowline Switch-Tek vibration fork liquid level switch, any orientation mount, 2.3in insertion length, Ryton wetted parts, -40 to 176 deg F, 3/4in male NPT process connection, SPST relay, N.O./N.C. selectable, 10ft 24AWG 5-conductor shielded cable.	Stock	\$385.00
Vibration Rod Level Switches			
<u>FTM20-AN23A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, polyester housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/2in male NPT process connection, switch PNP, 3-wire, N.O./N.C. selectable, screw terminals.	Stock	\$706.00
<u>FTM20-AN43A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, polyester housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/2in male NPT process connection, DPDT relay, screw terminals.	Stock	\$744.00
<u>FTM20-AM23A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, polyester housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/4in male NPT process connection, switch PNP, 3-wire, N.O./N.C. selectable, screw terminals.	Stock	\$706.00
<u>FTM20-AM43A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, polyester housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/4in male NPT process connection, DPDT relay, screw terminals.	Stock	\$744.00
<u>FTM20-CM26A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/4in male NPT process connection, switch PNP, 3-wire, N.O./N.C. selectable, screw terminals.	Stock	\$751.00
<u>FTM20-CM46A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/4in male NPT process connection, DPDT relay, screw terminals.	Stock	\$789.00
<u>FTM20-CN26A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/2in male NPT process connection, switch PNP, 3-wire, N.O./N.C. selectable, screw terminals.	Stock	\$751.00
<u>FTM20-CN46A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/2in male NPT process connection, DPDT relay, screw terminals.	Stock	\$789.00
<u>FTM20-DM26A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/4in male NPT process connection, switch PNP, 3-wire, N.O./N.C. selectable, screw terminals, hazardous location rated.	Stock	\$909.00
<u>FTM20-DM46A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/4in male NPT process connection, DPDT relay, screw terminals, hazardous location rated.	Stock	\$947.00
<u>FTM20-DN26A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/2in male NPT process connection, switch PNP, 3-wire, N.O./N.C. selectable, screw terminals, hazardous location rated.	Stock	\$909.00
<u>FTM20-DN46A</u>	Endress+Hauser Soliphant vibration rod bulk solids level switch, aluminum housing, 8.86in insertion length, 316L stainless steel wetted parts, 1-1/2in male NPT process connection, DPDT relay, screw terminals, hazardous location rated.	Stock	\$947.00
Float Level Switches			
<u>FLS-VS-100</u>	ProSense float liquid level switch, vertical top mount, 1.25in insertion length, 0.58in diameter float, polypropylene wetted parts, -40 to 221 deg F, 3/8-16 male UNC process connection, SPST reed switch, N.C.	Stock	\$28.00
<u>FLS-VS-200</u>	ProSense float liquid level switch, vertical top mount, 1.25in insertion length, 0.58in diameter float, polypropylene wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.C.	Stock	\$47.00
<u>FLS-VS-300</u>	ProSense float liquid level switch, vertical top mount, 1.25in insertion length, 0.59in diameter float, polypropylene wetted parts, -40 to 221 deg F, 3/8-16 male UNC process connection, SPST reed switch, N.O.	Stock	\$22.00
<u>FLS-VS-400</u>	ProSense float liquid level switch, vertical top mount, 1.25in insertion length, 0.59in diameter float, polypropylene wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.O.	Stock	\$39.00
<u>FLS-VM-100</u>	ProSense float liquid level switch, vertical top mount, 1.63in insertion length, 1.0in diameter float, polypropylene wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$14.50
<u>FLS-VM-200</u>	ProSense float liquid level switch, vertical top mount, 1.63in insertion length, 1.0in diameter float, Buna-N, polybutylene wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$17.50
<u>FLS-VM-300</u>	ProSense float liquid level switch, vertical top mount, 1.63in insertion length, 1.0in diameter float, Buna-N, brass wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$32.00
<u>FLS-VM-400</u>	ProSense float liquid level switch, vertical top mount, 1.63in insertion length, 1.13in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$57.00

<u>FLS-VM-500</u>	ProSense float liquid level switch, vertical top mount, 1.63in insertion length, 1.0in diameter float, Kynar wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$43.00
<u>FLS-VM-600</u>	ProSense float liquid level switch, vertical top mount, 1.87in insertion length, 1.12in diameter float, Teflon wetted parts, -40 to 302 deg F, 1/8in male NPT process connection, SPST reed switch, N.C.	Stock	\$269.00
<u>FLS-VM-700</u>	ProSense float liquid level switch, vertical top mount, 1.88in insertion length, 0.75in diameter float, polypropylene wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.C.	Stock	\$19.50
<u>FLS-VM-800</u>	ProSense float liquid level switch, vertical top mount, 1.99in insertion length, 0.875in diameter float, polypropylene wetted parts, -40 to 140 deg F, 3/4in PVC pipe insert process connection, SPST reed switch, N.C.	Stock	\$21.50
<u>FLS-VL-010</u>	ProSense float liquid level switch, vertical top mount, 1.69in insertion length, 1.44in diameter slosh shield float, polypropylene wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$28.50
<u>FLS-VL-020</u>	ProSense float liquid level switch, vertical top mount, 1.69in insertion length, 1.44in diameter slosh shield float, Buna-N, polybutylene wetted parts, -40 to 221 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$34.00
<u>FLS-VL-030</u>	ProSense float liquid level switch, vertical top mount, 1.63in insertion length, 1.90in diameter slosh shield float, 316 stainless steel wetted parts, -40 to 392 deg F, 1/8in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$81.00
<u>FLS-VL-040</u>	ProSense float liquid level switch, vertical top mount, 2.63in insertion length, 2.38in diameter slosh shield float, 316 stainless steel wetted parts, -40 to 392 deg F, 1/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$127.00
<u>FLS-VL-100</u>	ProSense float liquid level switch, vertical top mount, 2.63in insertion length, 1.5in diameter float, polypropylene wetted parts, -40 to 221 deg F, 1/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$59.00
<u>FLS-VL-200</u>	ProSense float liquid level switch, vertical top mount, 2.63in insertion length, 1.25in diameter float, Buna-N, polybutylene wetted parts, -40 to 221 deg F, 1/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$34.50
<u>FLS-VL-300</u>	ProSense float liquid level switch, vertical top mount, 2.63in insertion length, 1.25in diameter float, Buna-N, brass wetted parts, -40 to 221 deg F, 1/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$45.00
<u>FLS-VL-400</u>	ProSense float liquid level switch, vertical top mount, 2.63in insertion length, 2.13in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, 1/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$77.00
<u>FLS-VL-600</u>	ProSense float liquid level switch, vertical top mount, 2.63in insertion length, 2.05in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, 1/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$92.00
<u>FLS-VL-700</u>	ProSense float liquid level switch, vertical top mount, 2.63in insertion length, 2.13in diameter float, 316 stainless steel wetted parts, -40 to 482 deg F, 1/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$75.00
<u>FLS-VL-900</u>	ProSense float liquid level switch, suspendible/submersible mount, 1.44in diameter slosh shield float, Buna-N, brass, polybutylene, halar wetted parts, -40 to 221 deg F, SPST reed switch, N.O./N.C. selectable.	Stock	\$136.00
<u>FLS-VD-100</u>	ProSense float liquid level switch, vertical top mount, 2in insertion length, 0.9in diameter float, Buna-N, brass wetted parts, -40 to 221 deg F, 3/4in male NPT pipe plug process connection, SPST reed switch, N.O.	Stock	\$112.00
<u>FLS-VD-200</u>	ProSense float liquid level switch, vertical top mount, 32in insertion length, 0.9in diameter float, Buna-N, brass wetted parts, -40 to 221 deg F, 3/4in male NPT pipe plug process connection, SPST reed switch, N.C.	Stock	\$130.00
<u>FLS-VD-300</u>	ProSense float liquid level switch, vertical top mount, 32in insertion length, 0.9in diameter float, Buna-N, brass wetted parts, -40 to 221 deg F, 3/4in male NPT pipe plug process connection, (1) SPST reed switch, N.O. and (1) SPST reed switch, N.C.	Stock	\$159.00
<u>FLS-VD-400</u>	ProSense float liquid level switch, vertical top mount, 2in insertion length, 0.9in diameter float, 316 stainless steel wetted parts, -40 to 302 deg F, 3/4in male NPT pipe plug process connection, SPST reed switch, N.O.	Stock	\$150.00
<u>FLS-VD-500</u>	ProSense float liquid level switch, vertical top mount, 32in insertion length, 0.9in diameter float, 316 stainless steel wetted parts, -40 to 302 deg F, 3/4in male NPT pipe plug process connection, SPST reed switch, N.C.	Stock	\$178.00
<u>FLS-VD-600</u>	ProSense float liquid level switch, vertical top mount, 32in insertion length, 0.9in diameter float, 316 stainless steel wetted parts, -40 to 302 deg F, 3/4in male NPT pipe plug process connection, (1) SPST reed switch, N.O. and (1) SPST reed switch, N.C.	Stock	\$223.00
<u>FLS-VK-200</u>	ProSense float liquid level switch kit, vertical top mount, Buna-N float.	Stock	\$269.00
<u>FLS-VK-300</u>	ProSense float liquid level switch kit, vertical top mount, 316 stainless steel float.	Stock	\$544.00
<u>FLS-HS-100</u>	ProSense float liquid level switch, horizontal side mount, 2.75in insertion length, 0.65in diameter float, polypropylene wetted parts, -40 to 221 deg F, dual 1/2in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$17.00
<u>FLS-HS-200</u>	ProSense float liquid level switch, horizontal side mount, 2.84in insertion length, 0.65in diameter float, polypropylene, silicone wetted parts, -40 to 221 deg F, 5/8-11 male UNC with washer and nut process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$19.50
<u>FLS-HS-300</u>	ProSense float liquid level switch, horizontal side mount, 3.31in insertion length, 0.65in diameter float, polypropylene, nitrile wetted parts, -40 to 221 deg F, 5/8-11 male UNC with gasket, washer and nut process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$34.50

<u>FLS-HM-100</u>	ProSense float liquid level switch, horizontal side mount, 2.75in insertion length, 0.65in diameter float, polybutylene wetted parts, -40 to 266 deg F, dual 1/2in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$25.00
<u>FLS-HM-200</u>	ProSense float liquid level switch, horizontal side mount, 4.6in insertion length, 0.63in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, dual 1/2in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$177.00
<u>FLS-HM-300</u>	ProSense float liquid level switch, horizontal side mount, 2.75in insertion length, 0.65in diameter float, Kynar wetted parts, -40 to 221 deg F, dual 1/2in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$33.50
<u>FLS-HM-400</u>	ProSense float liquid level switch, horizontal side mount, 4.6in insertion length, 0.63in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, 1in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$176.00
<u>FLS-HM-500</u>	ProSense float liquid level switch, horizontal side mount, 2.75in insertion length, 0.65in diameter float, polybutylene wetted parts, -40 to 266 deg F, 1/2in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$26.00
<u>FLS-HM-600</u>	ProSense float liquid level switch, horizontal side mount, 2.96in insertion length, 0.65in diameter float, polybutylene wetted parts, -40 to 266 deg F, 5/8-11 male UNC with washer and nut process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$26.00
<u>FLS-HM-700</u>	ProSense float liquid level switch, horizontal side mount, 2.75in insertion length, 0.65in diameter float, polypropylene wetted parts, -40 to 221 deg F, 3/4in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$20.50
<u>FLS-HL-010</u>	ProSense float liquid level switch, horizontal side mount, 2.84in insertion length, 1.12in diameter slosh shield float, polypropylene wetted parts, -40 to 221 deg F, 1in male NPT x 1/2in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$39.00
<u>FLS-HL-200</u>	ProSense float liquid level switch, horizontal side mount, 3.19in insertion length, 1.0in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, 1/2-13 male UNC with washers and nut process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$110.00
<u>FLS-HL-300</u>	ProSense float liquid level switch, horizontal side mount, 5.81in insertion length, 1in diameter float, 304 stainless steel, Teflon, ceramic wetted parts, -40 to 302 deg F, 1in male NPT process connection, SPDT reed switch, N.O./N.C. selectable.	Stock	\$279.00
<u>FLS-HL-400</u>	ProSense float liquid level switch, horizontal side mount, 4.43in insertion length, 0.92in diameter float, Buna-N, 304 stainless steel, Teflon, ceramic wetted parts, -40 to 221 deg F, 1in male NPT process connection, SPDT reed switch, N.O./N.C. selectable.	Stock	\$416.00
<u>FLS-BM-100</u>	ProSense float liquid level switch, horizontal side mount, 2.11in insertion length, 1.0in diameter float, polypropylene, 316 stainless steel wetted parts, -40 to 221 deg F, 3/8-24 male UNC with nut process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$65.00
<u>FLS-BM-300</u>	ProSense float liquid level switch, horizontal side mount, 2.18in insertion length, 1.13in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, 3/8-24 male UNC with nut process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$63.00
<u>FLS-BL-100</u>	ProSense float liquid level switch, horizontal side mount, 5.77in insertion length, 1.60in diameter float, 316 stainless steel wetted parts, -40 to 392 deg F, 1/2in male NPT process connection, SPST reed switch, N.O./N.C. selectable.	Stock	\$136.00
<u>FLS-HT-100</u>	ProSense float liquid level tilt switch, suspendible/submersible mount, EPDM rubber rectangular float, EPDM rubber rectangular, polypropylene, PVC wetted parts, 32 to 158 deg F, mercury-free SPDT switch.	Stock	\$44.00
<u>FLS-HT-200</u>	ProSense float liquid level tilt switch, suspendible/submersible mount, EPDM rubber oval float, EPDM rubber oval, polypropylene, PVC wetted parts, 32 to 158 deg F, mercury-free SPDT switch.	Stock	\$46.50
<u>LV10-1301</u>	Flowline Switch-Tek float liquid level switch, vertical mount, 4.3in insertion length, 1.0in diameter slosh shield float, polypropylene wetted parts, -40 to 194 deg F, 3/4in male NPT process connection, SPDT reed switch.	Stock	\$167.00
Rotating Paddle Level Switches			
<u>PLS-4P-1-115</u>	ProSense rotating paddle bulk solids level switch, 100mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included.	Stock	\$238.00
<u>PLS-4P-1-24D</u>	ProSense rotating paddle bulk solids level switch, 100mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included.	Stock	\$266.00
<u>PLS-4P-1-230</u>	ProSense rotating paddle bulk solids level switch, 100mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included.	Stock	\$238.00
<u>PLS-4P-2-115</u>	ProSense rotating paddle bulk solids level switch, 200mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included.	Stock	\$241.00
<u>PLS-4P-2-24D</u>	ProSense rotating paddle bulk solids level switch, 200mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included.	Stock	\$270.00
<u>PLS-4P-2-230</u>	ProSense rotating paddle bulk solids level switch, 200mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included.	Stock	\$241.00
<u>PLS-4P-3-115</u>	ProSense rotating paddle bulk solids level switch, 300mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included.	Stock	\$244.00
<u>PLS-4P-3-24D</u>	ProSense rotating paddle bulk solids level switch, 300mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included.	Stock	\$275.00

<u>PLS-4P-3-230</u>	ProSense rotating paddle bulk solids level switch, 300mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included.	Stock	\$244.00
<u>PLS-4P-R-115</u>	ProSense rotating paddle bulk solids level switch, 2000mm rope insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included.	Stock	\$310.00
<u>PLS-4P-R-24D</u>	ProSense rotating paddle bulk solids level switch, 2000mm rope insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included.	Stock	\$341.00
<u>PLS-4P-R-230</u>	ProSense rotating paddle bulk solids level switch, 2000mm rope insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included.	Stock	\$310.00
<u>PLS-4P-1-115-HAZ</u>	ProSense rotating paddle bulk solids level switch, 100mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$285.00
<u>PLS-4P-1-24D-HAZ</u>	ProSense rotating paddle bulk solids level switch, 100mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$342.00
<u>PLS-4P-1-230-HAZ</u>	ProSense rotating paddle bulk solids level switch, 100mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$285.00
<u>PLS-4P-2-115-HAZ</u>	ProSense rotating paddle bulk solids level switch, 200mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$289.00
<u>PLS-4P-2-24D-HAZ</u>	ProSense rotating paddle bulk solids level switch, 200mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$345.00
<u>PLS-4P-2-230-HAZ</u>	ProSense rotating paddle bulk solids level switch, 200mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$289.00
<u>PLS-4P-3-115-HAZ</u>	ProSense rotating paddle bulk solids level switch, 300mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$293.00
<u>PLS-4P-3-24D-HAZ</u>	ProSense rotating paddle bulk solids level switch, 300mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$349.00
<u>PLS-4P-3-230-HAZ</u>	ProSense rotating paddle bulk solids level switch, 300mm insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$293.00
<u>PLS-4P-R-115-HAZ</u>	ProSense rotating paddle bulk solids level switch, 2000mm rope insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 115 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$360.00
<u>PLS-4P-R-24D-HAZ</u>	ProSense rotating paddle bulk solids level switch, 2000mm rope insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 20-28 VDC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$416.00
<u>PLS-4P-R-230-HAZ</u>	ProSense rotating paddle bulk solids level switch, 2000mm rope insertion length, 1-1/4in male NPT process connection, (1) SPDT relay, 230 VAC operating voltage. Hinged paddle included. Hazardous location rated.	Stock	\$360.00

Capacitance Level Sensors

<u>FTI26-CA7MWDG</u>	Endress+Hauser Nivector capacitance bulk solids level switch, polycarbonate wetted parts, G1 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$255.00
<u>FTI26-CA7MWDJ</u>	Endress+Hauser Nivector capacitance bulk solids level switch, 316L stainless steel, ECTFE wetted parts, G1 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$335.00
<u>FTI26-CA4MWDG</u>	Endress+Hauser Nivector capacitance bulk solids level switch, polycarbonate wetted parts, G1 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$255.00
<u>FTI26-CA4MWDJ</u>	Endress+Hauser Nivector capacitance bulk solids level switch, 316L stainless steel, ECTFE wetted parts, G1 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$335.00
<u>FTI26-CA4VWDG</u>	Endress+Hauser Nivector capacitance bulk solids level switch, polycarbonate wetted parts, G1 male thread process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector, IP65, NEMA 4X.	Stock	\$255.00
<u>FTI26-CA4VWDJ</u>	Endress+Hauser Nivector capacitance bulk solids level switch, 316L stainless steel, ECTFE wetted parts, G1 male thread process connection, switch PNP, 3-wire, N.O. or N.C., EN 175301-803-A connector, IP65, NEMA 4X.	Stock	\$335.00
<u>FTI26-CO7NWDJ</u>	Endress+Hauser Nivector capacitance bulk solids level switch, 316L stainless steel, ECTFE wetted parts, G1 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$464.00
<u>FTI26-CO4NWDJ</u>	Endress+Hauser Nivector capacitance bulk solids level switch, 316L stainless steel, ECTFE wetted parts, G1 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$464.00
<u>FTW23-CA4MWVJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1/2 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$288.00
<u>FTW23-CA4MW5J</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G3/4 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$265.00
<u>FTW23-CA4MWSJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$303.00

<u>FTW23-CA4NWWJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1/2 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$363.00
<u>FTW23-CA4NW5J</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G3/4 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$340.00
<u>FTW23-CA4NWSJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1 male thread process connection, switch PNP, 3-wire, N.O./N.C. complementary, 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$377.00
<u>FTW23-CA7MWVJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1/2 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$288.00
<u>FTW23-CA7MW5J</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G3/4 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$265.00
<u>FTW23-CA7MWSJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP65 and IP67, NEMA 4X.	Stock	\$303.00
<u>FTW23-CA7NWWJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1/2 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$363.00
<u>FTW23-CA7NW5J</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G3/4 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$340.00
<u>FTW23-CA7NWSJ</u>	Endress+Hauser Liquipoint capacitance liquid level switch, 316L stainless steel, PEEK wetted parts, G1 male thread process connection, switch PNP, N.O. or N.C., 4-pin M12 quick-disconnect, IP66, IP68 and IP69, NEMA 4X/6P.	Stock	\$377.00
<u>LP15-1405</u>	Flowline Switch-Tek guard capacitance liquid level switch, any orientation mount, 2.6in insertion length, polypropylene wetted parts, -40 to 176 deg F, 3/4in male NPT process connection, SPST relay, N.O./N.C. selectable.	Stock	\$335.00
Level Controllers			
<u>CLC1-F-24</u>	ProSense remote level controller, tank fill, (2) conductive level probes and (1) common probe input, (1) SPDT latching relay, fixed 1 second time delay output, 24 VAC operating voltage.	Stock	\$60.00
<u>CLC1-F-120</u>	ProSense remote level controller, tank fill, (2) conductive level probes and (1) common probe input, (1) SPDT latching relay, fixed 1 second time delay output, 120 VAC operating voltage.	Stock	\$60.00
<u>CLC1-F-240</u>	ProSense remote level controller, tank fill, (2) conductive level probes and (1) common probe input, (1) SPDT latching relay, fixed 1 second time delay output, 240 VAC operating voltage.	Stock	\$60.00
<u>CLC1-D-24</u>	ProSense remote level controller, tank drain, (2) conductive level probes and (1) common probe input, (1) SPDT latching relay, fixed 1 second time delay output, 24 VAC operating voltage.	Stock	\$60.00
<u>CLC1-D-120</u>	ProSense remote level controller, tank drain, (2) conductive level probes and (1) common probe input, (1) SPDT latching relay, fixed 1 second time delay output, 120 VAC operating voltage.	Stock	\$60.00
<u>CLC1-D-240</u>	ProSense remote level controller, tank drain, (2) conductive level probes and (1) common probe input, (1) SPDT latching relay, fixed 1 second time delay output, 240 VAC operating voltage.	Stock	\$60.00
<u>LC40-1001</u>	Flowline Switch-Pro remote level controller, tank fill, tank drain and level alarm, (1) level switch input, (1) SPDT non-latching relay, adjustable time delay output, 120/240 VAC operating voltage.	Stock	\$285.00
<u>LC41-1001</u>	Flowline Switch-Pro remote level controller, tank fill, tank drain and level alarm, (2) level switch input, (1) SPDT latching relay, adjustable time delay output, 120/240 VAC operating voltage.	Stock	\$340.00
<u>LC42-1001</u>	Flowline Switch-Pro remote level controller, tank fill, tank drain and level alarm, (3) level switch input, (1) SPDT non-latching relay, (1) SPDT latching relay, adjustable time delay output, 120/240 VAC operating voltage.	Stock	\$400.00
<u>LC52-1001</u>	Flowline DataPoint remote level controller, tank fill, tank drain and level alarm, (1) 4-20 mA level sensor input, (1) SPDT non-latching relay, (1) SPDT latching relay, adjustable time delay, 4-20 mA repeater output, 120/240 VAC operating voltage.	Stock	\$505.00
Accessories for Level Sensors and Controllers			
<u>WEBCAL</u>	Flowline Windows configuration software, free download only. For use with Flowline EchoSonic II, EchoTouch and EchoPod ultrasonic level sensors. Requires LI99-2001 Fob USB adapter.	Stock	\$0.00
<u>LI99-2001</u>	Flowline fob USB adapter, for use with WEBCAL software.	Stock	\$65.00
<u>LI40-1001</u>	Flowline PodView general purpose digital indicator, polycarbonate, NEMA 4, IP65, 6ft (1.8m) 22AWG 4-conductor cable, panel mount. For use with Flowline EchoPod DL, DS and DX series ultrasonic level sensor with firmware V50.0 or later.	Stock	\$286.00
<u>LM50-1001</u>	Flowline side mount bracket, polypropylene, 2in female NPT. For use with Flowline DL34, LU23, LU28, LU29, LU74, LU78, LU81, LU83, LU84, UG01, UG03, UG06, US01, US03 and US06 series ultrasonic level sensors.	Stock	\$50.00
<u>LM50-1001-1</u>	Flowline side mount bracket, polypropylene, 2in female NPT. For use with Flowline DL14, DL24, DS14, DL10, DX10, LU27, LU77 and LU80 series ultrasonic level sensors. 2in male NPT to 1in female NPT reducer bushing (PVC) included.	Stock	\$67.00
<u>LM52-1400</u>	Flowline reducer bushing, PVC, 2in male NPT to 1in female NPT. For use with Flowline DL14, DL24, DS14, DL10, DX10, LU27, LU77 and LU80 series ultrasonic level sensors.	Stock	\$19.00

<u>LM52-2400</u>	Flowline reducer bushing, PVC, 3in male NPT to 2in female NPT. For use with Flowline DL34, LU23, LU28, LU29, LU74, LU78, LU81, LU83, LU84, UG01, UG03, UG06, US01, US03 and US06 series ultrasonic level sensors.	Stock	\$48.00
<u>LM52-3800</u>	Flowline reducer bushing, PVC, 4in male NPT to 2in female NPT. For use with Flowline DL34, LU23, LU28, LU29, LU74, LU78, LU81, LU83, LU84, UG01, UG03, UG06, US01, US03 and US06 series ultrasonic level sensors.	Stock	\$163.00
<u>LM52-1890</u>	Flowline low-profile bulkhead fitting, PVC, 1in female NPT to slip socket. For use with Flowline DL14, DL24, DS14, DL10, DX10, LU27, LU77 and LU80 series ultrasonic level sensors. Mounting hardware included.	Stock	\$63.00
<u>LM52-2890</u>	Flowline low-profile bulkhead fitting, PVC, 2in female NPT to slip socket. For use with Flowline DL34, LU23, LU28, LU29, LU74, LU78, LU81, LU83, LU84, UG01, UG03, UG06, US01, US03 and US06 series ultrasonic level sensors. Mounting hardware included.	Stock	\$120.00
<u>LM52-3890</u>	Flowline low-profile bulkhead fitting, PVC, 3in female NPT to slip socket. For use with Flowline UG12 series ultrasonic level sensors. Mounting hardware included.	Stock	\$202.00
<u>LM52-1850</u>	Flowline mounting flange, CPVC, 1in female NPT. For use with Flowline DL14, DL24, DS14, DL10, DX10, LU27, LU77 and LU80 series ultrasonic level sensors.	Stock	\$96.00
<u>LM52-2850</u>	Flowline mounting flange, CPVC, 2in female NPT. For use with Flowline DL34, LU23, LU28, LU29, LU74, LU78, LU81, LU83, LU84, UG01, UG03, UG06, US01, US03 and US06 series ultrasonic level sensors.	Stock	\$146.00
<u>LM52-3850</u>	Flowline mounting flange, CPVC, 3in female NPT. For use with Flowline UG12 series ultrasonic level sensors.	Stock	\$292.00
<u>LM50-3S21</u>	Flowline short mounting bracket, 316 stainless steel. For use with Flowline EchoBeam frequency modulated continuous wave (FMCW) radar level sensors. 1in NPT lock nut included.	Stock	\$160.00
<u>LM50-3S31</u>	Flowline short mounting bracket, 316 stainless steel. For use with Flowline EchoBeam frequency modulated continuous wave (FMCW) radar level sensors. 1-1/2in NPT lock nut included.	Stock	\$160.00
<u>LM50-3S22</u>	Flowline long mounting bracket, 316 stainless steel. For use with Flowline EchoBeam frequency modulated continuous wave (FMCW) radar level sensors. 1in NPT lock nut included.	Stock	\$220.00
<u>LM50-3S32</u>	Flowline long mounting bracket, 316 stainless steel. For use with Flowline EchoBeam frequency modulated continuous wave (FMCW) radar level sensors. 1-1/2in NPT lock nut included.	Stock	\$220.00
<u>LM53-2440</u>	Flowline capped reducer, PTFE, 1-1/2in female to 2in male NPT. For use with Flowline EchoBeam frequency modulated continuous wave (FMCW) radar level sensors.	Stock	\$220.00
<u>LM53-4855</u>	Flowline adhesive mounting fitting, PVC, 1-1/2in female NPT. For use with Flowline EchoBeam frequency modulated continuous wave (FMCW) radar level sensors.	Stock	\$160.00
<u>LM53-3850</u>	Flowline mounting flange, CPVC, 3in ANSI x 1-1/2in female NPT. For use with Flowline EchoBeam frequency modulated continuous wave (FMCW) radar level sensors.	Stock	\$302.00
<u>204038</u>	Mounting gasket, replacement. For use with Flowline DL14, DL10, DX10, and DS14 series ultrasonic level sensors.	Stock	\$8.50
<u>200128</u>	Mounting gasket, replacement. For use with Flowline DL24, LU27, LU77, and LU80 series ultrasonic level sensors.	Stock	\$12.50
<u>200129</u>	Mounting gasket, replacement. For use with Flowline DL34, LU23, LU28, LU29, LU74, LU78, LU81, LU83, and LU84 series ultrasonic level sensors.	Stock	\$19.00
<u>LM45-1001-12</u>	Flowline Switch-Pak level sensor extension, 12in length, polypropylene. For use with Flowline Switch-Tek level switches.	Stock	\$75.00
<u>LM45-7001-0000</u>	Flowline Switch-Pak level sensor extension installation fittings, PVC. For use with Flowline Switch-Tek level switches.	Stock	\$55.00
<u>LC06-1001</u>	Flowline Switch-Pro compact electrical junction box, polypropylene, NEMA 4X. For use with Flowline Switch-Tek level switches.	Stock	\$90.00
<u>LM90-1001</u>	Cable gland, 1/2in male NPT thread type, nylon, accepts 0.180 to 0.400in (4.6 to 10.2mm) diameter cable. Buna N sealing gland included.	Stock	\$10.00
<u>GWR-P240</u>	ProSense level sensing probe, 240mm length, stainless steel. For use with GWR-1600-C and GWR-1600-P guided wave radar level sensors and CLC series conductive level controllers.	Stock	\$17.00
<u>GWR-P450</u>	ProSense level sensing probe, 450mm length, stainless steel. For use with GWR-1600-C and GWR-1600-P guided wave radar level sensors and CLC series conductive level controllers.	Stock	\$18.50
<u>GWR-P700</u>	ProSense level sensing probe, 700mm length, stainless steel. For use with GWR-1600-C and GWR-1600-P guided wave radar level sensors and CLC series conductive level controllers.	Stock	\$23.50
<u>GWR-P1000</u>	ProSense level sensing probe, 1000mm length, stainless steel. For use with GWR-1600-C and GWR-1600-P guided wave radar level sensors and CLC series conductive level controllers.	Stock	\$34.00
<u>GWR-P1200</u>	ProSense level sensing probe, 1200mm length, stainless steel. For use with GWR-1600-C and GWR-1600-P guided wave radar level sensors and CLC series conductive level controllers.	Stock	\$44.00
<u>GWR-P1600</u>	ProSense level sensing probe, 1600mm length, stainless steel. For use with GWR-1600-C and GWR-1600-P guided wave radar level sensors and CLC series conductive level controllers.	Stock	\$51.00
<u>GWR-C240</u>	ProSense coaxial tube, 240mm length, 3/4in male NPT process connection, stainless steel. For use with GWR-1600-C guided wave radar level sensors. (1) centering piece included.	Stock	\$56.00
<u>GWR-C450</u>	ProSense coaxial tube, 450mm length, 3/4in male NPT process connection, stainless steel. For use with GWR-1600-C guided wave radar level sensors. (1) centering piece included.	Stock	\$63.00
<u>GWR-C700</u>	ProSense coaxial tube, 700mm length, 3/4in male NPT process connection, stainless steel. For use with GWR-1600-C guided wave radar level sensors. (1) centering piece included.	Stock	\$72.00

<u>GWR-C1000</u>	ProSense coaxial tube, 1000mm length, 3/4in male NPT process connection, stainless steel. For use with GWR-1600-C guided wave radar level sensors. (1) centering piece included.	Stock	\$78.00
<u>GWR-C1200</u>	ProSense coaxial tube, 1200mm length, 3/4in male NPT process connection, stainless steel. For use with GWR-1600-C guided wave radar level sensors. (1) centering piece included.	Stock	\$94.00
<u>GWR-C1600</u>	ProSense coaxial tube, 1600mm length, 3/4in male NPT process connection, stainless steel. For use with GWR-1600-C guided wave radar level sensors. (2) centering pieces included.	Stock	\$101.00
<u>GWR-CC</u>	ProSense centering pieces, replacement. For use with GWR-C series coaxial tubes. Hardware and seals included.	Stock	\$15.50
<u>GWR-FPLT</u>	ProSense flange plate, stainless steel, 3/4in female NPT. For use with GWR-1600-C with GWR-C series coaxial tubes or GWR-1600-P guided wave radar level sensor.	Stock	\$42.50
<u>GWR-LPLT</u>	ProSense launching plate, stainless steel, 3/4in female NPT. For use with GWR-1600-C with GWR-C series coaxial tubes or GWR-1600-P guided wave radar level sensor.	Stock	\$42.00
<u>PLS-L115</u>	ProSense indicating light, 115 VAC. For use with ProSense PLS series rotating paddle level switches. NOT for use with the -HAZ hazardous area models.	Stock	\$34.50
<u>PLS-L24</u>	ProSense indicating light, 20-28 VDC. For use with ProSense PLS series rotating paddle level switches. NOT for use with the -HAZ hazardous area models.	Stock	\$34.50
<u>PLS-L230</u>	ProSense indicating light, 230 VAC. For use with ProSense PLS series rotating paddle level switches. NOT for use with the -HAZ hazardous area models.	Stock	\$34.50
<u>CLC-ACC1</u>	ProSense electrical connector, for use with ProSense GWR level sensing probes.	Stock	\$4.25
<u>LTACC-1</u>	ProSense protective spacer, for use with ProSense NFLT submersible level transmitters.	Stock	\$160.00
<u>LTACC-2</u>	ProSense drying tube, for use with submersible level transmitters.	Stock	\$36.00
<u>LTACC-3</u>	ProSense bellows, for use with submersible level transmitters.	Stock	\$42.00
<u>LTACC-4</u>	ProSense stabilizing weight, for use with AchieVe and ProSense submersible level transmitters.	Stock	\$35.00
<u>LTACC-5</u>	ProSense termination enclosure, for use with submersible level transmitters.	Stock	\$220.00
<u>52006151</u>	Endress+Hauser suspension clamp, for use with Endress+Hauser Waterpilot FMX11 and FMX21 hydrostatic submersible level transmitters.	Stock	\$80.00
<u>52006152</u>	Endress+Hauser terminal box, for use with Endress+Hauser Waterpilot FMX11 and FMX21 hydrostatic submersible level transmitters.	Stock	\$102.00
<u>52006153</u>	Endress+Hauser weight, for use with Endress+Hauser Waterpilot FMX11 hydrostatic submersible level transmitters.	Stock	\$72.00
<u>71222671</u>	Endress+Hauser cable shortener, for use with Endress+Hauser Waterpilot FMX21 hydrostatic submersible level transmitters.	Stock	\$88.00
<u>71416936</u>	Endress+Hauser sensor protective cover, 1-1/2in male NPT. For use with Endress+Hauser Nivector FTI26 capacitance bulk solids level switch.	Stock	\$80.00
<u>71395801</u>	Endress+Hauser lock nut, for use with Endress+Hauser Nivector FTI26 capacitance bulk solids level switch.	Stock	\$11.50
<u>71395803</u>	Endress+Hauser plug protective cover, for use with Endress+Hauser Nivector FTI26 capacitance bulk solids level switch.	Stock	\$16.50
<u>52025686</u>	Endress+Hauser protective cover, for use with Endress+Hauser Micropilot FMR10 pulsed radar liquid level sensor.	Stock	\$83.00
<u>71325090</u>	Endress+Hauser flooding protection tube, for use with Endress+Hauser Micropilot FMR10 pulsed radar liquid level sensor.	Stock	\$123.00
<u>71325079</u>	Endress+Hauser adjustable mounting bracket, for use with Endress+Hauser Micropilot FMR10 pulsed radar liquid level sensor.	Stock	\$106.00
Mechatronic Flow Sensors			
<u>FSD75-AP-6H</u>	ProSense liquid flow switch, spring-supported piston, 3/4in female NPT process connection, 0.26 to 6.6 GPM, Output: switch PNP, N.O., 20.4 to 26.4 VDC operating voltage.	Stock	\$188.00
<u>FSD1-AP-26H</u>	ProSense liquid flow switch, spring-supported piston, 1in female NPT process connection, 1.32 to 26.4 GPM, Output: switch PNP, N.O., 20.4 to 26.4 VDC operating voltage.	Stock	\$227.00
<u>FSA75-42-6H</u>	ProSense liquid flow transmitter, spring-supported piston, 3/4in female NPT process connection, 0 to 6 GPM, Output: analog, 4-20 mA, 18-32 VDC operating voltage.	Stock	\$204.00
<u>FSA75-42-10H</u>	ProSense liquid flow transmitter, spring-supported piston, 3/4in female NPT process connection, 0 to 10 GPM, Output: analog, 4-20 mA, 18-32 VDC operating voltage.	Stock	\$204.00
<u>FSA1-42-27H</u>	ProSense liquid flow transmitter, spring-supported piston, 1in female NPT process connection, 0 to 27 GPM, Output: analog, 4-20 mA, 18-32 VDC operating voltage.	Stock	\$239.00
<u>FSC75-00-42-6H</u>	ProSense liquid digital flow sensor, spring-supported piston, 3/4in female NPT process connection, 0 to 6 GPM, 14 to 212 deg F, Output: switch or frequency, Output 2: switch or current, 18-30 VDC operating voltage.	Stock	\$286.00
<u>FSC75-00-42-10H</u>	ProSense liquid digital flow sensor, spring-supported piston, 3/4in female NPT process connection, 0 to 10 GPM, 14 to 212 deg F, Output: switch or frequency, Output 2: switch or current, 18-30 VDC operating voltage.	Stock	\$286.00

<u>FSC1-00-42-27H</u>	ProSense liquid digital flow sensor, spring-supported piston, 1in female NPT process connection, 0 to 27 GPM, 14 to 212 deg F, Output: switch or frequency, Output 2: switch or current, 18-30 VDC operating voltage.	Stock	\$297.00
<u>FSC15-00-42-50H</u>	ProSense liquid digital flow sensor, spring-supported piston, 1-1/2in female NPT process connection, 0 to 50 GPM, 14 to 212 deg F, Output: switch or frequency, Output 2: switch or current, 18-30 VDC operating voltage.	Stock	\$407.00
Magnetic-Inductive Flow Meters			
<u>FMM50-1002</u>	ProSense liquid flow meter, magnetic-inductive, 1/2in female NPT process connection, 0 to 6.6 GPM, -4 to 176 deg F, Output: analog, Output 2: analog.	Stock	\$612.00
<u>FMM75-1002</u>	ProSense liquid flow meter, magnetic-inductive, 3/4in female NPT process connection, 0 to 13.2 GPM, -4 to 176 deg F, Output: analog, Output 2: analog.	Stock	\$662.00
<u>FMM100-1002</u>	ProSense liquid flow meter, magnetic-inductive, 1in female NPT process connection, 0 to 26.4 GPM, -4 to 176 deg F, Output: analog, Output 2: analog.	Stock	\$733.00
<u>FMM150-1002</u>	ProSense liquid flow meter, magnetic-inductive, 1-1/2in female NPT process connection, 0 to 79.3 GPM, -4 to 176 deg F, Output: analog, Output 2: analog.	Stock	\$1,097.00
<u>FMM200-1002</u>	ProSense liquid flow meter, magnetic-inductive, 2in female NPT process connection, 0 to 158.5 GPM, -4 to 176 deg F, Output: analog, Output 2: analog.	Stock	\$1,183.00
<u>FMM50-1001</u>	ProSense liquid flow meter, magnetic-inductive, 1/2in female NPT process connection, 0 to 6.6 GPM, -4 to 176 deg F, 0.01 to 30,000,000 gallons, Output: switch or pulse, Output 2: switch, analog or reset input.	Stock	\$612.00
<u>FMM75-1001</u>	ProSense liquid flow meter, magnetic-inductive, 3/4in female NPT process connection, 0 to 13.2 GPM, -4 to 176 deg F, 0.01 to 30,000,000 gallons, Output: switch or pulse, Output 2: switch, analog or reset input.	Stock	\$662.00
<u>FMM100-1001</u>	ProSense liquid flow meter, magnetic-inductive, 1in female NPT process connection, 0 to 26.4 GPM, -4 to 176 deg F, 0.01 to 30,000,000 gallons, Output: switch or pulse, Output 2: switch, analog or reset input.	Stock	\$733.00
<u>FMM150-1001</u>	ProSense liquid flow meter, magnetic-inductive, 1-1/2in female NPT process connection, 0 to 80 GPM, -4 to 176 deg F, 0.02 to 80,000,000 gallons, Output: switch, pulse or frequency, Output 2: switch, analog or reset input.	Stock	\$1,097.00
<u>FMM200-1001</u>	ProSense liquid flow meter, magnetic-inductive, 2in female NPT process connection, 0 to 160 GPM, -4 to 176 deg F, 0.02 to 80,000,000 gallons, Output: switch, pulse or frequency, Output 2: switch, analog or reset input.	Stock	\$1,183.00
<u>DMA15-AAACA1</u>	Endress+Hauser Picomag liquid flow meter, magnetic-inductive, 1/2in female NPT process connection, 0 to 9.2 GPM, 14 to 158 deg F, +/- 3.436E10 liters, 20 to 30,000 µS/cm, Output: switch, pulse, analog, discrete input, IO-Link, Output 2: switch, analog, discrete input.	Stock	\$598.00
<u>DMA20-AAACA1</u>	Endress+Hauser Picomag liquid flow meter, magnetic-inductive, 3/4in female NPT process connection, 0 to 19.8 GPM, 14 to 158 deg F, +/- 3.436E10 liters, 20 to 30,000 µS/cm, Output: switch, pulse, analog, discrete input, IO-Link, Output 2: switch, analog, discrete input.	Stock	\$719.00
<u>DMA25-AAACA1</u>	Endress+Hauser Picomag liquid flow meter, magnetic-inductive, 1in female NPT process connection, 0 to 39.6 GPM, 14 to 158 deg F, +/- 3.436E10 liters, 20 to 30,000 µS/cm, Output: switch, pulse, analog, discrete input, IO-Link, Output 2: switch, analog, discrete input.	Stock	\$861.00
<u>DMA50-AAACA1</u>	Endress+Hauser Picomag liquid flow meter, magnetic-inductive, 2in female NPT process connection, 0 to 198.1 GPM, 14 to 158 deg F, +/- 3.436E10 liters, 20 to 10,000 µS/cm, Output: switch, pulse, analog, discrete input, IO-Link, Output 2: switch, analog, discrete input.	Stock	\$1,156.00
Thermal Flow Sensors			
<u>FTS100-1001</u>	ProSense liquid or air flow sensor, thermal, 100mm probe length, liquid: 0.15 to 9.85 ft/sec, air: 6 to 328 ft/sec, -4 to 212 deg F, Output: switch or frequency, Output 2: switch, frequency or analog, 18-30 VDC operating voltage.	Stock	\$289.00
<u>FTS100-1002</u>	ProSense liquid or air flow sensor, thermal, 100mm probe length, liquid: 0.15 to 9.85 ft/sec, air: 6 to 328 ft/sec, -4 to 212 deg F, Output: analog, Output 2: analog, 18-30 VDC operating voltage.	Stock	\$289.00
<u>FTS200-1001</u>	ProSense liquid or air flow sensor, thermal, 200mm probe length, liquid: 0.15 to 9.85 ft/sec, air: 6 to 328 ft/sec, -4 to 212 deg F, Output: switch or frequency, Output 2: switch, frequency or analog, 18-30 VDC operating voltage.	Stock	\$301.00
<u>FTS200-1002</u>	ProSense liquid or air flow sensor, thermal, 200mm probe length, liquid: 0.15 to 9.85 ft/sec, air: 6 to 328 ft/sec, -4 to 212 deg F, Output: analog, Output 2: analog, 18-30 VDC operating voltage.	Stock	\$301.00
<u>CF08-25N</u>	ProSense compression fitting, stainless steel, 1/4in male NPT process connection. For use with 8mm outside diameter sensor probes.	Stock	\$34.50
<u>CF08-50N</u>	ProSense compression fitting, stainless steel, 1/2in male NPT process connection. For use with 8mm outside diameter sensor probes.	Stock	\$34.50
Vortex Flow Sensors			
<u>VFS50-5-1001</u>	ProSense liquid flow sensor, vortex, 1/2in female NPT process connection, 0.26 to 5.28 GPM, 16 to 317 GPH, 14 to 194 deg F, Output: switch or frequency, Output 2: switch or frequency, 18-30 VDC operating voltage.	Stock	\$223.00
<u>VFS50-5-1002</u>	ProSense liquid flow sensor, vortex, 1/2in female NPT process connection, 0.26 to 5.28 GPM, 16 to 317 GPH, 14 to 194 deg F, Output: analog, Output 2: analog, 18-30 VDC operating voltage.	Stock	\$223.00
<u>VFS50-10-1001</u>	ProSense liquid flow sensor, vortex, 1/2in female NPT process connection, 0.55 to 10.55 GPM, 32 to 634 GPH, 14 to 194 deg F, Output: switch or frequency, Output 2: switch or frequency, 18-30 VDC operating voltage.	Stock	\$223.00

<u>VFS50-10-1002</u>	ProSense liquid flow sensor, vortex, 1/2in female NPT process connection, 0.55 to 10.55 GPM, 32 to 634 GPH, 14 to 194 deg F, Output: analog, Output 2: analog, 18-30 VDC operating voltage.	Stock	\$223.00
<u>VFS75-26-1001</u>	ProSense liquid flow sensor, vortex, 3/4in female NPT process connection, 1.3 to 26.4 GPM, 80 to 1585 GPH, 14 to 194 deg F, Output: switch or frequency, Output 2: switch or frequency, 18-30 VDC operating voltage.	Stock	\$240.00
<u>VFS75-26-1002</u>	ProSense liquid flow sensor, vortex, 3/4in female NPT process connection, 1.3 to 26.4 GPM, 80 to 1585 GPH, 14 to 194 deg F, Output: analog, Output 2: analog, 18-30 VDC operating voltage.	Stock	\$240.00
Paddle Wheel Flow Meters			
<u>TKM-15-P</u>	ICON Process Controls Truflo flow meter, paddle wheel, 1/2in schedule 80 PVC socket process connection, 1 to 32 GPM, 0 to 999,999 gallons, Output 1: switch, Output 2: switch or pulse, Output 3: analog.	Stock	\$944.00
<u>TKM-20-P</u>	ICON Process Controls Truflo flow meter, paddle wheel, 3/4in schedule 80 PVC socket process connection, 1.5 to 45 GPM, 0 to 999,999 gallons, Output 1: switch, Output 2: switch or pulse, Output 3: analog.	Stock	\$998.00
<u>TKM-25-P</u>	ICON Process Controls Truflo flow meter, paddle wheel, 1in schedule 80 PVC socket process connection, 2.5 to 79 GPM, 0 to 999,999 gallons, Output 1: switch, Output 2: switch or pulse, Output 3: analog.	Stock	\$1,043.00
<u>TKM-40-P</u>	ICON Process Controls Truflo flow meter, paddle wheel, 1-1/2in schedule 80 PVC socket process connection, 6.5 to 225 GPM, 0 to 999,999 gallons, Output 1: switch, Output 2: switch or pulse, Output 3: analog.	Stock	\$1,088.00
<u>TKM-50-P</u>	ICON Process Controls Truflo flow meter, paddle wheel, 2in schedule 80 PVC socket process connection, 10.5 to 357 GPM, 0 to 999,999 gallons, Output 1: switch, Output 2: switch or pulse, Output 3: analog.	Stock	\$1,133.00
Variable Area Mechanical Flow Meters			
<u>FG1W-50BP-4</u>	ProSense water mechanical flow meter, variable area, 1/2in female NPT process connection, 0.5 to 4 GPM, 2 to 15 LPM.	Stock	\$122.00
<u>FG1W-75BP-2</u>	ProSense water mechanical flow meter, variable area, 3/4in male NPT process connection, 0.25 to 2.5 GPM, 1 to 10 LPM.	Stock	\$126.00
<u>FG1W-75BP-4</u>	ProSense water mechanical flow meter, variable area, 3/4in male NPT process connection, 0.5 to 4 GPM, 2 to 15 LPM.	Stock	\$126.00
<u>FG1W-75BP-7</u>	ProSense water mechanical flow meter, variable area, 3/4in male NPT process connection, 1 to 7 GPM, 4 to 26 LPM.	Stock	\$126.00
<u>FG1W-75BP-18</u>	ProSense water mechanical flow meter, variable area, 3/4in male NPT process connection, 3 to 18 GPM, 15 to 65 LPM.	Stock	\$126.00
<u>FG1W-75BP-28</u>	ProSense water mechanical flow meter, variable area, 3/4in male NPT process connection, 4 to 28 GPM, 20 to 100 LPM.	Stock	\$126.00
<u>FG1W-100PP-2</u>	ProSense water mechanical flow meter, variable area, 1in male NPT process connection, 0.25 to 2.5 GPM, 1 to 10 LPM.	Stock	\$75.00
<u>FG1P-50BP-2</u>	ProSense oil mechanical flow meter, variable area, 1/2in female NPT process connection, 0.25 to 2.5 GPM, 1 to 10 LPM.	Stock	\$128.00
<u>FG1P-50BP-4</u>	ProSense oil mechanical flow meter, variable area, 1/2in female NPT process connection, 0.5 to 4 GPM, 2 to 15 LPM.	Stock	\$128.00
<u>FG1P-50BP-7</u>	ProSense oil mechanical flow meter, variable area, 1/2in female NPT process connection, 1 to 7 GPM, 4 to 26 LPM.	Stock	\$128.00
<u>FG1P-50BP-10</u>	ProSense oil mechanical flow meter, variable area, 1/2in female NPT process connection, 1 to 10 GPM, 4 to 35 LPM.	Stock	\$128.00
<u>FG1P-50BP-16</u>	ProSense oil mechanical flow meter, variable area, 1/2in female NPT process connection, 1 to 16 GPM, 5 to 60 LPM.	Stock	\$128.00
<u>FG1P-75BP-2</u>	ProSense oil mechanical flow meter, variable area, 3/4in male NPT process connection, 0.25 to 2.5 GPM, 1 to 10 LPM.	Stock	\$134.00
<u>FG1P-75BP-4</u>	ProSense oil mechanical flow meter, variable area, 3/4in male NPT process connection, 0.5 to 4 GPM, 2 to 15 LPM.	Stock	\$134.00
<u>FG1P-75BP-7</u>	ProSense oil mechanical flow meter, variable area, 3/4in male NPT process connection, 1 to 7 GPM, 4 to 26 LPM.	Stock	\$134.00
<u>FG1P-75BP-10</u>	ProSense oil mechanical flow meter, variable area, 3/4in male NPT process connection, 1 to 10 GPM, 4 to 35 LPM.	Stock	\$134.00
<u>FG1P-75BP-16</u>	ProSense oil mechanical flow meter, variable area, 3/4in male NPT process connection, 1 to 16 GPM, 5 to 60 LPM.	Stock	\$134.00
<u>FG1P-75BP-18</u>	ProSense oil mechanical flow meter, variable area, 3/4in male NPT process connection, 3 to 18 GPM, 15 to 65 LPM.	Stock	\$134.00
<u>FG1P-75BP-28</u>	ProSense oil mechanical flow meter, variable area, 3/4in male NPT process connection, 4 to 28 GPM, 20 to 100 LPM.	Stock	\$134.00
<u>FG1P-100PP-2</u>	ProSense oil mechanical flow meter, variable area, 1in male NPT process connection, 0.25 to 2.5 GPM, 1 to 10 LPM.	Stock	\$82.00
<u>FG1P-100PP-4</u>	ProSense oil mechanical flow meter, variable area, 1in male NPT process connection, 0.5 to 4 GPM, 2 to 15 LPM.	Stock	\$82.00
<u>FG1P-100PP-7</u>	ProSense oil mechanical flow meter, variable area, 1in male NPT process connection, 1 to 7 GPM, 4 to 26 LPM.	Stock	\$82.00

<u>FG1P-100PP-10</u>	ProSense oil mechanical flow meter, variable area, 1in male NPT process connection, 1 to 10 GPM, 4 to 35 LPM.	Stock	\$82.00
<u>FG1P-100PP-16</u>	ProSense oil mechanical flow meter, variable area, 1in male NPT process connection, 1 to 16 GPM, 5 to 60 LPM.	Stock	\$82.00
<u>FG1P-100PP-18</u>	ProSense oil mechanical flow meter, variable area, 1in male NPT process connection, 3 to 18 GPM, 15 to 65 LPM.	Stock	\$82.00
<u>FG1P-100PP-28</u>	ProSense oil mechanical flow meter, variable area, 1in male NPT process connection, 4 to 28 GPM, 20 to 100 LPM.	Stock	\$82.00

Accessories for Flow Sensors

<u>FMM-GND1</u>	ProSense grounding clamp, 316L stainless steel. For use with FMM series flow meters.	Stock	\$8.25
<u>71345225</u>	Endress+Hauser grounding clamp, 316 stainless steel. For use with Endress+Hauser Picomag series flow meters.	Stock	\$23.00

Load Cells

<u>FCAL50</u>	Laumas bending beam load cell, 110 lb/50 kg, +/- 0.017% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 9.8ft/3m integral 4-wire shielded cable.	Stock	\$295.00
<u>FCAL75</u>	Laumas bending beam load cell, 165 lb/75 kg, +/- 0.017% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 9.8ft/3m integral 4-wire shielded cable.	Stock	\$295.00
<u>FCAL150</u>	Laumas bending beam load cell, 330 lb/150 kg, +/- 0.017% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 9.8ft/3m integral 4-wire shielded cable.	Stock	\$295.00
<u>FCAL300</u>	Laumas bending beam load cell, 660 lb/300 kg, +/- 0.017% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 9.8ft/3m integral 4-wire shielded cable.	Stock	\$295.00
<u>CTL100</u>	Laumas tension and compression load cell, 220 lb/100 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$320.00
<u>CTL200</u>	Laumas tension and compression load cell, 440 lb/200 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$320.00
<u>CTL300</u>	Laumas tension and compression load cell, 660 lb/300 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$320.00
<u>CTL500</u>	Laumas tension and compression load cell, 1102 lb/500 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$320.00
<u>CTL1000</u>	Laumas tension and compression load cell, 2204 lb/1000 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$320.00
<u>CTL2500</u>	Laumas tension and compression load cell, 5510 lb/2500 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$320.00
<u>CTL5000</u>	Laumas tension and compression load cell, 11020 lb/5000 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$465.00
<u>CTL7500</u>	Laumas tension and compression load cell, 16530 lb/7500 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$465.00
<u>CTL10000</u>	Laumas tension and compression load cell, 22040 lb/10000 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$585.00
<u>CTL12500</u>	Laumas tension and compression load cell, 27550 lb/12500 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$625.00
<u>CBL250</u>	Laumas low profile compression load cell, 550 lb/250 kg, +/- 0.03% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 16.4ft/5m integral 6-wire shielded cable.	Stock	\$325.00
<u>CBL500</u>	Laumas low profile compression load cell, 1102 lb/500 kg, +/- 0.03% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 16.4ft/5m integral 6-wire shielded cable.	Stock	\$325.00
<u>CBL1000</u>	Laumas low profile compression load cell, 2204 lb/1000 kg, +/- 0.03% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 16.4ft/5m integral 6-wire shielded cable.	Stock	\$325.00
<u>CBL2500</u>	Laumas low profile compression load cell, 5510 lb/2500 kg, +/- 0.03% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 16.4ft/5m integral 6-wire shielded cable.	Stock	\$325.00
<u>CBL5000</u>	Laumas low profile compression load cell, 11020 lb/5000 kg, +/- 0.03% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 16.4ft/5m integral 6-wire shielded cable.	Stock	\$325.00
<u>CBL7500</u>	Laumas low profile compression load cell, 16530 lb/7500 kg, +/- 0.03% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 16.4ft/5m integral 6-wire shielded cable.	Stock	\$325.00
<u>CBL10000</u>	Laumas low profile compression load cell, 22040 lb/10000 kg, +/- 0.03% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 16.4ft/5m integral 6-wire shielded cable.	Stock	\$325.00
<u>CBL12500</u>	Laumas low profile compression load cell, 27550 lb/12500 kg, +/- 0.02% of full scale accuracy, voltage signal range(s) of 2 mV/V, 3-15 VDC, stainless steel, IP68, 32.8ft/10m integral 6-wire shielded cable.	Stock	\$405.00

Load Cell Controllers and Electronics

<u>TLE</u>	Laumas analog load cell transmitter, (4) load cell input(s), +/- 39 mV, analog output, Modbus RTU, 12-24 VDC operating voltage. For use with 4- or 6-wire load cells. Up to (8) load cells can be connected.	Stock	\$210.00
----------------------------	--	-------	----------

<u>TLB4</u>	Laumas discrete/analog load cell transmitter, (4) load cell input(s), +/- 39 mV, analog and relay output, Modbus RTU, 12-24 VDC operating voltage. For use with 4- or 6-wire load cells. Up to (16) load cells can be connected.	Stock	\$289.00
<u>TLB4ETHETCP</u>	Laumas discrete load cell transmitter, (4) load cell input(s), +/- 39 mV, relay output, Modbus RTU and webserver, 12-24 VDC operating voltage. For use with 4- or 6-wire load cells. Up to (16) load cells can be connected.	Stock	\$425.00
<u>TLB4MODBUSTCP</u>	Laumas discrete load cell transmitter, (4) load cell input(s), +/- 39 mV, relay output, Modbus RTU and Modbus TCP, 12-24 VDC operating voltage. For use with 4- or 6-wire load cells. Up to (16) load cells can be connected.	Stock	\$485.00
<u>TLB4ETHEIP</u>	Laumas discrete load cell transmitter, (4) load cell input(s), +/- 39 mV, relay output, EtherNet/IP and Modbus RTU, 12-24 VDC operating voltage. For use with 4- or 6-wire load cells. Up to (16) load cells can be connected.	Stock	\$550.00
Accessories for Weight / Force Sensors and Electronics			
<u>CE41N</u>	Laumas equalization junction box, ABS plastic. For use with up to (4) 4- or 6-wire load cells.	Stock	\$89.00
<u>ANTIV45</u>	Laumas compression joint, stainless steel/rubber, 4409 lb/2000 kg. For use with Laumas FCAL series load cells.	Stock	\$49.00
<u>TFGP</u>	Laumas alignment mounting hardware, stainless steel/rubber, 1102 lb/500 kg. For use with Laumas FCAL series load cells.	Stock	\$120.00
<u>TFAST</u>	Laumas hanging alignment mounting hardware, aluminum/stainless steel/rubber, 1102 lb/500 kg. For use with Laumas FCAL series load cells.	Stock	\$115.00
<u>STAFFEFCAMONT</u>	Laumas tension bracket, stainless steel, 660 lb/300 kg. For use with Laumas FCAL series load cells.	Stock	\$79.00
<u>V10000</u>	Laumas compression mounting hardware, stainless steel, 33060 lb/15000 kg. For use with Laumas CBL series load cells.	Stock	\$249.00
<u>LAUMAS-MANAGER-SW</u>	Laumas Windows configuration and monitoring software, free download only. For use with Laumas TLE and TLB4 series load cell transmitters. Requires USB-485M USB to RS-485 communication adapter.	Stock	\$0.00
Vibration Switches / Transmitters			
<u>VCST-25-1000</u>	ProSense vibration switch/transmitter, 0 to 25 mm/s RMS, 10-1000 Hz, switch or current output, M8 x 1.25 male threads process connection, 4-pin M12 quick-disconnect, 18-32 VDC operating voltage, IP67.	Stock	\$209.00
<u>VCST-50-1000</u>	ProSense vibration switch/transmitter, 0 to 50 mm/s RMS, 10-1000 Hz, switch or current output, M8 x 1.25 male threads process connection, 4-pin M12 quick-disconnect, 18-32 VDC operating voltage, IP67.	Stock	\$209.00
Vibration Transmitters			
<u>VCT-25-1000</u>	ProSense vibration transmitter, 0 to 25 mm/s RMS, 10-1000 Hz, 4-20 mA output, 1/4-28 UNF female process connection, 4-pin M12 quick-disconnect, 9.6-32 VDC operating voltage, IP67 IP68 IP69K.	Stock	\$226.00
<u>VCT-50-1000</u>	ProSense vibration transmitter, 0 to 50 mm/s RMS, 10-1000 Hz, 4-20 mA output, 1/4-28 UNF female process connection, 4-pin M12 quick-disconnect, 9.6-32 VDC operating voltage, IP67 IP68 IP69K.	Stock	\$226.00
Accessories for Vibration Switches / Transmitters			
<u>VC-M8</u>	ProSense magnetic mounting base, for use with ProSense vibration sensors.	Stock	\$65.00
<u>VC-A8</u>	ProSense adhesive mounting base, for use with ProSense vibration sensors.	Stock	\$13.00
<u>VC-S1</u>	ProSense 1-axis mounting block, for use with ProSense vibration sensors.	Stock	\$49.00
<u>VC-S2</u>	ProSense 2-axis mounting block, for use with ProSense vibration sensors.	Stock	\$53.00
Signal Conditioners with DC Voltage, Current or Potentiometer Input			
<u>FC-11</u>	AutomationDirect signal conditioner, isolated, Input: 1-channel, current, 4-20 mA, Output: 1-channel, current, 4-20 mA, 24 VDC operating voltage, 35mm DIN rail or panel mount.	Stock	\$145.00
<u>FC-33</u>	AutomationDirect signal conditioner, isolated, Input: 1-channel, current/voltage, Output: 1-channel, current or voltage, 24 VDC operating voltage, 35mm DIN rail or panel mount.	Stock	\$192.00
<u>FC-B34</u>	AutomationDirect signal conditioner, isolated, Input: 1-channel, bipolar voltage, Output: 1-channel, current/voltage, 24 VDC operating voltage, 35mm DIN rail or panel mount.	Stock	\$220.00
<u>FC-35B</u>	AutomationDirect signal conditioner, isolated, Input: 1-channel, current/voltage, Output: 1-channel, bipolar voltage, 24 VDC operating voltage, 35mm DIN rail or panel mount.	Stock	\$222.00
<u>FC-P3</u>	AutomationDirect signal conditioner, isolated, Input: 1-channel, potentiometer, Output: 1-channel, current/voltage, 24 VAC/VDC operating voltage, 35mm DIN rail or panel mount.	Stock	\$191.00
<u>SCU-2200</u>	ProSense signal conditioner, isolated, Input: 1-channel, current/voltage/potentiometer/RTD/thermocouple, Output: 1-channel, frequency, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$397.00
Signal Conditioners with Universal Input			
<u>SCU-7900</u>	ProSense signal conditioner, isolated, Input: 1-channel, AC current/AC voltage, Output: 1-channel, current/voltage, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$265.00
<u>SCU-8400</u>	ProSense signal conditioner, isolated, Input: 1-channel, unipolar or bipolar current/voltage/potentiometer, Output: 1-channel, unipolar or bipolar current/voltage, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$284.00

Signal Conditioners with Frequency Input			
<u>SCU-2501</u>	ProSense signal conditioner, isolated, Input: 1-channel, frequency, Output: 2-channel, current/voltage/relay, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$298.00
<u>SCU-2502</u>	ProSense signal conditioner, isolated, Input: 1-channel, frequency, Output: 2-channel, relay, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$284.00
<u>SCU-2503</u>	ProSense signal conditioner, isolated, Input: 1-channel, frequency, Output: 2-channel, current/voltage/frequency, 21.6-253 VAC/19.2-300 VDC operating voltage, 35mm DIN rail mount.	Stock	\$329.00
High Speed Optical Isolators (Encoder Input)			
<u>FC-ISO-C</u>	AutomationDirect signal conditioner, isolated, Input: 1-channel, differential or single ended line driver, Output: 1-channel, open collector, 7.8-24 VDC operating voltage, 35mm DIN rail or panel mount.	Stock	\$166.00
<u>FC-ISO-D</u>	AutomationDirect signal conditioner, isolated, Input: 1-channel, differential or single ended line driver, Output: 1-channel, differential line driver, 24 VDC operating voltage, 35mm DIN rail or panel mount.	Stock	\$157.00
Limit Alarms (Analog Input, Relay Output)			
<u>FC-3RLY2</u>	AutomationDirect limit alarm, current or voltage input, (2) SPDT relay output, 24 VAC/VDC operating voltage, 35mm DIN rail or panel mount, removable screw terminal block(s).	Stock	\$141.00
<u>FC-3RLY4</u>	AutomationDirect limit alarm, current or voltage input, (4) SPST relay output, 24 VAC/VDC operating voltage, 35mm DIN rail or panel mount, removable screw terminal block(s).	Stock	\$151.00
High-Density Signal Conditioners			
<u>SC6-1100</u>	ProSense signal conditioner, isolated, Input: 1-channel, current, 0-20 mA, Output: 1-channel, current, 0-20 mA, 24 VDC operating voltage, 35mm DIN rail mount.	Stock	\$199.00
<u>SC6-2200</u>	ProSense signal conditioner, isolated, Input: 1-channel, current/voltage, Output: 1-channel, current/voltage, 24 VDC operating voltage, 35mm DIN rail mount.	Stock	\$223.00
<u>SC6-1110</u>	ProSense signal conditioner, isolated, Input: 1-channel, current, Output: 2-channel, current, 24 VDC operating voltage, 35mm DIN rail mount.	Stock	\$243.00
<u>SC6-2220</u>	ProSense signal conditioner, isolated, Input: 1-channel, current or voltage, Output: 2-channel, current/voltage, 24 VDC operating voltage, 35mm DIN rail mount.	Stock	\$267.00
<u>SC6-3200</u>	ProSense signal conditioner, isolated, Input: 1-channel, bipolar current/voltage, Output: 1-channel, current/voltage, 24 VDC operating voltage, 35mm DIN rail mount.	Stock	\$224.00
<u>SC6-3220</u>	ProSense signal conditioner, isolated, Input: 1-channel, bipolar current/voltage, Output: 2-channel, current/voltage, 24 VDC operating voltage, 35mm DIN rail mount.	Stock	\$277.00
<u>SC6-1101</u>	ProSense signal conditioner, isolated, Input: 1-channel, loop powered current, 0-20 mA, Output: 1-channel, current, 0-20 mA, 35mm DIN rail mount.	Stock	\$142.00
<u>SC6-1111</u>	ProSense signal conditioner, isolated, Input: 2-channel, loop powered current, Output: 2-channel, current, 35mm DIN rail mount.	Stock	\$204.00
<u>SC6-4102</u>	ProSense signal conditioner, isolated, Input: 1-channel, current transmitter, 3.5-23 mA, Output: 1-channel, loop powered current, 3.5-23 mA, 6-35 VDC operating voltage, 35mm DIN rail mount.	Stock	\$166.00
<u>SC6-4112</u>	ProSense signal conditioner, isolated, Input: 2-channel, current transmitter, Output: 2-channel, loop powered current, 6-35 VDC operating voltage, 35mm DIN rail mount.	Stock	\$244.00
<u>SC6-1102</u>	ProSense signal conditioner, isolated, Input: 1-channel, current, 3.5-23 mA, Output: 1-channel, loop powered current, 3.5-23 mA, 6-35 VDC operating voltage, 35mm DIN rail mount.	Stock	\$165.00
<u>SC6-1112</u>	ProSense signal conditioner, isolated, Input: 2-channel, current, Output: 2-channel, loop powered current, 6-35 VDC operating voltage, 35mm DIN rail mount.	Stock	\$244.00
Point to Point Wireless I/O Components			
<u>DEFINE-TWIN-LINK</u>	Define Instruments Twin Link series wireless signal transmitter/receiver, isolated, Input: 2-channel, current/bipolar voltage/freq/potentiometer/thermocouple/RTD, deg F or deg C, Output: 2-channel, loop powered current, ZigBee: 2.4 GHz, 9-36 VDC operating voltage.	Stock	\$675.00
<u>DEFINE-REPEATER</u>	Define Instruments Twin Link series wireless signal repeater, ZigBee: 2.4 GHz, 9-36 VDC operating voltage, 35mm DIN rail mount, screw terminals.	Stock	\$260.00
Pneumatic Transducers			
<u>NCP1-20-315N</u>	NITRA current to pneumatic transducer, 4-20 mA input, 3 to 15 psig output pressure, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$422.00
<u>NCP1-20-327N</u>	NITRA current to pneumatic transducer, 4-20 mA input, 3 to 27 psig output pressure, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$422.00
<u>NCP1-20-630N</u>	NITRA current to pneumatic transducer, 4-20 mA input, 6 to 30 psig output pressure, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$422.00
<u>NCP1-20-260N</u>	NITRA current to pneumatic transducer, 4-20 mA input, 2 to 60 psig output pressure, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$406.00

<u>NCP1-20-3120N</u>	NITRA current to pneumatic transducer, 4-20 mA input, 3 to 120 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$406.00
<u>NCP2-20-315N</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 3 to 15 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$388.00
<u>NCP2-20-327N</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 3 to 27 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$388.00
<u>NCP2-20-630N</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 6 to 30 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$388.00
<u>NCP2-20-260N</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 2 to 60 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$388.00
<u>NCP2-20-3120N</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 3 to 120 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/2in female NPT with 12in wire leads, NEMA 4X, IP65. Mounting bracket included.	Stock	\$388.00
<u>NCP2-20-315D</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 3 to 15 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), DIN 43650 connector, NEMA 4X, IP65. Mounting bracket included.	Stock	\$395.00
<u>NCP2-20-327D</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 3 to 27 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), DIN 43650 connector, NEMA 4X, IP65. Mounting bracket included.	Stock	\$395.00
<u>NCP2-20-630D</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 6 to 30 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), DIN 43650 connector, NEMA 4X, IP65. Mounting bracket included.	Stock	\$395.00
<u>NCP2-20-260D</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 2 to 60 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), DIN 43650 connector, NEMA 4X, IP65. Mounting bracket included.	Stock	\$395.00
<u>NCP2-20-3120D</u>	NITRA compact current to pneumatic transducer, 4-20 mA input, 3 to 120 psig output pressure, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), DIN 43650 connector, NEMA 4X, IP65. Mounting bracket included.	Stock	\$394.00
<u>5520500</u>	Metal Work Regtronic pneumatic transducer, 4-20 mA, 0-5 VDC or 0-10 VDC input, 0.05 to 10 bar adjustable output pressure, 0-10 VDC, switch (N.O./N.C.) PNP/NPN output, M5 x 0.8 female ISO inlet(s), M5 x 0.8 female ISO outlet(s), 8-pin M12 quick-disconnect, IP65.	Stock	\$380.00
<u>5540500</u>	Metal Work Regtronic pneumatic transducer, 4-20 mA, 0-5 VDC or 0-10 VDC input, 0.05 to 10 bar adjustable output pressure, 4-20 mA, switch (N.O./N.C.) PNP/NPN output, M5 x 0.8 female ISO inlet(s), M5 x 0.8 female ISO outlet(s), 8-pin M12 quick-disconnect, IP65.	Stock	\$380.00
<u>5521500U</u>	Metal Work Regtronic pneumatic transducer, 4-20 mA, 0-5 VDC or 0-10 VDC input, 0.05 to 10 bar adjustable output pressure, 0-10 VDC, switch (N.O./N.C.) PNP/NPN output, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 8-pin M12 quick-disconnect, IP65.	Stock	\$525.00
<u>5541500U</u>	Metal Work Regtronic pneumatic transducer, 4-20 mA, 0-5 VDC or 0-10 VDC input, 0.05 to 10 bar adjustable output pressure, 4-20 mA, switch (N.O./N.C.) PNP/NPN output, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 8-pin M12 quick-disconnect, IP65.	Stock	\$525.00
<u>5522500U</u>	Metal Work Regtronic pneumatic transducer, 4-20 mA, 0-5 VDC or 0-10 VDC input, 0.05 to 10 bar adjustable output pressure, 0-10 VDC, switch (N.O./N.C.) PNP/NPN output, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 8-pin M12 quick-disconnect, IP65.	Stock	\$525.00
<u>5542500U</u>	Metal Work Regtronic pneumatic transducer, 4-20 mA, 0-5 VDC or 0-10 VDC input, 0.05 to 10 bar adjustable output pressure, 4-20 mA, switch (N.O./N.C.) PNP/NPN output, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 8-pin M12 quick-disconnect, IP65.	Stock	\$525.00
Accessories for Pneumatic Transducers			
<u>NCP2-D</u>	NITRA DIN rail mount adapter, for use with NCP2 series IP transducers. Hardware included.	Stock	\$7.75
<u>NCP2-P</u>	NITRA pipe mounting hardware, for use with NCP2 series IP transducers.	Stock	\$28.00
<u>9200711</u>	Metal Work mounting bracket, for use with Regtronic pneumatic transducers with M5 ports.	Stock	\$3.00
<u>9200710</u>	Metal Work mounting bracket, for use with Regtronic pneumatic transducers with NPT ports.	Stock	\$12.00
Pushbuttons			
<u>AR16F0N-C2E3G</u>	Fuji Electric pushbutton, IP65, 16mm, momentary, LED illuminated, DPDT contact(s), plastic base, plastic bezel, black, Operator: green, flush, 24mm, rectangular, plastic, 24 VAC/VDC, full voltage.	Stock	\$19.00
<u>AR16F0N-C2E3R</u>	Fuji Electric pushbutton, IP65, 16mm, momentary, LED illuminated, DPDT contact(s), plastic base, plastic bezel, black, Operator: red, flush, 24mm, rectangular, plastic, 24 VAC/VDC, full voltage.	Stock	\$19.00
<u>AR16F0N-C2E3W</u>	Fuji Electric pushbutton, IP65, 16mm, momentary, LED illuminated, DPDT contact(s), plastic base, plastic bezel, black, Operator: white, flush, 24mm, rectangular, plastic, 24 VAC/VDC, full voltage.	Stock	\$19.00
<u>AR16F0N-C2E3Y</u>	Fuji Electric pushbutton, IP65, 16mm, momentary, LED illuminated, DPDT contact(s), plastic base, plastic bezel, black, Operator: yellow, flush, 24mm, rectangular, plastic, 24 VAC/VDC, full voltage.	Stock	\$19.00
<u>AR16F0N-C2E3S</u>	Fuji Electric pushbutton, IP65, 16mm, momentary, LED illuminated, DPDT contact(s), plastic base, plastic bezel, black, Operator: blue, flush, 24mm, rectangular, plastic, 24 VAC/VDC, full voltage.	Stock	\$19.00

[illegible]

[illegible]

<u>AR16G0T-C2A</u>	Fuji Electric pushbutton, IP65, 16mm, momentary, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: orange, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G0T-C2B</u>	Fuji Electric pushbutton, IP65, 16mm, momentary, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: black, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G5T-C2G</u>	Fuji Electric pushbutton, IP65, 16mm, push ON - push OFF, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: green, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G5T-C2R</u>	Fuji Electric pushbutton, IP65, 16mm, push ON - push OFF, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: red, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G5T-C2W</u>	Fuji Electric pushbutton, IP65, 16mm, push ON - push OFF, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: white, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G5T-C2Y</u>	Fuji Electric pushbutton, IP65, 16mm, push ON - push OFF, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: yellow, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G5T-C2S</u>	Fuji Electric pushbutton, IP65, 16mm, push ON - push OFF, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: blue, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G5T-C2A</u>	Fuji Electric pushbutton, IP65, 16mm, push ON - push OFF, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: orange, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>AR16G5T-C2B</u>	Fuji Electric pushbutton, IP65, 16mm, push ON - push OFF, DPDT contact(s), plastic base, plastic bezel, black, guarded, Operator: black, flush, 24mm, rectangular, plastic.	Stock	\$16.00
<u>NDTBL</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: blue, extended, 27mm, round, plastic. Requires contact blocks.	Stock	\$18.50
<u>NDTGB</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: yellow, extended, 27mm, round, plastic. Requires contact blocks.	Stock	\$18.50
<u>NDTGN</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: green, extended, 27mm, round, plastic. Requires contact blocks.	Stock	\$18.50
<u>NDTGR</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: gray, extended, 27mm, round, plastic. Requires contact blocks.	Stock	\$18.50
<u>NDTRI</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: red, extended, 27mm, round, plastic. Requires contact blocks.	Stock	\$18.50
<u>NDTSW</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: black, extended, 27mm, round, plastic. Requires contact blocks.	Stock	\$18.50
<u>NDTWS</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: white, extended, 27mm, round, plastic. Requires contact blocks.	Stock	\$18.50
<u>ECX4105-91</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: white, flush, 30mm, round, plastic, operator text "START". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4110-91</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: black, extended, 30mm, round, plastic, operator text "STOP". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4111</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: red, extended, 30mm, round, plastic. Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$3.00
<u>ECX4111-01</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: red, extended, 30mm, round, plastic, operator text "(O)". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4107-90</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: green, flush, 30mm, round, plastic, operator text "(I)". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4107-91</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: green, flush, 30mm, round, plastic, operator text "(II)". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4106</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: red, flush, 30mm, round, plastic, operator text "(O)". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4100</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: black, flush, 30mm, round, plastic. Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$3.00
<u>ECX4101</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: red, flush, 30mm, round, plastic. Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$3.00
<u>ECX4102</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: green, flush, 30mm, round, plastic. Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$3.00
<u>ECX4108-01-B</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: white, flush, 30mm, round, plastic, operator text "up arrow". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00

<u>ECX4108</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: black, flush, 30mm, round, plastic, operator text "down arrow". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4108-01</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: black, flush, 30mm, round, plastic, operator text "up arrow". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4104-92</u>	Comepi pushbutton, IP65, 22mm, momentary, operator only, thermoplastic base, thermoplastic bezel, Operator: blue, flush, 30mm, round, plastic, operator text "RESET". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>GCX1100</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, flush, 30mm, round, plastic.	Stock	\$8.25
<u>GCX1100-SC</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, operator only, metal base, metal bezel, Operator: black, flush, 30mm, round, plastic.	Stock	\$5.50
<u>GCX1101</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, flush, 30mm, round, plastic.	Stock	\$8.25
<u>GCX1101-SC</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, operator only, metal base, metal bezel, Operator: red, flush, 30mm, round, plastic.	Stock	\$5.50
<u>GCX1102</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, flush, 30mm, round, plastic.	Stock	\$8.25
<u>GCX1102-SC</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, operator only, metal base, metal bezel, Operator: green, flush, 30mm, round, plastic.	Stock	\$5.50
<u>GCX1103</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: yellow, flush, 30mm, round, plastic.	Stock	\$8.25
<u>GCX1104</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: blue, flush, 30mm, round, plastic.	Stock	\$8.25
<u>GCX1105</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: white, flush, 30mm, round, plastic.	Stock	\$8.25
<u>GCX1106</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, flush, 30mm, round, plastic, operator text "(O)".	Stock	\$9.00
<u>GCX1107</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, flush, 30mm, round, plastic, operator text "(I)".	Stock	\$9.00
<u>GCX1120</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, flush, 40mm, round, plastic.	Stock	\$9.75
<u>GCX1121</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, flush, 40mm, round, plastic.	Stock	\$9.75
<u>GCX1122</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, flush, 40mm, round, plastic.	Stock	\$9.75
<u>GCX1123</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: yellow, flush, 40mm, round, plastic.	Stock	\$9.75
<u>GCX1124</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: blue, flush, 40mm, round, plastic.	Stock	\$9.75
<u>GCX1125</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: white, flush, 40mm, round, plastic.	Stock	\$9.75
<u>GCX1110</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, extended, 30mm, round, plastic.	Stock	\$9.00
<u>GCX1110-SC</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, operator only, metal base, metal bezel, Operator: black, extended, 30mm, round, plastic.	Stock	\$5.50
<u>GCX1111</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, extended, 30mm, round, plastic.	Stock	\$9.00
<u>GCX1111-SC</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, operator only, metal base, metal bezel, Operator: red, extended, 30mm, round, plastic.	Stock	\$5.50
<u>GCX1112</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, extended, 30mm, round, plastic.	Stock	\$9.00
<u>GCX1112-SC</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, operator only, metal base, metal bezel, Operator: green, extended, 30mm, round, plastic.	Stock	\$5.50
<u>GCX1113</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: yellow, extended, 30mm, round, plastic.	Stock	\$9.00
<u>GCX1114</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: blue, extended, 30mm, round, plastic.	Stock	\$9.00
<u>GCX1115</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: white, extended, 30mm, round, plastic.	Stock	\$9.00
<u>GCX3100</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, flush, 30mm, round, plastic.	Stock	\$5.50
<u>GCX3100-SC</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: black, flush, 30mm, round, plastic.	Stock	\$2.75

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>AR22F5L-10E3RZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: red, flush, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$33.00
<u>AR22F5L-10E3GZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: green, flush, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$33.00
<u>AR22F5L-10E3YZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: yellow, flush, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$33.00
<u>AR22F5L-10E3SZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: blue, flush, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$33.00
<u>AR22F5L-10E3WZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: white, flush, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$33.00
<u>AR22F5L-10L3RZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: red, flush, 30mm, round, plastic, 115-127 VAC, transformer.	Stock	\$38.00
<u>AR22F5L-10L3GZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: green, flush, 30mm, round, plastic, 115-127 VAC, transformer.	Stock	\$38.00
<u>AR22F5L-10L3YZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: yellow, flush, 30mm, round, plastic, 115-127 VAC, transformer.	Stock	\$38.00
<u>AR22F5L-10L3SZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: blue, flush, 30mm, round, plastic, 115-127 VAC, transformer.	Stock	\$38.00
<u>AR22F5L-10L3WZA</u>	Fuji Electric pushbutton, 22mm, push ON - push OFF, LED illuminated, (1) N.O. contact(s), plastic base, metal bezel, Operator: white, flush, 30mm, round, plastic, 115-127 VAC, transformer.	Stock	\$38.00
<u>EDT.VBL</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: blue, flush, 29.5mm, round, metal. Requires contact blocks.	Stock	\$23.00
<u>EDT.VGN</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: green, flush, 29.5mm, round, metal. Requires contact blocks.	Stock	\$23.00
<u>EDT.VRT</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: red, flush, 29.5mm, round, metal. Requires contact blocks.	Stock	\$23.00
<u>EDT.VWS</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: white, flush, 29.5mm, round, metal. Requires contact blocks.	Stock	\$23.00
<u>EDT.VGB</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: yellow, flush, 29.5mm, round, metal. Requires contact blocks.	Stock	\$23.00
<u>EDT.VSW</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: black, flush, 29.5mm, round, metal. Requires contact blocks.	Stock	\$23.00
<u>AR30F0R-10GZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: green, flush, 35mm, round, plastic.	Stock	\$15.00
<u>AR30F0R-10BZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, flush, 35mm, round, plastic.	Stock	\$15.00
<u>AR30F0R-10RZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: red, flush, 35mm, round, plastic.	Stock	\$15.00
<u>AR30F0R-01RZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, flush, 35mm, round, plastic.	Stock	\$15.00
<u>AR30F0R-10SZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: blue, flush, 35mm, round, plastic.	Stock	\$15.00
<u>AR30F0R-10WZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: white, flush, 35mm, round, plastic.	Stock	\$15.00
<u>AR30F0R-10YZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: yellow, flush, 35mm, round, plastic.	Stock	\$15.00
<u>AR30E0R-10GZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: green, extended, 35mm, round, plastic.	Stock	\$15.00
<u>AR30E0R-10BZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, extended, 35mm, round, plastic.	Stock	\$15.00
<u>AR30E0R-10RZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: red, extended, 35mm, round, plastic.	Stock	\$15.00
<u>AR30E0R-01RZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, extended, 35mm, round, plastic.	Stock	\$15.00
<u>AR30E0R-10SZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: blue, extended, 35mm, round, plastic.	Stock	\$15.00
<u>AR30E0R-10WZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: white, extended, 35mm, round, plastic.	Stock	\$15.00
<u>AR30E0R-10YZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: yellow, extended, 35mm, round, plastic.	Stock	\$15.00
<u>HT8AAG</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: green, flush, 28mm, round, plastic.	Stock	\$29.50
<u>HT8AAGA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, flush, 28mm, round, plastic.	Stock	\$44.50

<u>HT8AAGB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: green, flush, 28mm, round, plastic.	Stock	\$46.00
<u>HT8AAGAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: green, flush, 28mm, round, plastic.	Stock	\$61.00
<u>HT8AAGF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: green, flush, 28mm, round, plastic.	Stock	\$96.00
<u>HT8AAH</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: black, flush, 28mm, round, plastic.	Stock	\$29.50
<u>HT8AAHA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, flush, 28mm, round, plastic.	Stock	\$46.00
<u>HT8AAHB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: black, flush, 28mm, round, plastic.	Stock	\$46.00
<u>HT8AAHAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: black, flush, 28mm, round, plastic.	Stock	\$61.00
<u>HT8AAHF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: black, flush, 28mm, round, plastic.	Stock	\$96.00
<u>HT8AAR</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: red, flush, 28mm, round, plastic.	Stock	\$29.50
<u>HT8AARA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: red, flush, 28mm, round, plastic.	Stock	\$46.00
<u>HT8AARB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, flush, 28mm, round, plastic.	Stock	\$46.00
<u>HT8AARAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: red, flush, 28mm, round, plastic.	Stock	\$61.00
<u>HT8AARF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: red, flush, 28mm, round, plastic.	Stock	\$96.00
<u>HT8ABG</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: green, extended, 28mm, round, plastic.	Stock	\$29.50
<u>HT8ABGA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, extended, 28mm, round, plastic.	Stock	\$46.00
<u>HT8ABGB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: green, extended, 28mm, round, plastic.	Stock	\$46.00
<u>HT8ABGAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: green, extended, 28mm, round, plastic.	Stock	\$61.00
<u>HT8ABGF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: green, extended, 28mm, round, plastic.	Stock	\$96.00
<u>HT8ABH</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: black, extended, 28mm, round, plastic.	Stock	\$29.50
<u>HT8ABHA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, extended, 28mm, round, plastic.	Stock	\$46.00
<u>HT8ABHB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: black, extended, 28mm, round, plastic.	Stock	\$46.00
<u>HT8ABHAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: black, extended, 28mm, round, plastic.	Stock	\$61.00
<u>HT8ABHF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: black, extended, 28mm, round, plastic.	Stock	\$96.00
<u>HT8ABR</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: red, extended, 28mm, round, plastic.	Stock	\$29.50
<u>HT8ABRA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: red, extended, 28mm, round, plastic.	Stock	\$46.00
<u>HT8ABRB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, extended, 28mm, round, plastic.	Stock	\$46.00
<u>HT8ABRAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: red, extended, 28mm, round, plastic.	Stock	\$61.00
<u>HT8ABRF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: red, extended, 28mm, round, plastic.	Stock	\$96.00
<u>EDL.VBL</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: blue, flush, 29.5mm, round, glass. Requires contact and light blocks.	Stock	\$26.50
<u>EDL.VGN</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: green, flush, 29.5mm, round, glass. Requires contact and light blocks.	Stock	\$26.50
<u>EDL.VRT</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: red, flush, 29.5mm, round, glass. Requires contact and light blocks.	Stock	\$26.50
<u>EDL.VWS</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: white, flush, 29.5mm, round, glass. Requires contact and light blocks.	Stock	\$26.50

[illegible]

[illegible]

[illegible]

[illegible]

<u>HT8GDYF3</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: yellow, flush, 28mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDYAF3</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: yellow, flush, 28mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDYBF3</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: yellow, flush, 28mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDBF3</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: blue, flush, 28mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDBAF3</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: blue, flush, 28mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDBBF3</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: blue, flush, 28mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDRF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: red, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDRAF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: red, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDRBF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: red, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDGF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: green, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDGA7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: green, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDGBF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: green, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDAF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: amber, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDAAF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: amber, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDABF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: amber, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDCF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: clear, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDCAF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: clear, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDCBF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: clear, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDWF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: white, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDWAF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: white, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDWBF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: white, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDYF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: yellow, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDYAF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: yellow, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDYBF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: yellow, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDBF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, operator only, metal base, metal bezel, guarded, Operator: blue, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$123.00
<u>HT8GDBAF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, guarded, Operator: blue, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
<u>HT8GDBBF7</u>	Eaton pushbutton, 30mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, guarded, Operator: blue, flush, 28mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$133.00
Emergency Stop Pushbuttons			
<u>NDRZ50RT</u>	Schmersal emergency stop pushbutton, IP67 and IP69K, 22mm, push to lock, pull to reset, operator only, plastic base, plastic bezel, Operator: red, mushroom, 50mm, round, plastic, operator text "push/pull symbol". Requires contact blocks.	Stock	\$36.00
<u>NDRZ50RT-2905-1</u>	Schmersal emergency stop pushbutton, IP67 and IP69K, 22mm, push to lock, pull to reset, operator only, plastic base, plastic bezel, yellow, Operator: red, mushroom, 50mm, round, plastic, operator text "push/pull symbol". Requires contact blocks.	Stock	\$36.00
<u>GCX1131</u>	AutomationDirect emergency stop pushbutton, IP65, 22mm, twist-to-release, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$16.00

[illegible]

<u>AR22V0R-01R</u>	Fuji Electric emergency stop pushbutton, 22mm, twist-to-release, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$24.50
<u>AR22V7R-01R</u>	Fuji Electric emergency stop pushbutton, 22mm, key operated release, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$33.00
<u>AR22Q2R-01R</u>	Fuji Electric emergency stop pushbutton, 22mm, push to lock, pull to reset, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 35mm, round, plastic.	Stock	\$29.00
<u>E22LLB2B</u>	Eaton emergency stop pushbutton, 22mm, twist-to-release, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$51.00
<u>E22JPLB2B</u>	Eaton emergency stop pushbutton, 22mm, push to lock, pull to reset, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 50mm, round, plastic.	Stock	\$60.00
<u>E22JLB2N8B</u>	Eaton emergency stop pushbutton, 22mm, push to lock, pull to reset, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 50mm, round, aluminum, operator text "EMERGENCY STOP".	Stock	\$78.00
<u>E22LTA2QB</u>	Eaton emergency stop pushbutton, 22mm, trigger action twist-to-release, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$72.00
<u>E22LPB2B</u>	Eaton emergency stop pushbutton, 22mm, push to lock, pull to reset, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$47.00
<u>AR22VQL-01E3R</u>	Fuji Electric emergency stop pushbutton, IP65, 22mm, push to lock, pull or turn to reset, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, yellow, Operator: red, mushroom, 40mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$41.00
<u>AR22VQL-12E3R</u>	Fuji Electric emergency stop pushbutton, IP65, 22mm, push to lock, pull or turn to reset, LED illuminated, (1) N.O./(2) N.C. contact(s), plastic base, plastic bezel, yellow, Operator: red, mushroom, 40mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$49.00
<u>AR22VQL-01EAR</u>	Fuji Electric emergency stop pushbutton, IP65, 22mm, push to lock, pull or turn to reset, interlocked LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, yellow, Operator: red, mushroom, 40mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$49.00
<u>AR22VQL-12EAR</u>	Fuji Electric emergency stop pushbutton, IP65, 22mm, push to lock, pull or turn to reset, interlocked LED illuminated, (1) N.O./(2) N.C. contact(s), plastic base, plastic bezel, yellow, Operator: red, mushroom, 40mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$57.00
<u>AR22V0L-01E3R</u>	Fuji Electric emergency stop pushbutton, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$37.00
<u>AR22V0L-01L3R</u>	Fuji Electric emergency stop pushbutton, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 115-127 VAC, transformer.	Stock	\$43.00
<u>EDRZ40.VHRT</u>	Schmersal emergency stop pushbutton, IP65, 30mm, push-lock pull-reset, operator only, plastic base, metal bezel, Operator: red, mushroom, 40mm, round, metal. Requires contact blocks.	Stock	\$45.00
<u>EDRR40.VHRT</u>	Schmersal emergency stop pushbutton, IP65, 30mm, twist-to-release, operator only, plastic base, metal bezel, Operator: red, mushroom, 40mm, round, metal. Requires contact blocks and EFR spring element.	Stock	\$42.00
<u>AR30VPR-01R</u>	Fuji Electric emergency stop pushbutton, IP65, 30mm, push to lock, turn to reset, (1) N.C. contact(s), plastic base, metal bezel, silver, Operator: red, mushroom, 44mm, mushroom, plastic.	Stock	\$78.00
<u>AR30VPR-12R</u>	Fuji Electric emergency stop pushbutton, IP65, 30mm, push to lock, turn to reset, (1) N.O./(2) N.C. contact(s), plastic base, metal bezel, silver, Operator: red, mushroom, 44mm, mushroom, plastic.	Stock	\$85.00
<u>AR30VPL-01E3R</u>	Fuji Electric emergency stop pushbutton, IP65, 30mm, push to lock, turn to reset, LED illuminated, (1) N.C. contact(s), plastic base, metal bezel, silver, Operator: red, mushroom, 44mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$89.00
<u>AR30VPL-12E3R</u>	Fuji Electric emergency stop pushbutton, IP65, 30mm, push to lock, turn to reset, LED illuminated, (1) N.O./(2) N.C. contact(s), plastic base, metal bezel, silver, Operator: red, mushroom, 44mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$96.00
<u>AR30VPL-01EAR</u>	Fuji Electric emergency stop pushbutton, IP65, 30mm, push to lock, turn to reset, interlocked LED illuminated, (1) N.C. contact(s), plastic base, metal bezel, silver, Operator: red, mushroom, 44mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$96.00
<u>AR30VPL-12EAR</u>	Fuji Electric emergency stop pushbutton, IP65, 30mm, push to lock, turn to reset, interlocked LED illuminated, (1) N.O./(2) N.C. contact(s), plastic base, metal bezel, silver, Operator: red, mushroom, 44mm, mushroom, plastic, 24 VAC/VDC, full voltage.	Stock	\$105.00
<u>AR30Q2R-01RZC</u>	Fuji Electric emergency stop pushbutton, 30mm, push to lock, pull to reset, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 35mm, round, plastic.	Stock	\$41.50
<u>AR30Q2R-11RZC</u>	Fuji Electric emergency stop pushbutton, 30mm, push to lock, pull to reset, (1) N.O./(1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 35mm, round, plastic.	Stock	\$47.00
<u>AR30V0R-01RZC</u>	Fuji Electric emergency stop pushbutton, 30mm, twist-to-release, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$41.50
<u>AR30V0L-01E3RZC</u>	Fuji Electric emergency stop pushbutton, 30mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$45.00
<u>AR30V0L-01L3RZC</u>	Fuji Electric emergency stop pushbutton, 30mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 115-127 VAC, transformer.	Stock	\$50.00
Mushroom Head Pushbuttons			
<u>NDP50BL</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: blue, mushroom, 50mm, round, plastic. Requires contact blocks.	Stock	\$28.50

<u>NDP50GB</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: yellow, mushroom, 50mm, round, plastic. Requires contact blocks.	Stock	\$28.50
<u>NDP50GN</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: green, mushroom, 50mm, round, plastic. Requires contact blocks.	Stock	\$28.50
<u>NDP50SW</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: black, mushroom, 50mm, round, plastic. Requires contact blocks.	Stock	\$28.50
<u>NDP50WS</u>	Schmersal pushbutton, IP67 and IP69K, 22mm, momentary, operator only, plastic base, plastic bezel, Operator: white, mushroom, 50mm, round, plastic. Requires contact blocks.	Stock	\$28.50
<u>ECX4580</u>	Comepi emergency stop pushbutton, IP65, 22mm, twist-to-release, operator only, thermoplastic base, thermoplastic bezel, Operator: red, mushroom, 40mm, mushroom, plastic, operator text "arrow". Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$14.00
<u>GCX1134</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$13.00
<u>GCX1135</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$13.00
<u>GCX1137</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 60mm, round, plastic.	Stock	\$16.00
<u>GCX1139</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: yellow, mushroom, 40mm, round, plastic.	Stock	\$13.00
<u>GCX3134</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$9.25
<u>GCX3135</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$9.25
<u>GCX3137</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 60mm, round, plastic.	Stock	\$11.50
<u>GCX3139</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, (1) N.O. contact(s), plastic base, plastic bezel, Operator: yellow, mushroom, 40mm, round, plastic.	Stock	\$9.25
<u>AR22M0R-10BZA</u>	Fuji Electric pushbutton, 22mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$14.00
<u>AR22M0R-01RZA</u>	Fuji Electric pushbutton, 22mm, momentary, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$14.00
<u>AR22M0R-10GZA</u>	Fuji Electric pushbutton, 22mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: green, mushroom, 40mm, round, plastic.	Stock	\$14.00
<u>AR22M0R-10YZA</u>	Fuji Electric pushbutton, 22mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: yellow, mushroom, 40mm, round, plastic.	Stock	\$14.00
<u>AR22M0R-10SZA</u>	Fuji Electric pushbutton, 22mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: blue, mushroom, 40mm, round, plastic.	Stock	\$14.00
<u>AR22M0R-10WZA</u>	Fuji Electric pushbutton, 22mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: white, mushroom, 40mm, round, plastic.	Stock	\$14.00
<u>E22LB2B</u>	Eaton pushbutton, 22mm, momentary, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$47.50
<u>E22JPB2B</u>	Eaton pushbutton, 22mm, momentary, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 50mm, round, plastic.	Stock	\$49.50
<u>GCX1226-24</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$20.50
<u>GCX1226-120</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$22.50
<u>GCX1226-24L</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$25.50
<u>GCX1226-120L</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$27.50
<u>GCX3226-24</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, incandescent illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$16.00
<u>GCX3226-120</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, incandescent illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$17.50
<u>GCX3226-24L</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$22.00
<u>GCX3226-120L</u>	AutomationDirect pushbutton, IP65, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$23.00
<u>GCX1221-24</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$18.00
<u>GCX1221-120</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$20.00
<u>GCX1221-24L</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$23.00

<u>GCX1221-120L</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$25.00
<u>GCX3221-24</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>GCX3221-120</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$16.00
<u>GCX3221-24L</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$19.50
<u>GCX3221-120L</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$21.00
<u>AR22M0L-01E3RZA</u>	Fuji Electric pushbutton, 22mm, momentary, LED illuminated, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$25.00
<u>AR22M0L-01L3RZA</u>	Fuji Electric pushbutton, 22mm, momentary, LED illuminated, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic, 115-127 VAC, transformer.	Stock	\$31.00
<u>AR22V5L-01E3R</u>	Fuji Electric pushbutton, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$25.00
<u>AR22V5L-01L3R</u>	Fuji Electric pushbutton, 22mm, twist-to-release, LED illuminated, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic, 115-127 VAC, transformer.	Stock	\$39.00
<u>EDP40.VBL</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: blue, mushroom, 40mm, round, metal. Requires contact blocks.	Stock	\$39.00
<u>EDP40.VGN</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: green, mushroom, 40mm, round, metal. Requires contact blocks.	Stock	\$39.00
<u>EDP40.VRT</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: red, mushroom, 40mm, round, metal. Requires contact blocks.	Stock	\$39.00
<u>EDP40.VWS</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: white, mushroom, 40mm, round, metal. Requires contact blocks.	Stock	\$39.00
<u>EDP40.VGB</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: yellow, mushroom, 40mm, round, metal. Requires contact blocks.	Stock	\$39.00
<u>EDP40.VSW</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: black, mushroom, 40mm, round, metal. Requires contact blocks.	Stock	\$39.00
<u>EDP55.VBL</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: blue, mushroom, 55mm, round, metal. Requires contact blocks.	Stock	\$57.00
<u>EDP55.VGN</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: green, mushroom, 55mm, round, metal. Requires contact blocks.	Stock	\$57.00
<u>EDP55.VRT</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: red, mushroom, 55mm, round, metal. Requires contact blocks.	Stock	\$57.00
<u>EDP55.VWS</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: white, mushroom, 55mm, round, metal. Requires contact blocks.	Stock	\$57.00
<u>EDP55.VGB</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: yellow, mushroom, 55mm, round, metal. Requires contact blocks.	Stock	\$57.00
<u>EDP55.VSW</u>	Schmersal pushbutton, IP65, 30mm, momentary, operator only, plastic base, metal bezel, Operator: black, mushroom, 55mm, round, metal. Requires contact blocks.	Stock	\$57.00
<u>AR30B0R-10G</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, mushroom, 65mm, round, plastic.	Stock	\$28.00
<u>AR30B0R-10B</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, mushroom, 65mm, round, plastic.	Stock	\$28.00
<u>AR30B0R-10Y</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: yellow, mushroom, 65mm, round, plastic.	Stock	\$28.00
<u>AR30B0R-01R</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 65mm, round, plastic.	Stock	\$28.00
<u>AR30B0R-11R</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 65mm, round, plastic.	Stock	\$35.50
<u>AR30B0R-11G</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 65mm, round, plastic.	Stock	\$35.50
<u>AR30B0R-11Y</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: yellow, mushroom, 65mm, round, plastic.	Stock	\$35.50
<u>AR30B0R-11B</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: black, mushroom, 65mm, round, plastic.	Stock	\$35.50
<u>AR30M0R-10GZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: green, mushroom, 40mm, round, plastic.	Stock	\$16.00
<u>AR30M0R-10BZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$16.00
<u>AR30M0R-10RZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$16.00

<u>AR30M0R-01RZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$16.00
<u>AR30M0R-10SZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: blue, mushroom, 40mm, round, plastic.	Stock	\$16.00
<u>AR30M0R-10WZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: white, mushroom, 40mm, round, plastic.	Stock	\$16.00
<u>AR30M0R-10YZC</u>	Fuji Electric pushbutton, 30mm, momentary, (1) N.O. contact(s), plastic base, metal bezel, Operator: yellow, mushroom, 40mm, round, plastic.	Stock	\$16.00
<u>HT8AEG</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: green, mushroom, 40mm, round, plastic.	Stock	\$61.00
<u>HT8AEGA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: green, mushroom, 40mm, round, plastic.	Stock	\$79.00
<u>HT8AEGB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 40mm, round, plastic.	Stock	\$79.00
<u>HT8AEGAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 40mm, round, plastic.	Stock	\$96.00
<u>HT8AEGF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 40mm, round, plastic.	Stock	\$125.00
<u>HT8AEH</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$61.00
<u>HT8AEHA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$79.00
<u>HT8AEHB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$79.00
<u>HT8AEHAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$96.00
<u>HT8AEHF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$125.00
<u>HT8AER</u>	Eaton pushbutton, 30mm, momentary, operator only, metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$61.00
<u>HT8AERA</u>	Eaton pushbutton, 30mm, momentary, (1) N.O. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$79.00
<u>HT8AERB</u>	Eaton pushbutton, 30mm, momentary, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$79.00
<u>HT8AERAB</u>	Eaton pushbutton, 30mm, momentary, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$96.00
<u>HT8AERF1Q1</u>	Eaton pushbutton, 30mm, momentary, (2) N.O./ (2) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$125.00
<u>HT8CBR</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, 2-position, operator only, metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$96.00
<u>HT8CBRB</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, 2-position, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$112.00
<u>HT8CBRAB</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, 2-position, (1) N.O./ (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$125.00
<u>AR30Q7L-11E3RZC</u>	Fuji Electric pushbutton, 30mm, push-pull/momentary, LED illuminated, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 35mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$105.00
<u>AR30Q7L-11E3GZC</u>	Fuji Electric pushbutton, 30mm, push-pull/momentary, LED illuminated, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: green, mushroom, 35mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$105.00
<u>AR30Q7L-11L3RZC</u>	Fuji Electric pushbutton, 30mm, push-pull/momentary, LED illuminated, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: red, mushroom, 35mm, round, plastic, 115-127 VAC, transformer.	Stock	\$128.00
<u>AR30Q7L-11L3GZC</u>	Fuji Electric pushbutton, 30mm, push-pull/momentary, LED illuminated, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: green, mushroom, 35mm, round, plastic, 115-127 VAC, transformer.	Stock	\$128.00
<u>HT8FBRV3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, operator only, metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$166.00
<u>HT8FBRBV3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$159.00
<u>HT8FBRBV3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$159.00
<u>HT8FBGV3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, operator only, metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$166.00
<u>HT8FBGAV3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$159.00
<u>HT8FBGBV3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$159.00

<u>HT8FBRVZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, operator only, metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$166.00
<u>HT8FBRAVZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$159.00
<u>HT8FBRBVZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$159.00
<u>HT8FBGVZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, operator only, metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$166.00
<u>HT8FBGAVZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$159.00
<u>HT8FBGBVZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, incandescent illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$159.00
<u>HT8FBRF3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, operator only, metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$182.00
<u>HT8FBRAF3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$175.00
<u>HT8FBRBF3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$175.00
<u>HT8FBGF3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, operator only, metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$182.00
<u>HT8FBGAF3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$175.00
<u>HT8FBGBF3</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$175.00
<u>HT8FBRFZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, operator only, metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$182.00
<u>HT8FBRAFZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$175.00
<u>HT8FBRBFZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: red, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$175.00
<u>HT8FBGFZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, operator only, metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$182.00
<u>HT8FBGAFZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$175.00
<u>HT8FBGBFZ</u>	Eaton pushbutton, 30mm, push to lock, pull to reset, LED illuminated, (1) N.C. contact(s), metal base, metal bezel, Operator: green, mushroom, 42mm, round, plastic, 120 VAC/VDC, full voltage.	Stock	\$175.00
Selector Switches			
<u>AF16PR-2C1B</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, maintained, SPDT contact(s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$20.00
<u>AF16PR-2C2B</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, maintained, DPDT contact(s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$22.00
<u>AF16PR-0C1B</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, spring return from right, SPDT contact(s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$20.00
<u>AF16PR-0C2B</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, spring return from right, DPDT contact(s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$22.00
<u>AF16PR-3C2B</u>	Fuji Electric selector switch, IP65, 19mm, 3-position, maintained, DPDT contact(s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$22.00
<u>AF16PR-6C2B</u>	Fuji Electric selector switch, IP65, 19mm, 3-position, spring return to center from left, maintained right, DPDT contact(s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$22.00
<u>AF16PR-7C2B</u>	Fuji Electric selector switch, IP65, 19mm, 3-position, spring return to center from right, maintained left, DPDT contact(s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$22.00
<u>AF16PR-1C2B</u>	Fuji Electric selector switch, IP65, 19mm, 3-position, spring return to center from right or left, DPDT contact (s), plastic base, plastic bezel, Operator: black, knob, 22mm, round, plastic.	Stock	\$22.00
<u>AF16JR-2AC1A</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, maintained, key removable left position, SPDT contact (s), plastic base, plastic bezel, Operator: silver, key, 22mm, round, metal.	Stock	\$28.00
<u>AF16JR-2AC2A</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, maintained, key removable left position, DPDT contact (s), plastic base, plastic bezel, Operator: silver, key, 22mm, round, metal.	Stock	\$31.00
<u>AF16JR-2BC1A</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, maintained, key removable left and right position, SPDT contact(s), plastic base, plastic bezel, Operator: silver, key, 22mm, round, metal.	Stock	\$28.00
<u>AF16JR-2BC2A</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, maintained, key removable left and right position, DPDT contact(s), plastic base, plastic bezel, Operator: silver, key, 22mm, round, metal.	Stock	\$31.00
<u>AF16JR-2DC1A</u>	Fuji Electric selector switch, IP65, 19mm, 2-position, maintained, key removable right position, SPDT contact (s), plastic base, plastic bezel, Operator: silver, key, 22mm, round, metal.	Stock	\$28.00

[illegible]

<u>NWTS321</u>	Schmersal selector switch, IP67 and IP69K, 22mm, 3-position, spring return to center from left, maintained right, operator only, plastic base, plastic bezel, Operator: black, knob, 44mm, round, plastic. Requires contact blocks.	Stock	\$36.00
<u>NWTS321WS</u>	Schmersal selector switch, IP67 and IP69K, 22mm, 3-position, spring return to center from left, maintained right, operator only, plastic base, plastic bezel, Operator: white, knob, 44mm, round, plastic. Requires contact blocks.	Stock	\$36.00
<u>ECX4300</u>	Comepi selector switch, IP65, 22mm, 2-position, maintained, operator only, thermoplastic base, thermoplastic bezel, Operator: black, knob, 30mm, round. Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4320</u>	Comepi selector switch, IP65, 22mm, 3-position, maintained, operator only, thermoplastic base, thermoplastic bezel, Operator: black, knob, 30mm, round. Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$4.00
<u>ECX4410</u>	Comepi selector switch, IP65, 22mm, 2-position, maintained, key removable left position, operator only, thermoplastic base, thermoplastic bezel, Operator: black, key-operated, 30mm, round. Requires ECX4029-2 mounting flange and ECX10x0N-2 contact block.	Stock	\$13.00
<u>GCX1300</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, (1) N.O. contact(s), metal base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$11.50
<u>GCX1310</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, (1) N.O. contact(s), metal base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$14.00
<u>GCX1320-22</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, (2) N.O./(2) N.C. contact(s), metal base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$23.50
<u>GCX1330-22</u>	AutomationDirect selector switch, 22mm, 3-position, spring return to center, (2) N.O./(2) N.C. contact(s), metal base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$24.00
<u>GCX1350</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, (1) N.O. contact(s), metal base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$14.00
<u>GCX1360</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, (1) N.O. contact(s), metal base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$14.50
<u>GCX1370-22</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, (2) N.O./(2) N.C. contact(s), metal base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$24.00
<u>GCX1380-22</u>	AutomationDirect selector switch, 22mm, 3-position, spring return to center, (2) N.O./(2) N.C. contact(s), metal base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$25.00
<u>GCX1420</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, key removable in all positions, (1) N.O. contact(s), metal base, metal bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$22.50
<u>GCX1430</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, key removable left position, (1) N.O. contact(s), metal base, metal bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$22.50
<u>GCX1470-22</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, key removable in all positions, (2) N.O./(2) N.C. contact(s), metal base, metal bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$32.50
<u>GCX3300</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$9.00
<u>GCX3310</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$10.00
<u>GCX3320-22</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, (2) N.O./(2) N.C. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$17.50
<u>GCX3330-22</u>	AutomationDirect selector switch, 22mm, 3-position, spring return to center, (2) N.O./(2) N.C. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$18.00
<u>GCX3350</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$10.00
<u>GCX3360</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$10.50
<u>GCX3370-22</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, (2) N.O./(2) N.C. contact(s), plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$18.00
<u>GCX3380-22</u>	AutomationDirect selector switch, 22mm, 3-position, spring return to center, (2) N.O./(2) N.C. contact(s), plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$18.50
<u>GCX3420</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, key removable in all positions, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$17.00
<u>GCX3430</u>	AutomationDirect selector switch, IP65, 22mm, 2-position, spring return from right, key removable left position, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$17.00
<u>GCX3470-22</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, key removable in all positions, (2) N.O./(2) N.C. contact(s), plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$25.00
<u>AR22PR-210BZA</u>	Fuji Electric selector switch, 22mm, 2-position, maintained, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$14.00
<u>AR22PR-010BZA</u>	Fuji Electric selector switch, 22mm, 2-position, spring return from right, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$14.00
<u>AR22PR-322BZA</u>	Fuji Electric selector switch, 22mm, 3-position, maintained, (2) N.O./(2) N.C. contact(s), plastic base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$20.00

<u>AR22PR-122BZA</u>	Fuji Electric selector switch, 22mm, 3-position, spring return to center from right or left, (2) N.O./(2) N.C. contact(s), plastic base, metal bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$20.00
<u>AR22WR-210BZA</u>	Fuji Electric selector switch, 22mm, 2-position, maintained, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$15.00
<u>AR22WR-010BZA</u>	Fuji Electric selector switch, 22mm, 2-position, spring return from right, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$15.00
<u>AR22WR-322BZA</u>	Fuji Electric selector switch, 22mm, 3-position, maintained, (2) N.O./(2) N.C. contact(s), plastic base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$23.00
<u>AR22WR-122BZA</u>	Fuji Electric selector switch, 22mm, 3-position, spring return to center from right or left, (2) N.O./(2) N.C. contact(s), plastic base, metal bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$21.00
<u>AR22JR-2B10AZA</u>	Fuji Electric selector switch, 22mm, 2-position, maintained, key removable left and right position, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$24.50
<u>AR22JR-0A10AZA</u>	Fuji Electric selector switch, 22mm, 2-position, spring return from right, key removable left position, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$27.50
<u>AR22JR-3C22AZA</u>	Fuji Electric selector switch, 22mm, 3-position, maintained, key removable left, right and center position, (2) N.O./(2) N.C. contact(s), plastic base, metal bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$35.00
<u>E22XB51A</u>	Eaton selector switch, 22mm, 2-position, maintained, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$39.00
<u>E22XB51C</u>	Eaton selector switch, 22mm, 2-position, maintained, (1) N.O./(1) N.C. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$57.00
<u>E22XBG1RR</u>	Eaton selector switch, 22mm, 3-position, maintained, (1) N.O./(1) N.C. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$86.00
<u>E22KB53A</u>	Eaton selector switch, 22mm, 2-position, maintained, key removable in all positions, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$105.00
<u>E22KB62A</u>	Eaton selector switch, 22mm, 2-position, spring return from right, key removable in all positions, (1) N.O. contact(s), plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$105.00
<u>E22XBL1D</u>	Eaton selector switch, 22mm, 3-position, spring return to center from right or left, (2) N.O. contact(s), plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$65.00
<u>GCX1241-24L</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: red, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$23.00
<u>GCX1242-24L</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: green, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$25.50
<u>GCX1243-24L</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: yellow, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$23.00
<u>GCX1244-24L</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: blue, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$25.50
<u>GCX1245-24L</u>	AutomationDirect selector switch, 22mm, 2-position, spring return from right, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: clear, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$28.00
<u>GCX1251-24L</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: red, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$23.00
<u>GCX1252-24L</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: green, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$25.50
<u>GCX1253-24L</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: yellow, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$23.00
<u>GCX1254-24L</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: blue, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$25.50
<u>GCX1255-24L</u>	AutomationDirect selector switch, 22mm, 2-position, maintained, LED illuminated, (1) N.O. contact(s), metal base, metal bezel, Operator: clear, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$28.00
<u>GCX1261-24L</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, LED illuminated, (2) N.O./(2) N.C. contact (s), metal base, metal bezel, Operator: red, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$34.00
<u>GCX1262-24L</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, LED illuminated, (2) N.O./(2) N.C. contact (s), metal base, metal bezel, Operator: green, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$37.50
<u>GCX1263-24L</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, LED illuminated, (2) N.O./(2) N.C. contact (s), metal base, metal bezel, Operator: yellow, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$34.00
<u>GCX1264-24L</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, LED illuminated, (2) N.O./(2) N.C. contact (s), metal base, metal bezel, Operator: blue, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$37.50
<u>GCX1265-24L</u>	AutomationDirect selector switch, 22mm, 3-position, maintained, LED illuminated, (2) N.O./(2) N.C. contact (s), metal base, metal bezel, Operator: clear, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$37.50
<u>GCX1281-24L</u>	AutomationDirect selector switch, 22mm, 3-position, spring return to center, LED illuminated, (2) N.O./(2) N.C. contact(s), metal base, metal bezel, Operator: red, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$34.00
<u>GCX1282-24L</u>	AutomationDirect selector switch, 22mm, 3-position, spring return to center, LED illuminated, (2) N.O./(2) N.C. contact(s), metal base, metal bezel, Operator: green, knob, 30mm, round, plastic, 24 VAC/VDC, full voltage.	Stock	\$37.50

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>AR30PR-210BZC</u>	Fuji Electric selector switch, 30mm, 2-position, maintained, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, knob, 35mm, round, plastic.	Stock	\$18.50
<u>AR30PR-010BZC</u>	Fuji Electric selector switch, 30mm, 2-position, spring return from right, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, knob, 35mm, round, plastic.	Stock	\$18.50
<u>AR30PR-311BZC</u>	Fuji Electric selector switch, 30mm, 3-position, maintained, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: black, knob, 35mm, round, plastic.	Stock	\$21.50
<u>AR30PR-711BZC</u>	Fuji Electric selector switch, 30mm, 3-position, spring return from right to center / manual return from left to center, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: black, knob, 35mm, round, plastic.	Stock	\$21.50
<u>AR30PR-120BZC</u>	Fuji Electric selector switch, 30mm, 3-position, spring return from left and right to center, (2) N.O. contact(s), plastic base, metal bezel, Operator: black, knob, 35mm, round, plastic.	Stock	\$21.50
<u>AR30PCR-441CBZC</u>	Fuji Electric selector switch, 30mm, 4-position, maintained, (2) N.O./ (2) N.C. contact(s), plastic base, metal bezel, Operator: black, knob, 35mm, round, plastic.	Stock	\$19.50
<u>AR30PCR-551CBZC</u>	Fuji Electric selector switch, 30mm, 5-position, maintained, (2) N.O./ (2) N.C. contact(s), plastic base, metal bezel, Operator: black, knob, 35mm, round, plastic.	Stock	\$19.50
<u>AR30WR-210BZC</u>	Fuji Electric selector switch, 30mm, 2-position, maintained, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, lever, 35mm, round, plastic.	Stock	\$18.50
<u>AR30WR-010BZC</u>	Fuji Electric selector switch, 30mm, 2-position, spring return from right, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, lever, 35mm, round, plastic.	Stock	\$19.00
<u>AR30WR-311BZC</u>	Fuji Electric selector switch, 30mm, 3-position, maintained, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: black, lever, 35mm, round, plastic.	Stock	\$22.00
<u>AR30WR-711BZC</u>	Fuji Electric selector switch, 30mm, 3-position, spring return from right to center / manual return from left to center, (1) N.O./ (1) N.C. contact(s), plastic base, metal bezel, Operator: black, lever, 35mm, round, plastic.	Stock	\$23.00
<u>AR30WR-120BZC</u>	Fuji Electric selector switch, 30mm, 3-position, spring return from left and right to center, (2) N.O. contact(s), plastic base, metal bezel, Operator: black, lever, 35mm, round, plastic.	Stock	\$22.00
<u>AR30WCR-441CBZC</u>	Fuji Electric selector switch, 30mm, 4-position, maintained, (2) N.O./ (2) N.C. contact(s), plastic base, metal bezel, Operator: black, lever, 35mm, round, plastic.	Stock	\$18.50
<u>AR30WCR-551CBZC</u>	Fuji Electric selector switch, 30mm, 5-position, maintained, (2) N.O./ (2) N.C. contact(s), plastic base, metal bezel, Operator: black, lever, 35mm, round, plastic.	Stock	\$18.50
<u>AR30JR-0A10AZC</u>	Fuji Electric selector switch, 30mm, 2-position, spring return from right, key removable left position, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, key, 35mm, round, plastic.	Stock	\$38.00
<u>AR30JR-2B10AZC</u>	Fuji Electric selector switch, 30mm, 2-position, maintained, key removable left and right position, (1) N.O. contact(s), plastic base, metal bezel, Operator: black, key, 35mm, round, plastic.	Stock	\$38.00
<u>AR30JR-1E22AZC</u>	Fuji Electric selector switch, 30mm, 3-position, spring return from left and right to center, key removable center position, (2) N.O./ (2) N.C. contact(s), plastic base, metal bezel, Operator: black, key, 35mm, round, plastic.	Stock	\$53.00
<u>AR30JR-3C22AZC</u>	Fuji Electric selector switch, 30mm, 3-position, maintained, key removable left, right and center position, (2) N.O./ (2) N.C. contact(s), plastic base, metal bezel, Operator: black, key, 35mm, round, plastic.	Stock	\$53.00
<u>HT8JAH3A</u>	Eaton selector switch, 30mm, 2-position, maintained, operator only, metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$39.00
<u>HT8JAH3AA5</u>	Eaton selector switch, 30mm, 2-position, maintained, (1) N.O. contact(s), metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$56.00
<u>HT8JDH3A</u>	Eaton selector switch, 30mm, 2-position, maintained, operator only, metal base, metal bezel, Operator: black, lever, 27mm, round, plastic.	Stock	\$39.00
<u>HT8JDH3AA5</u>	Eaton selector switch, 30mm, 2-position, maintained, (1) N.O. contact(s), metal base, metal bezel, Operator: black, lever, 27mm, round, plastic.	Stock	\$56.00
<u>HT8JNH3A</u>	Eaton selector switch, 30mm, 2-position, spring return from right, operator only, metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$62.00
<u>HT8JNH3AA5</u>	Eaton selector switch, 30mm, 2-position, spring return from right, (1) N.O. contact(s), metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$79.00
<u>HT8JPH3A</u>	Eaton selector switch, 30mm, 2-position, spring return from right, operator only, metal base, metal bezel, Operator: black, lever, 27mm, round, plastic.	Stock	\$62.00
<u>HT8JPH3AA5</u>	Eaton selector switch, 30mm, 2-position, spring return from right, (1) N.O. contact(s), metal base, metal bezel, Operator: black, lever, 27mm, round, plastic.	Stock	\$79.00
<u>HT8JBH1D</u>	Eaton selector switch, 30mm, 3-position, maintained, operator only, metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$39.00
<u>HT8JBH1DAA5</u>	Eaton selector switch, 30mm, 3-position, maintained, (2) N.O. contact(s), metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$73.00
<u>HT8JEH1D</u>	Eaton selector switch, 30mm, 3-position, maintained, operator only, metal base, metal bezel, Operator: black, lever, 27mm, round, plastic.	Stock	\$39.00
<u>HT8JEH1DAA5</u>	Eaton selector switch, 30mm, 3-position, maintained, (2) N.O. contact(s), metal base, metal bezel, Operator: black, lever, 27mm, round, plastic.	Stock	\$73.00
<u>HT8JUH1D</u>	Eaton selector switch, 30mm, 3-position, spring return from right, operator only, metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$62.00
<u>HT8JUH1DAA5</u>	Eaton selector switch, 30mm, 3-position, spring return from right, (2) N.O. contact(s), metal base, metal bezel, Operator: black, knob, 27mm, round, plastic.	Stock	\$96.00

[illegible]

<u>GCX1151-24</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), metal base, metal bezel, Operator: red/green, double headed, 60mm, rectangular, plastic, 24 VAC/VDC, full voltage.	Stock	\$23.50
<u>GCX1151-120</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), metal base, metal bezel, Operator: red/green, double headed, 60mm, rectangular, plastic, 120 VAC/VDC, full voltage.	Stock	\$25.00
<u>GCX1153-24</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), metal base, metal bezel, Operator: red/green, double headed, 50mm, rectangular, plastic, operator text "(I) and (0)", 24 VAC/VDC, full voltage.	Stock	\$25.00
<u>GCX1153-120</u>	AutomationDirect pushbutton, IP65, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), metal base, metal bezel, Operator: red/green, double headed, 50mm, rectangular, plastic, operator text "(I) and (0)", 120 VAC/VDC, full voltage.	Stock	\$26.00
<u>GCX3151-24</u>	AutomationDirect pushbutton, IP40, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), plastic base, plastic bezel, Operator: red/green, double headed, 60mm, rectangular, plastic, 24 VAC/VDC, full voltage.	Stock	\$18.00
<u>GCX3151-120</u>	AutomationDirect pushbutton, IP40, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), plastic base, plastic bezel, Operator: red/green, double headed, 60mm, rectangular, plastic, 120 VAC/VDC, full voltage.	Stock	\$18.50
<u>GCX3153-24</u>	AutomationDirect pushbutton, IP40, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), plastic base, plastic bezel, Operator: red/green, double headed, 50mm, rectangular, plastic, operator text "(I) and (0)", 24 VAC/VDC, full voltage.	Stock	\$18.50
<u>GCX3153-120</u>	AutomationDirect pushbutton, IP40, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact (s), plastic base, plastic bezel, Operator: red/green, double headed, 50mm, rectangular, plastic, operator text "(I) and (0)", 120 VAC/VDC, full voltage.	Stock	\$19.50
<u>E22DB1B20X11C</u>	Eaton pushbutton, 22mm, momentary, incandescent illuminated, (1) N.O./ (1) N.C. contact(s), plastic base, plastic bezel, Operator: red/green, double headed, 58mm, rectangular, plastic, operator text "(I) and (0)", 120 VAC, transformer.	Stock	\$161.00
Joysticks			
<u>ECX1510</u>	AutomationDirect selector switch, IP65, 22mm, 2-position, momentary, (2) N.O. contact(s), metal base, metal bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$32.50
<u>ECX1512</u>	AutomationDirect selector switch, IP65, 22mm, 2-position, maintained, (2) N.O. contact(s), metal base, metal bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$32.50
<u>ECX1520</u>	AutomationDirect selector switch, IP65, 22mm, 4-position, momentary, (4) N.O. contact(s), metal base, metal bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$43.00
<u>ECX1524</u>	AutomationDirect selector switch, IP65, 22mm, 4-position, maintained, (4) N.O. contact(s), metal base, metal bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$43.00
<u>ECX3510</u>	AutomationDirect selector switch, IP65, 22mm, 2-position, momentary, (2) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$25.50
<u>ECX3512</u>	AutomationDirect selector switch, IP65, 22mm, 2-position, maintained, (2) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$25.50
<u>ECX3520</u>	AutomationDirect selector switch, IP65, 22mm, 4-position, momentary, (4) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$33.50
<u>ECX3524</u>	AutomationDirect selector switch, IP65, 22mm, 4-position, maintained, (4) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$33.50
<u>AR22A5N-A0A0B</u>	Fuji Electric selector switch, IP65, 22mm, 2-position, momentary, (2) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$65.00
<u>AR22A0N-A0A0B</u>	Fuji Electric selector switch, IP65, 22mm, 2-position, maintained, (2) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$65.00
<u>AR22A5N-AAAAB</u>	Fuji Electric selector switch, IP65, 22mm, 4-position, momentary, (4) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$65.00
<u>AR22A0N-AAAAB</u>	Fuji Electric selector switch, IP65, 22mm, 4-position, maintained, (4) N.O. contact(s), plastic base, plastic bezel, Operator: black, joystick, 30mm, round, plastic.	Stock	\$65.00
<u>AR30A5N-A0A0BZC</u>	Fuji Electric selector switch, IP65, 30mm, 2-position, momentary, (2) N.O. contact(s), plastic base, metal bezel, Operator: black, joystick, 41mm, round, plastic.	Stock	\$83.00
<u>AR30A0N-A0A0BZC</u>	Fuji Electric selector switch, IP65, 30mm, 2-position, maintained, (2) N.O. contact(s), plastic base, metal bezel, Operator: black, joystick, 41mm, round, plastic.	Stock	\$83.00
<u>AR30A5N-AAAABZC</u>	Fuji Electric selector switch, IP65, 30mm, 4-position, momentary, (4) N.O. contact(s), plastic base, metal bezel, Operator: black, joystick, 41mm, round, plastic.	Stock	\$92.00
<u>AR30A0N-AAAABZC</u>	Fuji Electric selector switch, IP65, 30mm, 4-position, maintained, (4) N.O. contact(s), plastic base, metal bezel, Operator: black, joystick, 41mm, round, plastic.	Stock	\$92.00
<u>NK-T-21-1ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 2-position, momentary, (2) N.O. contact(s), plastic base, plastic bezel, Operator: blue, joystick, 25mm, round, plastic.	Stock	\$112.00
<u>NK-T-41-1ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 4-position, momentary, (4) N.O. contact(s), plastic base, plastic bezel, Operator: blue, joystick, 25mm, round, plastic.	Stock	\$125.00

<u>NK-T-22-2ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 2-position, momentary, (4) N.O. contact(s), plastic base, plastic bezel, Operator: blue, joystick, 25mm, round, plastic.	Stock	\$118.00
<u>NK-T-42-2ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 4-position, momentary, (8) N.O. contact(s), plastic base, plastic bezel, Operator: blue, joystick, 25mm, round, plastic.	Stock	\$131.00
<u>RK-T-21-1ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 2-position, momentary, (2) N.O. contact(s), plastic base, plastic bezel, Operator: gray, joystick, 25mm, round, plastic.	Stock	\$112.00
<u>RK-T-41-1ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 4-position, momentary, (4) N.O. contact(s), plastic base, plastic bezel, Operator: gray, joystick, 25mm, round, plastic.	Stock	\$125.00
<u>RK-T-22-2ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 2-position, momentary, (4) N.O. contact(s), plastic base, plastic bezel, Operator: gray, joystick, 25mm, round, plastic.	Stock	\$118.00
<u>RK-T-42-2ST8-2</u>	Schmersal selector switch, IP65, IP67, IP69 and IP69K, 22mm, 4-position, momentary, (8) N.O. contact(s), plastic base, plastic bezel, Operator: gray, joystick, 25mm, round, plastic.	Stock	\$131.00
Potentiometers			
<u>ECX2300-5K</u>	AutomationDirect potentiometer, IP65, 5k ohm, 22mm, black. Legend plate ECX2640 purchased separately.	Stock	\$45.50
<u>ECX2300-10K</u>	AutomationDirect potentiometer, IP65, 10k ohm, 22mm, black. Legend plate ECX2640 purchased separately.	Stock	\$45.50
Capacitive Pushbutton Switches			
<u>CD40KMSBN-P20-050F</u>	Captron Caneco Series40 Puck Display capacitive pushbutton sensor switch, IP69K, 22mm, static, polycarbonate bezel, automatic LED control, Operator: black, 68mm. Requires 3-pin female M12 cable.	Stock	\$188.00
<u>CS40KMSBN-P20-063A</u>	Captron Caneco Series40 Puck capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, polycarbonate bezel, automatic LED control, Operator: black, 68mm. Requires 3-pin female M12 cable.	Stock	\$171.00
<u>CS40KMSBN-P10-05BC</u>	Captron Caneco Series40 Puck capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, polycarbonate bezel, automatic LED control, Operator: black, 68mm, operator text "hand symbol", white. Requires 4-pin female M12 cable.	Stock	\$171.00
<u>CD41AARBK-P20-0256</u>	Captron Caneco Series41 Solid Display capacitive pushbutton sensor switch, IP69K, 27-60mm, dynamic, polycarbonate bezel, automatic LED control, Operator: black, 100mm. Requires 3-pin female M12 cable.	Stock	\$273.00
<u>CS10KMMDU-C20-0793</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm.	Stock	\$63.00
<u>CS10KMMDU-B13-092D</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, polycarbonate bezel, automatic LED control, Operator: black, 30mm, operator text "RESET", blue illuminated.	Stock	\$63.00
<u>CS10KMMDU-B14-0A5F</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, static, polycarbonate bezel, semi-automatic LED control, Operator: black, 30mm, operator text "power symbol", green/red illuminated.	Stock	\$63.00
<u>CS10HMODU-C20-0A61</u>	Captron Caneco Series10 Hygienic capacitive pushbutton sensor switch, IP69K, 22mm, static, stainless steel bezel, semi-automatic LED control, Operator: white, 32.4mm.	Stock	\$85.00
<u>CS10HMODU-C19-0A3F</u>	Captron Caneco Series10 Hygienic capacitive pushbutton sensor switch, IP69K, 22mm, static, stainless steel bezel, automatic LED control, Operator: white, 32.4mm, operator text "RESET", white.	Stock	\$85.00
<u>CS10HMODU-C16-0A60</u>	Captron Caneco Series10 Hygienic capacitive pushbutton sensor switch, IP69K, 22mm, static, stainless steel bezel, semi-automatic LED control, Operator: white, 32.4mm, operator text "power symbol", white.	Stock	\$85.00
<u>CS10KMLDT-C10-00A6</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "START", green. Requires 4-pin female M12 cable.	Stock	\$63.00
<u>CS10KMLDT-C10-00A7</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, static, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "START", green. Requires 4-pin female M12 cable.	Stock	\$63.00
<u>CS10KMLDT-C11-0543</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "STOP", red. Requires 4-pin female M12 cable.	Stock	\$63.00
<u>CS10KMLDT-C11-0547</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, static, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "STOP", red. Requires 4-pin female M12 cable.	Stock	\$63.00
<u>CS10KMLDT-C12-00AE</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "ON/OFF", green/red. Requires 4-pin female M12 cable.	Stock	\$63.00
<u>CS10KMLDT-C12-00AF</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, static, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "ON/OFF", green/red. Requires 4-pin female M12 cable.	Stock	\$63.00
<u>CS10KMLDT-C12-00B0</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, toggle, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "ON/OFF", green/red. Requires 4-pin female M12 cable.	Stock	\$63.00
<u>CS10KMLDT-C16-0548</u>	Captron Caneco Series10 Standard capacitive pushbutton sensor switch, IP69K, 22mm, static, polycarbonate bezel, semi-automatic LED control, Operator: white, 30mm, operator text "power symbol", black. Requires 4-pin female M12 cable.	Stock	\$63.00

[illegible]

[illegible]

[illegible]

<u>CS41KDMBL-P20-0596</u>	Captron Caneco Series41 Standard capacitive pushbutton sensor switch, IP69K, 27-60mm, dynamic, polycarbonate bezel, manual LED control, Operator: black, 99.8mm. Requires 5-pin female M12 cable.	Stock	\$152.00
<u>CD41KCRBK-P20-0254</u>	Captron Caneco Series41 Standard Display capacitive pushbutton sensor switch, IP69K, 27-60mm, dynamic, polycarbonate bezel, automatic LED control, Operator: black, 99.8mm. Requires 3-pin female M12 cable.	Stock	\$183.00
<u>CD41KCRBK-P20-0597</u>	Captron Caneco Series41 Standard Display capacitive pushbutton sensor switch, IP69K, 27-60mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: black, 99.8mm. Requires 4-pin female M12 cable.	Stock	\$183.00
<u>CD41KCRBK-P20-0598</u>	Captron Caneco Series41 Standard Display capacitive pushbutton sensor switch, IP69K, 27-60mm, dynamic, polycarbonate bezel, manual LED control, Operator: black, 99.8mm. Requires 5-pin female M12 cable.	Stock	\$183.00
<u>CHT1-159P-30</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, aluminum bezel, semi-automatic LED control, Operator: white, 28.5mm. Requires 4-pin female M8 cable.	Stock	\$70.00
<u>CHT1-158P-30</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, stainless steel bezel, semi-automatic LED control, Operator: white, 40mm. Requires 4-pin female M8 cable.	Stock	\$85.00
<u>CHT1-158B-30</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, stainless steel bezel, manual LED control, Operator: white, 40mm. Requires 5-pin female M8 cable.	Stock	\$104.00
<u>CHT1-158P-30-CPM20</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, stainless steel bezel, semi-automatic LED control, Operator: white, 28.5mm. Requires 4-pin female M8 cable.	Stock	\$85.00
<u>CHT1-158B-30-CPM20</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, stainless steel bezel, manual LED control, Operator: white, 28.5mm. Requires 5-pin female M8 cable.	Stock	\$129.00
<u>CHT12-159P-64</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, toggle, aluminum bezel, semi-automatic LED control, Operator: white, 28.5mm, operator text "START/STOP", green and red. Requires 4-pin female M8 cable.	Stock	\$81.00
<u>CHT12-159B-64</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, toggle, aluminum bezel, manual LED control, Operator: white, 28.5mm, operator text "START/STOP", green and red. Requires 5-pin female M8 cable.	Stock	\$93.00
<u>CHT12-159P-30</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, toggle, aluminum bezel, semi-automatic LED control, Operator: white, 28.5mm. Requires 4-pin female M8 cable.	Stock	\$81.00
<u>CHT12-159B-30</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, toggle, aluminum bezel, manual LED control, Operator: white, 28.5mm. Requires 5-pin female M8 cable.	Stock	\$93.00
<u>CHT3-456P-H-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, Delrin bezel, semi-automatic LED control, Operator: white, 60mm, operator text "hand symbol", green. Requires 4-pin female M8 cable.	Stock	\$133.00
<u>CHT3-456B-H-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, Delrin bezel, manual LED control, Operator: white, 60mm, operator text "hand symbol", green. Requires 5-pin female M8 cable.	Stock	\$152.00
<u>CHT3-456P-H-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, Delrin bezel, semi-automatic LED control, Operator: white, 60mm, operator text "hand symbol", green. Requires 4-pin female M8 cable.	Stock	\$133.00
<u>CHT3-456B-H-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, Delrin bezel, manual LED control, Operator: white, 60mm, operator text "hand symbol", green. Requires 5-pin female M8 cable.	Stock	\$152.00
<u>CHT3-456P-29-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, Delrin bezel, semi-automatic LED control, Operator: white, 60mm, operator text "START", green. Requires 4-pin female M8 cable.	Stock	\$133.00
<u>CHT3-456B-29-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, Delrin bezel, manual LED control, Operator: white, 60mm, operator text "START", green. Requires 5-pin female M8 cable.	Stock	\$152.00
<u>CHT3-456P-29-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, Delrin bezel, semi-automatic LED control, Operator: white, 60mm, operator text "START", green. Requires 4-pin female M8 cable.	Stock	\$133.00
<u>CHT3-456B-29-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, Delrin bezel, manual LED control, Operator: white, 60mm, operator text "START", green. Requires 5-pin female M8 cable.	Stock	\$152.00
<u>CHT3-456P-30-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, Delrin bezel, semi-automatic LED control, Operator: white, 60mm. Requires 4-pin female M8 cable.	Stock	\$133.00
<u>CHT3-456B-30-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, dynamic, Delrin bezel, manual LED control, Operator: white, 60mm. Requires 5-pin female M8 cable.	Stock	\$152.00
<u>CHT3-456P-30-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, Delrin bezel, semi-automatic LED control, Operator: white, 60mm. Requires 4-pin female M8 cable.	Stock	\$133.00
<u>CHT3-456B-30-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 22mm, static, Delrin bezel, manual LED control, Operator: white, 60mm. Requires 5-pin female M8 cable.	Stock	\$152.00
<u>CHT3-15XP-H-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 88mm, operator text "hand symbol", green. Requires 4-pin female M8 cable and AR3 cover ring.	Stock	\$127.00
<u>CHT3-15XB-H-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, dynamic, polycarbonate bezel, manual LED control, Operator: white, 88mm, operator text "hand symbol", green. Requires 5-pin female M8 cable and AR3 cover ring.	Stock	\$137.00
<u>CHT3-15XP-H-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, static, polycarbonate bezel, semi-automatic LED control, Operator: white, 88mm, operator text "hand symbol", green. Requires 4-pin female M8 cable and AR3 cover ring.	Stock	\$127.00
<u>CHT3-15XB-H-TGSRs</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, static, polycarbonate bezel, manual LED control, Operator: white, 88mm, operator text "hand symbol", green. Requires 5-pin female M8 cable and AR3 cover ring.	Stock	\$137.00

<u>CHT3-15XP-29-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 88mm, operator text "START", green. Requires 4-pin female M8 cable and AR3 cover ring.	Stock	\$127.00
<u>CHT3-15XB-29-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, dynamic, polycarbonate bezel, manual LED control, Operator: white, 88mm, operator text "START", green. Requires 5-pin female M8 cable and AR3 cover ring.	Stock	\$137.00
<u>CHT3-15XP-29-TGSR S</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, static, polycarbonate bezel, semi-automatic LED control, Operator: white, 88mm, operator text "START", green. Requires 4-pin female M8 cable and AR3 cover ring.	Stock	\$127.00
<u>CHT3-15XB-29-TGSR S</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, static, polycarbonate bezel, manual LED control, Operator: white, 88mm, operator text "START", green. Requires 5-pin female M8 cable and AR3 cover ring.	Stock	\$137.00
<u>CHT3-15XP-30-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 88mm. Requires 4-pin female M8 cable and AR3 cover ring.	Stock	\$127.00
<u>CHT3-15XB-30-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, dynamic, polycarbonate bezel, manual LED control, Operator: white, 88mm. Requires 5-pin female M8 cable and AR3 cover ring.	Stock	\$137.00
<u>CHT3-15XP-30-TGSR S</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, static, polycarbonate bezel, semi-automatic LED control, Operator: white, 88mm. Requires 4-pin female M8 cable and AR3 cover ring.	Stock	\$127.00
<u>CHT3-15XB-30-TGSR S</u>	Captron capacitive pushbutton sensor switch, IP69K, 50mm, static, polycarbonate bezel, manual LED control, Operator: white, 88mm. Requires 5-pin female M8 cable and AR3 cover ring.	Stock	\$137.00
<u>CHT4-25XP-H-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 60mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 100mm, operator text "hand symbol", green. Requires 4-pin female M8 cable and AR4 cover ring.	Stock	\$137.00
<u>CHT4-25XB-H-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 60mm, dynamic, polycarbonate bezel, manual LED control, Operator: white, 100mm, operator text "hand symbol", green. Requires 5-pin female M8 cable and AR4 cover ring.	Stock	\$175.00
<u>CHT4-25XP-29-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 60mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 100mm, operator text "START", green. Requires 4-pin female M8 cable and AR4 cover ring.	Stock	\$137.00
<u>CHT4-25XB-29-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 60mm, dynamic, polycarbonate bezel, manual LED control, Operator: white, 100mm, operator text "START", green. Requires 5-pin female M8 cable and AR4 cover ring.	Stock	\$175.00
<u>CHT4-25XP-30-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 60mm, dynamic, polycarbonate bezel, semi-automatic LED control, Operator: white, 100mm. Requires 4-pin female M8 cable and AR4 cover ring.	Stock	\$137.00
<u>CHT4-25XB-30-TGSR</u>	Captron capacitive pushbutton sensor switch, IP69K, 60mm, dynamic, polycarbonate bezel, manual LED control, Operator: white, 100mm. Requires 5-pin female M8 cable and AR4 cover ring.	Stock	\$175.00
Pendant Switches			
<u>55501</u>	Molex pendant switch, nitrile rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.O. contact(s), 7/8in - 16 UN2 2-pin male. Requires 7/8in - 16 UN2 2-pin connection cable.	Stock	\$61.00
<u>55502</u>	Molex pendant switch, nitrile rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.C. contact(s), 7/8in - 16 UN2 2-pin male. Requires 7/8in - 16 UN2 2-pin connection cable.	Stock	\$58.00
<u>55503</u>	Molex pendant switch, nitrile rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.O./ (1) N.C. contact(s), 7/8in - 16 UN2 3-pin male. Requires 7/8in - 16 UN2 3-pin connection cable.	Stock	\$61.00
<u>55504</u>	Molex pendant switch, nitrile rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.O. contact(s), 7/8in - 16 UN2 3-pin male. Requires 7/8in - 16 UN2 3-pin connection cable.	Stock	\$58.00
<u>55501S</u>	Molex pendant switch, silicone rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.O. contact(s), 7/8in - 16 UN2 2-pin male. Requires 7/8in - 16 UN2 2-pin connection cable.	Stock	\$58.00
<u>55502S</u>	Molex pendant switch, silicone rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.C. contact(s), 7/8in - 16 UN2 2-pin male. Requires 7/8in - 16 UN2 2-pin connection cable.	Stock	\$58.00
<u>55503S</u>	Molex pendant switch, silicone rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.O./ (1) N.C. contact(s), 7/8in - 16 UN2 3-pin male. Requires 7/8in - 16 UN2 3-pin connection cable.	Stock	\$58.00
<u>55504S</u>	Molex pendant switch, silicone rubber/PVC, (1) pushbutton, flush, yellow, snap action, (1) N.O. contact(s), 7/8in - 16 UN2 3-pin male. Requires 7/8in - 16 UN2 3-pin connection cable.	Stock	\$58.00
Indicating Lights			
<u>DR16F0N-E3G</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, green, 24mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16F0N-E3R</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, red, 24mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16F0N-E3W</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, white, 24mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16F0N-E3Y</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, yellow, 24mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16F0N-E3A</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, amber, 24mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00

<u>DR16F0N-E3S</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, blue, 24mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DF16F0N-E3G</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, green, 28mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DF16F0N-E3R</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, red, 28mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DF16F0N-E3W</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, white, 28mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DF16F0N-E3Y</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, yellow, 28mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DF16F0N-E3A</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, amber, 28mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DF16F0N-E3S</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, blue, 28mm, rectangular, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DR16E0L-E3G</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, green, 18mm, round, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16E0L-E3R</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, red, 18mm, round, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16E0L-E3W</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, white, 18mm, round, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16E0L-E3Y</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, yellow, 18mm, round, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16E0L-E3A</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, amber, 18mm, round, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>DR16E0L-E3S</u>	Fuji Electric LED indicating light, permanent light function, IP65, 16mm, blue, 18mm, round, plastic base, plastic bezel, 24 VAC/VDC, full voltage.	Stock	\$14.00
<u>CML1-159-30</u>	Captron LED indicating light, permanent light function, IP69K, 22mm, red/yellow/green/blue/white/orange/violet, 28mm, round, plastic base, aluminum bezel, 24 VDC, full voltage. Requires M8 4-pole connection cable.	Stock	\$53.00
<u>CML1-158-30</u>	Captron LED indicating light, permanent light function, IP69K, 22mm, red/yellow/green/blue/white/orange/violet, 40mm, round, plastic base, stainless steel bezel, 24 VDC, full voltage. Requires M8 4-pole connection cable.	Stock	\$79.00
<u>CDL1-159-30-GR</u>	Captron LED indicating light, permanent light function, IP69K, 22mm, red/green, 28mm, round, plastic base, aluminum bezel, 24 VDC, full voltage. Requires M8 4-pole connection cable.	Stock	\$52.00
<u>CDL1-158-30-GR</u>	Captron LED indicating light, permanent light function, IP69K, 22mm, red/green, 40mm, round, plastic base, stainless steel bezel, 24 VDC, full voltage. Requires M8 4-pole connection cable.	Stock	\$76.00
<u>NMLBL</u>	Schmersal illuminated indicating light, permanent light function, IP67 and IP69K, 22mm, blue, 44mm, round, plastic base, plastic bezel. Requires light block and LED or incandescent bulb.	Stock	\$17.50
<u>NMLGB</u>	Schmersal illuminated indicating light, permanent light function, IP67 and IP69K, 22mm, yellow, 44mm, round, plastic base, plastic bezel. Requires light block and LED or incandescent bulb.	Stock	\$17.50
<u>NMLGN</u>	Schmersal illuminated indicating light, permanent light function, IP67 and IP69K, 22mm, green, 44mm, round, plastic base, plastic bezel. Requires light block and LED or incandescent bulb.	Stock	\$17.50
<u>NMLRT</u>	Schmersal illuminated indicating light, permanent light function, IP67 and IP69K, 22mm, red, 44mm, round, plastic base, plastic bezel. Requires light block and LED or incandescent bulb.	Stock	\$17.50
<u>NMLWS</u>	Schmersal illuminated indicating light, permanent light function, IP67 and IP69K, 22mm, white, 44mm, round, plastic base, plastic bezel. Requires light block and LED or incandescent bulb.	Stock	\$17.50
<u>GCX1231-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, red, 30mm, round, metal base, 24 VAC/VDC, full voltage.	Stock	\$18.00
<u>GCX1232-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, green, 30mm, round, metal base, 24 VAC/VDC, full voltage.	Stock	\$18.00
<u>GCX1233-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, yellow, 30mm, round, metal base, 24 VAC/VDC, full voltage.	Stock	\$18.00
<u>GCX1234-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, blue, 30mm, round, metal base, 24 VAC/VDC, full voltage.	Stock	\$18.00
<u>GCX1235-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, metal base, 24 VAC/VDC, full voltage.	Stock	\$20.50
<u>GCX1236-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, metal base, 24 VAC/VDC, full voltage.	Stock	\$20.50
<u>GCX1231-120L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, red, 30mm, round, metal base, 120 VAC/VDC, full voltage.	Stock	\$19.50
<u>GCX1232-120L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, green, 30mm, round, metal base, 120 VAC/VDC, full voltage.	Stock	\$19.50
<u>GCX1233-120L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, yellow, 30mm, round, metal base, 120 VAC/VDC, full voltage.	Stock	\$19.50

<u>GCX1234-120L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, blue, 30mm, round, metal base, 120 VAC/VDC, full voltage.	Stock	\$19.50
<u>GCX1235-120L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, metal base, 120 VAC/VDC, full voltage.	Stock	\$22.00
<u>GCX1236-120L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, metal base, 120 VAC/VDC, full voltage.	Stock	\$22.00
<u>ECX2051-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, red, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$6.25
<u>ECX2052-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, green, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$6.25
<u>ECX2053-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, yellow, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$6.25
<u>ECX2054-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, blue, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$10.50
<u>ECX2055-24L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$10.50
<u>ECX2051-127L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, red, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$7.75
<u>ECX2052-127L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, green, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$7.75
<u>ECX2053-127L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, yellow, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$7.75
<u>ECX2054-127L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, blue, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$10.50
<u>ECX2055-127L</u>	AutomationDirect LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$10.50
<u>ECX1051-24</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, red, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$7.00
<u>ECX1052-24</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, green, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$7.00
<u>ECX1053-24</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, yellow, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$7.00
<u>ECX1054-24</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, blue, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$7.00
<u>ECX1055-24</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$7.00
<u>ECX1056-24</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$7.00
<u>ECX1051-120</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, red, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$8.25
<u>ECX1052-120</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, green, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$8.25
<u>ECX1053-120</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, yellow, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$8.25
<u>ECX1054-120</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, blue, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$8.25
<u>ECX1055-120</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$8.25
<u>ECX1056-120</u>	AutomationDirect incandescent indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$8.25
<u>DR22E3L-E3RZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, red, 30mm, round, plastic base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DR22E3L-E3GZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, green, 30mm, round, plastic base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DR22E3L-E3YZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, yellow, 30mm, round, plastic base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DR22E3L-E3SZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, blue, 30mm, round, plastic base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$28.50
<u>DR22E3L-E3WZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$20.00
<u>DR22E3L-L3RZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, red, 30mm, round, plastic base, metal bezel, 115-127 VAC, transformer.	Stock	\$25.00
<u>DR22E3L-L3GZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, green, 24mm, round, plastic base, metal bezel, 115-127 VAC, transformer.	Stock	\$25.00

<u>DR22E3L-L3YZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, yellow, 24mm, round, plastic base, metal bezel, 115-127 VAC, transformer.	Stock	\$25.00
<u>DR22E3L-L3SZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, blue, 24mm, round, plastic base, metal bezel, 115-127 VAC, transformer.	Stock	\$38.00
<u>DR22E3L-L3WZA</u>	Fuji Electric LED indicating light, permanent light function, IP65, 22mm, white, 30mm, round, plastic base, metal bezel, 115-127 VAC, transformer.	Stock	\$25.00
<u>E22HL2X4</u>	Eaton cluster style LED indicating light, permanent light function, 22mm, red, 29mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$43.00
<u>E22HL3X4</u>	Eaton cluster style LED indicating light, permanent light function, 22mm, green, 29mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$43.00
<u>E22HL9X4</u>	Eaton cluster style LED indicating light, permanent light function, 22mm, amber, 29mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$43.00
<u>E22HL2X8</u>	Eaton cluster style LED indicating light, permanent light function, 22mm, red, 29mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$43.00
<u>E22HL3X8</u>	Eaton cluster style LED indicating light, permanent light function, 22mm, green, 29mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$43.00
<u>E22HL9X8</u>	Eaton cluster style LED indicating light, permanent light function, 22mm, amber, 29mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$43.00
<u>E22HV2X4</u>	Eaton incandescent indicating light, permanent light function, 22mm, red, 29mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$34.50
<u>E22HV3X4</u>	Eaton incandescent indicating light, permanent light function, 22mm, green, 29mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$34.50
<u>E22HV9X4</u>	Eaton incandescent indicating light, permanent light function, 22mm, amber, 29mm, round, plastic base, 24 VAC/VDC, full voltage.	Stock	\$34.50
<u>E22HV2X8</u>	Eaton incandescent indicating light, permanent light function, 22mm, red, 29mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$34.50
<u>E22HV3X8</u>	Eaton incandescent indicating light, permanent light function, 22mm, green, 29mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$34.50
<u>E22HV9X8</u>	Eaton incandescent indicating light, permanent light function, 22mm, amber, 29mm, round, plastic base, 120 VAC/VDC, full voltage.	Stock	\$34.50
<u>E22H2X11</u>	Eaton incandescent indicating light, permanent light function, 22mm, red, 29mm, round, plastic base, 120 VAC, transformer.	Stock	\$91.00
<u>E22H3X11</u>	Eaton incandescent indicating light, permanent light function, 22mm, green, 29mm, round, plastic base, 120 VAC, transformer.	Stock	\$91.00
<u>E22H9X11</u>	Eaton incandescent indicating light, permanent light function, 22mm, amber, 29mm, round, plastic base, 120 VAC, transformer.	Stock	\$91.00
<u>E22TB9X26</u>	Eaton incandescent indicating light, permanent light function, 22mm, push-to-test, amber, 29mm, round, plastic base, 120 VAC/VDC, resistor.	Stock	\$108.00
<u>E22TB2X27</u>	Eaton incandescent indicating light, permanent light function, 22mm, push-to-test, red, 29mm, round, plastic base, 120 VAC, transformer.	Stock	\$121.00
<u>EMLH.VBL</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, blue, 34.5mm, dome, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$24.00
<u>EMLH.VGN</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, green, 34.5mm, dome, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$24.00
<u>EMLH.VRT</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, red, 34.5mm, dome, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$24.00
<u>EMLH.VWS</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, white, 34.5mm, dome, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$24.00
<u>EMLH.VGB</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, yellow, 34.5mm, dome, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$24.00
<u>EML.VBL</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, blue, 34.5mm, round, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$23.00
<u>EML.VGN</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, green, 34.5mm, round, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$23.00
<u>EML.VRT</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, red, 34.5mm, round, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$23.00
<u>EML.VWS</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, white, 34.5mm, round, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$23.00
<u>EML.VGB</u>	Schmersal illuminated indicating light, permanent light function, IP65, 30mm, yellow, 34.5mm, round, plastic base, metal bezel. Requires light block and LED or incandescent bulb.	Stock	\$23.00
<u>DR30D0L-L9AZC</u>	Fuji Electric LED indicating light, permanent light function, 30mm, orange, 41mm, dome, plastic base, metal bezel, 115-127 VAC, transformer.	Stock	\$40.00
<u>DR30D0L-L9SZC</u>	Fuji Electric LED indicating light, permanent light function, 30mm, blue, 41mm, dome, plastic base, metal bezel, 115-127 VAC, transformer.	Stock	\$50.00

[illegible]

<u>HT8HFGV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, green, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$96.00
<u>HT8HFRV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, red, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$96.00
<u>HT8HFWV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, white, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$96.00
<u>HT8HFYV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, yellow, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$96.00
<u>HT8GVRV3</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, red, 32mm, round, metal base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GGV3</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, green, 32mm, round, metal base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVAV3</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, amber, 32mm, round, metal base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVV3</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, white, 32mm, round, metal base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVYV3</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, yellow, 32mm, round, metal base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVBV3</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, blue, 32mm, round, metal base, metal bezel, 24 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVRV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, red, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GGV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, green, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVAV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, amber, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVCV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, clear, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, white, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVYV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, yellow, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$125.00
<u>HT8GVBV7</u>	Eaton incandescent indicating light, permanent light function, 30mm, push-to-test, blue, 32mm, round, metal base, metal bezel, 120 VAC/VDC, full voltage.	Stock	\$125.00

Legend Plates for Pilot Devices			
<u>ECX1670A-B</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, legend plate marking "blank". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B01</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "CLOSE". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B02</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "DOWN". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B04</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "FORWARD". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B05</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "JOG". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B06</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "ON". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B07</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "OPEN". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B08</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "REVERSE". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B09</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "RUN". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B10</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "START". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B11</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "STOP". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B12</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "UP". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B13</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "FOR REV". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670A-B14</u>	AutomationDirect legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "HAND AUTO". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25

[illegible]

[illegible]

[illegible]

<u>ECX1670-B54</u>	AutomationDirect legend plate, plastic, rectangular, black field, black background, white engraved text, legend plate marking "RELEASE". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1670-R</u>	AutomationDirect legend plate, plastic, rectangular, red field, red background, legend plate marking "blank". For use with 22mm pilot devices. O-ring included.	Stock	\$3.25
<u>ECX1670-R03</u>	AutomationDirect legend plate, plastic, rectangular, red field, red background, white engraved text, legend plate marking "EMERG. STOP". For use with 22mm pilot devices. O-ring included.	Stock	\$3.25
<u>ECX1670-R11</u>	AutomationDirect legend plate, plastic, rectangular, red field, red background, white engraved text, legend plate marking "STOP". For use with 22mm pilot devices. O-ring included.	Stock	\$3.25
<u>ECX1670-B10-90</u>	Comepi legend plate, plastic, rectangular, black field, black background, white engraved text, legend plate marking "START". For use with 22mm pilot devices.	Stock	\$3.00
<u>ECX1670-R11-90</u>	Comepi legend plate, plastic, rectangular, red field, red background, white engraved text, legend plate marking "STOP". For use with 22mm pilot devices.	Stock	\$3.00
<u>ECX1669-G</u>	Comepi legend plate, plastic, round, yellow field, yellow background, black engraved text, legend plate marking "EMERGENCY STOP". For use with 22mm pilot devices.	Stock	\$2.00
<u>ECX1670-B55</u>	Comepi legend plate, plastic, rectangular, black field, black background, white engraved text, legend plate marking "0-1". For use with 22mm pilot devices.	Stock	\$3.00
<u>ECX1670-B56</u>	Comepi legend plate, plastic, rectangular, black field, black background, white engraved text, legend plate marking "0-1-2". For use with 22mm pilot devices.	Stock	\$3.00
<u>ECX1680A-B</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, black field, silver background, legend plate marking "blank". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-B05</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "JOG". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-B10</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "START". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-B16</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "OFF ON". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-B17</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "OPEN CLOSE". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-B20</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "HAND OFF AUTO". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-B21</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "POWER ON". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-R</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, red field, silver background, legend plate marking "blank". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-R03</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, red field, silver background, red engraved text, legend plate marking "EMERG. STOP". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1680A-R11</u>	AutomationDirect jumbo legend plate, aluminum, rectangular, red field, silver background, red engraved text, legend plate marking "STOP". For use with 22mm pilot devices. O-ring included.	Stock	\$4.75
<u>ECX1690-B</u>	AutomationDirect jumbo legend plate, plastic, square, black field, black background, legend plate marking "blank". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-B05</u>	AutomationDirect jumbo legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "JOG". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-B10</u>	AutomationDirect jumbo legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "START". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-B16</u>	AutomationDirect jumbo legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "OFF-ON". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-B17</u>	AutomationDirect jumbo legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "OPEN-CLOSE". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-B20</u>	AutomationDirect jumbo legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "HAND-OFF-AUTO". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-B21</u>	AutomationDirect jumbo legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "POWER ON". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-R</u>	AutomationDirect jumbo legend plate, plastic, square, red field, red background, legend plate marking "blank". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-R03</u>	AutomationDirect jumbo legend plate, plastic, square, red field, red background, white engraved text, legend plate marking "EMERG. STOP". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1690-R11</u>	AutomationDirect jumbo legend plate, plastic, square, red field, red background, white engraved text, legend plate marking "STOP". For use with 22mm pilot devices. O-ring included.	Stock	\$4.25
<u>ECX1651</u>	AutomationDirect oversized legend plate, plastic, round, yellow field, yellow background, black engraved text, legend plate marking "EMERGENCY STOP". For use with 22mm pilot devices.	Stock	\$3.00
<u>ECX2640</u>	AutomationDirect legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "0 to 100 scale". For use with 22mm pilot devices.	Stock	\$4.25
<u>AR6P719-5A</u>	Fuji Electric legend plate, plastic, round, yellow field, yellow background, black engraved text, legend plate marking "EMERGENCY STOP". For use with 16mm pilot devices.	Stock	\$9.50

<u>AR9P719-5A</u>	Fuji Electric oversized legend plate, aluminum, round, yellow field, yellow background, black engraved text, legend plate marking "EMERGENCY STOP". For use with 22mm pilot devices.	Stock	\$9.75
<u>E22NS11</u>	Eaton jumbo legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "CLOSE". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS12</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "DOWN". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS13</u>	Eaton legend plate, aluminum, rectangular, red field, silver background, black engraved text, legend plate marking "EMERG. STOP". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS15</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "FORWARD". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS19</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "JOG". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS25</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "ON". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS26</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "OPEN". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS30</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "REVERSE". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS31</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "RUN". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS33</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "START". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS34</u>	Eaton legend plate, aluminum, rectangular, red field, silver background, black engraved text, legend plate marking "STOP". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS35</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "UP". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS36</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, legend plate marking "blank". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS37</u>	Eaton legend plate, aluminum, rectangular, red field, silver background, legend plate marking "blank". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS38</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "FOR REV". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS39</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "HAND AUTO". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS41</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "JOG RUN". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS42</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "OFF ON". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS43</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "OPEN CLOSE". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS48</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "UP DOWN". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS50</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "FOR OFF REV". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS51</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "HAND OFF AUTO". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS80</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "POWER ON". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS81</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "MOTOR RUN". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NS82</u>	Eaton legend plate, aluminum, rectangular, black field, silver background, black engraved text, legend plate marking "MOTOR STOP". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22VA8</u>	Eaton oversized legend plate, plastic, round, yellow field, yellow background, red engraved text, legend plate marking "EMERGENCY STOP". For use with 22mm pilot devices.	Stock	\$12.50
<u>E22NSP77</u>	Eaton legend plate, plastic, rectangular, red/black field, red/black background, legend plate marking "blank". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NL36</u>	Eaton jumbo legend plate, aluminum, rectangular, black field, silver background, legend plate marking "blank". For use with 22mm pilot devices.	Stock	\$7.50
<u>E22NL37</u>	Eaton legend plate, aluminum, rectangular, red field, silver background. For use with 22mm pilot devices.	Stock	\$7.50
<u>NDP-70-ES</u>	Schmersal legend plate, metal, round, yellow field, yellow background, black engraved text, legend plate marking "Emergency Stop". For use with 22mm pilot devices.	Stock	\$10.00
<u>NZSO-V4A</u>	Schmersal legend plate, metal, rectangular, gray field, gray background, legend plate marking "blank". For use with 22mm pilot devices.	Stock	\$4.25

<u>DPF-9</u>	Schmersal legend plate, metal, round, yellow field, yellow background, legend plate marking "blank". For use with 30mm pilot devices.	Stock	\$9.25
<u>AHX177-00</u>	Fuji Electric legend plate, brass, rectangular, silver field, silver background, legend plate marking "blank". For use with 30mm pilot devices.	Stock	\$2.75
<u>AHX177-0B</u>	Fuji Electric legend plate, brass, rectangular, silver field, silver background, black engraved text, legend plate marking "OFF". For use with 30mm pilot devices.	Stock	\$2.75
<u>AHX177-0A</u>	Fuji Electric legend plate, brass, rectangular, silver field, silver background, black engraved text, legend plate marking "ON". For use with 30mm pilot devices.	Stock	\$2.75
<u>AHX177-0C</u>	Fuji Electric legend plate, brass, rectangular, silver field, silver background, black engraved text, legend plate marking "START". For use with 30mm pilot devices.	Stock	\$2.75
<u>AHX177-0D</u>	Fuji Electric legend plate, brass, rectangular, silver field, silver background, black engraved text, legend plate marking "STOP". For use with 30mm pilot devices.	Stock	\$2.75
<u>AHX177-2A</u>	Fuji Electric legend plate, brass, rectangular, silver field, silver background, black engraved text, legend plate marking "OFF-ON". For use with 30mm pilot devices.	Stock	\$2.75
<u>AHX720-5A</u>	Fuji Electric oversized legend plate, aluminum, round, yellow field, yellow background, black engraved text, legend plate marking "EMERGENCY STOP". For use with 30mm pilot devices.	Stock	\$10.50
<u>HT8SP90</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "CLAMP". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP73</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "CLOSE". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP74</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "DOWN". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP13</u>	Eaton legend plate, plastic, square, red field, red background, white engraved text, legend plate marking "EMERG. STOP". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP75</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "FAST". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP87</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "FASTER". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP94</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "FEEDER ON". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP95</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "FEEDER OFF". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP15</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "FORWARD". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP16</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "HIGH". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP17</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "IN". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP18</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "INCH". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP19</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "JOG". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP20</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "JOG FOR.". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP21</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "JOG REV.". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP22</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "LOW". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP23</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "LOWER". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP92</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "LUBE-FAIL". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP81</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "MOTOR RUN". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP82</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "MOTOR STOP". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP24</u>	Eaton legend plate, plastic, square, red field, red background, white engraved text, legend plate marking "OFF". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP25</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "ON". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP26</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "OPEN". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP27</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "OUT". For use with 30mm pilot devices.	Stock	\$7.75

[illegible]

<u>HT8SP68</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "MAN. OFF AUTO". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP53</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "OPEN OFF CLOSE". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP70</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "RUN SAFE JOG". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP54</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "UP OFF DOWN". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP71</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "ON STOP SAFE". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8PP5</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "PULL ON PUSH OFF". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8PP8</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "PULL OPEN PUSH CLOSE". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8PP11</u>	Eaton legend plate, plastic, square, black field, black background, white engraved text, legend plate marking "PULL UP PUSH DOWN". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP76</u>	Eaton legend plate, plastic, square, white field, white background, legend plate marking "blank". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8SP77</u>	Eaton legend plate, plastic, square, red field, red background, legend plate marking "blank". For use with 30mm pilot devices.	Stock	\$7.75
<u>HT8RP79</u>	Eaton legend plate, plastic, round, yellow field, yellow background, red engraved text, legend plate marking "EMERGENCY STOP". For use with 30mm pilot devices.	Stock	\$7.75
<u>XCSNP-BLANK</u>	Killark legend plate, aluminum, rectangular, red field, red background, legend plate marking "blank". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-CLOSE</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "CLOSE". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-DOWN</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "DOWN". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-ESTOP</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "EMERG STOP". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-FAST</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "FAST". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-FORWARD</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "FORWARD". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-HIGH</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "HIGH". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-IN</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "IN". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-INCH</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "INCH". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-JOG</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "JOG". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-JOG-FORWARD</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "JOG FWD". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-JOG-REVERSE</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "JOG REV". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$16.50
<u>XCSNP-LOW</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "LOW". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-LOWER</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "LOWER". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-MOTOR-RUN</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "MOTOR RUN". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-MOTOR-STOP</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "MOTOR STOP". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-OFF</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "OFF". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-ON</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "ON". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-OPEN</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "OPEN". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-OUT</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "OUT". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-POWER-ON</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "POWER ON". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00

[illegible]

<u>XCSNP-JOG-OFF-RUN</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "JOG OFF RUN". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$16.50
<u>XCSNP-STP-RUN-STRT</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "STOP RUN START". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$16.50
<u>XCSNP-LOCL-OFF-REM</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "LOCAL OFF REM". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-LOW-OFF-HIGH</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "LOW OFF HIGH". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-RAS-OFF-LOWR</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "RAISE OFF LOWER". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
<u>XCSNP-SLOW-OFF-FST</u>	Killark legend plate, aluminum, rectangular, red background, white engraved text, legend plate marking "SLOW OFF FAST". For use with FXCS and XCS series control stations. Mounting screws included.	Stock	\$17.00
Contact Blocks and Mounting Flanges for Pilot Devices			
<u>ECX1030-5</u>	AutomationDirect contact block, replacement, 22mm, (1) N.C. contact(s). Package of 5. For use with GCX, ECX, and ECP series pushbuttons and switches.	Stock	\$18.50
<u>ECX1040-5</u>	AutomationDirect contact block, replacement, 22mm, (1) N.O. contact(s). Package of 5. For use with GCX, ECX, and ECP series pushbuttons and switches.	Stock	\$18.50
<u>ECX1030-2</u>	AutomationDirect contact block, replacement, 22mm, (1) N.C. contact(s). Package of 2. For use with GCX, ECX, and ECP series pushbuttons and switches.	Stock	\$8.00
<u>ECX1040-2</u>	AutomationDirect contact block, replacement, 22mm, (1) N.O. contact(s). Package of 2. For use with GCX, ECX, and ECP series pushbuttons and switches.	Stock	\$8.00
<u>ECX1042-2</u>	AutomationDirect contact block, replacement, 22mm, (1) N.O. contact(s). Package of 2. For use with GCX, ECX, and ECP series pushbuttons with push-push actuation.	Stock	\$8.00
<u>ECX4029-2</u>	Comepi mounting flange, thermoplastic, black. Package of 2. For use with Comepi 22mm pushbuttons.	Stock	\$2.00
<u>ECX1030N-2</u>	Comepi contact block, replacement, 22mm, (1) N.C. contact(s). Package of 2. For use with ECX4029-2 mounting flange.	Stock	\$4.00
<u>ECX1040N-2</u>	Comepi contact block, replacement, 22mm, (1) N.O. contact(s). Package of 2. For use with ECX4029-2 mounting flange.	Stock	\$4.00
<u>AR9B290</u>	Fuji Electric contact block, replacement, (1) N.O. contact(s). For use with multiple AR series pushbuttons and switches.	Stock	\$7.25
<u>AR9B291</u>	Fuji Electric contact block, replacement, (1) N.C. contact(s). For use with multiple AR series pushbuttons and switches.	Stock	\$7.25
<u>EF03.1</u>	Schmersal contact block, plastic, (1) N.O. contact(s), mounting position 1. For use with N series pushbuttons and switches.	Stock	\$10.00
<u>EF033.1</u>	Schmersal contact block, plastic, (2) N.O. contact(s), mounting position 1. For use with N series pushbuttons and switches.	Stock	\$16.00
<u>EF10.1</u>	Schmersal contact block, plastic, (1) N.C. contact(s), mounting position 1. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$10.00
<u>EF103.1</u>	Schmersal contact block, plastic, (1) N.O./(1) N.C. contact(s), mounting position 1. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$12.50
<u>EF110.1</u>	Schmersal contact block, plastic, (2) N.C. contact(s), mounting position 1. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$15.50
<u>EF220.1</u>	Schmersal contact block, plastic, (2) N.C. contact(s), mounting position 1. For use with N series pushbuttons and switches.	Stock	\$16.00
<u>EF303.1</u>	Schmersal contact block, plastic, (1) N.O./(1) N.C. simultaneous contact(s), mounting position 1. For use with N series pushbuttons and switches.	Stock	\$12.50
<u>EF03.2</u>	Schmersal contact block, plastic, (1) N.O. contact(s), mounting position 2. For use with N series pushbuttons and switches.	Stock	\$10.00
<u>EF033.2</u>	Schmersal contact block, plastic, (2) N.O. contact(s), mounting position 2. For use with N series pushbuttons and switches.	Stock	\$16.00
<u>EF10.2</u>	Schmersal contact block, plastic, (1) N.C. contact(s), mounting position 2. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$10.00
<u>EF103.2</u>	Schmersal contact block, plastic, (1) N.O./(1) N.C. contact(s), mounting position 2. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$12.50
<u>EF110.2</u>	Schmersal contact block, plastic, (2) N.C. contact(s), mounting position 2. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$16.00
<u>EF220.2</u>	Schmersal contact block, plastic, (2) N.C. contact(s), mounting position 2. For use with N series pushbuttons and switches.	Stock	\$16.00
<u>EF303.2</u>	Schmersal contact block, plastic, (1) N.O./(1) N.C. simultaneous contact(s), mounting position 2. For use with N series pushbuttons and switches.	Stock	\$12.50
<u>EF03.3</u>	Schmersal contact block, plastic, (1) N.O. contact(s), mounting position 3. For use with N series pushbuttons and switches.	Stock	\$10.00

<u>EF033.3</u>	Schmersal contact block, plastic, (2) N.O. contact(s), mounting position 3. For use with N series pushbuttons and switches.	Stock	\$16.00
<u>EF10.3</u>	Schmersal contact block, plastic, (1) N.C. contact(s), mounting position 3. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$10.00
<u>EF103.3</u>	Schmersal contact block, plastic, (1) N.O./(1) N.C. contact(s), mounting position 3. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$12.50
<u>EF110.3</u>	Schmersal contact block, plastic, (2) N.C. contact(s), mounting position 3. For use with N series pushbuttons and switches. Not suitable for E-stop devices NDRZ50RT/NDRZ50RT-2905-1.	Stock	\$16.00
<u>EF220.3</u>	Schmersal contact block, plastic, (2) N.C. contact(s), mounting position 3. For use with N series pushbuttons and switches.	Stock	\$16.00
<u>EF303.3</u>	Schmersal contact block, plastic, (1) N.O./(1) N.C. simultaneous contact(s), mounting position 3. For use with N series pushbuttons and switches.	Stock	\$12.50
<u>E22B1</u>	Cutler-Hammer contact block, replacement, (1) N.C. contact(s). For use with 22mm devices.	Stock	\$20.50
<u>E22B2</u>	Cutler-Hammer contact block, replacement, (1) N.O. contact(s). For use with 22mm devices.	Stock	\$20.50
<u>E22B11</u>	Cutler-Hammer contact block, replacement, (1) N.O. and (1) N.C. contact(s). For use with 22mm devices.	Stock	\$36.50
<u>E22B20</u>	Cutler-Hammer contact block, replacement, (2) N.O. contact(s). For use with 22mm devices.	Stock	\$36.50
<u>E22CB1M</u>	Eaton self-monitoring contact block, for use with 22mm (E22) pushbuttons.	Stock	\$47.00
<u>HT8A</u>	Eaton contact block, replacement, 30mm, (1) N.O. contact(s). For use with HT800 series pushbuttons and switches.	Stock	\$16.50
<u>HT8B</u>	Eaton contact block, replacement, 30mm, (1) N.C. contact(s). For use with HT800 series pushbuttons and switches.	Stock	\$16.50
<u>HT8C</u>	Eaton contact block, replacement, 30mm, (1) early-close N.O. contact(s). For use with HT800 series pushbuttons and switches.	Stock	\$40.00
<u>HT8D</u>	Eaton contact block, replacement, 30mm, (1) late-open N.C. contact(s). For use with HT800 series pushbuttons and switches.	Stock	\$16.50
<u>HT8E</u>	Eaton contact block, replacement, 30mm, (1) N.O. contact(s), gold-plated. For use with HT800 series pushbuttons and switches.	Stock	\$33.00
<u>ECX1029-2</u>	AutomationDirect support base, replacement, 22mm, metal. For use with GCX and ECX series pushbuttons and switches.	Stock	\$7.75
<u>ECX3029-2</u>	AutomationDirect support base, replacement, 22mm, plastic. For use with GCX and ECX series pushbuttons and switches.	Stock	\$2.00
<u>ELM</u>	Schmersal mounting flange, replacement. For use with E and N series illuminated pushbuttons.	Stock	\$5.50
<u>EFM</u>	Schmersal mounting flange, replacement. For use with E and N series pushbuttons.	Stock	\$5.50
<u>EFR</u>	Schmersal spring element, for use with Schmersal EDRR40 series emergency stop pushbuttons.	Stock	\$24.00

Lamps, Bulbs and Holders and Pilot Devices

<u>ECX1900-5</u>	AutomationDirect bulb, incandescent, replacement, 6 VAC/VDC, T31/4 bayonet, 1.2W @ 6V. Package of 5. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$10.50
<u>ECX1902-5</u>	AutomationDirect bulb, incandescent, replacement, 24 VAC/VDC, T31/4 bayonet, 80 mA @ 24V. Package of 5. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$10.50
<u>ECX1904-5</u>	AutomationDirect bulb, incandescent, replacement, 130 VAC/VDC, T31/4 bayonet, 20 mA @ 130V. Package of 5. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$22.00
<u>ECX1911-2</u>	AutomationDirect bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, red, 14 mA @ 24V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$19.00
<u>ECX1912-2</u>	AutomationDirect bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, green, 13 mA @ 24V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$24.00
<u>ECX1913-2</u>	AutomationDirect bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, yellow, 13.3 mA @ 24V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$19.00
<u>ECX1914-2</u>	AutomationDirect bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, blue, 13 mA @ 24V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$26.00
<u>ECX1915-2</u>	AutomationDirect bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, white, 19 mA @ 24V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$31.00
<u>ECX1921-2</u>	AutomationDirect bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, red, 5 mA @ 120V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$19.00
<u>ECX1922-2</u>	AutomationDirect bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, green, 5 mA @ 120V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$24.00
<u>ECX1923-2</u>	AutomationDirect bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, yellow, 5 mA @ 120V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$19.00
<u>ECX1924-2</u>	AutomationDirect bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, blue, 5 mA @ 120V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$26.00

<u>ECX1925-2</u>	AutomationDirect bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, white, 5 mA @ 120V. Package of 2. For use with GCX and ECX series pushbuttons, switches and indicators.	Stock	\$31.00
<u>APX510-24R</u>	Fuji Electric bulb, LED, replacement, 24 VAC/VDC, BA9s/13 bayonet, red, 12 mA AC, 11 mA DC, 0.8W. Package of 2.	Stock	\$18.50
<u>APX510-24G</u>	Fuji Electric bulb, LED, replacement, 24 VAC/VDC, BA9s/13 bayonet, green, 12 mA AC, 11 mA DC, 0.8W. Package of 2.	Stock	\$18.50
<u>APX510-24Y</u>	Fuji Electric bulb, LED, replacement, 24 VAC/VDC, BA9s/13 bayonet, yellow, 12 mA AC, 11 mA DC, 0.8W. Package of 2.	Stock	\$18.50
<u>APX510-24S</u>	Fuji Electric bulb, LED, replacement, 24 VAC/VDC, BA9s/13 bayonet, blue, 12 mA AC, 11 mA DC, 0.8W. Package of 2.	Stock	\$68.00
<u>APX510-24O</u>	Fuji Electric bulb, LED, replacement, 24 VAC/VDC, BA9s/13 bayonet, orange, 12 mA AC, 11 mA DC, 0.8W. Package of 2.	Stock	\$18.50
<u>ELDE.NBL230</u>	Schmersal light terminal block, integrated LED, 115-230 VAC, blue, 4W @ 230 VAC. For use with N series illuminated pushbuttons and lights.	Stock	\$50.00
<u>ELDE.NBL24</u>	Schmersal light terminal block, integrated LED, 24 VAC/VDC, blue, 0.4W. For use with N series illuminated pushbuttons and lights.	Stock	\$27.00
<u>ELDE.NGB230</u>	Schmersal light terminal block, integrated LED, 115-230 VAC, yellow, 4W @ 230 VAC. For use with N series illuminated pushbuttons and lights.	Stock	\$50.00
<u>ELDE.NGB24</u>	Schmersal light terminal block, integrated LED, 24 VAC/VDC, yellow, 0.4W. For use with N series illuminated pushbuttons and lights.	Stock	\$27.00
<u>ELDE.NGN230</u>	Schmersal light terminal block, integrated LED, 115-230 VAC, green, 4W @ 230 VAC. For use with N series illuminated pushbuttons and lights.	Stock	\$50.00
<u>ELDE.NGN24</u>	Schmersal light terminal block, integrated LED, 24 VAC/VDC, green, 0.4W. For use with N series illuminated pushbuttons and lights.	Stock	\$27.00
<u>ELDE.NRT230</u>	Schmersal light terminal block, integrated LED, 115-230 VAC, red, 4W @ 230 VAC. For use with N series illuminated pushbuttons and lights.	Stock	\$50.00
<u>ELDE.NRT24</u>	Schmersal light terminal block, integrated LED, 24 VAC/VDC, red, 0.4W. For use with N series illuminated pushbuttons and lights.	Stock	\$27.00
<u>ELDE.NWS230</u>	Schmersal light terminal block, integrated LED, 115-230 VAC, white, 4W @ 230 VAC. For use with N series illuminated pushbuttons and lights.	Stock	\$50.00
<u>ELDE.NWS24</u>	Schmersal light terminal block, integrated LED, 24 VAC/VDC, white, 0.4W. For use with N series illuminated pushbuttons and lights.	Stock	\$27.00
<u>ELE</u>	Schmersal light terminal block, 24 VAC/VDC, BA9s bayonet. For use with N series illuminated pushbuttons and lights. Requires LED.	Stock	\$11.50
<u>ELE230</u>	Schmersal light terminal block, 115-230 VAC, BA9s bayonet. For use with N series illuminated pushbuttons and lights. Requires LED.	Stock	\$31.00
<u>W1819</u>	Eaton bulb, incandescent, replacement, 24 VAC/VDC, BA9s bayonet, 20 mA @ 24V. Package of 4. For use with E22 series pushbuttons, switches and indicators.	Stock	\$37.50
<u>W1226</u>	Eaton bulb, incandescent, replacement, 60 VAC/VDC, BA9s bayonet. Package of 4. For use with E22 series pushbuttons, switches and indicators.	Stock	\$38.50
<u>W1121</u>	Eaton bulb, incandescent, replacement, 120 VAC/VDC, BA9s bayonet, 20 mA @ 120V. Package of 4. For use with E22 series pushbuttons, switches and indicators.	Stock	\$38.50
<u>HT8BULBV7</u>	Eaton bulb, incandescent, replacement, 120 VAC/VDC, BA9s bayonet. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$14.00
<u>HT8BULBV3</u>	Eaton bulb, incandescent, replacement, 24 VAC/VDC, BA9s bayonet. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$14.00
<u>HT8LEDRF3</u>	Eaton bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, red. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$38.50
<u>HT8LEDYF3</u>	Eaton bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, yellow. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$38.50
<u>HT8LEDGF3</u>	Eaton bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, green. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$40.00
<u>HT8LEDBF3</u>	Eaton bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, blue. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$44.00
<u>HT8LEDWF3</u>	Eaton bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, white. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$48.50
<u>HT8LEDAF3</u>	Eaton bulb, LED, replacement, 24 VAC/VDC, BA9s bayonet, amber. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$39.00
<u>HT8LEDRF7</u>	Eaton bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, red. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$38.50
<u>HT8LEDYF7</u>	Eaton bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, yellow. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$38.50
<u>HT8LEDGF7</u>	Eaton bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, green. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$40.00

<u>HT8LEDBF7</u>	Eaton bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, blue. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$44.00
<u>HT8LEDWF7</u>	Eaton bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, white. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$48.50
<u>HT8LEDAF7</u>	Eaton bulb, LED, replacement, 120 VAC/VDC, BA9s bayonet, amber. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$39.00
Miscellaneous Accessories for Pushbuttons, Switches and Indicators			
<u>PL1171PR-5</u>	AutomationDirect mushroom lens, replacement, red. Package of 5. For use with GCX1221 or GCX3221 series pushbuttons.	Stock	\$8.00
<u>PL1298P-5</u>	AutomationDirect mushroom lens, replacement, red. Package of 5. For use with GCX1226 or GCX3226 series pushbuttons.	Stock	\$8.00
<u>GR1168PR-5</u>	AutomationDirect flush lens, replacement, red. Package of 5. For use with GCX series pushbuttons.	Stock	\$10.00
<u>GR1168PV-5</u>	AutomationDirect flush lens, replacement, green. Package of 5. For use with GCX series pushbuttons.	Stock	\$10.00
<u>GR1168PG-5</u>	AutomationDirect flush lens, replacement, yellow. Package of 5. For use with GCX series pushbuttons.	Stock	\$10.00
<u>GR1168PB-5</u>	AutomationDirect flush lens, replacement, blue. Package of 5. For use with GCX series pushbuttons.	Stock	\$10.00
<u>GR1168PN-5</u>	AutomationDirect flush lens, replacement, clear. Package of 5. For use with GCX series pushbuttons.	Stock	\$10.00
<u>GR1168PW-5</u>	AutomationDirect flush lens, replacement, white. Package of 5. For use with GCX series pushbuttons.	Stock	\$10.00
<u>PL1308PR-5</u>	AutomationDirect extended lens, replacement, red. Package of 5. For use with GCX series pushbuttons.	Stock	\$7.75
<u>PL1308PV-5</u>	AutomationDirect extended lens, replacement, green. Package of 5. For use with GCX series pushbuttons.	Stock	\$7.75
<u>PL1308PG-5</u>	AutomationDirect extended lens, replacement, yellow. Package of 5. For use with GCX series pushbuttons.	Stock	\$7.75
<u>PL1308PB-5</u>	AutomationDirect extended lens, replacement, blue. Package of 5. For use with GCX series pushbuttons.	Stock	\$7.75
<u>PL1308PN-5</u>	AutomationDirect extended lens, replacement, clear. Package of 5. For use with GCX series pushbuttons.	Stock	\$7.75
<u>PL1308PW-5</u>	AutomationDirect extended lens, replacement, white. Package of 5. For use with GCX series pushbuttons.	Stock	\$7.75
<u>PL1170PR-5</u>	AutomationDirect indicating light lens, replacement, red. Package of 5. For use with GCX series indicators.	Stock	\$7.75
<u>PL1170PV-5</u>	AutomationDirect indicating light lens, replacement, green. Package of 5. For use with GCX series indicators.	Stock	\$7.75
<u>PL1170PG-5</u>	AutomationDirect indicating light lens, replacement, yellow. Package of 5. For use with GCX series indicators.	Stock	\$7.75
<u>PL1170PB-5</u>	AutomationDirect indicating light lens, replacement, blue. Package of 5. For use with GCX series indicators.	Stock	\$7.75
<u>PL1170PN-5</u>	AutomationDirect indicating light lens, replacement, clear. Package of 5. For use with GCX series indicators.	Stock	\$7.75
<u>PL1170PW-5</u>	AutomationDirect indicating light lens, replacement, white. Package of 5. For use with GCX series indicators.	Stock	\$7.75
<u>GR1172PR-5</u>	AutomationDirect lever lens, replacement, red, 2-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1172PV-5</u>	AutomationDirect lever lens, replacement, green, 2-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1172PG-5</u>	AutomationDirect lever lens, replacement, yellow, 2-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1172PB-5</u>	AutomationDirect lever lens, replacement, blue, 2-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1172PN-5</u>	AutomationDirect lever lens, replacement, clear, 2-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1288PR-5</u>	AutomationDirect lever lens, replacement, red, 3-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1288PV-5</u>	AutomationDirect lever lens, replacement, green, 3-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1288PG-5</u>	AutomationDirect lever lens, replacement, yellow, 3-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1288PB-5</u>	AutomationDirect lever lens, replacement, blue, 3-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>GR1288PN-5</u>	AutomationDirect lever lens, replacement, clear, 3-position, white indicator line. Package of 5. For use with GCX series switches.	Stock	\$18.00
<u>ECX1700-5</u>	AutomationDirect protection cap, black, 22mm, silicone. Package of 5. For use with GCX series standard-size flush pushbuttons.	Stock	\$8.25
<u>ECX1701-5</u>	AutomationDirect protection cap, red, 22mm, silicone. Package of 5. For use with GCX series standard-size flush pushbuttons.	Stock	\$8.25

<u>ECX1702-5</u>	AutomationDirect protection cap, green, 22mm, silicone. Package of 5. For use with GCX series standard-size flush pushbuttons.	Stock	\$8.25
<u>ECX1703-5</u>	AutomationDirect protection cap, yellow, 22mm, silicone. Package of 5. For use with GCX series standard-size flush pushbuttons.	Stock	\$8.25
<u>ECX1704-5</u>	AutomationDirect protection cap, blue, 22mm, silicone. Package of 5. For use with GCX series standard-size flush pushbuttons.	Stock	\$8.25
<u>ECX1705-5</u>	AutomationDirect protection cap, clear, 22mm, silicone. Package of 5. For use with GCX series standard-size flush pushbuttons.	Stock	\$8.25
<u>ECX1706-5</u>	AutomationDirect protection cap, clear, 22mm, silicone. Package of 5. For use with GCX series extended or illuminated pushbuttons.	Stock	\$14.50
<u>AR9C016-R</u>	Fuji Electric mushroom lens, replacement, red. Package of 5. For use with AR22 series pushbuttons.	Stock	\$5.75
<u>AR9C021-R</u>	Fuji Electric mushroom lens, replacement, red, white indicator line. Package of 5. For use with AR22 series pushbuttons.	Stock	\$17.50
<u>AR9C011-R</u>	Fuji Electric flush lens, replacement, red. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C011-G</u>	Fuji Electric flush lens, replacement, green. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C011-Y</u>	Fuji Electric flush lens, replacement, yellow. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C011-S</u>	Fuji Electric flush lens, replacement, blue. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C011-C</u>	Fuji Electric flush lens, replacement, clear. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C012-R</u>	Fuji Electric extended lens, replacement, red. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C012-G</u>	Fuji Electric extended lens, replacement, green. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C012-Y</u>	Fuji Electric extended lens, replacement, yellow. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C012-S</u>	Fuji Electric extended lens, replacement, blue. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9C012-C</u>	Fuji Electric extended lens, replacement, clear. Package of 5. For use with AR22 series pushbuttons.	Stock	\$2.75
<u>AR9M005-R</u>	Fuji Electric lever lens, replacement, red, 2-position, white indicator line. Package of 5. For use with AR22 series switches.	Stock	\$4.00
<u>AR9M005-G</u>	Fuji Electric lever lens, replacement, green, 2-position, white indicator line. Package of 5. For use with AR22 series switches.	Stock	\$4.00
<u>AR9M005-Y</u>	Fuji Electric lever lens, replacement, yellow, 2-position, white indicator line. Package of 5. For use with AR22 series switches.	Stock	\$4.00
<u>AR9M005-S</u>	Fuji Electric lever lens, replacement, blue, 2-position, white indicator line. Package of 5. For use with AR22 series switches.	Stock	\$4.00
<u>AR3-1X0</u>	Captron cover ring, red. For use with CHT3 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>AR3-1X1</u>	Captron cover ring, green. For use with CHT3 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>AR3-1X5</u>	Captron cover ring, yellow. For use with CHT3 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>AR3-1X6</u>	Captron cover ring, black. For use with CHT3 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>AR4-BX0</u>	Captron cover ring, red. For use with CHT4 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>AR4-BX1</u>	Captron cover ring, green. For use with CHT4 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>AR4-BX5</u>	Captron cover ring, yellow. For use with CHT4 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>AR4-BX6</u>	Captron cover ring, black. For use with CHT4 capacitive pushbutton sensor switches.	Stock	\$24.50
<u>GRCA-001</u>	Comepi SB series mounting magnets, package of 4. For use with Comepi control stations and pushbutton enclosures. Mounting hardware included.	Stock	\$18.00
<u>AHX082</u>	Fuji Electric key washer, replacement, 30mm, metal. Package of 5. For use with AR30 and DR30 series pushbuttons, switches, indicators and buzzers.	Stock	\$1.25
<u>AHX088</u>	Fuji Electric lock nut, replacement, 30mm, metal. Package of 5. For use with AR30F0R, DR30D0L, E0L, E0R and Q7L series pushbuttons, switches and indicators.	Stock	\$6.25
<u>AHX093</u>	Fuji Electric lock nut, replacement, 30mm, metal. Package of 5. For use with AR30M0R, A_N, JR, PL, PR, Q2R and WR series pushbuttons, switches and indicators.	Stock	\$6.25
<u>AHX282</u>	Fuji Electric sealing/spacer washer, replacement, 30mm. Package of 5. For use with AR30 and DR30 series pushbuttons, switches, indicators and buzzers.	Stock	\$1.25
<u>AR9R055</u>	Fuji Electric guard ring, replacement, 30mm, metal. Package of 5. For use with AR30G2L series pushbuttons.	Stock	\$19.50
<u>AR9R744</u>	Fuji Electric lock nut, replacement, 22mm, plastic. Package of 5. For use with AR22 series pushbuttons, switches and indicators.	Stock	\$2.75
<u>EDT-25-5ST</u>	Schmersal pilot device seal, replacement. Package of 5.	Stock	\$7.50

<u>ECX2790</u>	Comepi SB series guard, yellow. For use with Comepi 22mm pushbuttons. For emergency stop applications.	Stock	\$4.00
<u>E22MGTA</u>	Eaton guard, yellow. For use with 22mm (E22) pushbuttons. For emergency stop applications.	Stock	\$30.50
<u>E22LRM</u>	Eaton optional metal locking ring, package of 10. For use with E22 operators.	Stock	\$6.50
<u>HT8A15</u>	Eaton guard, 30mm. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$16.50
<u>HT8X1</u>	Eaton anti-rotation ring, 30mm. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$3.25
<u>HT8X2</u>	Eaton trim ring, 30mm. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$3.25
<u>HT8X3</u>	Eaton sealing/spacer washer, 30mm. For use with HT800 series pushbuttons, switches and indicators.	Stock	\$3.25
<u>ECX1067-2</u>	AutomationDirect key, replacement, metal. Package of 4. For use with GCX series selector switches with key actuation.	Stock	\$7.25
<u>AR6C662-A</u>	Fuji Electric key, replacement, metal. Package of 2. For use with AF16JR series selector switches with key actuation.	Stock	\$7.00
<u>AR9C022-A</u>	Fuji Electric key, replacement, metal. Package of 4. For use with AR22JR and AR30JR series selector switches with key actuation.	Stock	\$7.75
<u>ECX1490</u>	AutomationDirect hole seal, package of 2. For use with 22.5mm openings in panels and enclosures. O-ring and mounting screw included.	Stock	\$3.00
<u>E22BHP</u>	Eaton hole seal, nylon, black. For use with 22mm hole.	Stock	\$14.00
<u>NB</u>	Schmersal pilot device hole seal, 22mm, silver.	Stock	\$12.50
<u>NUE</u>	Schmersal pilot device hole adapter, reduces from 30.5mm to 22.3mm. Adapter ring, seal and washer included.	Stock	\$7.25
<u>ECX1608</u>	Comepi SB series installation/removal tool, for use with Comepi 22mm pushbuttons.	Stock	\$2.00
<u>AHX790</u>	Fuji Electric bulb installation/removal tool. For use with AR22 and AR30 series pushbuttons, switches and indicators.	Stock	\$4.00
<u>AHX702</u>	Fuji Electric bulb and lens installation/removal tool. For use with AR22 and AR30 series pushbuttons, switches and indicators.	Stock	\$7.00
<u>AR9A004</u>	Fuji Electric installation/removal tool. For use with AR22, AR30, DR22 and DR30 series pushbuttons, switches, indicators and buzzers.	Stock	\$5.75
<u>AR9A006</u>	Fuji Electric mounting wrench. For use with AR22, AR30, DR22 and DR30 series pushbuttons, switches, indicators and buzzers.	Stock	\$37.00
<u>HT8WRENCH</u>	Eaton installation/removal wrench. For use with E22 and HT800 series pushbuttons, switches and indicators.	Stock	\$19.00
<u>HT8LAMPTOOL</u>	Eaton bulb installation/removal tool. For use with E22 and HT800 series pushbuttons, switches and indicators.	Stock	\$10.00
<u>HT8GR1</u>	Cutler-Hammer 30mm grounding kit, for use with 30mm switches, includes ring terminals, bolt and nut.	Stock	\$3.25
<u>HT8GR2</u>	Cutler-Hammer 30mm grounding kit, for use with 30mm indicating lights, includes ring terminals, bolt and nut.	Stock	\$3.25
Hazardous Location Pushbutton Control Station Assemblies			
<u>FXCS-0B1</u>	Killark control station cover assembly, hazardous location rated, factory sealed, (1) pushbutton, green, momentary, (1) N.O. contact(s), legend plate marking "START".	Stock	\$343.00
<u>FXCS-0B2</u>	Killark control station cover assembly, hazardous location rated, factory sealed, (1) pushbutton, red, momentary, (1) N.C. contact(s), legend plate marking "STOP".	Stock	\$343.00
<u>FXCS-0B3</u>	Killark control station cover assembly, hazardous location rated, factory sealed, (1) pushbutton, black, momentary, (1) N.O./(1) N.C. contact(s), blank legend plate(s).	Stock	\$381.00
<u>FXCS-0B4</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pushbuttons, red/green, momentary, (1) N.O. and (1) N.C. contact(s), legend plate marking "START / STOP".	Stock	\$435.00
<u>FXCS-0B4U</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pushbuttons, red/green, momentary, (1) N.O./(1) N.C. and (1) N.O./(1) N.C. contact(s), legend plate marking "START / STOP".	Stock	\$467.00
<u>FXCS-0B5</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pushbuttons, green/green, momentary, (1) N.O. and (1) N.O. contact(s), legend plate marking "START / START".	Stock	\$435.00
<u>FXCS-0B7</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pushbuttons, black/black, momentary, (1) N.O./(1) N.C. and (1) N.O./(1) N.C. contact(s), (2) blank legend plate(s).	Stock	\$467.00
<u>XCS-0B1</u>	Killark control station cover assembly, hazardous location rated, (1) pushbutton, green, momentary, (1) N.O. contact(s), legend plate marking "START".	Stock	\$225.00
<u>XCS-0B2</u>	Killark control station cover assembly, hazardous location rated, (1) pushbutton, red, momentary, (1) N.C. contact(s), legend plate marking "STOP".	Stock	\$225.00
<u>XCS-0B3</u>	Killark control station cover assembly, hazardous location rated, (1) pushbutton, black, momentary, (1) N.O./(1) N.C. contact(s), blank legend plate(s).	Stock	\$267.00
<u>XCS-0B4</u>	Killark control station cover assembly, hazardous location rated, two pushbuttons, red/green, momentary, (1) N.O. and (1) N.C. contact(s), legend plate marking "START / STOP".	Stock	\$296.00

<u>XCS-0B4-U</u>	Killark control station cover assembly, hazardous location rated, two pushbuttons, red/green, momentary, (1) N.O/(1) N.C. and (1) N.O/(1) N.C. contact(s), legend plate marking "START / STOP".	Stock	\$383.00
<u>XCS-0B5</u>	Killark control station cover assembly, hazardous location rated, two pushbuttons, green/green, momentary, (1) N.O. and (1) N.O. contact(s), legend plate marking "START / START".	Stock	\$296.00
<u>XCS-0B7</u>	Killark control station cover assembly, hazardous location rated, two pushbuttons, black/black, momentary, (1) N.O/(1) N.C. and (1) N.O/(1) N.C. contact(s), (2) blank legend plate(s).	Stock	\$382.00
Hazardous Location Pilot Light Control Station Assemblies			
<u>FXCS-0B24ALD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single pilot light, indicating light, amber, 110 VAC/VDC LED, amber, operator only, blank legend plate(s).	Stock	\$577.00
<u>FXCS-0B24CLD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single pilot light, indicating light, clear, 110 VAC/VDC LED, operator only, blank legend plate(s).	Stock	\$395.00
<u>FXCS-0B24GLD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single pilot light, indicating light, green, 110 VAC/VDC LED, green, operator only, blank legend plate(s).	Stock	\$408.00
<u>FXCS-0B24RLD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single pilot light, indicating light, red, 110 VAC/VDC LED, red, operator only, blank legend plate(s).	Stock	\$395.00
<u>FXCS-0B30ALD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pilot lights, indicating light, amber/amber, 110 VAC/VDC LED, amber, operator only, (2) blank legend plate(s).	Stock	\$883.00
<u>FXCS-0B30CLD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pilot lights, indicating light, clear/clear, 110 VAC/VDC LED, clear/white, operator only, (2) blank legend plate(s).	Stock	\$628.00
<u>FXCS-0B30GLD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pilot lights, indicating light, green/green, 110 VAC/VDC LED, green, operator only, (2) blank legend plate(s).	Stock	\$540.00
<u>FXCS-0B30RLD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pilot lights, indicating light, red/red, 110 VAC/VDC LED, red, operator only, (2) blank legend plate(s).	Stock	\$628.00
<u>FXCS-0B30RLD-GLD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, two pilot lights, indicating light, red/green, 110 VAC/VDC LED, red/green, operator only, (2) blank legend plate(s).	Stock	\$532.00
<u>XCS-0B24ALD</u>	Killark control station cover assembly, hazardous location rated, single pilot light, indicating light, amber, 110 VAC/VDC LED, amber, operator only, blank legend plate(s).	Stock	\$414.00
<u>XCS-0B24CLD</u>	Killark control station cover assembly, hazardous location rated, single pilot light, indicating light, clear, 110 VAC/VDC LED, operator only, blank legend plate(s).	Stock	\$302.00
<u>XCS-0B24GLD</u>	Killark control station cover assembly, hazardous location rated, single pilot light, indicating light, green, 110 VAC/VDC LED, green, operator only, blank legend plate(s).	Stock	\$290.00
<u>XCS-0B24RLD</u>	Killark control station cover assembly, hazardous location rated, single pilot light, indicating light, red, 110 VAC/VDC LED, red, operator only, blank legend plate(s).	Stock	\$290.00
<u>XCS-0B30ALD</u>	Killark control station cover assembly, hazardous location rated, two pilot lights, indicating light, amber/amber, 110 VAC/VDC LED, amber, operator only, (2) blank legend plate(s).	Stock	\$658.00
<u>XCS-0B30CLD</u>	Killark control station cover assembly, hazardous location rated, two pilot lights, indicating light, clear/clear, 110 VAC/VDC LED, clear/white, operator only, (2) blank legend plate(s).	Stock	\$380.00
<u>XCS-0B30GLD</u>	Killark control station cover assembly, hazardous location rated, two pilot lights, indicating light, green/green, 110 VAC/VDC LED, green, operator only, (2) blank legend plate(s).	Stock	\$377.00
<u>XCS-0B30RLD</u>	Killark control station cover assembly, hazardous location rated, two pilot lights, indicating light, red/red, 110 VAC/VDC LED, red, operator only, (2) blank legend plate(s).	Stock	\$561.00
<u>XCS-0B30RLD-GLD</u>	Killark control station cover assembly, hazardous location rated, two pilot lights, indicating light, red/green, 110 VAC/VDC LED, red/green, operator only, (2) blank legend plate(s).	Stock	\$426.00
Hazardous Location Pushbutton / Pilot Light Combo Control Station Assemblies			
<u>FXCS-0B13-OD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single pilot light, single pushbutton, green, 110 VAC/VDC LED, green, momentary, (1) N.O. contact(s), blank legend plate(s), legend plate marking "START".	Stock	\$460.00
<u>FXCS-0B13-UD</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single pilot light, single pushbutton, black, 110 VAC/VDC LED, red, momentary, (1) N.O./(1) N.C. contact(s), (2) blank legend plate(s).	Stock	\$467.00
<u>FXCS-0A15D</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single pilot light, two mini-pushbuttons, red/green, 110 VAC/VDC LED, red, momentary, (1) N.O./(1) N.C. contact(s), blank legend plate(s), legend plate marking "START, STOP".	Stock	\$608.00
<u>XCS-0B13-CD</u>	Killark control station cover assembly, hazardous location rated, single pilot light, single pushbutton, red, 110 VAC/VDC LED, red, momentary, (1) N.C. contact(s), blank legend plate(s), legend plate marking "STOP".	Stock	\$299.00
<u>XCS-0B13-OD</u>	Killark control station cover assembly, hazardous location rated, single pilot light, single pushbutton, green, 110 VAC/VDC LED, red, momentary, (1) N.O. contact(s), blank legend plate(s), legend plate marking "START".	Stock	\$299.00
<u>XCS-0B13-UD</u>	Killark control station cover assembly, hazardous location rated, single pilot light, single pushbutton, black, 110 VAC/VDC LED, red, momentary, (1) N.O./(1) N.C. contact(s), (2) blank legend plate(s).	Stock	\$377.00
<u>XCS-0A15D</u>	Killark control station cover assembly, hazardous location rated, single pilot light, two mini-pushbuttons, red/green, 110 VAC/VDC LED, red, momentary, (1) N.O./(1) N.C. contact(s), blank legend plate(s), legend plate marking "START, STOP".	Stock	\$475.00

Hazardous Location Mushroom Pushbutton Control Station Assemblies			
<u>FXCS-0MMG3</u>	Killark control station cover assembly, hazardous location rated, factory sealed, (1) pushbutton, mushroom, green, push-pull, (1) N.O./ (1) N.C. contact(s), (3) two-sided legend plate(s), legend plate marking "START,STOP / EMERGENCY STOP, RESET / blank, RESET".	Stock	\$839.00
<u>FXCS-0MMR3</u>	Killark control station cover assembly, hazardous location rated, factory sealed, (1) pushbutton, mushroom, red, push-pull, (1) N.O./ (1) N.C. contact(s), (3) two-sided legend plate(s), legend plate marking "START,STOP / EMERGENCY STOP, RESET / blank, RESET".	Stock	\$783.00
<u>FXCS-0MMK3</u>	Killark control station cover assembly, hazardous location rated, factory sealed, (1) pushbutton, mushroom, black, push-pull, (1) N.O./ (1) N.C. contact(s), legend plate marking "START,STOP / EMERGENCY STOP, RESET / blank, RESET".	Stock	\$839.00
<u>XCS-0MMG3</u>	Killark control station cover assembly, hazardous location rated, (1) pushbutton, mushroom, green, push-pull, (1) N.O./ (1) N.C. contact(s), (3) two-sided legend plate(s), legend plate marking "START,STOP / EMERGENCY STOP, RESET / blank, RESET".	Stock	\$725.00
<u>XCS-0MMR3</u>	Killark control station cover assembly, hazardous location rated, (1) pushbutton, mushroom, red, push-pull, (1) N.O./ (1) N.C. contact(s), (3) two-sided legend plate(s), legend plate marking "START,STOP / EMERGENCY STOP, RESET / blank, RESET".	Stock	\$676.00
<u>XCS-0MMK3</u>	Killark control station cover assembly, hazardous location rated, (1) pushbutton, mushroom, black, push-pull, (1) N.O./ (1) N.C. contact(s), (3) two-sided legend plate(s), legend plate marking "START,STOP / EMERGENCY STOP, RESET / blank, RESET".	Stock	\$725.00
Hazardous Location Selector Switch Control Station Assemblies			
<u>FXCS-0S2A1</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 2-position, black, maintained, (1) N.O./ (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$468.00
<u>FXCS-0S2A5</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 2-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$440.00
<u>FXCS-0K2A1A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 2-position, black, maintained, (1) N.O. and (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$707.00
<u>FXCS-0K2A5A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 2-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$747.00
<u>FXCS-0S3C4</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 3-position, black, maintained, (1) N.O./ (1) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$472.00
<u>FXCS-0S3C5</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 3-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$450.00
<u>FXCS-0K3C4A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 3-position, black, maintained, (1) N.O./ (1) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$602.00
<u>FXCS-0K3C5A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 3-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$543.00
<u>FXCS-0S2L3F</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 2-position, black, spring return from right, (1) N.O./ (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$556.00
<u>FXCS-0K2L3F22A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 2-position, black, spring return from right, (1) N.O./ (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$749.00
<u>FXCS-0S3M6G</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 3-position, black, spring return to center from right or left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$460.00
<u>FXCS-0S3L6G</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 3-position, black, spring return to center from right, maintained center and left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$460.00
<u>FXCS-0S3R6G</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, knob, 3-position, black, spring return to center from left, maintained center and right, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$460.00
<u>FXCS-0K3M6G32A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 3-position, black, spring return to center from right or left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$687.00
<u>FXCS-0K3L6G32A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 3-position, black, spring return to center from right, maintained center and left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$687.00
<u>FXCS-0K3R6G32A</u>	Killark control station cover assembly, hazardous location rated, factory sealed, single selector switch, key-operated, 3-position, black, spring return to center from left, maintained center and right, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$651.00
<u>XCS-0S2A1</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 2-position, black, maintained, (1) N.O./ (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$296.00
<u>XCS-0S2A5</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 2-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$386.00

<u>XCS-0S3C4</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 3-position, black, maintained, (1) N.O./ (1) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$296.00
<u>XCS-0S3C5</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 3-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$386.00
<u>XCS-0K2A1A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 2-position, black, maintained, (1) N.O./ (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$381.00
<u>XCS-0K2A5A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 2-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$460.00
<u>XCS-0K3C4A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 3-position, black, maintained, (1) N.O./ (1) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$365.00
<u>XCS-0K3C5A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 3-position, black, maintained, (2) N.O./ (2) N.C. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$460.00
<u>XCS-0S2L3F</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 2-position, black, spring return from right, (1) N.O./ (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$400.00
<u>XCS-0S3M6G</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 3-position, black, spring return to center from right or left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$400.00
<u>XCS-0S3L6G</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 3-position, black, spring return to center from right, maintained center and left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$400.00
<u>XCS-0S3R6G</u>	Killark control station cover assembly, hazardous location rated, single selector switch, knob, 3-position, black, spring return to center from left, maintained center and right, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$400.00
<u>XCS-0K2L3F22A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 2-position, black, spring return from right, (1) N.O./ (1) N.C. contact(s), legend plate marking "OFF ON".	Stock	\$373.00
<u>XCS-0K3M6G32A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 3-position, black, spring return to center from right or left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$460.00
<u>XCS-0K3L6G32A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 3-position, black, spring return to center from right, maintained center and left, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$460.00
<u>XCS-0K3R6G32A</u>	Killark control station cover assembly, hazardous location rated, single selector switch, key-operated, 3-position, black, spring return to center from left, maintained center and right, (2) N.O. contact(s), legend plate marking "HAND OFF AUTO".	Stock	\$460.00

Device / Splice Boxes for Hazardous Location Control Station Assemblies

<u>FXB-1</u>	Killark device/splice box, dead end, (1) gang, factory sealed, (1) 1/2in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$78.00
<u>FXB-2</u>	Killark device/splice box, dead end, (1) gang, factory sealed, (1) 3/4in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$74.00
<u>FXB-3</u>	Killark device/splice box, dead end, (1) gang, factory sealed, (1) 1in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$88.00
<u>FXB-4</u>	Killark device/splice box, feed through, (1) gang, factory sealed, (2) 1/2in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$80.00
<u>FXB-5</u>	Killark device/splice box, feed through, (1) gang, factory sealed, (2) 3/4in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$82.00
<u>FXB-6</u>	Killark device/splice box, feed through, (1) gang, factory sealed, (2) 1in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$105.00
<u>FXB-7</u>	Killark device/splice box, dead end, (2) gang, factory sealed, (1) 1/2in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$179.00
<u>FXB-8</u>	Killark device/splice box, dead end, (2) gang, factory sealed, (1) 3/4in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$153.00
<u>FXB-9</u>	Killark device/splice box, dead end, (2) gang, factory sealed, (1) 1in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$152.00
<u>FXB-10</u>	Killark device/splice box, feed through, (2) gang, factory sealed, (2) 1/2in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$155.00
<u>FXB-11</u>	Killark device/splice box, feed through, (2) gang, factory sealed, (2) 3/4in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$157.00
<u>FXB-12</u>	Killark device/splice box, feed through, (2) gang, factory sealed, (2) 1in female NPT conduit entries, aluminum. Use with FXCS series factory sealed cover assemblies for hazardous locations.	Stock	\$155.00
<u>X-10</u>	Killark blank cover, for use with SWB series device splice boxes.	Stock	\$80.00
<u>SWB-2</u>	Killark device/splice box, dead end, (1) gang, (1) 3/4in female NPT conduit entries, aluminum. Use with XCS series cover assemblies for hazardous locations.	Stock	\$74.00
<u>SWB-5</u>	Killark device/splice box, feed through, (1) gang, (2) 3/4in female NPT conduit entries, aluminum. Use with XCS series cover assemblies for hazardous locations.	Stock	\$75.00

<u>SWB-8</u>	Killark device/splice box, dead end, (2) gang, (1) 3/4in female NPT conduit entries, aluminum. Use with XCS series cover assemblies for hazardous locations.	Stock	\$144.00
<u>SWB-11</u>	Killark device/splice box, feed through, (2) gang, (2) 3/4in female NPT conduit entries, aluminum. Use with XCS series cover assemblies for hazardous locations.	Stock	\$143.00
<u>SWB-42</u>	Killark device/splice box, deep dead end, (1) gang, (1) 3/4in female NPT conduit entries, aluminum. Use with XCS series cover assemblies for hazardous locations.	Stock	\$209.00
<u>SWB-45</u>	Killark device/splice box, deep feed through, (1) gang, (2) 3/4in female NPT conduit entries, aluminum. Use with XCS series cover assemblies for hazardous locations.	Stock	\$258.00
Sealing Materials for Hazardous Location Control Station Assemblies			
<u>ENY-2</u>	Killark sealing fitting, 3/4in, hazardous location. Suitable for vertical or horizontal installation.	Stock	\$35.00
<u>SC-4-OZ</u>	Killark sealing compound, 4-ounce container. For use with hazardous location sealing fittings.	Stock	\$13.50
<u>SC-8-OZ</u>	Killark sealing compound, 8-ounce container. For use with hazardous location sealing fittings.	Stock	\$13.50
<u>SC-1-LB</u>	Killark sealing compound, 1-pound container. For use with hazardous location sealing fittings.	Stock	\$25.00
<u>PF-2</u>	Killark packing fiber, 2-ounce container. For use with hazardous location sealing fittings.	Stock	\$32.50
<u>PF-4</u>	Killark packing fiber, 4-ounce container. For use with hazardous location sealing fittings.	Stock	\$58.00
<u>PF-16</u>	Killark packing fiber, 1-pound container. For use with hazardous location sealing fittings.	Stock	\$172.00
Bulbs and Keys for Hazardous Location Control Station Assemblies			
<u>GOLED-A110</u>	Killark LED lamp, replacement, 110 VAC/VDC, amber. For use with FXCS and XCS pilot lights.	Stock	\$79.00
<u>GOLED-G110</u>	Killark LED lamp, replacement, 110 VAC/VDC, green. For use with FXCS and XCS pilot lights.	Stock	\$79.00
<u>GOLED-R110</u>	Killark LED lamp, replacement, 110 VAC/VDC, red. For use with FXCS and XCS pilot lights.	Stock	\$79.00
<u>GOLED-W110</u>	Killark LED lamp, replacement, 110 VAC/VDC, white. For use with FXCS and XCS pilot lights.	Stock	\$79.00
<u>KEY-C002B</u>	Killark key, replacement. For use with FXCS and XCS key-operated selector switches.	Stock	\$15.00
Emergency Stop Control Stations			
<u>SB115-012-G</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, (1) N.C. contact(s), operator text arrow.	Stock	\$31.00
<u>SB115-013-G</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, (1) N.O./(1) N.C. contact(s), operator text arrow.	Stock	\$34.00
<u>SB115-015-G</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, (2) N.C. contact(s), operator text arrow.	Stock	\$34.00
<u>SB115-102-G</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (1) N.C. contact(s), operator text arrow.	Stock	\$34.00
<u>SB115-103-G</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (1) N.O./(1) N.C. contact(s), operator text arrow.	Stock	\$37.00
<u>SB115-105-G</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (2) N.C. contact(s), operator text arrow.	Stock	\$37.00
<u>SB115-012-G-M</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, (1) N.C. contact(s), operator text arrow. Requires 5-pin female M12 cable.	Stock	\$46.00
<u>SB115-013-G-M</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, (1) N.O./(1) N.C. contact(s), operator text arrow. Requires 5-pin female M12 cable.	Stock	\$51.00
<u>SB115-015-G-M</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, (2) N.C. contact(s), operator text arrow. Requires 5-pin female M12 cable.	Stock	\$51.00
<u>SB115-102-G-M</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (1) N.C. contact(s), operator text arrow. Requires 5-pin female M12 cable.	Stock	\$50.00
<u>SB115-103-G-M</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (1) N.O./(1) N.C. contact(s), operator text arrow. Requires 5-pin female M12 cable.	Stock	\$55.00
<u>SB115-105-G-M</u>	Comepi emergency stop control station, polycarbonate, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (2) N.C. contact(s), operator text arrow. Requires 5-pin female M12 cable.	Stock	\$55.00
<u>ES-P-230001</u>	IDEM emergency stop control station, plastic, (1) pushbutton, mushroom, red, twist-to-release, (1) N.O./(2) N.C. contact(s).	Stock	\$43.50
<u>ES-P-230002</u>	IDEM emergency stop control station, plastic, (1) pushbutton, mushroom, red, twist-to-release, (3) N.C. contact(s).	Stock	\$43.50
<u>ES-SS-231002</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, (1) N.O./(2) N.C. contact(s).	Stock	\$202.00
<u>ES-SS-231004</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, (3) N.C. contact(s).	Stock	\$202.00

<u>ES-SSP-231006</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (1) N.O./(2) N.C. contact(s).	Stock	\$215.00
<u>ES-SSP-231008</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, guarded and padlockable, (3) N.C. contact(s).	Stock	\$215.00
<u>ESL-SS-232002</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, (2) N.O./(2) N.C. contact(s).	Stock	\$212.00
<u>ESL-SS-232004</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, (1) N.O./(3) N.C. contact(s).	Stock	\$212.00
<u>ESL-SS-232006</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, (4) N.C. contact(s).	Stock	\$212.00
<u>ESL-SSP-232010</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, guarded, (2) N.O./(2) N.C. contact(s).	Stock	\$224.00
<u>ESL-SSP-232012</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, guarded, (1) N.O./(3) N.C. contact(s).	Stock	\$224.00
<u>ESL-SSP-232014</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, twist-to-release, guarded, (4) N.C. contact(s).	Stock	\$224.00
<u>ESL-SSL-232018-AS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, (2) N.O./(2) N.C. contact(s).	Stock	\$256.00
<u>ESL-SSL-232018-BS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 110 VAC LED, red/green, twist-to-release, (2) N.O./(2) N.C. contact(s).	Stock	\$262.00
<u>ESL-SSL-232020-AS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, (1) N.O./(3) N.C. contact(s).	Stock	\$256.00
<u>ESL-SSL-232020-BS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 110 VAC LED, red/green, twist-to-release, (1) N.O./(3) N.C. contact(s).	Stock	\$262.00
<u>ESL-SSLP-232024-AS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, guarded and padlockable, (2) N.O./(2) N.C. contact(s).	Stock	\$270.00
<u>ESL-SSLP-232024-BS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 110 VAC LED, red/green, twist-to-release, guarded and padlockable, (2) N.O./(2) N.C. contact(s).	Stock	\$275.00
<u>ESL-SSLP-232026-AS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, guarded and padlockable, (1) N.O./(3) N.C. contact(s).	Stock	\$270.00
<u>ESL-SSLP-232026-BS</u>	IDEM emergency stop control station, 316 stainless steel, (1) pushbutton, mushroom, red, 110 VAC LED, red/green, twist-to-release, guarded and padlockable, (1) N.O./(3) N.C. contact(s).	Stock	\$275.00
<u>E22ASB106</u>	Eaton emergency stop control station, (1) pushbutton, mushroom, red, twist-to-release, (1) N.C. contact(s), legend plate marking "EMERG. STOP".	Stock	\$170.00
Start / Stop Combo Control Stations			
<u>SB114-011-G</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, white, momentary, (1) N.O. contact(s), operator text START.	Stock	\$24.00
<u>SB114-021-G</u>	Comepi control station, polycarbonate, (1) pushbutton, extended, black, momentary, (1) N.O. contact(s), operator text STOP.	Stock	\$24.00
<u>SB114-022-G</u>	Comepi control station, polycarbonate, (1) pushbutton, extended, black, momentary, (1) N.C. contact(s), operator text STOP.	Stock	\$24.00
<u>SB114-031-G</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, green, momentary, (1) N.O. contact(s), operator text (I).	Stock	\$23.00
<u>SB114-042-G</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, red, momentary, (1) N.C. contact(s), operator text (O).	Stock	\$23.00
<u>SB114-081-G</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, black, momentary, (1) N.O. contact(s).	Stock	\$22.00
<u>SB114-051-G</u>	Comepi control station, polycarbonate, (1) selector switch, knob, 2-position, black, maintained, (1) N.O. contact(s), legend plate marking "O - I".	Stock	\$26.00
<u>SB114-073-G</u>	Comepi control station, polycarbonate, (1) selector switch, knob, 3-position, black, maintained, (2) N.O. contact(s), legend plate marking "O -I -2".	Stock	\$28.00
<u>SB114-061-G</u>	Comepi control station, polycarbonate, (1) key switch, key-operated, 2-position, black, maintained, (1) N.O. contact(s), legend plate marking "O - I".	Stock	\$39.00
<u>SB214-013-G</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, black/black, momentary, (1) N.O. and (1) N.O. contact(s), operator text up arrow and down arrow.	Stock	\$34.00
<u>SB214-024-G</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, red/green, momentary, (1) N.O. and (1) N.C. contact(s), operator text (I) and (O).	Stock	\$34.00
<u>SB214-034-G</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, red/green, momentary, (1) N.O. and (1) N.C. contact(s).	Stock	\$32.00
<u>SB214-044-G</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, red/green, momentary, (1) N.O. and (1) N.C. contact(s), legend plate marking "START / STOP".	Stock	\$37.00
<u>SB314-017-G</u>	Comepi control station, polycarbonate, (3) pushbuttons, multi-operator, green/red/green, momentary, (1) N.O., (1) N.C. and (1) N.O. contact(s), operator text (I), (O) and (II).	Stock	\$43.00

<u>SB414-01B-G</u>	Comepi control station, polycarbonate, (4) pushbuttons, multi-operator, red/white/black/blue, twist-to-release/momentary, (1) N.C., (1) N.O., (1) N.O. and (1) N.O. contact(s), operator text arrow, up arrow, down arrow and RESET.	Stock	\$68.00
<u>SB114-011-G-M</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, white, momentary, (1) N.O. contact(s), operator text START. Requires 5-pin female M12 cable.	Stock	\$39.00
<u>SB114-021-G-M</u>	Comepi control station, polycarbonate, (1) pushbutton, extended, black, momentary, (1) N.O. contact(s), operator text STOP. Requires 5-pin female M12 cable.	Stock	\$39.00
<u>SB114-022-G-M</u>	Comepi control station, polycarbonate, (1) pushbutton, extended, black, momentary, (1) N.C. contact(s), operator text STOP. Requires 5-pin female M12 cable.	Stock	\$39.00
<u>SB114-031-G-M</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, green, momentary, (1) N.O. contact(s), operator text (I). Requires 5-pin female M12 cable.	Stock	\$38.00
<u>SB114-042-G-M</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, red, momentary, (1) N.C. contact(s), operator text (O). Requires 5-pin female M12 cable.	Stock	\$38.00
<u>SB114-081-G-M</u>	Comepi control station, polycarbonate, (1) pushbutton, flush, black, momentary, (1) N.O. contact(s). Requires 5-pin female M12 cable.	Stock	\$38.00
<u>SB114-051-G-M</u>	Comepi control station, polycarbonate, (1) selector switch, knob, 2-position, black, maintained, (1) N.O. contact(s). Requires 5-pin female M12 cable.	Stock	\$41.00
<u>SB114-073-G-M</u>	Comepi control station, polycarbonate, (1) selector switch, knob, 3-position, black, maintained, (2) N.O. contact(s). Requires 5-pin female M12 cable.	Stock	\$46.00
<u>SB114-061-G-M</u>	Comepi control station, polycarbonate, (1) key switch, key-operated, 2-position, black, maintained, (1) N.O. contact(s). Requires 5-pin female M12 cable.	Stock	\$55.00
<u>SB214-013-G-M</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, black/black, momentary, (1) N.O. and (1) N.O. contact(s), operator text up arrow and down arrow. Requires 5-pin female M12 cable.	Stock	\$51.00
<u>SB214-024-G-M</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, red/green, momentary, (1) N.O. and (1) N.C. contact(s), operator text (I) and (O). Requires 5-pin female M12 cable.	Stock	\$51.00
<u>SB214-034-G-M</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, red/green, momentary, (1) N.O. and (1) N.C. contact(s). Requires 5-pin female M12 cable.	Stock	\$50.00
<u>SB214-044-G-M</u>	Comepi control station, polycarbonate, (2) pushbuttons, multi-operator, red/green, momentary, (1) N.O. and (1) N.C. contact(s), legend plate marking "START / STOP". Requires 5-pin female M12 cable.	Stock	\$54.00
<u>SB314-017-G-M</u>	Comepi control station, polycarbonate, (3) pushbuttons, multi-operator, green/red/green, momentary, (1) N.O., (1) N.C. and (1) N.O. contact(s), operator text (I), (O) and (II). Requires 8-pin female M12 cable.	Stock	\$70.00
<u>SB414-01B-G-M</u>	Comepi control station, polycarbonate, (4) pushbuttons, multi-operator, red/white/black/blue, twist-to-release/momentary, (1) N.C., (1) N.O., (1) N.O. and (1) N.O. contact(s), operator text arrow, up arrow, down arrow and RESET. Requires 8-pin female M12 cable.	Stock	\$96.00
<u>E22ASB204</u>	Eaton control station cover assembly, red/green, momentary, (1) N.O./(1) N.C. contact(s), legend plate marking "START, STOP".	Stock	\$150.00

Electric Foot Switches

<u>APS1211-V0</u>	AutomationDirect electric foot switch, single, ABS plastic foot guard(s), yellow, momentary, (1) N.O. and (1) N.C. snap action contact, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$49.00
<u>APS1213-V0</u>	AutomationDirect electric foot switch, single, ABS plastic foot guard(s), yellow, momentary, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$55.00
<u>APS1151-V0</u>	AutomationDirect electric foot switch, single, ABS plastic half foot guard(s), momentary, (1) N.O. and (1) N.C. snap action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$49.00
<u>APD1231-V0</u>	AutomationDirect electric foot switch, double, ABS plastic foot guard(s), (1) yellow and (1) gray, momentary, (1) N.O. and (1) N.C. snap action contact per switch, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$107.00
<u>APS1113-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), yellow, momentary, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$73.00
<u>APS1114-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), yellow, momentary, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$73.00
<u>APS1123-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), gray, momentary, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$73.00
<u>APS1124-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), gray, momentary, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$73.00
<u>APS1143-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), red, momentary, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$73.00
<u>APS1144-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), red, momentary, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$73.00
<u>APS1213-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), yellow, momentary, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1214-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), yellow, momentary, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1223-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), gray, momentary, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$81.00

<u>APS1224-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), gray, momentary, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1243-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), red, momentary, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1244-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), red, momentary, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1313-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), yellow, maintained, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1314-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), yellow, maintained, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1323-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), gray, maintained, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1324-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), gray, maintained, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1343-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), red, maintained, (2) N.O. and (2) N.C. snap action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APS1344-V0-M</u>	AutomationDirect electric foot switch, single, die-cast aluminum foot guard(s), red, maintained, (2) N.O. and (2) N.C. slow action contacts, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$81.00
<u>APD1113-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) yellow, momentary, (2) N.O. and (2) N.C. snap action contacts per switch, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$172.00
<u>APD1114-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) yellow, momentary, (2) N.O. and (2) N.C. slow action contacts per switch, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$172.00
<u>APD1123-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) gray, momentary, (2) N.O. and (2) N.C. snap action contacts per switch, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$172.00
<u>APD1124-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) gray, momentary, (2) N.O. and (2) N.C. slow action contacts per switch, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$172.00
<u>APD1133-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (1) yellow and (1) gray, momentary, (2) N.O. and (2) N.C. snap action contacts per switch, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$172.00
<u>APD1134-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (1) yellow and (1) gray, momentary, (2) N.O. and (2) N.C. slow action contacts per switch, ABS plastic operator, free moving pedal, gray, ABS plastic base.	Stock	\$172.00
<u>APD1213-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) yellow, momentary, (2) N.O. and (2) N.C. snap action contacts per switch, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$177.00
<u>APD1214-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) yellow, momentary, (2) N.O. and (2) N.C. slow action contacts per switch, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$177.00
<u>APD1223-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) gray, momentary, (2) N.O. and (2) N.C. snap action contacts per switch, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$177.00
<u>APD1224-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (2) gray, momentary, (2) N.O. and (2) N.C. slow action contacts per switch, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$177.00
<u>APD1233-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (1) yellow and (1) gray, momentary, (2) N.O. and (2) N.C. snap action contacts per switch, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$177.00
<u>APD1234-V0-M</u>	AutomationDirect electric foot switch, double, die-cast aluminum foot guard(s), (1) yellow and (1) gray, momentary, (2) N.O. and (2) N.C. slow action contacts per switch, ABS plastic operator, safety anti-trip pedal, gray, ABS plastic base.	Stock	\$177.00
Audible Signaling Devices			
<u>ECX2070-24</u>	AutomationDirect audible alarm buzzer, 80 dB at 10cm, 2.4 kHz tone frequency, pulse tone(s), 24 VAC/VDC, 22mm, panel mount, plastic housing, black, IP65.	Stock	\$8.25
<u>ECX2070-127</u>	AutomationDirect audible alarm buzzer, 80 dB at 10cm, 2.4 kHz tone frequency, pulse tone(s), 120 VAC/VDC, 22mm, panel mount, plastic housing, black, IP65.	Stock	\$8.25
<u>DR22B8-EB</u>	Fuji Electric audible alarm buzzer, 80 dB at 0.1m, 60 dB at 1m, 2.4 kHz to 3.3 kHz tone frequency, continuous/intermittent tone(s), 12-24 VAC/VDC, 22mm, panel mount, plastic housing, black, IP54.	Stock	\$38.00
<u>DR22B8-HB</u>	Fuji Electric audible alarm buzzer, 80 dB at 0.1m, 60 dB at 1m, 2.4 kHz to 3.3 kHz tone frequency, continuous/intermittent tone(s), 100-110 VAC, 22mm, panel mount, plastic housing, black, IP54.	Stock	\$38.00
<u>23310150055</u>	Pfannenbergl PATROL series audible signal horn, 105 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 115 VAC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$187.00

<u>23310150900</u>	Pfannenberg PATROL series audible signal horn, 105 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 115 VAC, panel mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$187.00
<u>23310630055</u>	Pfannenberg PATROL series audible signal horn, 105 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 10-57 VDC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$174.00
<u>23310630101</u>	Pfannenberg PATROL series audible signal horn, 105 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 10-57 VDC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X. Requires 4-pin female M12 cable.	Stock	\$195.00
<u>23310630900</u>	Pfannenberg PATROL series audible signal horn, 105 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 10-57 VDC, panel mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$174.00
<u>23350150055</u>	Pfannenberg PATROL series audible signal horn, 107 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 115 VAC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$287.00
<u>23350630055</u>	Pfannenberg PATROL series audible signal horn, 107 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 10-57 VDC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$287.00
<u>23360630055</u>	Pfannenberg PATROL series audible signal horn, 117 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 10-60 VDC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$492.00
<u>23360640055</u>	Pfannenberg PATROL series audible signal horn, 117 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 95-265 VAC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$492.00
<u>23370630000</u>	Pfannenberg PATROL series audible signal horn, 122 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 10-60 VDC, surface mount, ABS/polycarbonate housing, red, IP66, NEMA 4/4X.	Stock	\$728.00
<u>23370630055</u>	Pfannenberg PATROL series audible signal horn, 122 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 10-60 VDC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$728.00
<u>23370640000</u>	Pfannenberg PATROL series audible signal horn, 122 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 95-265 VAC, surface mount, ABS/polycarbonate housing, red, IP66, NEMA 4/4X.	Stock	\$728.00
<u>23370640055</u>	Pfannenberg PATROL series audible signal horn, 122 dB at 1m, 150 Hz to 2.9 kHz tone frequency, (80) selectable tone(s), 95-265 VAC, surface mount, ABS/polycarbonate housing, gray, IP66, NEMA 4/4X.	Stock	\$728.00
<u>10700070</u>	WERMA audible alarm buzzer, 80 dB at 10cm, 2.4 kHz tone frequency, continuous tone(s), 12/24 VAC/VDC, 22mm, panel mount, glass fiber reinforced polyamide housing, black, IP65.	Stock	\$33.50
<u>10700060</u>	WERMA audible alarm buzzer, 80 dB at 10cm, 2.4 kHz tone frequency, continuous tone(s), 115-230 VAC, 22mm, panel mount, glass fiber reinforced polyamide housing, black, IP65.	Stock	\$38.50
<u>10701070</u>	WERMA audible alarm buzzer, 80 dB at 10cm, 2.4 kHz tone frequency, pulse tone(s), 12/24 VAC/VDC, 22mm, panel mount, glass fiber reinforced polyamide housing, black, IP65.	Stock	\$33.50
<u>10701060</u>	WERMA audible alarm buzzer, 80 dB at 10cm, 2.4 kHz tone frequency, pulse tone(s), 115-230 VAC, 22mm, panel mount, glass fiber reinforced polyamide housing, black, IP65.	Stock	\$38.50
<u>10900075</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.1 kHz tone frequency, continuous tone(s), 24 VAC/VDC, 22mm, panel mount, ABS/polycarbonate housing, black, IP65.	Stock	\$69.00
<u>10900077</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.1 kHz tone frequency, continuous tone(s), 115 VAC/VDC, 22mm, panel mount, ABS/polycarbonate housing, black, IP65.	Stock	\$78.00
<u>10901075</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.1 kHz tone frequency, pulse tone(s), 24 VAC/VDC, 22mm, panel mount, ABS/polycarbonate housing, black, IP65.	Stock	\$69.00
<u>10901077</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.1 kHz tone frequency, pulse tone(s), 115 VAC/VDC, 22mm, panel mount, ABS/polycarbonate housing, black, IP65.	Stock	\$78.00
<u>11000067</u>	WERMA audible alarm buzzer, 100 dB at 1m, 1.6 kHz to 3.4 kHz tone frequency, (8) selectable tone(s), 115 VAC, 22mm, panel mount, ABS/polycarbonate housing, black, IP65.	Stock	\$116.00
<u>11000075</u>	WERMA audible alarm buzzer, 100 dB at 1m, 1.6 kHz to 3.4 kHz tone frequency, (8) selectable tone(s), 24 VAC/VDC, 22mm, panel mount, ABS/polycarbonate housing, black, IP65.	Stock	\$105.00
<u>BM-202H</u>	Patlite audible alarm buzzer, 85 dB at 1m, 3.9 kHz to 4.6 kHz tone frequency, (2) selectable tone(s), 24 VAC/VDC, 30mm, panel mount, ABS plastic housing, black, IP30.	Stock	\$40.00
<u>BM-212H</u>	Patlite audible alarm buzzer, 90 dB at 1m, 3.9 kHz to 4.6 kHz tone frequency, (2) selectable tone(s), 120 VAC, 30mm, panel mount, ABS plastic housing, black, IP30.	Stock	\$40.00
<u>BD-24AE-J</u>	Patlite audible alarm, 90 dB at 1m, 191 Hz to 1.7 kHz tone frequency, (32) selectable tone(s), 12-24 VDC, panel or surface mount, ABS plastic housing, light gray, IP54.	Stock	\$134.00
<u>BD-24AE-K</u>	Patlite audible alarm, 90 dB at 1m, 191 Hz to 1.7 kHz tone frequency, (32) selectable tone(s), 12-24 VDC, panel or surface mount, ABS plastic housing, dark gray, IP54.	Stock	\$134.00
<u>BSV-24P-D</u>	Patlite audible alarm, 85 dB at 1m, 246 Hz to 2.9 kHz tone frequency, (15) selectable tone(s), 12-24 VDC, panel or surface mount, polycarbonate housing, dark gray, IP54.	Stock	\$155.00
<u>BSV-24P-W</u>	Patlite audible alarm, 85 dB at 1m, 246 Hz to 2.9 kHz tone frequency, (15) selectable tone(s), 12-24 VDC, panel or surface mount, polycarbonate housing, off-white, IP54.	Stock	\$155.00
<u>EHS-M1TE</u>	Patlite audible signal horn, 110 dB at 1m, 293 Hz to 3.5 kHz tone frequency, (32) selectable tone(s), 12-24 VDC, bracket mount, polycarbonate housing, off-white, IP65.	Stock	\$277.00
<u>EHS-M2TE</u>	Patlite audible signal horn, 110 dB at 1m, 293 Hz to 3.5 kHz tone frequency, (32) selectable tone(s), 100-240 VAC, bracket mount, polycarbonate housing, off-white, IP65.	Stock	\$277.00
<u>16070060</u>	WERMA EvoSIGNAL Mini series audible signal horn, 95 dB at 1m, 4 kHz tone frequency, continuous/pulse tone(s), 115-230 VAC, modular mount, ABS/polycarbonate housing, gray, IP66. Requires mounting adapter.	Stock	\$73.00
<u>16070074</u>	WERMA EvoSIGNAL Mini series audible signal horn, 95 dB at 1m, 4 kHz tone frequency, continuous/pulse tone(s), 12 VAC/VDC, modular mount, ABS/polycarbonate housing, gray, IP66. Requires mounting adapter.	Stock	\$73.00

<u>16070075</u>	WERMA EvoSIGNAL Mini series audible signal horn, 95 dB at 1m, 4 kHz tone frequency, continuous/pulse tone(s), 24 VAC/VDC, modular mount, ABS/polycarbonate housing, gray, IP66. Requires mounting adapter.	Stock	\$66.00
<u>16170060</u>	WERMA EvoSIGNAL Midi series audible signal horn, 110 dB at 1m, 3.3 kHz tone frequency, (10) selectable tone(s), 115-230 VAC, modular mount, ABS/polycarbonate housing, gray, IP66. Requires mounting adapter.	Stock	\$93.00
<u>16170070</u>	WERMA EvoSIGNAL Midi series audible signal horn, 110 dB at 1m, 3.3 kHz tone frequency, (10) selectable tone(s), 12/24 VAC/VDC, modular mount, ABS/polycarbonate housing, gray, IP66. Requires mounting adapter.	Stock	\$86.00
<u>57005255</u>	WERMA audible signal horn with trumpet, 108 dB at 1m, 100 Hz tone frequency, continuous tone(s), 24 VDC, wall mount, ABS/polycarbonate housing, off-white, IP55.	Stock	\$135.00
<u>57005267</u>	WERMA audible signal horn with trumpet, 108 dB at 1m, 100 Hz tone frequency, continuous tone(s), 115 VAC, wall mount, ABS/polycarbonate housing, off-white, IP55.	Stock	\$113.00
<u>57105255</u>	WERMA audible signal horn with trumpet, 108 dB at 1m, 100 Hz tone frequency, continuous tone(s), 24 VDC, wall mount, aluminum housing, dark gray, IP55.	Stock	\$421.00
<u>57105267</u>	WERMA audible signal horn with trumpet, 108 dB at 1m, 100 Hz tone frequency, continuous tone(s), 115 VAC, wall mount, aluminum housing, dark gray, IP55.	Stock	\$384.00
<u>57300055</u>	WERMA audible signal horn, 105 dB at 1m, 100 Hz tone frequency, continuous tone(s), 24 VDC, wall mount, ABS plastic housing, light gray, IP65.	Stock	\$183.00
<u>57300067</u>	WERMA audible signal horn, 105 dB at 1m, 100 Hz tone frequency, continuous tone(s), 115 VAC, wall mount, ABS plastic housing, light gray, IP65.	Stock	\$145.00
Visual Signaling Devices			
<u>NE-24A-R</u>	Patlite NE-A series LED industrial signal beacon, 56mm, red, continuous, IP65, base mount, 24 VDC.	Stock	\$36.50
<u>NE-24A-Y</u>	Patlite NE-A series LED industrial signal beacon, 56mm, amber, continuous, IP65, base mount, 24 VDC.	Stock	\$36.50
<u>NE-24A-G</u>	Patlite NE-A series LED industrial signal beacon, 56mm, green, continuous, IP65, base mount, 24 VDC.	Stock	\$36.50
<u>NE-24A-B</u>	Patlite NE-A series LED industrial signal beacon, 56mm, blue, continuous, IP65, base mount, 24 VDC.	Stock	\$36.50
<u>NE-24A-C</u>	Patlite NE-A series LED industrial signal beacon, 56mm, white, continuous, IP65, base mount, 24 VDC.	Stock	\$36.50
<u>NE-M1ANN-M</u>	Patlite NE-A series LED industrial signal beacon, 56mm, red/amber/green/blue/white/cyan/purple, continuous or flashing (500ms), IP67, base mount, 12-24 VDC.	Stock	\$78.00
<u>NE-M1ACNN-M</u>	Patlite NE-A series LED industrial signal beacon, 56mm, red/amber/green/blue/white/cyan/purple, continuous, IP67 and IP69K, base mount, 12-24 VDC. Requires 5-pin female M12 cable.	Stock	\$94.00
<u>NE-ILNN-M</u>	Patlite NE-IL series LED industrial signal beacon, 56mm, red/amber/green/blue/white/cyan/purple, selectable permanent, flashing, double flash or triple flash, IP65, base mount, 24 VDC, IO-Link Class A Device. Requires 5-pin female M12 cable.	Stock	\$112.00
<u>NE-ILTN-M</u>	Patlite NE-IL series LED industrial signal beacon, 56mm, red/amber/green/blue/white/cyan/purple, selectable permanent, flashing, double flash or triple flash, IP65, base mount, touch to acknowledge, 24 VDC, IO-Link Class A Device.	Stock	\$154.00
<u>21514642055</u>	Pfannenberg PYRA series LED traffic light, (2) tiers, red/green, selectable permanent, blinking or flashing light function, 115-230 VAC, colored lens, 172.4mm body length, light gray, base mount, IP66, NEMA 4/4X.	Stock	\$331.00
<u>21514643055</u>	Pfannenberg PYRA series LED traffic light, (3) tiers, red/yellow/green, selectable permanent, blinking or flashing light function, 115-230 VAC, colored lens, 259mm body length, light gray, base mount, IP66, NEMA 4/4X.	Stock	\$445.00
<u>21514812055</u>	Pfannenberg PYRA series LED traffic light, (2) tiers, red/green, selectable permanent, blinking or flashing light function, 12-48 VDC, colored lens, 172.4mm body length, light gray, base mount, IP66, NEMA 4/4X.	Stock	\$364.00
<u>21514813055</u>	Pfannenberg PYRA series LED traffic light, (3) tiers, red/yellow/green, selectable permanent, blinking or flashing light function, 12-48 VDC, colored lens, 259mm body length, light gray, base mount, IP66, NEMA 4/4X.	Stock	\$490.00
<u>21510151000</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, clear/white, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$178.00
<u>21510154055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, amber, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$178.00
<u>21510155055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, red, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$178.00
<u>21510156055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, green, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$178.00
<u>21510157055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, blue, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$178.00
<u>21510801000</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, clear/white, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$178.00
<u>21510804055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, amber, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$178.00
<u>21510805055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, red, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$178.00

<u>21510806055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, green, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$178.00
<u>21510807055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 109 x 86 x 80mm, blue, flashing strobe (1 Hz flash frequency), IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$178.00
<u>21551151000</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, clear/white, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$272.00
<u>21551154055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, amber, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$272.00
<u>21551155055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, red, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$272.00
<u>21551156055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, green, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$272.00
<u>21551157055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, blue, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$272.00
<u>21551811000</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, clear/white, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 10-57 VDC.	Stock	\$301.00
<u>21551814055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, amber, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 10-57 VDC.	Stock	\$301.00
<u>21551815055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, red, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 10-57 VDC.	Stock	\$301.00
<u>21551816055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, green, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 10-57 VDC.	Stock	\$301.00
<u>21551817055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 166 x 114 x 134mm, blue, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 10-57 VDC.	Stock	\$301.00
<u>21561151000</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, clear/white, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$329.00
<u>21561154055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, amber, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$329.00
<u>21561155055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, red, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$329.00
<u>21561156055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, green, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$329.00
<u>21561157055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, blue, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 115 VAC.	Stock	\$329.00
<u>21561801000</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, clear/white, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$329.00
<u>21561804055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, amber, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$329.00
<u>21561805055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, red, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$329.00
<u>21561806055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, green, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$329.00
<u>21561807055</u>	Pfannenberg PYRA series Xenon tube industrial signal beacon, 212 x 144 x 157mm, blue, selectable flashing strobe, IP66, NEMA 4/4X, surface mount, 24 VDC.	Stock	\$329.00
<u>21553648055</u>	Pfannenberg PYRA series LED industrial signal beacon, 166 x 114 x 124mm, red/yellow/green/blue, selectable permanent, blinking or flashing, IP66, NEMA 4/4X, surface mount, 115-230 VAC.	Stock	\$339.00
<u>21553818055</u>	Pfannenberg PYRA series LED industrial signal beacon, 166 x 114 x 124mm, red/yellow/green/blue, selectable permanent, blinking or flashing, IP66, NEMA 4/4X, surface mount, 12-48 VDC.	Stock	\$339.00
<u>SL08-M1JN-B</u>	Patlite SL series LED industrial signal beacon, 80mm, blue, selectable continuous, blinking or triple flash, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$98.00
<u>SL08-M1JN-G</u>	Patlite SL series LED industrial signal beacon, 80mm, green, selectable continuous, blinking or triple flash, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$98.00
<u>SL08-M1JN-R</u>	Patlite SL series LED industrial signal beacon, 80mm, red, selectable continuous, blinking or triple flash, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$98.00
<u>SL08-M1JN-Y</u>	Patlite SL series LED industrial signal beacon, 80mm, amber, selectable continuous, blinking or triple flash, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$98.00
<u>SL08-M2JN-B</u>	Patlite SL series LED industrial signal beacon, 80mm, blue, selectable continuous, blinking or triple flash, IP23, base mount, 100-240 VAC. IP65 when used with SZW-102 rubber gasket.	Stock	\$116.00
<u>SL08-M2JN-G</u>	Patlite SL series LED industrial signal beacon, 80mm, green, selectable continuous, blinking or triple flash, IP23, base mount, 100-240 VAC. IP65 when used with SZW-102 rubber gasket.	Stock	\$116.00
<u>SL08-M2JN-R</u>	Patlite SL series LED industrial signal beacon, 80mm, red, selectable continuous, blinking or triple flash, IP23, base mount, 100-240 VAC. IP65 when used with SZW-102 rubber gasket.	Stock	\$116.00
<u>SL08-M2JN-Y</u>	Patlite SL series LED industrial signal beacon, 80mm, amber, selectable continuous, blinking or triple flash, IP23, base mount, 100-240 VAC. IP65 when used with SZW-102 rubber gasket.	Stock	\$116.00

<u>SKP-M2J-R</u>	Patlite SK series LED industrial signal beacon, 150mm, red, rotating (120rpm), IP23, base mount, 100-240 VAC.	Stock	\$141.00
<u>SKP-M2J-Y</u>	Patlite SK series LED industrial signal beacon, 150mm, amber, rotating (120rpm), IP23, base mount, 100-240 VAC.	Stock	\$141.00
<u>SF08-M1JN-B</u>	Patlite SF series LED industrial signal beacon, 80mm, blue, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$144.00
<u>SF08-M1JN-G</u>	Patlite SF series LED industrial signal beacon, 80mm, green, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$144.00
<u>SF08-M1JN-R</u>	Patlite SF series LED industrial signal beacon, 80mm, red, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$144.00
<u>SF08-M1JN-Y</u>	Patlite SF series LED industrial signal beacon, 80mm, amber, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-102 rubber gasket.	Stock	\$144.00
<u>SF08-M1KTN-B</u>	Patlite SF series LED industrial signal beacon, 80mm, blue, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$144.00
<u>SF08-M1KTN-G</u>	Patlite SF series LED industrial signal beacon, 80mm, green, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$144.00
<u>SF08-M1KTN-R</u>	Patlite SF series LED industrial signal beacon, 80mm, red, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$144.00
<u>SF08-M1KTN-Y</u>	Patlite SF series LED industrial signal beacon, 80mm, amber, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$144.00
<u>SF08-M2KTN-B</u>	Patlite SF series LED industrial signal beacon, 80mm, blue, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$161.00
<u>SF08-M2KTN-G</u>	Patlite SF series LED industrial signal beacon, 80mm, green, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$161.00
<u>SF08-M2KTN-R</u>	Patlite SF series LED industrial signal beacon, 80mm, red, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$161.00
<u>SF08-M2KTN-Y</u>	Patlite SF series LED industrial signal beacon, 80mm, amber, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$161.00
<u>SF10-M1JN-B</u>	Patlite SF series LED industrial signal beacon, 100mm, blue, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-103 rubber gasket.	Stock	\$157.00
<u>SF10-M1JN-G</u>	Patlite SF series LED industrial signal beacon, 100mm, green, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-103 rubber gasket.	Stock	\$157.00
<u>SF10-M1JN-R</u>	Patlite SF series LED industrial signal beacon, 100mm, red, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-103 rubber gasket.	Stock	\$157.00
<u>SF10-M1JN-Y</u>	Patlite SF series LED industrial signal beacon, 100mm, amber, (22) selectable flashing and rotating patterns, IP23, base mount, 12-24 VDC. IP65 when used with SZW-103 rubber gasket.	Stock	\$157.00
<u>SF10-M1KTN-B</u>	Patlite SF series LED industrial signal beacon, 100mm, blue, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$157.00
<u>SF10-M1KTN-G</u>	Patlite SF series LED industrial signal beacon, 100mm, green, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$157.00
<u>SF10-M1KTN-R</u>	Patlite SF series LED industrial signal beacon, 100mm, red, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$157.00
<u>SF10-M1KTN-Y</u>	Patlite SF series LED industrial signal beacon, 100mm, amber, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 12-24 VDC.	Stock	\$157.00
<u>SF10-M2JN-B</u>	Patlite SF series LED industrial signal beacon, 100mm, blue, (22) selectable flashing and rotating patterns, IP23, base mount, 100-240 VAC. IP65 when used with SZW-103 rubber gasket.	Stock	\$174.00
<u>SF10-M2JN-G</u>	Patlite SF series LED industrial signal beacon, 100mm, green, (22) selectable flashing and rotating patterns, IP23, base mount, 100-240 VAC. IP65 when used with SZW-103 rubber gasket.	Stock	\$174.00
<u>SF10-M2JN-R</u>	Patlite SF series LED industrial signal beacon, 100mm, red, (22) selectable flashing and rotating patterns, IP23, base mount, 100-240 VAC. IP65 when used with SZW-103 rubber gasket.	Stock	\$174.00
<u>SF10-M2JN-Y</u>	Patlite SF series LED industrial signal beacon, 100mm, amber, (22) selectable flashing and rotating patterns, IP23, base mount, 100-240 VAC. IP65 when used with SZW-103 rubber gasket.	Stock	\$174.00
<u>SF10-M2KTN-B</u>	Patlite SF series LED industrial signal beacon, 100mm, blue, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$174.00
<u>SF10-M2KTN-G</u>	Patlite SF series LED industrial signal beacon, 100mm, green, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$174.00
<u>SF10-M2KTN-R</u>	Patlite SF series LED industrial signal beacon, 100mm, red, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$174.00
<u>SF10-M2KTN-Y</u>	Patlite SF series LED industrial signal beacon, 100mm, amber, (22) selectable flashing and rotating patterns, IP66, NEMA 4X/13, base mount, 100-240 VAC.	Stock	\$174.00
<u>26011060</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED industrial signal beacon, 62mm, red, permanent or blinking (1 Hz ON for 420ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$60.00
<u>26011074</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED industrial signal beacon, 62mm, red, permanent or blinking (1 Hz ON for 410ms), IP66, modular mount, 12 VAC/VDC. Requires mounting adapter.	Stock	\$60.00

[illegible]

<u>26052074</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED industrial signal beacon, 62mm, blue, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12 VAC/VDC. Requires mounting adapter.	Stock	\$76.00
<u>26052075</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED industrial signal beacon, 62mm, blue, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 24 VAC/VDC. Requires mounting adapter.	Stock	\$67.00
<u>26111060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, red, permanent or blinking (1 Hz ON for 420ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$104.00
<u>26111070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, red, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$97.00
<u>26112060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, red, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$116.00
<u>26112070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, red, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$109.00
<u>26114060</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, red, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$146.00
<u>26114070</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, red, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$139.00
<u>26121060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, green, permanent or blinking (1 Hz ON for 420ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$104.00
<u>26121070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, green, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$97.00
<u>26122060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, green, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$116.00
<u>26122070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, green, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$109.00
<u>26124060</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, green, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$146.00
<u>26124070</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, green, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$139.00
<u>26131060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, yellow, permanent or blinking (1 Hz ON for 420ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$104.00
<u>26131070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, yellow, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$97.00
<u>26132060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, yellow, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$116.00
<u>26132070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, yellow, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$109.00
<u>26134060</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, yellow, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$146.00
<u>26134070</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, yellow, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$139.00
<u>26141060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, clear/white, permanent or blinking (1 Hz ON for 420ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$104.00
<u>26141070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, clear/white, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$97.00
<u>26142060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, clear/white, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$116.00
<u>26142070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, clear/white, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$109.00
<u>26143060</u>	WERMA EvoSIGNAL Midi Permanent series LED industrial signal beacon, 85mm, red/yellow/green, permanent, IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$152.00
<u>26143070</u>	WERMA EvoSIGNAL Midi Permanent series LED industrial signal beacon, 85mm, red/yellow/green, permanent, IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$145.00
<u>26144060</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, clear/white, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$146.00
<u>26144070</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, clear/white, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$139.00

<u>26151060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, blue, permanent or blinking (1 Hz ON for 420ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$104.00
<u>26151070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED industrial signal beacon, 85mm, blue, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$97.00
<u>26152060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, blue, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$116.00
<u>26152070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED industrial signal beacon, 85mm, blue, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$109.00
<u>26154060</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, blue, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$146.00
<u>26154070</u>	WERMA EvoSIGNAL Midi Rotating series LED industrial signal beacon, 85mm, blue, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$139.00
<u>26211060</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, red, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$256.00
<u>26211070</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, red, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$248.00
<u>26212060</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, red, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$271.00
<u>26212070</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, red, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$262.00
<u>26214060</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, red, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$288.00
<u>26214070</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, red, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$282.00
<u>26221060</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, green, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$256.00
<u>26221070</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, green, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$248.00
<u>26222060</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, green, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$271.00
<u>26222070</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, green, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$262.00
<u>26224060</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, green, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$288.00
<u>26224070</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, green, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$282.00
<u>26231060</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, yellow, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$256.00
<u>26231070</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, yellow, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$248.00
<u>26232060</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, yellow, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$271.00
<u>26232070</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, yellow, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$262.00
<u>26234060</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, yellow, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$288.00
<u>26234070</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, yellow, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$282.00
<u>26241060</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, clear/white, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$256.00
<u>26241070</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, clear/white, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$248.00
<u>26242060</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, clear/white, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$271.00
<u>26242070</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, clear/white, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$262.00

<u>26244060</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, clear/white, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$288.00
<u>26244070</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, clear/white, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$282.00
<u>26251060</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, blue, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$256.00
<u>26251070</u>	WERMA EvoSIGNAL Maxi TwinLIGHT series LED industrial signal beacon, 120mm, blue, permanent or blinking (1 Hz ON for 480ms), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$248.00
<u>26252060</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, blue, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$271.00
<u>26252070</u>	WERMA EvoSIGNAL Maxi TwinFLASH series LED industrial signal beacon, 120mm, blue, double flash or EVS (Enhanced Visibility System) flashing (random flashing), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$262.00
<u>26254060</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, blue, rotating (180rpm), IP66, modular mount, 115-230 VAC. Requires mounting adapter.	Stock	\$288.00
<u>26254070</u>	WERMA EvoSIGNAL Maxi Rotating series LED industrial signal beacon, 120mm, blue, rotating (180rpm), IP66, modular mount, 12/24 VAC/VDC. Requires mounting adapter.	Stock	\$282.00
<u>20610000</u>	WERMA incandescent industrial signal beacon, 57mm, red, permanent, IP65, 22.5mm panel mount, 12-48 VAC/VDC. Requires incandescent bulb.	Stock	\$33.00
<u>20620000</u>	WERMA incandescent industrial signal beacon, 57mm, green, permanent, IP65, 22.5mm panel mount, 12-48 VAC/VDC. Requires incandescent bulb.	Stock	\$33.00
<u>20630000</u>	WERMA incandescent industrial signal beacon, 57mm, yellow, permanent, IP65, 22.5mm panel mount, 12-48 VAC/VDC. Requires incandescent bulb.	Stock	\$33.00
<u>20640000</u>	WERMA incandescent industrial signal beacon, 57mm, clear/white, permanent, IP65, 22.5mm panel mount, 12-48 VAC/VDC. Requires incandescent bulb.	Stock	\$40.50
<u>20650000</u>	WERMA incandescent industrial signal beacon, 57mm, blue, permanent, IP65, 22.5mm panel mount, 12-48 VAC/VDC. Requires incandescent bulb.	Stock	\$40.50
<u>20710075</u>	WERMA LED industrial signal beacon, 58mm, red, permanent, IP65, 22.5mm panel mount, 24 VAC/VDC.	Stock	\$76.00
<u>20720075</u>	WERMA LED industrial signal beacon, 58mm, green, permanent, IP65, 22.5mm panel mount, 24 VAC/VDC.	Stock	\$76.00
<u>20730075</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, 22.5mm panel mount, 24 VAC/VDC.	Stock	\$76.00
<u>20740075</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, 22.5mm panel mount, 24 VAC/VDC.	Stock	\$119.00
<u>20750075</u>	WERMA LED industrial signal beacon, 58mm, blue, permanent, IP65, 22.5mm panel mount, 24 VAC/VDC.	Stock	\$119.00
<u>20810055</u>	WERMA Xenon tube industrial signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 24 VDC.	Stock	\$113.00
<u>20820055</u>	WERMA Xenon tube industrial signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 24 VDC.	Stock	\$115.00
<u>20830055</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 24 VDC.	Stock	\$113.00
<u>20840055</u>	WERMA Xenon tube industrial signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 24 VDC.	Stock	\$115.00
<u>20850055</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 24 VDC.	Stock	\$115.00
<u>20710067</u>	WERMA LED industrial signal beacon, 58mm, red, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$87.00
<u>20720067</u>	WERMA LED industrial signal beacon, 58mm, green, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$82.00
<u>20730067</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$82.00
<u>20740067</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$129.00
<u>20750067</u>	WERMA LED industrial signal beacon, 58mm, blue, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$129.00
<u>20810067</u>	WERMA Xenon tube industrial signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 115 VAC.	Stock	\$113.00
<u>20820067</u>	WERMA Xenon tube industrial signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 115 VAC.	Stock	\$115.00
<u>20830067</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 115 VAC.	Stock	\$113.00
<u>20850067</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, 22.5mm panel mount, 115 VAC.	Stock	\$115.00
<u>23110055</u>	WERMA LED industrial signal beacon, 29mm, red, permanent, IP65, 22.5mm panel mount, 24 VDC.	Stock	\$65.00
<u>23120055</u>	WERMA LED industrial signal beacon, 29mm, green, permanent, IP65, 22.5mm panel mount, 24 VDC.	Stock	\$107.00

<u>23130055</u>	WERMA LED industrial signal beacon, 29mm, yellow, permanent, IP65, 22.5mm panel mount, 24 VDC.	Stock	\$65.00
<u>23140055</u>	WERMA LED industrial signal beacon, 29mm, clear/white, permanent, IP65, 22.5mm panel mount, 24 VDC.	Stock	\$105.00
<u>23150055</u>	WERMA LED industrial signal beacon, 29mm, blue, permanent, IP65, 22.5mm panel mount, 24 VDC.	Stock	\$89.00
<u>23110067</u>	WERMA LED industrial signal beacon, 29mm, red, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$79.00
<u>23120067</u>	WERMA LED industrial signal beacon, 29mm, green, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$124.00
<u>23130067</u>	WERMA LED industrial signal beacon, 29mm, yellow, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$79.00
<u>23140067</u>	WERMA LED industrial signal beacon, 29mm, clear/white, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$101.00
<u>23150067</u>	WERMA LED industrial signal beacon, 29mm, blue, permanent, IP65, 22.5mm panel mount, 115 VAC.	Stock	\$101.00
<u>23010055</u>	WERMA LED industrial signal beacon, 29mm, red, permanent, IP65, M20 x 1.5 threaded base mount, 24 VDC.	Stock	\$66.00
<u>23020055</u>	WERMA LED industrial signal beacon, 29mm, green, permanent, IP65, M20 x 1.5 threaded base mount, 24 VDC.	Stock	\$110.00
<u>23030055</u>	WERMA LED industrial signal beacon, 29mm, yellow, permanent, IP65, M20 x 1.5 threaded base mount, 24 VDC.	Stock	\$66.00
<u>23040055</u>	WERMA LED industrial signal beacon, 29mm, clear/white, permanent, IP65, M20 x 1.5 threaded base mount, 24 VDC.	Stock	\$93.00
<u>23050055</u>	WERMA LED industrial signal beacon, 29mm, blue, permanent, IP65, M20 x 1.5 threaded base mount, 24 VDC.	Stock	\$89.00
<u>23010067</u>	WERMA LED industrial signal beacon, 29mm, red, permanent, IP65, M20 x 1.5 threaded base mount, 115 VAC.	Stock	\$81.00
<u>23020067</u>	WERMA LED industrial signal beacon, 29mm, green, permanent, IP65, M20 x 1.5 threaded base mount, 115 VAC.	Stock	\$127.00
<u>23030067</u>	WERMA LED industrial signal beacon, 29mm, yellow, permanent, IP65, M20 x 1.5 threaded base mount, 115 VAC.	Stock	\$81.00
<u>23040067</u>	WERMA LED industrial signal beacon, 29mm, clear/white, permanent, IP65, M20 x 1.5 threaded base mount, 115 VAC.	Stock	\$127.00
<u>23050067</u>	WERMA LED industrial signal beacon, 29mm, blue, permanent, IP65, M20 x 1.5 threaded base mount, 115 VAC.	Stock	\$127.00
<u>81510000</u>	WERMA incandescent industrial signal beacon, 75mm, red, permanent, IP65, 37mm (PG 29) mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$44.00
<u>81520000</u>	WERMA incandescent industrial signal beacon, 75mm, green, permanent, IP65, 37mm (PG 29) mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$44.00
<u>81530000</u>	WERMA incandescent industrial signal beacon, 75mm, yellow, permanent, IP65, 37mm (PG 29) mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$44.00
<u>81540000</u>	WERMA incandescent industrial signal beacon, 75mm, clear/white, permanent, IP65, 37mm (PG 29) mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$51.00
<u>81550000</u>	WERMA incandescent industrial signal beacon, 75mm, blue, permanent, IP65, 37mm (PG 29) mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$51.00
<u>81610055</u>	WERMA LED industrial signal beacon, 75mm, red, permanent, IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$93.00
<u>81620055</u>	WERMA LED industrial signal beacon, 75mm, green, permanent, IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$93.00
<u>81630055</u>	WERMA LED industrial signal beacon, 75mm, yellow, permanent, IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$93.00
<u>81640055</u>	WERMA LED industrial signal beacon, 75mm, clear/white, permanent, IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$157.00
<u>81650055</u>	WERMA LED industrial signal beacon, 75mm, blue, permanent, IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$157.00
<u>81611055</u>	WERMA LED industrial signal beacon, 75mm, red, blinking (1 Hz ON for 530ms), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$152.00
<u>81621055</u>	WERMA LED industrial signal beacon, 75mm, green, blinking (1 Hz ON for 530ms), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$152.00
<u>81631055</u>	WERMA LED industrial signal beacon, 75mm, yellow, blinking (1 Hz ON for 530ms), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$152.00
<u>81641055</u>	WERMA LED industrial signal beacon, 75mm, clear/white, blinking (1 Hz ON for 530ms), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$277.00
<u>81651055</u>	WERMA LED industrial signal beacon, 75mm, blue, blinking (1 Hz ON for 530ms), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$277.00
<u>81613055</u>	WERMA LED industrial signal beacon, 75mm, red, rotating (120rpm), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$152.00
<u>81623055</u>	WERMA LED industrial signal beacon, 75mm, green, rotating (120rpm), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$152.00

<u>81633055</u>	WERMA LED industrial signal beacon, 75mm, yellow, rotating (120rpm), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$152.00
<u>81643055</u>	WERMA LED industrial signal beacon, 75mm, clear/white, rotating (120rpm), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$253.00
<u>81653055</u>	WERMA LED industrial signal beacon, 75mm, blue, rotating (120rpm), IP65, 37mm (PG 29) mount, 24 VAC/VDC.	Stock	\$253.00
<u>81710055</u>	WERMA Xenon tube industrial signal beacon, 75mm, red, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 24 VDC.	Stock	\$140.00
<u>81720055</u>	WERMA Xenon tube industrial signal beacon, 75mm, green, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 24 VDC.	Stock	\$140.00
<u>81730055</u>	WERMA Xenon tube industrial signal beacon, 75mm, yellow, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 24 VDC.	Stock	\$140.00
<u>81740055</u>	WERMA Xenon tube industrial signal beacon, 75mm, clear/white, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 24 VDC.	Stock	\$146.00
<u>81750055</u>	WERMA Xenon tube industrial signal beacon, 75mm, blue, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 24 VDC.	Stock	\$146.00
<u>81610067</u>	WERMA LED industrial signal beacon, 75mm, red, permanent, IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$109.00
<u>81620067</u>	WERMA LED industrial signal beacon, 75mm, green, permanent, IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$109.00
<u>81630067</u>	WERMA LED industrial signal beacon, 75mm, yellow, permanent, IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$109.00
<u>81640067</u>	WERMA LED industrial signal beacon, 75mm, clear/white, permanent, IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$173.00
<u>81650067</u>	WERMA LED industrial signal beacon, 75mm, blue, permanent, IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$173.00
<u>81710067</u>	WERMA Xenon tube industrial signal beacon, 75mm, red, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$140.00
<u>81720067</u>	WERMA Xenon tube industrial signal beacon, 75mm, green, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$138.00
<u>81730067</u>	WERMA Xenon tube industrial signal beacon, 75mm, yellow, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$138.00
<u>81740067</u>	WERMA Xenon tube industrial signal beacon, 75mm, clear/white, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$140.00
<u>81750067</u>	WERMA Xenon tube industrial signal beacon, 75mm, blue, flashing strobe (1 Hz flash frequency), IP65, 37mm (PG 29) mount, 115 VAC.	Stock	\$140.00
<u>20010000</u>	WERMA incandescent industrial signal beacon, 57mm, red, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$18.00
<u>20020000</u>	WERMA incandescent industrial signal beacon, 57mm, green, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$18.00
<u>20030000</u>	WERMA incandescent industrial signal beacon, 57mm, yellow, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$18.00
<u>20040000</u>	WERMA incandescent industrial signal beacon, 57mm, clear/white, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$18.00
<u>20050000</u>	WERMA incandescent industrial signal beacon, 57mm, blue, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$18.00
<u>20110075</u>	WERMA LED industrial signal beacon, 58mm, red, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$62.00
<u>20120075</u>	WERMA LED industrial signal beacon, 58mm, green, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$62.00
<u>20130075</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$62.00
<u>20140075</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$123.00
<u>20150075</u>	WERMA LED industrial signal beacon, 58mm, blue, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$123.00
<u>20210055</u>	WERMA Xenon tube industrial signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$100.00
<u>20220055</u>	WERMA Xenon tube industrial signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$106.00
<u>20230055</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$100.00
<u>20240055</u>	WERMA Xenon tube industrial signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$106.00
<u>20250055</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$106.00
<u>20110067</u>	WERMA LED industrial signal beacon, 58mm, red, permanent, IP65, base mount, 115 VAC.	Stock	\$78.00
<u>20120067</u>	WERMA LED industrial signal beacon, 58mm, green, permanent, IP65, base mount, 115 VAC.	Stock	\$78.00

<u>20130067</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, base mount, 115 VAC.	Stock	\$78.00
<u>20140067</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, base mount, 115 VAC.	Stock	\$109.00
<u>20150067</u>	WERMA LED industrial signal beacon, 58mm, blue, permanent, IP65, base mount, 115 VAC.	Stock	\$119.00
<u>20210067</u>	WERMA Xenon tube industrial signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$100.00
<u>20220067</u>	WERMA Xenon tube industrial signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$106.00
<u>20230067</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$100.00
<u>20240067</u>	WERMA Xenon tube industrial signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$106.00
<u>20250067</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$106.00
<u>21010000</u>	WERMA incandescent industrial tall signal beacon, 57mm, red, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$19.00
<u>21020000</u>	WERMA incandescent industrial tall signal beacon, 57mm, green, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$19.00
<u>21030000</u>	WERMA incandescent industrial tall signal beacon, 57mm, yellow, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$19.00
<u>21040000</u>	WERMA incandescent industrial tall signal beacon, 57mm, clear/white, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$19.00
<u>21050000</u>	WERMA incandescent industrial tall signal beacon, 57mm, blue, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$19.00
<u>21110075</u>	WERMA LED industrial tall signal beacon, 58mm, red, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$73.00
<u>21120075</u>	WERMA LED industrial tall signal beacon, 58mm, green, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$73.00
<u>21130075</u>	WERMA LED industrial tall signal beacon, 58mm, yellow, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$73.00
<u>21140075</u>	WERMA LED industrial tall signal beacon, 58mm, clear/white, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$119.00
<u>21150075</u>	WERMA LED industrial tall signal beacon, 58mm, blue, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$119.00
<u>21220055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$110.00
<u>21230055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$110.00
<u>21240055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$119.00
<u>21250055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$119.00
<u>21110067</u>	WERMA LED industrial tall signal beacon, 58mm, red, permanent, IP65, base mount, 115 VAC.	Stock	\$89.00
<u>21120067</u>	WERMA LED industrial tall signal beacon, 58mm, green, permanent, IP65, base mount, 115 VAC.	Stock	\$89.00
<u>21130067</u>	WERMA LED industrial tall signal beacon, 58mm, yellow, permanent, IP65, base mount, 115 VAC.	Stock	\$89.00
<u>21140067</u>	WERMA LED industrial tall signal beacon, 58mm, clear/white, permanent, IP65, base mount, 115 VAC.	Stock	\$134.00
<u>21150067</u>	WERMA LED industrial tall signal beacon, 58mm, blue, permanent, IP65, base mount, 115 VAC.	Stock	\$134.00
<u>21220067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$110.00
<u>21230067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$110.00
<u>21240067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$119.00
<u>21250067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$119.00
<u>22010000</u>	WERMA incandescent industrial signal beacon, 75mm, red, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$33.50
<u>22020000</u>	WERMA incandescent industrial signal beacon, 75mm, green, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$33.50
<u>22030000</u>	WERMA incandescent industrial signal beacon, 75mm, yellow, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$33.50
<u>22040000</u>	WERMA incandescent industrial signal beacon, 75mm, clear/white, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$33.50

<u>22050000</u>	WERMA incandescent industrial signal beacon, 75mm, blue, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$33.50
<u>22120075</u>	WERMA LED industrial signal beacon, 75mm, green, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$85.00
<u>22130075</u>	WERMA LED industrial signal beacon, 75mm, yellow, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$85.00
<u>22140075</u>	WERMA LED industrial signal beacon, 75mm, clear/white, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$127.00
<u>22150075</u>	WERMA LED industrial signal beacon, 75mm, blue, permanent, IP65, base mount, 24 VAC/VDC.	Stock	\$127.00
<u>22220055</u>	WERMA Xenon tube industrial signal beacon, 75mm, green, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$127.00
<u>22230055</u>	WERMA Xenon tube industrial signal beacon, 75mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$121.00
<u>22240055</u>	WERMA Xenon tube industrial signal beacon, 75mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$127.00
<u>22250055</u>	WERMA Xenon tube industrial signal beacon, 75mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$127.00
<u>22110067</u>	WERMA LED industrial signal beacon, 75mm, red, permanent, IP65, base mount, 115 VAC.	Stock	\$100.00
<u>22130067</u>	WERMA LED industrial signal beacon, 75mm, yellow, permanent, IP65, base mount, 115 VAC.	Stock	\$100.00
<u>22140067</u>	WERMA LED industrial signal beacon, 75mm, clear/white, permanent, IP65, base mount, 115 VAC.	Stock	\$145.00
<u>22150067</u>	WERMA LED industrial signal beacon, 75mm, blue, permanent, IP65, base mount, 115 VAC.	Stock	\$145.00
<u>22220067</u>	WERMA Xenon tube industrial signal beacon, 75mm, green, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$127.00
<u>22230067</u>	WERMA Xenon tube industrial signal beacon, 75mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$121.00
<u>22240067</u>	WERMA Xenon tube industrial signal beacon, 75mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$127.00
<u>22250067</u>	WERMA Xenon tube industrial signal beacon, 75mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$127.00
<u>82610000</u>	WERMA incandescent industrial signal beacon, 98mm, red, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$41.50
<u>82620000</u>	WERMA incandescent industrial signal beacon, 98mm, green, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$45.00
<u>82630000</u>	WERMA incandescent industrial signal beacon, 98mm, yellow, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$41.50
<u>82640000</u>	WERMA incandescent industrial signal beacon, 98mm, clear/white, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$45.00
<u>82650000</u>	WERMA incandescent industrial signal beacon, 98mm, blue, permanent, IP65, base mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$45.00
<u>82921055</u>	WERMA LED industrial signal beacon, 98mm, green, rotating (180rpm), IP65, base mount, 24 VDC.	Stock	\$283.00
<u>82931055</u>	WERMA LED industrial signal beacon, 98mm, yellow, rotating (180rpm), IP65, base mount, 24 VDC.	Stock	\$185.00
<u>82941055</u>	WERMA LED industrial signal beacon, 98mm, clear/white, rotating (180rpm), IP65, base mount, 24 VDC.	Stock	\$283.00
<u>82951055</u>	WERMA LED industrial signal beacon, 98mm, blue, rotating (180rpm), IP65, base mount, 24 VDC.	Stock	\$283.00
<u>82919055</u>	WERMA LED industrial signal beacon, 98mm, red, EVS (Enhanced Visibility System) flashing (random flashing), IP65, base mount, 24 VDC.	Stock	\$206.00
<u>82939055</u>	WERMA LED industrial signal beacon, 98mm, yellow, EVS (Enhanced Visibility System) flashing (random flashing), IP65, base mount, 24 VDC.	Stock	\$206.00
<u>82949055</u>	WERMA LED industrial signal beacon, 98mm, clear/white, EVS (Enhanced Visibility System) flashing (random flashing), IP65, base mount, 24 VDC.	Stock	\$313.00
<u>82810055</u>	WERMA Xenon tube industrial signal beacon, 98mm, red, flashing strobe (1 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$122.00
<u>82820055</u>	WERMA Xenon tube industrial signal beacon, 98mm, green, flashing strobe (1 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$129.00
<u>82840055</u>	WERMA Xenon tube industrial signal beacon, 98mm, clear/white, flashing strobe (1 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$129.00
<u>82850055</u>	WERMA Xenon tube industrial signal beacon, 98mm, blue, flashing strobe (1 Hz flash frequency), IP65, base mount, 24 VDC.	Stock	\$207.00
<u>82932055</u>	WERMA LED industrial signal beacon, 98mm, yellow, double flash, IP65, base mount, 24 VDC.	Stock	\$168.00
<u>82942055</u>	WERMA LED industrial signal beacon, 98mm, clear/white, double flash, IP65, base mount, 24 VDC.	Stock	\$255.00

<u>82710075</u>	WERMA incandescent industrial signal beacon, 98mm, red, blinking (1.84 Hz ON for 284ms), IP65, base mount, 24 VAC/VDC.	Stock	\$101.00
<u>82720075</u>	WERMA incandescent industrial signal beacon, 98mm, green, blinking (1.84 Hz ON for 284ms), IP65, base mount, 24 VAC/VDC.	Stock	\$109.00
<u>82740075</u>	WERMA incandescent industrial signal beacon, 98mm, clear/white, blinking (1.84 Hz ON for 284ms), IP65, base mount, 24 VAC/VDC.	Stock	\$109.00
<u>82750075</u>	WERMA incandescent industrial signal beacon, 98mm, blue, blinking (1.84 Hz ON for 284ms), IP65, base mount, 24 VAC/VDC.	Stock	\$109.00
<u>82910055</u>	WERMA LED industrial signal beacon, 98mm, red, permanent or blinking (1.5 Hz ON for 350ms), IP65, base mount, 24 VDC.	Stock	\$156.00
<u>82920055</u>	WERMA LED industrial signal beacon, 98mm, green, permanent or blinking (1.5 Hz ON for 350ms), IP65, base mount, 24 VDC.	Stock	\$209.00
<u>82930055</u>	WERMA LED industrial signal beacon, 98mm, yellow, permanent or blinking (1.5 Hz ON for 350ms), IP65, base mount, 24 VDC.	Stock	\$156.00
<u>82950055</u>	WERMA LED industrial signal beacon, 98mm, blue, permanent or blinking (1.5 Hz ON for 350ms), IP65, base mount, 24 VDC.	Stock	\$219.00
<u>82915055</u>	WERMA LED industrial signal beacon, 98mm, red, permanent/blinking/rotating (1.66 Hz ON for 298ms, 180rpm), IP65, base mount, 24 VDC.	Stock	\$232.00
<u>82925055</u>	WERMA LED industrial signal beacon, 98mm, green, permanent/blinking/rotating (1.66 Hz ON for 298ms, 180rpm), IP65, base mount, 24 VDC.	Stock	\$381.00
<u>82955055</u>	WERMA LED industrial signal beacon, 98mm, blue, permanent/blinking/rotating (1.66 Hz ON for 298ms, 180rpm), IP65, base mount, 24 VDC.	Stock	\$381.00
<u>82913067</u>	WERMA LED industrial signal beacon, 98mm, red, permanent, IP65, base mount, 115 VAC.	Stock	\$168.00
<u>82923067</u>	WERMA LED industrial signal beacon, 98mm, green, permanent, IP65, base mount, 115 VAC.	Stock	\$225.00
<u>82933067</u>	WERMA LED industrial signal beacon, 98mm, yellow, permanent, IP65, base mount, 115 VAC.	Stock	\$168.00
<u>82953067</u>	WERMA LED industrial signal beacon, 98mm, blue, permanent, IP65, base mount, 115 VAC.	Stock	\$237.00
<u>82911068</u>	WERMA LED industrial signal beacon, 98mm, red, rotating (180rpm), IP65, base mount, 115-230 VAC.	Stock	\$214.00
<u>82921068</u>	WERMA LED industrial signal beacon, 98mm, green, rotating (180rpm), IP65, base mount, 115-230 VAC.	Stock	\$312.00
<u>82931068</u>	WERMA LED industrial signal beacon, 98mm, yellow, rotating (180rpm), IP65, base mount, 115-230 VAC.	Stock	\$214.00
<u>82941068</u>	WERMA LED industrial signal beacon, 98mm, clear/white, rotating (180rpm), IP65, base mount, 115-230 VAC.	Stock	\$312.00
<u>82951068</u>	WERMA LED industrial signal beacon, 98mm, blue, rotating (180rpm), IP65, base mount, 115-230 VAC.	Stock	\$312.00
<u>82919068</u>	WERMA LED industrial signal beacon, 98mm, red, EVS (Enhanced Visibility System) flashing (random flashing), IP65, base mount, 115-230 VAC.	Stock	\$233.00
<u>82939068</u>	WERMA LED industrial signal beacon, 98mm, yellow, EVS (Enhanced Visibility System) flashing (random flashing), IP65, base mount, 115-230 VAC.	Stock	\$233.00
<u>82949068</u>	WERMA LED industrial signal beacon, 98mm, clear/white, EVS (Enhanced Visibility System) flashing (random flashing), IP65, base mount, 115-230 VAC.	Stock	\$323.00
<u>82820067</u>	WERMA Xenon tube industrial signal beacon, 98mm, green, flashing strobe (1 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$129.00
<u>82830067</u>	WERMA Xenon tube industrial signal beacon, 98mm, yellow, flashing strobe (1 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$122.00
<u>82840067</u>	WERMA Xenon tube industrial signal beacon, 98mm, clear/white, flashing strobe (1 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$129.00
<u>82850067</u>	WERMA Xenon tube industrial signal beacon, 98mm, blue, flashing strobe (1 Hz flash frequency), IP65, base mount, 115 VAC.	Stock	\$207.00
<u>82912068</u>	WERMA LED industrial signal beacon, 98mm, red, double flash, IP65, base mount, 115-230 VAC.	Stock	\$188.00
<u>82932068</u>	WERMA LED industrial signal beacon, 98mm, yellow, double flash, IP65, base mount, 115-230 VAC.	Stock	\$188.00
<u>82942068</u>	WERMA LED industrial signal beacon, 98mm, clear/white, double flash, IP65, base mount, 115-230 VAC.	Stock	\$263.00
<u>82720077</u>	WERMA incandescent industrial signal beacon, 98mm, green, blinking (1.84 Hz ON for 284ms), IP65, base mount, 115 VAC.	Stock	\$109.00
<u>82730077</u>	WERMA incandescent industrial signal beacon, 98mm, yellow, blinking (1.84 Hz ON for 284ms), IP65, base mount, 115 VAC.	Stock	\$101.00
<u>82740077</u>	WERMA incandescent industrial signal beacon, 98mm, clear/white, blinking (1.84 Hz ON for 284ms), IP65, base mount, 115 VAC.	Stock	\$109.00
<u>82750077</u>	WERMA incandescent industrial signal beacon, 98mm, blue, blinking (1.84 Hz ON for 284ms), IP65, base mount, 115 VAC.	Stock	\$109.00

<u>20310000</u>	WERMA incandescent industrial signal beacon, 57mm, red, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20320000</u>	WERMA incandescent industrial signal beacon, 57mm, green, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20330000</u>	WERMA incandescent industrial signal beacon, 57mm, yellow, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20340000</u>	WERMA incandescent industrial signal beacon, 57mm, clear/white, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20350000</u>	WERMA incandescent industrial signal beacon, 57mm, blue, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20410075</u>	WERMA LED industrial signal beacon, 58mm, red, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$73.00
<u>20420075</u>	WERMA LED industrial signal beacon, 58mm, green, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$73.00
<u>20430075</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$73.00
<u>20440075</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$119.00
<u>20510055</u>	WERMA Xenon tube industrial signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$106.00
<u>20520055</u>	WERMA Xenon tube industrial signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$110.00
<u>20530055</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$104.00
<u>20540055</u>	WERMA Xenon tube industrial signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$110.00
<u>20550055</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$110.00
<u>20410067</u>	WERMA LED industrial signal beacon, 58mm, red, permanent, IP65, bracket mount, 115 VAC.	Stock	\$89.00
<u>20430067</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, bracket mount, 115 VAC.	Stock	\$89.00
<u>20440067</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, bracket mount, 115 VAC.	Stock	\$133.00
<u>20450067</u>	WERMA LED industrial signal beacon, 58mm, blue, permanent, IP65, bracket mount, 115 VAC.	Stock	\$133.00
<u>20520067</u>	WERMA Xenon tube industrial signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$110.00
<u>20530067</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$104.00
<u>20540067</u>	WERMA Xenon tube industrial signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$110.00
<u>20550067</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$110.00
<u>21310000</u>	WERMA incandescent industrial tall signal beacon, 57mm, red, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>21320000</u>	WERMA incandescent industrial tall signal beacon, 57mm, green, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>21330000</u>	WERMA incandescent industrial tall signal beacon, 57mm, yellow, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>21340000</u>	WERMA incandescent industrial tall signal beacon, 57mm, clear/white, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>21350000</u>	WERMA incandescent industrial tall signal beacon, 57mm, blue, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>21410075</u>	WERMA LED industrial tall signal beacon, 58mm, red, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$75.00
<u>21420075</u>	WERMA LED industrial tall signal beacon, 58mm, green, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$75.00
<u>21430075</u>	WERMA LED industrial tall signal beacon, 58mm, yellow, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$75.00
<u>21440075</u>	WERMA LED industrial tall signal beacon, 58mm, clear/white, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$119.00
<u>21450075</u>	WERMA LED industrial tall signal beacon, 58mm, blue, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$119.00
<u>21510055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$109.00
<u>21530055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$109.00
<u>21540055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$119.00

<u>21550055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$119.00
<u>21410067</u>	WERMA LED industrial tall signal beacon, 58mm, red, permanent, IP65, bracket mount, 115 VAC.	Stock	\$89.00
<u>21420067</u>	WERMA LED industrial tall signal beacon, 58mm, green, permanent, IP65, bracket mount, 115 VAC.	Stock	\$89.00
<u>21430067</u>	WERMA LED industrial tall signal beacon, 58mm, yellow, permanent, IP65, bracket mount, 115 VAC.	Stock	\$89.00
<u>21440067</u>	WERMA LED industrial tall signal beacon, 58mm, clear/white, permanent, IP65, bracket mount, 115 VAC.	Stock	\$133.00
<u>21450067</u>	WERMA LED industrial tall signal beacon, 58mm, blue, permanent, IP65, bracket mount, 115 VAC.	Stock	\$133.00
<u>21510067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$109.00
<u>21520067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, green, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$119.00
<u>21530067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$109.00
<u>21540067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$119.00
<u>21550067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$119.00
<u>22310000</u>	WERMA incandescent industrial signal beacon, 75mm, red, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$39.50
<u>22320000</u>	WERMA incandescent industrial signal beacon, 75mm, green, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$39.50
<u>22330000</u>	WERMA incandescent industrial signal beacon, 75mm, yellow, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$39.50
<u>22340000</u>	WERMA incandescent industrial signal beacon, 75mm, clear/white, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$39.50
<u>22350000</u>	WERMA incandescent industrial signal beacon, 75mm, blue, permanent, IP65, bracket mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$39.50
<u>22410075</u>	WERMA LED industrial signal beacon, 75mm, red, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$97.00
<u>22420075</u>	WERMA LED industrial signal beacon, 75mm, green, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$97.00
<u>22430075</u>	WERMA LED industrial signal beacon, 75mm, yellow, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$97.00
<u>22440075</u>	WERMA LED industrial signal beacon, 75mm, clear/white, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$131.00
<u>22450075</u>	WERMA LED industrial signal beacon, 75mm, blue, permanent, IP65, bracket mount, 24 VAC/VDC.	Stock	\$131.00
<u>22510055</u>	WERMA Xenon tube industrial signal beacon, 75mm, red, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$122.00
<u>22520055</u>	WERMA Xenon tube industrial signal beacon, 75mm, green, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$128.00
<u>22530055</u>	WERMA Xenon tube industrial signal beacon, 75mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$122.00
<u>22540055</u>	WERMA Xenon tube industrial signal beacon, 75mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$128.00
<u>22550055</u>	WERMA Xenon tube industrial signal beacon, 75mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 24 VDC.	Stock	\$128.00
<u>22410067</u>	WERMA LED industrial signal beacon, 75mm, red, permanent, IP65, bracket mount, 115 VAC.	Stock	\$110.00
<u>22420067</u>	WERMA LED industrial signal beacon, 75mm, green, permanent, IP65, bracket mount, 115 VAC.	Stock	\$110.00
<u>22430067</u>	WERMA LED industrial signal beacon, 75mm, yellow, permanent, IP65, bracket mount, 115 VAC.	Stock	\$110.00
<u>22440067</u>	WERMA LED industrial signal beacon, 75mm, clear/white, permanent, IP65, bracket mount, 115 VAC.	Stock	\$145.00
<u>22450067</u>	WERMA LED industrial signal beacon, 75mm, blue, permanent, IP65, bracket mount, 115 VAC.	Stock	\$145.00
<u>22510067</u>	WERMA Xenon tube industrial signal beacon, 75mm, red, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$122.00
<u>22520067</u>	WERMA Xenon tube industrial signal beacon, 75mm, green, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$128.00
<u>22530067</u>	WERMA Xenon tube industrial signal beacon, 75mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$122.00
<u>22550067</u>	WERMA Xenon tube industrial signal beacon, 75mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, bracket mount, 115 VAC.	Stock	\$128.00

<u>20910000</u>	WERMA incandescent industrial signal beacon, 57mm, red, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20920000</u>	WERMA incandescent industrial signal beacon, 57mm, green, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20930000</u>	WERMA incandescent industrial signal beacon, 57mm, yellow, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20940000</u>	WERMA incandescent industrial signal beacon, 57mm, clear/white, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20950000</u>	WERMA incandescent industrial signal beacon, 57mm, blue, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$22.50
<u>20921075</u>	WERMA LED industrial signal beacon, 58mm, green, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$73.00
<u>20931075</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$73.00
<u>20941075</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$118.00
<u>20951075</u>	WERMA LED industrial signal beacon, 58mm, blue, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$118.00
<u>20912055</u>	WERMA Xenon tube industrial signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$104.00
<u>20932055</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$104.00
<u>20942055</u>	WERMA Xenon tube industrial signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$110.00
<u>20952055</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$110.00
<u>21910000</u>	WERMA incandescent industrial tall signal beacon, 57mm, red, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$24.50
<u>21920000</u>	WERMA incandescent industrial tall signal beacon, 57mm, green, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$24.50
<u>21930000</u>	WERMA incandescent industrial tall signal beacon, 57mm, yellow, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$24.50
<u>21940000</u>	WERMA incandescent industrial tall signal beacon, 57mm, clear/white, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$24.50
<u>21950000</u>	WERMA incandescent industrial tall signal beacon, 57mm, blue, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$24.50
<u>21921075</u>	WERMA LED industrial tall signal beacon, 58mm, green, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$78.00
<u>21931075</u>	WERMA LED industrial tall signal beacon, 58mm, yellow, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$78.00
<u>21941075</u>	WERMA LED industrial tall signal beacon, 58mm, clear/white, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$124.00
<u>21951075</u>	WERMA LED industrial tall signal beacon, 58mm, blue, permanent, IP65, tube mount, 24 VAC/VDC.	Stock	\$124.00
<u>21912055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$109.00
<u>21932055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$109.00
<u>21942055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$118.00
<u>21952055</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$118.00
<u>20911067</u>	WERMA LED industrial signal beacon, 58mm, red, permanent, IP65, tube mount, 115 VAC.	Stock	\$88.00
<u>20921067</u>	WERMA LED industrial signal beacon, 58mm, green, permanent, IP65, tube mount, 115 VAC.	Stock	\$88.00
<u>20931067</u>	WERMA LED industrial signal beacon, 58mm, yellow, permanent, IP65, tube mount, 115 VAC.	Stock	\$88.00
<u>20941067</u>	WERMA LED industrial signal beacon, 58mm, clear/white, permanent, IP65, tube mount, 115 VAC.	Stock	\$132.00
<u>20951067</u>	WERMA LED industrial signal beacon, 58mm, blue, permanent, IP65, tube mount, 115 VAC.	Stock	\$132.00
<u>20912067</u>	WERMA Xenon tube industrial signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$104.00
<u>20932067</u>	WERMA Xenon tube industrial signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$104.00
<u>20942067</u>	WERMA Xenon tube industrial signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$104.00
<u>20952067</u>	WERMA Xenon tube industrial signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$110.00

<u>21911067</u>	WERMA LED industrial tall signal beacon, 58mm, red, permanent, IP65, tube mount, 115 VAC.	Stock	\$94.00
<u>21921067</u>	WERMA LED industrial tall signal beacon, 58mm, green, permanent, IP65, tube mount, 115 VAC.	Stock	\$94.00
<u>21931067</u>	WERMA LED industrial tall signal beacon, 58mm, yellow, permanent, IP65, tube mount, 115 VAC.	Stock	\$94.00
<u>21941067</u>	WERMA LED industrial tall signal beacon, 58mm, clear/white, permanent, IP65, tube mount, 115 VAC.	Stock	\$139.00
<u>21951067</u>	WERMA LED industrial tall signal beacon, 58mm, blue, permanent, IP65, tube mount, 115 VAC.	Stock	\$139.00
<u>21912067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, red, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$109.00
<u>21932067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, yellow, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$109.00
<u>21942067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, clear/white, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$118.00
<u>21952067</u>	WERMA Xenon tube industrial tall signal beacon, 58mm, blue, flashing strobe (0.75 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$118.00
<u>82611000</u>	WERMA incandescent industrial signal beacon, 98mm, red, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$52.00
<u>82621000</u>	WERMA incandescent industrial signal beacon, 98mm, green, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$52.00
<u>82631000</u>	WERMA incandescent industrial signal beacon, 98mm, yellow, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$52.00
<u>82641000</u>	WERMA incandescent industrial signal beacon, 98mm, clear/white, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$52.00
<u>82651000</u>	WERMA incandescent industrial signal beacon, 98mm, blue, permanent, IP65, tube mount, 12-240 VAC/VDC. Requires incandescent bulb.	Stock	\$52.00
<u>82911755</u>	WERMA LED industrial signal beacon, 98mm, red, rotating (180rpm), IP65, tube mount, 24 VDC.	Stock	\$199.00
<u>82921755</u>	WERMA LED industrial signal beacon, 98mm, green, rotating (180rpm), IP65, tube mount, 24 VDC.	Stock	\$306.00
<u>82931755</u>	WERMA LED industrial signal beacon, 98mm, yellow, rotating (180rpm), IP65, tube mount, 24 VDC.	Stock	\$199.00
<u>82941755</u>	WERMA LED industrial signal beacon, 98mm, clear/white, rotating (180rpm), IP65, tube mount, 24 VDC.	Stock	\$306.00
<u>82919755</u>	WERMA LED industrial signal beacon, 98mm, red, EVS (Enhanced Visibility System) flashing (random flashing), IP65, tube mount, 24 VDC.	Stock	\$220.00
<u>82939755</u>	WERMA LED industrial signal beacon, 98mm, yellow, EVS (Enhanced Visibility System) flashing (random flashing), IP65, tube mount, 24 VDC.	Stock	\$220.00
<u>82949755</u>	WERMA LED industrial signal beacon, 98mm, clear/white, EVS (Enhanced Visibility System) flashing (random flashing), IP65, tube mount, 24 VDC.	Stock	\$336.00
<u>82814055</u>	WERMA Xenon tube industrial signal beacon, 98mm, red, flashing strobe (1 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$130.00
<u>82824055</u>	WERMA Xenon tube industrial signal beacon, 98mm, green, flashing strobe (1 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$138.00
<u>82834055</u>	WERMA Xenon tube industrial signal beacon, 98mm, yellow, flashing strobe (1 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$130.00
<u>82844055</u>	WERMA Xenon tube industrial signal beacon, 98mm, clear/white, flashing strobe (1 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$138.00
<u>82854055</u>	WERMA Xenon tube industrial signal beacon, 98mm, blue, flashing strobe (1 Hz flash frequency), IP65, tube mount, 24 VDC.	Stock	\$138.00
<u>82932755</u>	WERMA LED industrial signal beacon, 98mm, yellow, double flash, IP65, tube mount, 24 VDC.	Stock	\$180.00
<u>82942755</u>	WERMA LED industrial signal beacon, 98mm, clear/white, double flash, IP65, tube mount, 24 VDC.	Stock	\$275.00
<u>82910755</u>	WERMA LED industrial signal beacon, 98mm, red, permanent or blinking (1.5 Hz ON for 350ms), IP65, tube mount, 24 VDC.	Stock	\$170.00
<u>82920755</u>	WERMA LED industrial signal beacon, 98mm, green, permanent or blinking (1.5 Hz ON for 350ms), IP65, tube mount, 24 VDC.	Stock	\$224.00
<u>82930755</u>	WERMA LED industrial signal beacon, 98mm, yellow, permanent or blinking (1.5 Hz ON for 350ms), IP65, tube mount, 24 VDC.	Stock	\$170.00
<u>82950755</u>	WERMA LED industrial signal beacon, 98mm, blue, permanent or blinking (1.5 Hz ON for 350ms), IP65, tube mount, 24 VDC.	Stock	\$235.00
<u>82915755</u>	WERMA LED industrial signal beacon, 98mm, red, permanent/blinking/rotating (1.66 Hz ON for 298ms, 180rpm), IP65, tube mount, 24 VDC.	Stock	\$252.00
<u>82925755</u>	WERMA LED industrial signal beacon, 98mm, green, permanent/blinking/rotating (1.66 Hz ON for 298ms, 180rpm), IP65, tube mount, 24 VDC.	Stock	\$411.00

<u>82935755</u>	WERMA LED industrial signal beacon, 98mm, yellow, permanent/blinking/rotating (1.66 Hz ON for 298ms, 180rpm), IP65, tube mount, 24 VDC.	Stock	\$252.00
<u>82955755</u>	WERMA LED industrial signal beacon, 98mm, blue, permanent/blinking/rotating (1.66 Hz ON for 298ms, 180rpm), IP65, tube mount, 24 VDC.	Stock	\$411.00
<u>82913767</u>	WERMA LED industrial signal beacon, 98mm, red, permanent, IP65, tube mount, 115 VAC.	Stock	\$180.00
<u>82923767</u>	WERMA LED industrial signal beacon, 98mm, green, permanent, IP65, tube mount, 115 VAC.	Stock	\$240.00
<u>82933767</u>	WERMA LED industrial signal beacon, 98mm, yellow, permanent, IP65, tube mount, 115 VAC.	Stock	\$180.00
<u>82953767</u>	WERMA LED industrial signal beacon, 98mm, blue, permanent, IP65, tube mount, 115 VAC.	Stock	\$257.00
<u>82911768</u>	WERMA LED industrial signal beacon, 98mm, red, rotating (180rpm), IP65, tube mount, 115-230 VAC.	Stock	\$230.00
<u>82921768</u>	WERMA LED industrial signal beacon, 98mm, green, rotating (180rpm), IP65, tube mount, 115-230 VAC.	Stock	\$335.00
<u>82931768</u>	WERMA LED industrial signal beacon, 98mm, yellow, rotating (180rpm), IP65, tube mount, 115-230 VAC.	Stock	\$230.00
<u>82941768</u>	WERMA LED industrial signal beacon, 98mm, clear/white, rotating (180rpm), IP65, tube mount, 115-230 VAC.	Stock	\$335.00
<u>82951768</u>	WERMA LED industrial signal beacon, 98mm, blue, rotating (180rpm), IP65, tube mount, 115-230 VAC.	Stock	\$335.00
<u>82919768</u>	WERMA LED industrial signal beacon, 98mm, red, EVS (Enhanced Visibility System) flashing (random flashing), IP65, tube mount, 115-230 VAC.	Stock	\$254.00
<u>82939768</u>	WERMA LED industrial signal beacon, 98mm, yellow, EVS (Enhanced Visibility System) flashing (random flashing), IP65, tube mount, 115-230 VAC.	Stock	\$254.00
<u>82949768</u>	WERMA LED industrial signal beacon, 98mm, clear/white, EVS (Enhanced Visibility System) flashing (random flashing), IP65, tube mount, 115-230 VAC.	Stock	\$348.00
<u>82814067</u>	WERMA Xenon tube industrial signal beacon, 98mm, red, flashing strobe (1 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$130.00
<u>82824067</u>	WERMA Xenon tube industrial signal beacon, 98mm, green, flashing strobe (1 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$138.00
<u>82834067</u>	WERMA Xenon tube industrial signal beacon, 98mm, yellow, flashing strobe (1 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$130.00
<u>82854067</u>	WERMA Xenon tube industrial signal beacon, 98mm, blue, flashing strobe (1 Hz flash frequency), IP65, tube mount, 115 VAC.	Stock	\$138.00
<u>82912768</u>	WERMA LED industrial signal beacon, 98mm, red, double flash, IP65, tube mount, 115-230 VAC.	Stock	\$203.00
<u>82932768</u>	WERMA LED industrial signal beacon, 98mm, yellow, double flash, IP65, tube mount, 115-230 VAC.	Stock	\$203.00
<u>82942768</u>	WERMA LED industrial signal beacon, 98mm, clear/white, double flash, IP65, tube mount, 115-230 VAC.	Stock	\$283.00
<u>69110055</u>	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, 24 VAC/VDC, clear lens, 194.9mm body length, transparent, 160 degree viewing angle, wall mount, IP65.	Stock	\$155.00
<u>69110068</u>	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, 115-230 VAC, clear lens, 194.9mm body length, transparent, 160 degree viewing angle, wall mount, IP65.	Stock	\$155.00
<u>69130055</u>	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, 24 VAC/VDC, clear lens, 194.9mm body length, silver, 160 degree viewing angle, wall mount, IP65.	Stock	\$222.00
<u>69130068</u>	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, 115-230 VAC, clear lens, 194.9mm body length, silver, 160 degree viewing angle, wall mount, IP65.	Stock	\$222.00
Audible-Visual Signaling Devices			
<u>ECX2071-24R</u>	AutomationDirect audible alarm buzzer, 80 dB at 10cm, 2.8 kHz tone frequency, pulse tone(s), 24 VAC/VDC, permanent LED indicator(s), red, 22mm, panel mount, plastic housing, red, IP65.	Stock	\$10.50
<u>ECX2071-127R</u>	AutomationDirect audible alarm buzzer, 80 dB at 10cm, 2.8 kHz tone frequency, pulse tone(s), 120 VAC/VDC, permanent LED indicator(s), red, 22mm, panel mount, plastic housing, red, IP65.	Stock	\$10.50
<u>DR22B5-EB</u>	Fuji Electric audible alarm buzzer, 90 dB at 0.1m, 70 dB at 1m, 2.4 kHz to 3.3 kHz tone frequency, continuous/intermittent tone(s), 12-24 VAC/VDC, permanent LED indicator(s), red, 22mm, panel mount, plastic housing, black, IP00.	Stock	\$52.00
<u>DR22B5-HB</u>	Fuji Electric audible alarm buzzer, 90 dB at 0.1m, 70 dB at 1m, 2.4 kHz to 3.3 kHz tone frequency, continuous/intermittent tone(s), 100-110 VAC, permanent LED indicator(s), red, 22mm, panel mount, plastic housing, black, IP00.	Stock	\$52.00
<u>DR30B5-EBZC</u>	Fuji Electric audible alarm buzzer, 90 dB at 0.1m, 70 dB at 1m, 2.4 kHz to 3.3 kHz tone frequency, continuous/intermittent tone(s), 12-24 VAC/VDC, permanent LED indicator(s), red, 30mm, panel mount, plastic housing, silver, IP00.	Stock	\$62.00
<u>DR30B5-HBZC</u>	Fuji Electric audible alarm buzzer, 90 dB at 0.1m, 70 dB at 1m, 2.4 kHz to 3.3 kHz tone frequency, continuous/intermittent tone(s), 100-110 VAC, permanent LED indicator(s), red, 30mm, panel mount, plastic housing, silver, IP00.	Stock	\$62.00

<u>15010055</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.8 kHz tone frequency, continuous tone(s), 24 VDC, permanent LED indicator(s), red, 22mm, panel mount, polycarbonate housing, red, IP65.	Stock	\$82.00
<u>15030055</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.8 kHz tone frequency, continuous tone(s), 24 VDC, permanent LED indicator(s), yellow, 22mm, panel mount, polycarbonate housing, yellow, IP65.	Stock	\$82.00
<u>15010067</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.8 kHz tone frequency, continuous tone(s), 115 VAC, permanent LED indicator(s), red, 22mm, panel mount, polycarbonate housing, red, IP65.	Stock	\$89.00
<u>15030067</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.8 kHz tone frequency, continuous tone(s), 115 VAC, permanent LED indicator(s), yellow, 22mm, panel mount, polycarbonate housing, yellow, IP65.	Stock	\$89.00
<u>45010055</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.8 kHz tone frequency, continuous tone(s), touch to acknowledge, 24 VDC, permanent LED indicator(s), red, 22mm, panel mount, polycarbonate housing, red, IP65.	Stock	\$164.00
<u>45030055</u>	WERMA audible alarm buzzer, 80 dB at 1m, 2.8 kHz tone frequency, continuous tone(s), touch to acknowledge, 24 VDC, permanent LED indicator(s), yellow, 22mm, panel mount, polycarbonate housing, yellow, IP65.	Stock	\$164.00
<u>NE-M1ANB-M</u>	Patlite NE-A series integrated LED audible-visual signal beacon, 88 dB at 1m, continuous/intermittent tone(s), continuous or flashing (500ms), multi-color, 56mm, 12-24 VDC, IP65.	Stock	\$101.00
<u>NE-M1ACNB-M</u>	Patlite NE-A series integrated LED audible-visual signal beacon, 88 dB at 1m, continuous/intermittent tone(s), continuous, multi-color, 56mm, 12-24 VDC, IP65. Requires 5-pin female M12 cable.	Stock	\$119.00
<u>NE-M1ATB-M</u>	Patlite NE-A series integrated LED audible-visual signal beacon, 88 dB at 1m, continuous/intermittent tone(s), touch to acknowledge, continuous, multi-color, 56mm, 12-24 VDC, IP65.	Stock	\$130.00
<u>NE-ILNB-M</u>	Patlite NE-IL series integrated LED audible-visual signal beacon, 88 dB at 1m, (8) selectable tone(s), selectable permanent, flashing, double flash or triple flash, multi-color, 56mm, 24 VDC, IO-Link Class A Device, IP65. Requires 5-pin female M12 cable.	Stock	\$135.00
<u>NE-ILTB-M</u>	Patlite NE-IL series integrated LED audible-visual signal beacon, 88 dB at 1m, (8) selectable tone(s), touch to acknowledge, selectable permanent, flashing, double flash or triple flash, multi-color, 56mm, 24 VDC, IO-Link Class A Device, IP65.	Stock	\$166.00
<u>21555154055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, amber, 166 x 114 x 134mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21555155055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, red, 166 x 114 x 134mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21555156055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, green, 166 x 114 x 134mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21555157055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, blue, 166 x 114 x 134mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21555814055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, amber, 166 x 114 x 134mm, 10-57 VDC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21555815055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, red, 166 x 114 x 134mm, 10-57 VDC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21555816055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, green, 166 x 114 x 134mm, 10-57 VDC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21555817055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable flashing strobe, blue, 166 x 114 x 134mm, 10-57 VDC, IP66, NEMA 4/4X.	Stock	\$371.00
<u>21556648055</u>	Pfannenberg PYRA series LED audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable permanent, blinking or flashing, red/yellow/green/blue, 166 x 114 x 134mm, 115-230 VAC, IP66, NEMA 4/4X.	Stock	\$396.00
<u>21556818055</u>	Pfannenberg PYRA series LED audible-visual signal beacon, 101 dB at 1m, (8) selectable tone(s), selectable permanent, blinking or flashing, red/yellow/green/blue, 166 x 114 x 134mm, 12-48 VDC, IP66, NEMA 4/4X.	Stock	\$396.00
<u>21565154055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, amber, 216 x 144 x 172mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>21565155055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, red, 216 x 144 x 172mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>21565156055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, green, 216 x 144 x 172mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>21565157055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, blue, 216 x 144 x 172mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>21565804055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, amber, 216 x 144 x 172mm, 24 VDC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>21565805055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, red, 216 x 144 x 172mm, 24 VDC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>21565806055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, green, 216 x 144 x 172mm, 24 VDC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>21565807055</u>	Pfannenberg PYRA series Xenon tube audible-visual signal beacon, 103 dB at 1m, (8) selectable tone(s), selectable flashing strobe, blue, 216 x 144 x 172mm, 24 VDC, IP66, NEMA 4/4X.	Stock	\$468.00
<u>23311154055</u>	Pfannenberg PATROL series Xenon tube audible-visual signal beacon, 105 dB at 1m, (80) selectable tone(s), flashing strobe (1 Hz flash frequency), amber, 109 x 81 x 172mm, 115 VAC, IP66, NEMA 4/4X.	Stock	\$381.00

[illegible]

[illegible]

<u>SF08-M1KTB-G</u>	Patlite SF series LED audible-visual signal beacon, 86 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, green, 80mm, 12-24 VDC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$157.00
<u>SF08-M1KTB-R</u>	Patlite SF series LED audible-visual signal beacon, 86 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, red, 80mm, 12-24 VDC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$157.00
<u>SF08-M1KTB-Y</u>	Patlite SF series LED audible-visual signal beacon, 86 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, amber, 80mm, 12-24 VDC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$157.00
<u>SF08-M2KTB-B</u>	Patlite SF series LED audible-visual signal beacon, 86 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, blue, 80mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$174.00
<u>SF08-M2KTB-G</u>	Patlite SF series LED audible-visual signal beacon, 86 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, green, 80mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$174.00
<u>SF08-M2KTB-R</u>	Patlite SF series LED audible-visual signal beacon, 86 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, red, 80mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$174.00
<u>SF08-M2KTB-Y</u>	Patlite SF series LED audible-visual signal beacon, 86 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, amber, 80mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$174.00
<u>SF10-M1KTB-B</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, blue, 100mm, 12-24 VDC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$171.00
<u>SF10-M1KTB-G</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, green, 100mm, 12-24 VDC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$171.00
<u>SF10-M1KTB-R</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, red, 100mm, 12-24 VDC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$171.00
<u>SF10-M1KTB-Y</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, amber, 100mm, 12-24 VDC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$171.00
<u>SF10-M2KTB-B</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, blue, 100mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$188.00
<u>SF10-M2KTB-G</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, green, 100mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$188.00
<u>SF10-M2KTB-R</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, red, 100mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$188.00
<u>SF10-M2KTB-Y</u>	Patlite SF series LED audible-visual signal beacon, 88 dB at 1m, continuous tone(s), (22) selectable flashing and rotating patterns, amber, 100mm, 100-240 VAC, IP66, NEMA 4X/13, push-in terminal.	Stock	\$188.00
<u>46011060</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 420ms), red, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46011074</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 410ms), red, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46011075</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 470ms), red, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$96.00
<u>46012060</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), red, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46012074</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), red, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46012075</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), red, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46021060</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 420ms), green, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46021074</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 410ms), green, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46021075</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 470ms), green, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$96.00
<u>46022060</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), green, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46022074</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), green, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46022075</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), green, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00

<u>46031060</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 420ms), yellow, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46031074</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 410ms), yellow, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46031075</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 470ms), yellow, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$96.00
<u>46032060</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), yellow, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46032074</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), yellow, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46032075</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), yellow, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46041060</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 420ms), clear/white, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46041074</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 410ms), clear/white, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46041075</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 470ms), clear/white, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$96.00
<u>46042060</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), clear/white, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46042074</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), clear/white, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46042075</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), clear/white, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46051060</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 420ms), blue, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46051074</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 410ms), blue, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46051075</u>	WERMA EvoSIGNAL Mini TwinLIGHT series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), permanent or blinking (1 Hz ON for 470ms), blue, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$96.00
<u>46052060</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), blue, 62mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46052074</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), blue, 62mm, 12 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$129.00
<u>46052075</u>	WERMA EvoSIGNAL Mini TwinFLASH series LED audible-visual signal beacon, 95 dB at 1m, continuous/pulse tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), blue, 62mm, 24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$111.00
<u>46111060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 420ms), red, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$172.00
<u>46111070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 480ms), red, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$158.00
<u>46112060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), red, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$186.00
<u>46112070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), red, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$168.00

<u>46121060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 420ms), green, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$172.00
<u>46121070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 480ms), green, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$158.00
<u>46122060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), green, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$186.00
<u>46122070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), green, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$168.00
<u>46131060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 420ms), yellow, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$172.00
<u>46131070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 480ms), yellow, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$158.00
<u>46132060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), yellow, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$186.00
<u>46132070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), yellow, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$168.00
<u>46141060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 420ms), clear/white, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$172.00
<u>46141070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 480ms), clear/white, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$158.00
<u>46142060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), clear/white, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$186.00
<u>46142070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), clear/white, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$168.00
<u>46151060</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 420ms), blue, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$172.00
<u>46151070</u>	WERMA EvoSIGNAL Midi TwinLIGHT series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), permanent or blinking (1 Hz ON for 480ms), blue, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$158.00
<u>46152060</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), blue, 85mm, 115-230 VAC, IP66. Requires mounting adapter.	Stock	\$186.00
<u>46152070</u>	WERMA EvoSIGNAL Midi TwinFLASH series LED audible-visual signal beacon, 110 dB at 1m, (10) selectable tone(s), double flash or EVS (Enhanced Visibility System) flashing (random flashing), blue, 85mm, 12/24 VAC/VDC, IP66. Requires mounting adapter.	Stock	\$168.00
Accessories for Signaling Devices			
<u>SZK-101</u>	Patlite mounting bracket, wall mount, black, polycarbonate. For use with Patlite SKS, SKH, SF08, SF10, SL08 and SL10 series beacons.	Stock	\$15.00
<u>SZK-102</u>	Patlite mounting bracket, wall mount, silver, 304 stainless steel. For use with Patlite SKS, SKH, SF08, SF10, SL08 and SL10 series beacons.	Stock	\$17.00
<u>SZK-103</u>	Patlite mounting bracket, wall mount, silver, 305 stainless steel. For use with Patlite SKP and SL15 series beacons.	Stock	\$29.00
<u>SZK-104</u>	Patlite mounting bracket cover, wall mount, black, polycarbonate. For use with Patlite SZK-102 mounting bracket. Installation hardware included.	Stock	\$15.00
<u>SZK-105</u>	Patlite mounting bracket cover, wall mount, black, polycarbonate. For use with Patlite SZK-103 mounting bracket. Installation hardware included.	Stock	\$25.00
<u>SZP-101</u>	Patlite tube adapter, tube mount, 100mm diameter, black, polycarbonate. For use with Patlite SKH, SF10, SL10 series beacons and POLE22-xxxxAN or POLE22-xxxxAT mounting poles.	Stock	\$23.00
<u>SZP-102</u>	Patlite tube adapter, tube mount, 80mm diameter, 1/2in NPT thread, silver, aluminum. For use with Patlite SKS, SF08 and SL08 series beacons.	Stock	\$43.00
<u>SZP-103</u>	Patlite tube adapter, tube mount, 100mm diameter, 1/2in NPT thread, silver, aluminum. For use with Patlite SKH, SF10 and SL10 series beacons.	Stock	\$51.00
<u>SZP-104</u>	Patlite tube adapter, tube mount, 150mm diameter, 3/4in NPT thread, silver, aluminum. For use with Patlite SKP and SL15 series beacons.	Stock	\$89.00

<u>SZW-101</u>	Patlite mounting bracket, ceiling mount, 100mm diameter, black, cold-rolled steel. For use with Patlite SKH, SF10 and SL10 series beacons.	Stock	\$17.00
<u>SZW-102</u>	Patlite gasket, black, silicone. For use with Patlite SKS, SF08 and SL08 series beacons.	Stock	\$8.00
<u>SZW-103</u>	Patlite gasket, black, silicone. For use with Patlite SKH, SF10 and SL10 series beacons.	Stock	\$10.00
<u>26070001</u>	WERMA EvoSIGNAL Mini series mounting base adapter, base mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Mini industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$5.75
<u>26070003</u>	WERMA EvoSIGNAL Mini series mounting adapter, panel mount, M22 x 1.5mm thread type, 62mm diameter, 33mm height, gray, ABS plastic. For use with WERMA EvoSIGNAL Mini industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$10.00
<u>26070004</u>	WERMA EvoSIGNAL Mini series PG 29 mounting adapter, panel mount, PG29 thread type, gray, ABS plastic. For use with WERMA EvoSIGNAL Mini industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$10.00
<u>26070005</u>	WERMA EvoSIGNAL Mini series tube adapter, tube mount, 62mm diameter, 60mm height, gray, ABS plastic. For use with WERMA EvoSIGNAL Mini industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$12.50
<u>26070006</u>	WERMA EvoSIGNAL Mini series mounting bracket adapter with cable gland, wall mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Mini industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$6.75
<u>26070007</u>	WERMA EvoSIGNAL Mini series mounting bracket adapter, wall mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Mini industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$6.75
<u>26170001</u>	WERMA EvoSIGNAL Midi series mounting base adapter, base mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Midi industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$6.75
<u>26170002</u>	WERMA EvoSIGNAL Midi series mounting base adapter with cable gland, base mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Midi industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$13.50
<u>26170003</u>	WERMA EvoSIGNAL Midi series mounting bracket adapter with horn, wall mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Midi industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$12.50
<u>26170005</u>	WERMA EvoSIGNAL Midi series tube adapter, tube mount, 85mm diameter, 64mm height, gray, ABS plastic. For use with WERMA EvoSIGNAL Midi industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$14.50
<u>26170006</u>	WERMA EvoSIGNAL Midi series mounting bracket adapter with cable gland, wall mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Midi industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$11.50
<u>26170007</u>	WERMA EvoSIGNAL Midi series mounting bracket adapter, wall mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Midi industrial signal beacons, audible-visual signal beacons and audible signal horns.	Stock	\$7.75
<u>26270001</u>	WERMA EvoSIGNAL Maxi series mounting base adapter, base mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Maxi industrial signal beacons.	Stock	\$11.50
<u>26270002</u>	WERMA EvoSIGNAL Maxi series mounting base adapter with cable gland, base mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Maxi industrial signal beacons.	Stock	\$16.50
<u>26270006</u>	WERMA EvoSIGNAL Maxi series mounting bracket adapter with cable gland, wall mount, gray, ABS plastic. For use with WERMA EvoSIGNAL Maxi industrial signal beacons.	Stock	\$15.50
<u>26270007</u>	WERMA EvoSIGNAL Maxi series mounting bracket adapter, gray, ABS plastic. For use with WERMA EvoSIGNAL Maxi industrial signal beacons.	Stock	\$14.50
<u>97581201</u>	WERMA tube adapter, tube mount, 57mm diameter, black, polyamide. For use with beacons with 37mm (PG 29) mounting installation.	Stock	\$15.00
<u>97581202</u>	WERMA surface mounting base, base mount, black, polyamide. For use with beacons with 37mm (PG 29) mounting installation.	Stock	\$14.50
<u>97520901</u>	WERMA plastic base with integrated tube, base mount, 70mm diameter, 110mm length, black, polyamide. For use with 209 or 219 series beacons.	Stock	\$21.50
<u>97520902</u>	WERMA cable gland, M25 x 1.5mm thread type, polyamide, black, accepts 8 to 17mm diameter cable, IP68.	Stock	\$6.00
<u>97582605</u>	WERMA mounting bracket, wall mount, black, ABS/polycarbonate. For use with 826, 827, 828 and 829 series industrial signal beacons.	Stock	\$10.50
<u>97582603</u>	WERMA galvanized wire guard, steel. For use with 826, 827, 828 or 829 series industrial signal beacons.	Stock	\$45.00
<u>97581503</u>	WERMA beacon enclosure, surface mount, 1 hole. For use with beacons with 37mm (PG 29) mounting installation.	Stock	\$46.00
<u>97581507</u>	WERMA beacon enclosure, surface mount, 2 holes. For use with beacons with 37mm (PG 29) mounting installation.	Stock	\$64.00
<u>97581508</u>	WERMA beacon enclosure, surface mount, 3 holes. For use with beacons with 37mm (PG 29) mounting installation.	Stock	\$84.00
<u>97581522</u>	WERMA anti-twist washer, stainless steel. For use with Werma beacons with 37mm (PG 29) mounting installation.	Stock	\$6.00
<u>95501535</u>	WERMA bulb, incandescent, replacement, 24 VAC/VDC, BA15d bayonet, clear, 7W.	Stock	\$8.75

95501537	WERMA bulb, incandescent, replacement, 115 VAC, BA15d bayonet, clear, 7W.	Stock	\$8.75
95501538	WERMA bulb, incandescent, replacement, 230 VAC, BA15d bayonet, clear, 7W.	Stock	\$8.75
95582635	WERMA bulb, incandescent, replacement, 24 VAC/VDC, BA15d bayonet, clear, 15W.	Stock	\$8.75
95582637	WERMA bulb, incandescent, replacement, 115 VAC, BA15d bayonet, clear, 15W.	Stock	\$8.75
95582638	WERMA bulb, incandescent, replacement, 230 VAC, BA15d bayonet, clear, 15W.	Stock	\$8.75
95582735	WERMA bulb, incandescent, replacement, 24 VAC/VDC, BA15d bayonet, clear, 25W.	Stock	\$8.50
95582737	WERMA bulb, incandescent, replacement, 115 VAC/VDC, BA15d bayonet, clear, 25W.	Stock	\$8.50
95588524	WERMA bulb, halogen, replacement, 12 VAC/VDC, G6.35 bayonet, clear, 20W.	Stock	\$12.00
95588525	WERMA bulb, halogen, replacement, 24 VAC/VDC, G6.35 bayonet, clear, 20W.	Stock	\$12.00
V13100076-F1	Patlite cable, replacement. For use with EHS series audible signal horns.	Stock	\$34.00
V21100522-F1	Patlite cover, replacement. For use with EHS series audible signal horns.	Stock	\$37.00
NE-002D	Patlite mounting bracket, wall mount, 56mm diameter, 82mm height, dark gray, polycarbonate. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$13.00
NE-001D	Patlite tube adapter, tube mount, 56mm diameter, black, polycarbonate. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$20.50
SZP-092D	Patlite tube adapter, tube mount, 1/2in NPT thread type, 56mm diameter, black, polycarbonate. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$7.25
GA0000119-F1	Patlite O-ring, silicone. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$11.00
POLE-100A21	Patlite mounting pole, 22mm diameter, 100mm length, silver, aluminum. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$28.00
POLE-300A21	Patlite mounting pole, 22mm diameter, 300mm length, silver, aluminum. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$31.50
POLE-800A21	Patlite mounting pole, 22mm diameter, 800mm length, silver, aluminum. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$39.00
SZ-010	Patlite mounting bracket, flange mount, 100mm diameter, 65mm height, silver, aluminum. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$28.00
SZ-016A	Patlite mounting bracket, flange mount, 68mm diameter, 45mm height, silver, aluminum. For use with Patlite NE-A and NE-IL series beacons.	Stock	\$31.50
Signal Towers (Pre-assembled Stacklights)			
65720055	WERMA eSIGN series LED signal tower, white, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$407.00
65721055	WERMA eSIGN series LED signal tower, white, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$438.00
65730055	WERMA eSIGN series LED signal tower, white, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$428.00
65731055	WERMA eSIGN series LED signal tower, white, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$459.00
65770055	WERMA eSIGN series LED signal tower, white, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$456.00
65771055	WERMA eSIGN series LED signal tower, white, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$488.00
65780055	WERMA eSIGN series LED signal tower, white, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$472.00
65781055	WERMA eSIGN series LED signal tower, white, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$513.00
65700055	WERMA eSIGN series LED signal tower, black, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$407.00
65701055	WERMA eSIGN series LED signal tower, black, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$438.00

<u>65710055</u>	WERMA eSIGN series LED signal tower, black, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$428.00
<u>65711055</u>	WERMA eSIGN series LED signal tower, black, (9) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$459.00
<u>65750055</u>	WERMA eSIGN series LED signal tower, black, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$456.00
<u>65751055</u>	WERMA eSIGN series LED signal tower, black, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$488.00
<u>65760055</u>	WERMA eSIGN series LED signal tower, black, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 8-pin M12 A-coded, base or tube mount, IP66 and IP69K.	Stock	\$472.00
<u>65761055</u>	WERMA eSIGN series LED signal tower, black, (15) tiers, 72mm diameter, custom programmable colors, selectable multi light function, (10) selectable tone(s), 24 VDC, 360 degree viewing angle, 4-pin M12 A-coded (IO-Link), base or tube mount, IP66 and IP69K.	Stock	\$513.00
<u>64924001</u>	WERMA LED signal tower, (3) tiers, 70mm diameter, red/yellow/green, permanent light function, 115 VAC, colored lens, 210.2mm body length, black, 360 degree viewing angle, bracket mount, IP65.	Stock	\$247.00
<u>64924002</u>	WERMA LED signal tower, (3) tiers, 70mm diameter, red/yellow/green, permanent light function, 24 VAC/VDC, colored lens, 210.2mm body length, black, 360 degree viewing angle, bracket mount, IP65.	Stock	\$194.00
<u>64924003</u>	WERMA LED signal tower, (2) tiers, 70mm diameter, red/green, permanent light function, 115 VAC, colored lens, 154.2mm body length, black, 360 degree viewing angle, bracket mount, IP65.	Stock	\$184.00
<u>64924004</u>	WERMA LED signal tower, (2) tiers, 70mm diameter, red/green, permanent light function, 24 VAC/VDC, colored lens, 154.2mm body length, black, 360 degree viewing angle, bracket mount, IP65.	Stock	\$159.00
<u>ME-102A-R</u>	Patlite LED signal tower, (1) tier, 25mm diameter, red, permanent light function, 24 VDC, NPN polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$103.00
<u>ME-202A-RG</u>	Patlite LED signal tower, (2) tiers, 25mm diameter, red/green, permanent light function, 24 VDC, NPN polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$139.00
<u>ME-302A-RYG</u>	Patlite LED signal tower, (3) tiers, 25mm diameter, red/amber/green, permanent light function, 24 VDC, NPN polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$174.00
<u>ME-402A-RYGB</u>	Patlite LED signal tower, (4) tiers, 25mm diameter, red/amber/green/blue, permanent light function, 24 VDC, NPN polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$206.00
<u>ME-102P-R</u>	Patlite LED signal tower, (1) tier, 25mm diameter, red, permanent light function, 24 VDC, PNP polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$103.00
<u>ME-202P-RG</u>	Patlite LED signal tower, (2) tiers, 25mm diameter, red/green, permanent light function, 24 VDC, PNP polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$139.00
<u>ME-302P-RYG</u>	Patlite LED signal tower, (3) tiers, 25mm diameter, red/amber/green, permanent light function, 24 VDC, PNP polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$174.00
<u>ME-402P-RYGB</u>	Patlite LED signal tower, (4) tiers, 25mm diameter, red/amber/green/blue, permanent light function, 24 VDC, PNP polarity, clear lens, 200mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$206.00
<u>MES-102A-R</u>	Patlite LED signal tower, (1) tier, 25mm diameter, red, permanent light function, 24 VDC, NPN polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$103.00
<u>MES-202A-RG</u>	Patlite LED signal tower, (2) tiers, 25mm diameter, red/green, permanent light function, 24 VDC, NPN polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$139.00
<u>MES-302A-RYG</u>	Patlite LED signal tower, (3) tiers, 25mm diameter, red/amber/green, permanent light function, 24 VDC, NPN polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$163.00
<u>MES-402A-RYGB</u>	Patlite LED signal tower, (4) tiers, 25mm diameter, red/amber/green/blue, permanent light function, 24 VDC, NPN polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP42.	Stock	\$196.00
<u>MES-102P-R</u>	Patlite LED signal tower, (1) tier, 25mm diameter, red, permanent light function, 24 VDC, PNP polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$103.00
<u>MES-202P-RG</u>	Patlite LED signal tower, (2) tiers, 25mm diameter, red/green, permanent light function, 24 VDC, PNP polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$128.00
<u>MES-302P-RYG</u>	Patlite LED signal tower, (3) tiers, 25mm diameter, red/amber/green, permanent light function, 24 VDC, PNP polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$168.00
<u>MES-402P-RYGB</u>	Patlite LED signal tower, (4) tiers, 25mm diameter, red/amber/green/blue, permanent light function, 24 VDC, PNP polarity, clear lens, 40mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$196.00
<u>MP-102-R</u>	Patlite LED signal tower, (1) tier, 30mm diameter, red, permanent light function, 24 VAC/VDC, NPN/PNP polarity, colored lens, 220mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$103.00
<u>MP-202-RG</u>	Patlite LED signal tower, (2) tiers, 30mm diameter, red/green, permanent light function, 24 VAC/VDC, NPN/PNP polarity, colored lens, 220mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$143.00
<u>MP-302-RYG</u>	Patlite LED signal tower, (3) tiers, 30mm diameter, red/amber/green, permanent light function, 24 VAC/VDC, NPN/PNP polarity, colored lens, 220mm body length, silver, 360 degree viewing angle, base mount, IP65.	Stock	\$168.00

[illegible]

<u>LR4-402LJBW-RYGB</u>	Patlite LED signal tower, (4) tiers, 40mm diameter, red/amber/green/blue, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 24 VDC, NPN/PNP polarity, colored lens, 80mm body length, off-white, 360 degree viewing angle, pole mount, IP54.	Stock	\$189.00
<u>LR4-4M2LJBW-RYGB</u>	Patlite LED signal tower, (4) tiers, 40mm diameter, red/amber/green/blue, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 100-240 VAC, colored lens, 150mm body length, off-white, 360 degree viewing angle, pole mount, IP54.	Stock	\$248.00
<u>LR4-202WJNW-RG</u>	Patlite LED signal tower, (2) tiers, 40mm diameter, red/green, permanent light function, 24 VDC, NPN/PNP polarity, colored lens, 80mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$83.00
<u>LR4-2M2WJNW-RG</u>	Patlite LED signal tower, (2) tiers, 40mm diameter, red/green, permanent light function, 100-240 VAC, colored lens, 150mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$124.00
<u>LR4-302WJNW-RYG</u>	Patlite LED signal tower, (3) tiers, 40mm diameter, red/amber/green, permanent light function, 24 VDC, NPN/PNP polarity, colored lens, 80mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$100.00
<u>LR4-3M2WJNW-RYG</u>	Patlite LED signal tower, (3) tiers, 40mm diameter, red/amber/green, permanent light function, 100-240 VAC, colored lens, 150mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$150.00
<u>LR4-402WJNW-RYGB</u>	Patlite LED signal tower, (4) tiers, 40mm diameter, red/amber/green/blue, permanent light function, 24 VDC, NPN/PNP polarity, colored lens, 80mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$134.00
<u>LR4-4M2WJNW-RYGB</u>	Patlite LED signal tower, (4) tiers, 40mm diameter, red/amber/green/blue, permanent light function, 100-240 VAC, colored lens, 150mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$189.00
<u>LR4-202WJBW-RG</u>	Patlite LED signal tower, (2) tiers, 40mm diameter, red/green, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 24 VDC, NPN/PNP polarity, colored lens, 80mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$120.00
<u>LR4-2M2WJBW-RG</u>	Patlite LED signal tower, (2) tiers, 40mm diameter, red/green, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 100-240 VAC, colored lens, 150mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$173.00
<u>LR4-302WJBW-RYG</u>	Patlite LED signal tower, (3) tiers, 40mm diameter, red/amber/green, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 24 VDC, NPN/PNP polarity, colored lens, 80mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$146.00
<u>LR4-3M2WJBW-RYG</u>	Patlite LED signal tower, (3) tiers, 40mm diameter, red/amber/green, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 100-240 VAC, colored lens, 150mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$196.00
<u>LR4-402WJBW-RYGB</u>	Patlite LED signal tower, (4) tiers, 40mm diameter, red/amber/green/blue, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 24 VDC, NPN/PNP polarity, colored lens, 80mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$173.00
<u>LR4-4M2WJBW-RYGB</u>	Patlite LED signal tower, (4) tiers, 40mm diameter, red/amber/green/blue, permanent or flashing (60 fpm +/- 2 fpm) light function, (4) alarms, 100-240 VAC, colored lens, 150mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$213.00
<u>LS7-302DWC-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 244mm body length, dark gray, 360 degree viewing angle, base mount, IP65.	Stock	\$180.00
<u>LS7-502DWC-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 244mm body length, dark gray, 360 degree viewing angle, base mount, IP65.	Stock	\$295.00
<u>LS7-302DBWC-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 284mm body length, dark gray, 360 degree viewing angle, base mount, IP54.	Stock	\$233.00
<u>LS7-502DBWC-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 284mm body length, dark gray, 360 degree viewing angle, base mount, IP54.	Stock	\$345.00
<u>LS7-302WC-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 244mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$180.00
<u>LS7-502WC-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 244mm body length, off-white, 360 degree viewing angle, base mount, IP65.	Stock	\$295.00
<u>LS7-302BWC-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 284mm body length, off-white, 360 degree viewing angle, base mount, IP54.	Stock	\$233.00
<u>LS7-502BWC-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 284mm body length, off-white, 360 degree viewing angle, base mount, IP54.	Stock	\$345.00
<u>LS7-302DWC9-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 230mm body length, dark gray, 360 degree viewing angle, base mount, IP69K.	Stock	\$360.00
<u>LS7-502DWC9-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 230mm body length, dark gray, 360 degree viewing angle, base mount, IP69K.	Stock	\$469.00
<u>LS7-302DBWC9-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 270mm body length, dark gray, 360 degree viewing angle, base mount, IP69K.	Stock	\$417.00

<u>LS7-502DBWC9-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 270mm body length, dark gray, 360 degree viewing angle, base mount, IP69K.	Stock	\$520.00
<u>LS7-302WC9-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 230mm body length, off-white, 360 degree viewing angle, base mount, IP69K.	Stock	\$365.00
<u>LS7-502WC9-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, 24 VDC, NPN/PNP polarity, clear lens, 230mm body length, off-white, 360 degree viewing angle, base mount, IP69K.	Stock	\$469.00
<u>LS7-302BWC9-RYGNN</u>	Patlite LED signal tower, (3) tiers, 70mm diameter, red/amber/green, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 270mm body length, off-white, 360 degree viewing angle, base mount, IP69K.	Stock	\$403.00
<u>LS7-502BWC9-RYGBC</u>	Patlite LED signal tower, (5) tiers, 70mm diameter, red/amber/green/blue/clear, permanent light function, (1) alarm, 24 VDC, NPN/PNP polarity, clear lens, 270mm body length, off-white, 360 degree viewing angle, base mount, IP69K.	Stock	\$509.00
<u>LKEH-102FEPUL-R</u>	Patlite LED signal tower, (1) tier, 100mm diameter, red, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, PNP polarity, colored lens, 265.2mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$517.00
<u>LKEH-102FEUL-R</u>	Patlite LED signal tower, (1) tier, 100mm diameter, red, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, NPN polarity, colored lens, 265.2mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$497.00
<u>LKEH-202FEPUL-RG</u>	Patlite LED signal tower, (2) tiers, 100mm diameter, red/green, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, PNP polarity, colored lens, 325.3mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$587.00
<u>LKEH-202FEUL-RG</u>	Patlite LED signal tower, (2) tiers, 100mm diameter, red/green, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, NPN polarity, colored lens, 325.3mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$576.00
<u>LKEH-302FEPUL-RYG</u>	Patlite LED signal tower, (3) tiers, 100mm diameter, red/amber/green, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, PNP polarity, colored lens, 385.4mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$683.00
<u>LKEH-302FEUL-RYG</u>	Patlite LED signal tower, (3) tiers, 100mm diameter, red/amber/green, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, NPN polarity, colored lens, 385.4mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$683.00
<u>LKEH-402FEPUL-RYGB</u>	Patlite LED signal tower, (4) tiers, 100mm diameter, red/amber/green/blue, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, PNP polarity, colored lens, 445.5mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$998.00
<u>LKEH-402FEUL-RYGB</u>	Patlite LED signal tower, (4) tiers, 100mm diameter, red/amber/green/blue, permanent or flashing (60 fpm +/- 3 fpm) light function, (32) alarms, 24 VDC, NPN polarity, colored lens, 445.5mm body length, light gray, 360 degree viewing angle, base mount, IP53.	Stock	\$1,032.00
<u>HSST-3M2-RYG</u>	Patlite LED manual signal tower station kit, (3) tiers, 50mm diameter, red/amber/green, permanent light function, 100-240 VAC, clear lens, 271mm body length, off-white, 360 degree viewing angle, pole mount, IP20 and IP54.	Stock	\$235.00
Signal Tower Elements			
<u>64080000</u>	WERMA terminal element, 70mm diameter, cage clamp, base or bracket mount, IP65. Cap and seal included.	Stock	\$31.50
<u>64081000</u>	WERMA terminal element, 70mm diameter, cage clamp, tube mount, IP65. Cap and seal included.	Stock	\$31.50
<u>64082000</u>	WERMA terminal element, 70mm diameter, screw terminal, base or bracket mount, IP65. Cap and seal included.	Stock	\$31.50
<u>64083000</u>	WERMA terminal element, 70mm diameter, screw terminal, tube mount, IP65. Cap and seal included.	Stock	\$31.50
<u>84500000</u>	WERMA terminal element, 50mm diameter, screw terminal, surface, tube, single-hole or bracket mount, IP54. Cap and seal included.	Stock	\$31.50
<u>LR4-02WJNW</u>	Patlite body unit, 40mm diameter, 24 VDC, NPN/PNP polarity, off-white, base mount, IP65. For use with 40mm terminal elements.	Stock	\$51.00
<u>LR4-M2WJNW</u>	Patlite body unit, 40mm diameter, 100-240 VAC, NPN polarity, off-white, base mount, IP65. For use with 40mm terminal elements.	Stock	\$73.00
<u>64110000</u>	WERMA incandescent light element, 70mm diameter, red, permanent light function, 12-240 VAC/VDC, colored lens, IP65. Requires incandescent bulb.	Stock	\$24.00
<u>64120000</u>	WERMA incandescent light element, 70mm diameter, green, permanent light function, 12-240 VAC/VDC, colored lens, IP65. Requires incandescent bulb.	Stock	\$24.00
<u>64130000</u>	WERMA incandescent light element, 70mm diameter, yellow, permanent light function, 12-240 VAC/VDC, colored lens, IP65. Requires incandescent bulb.	Stock	\$24.00
<u>64140000</u>	WERMA incandescent light element, 70mm diameter, clear/white, permanent light function, 12-240 VAC/VDC, clear lens, IP65. Requires incandescent bulb.	Stock	\$24.00
<u>64150000</u>	WERMA incandescent light element, 70mm diameter, blue, permanent light function, 12-240 VAC/VDC, colored lens, IP65. Requires incandescent bulb.	Stock	\$24.00

<u>64310055</u>	WERMA Xenon tube light element, 70mm diameter, red, flashing strobe (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$115.00
<u>64320055</u>	WERMA Xenon tube light element, 70mm diameter, green, flashing strobe (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$115.00
<u>64330055</u>	WERMA Xenon tube light element, 70mm diameter, yellow, flashing strobe (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$115.00
<u>64340055</u>	WERMA Xenon tube light element, 70mm diameter, clear/white, flashing strobe (1 Hz ON for 10ms) light function, 24 VDC, clear lens, IP65.	Stock	\$115.00
<u>64350055</u>	WERMA Xenon tube light element, 70mm diameter, blue, flashing strobe (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$115.00
<u>64310067</u>	WERMA Xenon tube light element, 70mm diameter, red, flashing strobe (1 Hz ON for 10ms) light function, 115 VAC, colored lens, IP65.	Stock	\$100.00
<u>64320067</u>	WERMA Xenon tube light element, 70mm diameter, green, flashing strobe (1 Hz ON for 10ms) light function, 115 VAC, colored lens, IP65.	Stock	\$100.00
<u>64330067</u>	WERMA Xenon tube light element, 70mm diameter, yellow, flashing strobe (1 Hz ON for 10ms) light function, 115 VAC, colored lens, IP65.	Stock	\$100.00
<u>64340067</u>	WERMA Xenon tube light element, 70mm diameter, clear/white, flashing strobe (1 Hz ON for 10ms) light function, 115 VAC, clear lens, IP65.	Stock	\$100.00
<u>64350067</u>	WERMA Xenon tube light element, 70mm diameter, blue, flashing strobe (1 Hz ON for 10ms) light function, 115 VAC, colored lens, IP65.	Stock	\$100.00
<u>64445055</u>	WERMA LED light element, 70mm diameter, red/yellow/green/blue/turquoise/violet/clear, permanent light function, 24 VDC, clear lens, IP65.	Stock	\$233.00
<u>64410075</u>	WERMA LED light element, 70mm diameter, red, permanent light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$58.00
<u>64420075</u>	WERMA LED light element, 70mm diameter, green, permanent light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$58.00
<u>64430075</u>	WERMA LED light element, 70mm diameter, yellow, permanent light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$58.00
<u>64440075</u>	WERMA LED light element, 70mm diameter, clear/white, permanent light function, 24 VAC/VDC, clear lens, IP65.	Stock	\$89.00
<u>64450075</u>	WERMA LED light element, 70mm diameter, blue, permanent light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$89.00
<u>64411075</u>	WERMA LED light element, 70mm diameter, red, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$77.00
<u>64421075</u>	WERMA LED light element, 70mm diameter, green, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$77.00
<u>64431075</u>	WERMA LED light element, 70mm diameter, yellow, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$77.00
<u>64441075</u>	WERMA LED light element, 70mm diameter, clear/white, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, clear lens, IP65.	Stock	\$101.00
<u>64451075</u>	WERMA LED light element, 70mm diameter, blue, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$101.00
<u>64412055</u>	WERMA LED light element, 70mm diameter, red, flashing (1 Hz ON for 2x10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$140.00
<u>64422055</u>	WERMA LED light element, 70mm diameter, green, flashing (1 Hz ON for 2x10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$140.00
<u>64432055</u>	WERMA LED light element, 70mm diameter, yellow, flashing (1 Hz ON for 2x10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$140.00
<u>64442055</u>	WERMA LED light element, 70mm diameter, clear/white, flashing (1 Hz ON for 2x10ms) light function, 24 VDC, clear lens, IP65.	Stock	\$219.00
<u>64452055</u>	WERMA LED light element, 70mm diameter, blue, flashing (1 Hz ON for 2x10ms) light function, 24 VDC, colored lens, IP65.	Stock	\$219.00
<u>64413075</u>	WERMA LED light element, 70mm diameter, red, rotating (120rpm) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$129.00
<u>64423075</u>	WERMA LED light element, 70mm diameter, green, rotating (120rpm) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$129.00
<u>64433075</u>	WERMA LED light element, 70mm diameter, yellow, rotating (120rpm) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$129.00
<u>64443075</u>	WERMA LED light element, 70mm diameter, clear/white, rotating (120rpm) light function, 24 VAC/VDC, clear lens, IP65.	Stock	\$199.00
<u>64453075</u>	WERMA LED light element, 70mm diameter, blue, rotating (120rpm) light function, 24 VAC/VDC, colored lens, IP65.	Stock	\$199.00
<u>64410067</u>	WERMA LED light element, 70mm diameter, red, permanent light function, 115 VAC, colored lens, IP65.	Stock	\$69.00
<u>64420067</u>	WERMA LED light element, 70mm diameter, green, permanent light function, 115 VAC, colored lens, IP65.	Stock	\$69.00

<u>64430067</u>	WERMA LED light element, 70mm diameter, yellow, permanent light function, 115 VAC, colored lens, IP65.	Stock	\$69.00
<u>64440067</u>	WERMA LED light element, 70mm diameter, clear/white, permanent light function, 115 VAC, clear lens, IP65.	Stock	\$101.00
<u>64450067</u>	WERMA LED light element, 70mm diameter, blue, permanent light function, 115 VAC, colored lens, IP65.	Stock	\$101.00
<u>64411067</u>	WERMA LED light element, 70mm diameter, red, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP65.	Stock	\$80.00
<u>64421067</u>	WERMA LED light element, 70mm diameter, green, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP65.	Stock	\$80.00
<u>64431067</u>	WERMA LED light element, 70mm diameter, yellow, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP65.	Stock	\$80.00
<u>64441067</u>	WERMA LED light element, 70mm diameter, clear/white, blinking (1 Hz ON for 550ms) light function, 115 VAC, clear lens, IP65.	Stock	\$112.00
<u>64451067</u>	WERMA LED light element, 70mm diameter, blue, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP65.	Stock	\$112.00
<u>84610000</u>	WERMA incandescent light element, 50mm diameter, red, permanent light function, 12-240 VAC/VDC, colored lens, IP54. Requires incandescent bulb.	Stock	\$23.50
<u>84620000</u>	WERMA incandescent light element, 50mm diameter, green, permanent light function, 12-240 VAC/VDC, colored lens, IP54. Requires incandescent bulb.	Stock	\$23.50
<u>84630000</u>	WERMA incandescent light element, 50mm diameter, yellow, permanent light function, 12-240 VAC/VDC, colored lens, IP54. Requires incandescent bulb.	Stock	\$23.50
<u>84640000</u>	WERMA incandescent light element, 50mm diameter, clear/white, permanent light function, 12-240 VAC/VDC, clear lens, IP54. Requires incandescent bulb.	Stock	\$23.50
<u>84650000</u>	WERMA incandescent light element, 50mm diameter, blue, permanent light function, 12-240 VAC/VDC, colored lens, IP54. Requires incandescent bulb.	Stock	\$23.50
<u>84810055</u>	WERMA LED light element, 50mm diameter, red, permanent light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$76.00
<u>84820055</u>	WERMA LED light element, 50mm diameter, green, permanent light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$76.00
<u>84830055</u>	WERMA LED light element, 50mm diameter, yellow, permanent light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$76.00
<u>84840055</u>	WERMA LED light element, 50mm diameter, clear/white, permanent light function, 24 VAC/VDC, clear lens, IP54.	Stock	\$116.00
<u>84850055</u>	WERMA LED light element, 50mm diameter, blue, permanent light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$116.00
<u>84811075</u>	WERMA LED light element, 50mm diameter, red, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$76.00
<u>84821075</u>	WERMA LED light element, 50mm diameter, green, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$76.00
<u>84831075</u>	WERMA LED light element, 50mm diameter, yellow, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$76.00
<u>84841075</u>	WERMA LED light element, 50mm diameter, clear/white, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, clear lens, IP54.	Stock	\$101.00
<u>84851075</u>	WERMA LED light element, 50mm diameter, blue, blinking (1 Hz ON for 550ms) light function, 24 VAC/VDC, colored lens, IP54.	Stock	\$116.00
<u>84812055</u>	WERMA LED light element, 50mm diameter, red, flashing (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP54.	Stock	\$151.00
<u>84822055</u>	WERMA LED light element, 50mm diameter, green, flashing (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP54.	Stock	\$175.00
<u>84832055</u>	WERMA LED light element, 50mm diameter, yellow, flashing (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP54.	Stock	\$151.00
<u>84842055</u>	WERMA LED light element, 50mm diameter, clear/white, flashing (1 Hz ON for 10ms) light function, 24 VDC, clear lens, IP54.	Stock	\$201.00
<u>84852055</u>	WERMA LED light element, 50mm diameter, blue, flashing (1 Hz ON for 10ms) light function, 24 VDC, colored lens, IP54.	Stock	\$201.00
<u>84810067</u>	WERMA LED light element, 50mm diameter, red, permanent light function, 115 VAC, colored lens, IP54.	Stock	\$88.00
<u>84820067</u>	WERMA LED light element, 50mm diameter, green, permanent light function, 115 VAC, colored lens, IP54.	Stock	\$88.00
<u>84830067</u>	WERMA LED light element, 50mm diameter, yellow, permanent light function, 115 VAC, colored lens, IP54.	Stock	\$88.00
<u>84840067</u>	WERMA LED light element, 50mm diameter, clear/white, permanent light function, 115 VAC, clear lens, IP54.	Stock	\$116.00
<u>84850067</u>	WERMA LED light element, 50mm diameter, blue, permanent light function, 115 VAC, colored lens, IP54.	Stock	\$129.00
<u>84811067</u>	WERMA LED light element, 50mm diameter, red, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP54.	Stock	\$88.00

<u>84821067</u>	WERMA LED light element, 50mm diameter, green, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP54.	Stock	\$88.00
<u>84831067</u>	WERMA LED light element, 50mm diameter, yellow, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP54.	Stock	\$88.00
<u>84841067</u>	WERMA LED light element, 50mm diameter, clear/white, blinking (1 Hz ON for 550ms) light function, 115 VAC, clear lens, IP54.	Stock	\$129.00
<u>84851067</u>	WERMA LED light element, 50mm diameter, blue, blinking (1 Hz ON for 550ms) light function, 115 VAC, colored lens, IP54.	Stock	\$129.00
<u>B72100115-4F1</u>	Patlite LED light element, 25mm diameter, blue, permanent light function, 24 VDC, NPN polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$37.50
<u>B72100115-7F1</u>	Patlite LED light element, 25mm diameter, clear/white, permanent light function, 24 VDC, NPN polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$37.50
<u>B72100115-3F1</u>	Patlite LED light element, 25mm diameter, green, permanent light function, 24 VDC, NPN polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$37.50
<u>B72100223-1F1</u>	Patlite LED light element, 25mm diameter, red, permanent light function, 24 VDC, NPN polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$37.50
<u>B72100223-2F1</u>	Patlite LED light element, 25mm diameter, yellow, permanent light function, 24 VDC, NPN polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$37.50
<u>B72100135-4F1</u>	Patlite LED light element, 25mm diameter, blue, permanent light function, 24 VDC, PNP polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$45.50
<u>B72100135-7F1</u>	Patlite LED light element, 25mm diameter, clear/white, permanent light function, 24 VDC, PNP polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$45.50
<u>B72100135-3F1</u>	Patlite LED light element, 25mm diameter, green, permanent light function, 24 VDC, PNP polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$45.50
<u>B72100226-1F1</u>	Patlite LED light element, 25mm diameter, red, permanent light function, 24 VDC, PNP polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$45.50
<u>B72100226-2F1</u>	Patlite LED light element, 25mm diameter, yellow, permanent light function, 24 VDC, PNP polarity, clear lens. For use with ME and MES series signal towers.	Stock	\$45.50
<u>B72100182-1F1</u>	Patlite LED light element, 30mm diameter, red, permanent light function, 24 VAC/VDC, colored lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100182-2F1</u>	Patlite LED light element, 30mm diameter, yellow, permanent light function, 24 VAC/VDC, colored lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100182-3F1</u>	Patlite LED light element, 30mm diameter, green, permanent light function, 24 VAC/VDC, colored lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100182-4F1</u>	Patlite LED light element, 30mm diameter, blue, permanent light function, 24 VAC/VDC, colored lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100182-7F1</u>	Patlite LED light element, 30mm diameter, clear/white, permanent light function, 24 VAC/VDC, clear lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100192-1F1</u>	Patlite LED light element, 30mm diameter, red, permanent light function, 24 VAC/VDC, clear lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100192-2F1</u>	Patlite LED light element, 30mm diameter, yellow, permanent light function, 24 VAC/VDC, clear lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100192-3F1</u>	Patlite LED light element, 30mm diameter, green, permanent light function, 24 VAC/VDC, clear lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>B72100192-4F1</u>	Patlite LED light element, 30mm diameter, blue, permanent light function, 24 VAC/VDC, clear lens. For use with MP and MPS series signal towers.	Stock	\$45.50
<u>LR4-E-R</u>	Patlite LED light element, 40mm diameter, red, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, colored lens. For use with LR4 series signal towers.	Stock	\$23.50
<u>LR4-E-Y</u>	Patlite LED light element, 40mm diameter, yellow, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, colored lens. For use with LR4 series signal towers.	Stock	\$23.50
<u>LR4-E-G</u>	Patlite LED light element, 40mm diameter, green, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, colored lens. For use with LR4 series signal towers.	Stock	\$28.50
<u>LR4-E-B</u>	Patlite LED light element, 40mm diameter, blue, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, colored lens. For use with LR4 series signal towers.	Stock	\$28.50
<u>LR4-E-C</u>	Patlite LED light element, 40mm diameter, clear/white, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, clear lens. For use with LR4 series signal towers.	Stock	\$28.50
<u>LR4-E-RZ</u>	Patlite LED light element, 40mm diameter, red, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, clear lens. For use with LR4 series signal towers.	Stock	\$26.00
<u>LR4-E-YZ</u>	Patlite LED light element, 40mm diameter, yellow, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, clear lens. For use with LR4 series signal towers.	Stock	\$26.00
<u>LR4-E-GZ</u>	Patlite LED light element, 40mm diameter, green, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, clear lens. For use with LR4 series signal towers.	Stock	\$31.00
<u>LR4-E-BZ</u>	Patlite LED light element, 40mm diameter, blue, permanent or flashing (60 fpm +/- 2 fpm) light function, 24 VDC, clear lens. For use with LR4 series signal towers.	Stock	\$31.00

<u>B72100151-1F1</u>	Patlite LED light element, 100mm diameter, red, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, colored lens. For use with LKEH series signal towers.	Stock	\$161.00
<u>B72100151-2F1</u>	Patlite LED light element, 100mm diameter, yellow, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, colored lens. For use with LKEH series signal towers.	Stock	\$161.00
<u>B72100151-3F1</u>	Patlite LED light element, 100mm diameter, green, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, colored lens. For use with LKEH series signal towers.	Stock	\$161.00
<u>B72100151-4F1</u>	Patlite LED light element, 100mm diameter, blue, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, colored lens. For use with LKEH series signal towers.	Stock	\$270.00
<u>B72100151-7F1</u>	Patlite LED light element, 100mm diameter, clear/white, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, clear lens. For use with LKEH series signal towers.	Stock	\$270.00
<u>LR5-E-RZ</u>	Patlite LED light element, 50mm diameter, red, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, clear lens. For use with HSST series manual signal tower station kit.	Stock	\$22.50
<u>LR5-E-YZ</u>	Patlite LED light element, 50mm diameter, yellow, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, clear lens. For use with HSST series manual signal tower station kit.	Stock	\$22.50
<u>LR5-E-GZ</u>	Patlite LED light element, 50mm diameter, green, permanent or flashing (60 fpm +/- 3 fpm) light function, 24 VDC, clear lens. For use with HSST series manual signal tower station kit.	Stock	\$29.50
<u>64580075</u>	WERMA buzzer element, 85 dB at 1m, 1.8 kHz tone frequency, continuous/pulse tone(s), 24 VAC/VDC, polycarbonate housing, black, IP65. For use with WERMA 70mm stack light elements.	Stock	\$58.00
<u>64581055</u>	WERMA siren element, 80-100 dB at 1m, 2.5 kHz tone frequency, self-adjusting pulse tone(s), 24 VDC, ABS/polycarbonate housing, black, IP65. For use with WERMA 70mm stack light elements.	Stock	\$152.00
<u>64585055</u>	WERMA siren element, 100 dB at 1m, 1.6 kHz to 3.4 kHz tone frequency, (7) selectable tone(s), 24 VDC, polycarbonate housing, black, IP65. For use with WERMA 70mm stack light elements.	Stock	\$116.00
<u>64580077</u>	WERMA buzzer element, 85 dB at 1m, 1.8 kHz tone frequency, continuous/pulse tone(s), 115 VAC, polycarbonate housing, black, IP65. For use with WERMA 70mm stack light elements.	Stock	\$69.00
<u>84900075</u>	WERMA buzzer element, 80 dB at 1m, 21 kHz tone frequency, continuous/pulse tone(s), 24 VAC/VDC, ABS/polycarbonate housing, black, IP54. For use with WERMA 50mm stack light elements.	Stock	\$64.00
<u>84900077</u>	WERMA buzzer element, 80 dB at 1m, 21 kHz tone frequency, continuous/pulse tone(s), 115 VAC/VDC, ABS/polycarbonate housing, black, IP54. For use with WERMA 50mm stack light elements.	Stock	\$67.00
<u>MP-B</u>	Patlite buzzer element, 80 dB at 1m, 3 kHz tone frequency, continuous tone(s), 24 VAC/VDC, ABS plastic housing, silver, IP65. For use with MP and MPS series signal towers.	Stock	\$77.00
<u>LR4-BW</u>	Patlite buzzer element, 85 dB at 1m, 2 kHz to 4 kHz tone frequency, (4) selectable tone(s), 24 VDC, polycarbonate housing, off-white, IP65. For use with LR4 series signal towers.	Stock	\$32.50
Accessories for Signal Towers			
<u>96000064</u>	WERMA eSIGN series mounting tube with base, 70mm diameter, 110mm length, black, polyamide. For use with WERMA eSIGN signal towers.	Stock	\$36.50
<u>96000065</u>	WERMA eSIGN series mounting bracket adapter, wall mount, black, polyamide. For use with WERMA eSIGN signal towers.	Stock	\$21.00
<u>96000001</u>	WERMA mounting bracket, tube mount, black, polyamide. For use with 50mm or 70mm terminal elements. M16 x 1.5mm cable gland included.	Stock	\$18.00
<u>96000030</u>	WERMA foldaway base, black, polyamide. For use with 50mm or 70mm terminal elements. Rubber seal included.	Stock	\$60.00
<u>96000014</u>	WERMA mounting bracket, base mount, black, polyamide. For use with 50mm or 70mm terminal elements. Rubber seals included.	Stock	\$22.00
<u>97584091</u>	WERMA mounting base, tube mount, 25mm diameter, black, aluminum. For use with 50mm or 70mm terminal elements. Rubber seal included.	Stock	\$22.50
<u>97584085</u>	WERMA mounting bracket, 1-sided mount, black, polyamide. For use with 70mm terminal elements. Rubber seals included.	Stock	\$15.00
<u>97584086</u>	WERMA mounting bracket, 2-sided mount, black, polyamide. For use with 70mm terminal elements. Rubber seals included.	Stock	\$17.00
<u>96000002</u>	WERMA mounting bracket, surface mount, black, polyamide. For use with 70mm terminal elements. M16 x 1.5mm cable gland included.	Stock	\$18.00
<u>97584501</u>	WERMA mounting base, surface mount, black, polyamide. For use with 50mm terminal elements. Rubber seal included.	Stock	\$16.50
<u>97584502</u>	WERMA mounting bracket, wall mount, black, polyamide. For use with 50mm terminal elements.	Stock	\$23.50
<u>SZP-001W</u>	Patlite mounting bracket, flange mount, 70mm diameter, white, polycarbonate. For use with 40mm terminal elements.	Stock	\$25.50
<u>SZP-003W</u>	Patlite mounting bracket, flange mount, 60mm diameter, white, polycarbonate. For use with 40mm terminal elements.	Stock	\$13.00
<u>SZK-002W</u>	Patlite mounting bracket, side mount, 70 x 70 x 72mm, white, polycarbonate. For use with LR4-WJ series signal towers.	Stock	\$25.50
<u>SZQ-001W</u>	Patlite foldaway base, off-white, polycarbonate. For use with 40mm terminal elements.	Stock	\$20.00
<u>SZL-001</u>	Patlite L-shaped mounting bracket, side mount, 75 x 80 x 32mm, silver, steel. For use with 40mm terminal elements.	Stock	\$8.00

<u>SZK-001U</u>	Patlite mounting bracket, side mount, 96.5 x 62 x 72mm, silver, steel. For use with 40mm terminal elements.	Stock	\$25.50
<u>SZP-002U</u>	Patlite mounting bracket, flange mount, 94mm diameter, silver, aluminum alloy. For use with 40mm terminal elements.	Stock	\$25.50
<u>SZ-100D</u>	Patlite mounting bracket, pedestal mount, 70mm diameter, 150mm height, dark gray, ABS plastic. For use with LS7 series signal towers.	Stock	\$34.50
<u>SZ-110D</u>	Patlite mounting bracket, wall mount, 70 x 87 x 127mm, dark gray, ABS plastic. For use with LS7 series signal towers.	Stock	\$43.50
<u>SZ-100</u>	Patlite mounting bracket, pedestal mount, 70mm diameter, 150mm height, off-white, ABS plastic. For use with LS7 series signal towers.	Stock	\$34.50
<u>SZ-110</u>	Patlite mounting bracket, wall mount, 70 x 87 x 127mm, off-white, ABS plastic. For use with LS7 series signal towers.	Stock	\$43.50
<u>SZ-008</u>	Patlite mounting bracket, wall mount, 190 x 100 x 210mm, light gray, steel. For use with LKEH series signal towers.	Stock	\$34.00
<u>96000031</u>	WERMA mounting tube, 25mm diameter, 45mm length, black, polythylene. For use with 70mm terminal elements. Allows direct mounting of the 70mm terminal elements to the foldaway base (part # 96000030).	Stock	\$9.50
<u>B22210159-7F1</u>	Patlite pole adapter, 40mm diameter, off-white, plastic. For use with Patlite LR4 series direct mount signal tower bases. O-ring, binding head tapping screw for pole fixing, and water proof pole O-ring included.	Stock	\$20.00
<u>SZP-090U</u>	Patlite threaded pole adapter, 40mm diameter, 1/2in NPT thread, silver, aluminum. For use with Patlite LR4 series direct mount signal tower bases. (3) screw-tapped spacers included.	Stock	\$41.50
<u>97584060</u>	WERMA extension tube, 25mm diameter, 600mm length, silver, aluminum. For use with 50mm or 70mm terminal elements.	Stock	\$30.00
<u>97584080</u>	WERMA extension tube, 25mm diameter, 800mm length, silver, aluminum. For use with 50mm or 70mm terminal elements.	Stock	\$38.50
<u>97584003</u>	WERMA extension tube, 25mm diameter, 1000mm length, silver, aluminum. For use with 50mm or 70mm terminal elements.	Stock	\$52.00
<u>96000018</u>	WERMA mounting tube with clamp, 25mm diameter, 250mm length, black, polyamide. For use with 70mm terminal elements. M16 x 1.5mm cable gland included.	Stock	\$56.00
<u>SZ-150</u>	Patlite mounting pole, 30mm diameter, 220mm length, silver, ABS plastic. For use with MP and MPS series signal towers.	Stock	\$25.50
<u>POLE22-0100AT</u>	Patlite threaded mounting pole, 22mm diameter, 100mm length, M22 x 1.5mm thread, silver, aluminum. For use with 40mm terminal elements. Mounting hardware included.	Stock	\$20.00
<u>POLE22-0300AT</u>	Patlite threaded mounting pole, 22mm diameter, 300mm length, M22 x 1.5mm thread, silver, aluminum. For use with 40mm terminal elements. Mounting hardware included.	Stock	\$26.50
<u>POLE22-0500AT</u>	Patlite threaded mounting pole, 22mm diameter, 500mm length, M22 x 1.5mm thread, silver, aluminum. For use with 40mm terminal elements. Mounting hardware included.	Stock	\$32.50
<u>POLE22-0800AT</u>	Patlite threaded mounting pole, 22mm diameter, 800mm length, M22 x 1.5mm thread, silver, aluminum. For use with 40mm terminal elements. Mounting hardware included.	Stock	\$37.50
<u>POLE22-1000AT</u>	Patlite threaded mounting pole, 22mm diameter, 1000mm length, M22 x 1.5mm thread, silver, aluminum. For use with 40mm terminal elements. Mounting hardware included.	Stock	\$45.50
<u>POLE22-0100AN</u>	Patlite mounting pole, 22mm diameter, 100mm length, silver, aluminum. For use with 40mm terminal elements.	Stock	\$16.00
<u>POLE22-0300AN</u>	Patlite mounting pole, 22mm diameter, 300mm length, silver, aluminum. For use with 40mm terminal elements.	Stock	\$20.00
<u>POLE22-0500AN</u>	Patlite mounting pole, 22mm diameter, 500mm length, silver, aluminum. For use with 40mm terminal elements.	Stock	\$26.50
<u>POLE22-0800AN</u>	Patlite mounting pole, 22mm diameter, 800mm length, silver, aluminum. For use with 40mm terminal elements.	Stock	\$28.50
<u>POLE22-1000AN</u>	Patlite mounting pole, 22mm diameter, 1000mm length, silver, aluminum. For use with 40mm terminal elements.	Stock	\$37.50
<u>97584001</u>	WERMA contact box, black, polyamide. For use with 50mm and 70mm terminal elements. Mounting hardware, seal and M16 x 1.5mm cable gland included.	Stock	\$20.00
<u>97584004</u>	WERMA magnetic contact box, black, polyamide. For use with 50mm and 70mm terminal elements. Mounting hardware, seal and M16 x 1.5mm cable gland included.	Stock	\$55.00
<u>97584002</u>	WERMA adapter, tube mount, 25mm diameter, 1/2in NPT thread, silver, steel. For use with 70mm terminal elements.	Stock	\$10.50
<u>96000025</u>	WERMA adapter, single-hole mount, 25mm diameter, M18 x 1.5mm thread, silver, metal. For use with 70mm terminal elements. Rubber O-ring, lock washer and hex nut included.	Stock	\$56.00
<u>97584010</u>	WERMA mounting base, 25mm diameter, 110mm length, black, polyamide. For use with 70mm terminal elements. Rubber seal included.	Stock	\$28.00
<u>97584090</u>	WERMA mounting base, tube mount, 25mm diameter, black, polyamide. For use with 50mm or 70mm terminal elements. Rubber seal included.	Stock	\$14.50
<u>97584510</u>	WERMA extension tube, 25mm diameter, 100mm length, silver, aluminum. For use with 50mm or 70mm terminal elements.	Stock	\$13.50

97584025	WERMA extension tube, 25mm diameter, 250mm length, silver, aluminum. For use with 50mm or 70mm terminal elements.	Stock	\$17.00
97584040	WERMA extension tube, 25mm diameter, 400mm length, silver, aluminum. For use with 50mm or 70mm terminal elements.	Stock	\$22.50
S33552110-0346F1	Patlite 1-tier center screw, zinc plated steel, zinc plated finish. For use with ME and MES series signal towers.	Stock	\$6.50
S33552110-0376F1	Patlite 2-tier center screw, zinc plated steel, zinc plated finish. For use with ME and MES series signal towers.	Stock	\$8.00
S33552110-03108F1	Patlite 3-tier center screw, zinc plated steel, zinc plated finish. For use with ME and MES series signal towers.	Stock	\$8.00
S33552110-03138F1	Patlite 4-tier center screw, zinc plated steel, zinc plated finish. For use with ME and MES series signal towers.	Stock	\$8.00
S33552120-0355F1	Patlite 1-tier center screw, zinc plated steel, zinc plated finish. For use with MP and MPS series signal towers.	Stock	\$6.50
S33552120-0390F1	Patlite 2-tier center screw, zinc plated steel, zinc plated finish. For use with MP and MPS series signal towers.	Stock	\$6.50
S33552120-03125F1	Patlite 3-tier center screw, zinc plated steel, zinc plated finish. For use with MP and MPS series signal towers.	Stock	\$8.00
S33552120-03160F1	Patlite 4-tier center screw, zinc plated steel, zinc plated finish. For use with MP and MPS series signal towers.	Stock	\$8.00
B62910033-1F2	Patlite 1-tier center screw, zinc plated steel, zinc plated finish. For use with LKEH series signal towers.	Stock	\$10.00
B62910033-2F2	Patlite 2-tier center screw, zinc plated steel, zinc plated finish. For use with LKEH series signal towers.	Stock	\$10.00
B62910033-3F2	Patlite 3-tier center screw, zinc plated steel, zinc plated finish. For use with LKEH series signal towers.	Stock	\$12.00
B62910033-4F2	Patlite 4-tier center screw, zinc plated steel, zinc plated finish. For use with LKEH series signal towers.	Stock	\$12.00
B25110032-F1	Patlite O-ring, silicone. For use with MP and MPS series signal towers.	Stock	\$8.00
B32310025-F1	Patlite cap, silver, ABS plastic. For use with MP and MPS series signal towers.	Stock	\$10.50
B32310020-F1	Patlite cap, silver, ABS plastic. For use with ME and MES series signal towers.	Stock	\$10.50
B32310070-7F1	Patlite cap, off-white, ABS plastic. For use with LR4 series signal towers.	Stock	\$11.50
B25110065-F1	Patlite O-ring, nitrile rubber. For use with LR4 series signal towers.	Stock	\$13.00
B25110047-F1	Patlite water proof O-ring, silicone. For use with LR4 series signal towers.	Stock	\$11.50
B32310054-F1	Patlite head cover, off-white, ABS plastic. For use with LKEH series signal towers.	Stock	\$20.00
C21100087-F1	Patlite option slot cover, off-white, AES plastic. For use with LKEH series signal towers.	Stock	\$37.00
SZ-904	Patlite NPT adapter, 22mm to 3/4in female NPT, silver, aluminum.	Stock	\$20.00
B45110011-F1	Patlite outer cover, silver, polycarbonate. For use with LS7 series signal towers. O-ring included.	Stock	\$37.50
Z35721039-F1	Patlite O-ring, silicone. For use with LS7 series signal tower outer cover.	Stock	\$11.50
Z35721038-056F1	Patlite O-ring, silicone. For use with LS7 series signal tower base.	Stock	\$11.50
SZ-130	Patlite 4-hole adapter, top mount, 70mm diameter, 14mm height, off-white, ABS plastic. For use with LS7 series signal towers.	Stock	\$43.50
SZ-130D	Patlite 4-hole adapter, top mount, 70mm diameter, 14mm height, dark gray, ABS plastic. For use with LS7 series signal towers.	Stock	\$43.50
B32310071-7F1	Patlite head cover, off-white, ABS plastic. For use with HSST series manual signal tower station kit.	Stock	\$9.75
T16000002-F1	Patlite 3-button switch box, off-white, ABS plastic. For use with HSST series manual signal tower station kit.	Stock	\$85.00
96000004	WERMA cable gland, M16 x 1.5mm thread type, polyamide, black, accepts 5 to 10mm diameter cable, IP68.	Stock	\$6.00
95584035	WERMA bulb, incandescent, replacement, 24 VDC, BA15d bayonet, clear/white, 5W.	Stock	\$8.75
95584057	WERMA bulb, incandescent, replacement, 115 VAC, BA15d bayonet, clear/white, 5W.	Stock	\$8.75
95584038	WERMA bulb, incandescent, replacement, 230 VAC, BA15d bayonet, clear/white, 5W.	Stock	\$8.75
SDV-2GP	Patlite memory card, 2 GB SD. For use with BD and BSV series audible alarms, EHS series audible signal horns and LKEH series signal towers.	Stock	\$20.00
Wall-mounted Signal Columns			
69120055	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, (8) alarms, 24 VAC/VDC, clear lens, 194.9mm body length, transparent, 160 degree viewing angle, wall mount, IP65.	Stock	\$188.00
69120068	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, (1) alarm, 115-230 VAC, clear lens, 194.9mm body length, transparent, 160 degree viewing angle, wall mount, IP65.	Stock	\$188.00

<u>69140055</u>	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, (8) alarms, 24 VAC/VDC, clear lens, 194.9mm body length, silver, 160 degree viewing angle, wall mount, IP65.	Stock	\$262.00
<u>69140068</u>	WERMA FlatSIGN series LED signal column, (3) tiers, red/yellow/green, selectable permanent or blinking light function, (1) alarm, 115-230 VAC, clear lens, 194.9mm body length, silver, 160 degree viewing angle, wall mount, IP65.	Stock	\$262.00
Electro-Mechanical Relays			
<u>52050</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 12 VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$13.00
<u>52000</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$11.50
<u>52001</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$11.50
<u>52003</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$15.00
<u>52007</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, SPST, (1) N.O., 6A contact rating, 250 VAC/VDC load voltage, H-O-A toggle switch, screw terminal(s), LED indicator(s).	Stock	\$46.00
<u>52010</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, 250 VAC/VDC load voltage, isolation disconnect, screw terminal(s), LED indicator(s).	Stock	\$17.00
<u>52102</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VDC coil voltage, DPDT, (2) N.O., (2) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$20.50
<u>52103</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, DPDT, (2) N.O., (2) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$23.50
<u>52111</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, DPDT, (2) N.O., (2) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$26.50
<u>52030</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 110 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$17.00
<u>52040</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 230 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$17.50
<u>51101</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VDC coil voltage, SPST, (1) N.O., 3A contact rating, 250 VAC/VDC load voltage, manual-auto toggle switch, screw terminal(s), LED indicator(s).	Stock	\$30.50
<u>51152</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 8A contact rating, 250 VAC/VDC load voltage, H-O-A toggle switch, screw terminal(s), LED indicator(s).	Stock	\$28.00
<u>52130</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 110 VAC/VDC coil voltage, DPDT, (2) N.O., (2) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$34.00
<u>52140</u>	Murrelektronik interface relay, 35mm DIN rail mount, finger-safe, 230 VAC/VDC coil voltage, DPDT, (2) N.O., (2) N.C., 6A contact rating, 250 VAC/VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$46.00
<u>KPR-SCE-12VACDC-1</u>	Klemsan interface relay, 35mm DIN rail mount, finger-safe, 12 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, screw terminal(s), LED indicator(s).	Stock	\$8.75
<u>KPR-SCE-24VACDC-1</u>	Klemsan interface relay, 35mm DIN rail mount, finger-safe, 24 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, screw terminal(s), LED indicator(s).	Stock	\$8.75
<u>KPR-SCF-115VACDC-1</u>	Klemsan interface relay, 35mm DIN rail mount, finger-safe, 115 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, screw terminal(s), LED indicator(s). Integrated leakage current suppression filter.	Stock	\$10.00
<u>KPR-SCF-230VAC-1</u>	Klemsan interface relay, 35mm DIN rail mount, finger-safe, 230 VAC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, screw terminal(s), LED indicator(s). Integrated leakage current suppression filter.	Stock	\$10.00
<u>KPR-SCE-230VACDC-1</u>	Klemsan interface relay, 35mm DIN rail mount, finger-safe, 230 VAC/VDC coil voltage, SPDT, (1) N.O., (1) N.C., 6A contact rating, screw terminal(s), LED indicator(s).	Stock	\$10.00
<u>RS4N-DE</u>	Fuji Electric card relay, in-socket mount, finger-safe, 24 VDC coil voltage, 4PST, (4) N.O., 5A contact rating, screw terminal(s). (4) relays, TY3 relay remover and (2) jumpers included.	Stock	\$44.50
<u>RS6N-DE</u>	Fuji Electric card relay, in-socket mount, finger-safe, 24 VDC coil voltage, 6PST, (6) N.O., 5A contact rating, screw terminal(s). (6) relays and TY3 relay remover included.	Stock	\$58.00
<u>RB105-DE</u>	Fuji Electric card relay, socket mount, encapsulated, 24 VDC coil voltage, SPST, (1) N.O., 5A contact rating, 4-pin. Package of 10.	Stock	\$40.50
<u>HC3096N-48-900-24</u>	Dold force guided relay, 35mm DIN rail mount, finger-safe, 24 VDC coil voltage, 4PST, (3) N.O., (1) N.C., 5A contact rating, 10-pin, LED indicator(s), diode protection.	Stock	\$44.50
<u>HC3096N-52-900-24</u>	Dold force guided relay, 35mm DIN rail mount, finger-safe, 24 VDC coil voltage, 4PST, (2) N.O., (2) N.C., 5A contact rating, 10-pin, LED indicator(s), diode protection.	Stock	\$41.50
<u>OA5611-48-24</u>	Dold force guided relay, socket mount, encapsulated, 24 VDC coil voltage, 4PST, (3) N.O., (1) N.C., 5A contact rating, 10-pin. Requires HC3096N-102-24 mounting socket.	Stock	\$18.00
<u>OA5611-52-24</u>	Dold force guided relay, socket mount, encapsulated, 24 VDC coil voltage, 4PST, (2) N.O., (2) N.C., 5A contact rating, 10-pin. Requires HC3096N-102-24 mounting socket.	Stock	\$18.00

[illegible]

[illegible]

H750-3C-24D	AutomationDirect octal control relay, socket mount, hermetically sealed, 24 VDC coil voltage, 3PDT, (3) N.O., (3) N.C., 12A contact rating, 11-pin. Requires 750-3C-SKT mounting socket. Hazardous location certified.	Stock	\$56.00
H750-3C-24A	AutomationDirect octal control relay, socket mount, hermetically sealed, 24 VAC coil voltage, 3PDT, (3) N.O., (3) N.C., 12A contact rating, 11-pin. Requires 750-3C-SKT mounting socket. Hazardous location certified.	Stock	\$56.00
H750-3C-120A	AutomationDirect octal control relay, socket mount, hermetically sealed, 120 VAC coil voltage, 3PDT, (3) N.O., (3) N.C., 12A contact rating, 11-pin. Requires 750-3C-SKT mounting socket. Hazardous location certified.	Stock	\$59.00
H750-3C-240A	AutomationDirect octal control relay, socket mount, hermetically sealed, 240 VAC coil voltage, 3PDT, (3) N.O., (3) N.C., 12A contact rating, 11-pin, LED indicator(s). Requires 750-3C-SKT mounting socket. Hazardous location certified.	Stock	\$59.00
AD-PR40-1C-12D	AutomationDirect power relay, panel mount, open, 12 VDC coil voltage, SPDT, (1) N.O., (1) N.C., 40A contact rating, screw terminal(s).	Stock	\$17.00
AD-PR40-1C-24D	AutomationDirect power relay, panel mount, open, 24 VDC coil voltage, SPDT, (1) N.O., (1) N.C., 40A contact rating, screw terminal(s).	Stock	\$18.00
AD-PR40-1C-24A	AutomationDirect power relay, panel mount, open, 24 VAC coil voltage, SPDT, (1) N.O., (1) N.C., 40A contact rating, screw terminal(s).	Stock	\$21.50
AD-PR40-1C-120A	AutomationDirect power relay, panel mount, open, 120 VAC coil voltage, SPDT, (1) N.O., (1) N.C., 40A contact rating, screw terminal(s).	Stock	\$18.50
AD-PR40-1C-240A	AutomationDirect power relay, panel mount, open, 240 VAC coil voltage, SPDT, (1) N.O., (1) N.C., 40A contact rating, screw terminal(s).	Stock	\$22.00
AD-PR40-2A-12D	AutomationDirect power relay, panel mount, open, 12 VDC coil voltage, DPST, (2) N.O., 40A contact rating, screw terminal(s).	Stock	\$21.00
AD-PR40-2A-24D	AutomationDirect power relay, panel mount, open, 24 VDC coil voltage, DPST, (2) N.O., 40A contact rating, screw terminal(s).	Stock	\$21.00
AD-PR40-2A-24A	AutomationDirect power relay, panel mount, open, 24 VAC coil voltage, DPST, (2) N.O., 40A contact rating, screw terminal(s).	Stock	\$20.00
AD-PR40-2A-120A	AutomationDirect power relay, panel mount, open, 120 VAC coil voltage, DPST, (2) N.O., 40A contact rating, screw terminal(s).	Stock	\$20.00
AD-PR40-2A-240A	AutomationDirect power relay, panel mount, open, 240 VAC coil voltage, DPST, (2) N.O., 40A contact rating, screw terminal(s).	Stock	\$21.00
AD-PR40-2C-12D	AutomationDirect power relay, panel mount, open, 12 VDC coil voltage, DPDT, (2) N.O., (2) N.C., 40A contact rating, screw terminal(s).	Stock	\$22.50
AD-PR40-2C-24D	AutomationDirect power relay, panel mount, open, 24 VDC coil voltage, DPDT, (2) N.O., (2) N.C., 40A contact rating, screw terminal(s).	Stock	\$23.00
AD-PR40-2C-24A	AutomationDirect power relay, panel mount, open, 24 VAC coil voltage, DPDT, (2) N.O., (2) N.C., 40A contact rating, screw terminal(s).	Stock	\$23.00
AD-PR40-2C-120A	AutomationDirect power relay, panel mount, open, 120 VAC coil voltage, DPDT, (2) N.O., (2) N.C., 40A contact rating, screw terminal(s).	Stock	\$23.00
AD-PR40-2C-240A	AutomationDirect power relay, panel mount, open, 240 VAC coil voltage, DPDT, (2) N.O., (2) N.C., 40A contact rating, screw terminal(s).	Stock	\$23.00
Optocoupler Relays			
52502	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 4-5.5 VDC input voltage, SPST, (1) N.O. MOSFET, 2A contact rating, 5-48 VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$19.00
52501	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 10-48 VDC input voltage, SPST, (1) N.O. MOSFET, 2A contact rating, 5-48 VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$19.00
52507	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 90-250 VAC input voltage, SPST, (1) N.O. transistor, 0.5A contact rating, 5-48 VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$18.50
52510	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 10-53 VDC input voltage, SPDT, (1) N.O., (1) N.C. transistor, 0.5A contact rating, 5-48 VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$26.50
52519	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 10-53 VDC input voltage, SPST, (1) N.O. MOSFET, 6A contact rating, 5-48 VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$33.50
52520	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 10-53 VDC input voltage, SPST, (1) N.O. MOSFET, 10A contact rating, 5-48 VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$33.50
52511	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 15-30 VDC input voltage, SPST, (1) N.O. transistor, 0.2A contact rating, 5-48 VDC load voltage, screw terminal(s), LED indicator(s).	Stock	\$21.00
52550	Murrelektronik optocoupler relay, 35mm DIN rail mount, finger-safe, 10-53 VDC input voltage, SPST, (1) N.O. TRIAC, 0.5A contact rating, 24-250 VAC load voltage, screw terminal(s), LED indicator(s).	Stock	\$21.00
Solid State Relays			
GQ-15-24-D-1-3	Gefran solid state relay, panel mount, 3-32 VDC input voltage, SPST, (1) N.O. SCR, 15A contact rating, 24-230 VAC load voltage, screw terminal(s), overvoltage protection. Thermal mounting pad included.	Stock	\$24.00
GQ-15-24-A-1-3	Gefran solid state relay, panel mount, 20-260 VAC input voltage, SPST, (1) N.O. SCR, 15A contact rating, 24-230 VAC load voltage, screw terminal(s), overvoltage protection. Thermal mounting pad included.	Stock	\$33.00
GQ-15-24-D-1-4	Gefran solid state relay, panel mount, 3-32 VDC input voltage, SPST, (1) N.O. SCR, 15A contact rating, 24-230 VAC load voltage, push-in spring, overvoltage protection. Thermal mounting pad included.	Stock	\$24.00

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>GRSH-120-60-A-5-60</u>	Gefran solid state relay with fan, 35mm DIN rail mount, 20-260 VAC input voltage, SPST, (1) N.O. SCR, 120A contact rating, 24-600 VAC load voltage, push-in spring, overvoltage and thermal protection, external 230 VAC required. Thermal alarm.	Stock	\$283.00
<u>GRSH-120-60-A-5-61</u>	Gefran solid state relay with fan, 35mm DIN rail mount, 20-260 VAC input voltage, SPST, (1) N.O. SCR, 120A contact rating, 24-600 VAC load voltage, push-in spring, overvoltage and thermal protection, external 115 VAC required. Thermal alarm.	Stock	\$283.00
<u>AD-SSR650-AC-280A</u>	AutomationDirect solid state relay, panel mount, finger-safe hockey puck, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 50A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s). Thermal mounting pad included.	Stock	\$35.50
<u>AD-SSR650-DC-280A</u>	AutomationDirect solid state relay, panel mount, finger-safe hockey puck, 3-32 VDC input voltage, SPST, (1) N.O. SCR, 50A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s). Thermal mounting pad included.	Stock	\$35.50
<u>AD-SSR675-AC-280A</u>	AutomationDirect solid state relay, panel mount, finger-safe hockey puck, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 75A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s). Thermal mounting pad included.	Stock	\$48.50
<u>AD-SSR675-DC-280A</u>	AutomationDirect solid state relay, panel mount, finger-safe hockey puck, 3-32 VDC input voltage, SPST, (1) N.O. SCR, 75A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s). Thermal mounting pad included.	Stock	\$48.50
<u>AD-SSR625-AC-480A</u>	AutomationDirect solid state relay, panel mount, finger-safe hockey puck, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 25A contact rating, 48-480 VAC load voltage, zero cross, screw terminal(s), LED indicator(s). Thermal mounting pad included.	Stock	\$22.00
<u>AD-SSR210-22-ACZ</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 10A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$46.00
<u>AD-SSR210-22-ACR</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 10A contact rating, 24-280 VAC load voltage, random cross, screw terminal(s), LED indicator(s).	Stock	\$46.00
<u>AD-SSR230-22-ACR</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 30A contact rating, 24-280 VAC load voltage, random cross, screw terminal(s), LED indicator(s).	Stock	\$52.00
<u>AD-SSR230-22-DCZ</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 4-32 VDC input voltage, SPST, (1) N.O. SCR, 30A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$69.00
<u>AD-SSR245-45-ACZ</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-140 VAC input voltage, SPST, (1) N.O. SCR, 45A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$87.00
<u>AD-SSR245-45-DCZ</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 3-32 VDC input voltage, SPST, (1) N.O. SCR, 45A contact rating, 24-280 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$86.00
<u>AD-SSR610-22-ACR</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 10A contact rating, 48-660 VAC load voltage, random cross, screw terminal(s), LED indicator(s).	Stock	\$46.00
<u>AD-SSR630-22-DCR</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 4-32 VDC input voltage, SPST, (1) N.O. SCR, 30A contact rating, 48-660 VAC load voltage, random cross, screw terminal(s), LED indicator(s).	Stock	\$57.00
<u>AD-SSR645-45-DCZ</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 4-32 VDC input voltage, SPST, (1) N.O. SCR, 45A contact rating, 48-660 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$88.00
<u>AD-SSR665-45-DCZ</u>	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 4-32 VDC input voltage, SPST, (1) N.O. SCR, 65A contact rating, 48-660 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$77.00
<u>AD-70S2-04D</u>	AutomationDirect solid state relay, socket mount, encapsulated, 3-30 VDC input voltage, SPST, (1) N.O. TRIAC, 4A contact rating, 8-50 VAC load voltage, zero cross, 4-pin. Requires 782-2C-SKT mounting socket.	Stock	\$23.50
Phase Monitoring Relays			
<u>PMRU-2C-500A</u>	ProSense phase monitor relay, 3-phase, 35mm DIN rail mount, 190-500 VAC input voltage, DPDT, 10A contact rating, screw terminal(s), LED indicator(s), phase reversal, phase loss, phase unbalance, overvoltage and undervoltage protection.	Stock	\$91.00
<u>PMRU-2C-600A</u>	ProSense phase monitor relay, 3-phase, 35mm DIN rail mount, 460-600 VAC input voltage, DPDT, 10A contact rating, screw terminal(s), LED indicator(s), phase reversal, phase loss, phase unbalance, overvoltage and undervoltage protection.	Stock	\$97.00
<u>PMRR-1C-480A-TL</u>	ProSense phase monitor relay, 3-phase, socket mount, 190-500 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), phase reversal protection.	Stock	\$49.50
<u>PMRRL-1C-208A-TL</u>	ProSense phase monitor relay, 3-phase, socket mount, 208 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), phase reversal, phase loss and undervoltage protection.	Stock	\$57.00
<u>PMRRL-1C-240A-TL</u>	ProSense phase monitor relay, 3-phase, socket mount, 240 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), phase reversal, phase loss and undervoltage protection.	Stock	\$57.00
<u>PMRRL-1C-480A-TL</u>	ProSense phase monitor relay, 3-phase, socket mount, 480 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), phase reversal, phase loss and undervoltage protection.	Stock	\$57.00
<u>PMRU-1C-480A-TL</u>	ProSense phase monitor relay, 3-phase, socket mount, 190-500 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), phase reversal, phase loss, phase unbalance, overvoltage and undervoltage protection.	Stock	\$83.00
<u>RL9877-11</u>	Dold phase monitor relay, 3-phase, 35mm DIN rail mount, 80-230 VAC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), phase reversal, phase unbalance, overvoltage, undervoltage, voltage range and neutral protection.	Stock	\$132.00
<u>RL9877-11-120</u>	Dold phase monitor relay, 3-phase, 35mm DIN rail mount, 80-230 VAC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), phase reversal, phase loss and phase unbalance protection.	Stock	\$128.00

<u>RN98773P4W525V</u>	Dold phase monitor relay, 3-phase, 35mm DIN rail mount, 175-525 VAC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), phase reversal, phase unbalance, overvoltage, undervoltage, voltage range and neutral protection.	Stock	\$134.00
<u>RN9877-0103P3W525V</u>	Dold phase monitor relay, 3-phase, 35mm DIN rail mount, 175-525 VAC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), phase reversal, phase unbalance, overvoltage, undervoltage and voltage range protection.	Stock	\$133.00
<u>RN9877-1203P4W525V</u>	Dold phase monitor relay, 3-phase, 35mm DIN rail mount, 175-525 VAC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), phase reversal, phase loss and phase unbalance protection.	Stock	\$121.00
Voltage Monitoring Relays			
<u>VMR-2C-F-120A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 90-150 VAC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and fixed drop-out protection.	Stock	\$74.00
<u>VMR-2C-A-120A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 90-150 VAC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and adjustable drop-out protection.	Stock	\$74.00
<u>VMR-2C-B-120A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 90-150 VAC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), voltage band protection.	Stock	\$74.00
<u>VMR-1C-F-240A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 180-300 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and fixed drop-out protection.	Stock	\$86.00
<u>VMR-1C-A-240A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 180-300 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and adjustable drop-out protection.	Stock	\$86.00
<u>VMR-1C-B-240A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 180-300 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), voltage band protection.	Stock	\$86.00
<u>VMR-1C-F-480A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 360-600 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and fixed drop-out protection.	Stock	\$86.00
<u>VMR-1C-A-480A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 360-600 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and adjustable drop-out protection.	Stock	\$86.00
<u>VMR-1C-B-480A</u>	ProSense voltage monitor relay, 1-phase, socket mount, 360-600 VAC input voltage, SPDT, 10A contact rating, 8-pin, LED indicator(s), voltage band protection.	Stock	\$74.00
<u>VMR-2C-F-12D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 9-15 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and fixed drop-out protection.	Stock	\$74.00
<u>VMR-2C-A-12D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 9-15 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and adjustable drop-out protection.	Stock	\$74.00
<u>VMR-2C-B-12D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 9-15 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), voltage band protection.	Stock	\$74.00
<u>VMR-2C-F-24D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 18-30 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and fixed drop-out protection.	Stock	\$74.00
<u>VMR-2C-A-24D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 18-30 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and adjustable drop-out protection.	Stock	\$74.00
<u>VMR-2C-B-24D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 18-30 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), voltage band protection.	Stock	\$74.00
<u>VMR-2C-F-48D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 36-60 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and fixed drop-out protection.	Stock	\$74.00
<u>VMR-2C-A-48D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 36-60 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and adjustable drop-out protection.	Stock	\$74.00
<u>VMR-2C-B-48D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 36-60 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), voltage band protection.	Stock	\$74.00
<u>VMR-2C-F-110D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 83-138 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and fixed drop-out protection.	Stock	\$74.00
<u>VMR-2C-A-110D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 83-138 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), overvoltage, undervoltage and adjustable drop-out protection.	Stock	\$74.00
<u>VMR-2C-B-110D</u>	ProSense voltage monitor relay, 1-phase, socket mount, 83-138 VDC input voltage, DPDT, 10A contact rating, 8-pin, LED indicator(s), voltage band protection.	Stock	\$74.00
<u>RL9836DC24-130V</u>	Dold voltage monitor relay, 1-phase, 35mm DIN rail mount, 24-130 VDC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), overvoltage, undervoltage and voltage range protection.	Stock	\$132.00
<u>RL9836DC50-250V</u>	Dold voltage monitor relay, 1-phase, 35mm DIN rail mount, 50-250 VDC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), overvoltage, undervoltage and voltage range protection.	Stock	\$132.00
<u>RL9854AC45-135V</u>	Dold voltage monitor relay, 1-phase, 35mm DIN rail mount, 45-135 VAC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), overvoltage, undervoltage and voltage range protection.	Stock	\$121.00
<u>RL9854AC100-300V</u>	Dold voltage monitor relay, 1-phase, 35mm DIN rail mount, 100-300 VAC input voltage, SPDT, 5A contact rating, screw terminal(s), LED indicator(s), overvoltage, undervoltage and voltage range protection.	Stock	\$121.00
Alternating Relays			
<u>ARX-2C-120A-TL</u>	ProSense alternating relay, socket mount, finger-safe, 120 VAC coil voltage, DPDT, (2) N.O., (2) N.C., 10A contact rating, 8-pin, LED indicator(s). Relay becomes UL listed when used with 70169-D relay socket.	Stock	\$33.00
<u>AR-1C-120A-TL</u>	ProSense alternating relay, socket mount, finger-safe, 120 VAC coil voltage, SPDT, (1) N.O., (1) N.C., 10A contact rating, 8-pin, LED indicator(s). Relay becomes UL listed when used with 70169-D relay socket.	Stock	\$30.50

Pump Seal Failure Relays			
<u>PSFR-1C-120A-TL</u>	ProSense pump seal failure relay, socket mount, finger-safe, 120 VAC coil voltage, SPDT, (1) N.O., (1) N.C., 10A contact rating, 8-pin, LED indicator(s), single channel for (1) pump monitoring. Relay becomes UL listed when used with 70169-D relay socket.	Stock	\$59.00
<u>PSFR-2C-120A-TL</u>	ProSense pump seal failure relay, socket mount, finger-safe, 120 VAC coil voltage, SPST, (1) N.O., 5A contact rating, 8-pin, LED indicator(s), dual channel for (2) pump monitoring. Relay becomes UL listed when used with 70169-D relay socket.	Stock	\$73.00
Intrinsically Safe Relays			
<u>ISEUR1</u>	Macromatic intrinsically safe relay, 35mm DIN rail mount, finger-safe, Discrete Input: 1-point, 10 VDC input voltage, 102-132 VAC or 10-125 VDC coil voltage, Discrete Output: 1-point, relay, SPST, 5A contact rating, (1) N.O., LED indicator(s).	Stock	\$96.00
<u>ISDUR4</u>	Macromatic intrinsically safe relay, 35mm DIN rail mount, finger-safe, Discrete Input: 4-point, 10 VDC input voltage, 102-132 VAC or 10-125 VDC coil voltage, Discrete Output: 4-point, relay, 4PST, 5A contact rating, (4) N.O., LED indicator(s).	Stock	\$314.00
Timer Relays			
<u>52350</u>	Murrelektronik multi-mode relay timer, 0.1 to 300 seconds selectable timing range, 24 VDC operating voltage, 6A contact rating, (1) SPST timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$31.50
<u>TRM-8-D-240AD</u>	ProSense multi-mode relay timer, 0.05 seconds to 100 hours selectable timing range, 24-240 VAC and 12-125 VDC operating voltage, 10A contact rating, (1) DPDT timed relay output(s), socket mount, 11-pin. Requires Macromatic 70170-D relay socket.	Stock	\$67.00
<u>TRM-10-D-120AD</u>	ProSense multi-mode relay timer, 0.05 seconds to 999 hours selectable timing range, 120 VAC/VDC operating voltage, 10A contact rating, (1) DPDT timed relay output(s), socket mount, 11-pin. Requires Macromatic 70170-D relay socket.	Stock	\$72.00
<u>TRM-10-D-24AD</u>	ProSense multi-mode relay timer, 0.05 seconds to 999 hours selectable timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) DPDT timed relay output(s), socket mount, 11-pin. Requires Macromatic 70170-D relay socket.	Stock	\$72.00
<u>TRM-16-D-120AD</u>	ProSense multi-mode relay timer, 0.05 seconds to 10,230 hours selectable timing range, 120 VAC/VDC operating voltage, 10A contact rating, (1) DPDT timed relay output(s), socket mount, 11-pin. Requires Macromatic 70170-D relay socket.	Stock	\$92.00
<u>TRM-16-D-24AD</u>	ProSense multi-mode relay timer, 0.05 seconds to 10,230 hours selectable timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) DPDT timed relay output(s), socket mount, 11-pin. Requires Macromatic 70170-D relay socket.	Stock	\$92.00
<u>TRS-TD-D-24AD</u>	ProSense off-delay relay timer, 0.05 seconds to 30 minutes selectable timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Macromatic 70169-D relay socket.	Stock	\$69.00
<u>TRS-TD-D-120AD</u>	ProSense off-delay relay timer, 0.05 seconds to 30 minutes selectable timing range, 120 VAC/VDC operating voltage, 10A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Macromatic 70169-D relay socket.	Stock	\$69.00
<u>T2R-M1-ADJ-240U</u>	ProSense multi-mode relay timer, 0.1 seconds to 100 minutes selectable timing range, 24-240 VAC and 12-125 VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$43.00
<u>T2R-M2-ADJ-240U</u>	ProSense multi-mode relay timer, 0.1 seconds to 100 minutes selectable timing range, 24-240 VAC and 12-125 VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$43.00
<u>T2R-M3-ADJ-240U</u>	ProSense multi-mode relay timer, 0.1 seconds to 1,000 minutes selectable timing range, 24-240 VAC and 12-125 VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$45.00
<u>T2R-ND-30-24AD</u>	ProSense on-delay relay timer, 0.1 to 10 seconds timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$42.00
<u>T2R-ND-31-24AD</u>	ProSense on-delay relay timer, 1 to 100 seconds timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$42.00
<u>T2R-ND-32-24AD</u>	ProSense on-delay relay timer, 0.1 to 10 minutes timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$42.00
<u>T2R-ND-33-24AD</u>	ProSense on-delay relay timer, 1 to 100 minutes timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$42.00
<u>T2R-FD-30-24AD</u>	ProSense off-delay relay timer, 0.1 to 10 seconds timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$45.00
<u>T2R-FD-31-24AD</u>	ProSense off-delay relay timer, 1 to 100 seconds timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$45.00
<u>T2R-FD-32-24AD</u>	ProSense off-delay relay timer, 0.1 to 10 minutes timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$45.00
<u>T2R-FD-33-24AD</u>	ProSense off-delay relay timer, 1 to 100 minutes timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$45.00
<u>T2R-SST-30-24AD</u>	ProSense fleeting (single-shot) relay timer, 0.1 to 10 seconds timing range, 24 VAC/VDC operating voltage, 10A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$45.00

[illegible]

[illegible]

[illegible]

<u>T30R-RC-34-120A</u>	ProSense cyclic relay timer, 0.1 to 10 hours timing range, 120 VAC/VDC operating voltage, 30A contact rating, (1) SPDT timed relay output(s), surface mount, 1/4in male quick-connect terminal.	Stock	\$64.00
<u>RK7817-81-61</u>	Dold multi-mode relay timer, 0.02 seconds to 300 hours selectable timing range, 24 VAC/VDC and 110-127 VAC operating voltage, 2A contact rating, (1) SPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$48.00
<u>RK7814-81-61</u>	Dold on-delay relay timer, 0.05 to 120 seconds selectable timing range, 24 VAC/VDC and 110-127 VAC operating voltage, 2A contact rating, (1) SPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$40.00
<u>RK7815-71-61</u>	Dold fleeting (single-shot) relay timer, 1 to 10 seconds timing range, 24 VAC/VDC and 110-127 VAC operating voltage, 2A contact rating, (1) SPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$37.50
<u>RK7816-81-61</u>	Dold flasher relay timer, 1 to 10 seconds timing range, 24 VAC/VDC and 110-127 VAC operating voltage, 2A contact rating, (1) SPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$37.50
<u>MK7850N-82-200-61</u>	Dold multi-mode relay timer, 0.02 seconds to 300 hours selectable timing range, 12-240 VAC/VDC operating voltage, 3A contact rating, (1) SPDT timed relay and (1) SPDT instant or timed configured relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$70.00
<u>MK9906N-82-61</u>	Dold on-delay relay timer, 0.05 seconds to 300 hours selectable timing range, 12-240 VAC/VDC operating voltage, 3A contact rating, (1) SPDT timed relay and (1) SPDT instant or timed configured relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$66.00
<u>MK9962N-82-61</u>	Dold off-delay relay timer, 0.05 seconds to 300 hours selectable timing range, 12-240 VAC/VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$81.00
<u>MK7854N-82-61</u>	Dold cyclic relay timer, 0.05 seconds to 300 hours selectable timing range, 12-240 VAC/VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$88.00
<u>MK7873N-82-61-3S</u>	Dold off-delay relay timer, 0.15 to 3 seconds timing range, 24-240 VAC/VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$106.00
<u>MK7873N-82-61-30S</u>	Dold off-delay relay timer, 1.5 to 30 seconds timing range, 24-240 VAC/VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$106.00
<u>MK7873N-82-61-300S</u>	Dold off-delay relay timer, 15 to 300 seconds timing range, 24-240 VAC/VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), 35mm DIN rail mount, screw terminal(s).	Stock	\$106.00
<u>ST7P-2A15S-ADC</u>	Fuji Electric on-delay relay timer, 0.4 to 5 seconds selectable timing range, 100-120 VAC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2A13T-ADC</u>	Fuji Electric on-delay relay timer, 2 to 30 seconds selectable timing range, 100-120 VAC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2A16T-ADC</u>	Fuji Electric on-delay relay timer, 4 to 60 seconds selectable timing range, 100-120 VAC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2A11N-ADC</u>	Fuji Electric on-delay relay timer, 1 to 10 minutes selectable timing range, 100-120 VAC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2A16N-ADC</u>	Fuji Electric on-delay relay timer, 4 to 60 minutes selectable timing range, 100-120 VAC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2DE5S-ADC</u>	Fuji Electric on-delay relay timer, 0.4 to 5 seconds selectable timing range, 24 VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2DE3T-ADC</u>	Fuji Electric on-delay relay timer, 2 to 30 seconds selectable timing range, 24 VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2DE6T-ADC</u>	Fuji Electric on-delay relay timer, 4 to 60 seconds selectable timing range, 24 VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$55.00
<u>ST7P-2DE1N-ADC</u>	Fuji Electric on-delay relay timer, 1 to 10 minutes selectable timing range, 24 VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$53.00
<u>ST7P-2DE6N-ADC</u>	Fuji Electric on-delay relay timer, 4 to 60 minutes selectable timing range, 24 VDC operating voltage, 3A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP88X2 timer socket.	Stock	\$53.00
<u>MS4SM-AP-ADC</u>	Fuji Electric multi-mode relay timer, 0.05 seconds to 60 hours selectable timing range, 100-240 VAC operating voltage, 5A contact rating, (1) DPDT timed relay output(s), socket mount, 11-pin. Requires Fuji Electric TP411X or TP411SBA timer socket.	Stock	\$70.00
<u>MS4SA-AP-ADC</u>	Fuji Electric on-delay relay timer, 0.05 seconds to 60 hours selectable timing range, 100-240 VAC operating voltage, 5A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP48X or TP48SB timer socket.	Stock	\$70.00

<u>MS4SC-AP-ADC</u>	Fuji Electric on-delay relay timer, 0.05 seconds to 60 hours selectable timing range, 100-240 VAC operating voltage, 5A contact rating, (1) SPDT timed relay and (1) SPDT instant relay output(s), socket mount, 8-pin. Requires Fuji Electric TP48X or TP48SB timer socket.	Stock	\$70.00
<u>MS4SM-CE-ADC</u>	Fuji Electric multi-mode relay timer, 0.05 seconds to 60 hours selectable timing range, 24 VAC/VDC operating voltage, 5A contact rating, (1) DPDT timed relay output(s), socket mount, 11-pin. Requires Fuji Electric TP411X or TP411SBA timer socket.	Stock	\$70.00
<u>MS4SA-CE-ADC</u>	Fuji Electric on-delay relay timer, 0.05 seconds to 60 hours selectable timing range, 24 VAC/VDC operating voltage, 5A contact rating, (1) DPDT timed relay output(s), socket mount, 8-pin. Requires Fuji Electric TP48X or TP48SB timer socket.	Stock	\$70.00
<u>MS4SC-CE-ADC</u>	Fuji Electric on-delay relay timer, 0.05 seconds to 60 hours selectable timing range, 24 VAC/VDC operating voltage, 5A contact rating, (1) SPDT timed relay and (1) SPDT instant relay output(s), socket mount, 8-pin. Requires Fuji Electric TP48X or TP48SB timer socket.	Stock	\$65.00
Multi-Function Digital Counter / Timer / Tachometers			
<u>CTT-AN-D24</u>	AutomationDirect multi-function digital counter/timer/tachometer, two-line, 6-digit, two-color LCD, fully selectable timing range, 24 VDC operating voltage, (1) concurrent NPN transistor and SPST relay and (1) NPN transistor output(s), 1/16 DIN mount, screw terminal(s).	Stock	\$122.00
<u>CTT-AN-A120</u>	AutomationDirect multi-function digital counter/timer/tachometer, two-line, 6-digit, two-color LCD, fully selectable timing range, 100-240 VAC operating voltage, (1) concurrent NPN transistor and SPST relay and (1) NPN transistor output(s), 1/16 DIN mount.	Stock	\$122.00
<u>CTT-1C-D24</u>	AutomationDirect multi-function digital counter/timer/tachometer, two-line, 6-digit, two-color LCD, fully selectable timing range, 24 VDC operating voltage, (1) concurrent NPN transistor and SPST relay and (1) SPDT relay output(s), 1/16 DIN mount, screw terminal(s).	Stock	\$122.00
<u>CTT-1C-A120</u>	AutomationDirect multi-function digital counter/timer/tachometer, two-line, 6-digit, two-color LCD, fully selectable timing range, 100-240 VAC operating voltage, (1) concurrent NPN transistor and SPST relay and (1) SPDT relay output(s), 1/16 DIN mount, screw terminal(s).	Stock	\$122.00
Sockets for Relays and Timers			
<u>781-1C-SKT</u>	AutomationDirect relay socket, 35mm DIN rail or panel mount. For use with 781 series cube relays.	Stock	\$4.50
<u>782-2C-SKT</u>	AutomationDirect relay socket, 35mm DIN rail or panel mount. For use with 782 and AD-70S2 series cube relays.	Stock	\$4.50
<u>782-4C-SKT</u>	AutomationDirect relay socket, 35mm DIN rail or panel mount. For use with H782 series cube relays.	Stock	\$4.25
<u>783-3C-SKT</u>	AutomationDirect relay socket, 35mm DIN rail or panel mount. For use with 783 series cube relays.	Stock	\$5.00
<u>784-4C-SKT-1</u>	AutomationDirect relay socket, 35mm DIN rail or panel mount. For use with 784 series cube relays.	Stock	\$5.25
<u>750-2C-SKT</u>	AutomationDirect relay socket, 8-pin, 35mm DIN rail or panel mount. For use with 750-2C and H750-2C series octal relays.	Stock	\$4.75
<u>750-3C-SKT</u>	AutomationDirect relay socket, 11-pin, 35mm DIN rail or panel mount. For use with 750-3C, H750-3C and 755 series octal relays.	Stock	\$5.25
<u>HC3096N-102-24</u>	Dold relay socket, 10-pin, 35mm DIN rail mount, LED indicator(s), diode protection. For use with OA5611 series relays.	Stock	\$29.50
<u>HL3096N-102-24</u>	Dold relay socket, 14-pin, 35mm DIN rail mount, LED indicator(s), diode protection. For use with OA5612 series relays.	Stock	\$32.50
<u>70169-D</u>	Macromatic relay socket, 8-pin, 35mm DIN rail or panel mount. For use with ProSense octal relays.	Stock	\$5.50
<u>70170-D</u>	Macromatic relay socket, 11-pin, 35mm DIN rail or panel mount. For use with ProSense octal relays.	Stock	\$6.50
<u>TP88X2</u>	Fuji Electric timer socket, 35mm DIN rail mount. For use with ST7P series timers.	Stock	\$10.00
<u>TP411X</u>	Fuji Electric timer socket, 35mm DIN rail mount. For use with MS4SM series timers.	Stock	\$10.00
<u>TP411SBA</u>	Fuji Electric timer socket, panel mount. For use with MS4SM series timers.	Stock	\$10.00
<u>TP48X</u>	Fuji Electric timer socket, 35mm DIN rail mount. For use with MS4SA and MS4SC series timers.	Stock	\$10.00
<u>TP48SB</u>	Fuji Electric timer socket, panel mount. For use with MS4SA and MS4SC series timers.	Stock	\$10.00
Accessories for Relays and Timers			
<u>MORS3</u>	Gefran terminal block, replacement. For use with all Gefran GQ-xx-xx-x-x-3 solid state relays.	Stock	\$5.50
<u>10-PAD-GQ</u>	Gefran thermal mounting pad, replacement. Package of 10. For use with all Gefran GQ series solid state relays.	Stock	\$39.50
<u>HS-60-10</u>	Gefran heatsink, 35mm DIN rail mount. For use with Gefran GQ series solid state relays up to 25A. Mounting hardware included.	Stock	\$23.00
<u>HS-52-50</u>	Gefran heatsink, 35mm DIN rail mount. For use with Gefran GQ series solid state relays up to 50A. Mounting hardware included.	Stock	\$35.00
<u>HS-70-67</u>	Gefran heatsink, 35mm DIN rail mount. For use with Gefran GQ series solid state relays up to 75A. Mounting hardware included.	Stock	\$35.00

HS-52-50-FAN	Gefran heatsink with fan, 35mm DIN rail mount. For use with Gefran GQ series solid state relays up to 75A. Mounting hardware included.	Stock	\$44.00
DIS-90G-KIT	Gefran heatsink, 35mm DIN rail mount. For use with Gefran GQ series solid state relays up to 90A. Mounting hardware included.	Stock	\$64.00
HS-70-67-FAN	Gefran heatsink with fan, 35mm DIN rail mount. For use with Gefran GQ series solid state relays up to 90A. Mounting hardware included.	Stock	\$45.00
AD-ASMD-250	AutomationDirect protection diode module, package of 5. For use with 783, 784 and 750R series relays.	Stock	\$11.00
AD-BSMD-250	AutomationDirect protection diode module, package of 5. For use with 782 series relays.	Stock	\$9.25
AD-ASMM-24	AutomationDirect MOV module, 24 VAC coil voltage. Package of 5. For use with 783, 784 and 750 series relays.	Stock	\$9.25
AD-ASMM-120	AutomationDirect MOV module, 120 VAC coil voltage. Package of 5. For use with 783, 784 and 750 series relays.	Stock	\$9.25
AD-ASMM-240	AutomationDirect MOV module, 240 VAC coil voltage. Package of 5. For use with 783, 784 and 750 series relays.	Stock	\$9.25
AD-BSMM-24	AutomationDirect MOV module, 24 VAC coil voltage. Package of 5. For use with 782 series relays.	Stock	\$9.25
AD-BSMM-120	AutomationDirect MOV module, 120 VAC coil voltage. Package of 5. For use with 782 series relays.	Stock	\$9.25
AD-BSMM-240	AutomationDirect MOV module, 240 VAC coil voltage. Package of 5. For use with 782 series relays.	Stock	\$9.25
33-796-1	AutomationDirect bus bar, package of 10. For use with 750-2C-SKT and 750-3C-SKT.	Stock	\$3.75
RZ4N	Fuji Electric terminal guard, package of 10. For use with RS series relays.	Stock	\$23.00
TY3	Fuji Electric relay remover, package of 10. For use with RS series relays.	Stock	\$12.00
APP-KPR	Klemsan separator plate, orange. Package of 5. For use with all KPR-SCF-x or KPR-SCE-x interface relays.	Stock	\$4.50
TK-KPR-S16	Klemsan interface relay jumper, push-in type, 16-pole, black. Package of 5. For use with all KPR-SCF-x or KPR-SCE-x interface relays.	Stock	\$14.50
TK-KPR-S8	Klemsan interface relay jumper, push-in type, 8-pole, black. Package of 5. For use with all KPR-SCF-x or KPR-SCE-x interface relays.	Stock	\$8.75
90963	Murrelektronik interface relay jumper, push-in type, 2-pole, gray. Package of 5. For use with MurrElektronik relays with 6.2mm spacing.	Stock	\$9.00
90978	Murrelektronik interface relay jumper, push-in type, 10-pole, blue. Package of 5. For use with MurrElektronik relays with 6.2mm spacing.	Stock	\$21.50
90979	Murrelektronik interface relay jumper, push-in type, 10-pole, red. Package of 5. For use with MurrElektronik relays with 6.2mm spacing.	Stock	\$29.00
90962	Murrelektronik interface relay plug link, push-in type, 2-pole, gray. Package of 5. For use with MurrElektronik 51152 and 51101 interface relays.	Stock	\$15.50
PANEL-16	AutomationDirect mounting clips, package of 5. For use with 1/16 DIN timers and counters.	Stock	\$17.00
T-slotted Rails			
1010C	SureFrame 10 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 1 x 1in profile, slot size 6.	Stock	\$0.28
1010B	SureFrame 10 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 1 x 1in profile, slot size 6.	Stock	\$0.40
1020C	SureFrame 10 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 1 x 2in profile, slot size 6.	Stock	\$0.47
1020B	SureFrame 10 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 1 x 2in profile, slot size 6.	Stock	\$0.66
2020C	SureFrame 10 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 2 x 2in profile, slot size 6.	Stock	\$0.70
2020B	SureFrame 10 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 2 x 2in profile, slot size 6.	Stock	\$0.99
1515C	SureFrame 15 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 1.5in profile, slot size 8.	Stock	\$0.64
1515B	SureFrame 15 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 1.5in profile, slot size 8.	Stock	\$0.91
1515CL	SureFrame 15 Series light T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 1.5in profile, slot size 8.	Stock	\$0.52
1515BL	SureFrame 15 Series light T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 1.5in profile, slot size 8.	Stock	\$0.76
1515CUL	SureFrame 15 Series ultra light T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 1.5in profile, slot size 8.	Stock	\$0.48

<u>1530C</u>	SureFrame 15 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 3in profile, slot size 8.	Stock	\$1.16
<u>1530B</u>	SureFrame 15 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 3in profile, slot size 8.	Stock	\$1.53
<u>1530CL</u>	SureFrame 15 Series light T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 3in profile, slot size 8.	Stock	\$0.99
<u>1530BL</u>	SureFrame 15 Series light T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 1.5 x 3in profile, slot size 8.	Stock	\$1.32
<u>3030C</u>	SureFrame 15 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 3 x 3in profile, slot size 8.	Stock	\$1.86
<u>3030B</u>	SureFrame 15 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 3 x 3in profile, slot size 8.	Stock	\$2.30
<u>30-3030C</u>	SureFrame 30 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 30 x 30mm profile, slot size 8.	Stock	\$0.13
<u>30-3060C</u>	SureFrame 30 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 30 x 60mm profile, slot size 8.	Stock	\$0.21
<u>30-6060C</u>	SureFrame 30 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 60 x 60mm profile, slot size 8.	Stock	\$0.31
<u>40-4040C</u>	SureFrame 40 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 40 x 40mm profile, slot size 8.	Stock	\$0.30
<u>40-4040B</u>	SureFrame 40 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 40 x 40mm profile, slot size 8.	Stock	\$0.40
<u>40-4040CL</u>	SureFrame 40 Series light T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 40 x 40mm profile, slot size 8.	Stock	\$0.24
<u>40-4040BL</u>	SureFrame 40 Series light T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 40 x 40mm profile, slot size 8.	Stock	\$0.31
<u>40-4080C</u>	SureFrame 40 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 40 x 80mm profile, slot size 8.	Stock	\$0.54
<u>40-4080B</u>	SureFrame 40 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 40 x 80mm profile, slot size 8.	Stock	\$0.69
<u>40-4080CL</u>	SureFrame 40 Series light T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 40 x 80mm profile, slot size 8.	Stock	\$0.47
<u>40-4080BL</u>	SureFrame 40 Series light T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 40 x 80mm profile, slot size 8.	Stock	\$0.59
<u>40-8080C</u>	SureFrame 40 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 80 x 80mm profile, slot size 8.	Stock	\$0.78
<u>40-8080B</u>	SureFrame 40 Series standard T-slotted rail, black, 6063-T6 anodized aluminum alloy, cut to length, 80 x 80mm profile, slot size 8.	Stock	\$0.95
<u>45-4545C</u>	SureFrame 45 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 45 x 45mm profile, slot size 10.	Stock	\$0.28
<u>45-4545CL</u>	SureFrame 45 Series light T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 45 x 45mm profile, slot size 10.	Stock	\$0.22
<u>45-4590C</u>	SureFrame 45 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 45 x 90mm profile, slot size 10.	Stock	\$0.59
<u>45-4590CL</u>	SureFrame 45 Series light T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 45 x 90mm profile, slot size 10.	Stock	\$0.44
<u>45-9090C</u>	SureFrame 45 Series standard T-slotted rail, silver, 6063-T6 anodized aluminum alloy, cut to length, 90 x 90mm profile, slot size 10.	Stock	\$0.98

Table Lifting System Kits

<u>907.42236-PP000001</u>	Ergoswiss SQ series table lifting system kit, 300mm stroke, 1320 lbs/600 kg. For use with 40 x 40mm and 1.5 x 1.5in profile T-slotted rails.	Stock	\$1,955.00
<u>907.42237-PP000001</u>	Ergoswiss SQ series table lifting system kit, 400mm stroke, 1320 lbs/600 kg. For use with 40 x 40mm and 1.5 x 1.5in profile T-slotted rails.	Stock	\$1,995.00

Accessories for Table Lifting Systems

<u>907.02003-PP000001</u>	Ergoswiss SQ series spindle lifting column, 300mm stroke, 330 lbs/150 kg, 24 VAC, IP20, slot size 8. For use with 40 x 40mm and 1.5 x 1.5in profile T-slotted rails. (1) 6.5ft/2m power cable included. Requires Ergoswiss 124.43801-PP000001 control box.	Stock	\$575.00
<u>907.02004-PP000001</u>	Ergoswiss SQ series spindle lifting column, 400mm stroke, 330 lbs/150 kg, 24 VAC, IP20, slot size 8. For use with 40 x 40mm and 1.5 x 1.5in profile T-slotted rails. (1) 6.5ft/2m power cable included. Requires Ergoswiss 124.43800-PP000001 control box.	Stock	\$600.00
<u>124.43801-PP000001</u>	Ergoswiss SQ series control box, 110 VAC nominal input, 24 VAC, IP20. For use with up to (4) Ergoswiss 907.02003-PP000001 spindle lifting columns.	Stock	\$450.00
<u>124.43800-PP000001</u>	Ergoswiss SQ series control box, 110 VAC nominal input, 24 VAC, IP20. For use with up to (4) Ergoswiss 907.02004-PP000001 spindle lifting columns.	Stock	\$450.00

<u>113.00006-PP000004</u>	Ergoswiss SQ series leveling foot, package of 4. For use with Ergoswiss 907.02003-PP000001 and 907.02004-PP000001 spindle lifting columns.	Stock	\$40.00
<u>124.00137-PP000002</u>	Ergoswiss SQ series motor extension cable, mating connectors, 3.9ft/1.2m cable length. Package of 2. For use with Ergoswiss 907.02003-PP000001 and 907.02004-PP000001 spindle lifting columns.	Stock	\$55.00
<u>124.00281-PP000001</u>	Ergoswiss SQ series SCT memory module, manual switch, IP30. For use with Ergoswiss 124.43800-PP000001 and 124.43801-PP000001 control boxes. (1) 6.5ft/2m power cable included. Saves (3) intermediate positions in addition to up and down function.	Stock	\$90.00
<u>124.00145-PP000001</u>	Ergoswiss SQ series power cable, replacement, mating connectors, 9.8ft/3m cable length. For use with Ergoswiss 124.43800-PP000001 and 124.43801-PP000001 control boxes.	Stock	\$20.00
<u>124.00183-PP000001</u>	Ergoswiss SQ series sync cable, mating connectors, 13.1ft/4m cable length. For use with Ergoswiss 124.43800-PP000001 and 124.43801-PP000001 control boxes.	Stock	\$45.00
Nuts for T-slotted Rails			
<u>148802</u>	FATH double economy T-nut, black, M8-1.25, zinc plated steel, slot size 8. Package of 4. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096E40M8S04.	Stock	\$5.50
<u>148803</u>	FATH double economy T-nut, black, M8-1.25, zinc plated steel, slot size 10. Package of 4. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096E45M8S04.	Stock	\$5.75
<u>148804</u>	FATH double economy T-nut, black, 1/4-20 UNC, zinc plated steel, slot size 6. Package of 4. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 096E10U1/4-20S01.	Stock	\$4.00
<u>148805</u>	FATH double economy T-nut, black, 5/16-18 UNC, zinc plated steel, slot size 8. Package of 4. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 096E15U5/16-18S01.	Stock	\$5.50
<u>151180</u>	FATH double economy T-nut, black, M6-1.0, zinc plated steel, slot size 8. Package of 4. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096E30M6S02R01.	Stock	\$5.25
<u>151037</u>	FATH economy T-nut, black, 1/4-20 UNC, zinc plated steel, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 096E10U1/4-20.	Stock	\$5.50
<u>151096</u>	FATH economy T-nut, black, 5/16-18 UNC, steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 096E15U5/16-18S02.	Stock	\$6.50
<u>151179</u>	FATH economy T-nut, black, M6-1.0, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096E30M6.	Stock	\$6.50
<u>151213</u>	FATH economy T-nut, black, M8-1.25, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096E40M8.	Stock	\$6.00
<u>151237</u>	FATH economy T-nut, black, M8-1.25, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096E45M8.	Stock	\$7.25
<u>161123</u>	FATH economy T-nut, black, 1/4-20 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 096E15U1/4-20.	Stock	\$5.50
<u>151038</u>	FATH hammer nut, silver, 10-32 UNF, zinc plated steel, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 096H0610-3210.	Stock	\$11.00
<u>151097</u>	FATH hammer nut, silver, 1/4-20 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 096H081/415.	Stock	\$9.50
<u>151181</u>	FATH hammer nut, silver, M6-1.0, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096H08615.	Stock	\$9.00
<u>151214</u>	FATH hammer nut, silver, M6-1.0, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096H08630.	Stock	\$9.00
<u>151238</u>	FATH hammer nut, silver, M8-1.25, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096H10830.	Stock	\$9.00
<u>161124</u>	FATH hammer nut, silver, 8-32 UNF, zinc plated steel, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 096H068-3210.	Stock	\$9.50
<u>161125</u>	FATH hammer nut, silver, 8-32 UNF, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 096H088-3215.	Stock	\$9.50
<u>161126</u>	FATH hammer nut, silver, 10-32 UNF, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 096H0810-3215.	Stock	\$8.25
<u>161127</u>	FATH hammer nut, silver, M4-0.7, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096H08415.	Stock	\$8.00
<u>161128</u>	FATH hammer nut, silver, M5-0.8, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096H08515.	Stock	\$8.00
<u>161129</u>	FATH hammer nut, silver, M4-0.7, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096H08430.	Stock	\$8.00
<u>161130</u>	FATH hammer nut, silver, M5-0.8, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096H08530.	Stock	\$8.00
<u>161131</u>	FATH hammer nut, silver, M4-0.7, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096H10430.	Stock	\$8.00
<u>161132</u>	FATH hammer nut, silver, M5-0.8, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096H10530.	Stock	\$8.00
<u>161133</u>	FATH hammer nut, silver, M6-1.0, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096H10630.	Stock	\$8.00

<u>151039</u>	FATH roll-in nut, silver, 1/4-20 UNC, zinc plated steel, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 096541U1/4F.	Stock	\$15.00
<u>151098</u>	FATH roll-in nut, silver, 1/4-20 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 09602U1/4F.	Stock	\$20.00
<u>151099</u>	FATH roll-in nut, silver, 5/16-18 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 09602U5/16F.	Stock	\$20.00
<u>151182</u>	FATH roll-in nut, silver, M8-1.25, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096318F.	Stock	\$19.00
<u>151215</u>	FATH roll-in nut, silver, M6-1.0, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096026F.	Stock	\$19.00
<u>151216</u>	FATH roll-in nut, silver, M8-1.25, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096028F.	Stock	\$19.00
<u>151239</u>	FATH roll-in nut, silver, M6-1.0, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096166F.	Stock	\$24.00
<u>151240</u>	FATH roll-in nut, silver, M8-1.25, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096168F.	Stock	\$24.00
<u>161112</u>	FATH roll-in nut, silver, 10-32 UNF, zinc plated steel, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 096541U10-32F.	Stock	\$13.00
<u>161113</u>	FATH roll-in nut, silver, 8-32 UNF, zinc plated steel, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 096541U8-32F.	Stock	\$13.00
<u>161114</u>	FATH roll-in nut, silver, 10-32 UNF, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 09602U10-32F.	Stock	\$17.50
<u>161115</u>	FATH roll-in nut, silver, 8-32 UNF, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 09602U8-32F.	Stock	\$17.50
<u>161116</u>	FATH roll-in nut, silver, M4-0.7, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096314F.	Stock	\$16.75
<u>161117</u>	FATH roll-in nut, silver, M5-0.8, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096315F.	Stock	\$16.75
<u>161118</u>	FATH roll-in nut, silver, M6-1.0, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 096316F.	Stock	\$16.75
<u>161119</u>	FATH roll-in nut, silver, M4-0.7, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096024F.	Stock	\$16.75
<u>161120</u>	FATH roll-in nut, silver, M5-0.8, zinc plated steel, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096025F.	Stock	\$16.75
<u>161121</u>	FATH roll-in nut, silver, M4-0.7, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096164F.	Stock	\$21.00
<u>161122</u>	FATH roll-in nut, silver, M5-0.8, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096165F.	Stock	\$21.00
<u>162996</u>	FATH roll-in nut, silver, 10-32 UNF, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 09633U10-32.	Stock	\$17.50
<u>162997</u>	FATH roll-in nut, silver, 1/4-20 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 09633U1/4.	Stock	\$17.50
<u>162998</u>	FATH roll-in nut, silver, 5/16-18 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 09633U5/16.	Stock	\$17.50
<u>162999</u>	FATH roll-in nut, silver, M4-0.7, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096334.	Stock	\$17.50
<u>163000</u>	FATH roll-in nut, silver, M5-0.8, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096335.	Stock	\$17.50
<u>163001</u>	FATH roll-in nut, silver, M6-1.0, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096336.	Stock	\$17.50
<u>163002</u>	FATH roll-in nut, silver, M8-1.25, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096338.	Stock	\$17.50
<u>162884</u>	FATH slide-in nut, silver, M6-1.0, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096ST15M6.	Stock	\$9.75
<u>162885</u>	FATH slide-in nut, silver, M8-1.25, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096ST15M8.	Stock	\$9.75
<u>162886</u>	FATH slide-in nut, silver, M6-1.0, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096ST45M6.	Stock	\$12.50
<u>162887</u>	FATH slide-in nut, silver, M8-1.25, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096ST45M8.	Stock	\$12.50
<u>162888</u>	FATH slide-in nut, silver, M10-1.5, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 096ST45M10.	Stock	\$17.00
<u>162903</u>	FATH slide-in nut, black, 10-32 UNF, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096ST15U10-32.	Stock	\$9.50

<u>162904</u>	FATH slide-in nut, black, 1/4-20 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096ST15U1/4.	Stock	\$9.50
<u>162905</u>	FATH slide-in nut, black, 5/16-18 UNC, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 096ST15U5/16.	Stock	\$9.50
Fasteners for T-slotted Rails			
<u>118284</u>	FATH hammer screw, silver, 5/16-18 UNC x 1in, zinc plated steel, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Flange nut included. Manufacturer part number: 096HK0830U5/16S01.	Stock	\$2.50
<u>118287</u>	FATH hammer screw, silver, M8-1.25 x 25mm, zinc plated steel, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Flange nut included. Manufacturer part number: 096HK0830M0825S01.	Stock	\$2.50
<u>118590</u>	FATH hammer screw, silver, M8-1.25 x 25mm, zinc plated steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Flange nut included. Manufacturer part number: 096HK1030M0825S11.	Stock	\$2.25
<u>151040</u>	FATH button head socket cap screw, black, 1/4-20 UNC x 1/2in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1/4-1/2M.	Stock	\$4.25
<u>151041</u>	FATH flanged button head socket cap screw, gloss black, 1/4-20 UNC x 1/2in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1/4-1/2F.	Stock	\$5.25
<u>151100</u>	FATH button head socket cap screw, black, 5/16-18 UNC x 5/8in, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380U,31-,68M.	Stock	\$5.25
<u>151101</u>	FATH flanged button head socket cap screw, gloss black, 5/16-18 UNC x 11/16in, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails.	Stock	\$6.00
<u>151183</u>	FATH button head socket cap screw, gloss black, M8-1.25 x 16mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0816MS01.	Stock	\$4.75
<u>151184</u>	FATH flanged button head socket cap screw, gloss black, M8-1.25 x 16mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0816MS03.	Stock	\$5.50
<u>151241</u>	FATH button head socket cap screw, silver, M8-1.25 x 20mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0820M.	Stock	\$4.50
<u>161046</u>	FATH button head socket cap screw, black, #10-32 UNF x 1/2in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1032.50M.	Stock	\$4.75
<u>161047</u>	FATH button head socket cap screw, black, #10-32 UNF x 5/8in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1032.62M.	Stock	\$5.00
<u>161048</u>	FATH button head socket cap screw, black, #10-32 UNF x 3/4in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1032.75M.	Stock	\$5.75
<u>161049</u>	FATH button head socket cap screw, black, 1/4-20 UNC x 9/16in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1/4.56M.	Stock	\$4.75
<u>161050</u>	FATH button head socket cap screw, black, 1/4-20 UNC x 5/8in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1/4.62M.	Stock	\$4.75
<u>161051</u>	FATH button head socket cap screw, black, 1/4-20 UNC x 3/4in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1/4.75M.	Stock	\$4.75
<u>161052</u>	FATH button head socket cap screw, black, 1/4-20 UNC x 1in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1/4-1M.	Stock	\$5.25
<u>161053</u>	FATH button head socket cap screw, black, 5/16-18 UNC x 1/2in, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380U,31-,50M.	Stock	\$6.00
<u>161054</u>	FATH button head socket cap screw, black, 5/16-18 UNC x 3/4in, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380U,31-,75M.	Stock	\$6.50
<u>161055</u>	FATH button head socket cap screw, black, 5/16-18 UNC x 1in, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380U,31-1M.	Stock	\$7.50
<u>161056</u>	FATH button head socket cap screw, silver, M4-0.7 x 10mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0410M.	Stock	\$1.00
<u>161057</u>	FATH button head socket cap screw, silver, M5-0.8 x 10mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0510M.	Stock	\$1.25
<u>161058</u>	FATH button head socket cap screw, silver, M5-0.8 x 12mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0512M.	Stock	\$1.75
<u>161059</u>	FATH button head socket cap screw, silver, M6-1.0 x 12mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0612M.	Stock	\$2.00
<u>161060</u>	FATH button head socket cap screw, silver, M6-1.0 x 14mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0614M.	Stock	\$2.25
<u>161061</u>	FATH button head socket cap screw, silver, M6-1.0 x 16mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0616M.	Stock	\$2.50

<u>161062</u>	FATH button head socket cap screw, silver, M6-1.0 x 18mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0618M.	Stock	\$3.00
<u>161063</u>	FATH button head socket cap screw, silver, M6-1.0 x 20mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0620M.	Stock	\$3.00
<u>161064</u>	FATH button head socket cap screw, silver, M6-1.0 x 25mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380M0625M.	Stock	\$3.25
<u>161065</u>	FATH button head socket cap screw, silver, M8-1.25 x 12mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0812M.	Stock	\$4.25
<u>161066</u>	FATH button head socket cap screw, silver, M8-1.25 x 14mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0814M.	Stock	\$4.50
<u>161067</u>	FATH button head socket cap screw, silver, M8-1.25 x 16mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0816M.	Stock	\$4.75
<u>161068</u>	FATH button head socket cap screw, silver, M8-1.25 x 18mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0818M.	Stock	\$5.25
<u>161069</u>	FATH button head socket cap screw, silver, M8-1.25 x 25mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0825M.	Stock	\$5.25
<u>161070</u>	FATH button head socket cap screw, silver, M8-1.25 x 40mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M0840M.	Stock	\$8.00
<u>161071</u>	FATH button head socket cap screw, silver, M12-1.75 x 25mm, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M1225M.	Stock	\$15.50
<u>161072</u>	FATH button head socket cap screw, silver, M12-1.75 x 40mm, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 4ISO7380M1240M.	Stock	\$23.00
<u>161073</u>	FATH flat head socket cap screw, black, #8-32 UNF x 1/2in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991U8-32.50M.	Stock	\$7.75
<u>161074</u>	FATH flat head socket cap screw, black, 1/4-20 UNC x 1/2in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991U1/4-1/2M.	Stock	\$6.25
<u>161075</u>	FATH flat head socket cap screw, black, 1/4-20 UNC x 5/8in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991U1/4-5/8M.	Stock	\$6.25
<u>161076</u>	FATH flat head socket cap screw, silver, M4-0.7 x 12mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991M0412M.	Stock	\$1.50
<u>161077</u>	FATH flat head socket cap screw, silver, M5-0.8 x 12mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991M0512M.	Stock	\$1.75
<u>161078</u>	FATH flat head socket cap screw, silver, M6-1.0 x 12mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991M0612M.	Stock	\$2.25
<u>161079</u>	FATH flat head socket cap screw, silver, M6-1.0 x 14mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991M0614M.	Stock	\$2.50
<u>161080</u>	FATH flat head socket cap screw, silver, M6-1.0 x 16mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991M0616M.	Stock	\$2.50
<u>161081</u>	FATH flat head socket cap screw, silver, M6-1.0 x 20mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN7991M0620M.	Stock	\$2.75
<u>161082</u>	FATH flat head socket cap screw, silver, M8-1.25 x 12mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN7991M0812M.	Stock	\$4.75
<u>161083</u>	FATH flat head socket cap screw, silver, M8-1.25 x 14mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN7991M0814M.	Stock	\$5.00
<u>161084</u>	FATH flat head socket cap screw, silver, M8-1.25 x 16mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN7991M0816M.	Stock	\$5.50
<u>161085</u>	FATH flat head socket cap screw, silver, M8-1.25 x 18mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN7991M0818M.	Stock	\$5.50
<u>161086</u>	FATH flat head socket cap screw, silver, M8-1.25 x 25mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN7991M0820M.	Stock	\$7.00
<u>161087</u>	FATH socket head cap screw, black, 1/4-20 UNC x 5/8in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912U1/4-5/8M.	Stock	\$4.00
<u>161088</u>	FATH socket head cap screw, silver, M4-0.7 x 8mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0408M.	Stock	\$2.25

<u>161089</u>	FATH socket head cap screw, silver, M4-0.7 x 10mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0410M.	Stock	\$2.50
<u>161090</u>	FATH socket head cap screw, silver, M5-0.8 x 10mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0510M.	Stock	\$2.50
<u>161091</u>	FATH socket head cap screw, silver, M5-0.8 x 12mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0512M.	Stock	\$2.75
<u>161092</u>	FATH socket head cap screw, silver, M6-1.0 x 10mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0610M.	Stock	\$2.75
<u>161093</u>	FATH socket head cap screw, silver, M6-1.0 x 12mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0612M.	Stock	\$2.75
<u>161094</u>	FATH socket head cap screw, silver, M6-1.0 x 14mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0614M.	Stock	\$3.00
<u>161095</u>	FATH socket head cap screw, silver, M6-1.0 x 16mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0616M.	Stock	\$3.00
<u>161096</u>	FATH socket head cap screw, silver, M6-1.0 x 18mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0618M.	Stock	\$3.25
<u>161097</u>	FATH socket head cap screw, silver, M6-1.0 x 20mm, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912M0620M.	Stock	\$3.25
<u>161098</u>	FATH socket head cap screw, silver, M8-1.25 x 12mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN912M0812M.	Stock	\$4.75
<u>161099</u>	FATH socket head cap screw, silver, M8-1.25 x 14mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN912M0814M.	Stock	\$5.00
<u>161042</u>	FATH reducer bushing, silver, M8-1.25, zinc plated steel. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 09308801.	Stock	\$27.00
<u>161100</u>	FATH socket head cap screw, silver, M8-1.25 x 16mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN912M0816M.	Stock	\$5.50
<u>161101</u>	FATH socket head cap screw, silver, M8-1.25 x 18mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN912M0818M.	Stock	\$5.50
<u>161102</u>	FATH socket head cap screw, silver, M8-1.25 x 20mm, zinc plated steel, slot size 8/10. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 4DIN912M0820M.	Stock	\$5.75
<u>162993</u>	FATH button head socket cap screw, black, #10-32 UNF x 3/8in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U1032.38M.	Stock	\$7.50
<u>162994</u>	FATH button head socket cap screw, black, #8-32 UNF x 3/8in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4ISO7380U8-32.38M.	Stock	\$8.00
<u>162995</u>	FATH socket head cap screw, black, #10-32 UNF x 1/2in, zinc plated steel, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 4DIN912U1032-1/2.	Stock	\$7.75
<u>161103</u>	FATH T-25 Torx head self-tapping screw, silver, S6 x 16mm, zinc plated steel, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093S0616T.	Stock	\$8.75
<u>161105</u>	FATH button head socket cap self-tapping screw, silver, S7 x 25mm, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093SF0725.	Stock	\$17.00
<u>161106</u>	FATH T-40 Torx flange head self-tapping screw, silver, S7 x 25mm, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093S0725T.	Stock	\$9.25
<u>161107</u>	FATH button head socket cap self-tapping screw, silver, S7 x 40mm, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093SF0740.	Stock	\$17.00
<u>161108</u>	FATH T-40 Torx flange head self-tapping screw, silver, S8 x 25mm, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093S0825T.	Stock	\$9.25
<u>161109</u>	FATH flat head socket self-tapping screw, silver, S8 x 25mm, zinc plated steel, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093S0825C.	Stock	\$8.75
<u>161110</u>	FATH T-50 Torx button head self-tapping screw, silver, S12 x 30mm, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093S1230T.	Stock	\$10.50
<u>161111</u>	FATH button head socket cap self-tapping screw, silver, S12 x 40mm, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093SF1240.	Stock	\$28.00
Connecting Components for T-slotted Rails			
<u>148953</u>	FATH 2D cube connector, silver, 1 x 1in, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW251N06.	Stock	\$8.75
<u>166230</u>	FATH 2D cube connector, black, 1 x 1 x 1in, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW251N06S.	Stock	\$10.00

<u>148954</u>	FATH 2D cube connector, silver, 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW381N08.	Stock	\$10.00
<u>166302</u>	FATH 2D cube connector, black, 1.5 x 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW381N08S.	Stock	\$12.00
<u>148958</u>	FATH 2D cube connector, silver, 40 x 40 x 40mm, die-cast aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW405N08.	Stock	\$10.00
<u>166369</u>	FATH 2D cube connector, black, 40 x 40 x 40mm, die-cast aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW405N08S.	Stock	\$12.00
<u>148960</u>	FATH 2D cube connector, silver, 45 x 45 x 45mm, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW453N10.	Stock	\$11.00
<u>151185</u>	FATH 2D cube connector, silver, 30 x 30 x 30mm, die-cast aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Fasteners and (2) plastic cover caps included. Manufacturer part number: 093WW303N08.	Stock	\$9.50
<u>148956</u>	FATH 3D cube connector, silver, 1 x 1 x 1in, die-cast aluminum, slot size 6. For use with 1 x 1in profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW252N06.	Stock	\$10.50
<u>166231</u>	FATH 3D cube connector, black, 1 x 1 x 1in, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW252N06S.	Stock	\$12.00
<u>148957</u>	FATH 3D cube connector, silver, 1.5 x 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with 1.5 x 1.5in profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW382N08.	Stock	\$11.50
<u>166303</u>	FATH 3D cube connector, black, 1.5 x 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW382N08S.	Stock	\$13.00
<u>148959</u>	FATH 3D cube connector, silver, 40 x 40 x 40mm, die-cast aluminum, slot size 8. For use with 40 x 40mm profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW406N08.	Stock	\$11.50
<u>166370</u>	FATH 3D cube connector, black, 40 x 40 x 40mm, die-cast aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW406N0S.	Stock	\$13.00
<u>148961</u>	FATH 3D cube connector, silver, 45 x 45 x 45mm, die-cast aluminum, slot size 10. For use with 45 x 45mm profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW454N10.	Stock	\$11.50
<u>151186</u>	FATH 3D cube connector, silver, 30 x 30 x 30mm, die-cast aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Fasteners and (3) plastic cover caps included. Manufacturer part number: 093WW304N08.	Stock	\$10.50
<u>151042</u>	FATH angle connector, silver, 45-degree, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS25145N6,5.	Stock	\$4.50
<u>166232</u>	FATH angle connector, black, 45-degree, 1 x 1in, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS25145N6,5S.	Stock	\$5.00
<u>151043</u>	FATH angle connector, silver, 45-degree, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS51145N6,5.	Stock	\$8.00
<u>166233</u>	FATH angle connector, black, 45-degree, 1 x 2in, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS51145N6,5S.	Stock	\$8.50
<u>151107</u>	FATH angle connector, silver, 45-degree, 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with 1.5 x 1.5in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS38145N08.	Stock	\$8.00
<u>166304</u>	FATH angle connector, black, 45-degree, 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS38145N08S.	Stock	\$8.50
<u>151108</u>	FATH angle connector, silver, 45-degree, 1.5 x 3in, die-cast aluminum, slot size 8. For use with 1.5 x 3in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS76145N08.	Stock	\$11.50
<u>166305</u>	FATH angle connector, black, 45-degree, 1.5 x 3in, die-cast aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS76145N08S.	Stock	\$13.50
<u>151187</u>	FATH angle connector, silver, 45-degree, 30 x 30mm, die-cast aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS30245N08.	Stock	\$6.00
<u>151188</u>	FATH angle connector, silver, 45-degree, 30 x 60mm, die-cast aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS60145N08.	Stock	\$10.00
<u>151217</u>	FATH angle connector, silver, 45-degree, 40 x 40mm, die-cast aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS40145N08.	Stock	\$13.50
<u>166371</u>	FATH angle connector, black, 45-degree, 40 x 40mm, die-cast aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS40145N08S.	Stock	\$16.00
<u>151218</u>	FATH angle connector, silver, 45-degree, 40 x 80mm, die-cast aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS80145N08.	Stock	\$13.50

<u>166372</u>	FATH angle connector, black, 45-degree, 40 x 80mm, die-cast aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS80145N08S.	Stock	\$16.50
<u>151246</u>	FATH angle connector, silver, 45-degree, 45 x 45mm, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS45245N10.	Stock	\$10.50
<u>151247</u>	FATH angle connector, silver, 45-degree, 45 x 90mm, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Fasteners included. Manufacturer part number: 093WS90145N10.	Stock	\$16.50
<u>151105</u>	FATH automatic butt connector, silver, steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 099G081M6.	Stock	\$9.50
<u>151104</u>	FATH automatic connector, silver, steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 099G081.	Stock	\$59.00
<u>151243</u>	FATH automatic connector, silver, steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile light T-slotted rails. Manufacturer part number: 099G103.	Stock	\$59.00
<u>162975</u>	FATH clamp profile connector, silver, die-cast zinc, slot size 8. For use with 40 x 40mm profile T-slotted rails. (2) screws included. Requires FATH 162976 mounting element. Manufacturer part number: 093WWC401N08.	Stock	\$21.00
<u>151109</u>	FATH connecting strip, silver, zinc plated steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 096010S11.	Stock	\$15.50
<u>151248</u>	FATH connecting strip, silver, zinc plated steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 096030S38.	Stock	\$18.00
<u>162891</u>	FATH direct connector, silver, steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 099DC084040N08.	Stock	\$13.00
<u>162892</u>	FATH direct connector, silver, steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 099DC084045N10.	Stock	\$13.00
<u>151102</u>	FATH duo connector, silver, steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 099DSV0840.	Stock	\$23.50
<u>151106</u>	FATH milling connector, silver, zinc plated steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 099D0840M0530.	Stock	\$8.50
<u>151245</u>	FATH milling connector, silver, zinc plated steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 099D1045M0630.	Stock	\$11.50
<u>162961</u>	FATH miter connector, silver, 90-degree, 4 holes, M8-1.25, steel, slot size 8. For use with all 1.5in, 3in, 30mm, 40mm, 60mm and 80mm profile T-slotted rails. Manufacturer part number: 099GV0890.	Stock	\$11.50
<u>162962</u>	FATH miter connector, silver, 90-degree, 4 holes, M10-1.5, steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 099GV1090.	Stock	\$12.50
<u>162976</u>	FATH mounting element, silver, steel, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Requires FATH 162975 clamp profile connector. Manufacturer part number: 093XWWC401N08.	Stock	\$5.50
<u>163007</u>	FATH screw connector, gloss black, zinc plated steel, slot size 6. Package of 10. For use with 1 x 1in profile T-slotted rails. Manufacturer part number: 092039S02.	Stock	\$10.50
<u>163008</u>	FATH screw connector, gloss black, zinc plated steel, slot size 8. Package of 10. For use with 30 x 30mm profile T-slotted rails. Manufacturer part number: 092039S04.	Stock	\$10.75
<u>163009</u>	FATH screw connector, gloss black, zinc plated steel, slot size 8. Package of 10. For use with 1.5 x 1.5in and 40 x 40mm profile T-slotted rails. Manufacturer part number: 092040.	Stock	\$13.25
<u>151103</u>	FATH T-matic connector, silver, zinc plated steel, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 099H085.	Stock	\$96.00
<u>151242</u>	FATH T-matic connector, silver, zinc plated steel, slot size 10. Package of 10. For use with all 45mm and 90mm profile light T-slotted rails. Manufacturer part number: 099H103.	Stock	\$96.00

Joining Plates for T-slotted Rails

<u>151055</u>	FATH cross flat plate, silver, 7 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVX76127.	Stock	\$9.50
<u>166245</u>	FATH cross flat plate, black, 7 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVX76127S.	Stock	\$11.00
<u>151121</u>	FATH cross flat plate, silver, 7 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVX114190.	Stock	\$18.50
<u>166317</u>	FATH cross flat plate, black, 7 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVX114190S.	Stock	\$22.00
<u>151050</u>	FATH flat plate, silver, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL5176.	Stock	\$6.25
<u>166240</u>	FATH flat plate, black, 90-degree, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL5176S.	Stock	\$7.00
<u>151051</u>	FATH flat plate, silver, 5 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL7676.	Stock	\$6.50
<u>151051-10</u>	FATH flat plate, silver, 5 holes, anodized aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL7676.	Stock	\$62.00
<u>166241</u>	FATH flat plate, black, 90-degree, 5 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL7676S.	Stock	\$7.00

<u>151116</u>	FATH flat plate, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL76114.	Stock	\$8.50
<u>151116-10</u>	FATH flat plate, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL76114.	Stock	\$80.00
<u>166312</u>	FATH flat plate, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL76114S.	Stock	\$10.00
<u>151117</u>	FATH flat plate, silver, 90-degree, 5 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL114114.	Stock	\$12.00
<u>151117-10</u>	FATH flat plate, silver, 90-degree, 5 holes, anodized aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL114114.	Stock	\$110.00
<u>166313</u>	FATH flat plate, black, 90-degree, 5 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL114114S.	Stock	\$14.00
<u>151193</u>	FATH flat plate, silver, 90-degree, 5 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093VL9090.	Stock	\$9.50
<u>151219</u>	FATH flat plate, silver, 5 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VL120120.	Stock	\$14.50
<u>166378</u>	FATH flat plate, black, 90-degree, 5 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VL120120S.	Stock	\$17.00
<u>151249</u>	FATH flat plate, silver, 5 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VL135135.	Stock	\$19.00
<u>151056</u>	FATH L-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL7676S02.	Stock	\$8.00
<u>151056-10</u>	FATH L-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL7676S02.	Stock	\$75.00
<u>166246</u>	FATH L-shaped flat plate, black, 90-degree, 5 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVL7676S02S.	Stock	\$9.00
<u>151122</u>	FATH L-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL114114S02.	Stock	\$13.50
<u>166318</u>	FATH L-shaped flat plate, black, 90-degree, 5 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVL114114S02S.	Stock	\$16.00
<u>148858</u>	FATH rectangular flat plate, silver, 8 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VD80160.	Stock	\$12.00
<u>166377</u>	FATH rectangular flat plate, black, 8 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VD80160S.	Stock	\$15.00
<u>148859</u>	FATH rectangular flat plate, silver, 8 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VD90180.	Stock	\$18.00
<u>151048</u>	FATH rectangular flat plate, silver, 6 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVD5176.	Stock	\$6.50
<u>166238</u>	FATH rectangular flat plate, black, 6 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVD5176S.	Stock	\$7.00
<u>151049</u>	FATH rectangular flat plate, silver, 8 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVD51102.	Stock	\$5.50
<u>166239</u>	FATH rectangular flat plate, black, 8 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVD51102S.	Stock	\$6.00
<u>151114</u>	FATH rectangular flat plate, silver, 6 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVD76114.	Stock	\$8.50
<u>166310</u>	FATH rectangular flat plate, black, 6 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVD76114S.	Stock	\$10.00
<u>151115</u>	FATH rectangular flat plate, silver, 8 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVD76152.	Stock	\$11.00
<u>166311</u>	FATH rectangular flat plate, black, 8 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVD76152S.	Stock	\$12.00
<u>151192</u>	FATH rectangular flat plate, silver, 8 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093VD60120.	Stock	\$9.50
<u>148853</u>	FATH square flat plate, silver, 4 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA8080.	Stock	\$11.50
<u>166376</u>	FATH square flat plate, black, 4 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA8080S.	Stock	\$14.00
<u>148854</u>	FATH square flat plate, silver, 4 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VA9090.	Stock	\$10.00
<u>151047</u>	FATH square flat plate, silver, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA5151.	Stock	\$4.25
<u>166237</u>	FATH square flat plate, black, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA5151S.	Stock	\$5.00

<u>151113</u>	FATH square flat plate, silver, 4 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA7676.	Stock	\$6.00
<u>166309</u>	FATH square flat plate, black, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA7676S.	Stock	\$7.00
<u>151191</u>	FATH square flat plate, silver, 4 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093VA6060.	Stock	\$5.50
<u>148850</u>	FATH straight flat plate, silver, 2 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA4080.	Stock	\$5.75
<u>166373</u>	FATH straight flat plate, black, 2 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA4080S.	Stock	\$7.00
<u>148851</u>	FATH straight flat plate, silver, 2 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VA4590.	Stock	\$8.25
<u>148856</u>	FATH straight flat plate, silver, 4 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA40160.	Stock	\$12.00
<u>166375</u>	FATH straight flat plate, black, 4 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA40160S.	Stock	\$14.00
<u>148857</u>	FATH straight flat plate, silver, 4 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VA45180.	Stock	\$12.00
<u>151044</u>	FATH straight flat plate, silver, 2 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA2551.	Stock	\$2.50
<u>151044-10</u>	FATH straight flat plate, silver, 2 holes, anodized aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA2551.	Stock	\$24.00
<u>166234</u>	FATH straight flat plate, black, 2 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA2551S.	Stock	\$3.00
<u>151045</u>	FATH straight flat plate, silver, 3 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA2576.	Stock	\$3.75
<u>166235</u>	FATH straight flat plate, black, 3 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA2576S.	Stock	\$4.00
<u>151046</u>	FATH straight flat plate, silver, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA25102.	Stock	\$4.50
<u>166236</u>	FATH straight flat plate, black, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVA25102S.	Stock	\$5.00
<u>151110</u>	FATH straight flat plate, silver, 2 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA3876.	Stock	\$5.25
<u>151110-10</u>	FATH straight flat plate, silver, 2 holes, anodized aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA3876.	Stock	\$48.00
<u>166306</u>	FATH straight flat plate, black, 2 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA3876S.	Stock	\$6.00
<u>151111</u>	FATH straight flat plate, silver, 3 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA38114.	Stock	\$4.75
<u>166307</u>	FATH straight flat plate, black, 3 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA38114S.	Stock	\$6.00
<u>151112</u>	FATH straight flat plate, silver, 4 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA38152.	Stock	\$6.25
<u>166308</u>	FATH straight flat plate, black, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVA38152S.	Stock	\$7.00
<u>151189</u>	FATH straight flat plate, silver, 2 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093VA3060.	Stock	\$4.50
<u>151190</u>	FATH straight flat plate, silver, 4 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093VA30120.	Stock	\$5.50
<u>162985</u>	FATH straight flat plate, silver, 3 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093VA3090.	Stock	\$8.00
<u>162986</u>	FATH straight flat plate, silver, 3 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA40120.	Stock	\$8.00
<u>166374</u>	FATH straight flat plate, black, 3 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VA40120S.	Stock	\$11.00
<u>162987</u>	FATH straight flat plate, silver, 3 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VA45135.	Stock	\$10.50
<u>148863</u>	FATH T-shaped flat plate, silver, 12 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VT180180D.	Stock	\$29.50
<u>151052</u>	FATH T-shaped flat plate, silver, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT5176.	Stock	\$6.50
<u>166242</u>	FATH T-shaped flat plate, black, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT5176S.	Stock	\$7.00

<u>151053</u>	FATH T-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT7676.	Stock	\$7.25
<u>166243</u>	FATH T-shaped flat plate, black, 5 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT7676S.	Stock	\$8.00
<u>151054</u>	FATH T-shaped flat plate, silver, 12 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT102102D.	Stock	\$10.50
<u>166244</u>	FATH T-shaped flat plate, black, 12 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT102102DS.	Stock	\$12.00
<u>151118</u>	FATH T-shaped flat plate, silver, 4 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT76114.	Stock	\$9.25
<u>166314</u>	FATH T-shaped flat plate, black, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT76114S.	Stock	\$11.00
<u>151119</u>	FATH T-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT114114.	Stock	\$12.00
<u>166315</u>	FATH T-shaped flat plate, black, 5 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT114114S.	Stock	\$14.00
<u>151120</u>	FATH T-shaped flat plate, silver, 12 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT152152D.	Stock	\$18.50
<u>166316</u>	FATH T-shaped flat plate, black, 12 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT152152DS.	Stock	\$22.00
<u>151194</u>	FATH T-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093VT9090.	Stock	\$10.00
<u>151220</u>	FATH T-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VT120120.	Stock	\$16.50
<u>166379</u>	FATH T-shaped flat plate, black, 5 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VT120120S.	Stock	\$21.00
<u>151221</u>	FATH T-shaped flat plate, silver, 12 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VT160160D.	Stock	\$27.50
<u>166380</u>	FATH T-shaped flat plate, black, 12 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093VT160160DS.	Stock	\$34.00
<u>151250</u>	FATH T-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093VT135135.	Stock	\$20.50
<u>162988</u>	FATH T-shaped flat plate, silver, 12 holes, anodized aluminum, slot size 8. For use with all 60mm profile T-slotted rails. Manufacturer part number: 093VT120120D.	Stock	\$18.00
<u>151057</u>	FATH T-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT7676S01.	Stock	\$10.50
<u>166247</u>	FATH T-shaped flat plate, black, 5 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EVT7676S01S.	Stock	\$12.00
<u>151123</u>	FATH T-shaped flat plate, silver, 5 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT114114S01.	Stock	\$14.50
<u>166319</u>	FATH T-shaped flat plate, black, 5 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093EVT114114S01S.	Stock	\$17.00

Brackets for T-slotted Rails

<u>163014</u>	FATH 1-slot pivot joint, silver, 180-degree, die-cast zinc/die-cast aluminum/nylon, slot size 8. For use with all 30mm profile T-slotted rails. (2) slot keys included. Manufacturer part number: 093GV30.	Stock	\$27.50
<u>163015</u>	FATH 1-slot pivot joint, silver, 180-degree, die-cast zinc/die-cast aluminum/nylon, slot size 8. For use with all 40mm profile T-slotted rails. (2) slot keys included. Manufacturer part number: 093GV40.	Stock	\$31.25
<u>163016</u>	FATH 1-slot pivot joint, silver, 180-degree, die-cast zinc/die-cast aluminum/nylon, slot size 10. For use with all 45mm profile T-slotted rails. (2) slot keys included. Manufacturer part number: 093GV45.	Stock	\$35.00
<u>163017</u>	FATH 2-slot pivot joint, silver, 180-degree, die-cast zinc/die-cast aluminum/nylon, slot size 8. For use with all 60mm profile T-slotted rails. (4) slot keys included. Manufacturer part number: 093GV3060.	Stock	\$36.50
<u>163018</u>	FATH 2-slot pivot joint, silver, 180-degree, die-cast zinc/die-cast aluminum/nylon, slot size 8. For use with all 80mm profile T-slotted rails. (4) slot keys included. Manufacturer part number: 093GV4080.	Stock	\$41.00
<u>163019</u>	FATH 2-slot pivot joint, silver, 180-degree, die-cast zinc/die-cast aluminum/nylon, slot size 10. For use with all 90mm profile T-slotted rails. (4) slot keys included. Manufacturer part number: 093GV4590.	Stock	\$53.00
<u>148915</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W203N06.	Stock	\$1.50
<u>148915-10</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W203N06.	Stock	\$11.50
<u>166249</u>	FATH inside corner bracket, black, 90-degree, 2 holes, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W203N06S.	Stock	\$1.50
<u>148916</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W404N08.	Stock	\$4.00

<u>148916-10</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W404N08.	Stock	\$38.00
<u>166321</u>	FATH inside corner bracket, black, 90-degree, 2 holes, die-cast aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W404N08S.	Stock	\$4.00
<u>166322</u>	FATH inside corner bracket, black, 90-degree, 4 holes, die-cast aluminum, slot size 8. For use with all 1.5in, 3in, 40mm, and 80mm profile T-slotted rails. Manufacturer part number: 093W403N08S.	Stock	\$9.00
<u>166323</u>	FATH inside corner bracket, black, 90-degree, 4 holes, die-cast zinc, slot size 8. For use with all 1.5in, 3in, 40mm, and 80mm profile T-slotted rails. Manufacturer part number: 093W802N08S.	Stock	\$13.00
<u>151059</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast zinc, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W201N06.	Stock	\$4.00
<u>151059-10</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast zinc, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W201N06.	Stock	\$38.00
<u>166250</u>	FATH inside corner bracket, black, 90-degree, 2 holes, die-cast zinc, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W201N06S.	Stock	\$4.00
<u>151125</u>	FATH angle bracket, silver, 90-degree, 4 holes, die-cast aluminum, slot size 8. For use with all 1.5in, 3in, 40mm, and 80mm profile T-slotted rails. Manufacturer part number: 093W403N08.	Stock	\$7.75
<u>151126</u>	FATH angle bracket, silver, 90-degree, 4 holes, die-cast zinc, slot size 8. For use with all 1.5in, 3in, 40mm, and 80mm profile T-slotted rails. Manufacturer part number: 093W802N08R.	Stock	\$11.50
<u>151251</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093W421N10.	Stock	\$4.00
<u>151251-10</u>	FATH angle bracket, silver, 90-degree, 2 holes, die-cast aluminum, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093W421N10.	Stock	\$37.00
<u>151252</u>	FATH angle bracket, silver, 90-degree, 4 holes, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093W451N10.	Stock	\$7.75
<u>148912</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093W8421N10.	Stock	\$5.25
<u>148979</u>	FATH gusseted inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093W8901N10.	Stock	\$21.50
<u>151063</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W8104N06.	Stock	\$3.00
<u>151063-10</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W8104N06.	Stock	\$26.00
<u>166254</u>	FATH gusseted inside corner bracket, black, 90-degree, 2 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W8104N06S.	Stock	\$3.00
<u>151066</u>	FATH gusseted inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W8106N06.	Stock	\$10.50
<u>166257</u>	FATH gusseted inside corner bracket, black, 90-degree, 8 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W8106N06S.	Stock	\$12.00
<u>151129</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W8384N08.	Stock	\$3.75
<u>151129-10</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W8384N08.	Stock	\$35.00
<u>166327</u>	FATH gusseted inside corner bracket, black, 90-degree, 2 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W8384N08S.	Stock	\$4.00
<u>151131</u>	FATH gusseted inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W8766N08.	Stock	\$13.00
<u>166330</u>	FATH gusseted inside corner bracket, black, 90-degree, 8 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W8766N08S.	Stock	\$16.00
<u>151226</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093W8404N08.	Stock	\$3.75
<u>151226-10</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093W8404N08.	Stock	\$35.00
<u>166385</u>	FATH gusseted inside corner bracket, black, 90-degree, 2 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093W8404N08S.	Stock	\$4.00
<u>151228</u>	FATH gusseted inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093W8806N08.	Stock	\$14.50
<u>166388</u>	FATH gusseted inside corner bracket, black, 90-degree, 8 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093W8806N08S.	Stock	\$17.00
<u>162992</u>	FATH gusseted inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 8. For use with all 60mm profile T-slotted rails. Manufacturer part number: 093W8603N08.	Stock	\$8.00
<u>148899</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093WD45.	Stock	\$5.25
<u>148906</u>	FATH inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD7676.	Stock	\$9.00

<u>166326</u>	FATH inside corner bracket, black, 90-degree, 8 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD7676S.	Stock	\$11.00
<u>148907</u>	FATH inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093WD9090.	Stock	\$11.50
<u>151058</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD25P01.	Stock	\$2.50
<u>151058-10</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD25P01.	Stock	\$24.00
<u>166248</u>	FATH inside corner bracket, black, 90-degree, 2 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD25S.	Stock	\$3.00
<u>151062</u>	FATH inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD5151P01.	Stock	\$6.75
<u>166253</u>	FATH inside corner bracket, black, 90-degree, 8 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD5151S.	Stock	\$8.00
<u>151062-10</u>	FATH inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD5151P01.	Stock	\$65.00
<u>151124</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD38.	Stock	\$3.75
<u>151124-10</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD38.	Stock	\$35.00
<u>166320</u>	FATH inside corner bracket, black, 90-degree, 2 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD38S.	Stock	\$4.00
<u>151195</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093WD30.	Stock	\$4.25
<u>151198</u>	FATH inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093WD6060.	Stock	\$11.00
<u>151222</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD40.	Stock	\$4.25
<u>151222-10</u>	FATH inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. Package of 10. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD40.	Stock	\$40.00
<u>166381</u>	FATH inside corner bracket, black, 90-degree, 2 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD40S.	Stock	\$5.00
<u>151225</u>	FATH inside corner bracket, silver, 90-degree, 8 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD8080.	Stock	\$11.50
<u>166384</u>	FATH inside corner bracket, black, 90-degree, 8 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD8080S.	Stock	\$14.00
<u>151067</u>	FATH pivot joint, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093G25AN06.	Stock	\$30.50
<u>166258</u>	FATH pivot joint, black, 178-degree adjustable, 2 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093G25AN06S.	Stock	\$36.00
<u>151132</u>	FATH pivot joint, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093G38AN08.	Stock	\$29.50
<u>166331</u>	FATH pivot joint, black, 178-degree adjustable, 2 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093G38AN08S.	Stock	\$35.00
<u>151199</u>	FATH pivot joint, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093G30AN08.	Stock	\$28.50
<u>151229</u>	FATH pivot joint, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093G40AN.	Stock	\$29.50
<u>166389</u>	FATH pivot joint, black, 178-degree adjustable, 2 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093G40ANS.	Stock	\$36.00
<u>151253</u>	FATH pivot joint, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093G45AN.	Stock	\$29.50
<u>148932</u>	FATH pivot joint with locking handle, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093GF25AN06.	Stock	\$39.50
<u>166259</u>	FATH pivot joint with locking handle, black, 178-degree adjustable, 2 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093GF25AN06S.	Stock	\$47.00
<u>148933</u>	FATH pivot joint with locking handle, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093GF38AN08.	Stock	\$39.50
<u>166332</u>	FATH pivot joint with locking handle, black, 178-degree adjustable, 2 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093GF38AN08S.	Stock	\$45.00
<u>151200</u>	FATH pivot joint with locking handle, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093GF30AN08.	Stock	\$38.50
<u>151230</u>	FATH pivot joint with locking handle, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093GF40AN.	Stock	\$39.50

<u>166390</u>	FATH pivot joint with locking handle, black, 178-degree adjustable, 2 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093GF40ANS.	Stock	\$47.00
<u>151254</u>	FATH pivot joint with locking handle, silver, 178-degree adjustable, 2 holes, die-cast zinc, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093GF45AN.	Stock	\$39.50
<u>148914</u>	FATH tall gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093W8451N10.	Stock	\$12.00
<u>151064</u>	FATH tall gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W8103N06.	Stock	\$5.25
<u>166255</u>	FATH tall gusseted inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093W8103N06S.	Stock	\$6.00
<u>151130</u>	FATH tall gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W8383N08.	Stock	\$7.75
<u>166328</u>	FATH tall gusseted inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093W8383N08S.	Stock	\$9.00
<u>151227</u>	FATH tall gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093W8403N08.	Stock	\$9.00
<u>166386</u>	FATH tall gusseted inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093W8403N08S.	Stock	\$11.00
<u>162989</u>	FATH gusseted inside corner bracket, silver, 90-degree, 2 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093W8303N08.	Stock	\$2.25
<u>162990</u>	FATH tall gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093W8302N08.	Stock	\$4.75
<u>148904</u>	FATH tall inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093WD4590.	Stock	\$7.50
<u>151061</u>	FATH tall inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD2551P01.	Stock	\$4.75
<u>151061-10</u>	FATH tall inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD2551P01.	Stock	\$45.00
<u>166252</u>	FATH tall inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD2551S.	Stock	\$5.00
<u>151128</u>	FATH tall inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD3876.	Stock	\$6.00
<u>151128-10</u>	FATH tall inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD3876.	Stock	\$56.00
<u>166325</u>	FATH tall inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD3876S.	Stock	\$7.00
<u>151197</u>	FATH tall inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093WD3060.	Stock	\$5.75
<u>151224</u>	FATH tall inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD4080.	Stock	\$6.25
<u>166383</u>	FATH tall inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD4080S.	Stock	\$7.00
<u>148910</u>	FATH wide gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with 1.5 x 3in and 3 x 3in profile T-slotted rails. Manufacturer part number: 093WD8384N08.	Stock	\$6.75
<u>166329</u>	FATH wide gusseted inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD8384N08S.	Stock	\$8.00
<u>148911</u>	FATH wide gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD8404N08.	Stock	\$6.75
<u>166387</u>	FATH wide gusseted inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD8404N08S.	Stock	\$8.00
<u>148913</u>	FATH wide gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093WD8421N10.	Stock	\$11.00
<u>151065</u>	FATH wide gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093WD8104N06.	Stock	\$5.75
<u>166256</u>	FATH wide gusseted inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093WD8104N06S.	Stock	\$6.00
<u>162991</u>	FATH wide gusseted inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 60mm profile T-slotted rails. Manufacturer part number: 093WD8303N08.	Stock	\$4.75
<u>148902</u>	FATH wide inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093WD9045.	Stock	\$7.50
<u>151060</u>	FATH wide inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD5125P01.	Stock	\$4.75
<u>166251</u>	FATH wide inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093EWD5125S.	Stock	\$5.00

<u>151127</u>	FATH wide inside corner bracket, silver, 4 holes, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD7638.	Stock	\$6.50
<u>151127-10</u>	FATH wide inside corner bracket, silver, 4 holes, anodized aluminum, slot size 8. Package of 10. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD7638.	Stock	\$62.00
<u>166324</u>	FATH wide inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093WD7638S.	Stock	\$8.00
<u>151196</u>	FATH wide inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093WD6030.	Stock	\$5.25
<u>151223</u>	FATH wide inside corner bracket, silver, 90-degree, 4 holes, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD8040.	Stock	\$6.25
<u>166382</u>	FATH wide inside corner bracket, black, 90-degree, 4 holes, aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093WD8040S.	Stock	\$7.00
Bases for T-slotted Rails			
<u>162933</u>	FATH extended swivel base, black, 80mm, nylon, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098DA080KG.	Stock	\$12.50
<u>162934</u>	FATH extended swivel base, black, 80mm, die-cast zinc, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098DA080ZSG.	Stock	\$27.00
<u>162955</u>	FATH floor bracket, silver, 23 x 140mm, anodized aluminum, slot size 6. For use with all 1in and 2in T-slotted rails. Manufacturer part number: 093BA14025.	Stock	\$10.00
<u>162956</u>	FATH floor bracket, silver, 27 x 140mm, anodized aluminum, slot size 8. For use with all 30mm and 60mm T-slotted rails. Manufacturer part number: 093BA14030.	Stock	\$11.00
<u>162957</u>	FATH floor bracket, silver, 34 x 140mm, anodized aluminum, slot size 8. For use with all 1.5in and 3in T-slotted rails. Manufacturer part number: 093BA14038.	Stock	\$11.50
<u>162958</u>	FATH floor bracket, silver, 36 x 140mm, anodized aluminum, slot size 8. For use with all 40mm and 80mm T-slotted rails. Manufacturer part number: 093BA14040.	Stock	\$11.50
<u>162959</u>	FATH floor bracket, silver, 41 x 140mm, anodized aluminum, slot size 10. For use with all 45mm and 90mm T-slotted rails. Manufacturer part number: 093BA14045.	Stock	\$12.50
<u>166333</u>	FATH foot console, silver, 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 098G38L85128A.	Stock	\$30.00
<u>166334</u>	FATH foot console, black, 1.5 x 1.5in, die-cast aluminum, slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 098G38L85128AS.	Stock	\$30.00
<u>166335</u>	FATH foot console, silver, 1.5 x 3in, die-cast aluminum, slot size 8. For use with all 3in profile T-slotted rails. Manufacturer part number: 098G3876L85168A.	Stock	\$30.00
<u>166336</u>	FATH foot console, black, 1.5 x 3in, die-cast aluminum, slot size 8. For use with all 3in profile T-slotted rails. Manufacturer part number: 098G3876L85168AS.	Stock	\$30.00
<u>162889</u>	FATH foot console, silver, 7 holes, 40 x 40mm, die-cast aluminum, slot size 8. For use with all 40mm T-slotted rails. Manufacturer part number: 098G40L85128A.	Stock	\$24.50
<u>166391</u>	FATH foot console, black, 40 x 40mm, die-cast aluminum, slot size 8. For use with all 40mm T-slotted rails. Manufacturer part number: 098G38L85128AS.	Stock	\$33.00
<u>162890</u>	FATH foot console, silver, 8 holes, 40 x 80mm, die-cast aluminum, slot size 8. For use with all 80mm T-slotted rails. Manufacturer part number: 098G4080L85168A.	Stock	\$25.50
<u>166392</u>	FATH foot console, black, 40 x 80mm, die-cast aluminum, slot size 8. For use with all 80mm T-slotted rails. Manufacturer part number: 098G3876L85168AS.	Stock	\$35.00
<u>162960</u>	FATH support bracket, silver, 80 x 180mm, die-cast aluminum, slot size 8. For use with all 80mm profile T-slotted rails. Manufacturer part number: 093W805.	Stock	\$47.00
<u>151068</u>	FATH swivel base with anti-slip plate, black, 40mm, nylon, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D040KG.	Stock	\$4.00
<u>151069</u>	FATH swivel base with anti-slip plate, black, 80mm, nylon, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D080KG.	Stock	\$6.00
<u>151070</u>	FATH swivel base with anti-slip plate, black, 80mm, nylon, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D080KBG.	Stock	\$6.00
<u>151071</u>	FATH swivel base with anti-slip plate, black, 40mm, die-cast zinc, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D040ZSG.	Stock	\$9.50
<u>151072</u>	FATH swivel base with anti-slip plate, black, 80mm, die-cast zinc, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D080ZSG.	Stock	\$17.00
<u>151073</u>	FATH swivel base with anti-slip plate, black, 80mm, die-cast zinc, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D080ZBSG.	Stock	\$17.00
<u>151255</u>	FATH swivel base with anti-slip plate, black, 100mm, nylon, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D100KG.	Stock	\$10.00
<u>151256</u>	FATH swivel base with anti-slip plate, black, 100mm, nylon, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D100KBG.	Stock	\$10.00
<u>151257</u>	FATH swivel base with anti-slip plate, black, 100mm, die-cast zinc, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D100ZSG.	Stock	\$24.00

<u>151258</u>	FATH swivel base with anti-slip plate, black, 100mm, die-cast zinc, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel foot threaded rod. Manufacturer part number: 098D100ZBSG.	Stock	\$24.00
<u>151074</u>	FATH swivel foot threaded rod, silver, 1/4-20 UNC x 1-1/2in, zinc plated steel, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel base and 1/4-20 UNC thread transport/base plate. Manufacturer part number: 098DU1/4-1,5M.	Stock	\$7.25
<u>151075</u>	FATH swivel foot threaded rod, silver, 3/8-16 UNC x 1-1/2in, zinc plated steel, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel base and 3/8-16 UNC thread transport/base plate. Manufacturer part number: 098DU3/8-1,5M.	Stock	\$4.50
<u>151201</u>	FATH swivel foot threaded rod, silver, M8-1.25 x 40mm, zinc plated steel, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel base and M8-1.25 thread transport/base plate. Manufacturer part number: 098DM08040M.	Stock	\$3.75
<u>151202</u>	FATH swivel foot threaded rod, silver, M10-1.5 x 45mm, zinc plated steel, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel base and M10-1.5 thread transport/base plate. Manufacturer part number: 098DM10045M.	Stock	\$4.00
<u>151231</u>	FATH swivel foot threaded rod, silver, M12-1.75 x 66mm, zinc plated steel, ball joint size 15. For use with all rails. Requires ball joint size 15 swivel base and M12-1.75 thread transport/base plate. Manufacturer part number: 098DM12066M.	Stock	\$4.50
<u>162938</u>	FATH swivel foot threaded rod, silver, M16-2.0 x 100mm, zinc plated steel, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel base and M16-2.0 thread transport/base plate. Manufacturer part number: 098DM16100M.	Stock	\$6.50
<u>162939</u>	FATH swivel foot threaded rod, silver, M20-2.5 x 150mm, zinc plated steel, ball joint size 15. For use with all T-slotted rails. Requires ball joint size 15 swivel base and M20-2.5 thread transport/base plate. Manufacturer part number: 098DM20150M.	Stock	\$11.00
<u>118356</u>	FATH transport/base plate, black, 1 x 2in, 1/4-20 UNC, die-cast zinc, slot size 6. For use with 1 x 2in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T25501/406SS01.	Stock	\$16.00
<u>118357</u>	FATH transport/base plate, black, 1.5 x 3in, 3/8-16 UNC, die-cast zinc. For use with 1.5 x 3in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T38763/808SS01.	Stock	\$17.00
<u>146399</u>	FATH transport/base plate, silver, 1 x 2in, 3/8-16 UNC, die-cast zinc, slot size 6. For use with 1 x 2in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T25503/806RS01.	Stock	\$16.00
<u>151232</u>	FATH transport/base plate, black, 40 x 80mm, M12-1.75, die-cast zinc. For use with 40 x 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T40801208S.	Stock	\$16.50
<u>151233</u>	FATH transport/base plate, black, 80 x 80mm, M12-1.75, die-cast zinc. For use with 80 x 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T80801208S.	Stock	\$23.00
<u>151259</u>	FATH transport/base plate, black, 45 x 90mm, M12-1.75, die-cast zinc. For use with 45 x 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T45901212S.	Stock	\$20.50
<u>151260</u>	FATH transport/base plate, black, 90 x 90mm, M12-1.75, die-cast zinc. For use with 90 x 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T90901212S.	Stock	\$25.00
<u>161043</u>	FATH transport/base plate, black, 3 x 3in, 3/8-16 UNC, die-cast zinc. For use with 3 x 3in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093T76763/808SS01.	Stock	\$29.50
<u>162940</u>	FATH transport/base plate, black, 30 x 60mm, M8-1.25, die-cast zinc, slot size 8. For use with 30 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T30600808S.	Stock	\$11.50
<u>162941</u>	FATH transport/base plate, black, 30 x 60mm, M10-1.5, die-cast zinc, slot size 8. For use with 30 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T30601008S.	Stock	\$11.50
<u>162942</u>	FATH transport/base plate, black, 30 x 60mm, M12-1.75, die-cast zinc, slot size 8. For use with 30 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T30601208S.	Stock	\$11.50
<u>162943</u>	FATH transport/base plate, black, 60 x 60mm, M8-1.25, die-cast zinc, slot size 8. For use with 60 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T60600808S.	Stock	\$17.50
<u>162944</u>	FATH transport/base plate, black, 60 x 60mm, M10-1.5, die-cast zinc, slot size 8. For use with 60 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T60601008S.	Stock	\$17.75
<u>162945</u>	FATH transport/base plate, black, 60 x 60mm, M12-1.75, die-cast zinc, slot size 8. For use with 60 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T60601208S.	Stock	\$20.00
<u>162946</u>	FATH transport/base plate, black, 60 x 60mm, M14-2.0, die-cast zinc, slot size 8. For use with 60 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T60601408S.	Stock	\$20.00
<u>162947</u>	FATH transport/base plate, black, 60 x 60mm, M16-2.0, die-cast zinc, slot size 8. For use with 60 x 60mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T60601608S.	Stock	\$20.00
<u>162948</u>	FATH transport/base plate, black, 40 x 80mm, M16-2.0, die-cast zinc, slot size 8. For use with 40 x 80mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T40801608S.	Stock	\$20.00
<u>162949</u>	FATH transport/base plate, black, 80 x 80mm, M16-2.0, die-cast zinc, slot size 8. For use with 80 x 80mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T80801608S.	Stock	\$25.00
<u>162950</u>	FATH transport/base plate, black, 80 x 80mm, M20-2.5, die-cast zinc, slot size 8. For use with 80 x 80mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T80802008S.	Stock	\$25.00
<u>162951</u>	FATH transport/base plate, black, 45 x 90mm, M16-2.0, die-cast zinc, slot size 10. For use with 45 x 90mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T45901612S.	Stock	\$20.00
<u>162952</u>	FATH transport/base plate, black, 45 x 90mm, M20-2.5, die-cast zinc, slot size 10. For use with 45 x 90mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T45902012S.	Stock	\$20.00

<u>162953</u>	FATH transport/base plate, black, 90 x 90mm, M16-2.0, die-cast zinc, slot size 10. For use with 90 x 90mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T90901612S.	Stock	\$25.00
<u>162954</u>	FATH transport/base plate, black, 90 x 90mm, M20-2.5, die-cast zinc, slot size 10. For use with 90 x 90mm T-slotted rails. Mounting hardware included. Manufacturer part number: 093T90902012S.	Stock	\$25.00
Casters for T-slotted Rails			
<u>151135</u>	FATH fixed caster, silver/gray, thermoplastic polyurethane/nylon/steel. For use with 1.5 x 1.5in, 40 x 40mm and 45 x 45mm T-slotted rails. Manufacturer part number: 098F100UN.	Stock	\$40.50
<u>151138</u>	FATH fixed caster, silver/gray, thermoplastic polyurethane/nylon/steel. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Mounting plate included. Manufacturer part number: 098F100U4045N.	Stock	\$49.00
<u>161040</u>	FATH fixed caster adapter plate, silver, 40 x 40mm, die-cast zinc, slot size 8. For use with 1.5 x 1.5in and 40 x 40mm profile T-slotted rails. Manufacturer part number: 098FA40N08.	Stock	\$3.50
<u>161041</u>	FATH fixed caster adapter plate, silver, 45 x 45mm, die-cast zinc, slot size 10. For use with 45 x 45mm profile T-slotted rails. Manufacturer part number: 098FA45N10.	Stock	\$3.50
<u>163010</u>	FATH leveling caster, off-white, M12-1.75, die-cast aluminum/steel/nylon/rubber, slot size 6/8/10. For use with all 1.5in, 2in, 3in, 60mm, 80mm and 90mm profile T-slotted rails. Mounting hardware included.	Stock	\$40.00
<u>163011</u>	FATH leveling caster, off-white, M12-1.75, die-cast aluminum/steel/nylon/rubber, slot size 6/8/10. For use with all 1.5in, 2in, 3in, 60mm, 80mm and 90mm profile T-slotted rails. Mounting hardware included.	Stock	\$52.00
<u>163012</u>	FATH leveling caster with mounting plate, off-white, 4 holes, die-cast aluminum/steel/nylon/rubber, slot size 6/8/10. For use with all T-slotted rails. Manufacturer part number: 098LF050AF073073.	Stock	\$41.00
<u>163013</u>	FATH leveling caster with mounting plate, off-white, 4 holes, die-cast aluminum/steel/nylon/rubber, slot size 6/8/10. For use with all T-slotted rails. Manufacturer part number: 098LF062AF090090.	Stock	\$56.00
<u>151134</u>	FATH swivel caster, silver/gray, thermoplastic polyurethane/nylon/steel. For use with 1.5 x 1.5in, 40 x 40mm and 45 x 45mm T-slotted rails. Double brake included. Requires FATH 151136 or 151261 swivel caster adapter plate.	Stock	\$47.00
<u>151137</u>	FATH swivel caster, silver/gray, thermoplastic polyurethane/nylon/steel. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Double brake and mounting plate included. Manufacturer part number: 098S100UD4045N.	Stock	\$62.00
<u>151136</u>	FATH swivel caster adapter plate, silver, 40 x 40mm, steel, slot size 8. For use with 1.5 x 1.5in and 40 x 40mm profile T-slotted rails. Manufacturer part number: 098SA40N08.	Stock	\$4.50
<u>151261</u>	FATH swivel caster adapter plate, silver, 45 x 45mm, steel, slot size 10. For use with 45 x 45mm profile T-slotted rails. Manufacturer part number: 098SA45N10.	Stock	\$4.50
Hinges for T-slotted Rails			
<u>151076</u>	FATH left-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 095K2525L06.	Stock	\$6.00
<u>151080</u>	FATH left-hand detachable combination hinge, silver, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 095A2525LS20.	Stock	\$17.00
<u>151139</u>	FATH left-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 095K4040L08.	Stock	\$7.25
<u>151143</u>	FATH left-hand detachable combination hinge, silver, die-cast aluminum, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 095A4040LS20.	Stock	\$18.00
<u>151203</u>	FATH left-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 095K3030L08.	Stock	\$6.25
<u>151207</u>	FATH left-hand detachable combination hinge, silver, die-cast aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 095A3030LS20.	Stock	\$16.50
<u>151262</u>	FATH left-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 095K4545L10.	Stock	\$7.75
<u>151266</u>	FATH left-hand detachable combination hinge, silver, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 095A4545LS20.	Stock	\$18.00
<u>151078</u>	FATH non-detachable combination hinge, black, fiberglass reinforced plastic, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 095K2525F06.	Stock	\$6.00
<u>151082</u>	FATH non-detachable combination hinge, silver, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 095A2525FS20.	Stock	\$17.00
<u>151141</u>	FATH non-detachable combination hinge, black, fiberglass reinforced plastic, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 095K4040F08.	Stock	\$7.25
<u>151145</u>	FATH non-detachable combination hinge, silver, die-cast aluminum, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 095A4040FS20.	Stock	\$18.00
<u>151205</u>	FATH non-detachable combination hinge, black, fiberglass reinforced plastic, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 095K3030F08.	Stock	\$6.50
<u>151209</u>	FATH non-detachable combination hinge, silver, die-cast aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 095A3030FS20.	Stock	\$16.50
<u>151264</u>	FATH non-detachable combination hinge, black, fiberglass reinforced plastic, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 095K4545F10.	Stock	\$7.75

<u>151268</u>	FATH non-detachable combination hinge, silver, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 095A4545FS20.	Stock	\$18.00
<u>151079</u>	FATH non-detachable combination hinge with locking lever, black, fiberglass reinforced plastic, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 095KF2525F06.	Stock	\$11.50
<u>151142</u>	FATH non-detachable combination hinge with locking lever, black, fiberglass reinforced plastic, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 095KF4040F08.	Stock	\$12.50
<u>151206</u>	FATH non-detachable combination hinge with locking lever, black, fiberglass reinforced plastic, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 095KF3030F08.	Stock	\$11.50
<u>151265</u>	FATH non-detachable combination hinge with locking lever, black, fiberglass reinforced plastic, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 095KF4545F10.	Stock	\$12.00
<u>151077</u>	FATH right-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 095K2525R06.	Stock	\$6.00
<u>151081</u>	FATH right-hand detachable combination hinge, silver, die-cast aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 095A2525RS20.	Stock	\$17.00
<u>151140</u>	FATH right-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 095K4040R08.	Stock	\$7.25
<u>151144</u>	FATH right-hand detachable combination hinge, silver, die-cast aluminum, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 095A4040RS20.	Stock	\$18.00
<u>151204</u>	FATH right-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 095K3030R08.	Stock	\$6.50
<u>151208</u>	FATH right-hand detachable combination hinge, silver, die-cast aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 095A3030RS20.	Stock	\$16.50
<u>151263</u>	FATH right-hand detachable combination hinge, black, fiberglass reinforced plastic, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 095K4545R10.	Stock	\$7.75
<u>151267</u>	FATH right-hand detachable combination hinge, silver, die-cast aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 095A4545RS20.	Stock	\$18.00

Panel and Door Elements for T-slotted Rails

<u>151157</u>	FATH ball catch, black, fiberglass reinforced plastic, slot size 8. For use with all 1.5in, 3in, 30mm, 40mm, 60mm and 80mm profile T-slotted rails. Manufacturer part number: 093043.	Stock	\$7.25
<u>151083</u>	FATH bridge handle, black, 120mm, fiberglass reinforced plastic, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 092012.	Stock	\$4.25
<u>151146</u>	FATH bridge handle, black, 152mm, fiberglass reinforced plastic, slot size 8/10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 092002.	Stock	\$6.00
<u>151147</u>	FATH bridge handle, black, 160mm, fiberglass reinforced plastic, slot size 8/10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 092017.	Stock	\$6.00
<u>151085</u>	FATH comfort handle, black, 120mm, fiberglass reinforced plastic, slot size 6. For use with all 1in, 2in, 30mm and 60mm profile T-slotted rails. Manufacturer part number: 092300.	Stock	\$4.50
<u>151149</u>	FATH comfort handle, black, 160mm, fiberglass reinforced plastic, slot size 6/8/10. For use with all T-slotted rails. Manufacturer part number: 092302.	Stock	\$6.50
<u>151151</u>	FATH comfort handle, black, 200mm, fiberglass reinforced plastic, slot size 8/10. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 092304.	Stock	\$12.50
<u>151154</u>	FATH compact slam latch, black, die-cast aluminum, slot size 8. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 0957408.	Stock	\$47.00
<u>151155</u>	FATH compact sliding door latch, black, die-cast aluminum, slot size 8. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 0957415.	Stock	\$58.00
<u>151087</u>	FATH cover and reduction profile, black, 2000mm, polypropylene, slot size 6. Package of 25. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 092033.	Stock	\$115.00
<u>151164</u>	FATH cover and reduction profile, black, 2000mm, polypropylene, slot size 8. Package of 25. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 092031.	Stock	\$115.00
<u>151210</u>	FATH cover and reduction profile, black, 2000mm, thermoplastic elastomer, slot size 8. Package of 25. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 092242.	Stock	\$150.00
<u>162981</u>	FATH cover and reduction profile, black, polypropylene, slot size 10. Package of 25. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 092243.	Stock	\$190.00
<u>151084</u>	FATH cover cap, black, 120mm, fiberglass reinforced plastic. For use with FATH 151083 120mm bridge handle. Manufacturer part number: 092019.	Stock	\$6.50
<u>151086</u>	FATH cover cap, black, 120mm, fiberglass reinforced plastic. For use with FATH 151085 120mm comfort handle. Manufacturer part number: 092301.	Stock	\$4.00
<u>151148</u>	FATH cover cap, black, 160mm, fiberglass reinforced plastic. For use with FATH 151147 160mm bridge handle. Manufacturer part number: 092018.	Stock	\$6.25
<u>151150</u>	FATH cover cap, black, 160mm, fiberglass reinforced plastic. For use with FATH 151149 160mm comfort handle. Manufacturer part number: 092303.	Stock	\$2.25
<u>151152</u>	FATH cover cap, black, 200mm, fiberglass reinforced plastic. For use with FATH 151151 200mm comfort handle. Manufacturer part number: 092305.	Stock	\$3.00

<u>151163</u>	FATH cover profile, black, 6ft, nitrile rubber, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 092057.1829.	Stock	\$25.00
<u>151165</u>	FATH cover profile, black, 2000mm, polypropylene, slot size 8. Package of 25. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 092050.	Stock	\$91.00
<u>151272</u>	FATH cover profile, black, 2000mm, polypropylene, slot size 10. Package of 25. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 092041.	Stock	\$115.00
<u>151159</u>	FATH door latch, silver, die-cast zinc, slot size 8. For use with all 1.5in, 3in, 30mm, 40mm, 60mm and 80mm profile T-slotted rails. Manufacturer part number: 093082.	Stock	\$23.00
<u>151158</u>	FATH double ball catch, silver, brass, slot size 6/8. For use with all 1in, 1.5in, 2in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 0930464.	Stock	\$14.50
<u>151156</u>	FATH emergency opener, red, fiberglass reinforced plastic, slot size 8. For use with FATH 151155 compact slam latch. Manufacturer part number: 0957409.	Stock	\$37.00
<u>162977</u>	FATH hanger, black, die-cast zinc, slot size 6/8. For use with all 1in, 1.5in, 2in, 3in, 30mm, 40mm, 60mm and 80mm profile T-slotted rails. Manufacturer part number: 093160.	Stock	\$8.50
<u>151153</u>	FATH machine handle, black, 240mm, fiberglass reinforced plastic, slot size 8/10. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Cover caps included. Manufacturer part number: 092008.	Stock	\$33.50
<u>162963</u>	FATH magnetic catch, black, nylon/steel, slot size 6/8/10. For use with all T-slotted rails. Manufacturer part number: 093044.	Stock	\$8.50
<u>162910</u>	FATH panel holder, silver, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093P25N.	Stock	\$3.00
<u>162911</u>	FATH panel holder, silver, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Manufacturer part number: 093P38N.	Stock	\$5.00
<u>162912</u>	FATH panel holder, silver, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093P30N.	Stock	\$4.50
<u>162913</u>	FATH panel holder, silver, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093P40N.	Stock	\$5.00
<u>162914</u>	FATH panel holder, silver, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093P45N.	Stock	\$5.75
<u>162915</u>	FATH panel holder, silver, anodized aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Backing plate included. Manufacturer part number: 093P25LN.	Stock	\$5.25
<u>162916</u>	FATH panel holder, silver, anodized aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Backing plate included. Manufacturer part number: 093P38LN.	Stock	\$6.00
<u>162917</u>	FATH panel holder, silver, anodized aluminum, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Backing plate included. Manufacturer part number: 093P30LN.	Stock	\$5.75
<u>162918</u>	FATH panel holder, silver, anodized aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Backing plate included. Manufacturer part number: 093P40LN.	Stock	\$6.00
<u>162919</u>	FATH panel holder, silver, anodized aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Backing plate included. Manufacturer part number: 093P45LN.	Stock	\$8.25
<u>162920</u>	FATH panel mount block, silver, lacquered aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A1006.	Stock	\$5.25
<u>162921</u>	FATH panel mount block, black, powder-coated aluminum, slot size 6. For use with all 1in and 2in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A1006S.	Stock	\$5.25
<u>162922</u>	FATH panel mount block, silver, lacquered aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A3808.	Stock	\$5.75
<u>162923</u>	FATH panel mount block, black, powder-coated aluminum, slot size 8. For use with all 1.5in and 3in profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A3808S.	Stock	\$5.75
<u>162924</u>	FATH panel mount block, silver, lacquered aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A4008.	Stock	\$5.75
<u>162925</u>	FATH panel mount block, black, powder-coated aluminum, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A4008S.	Stock	\$5.75
<u>162926</u>	FATH panel mount block, silver, lacquered aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A4510.	Stock	\$7.25
<u>162927</u>	FATH panel mount block, black, powder-coated aluminum, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 094A4510S.	Stock	\$7.25
<u>162978</u>	FATH panel uni-block, black, nylon, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 094035M6.	Stock	\$3.00
<u>162979</u>	FATH panel uni-block, black, nylon, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 094035U1/4.	Stock	\$3.00
<u>162980</u>	FATH panel uni-block, black, nylon, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 094005M6.	Stock	\$3.25
<u>162928</u>	FATH sealing profile, black, 20m, nitrile rubber, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 092273.	Stock	\$525.00
<u>151160</u>	FATH sealing strip, gray, 2000mm, PVC/TPE, slot size 8. Package of 2. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 092264.	Stock	\$58.00

<u>151269</u>	FATH sealing strip, gray, 2000mm, PVC/TPE, slot size 10. Package of 2. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 092259.	Stock	\$60.00
<u>162971</u>	FATH sliding door guide, silver/black, die-cast aluminum/nylon, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093095.	Stock	\$33.00
<u>162972</u>	FATH sliding door guide, silver/black, die-cast aluminum/nylon, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093098.	Stock	\$34.00
Wire Management for T-slotted Rails			
<u>162983</u>	FATH cable binder block, black, nylon, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093058.	Stock	\$15.75
<u>162984</u>	FATH cable binder block, black, nylon, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093050.	Stock	\$16.50
<u>151280</u>	FATH clip cable binder, black, nylon/rubber, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093406N10.	Stock	\$33.50
<u>151095</u>	FATH clip cable binder with hammer, black, nylon/rubber, slot size 6. Package of 10. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093408N6,5.	Stock	\$44.00
<u>151176</u>	FATH clip cable binder with hammer, black, nylon/rubber, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093405N08.	Stock	\$38.50
<u>151162</u>	FATH conduit cover, black, 2000mm, polypropylene, slot size 8. Package of 2. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093715N0891.	Stock	\$93.00
<u>151270</u>	FATH conduit cover, gray, 2000mm, polypropylene, slot size 10. Package of 2. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093715N1072.	Stock	\$94.00
<u>151271</u>	FATH conduit cover, black, 2000mm, polypropylene, slot size 10. Package of 2. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093715N1091.	Stock	\$94.00
<u>151174</u>	FATH cross cable binding block, black, nylon, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093255.	Stock	\$15.50
<u>151278</u>	FATH cross cable binding block, black, nylon, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093249.	Stock	\$15.50
<u>151177</u>	FATH ground connector, silver, glass-filled nylon/copper/steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093099S01.	Stock	\$28.50
<u>151281</u>	FATH ground connector, silver, glass-filled nylon/copper/steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093099S02.	Stock	\$28.50
<u>151178</u>	FATH grounding terminal, steel/brass, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093091.	Stock	\$4.00
<u>151175</u>	FATH hook and loop, black, 4.5 x 20 x 200mm, glass-filled nylon/polypropylene, slot size 8. Package of 10. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093803N08S01.	Stock	\$64.00
<u>151279</u>	FATH hook and loop, black, 6 x 20 x 200mm, glass-filled nylon/polypropylene, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093809N10S01.	Stock	\$59.00
<u>162982</u>	FATH universal cable binder block, black, nylon, slot size 6/8/10. Package of 10. For use with all T-slotted rails. Manufacturer part number: 093059.	Stock	\$7.50
Slides and Rollers for T-slotted Rails			
<u>166337</u>	FATH 3-slot double-flange linear bearing, silver, 103 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093DF381.	Stock	\$63.00
<u>166338</u>	FATH 3-slot double-flange linear bearing, black, 103 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093DF381S.	Stock	\$63.00
<u>166339</u>	FATH 3-slot double-flange linear bearing, silver, 103 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093DF382.	Stock	\$126.00
<u>166340</u>	FATH 3-slot double-flange linear bearing, black, 103 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093DF382S.	Stock	\$130.00
<u>166341</u>	FATH 4-slot double-flange linear bearing, silver, 143 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 3in profile T-slotted rails. Manufacturer part number: 093DF761.	Stock	\$80.00
<u>166342</u>	FATH 4-slot double-flange linear bearing, black, 143 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 3in profile T-slotted rails. Manufacturer part number: 093DF761S.	Stock	\$84.00
<u>166343</u>	FATH 4-slot double-flange linear bearing, silver, 143 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 3in profile T-slotted rails. Manufacturer part number: 093DF762.	Stock	\$158.00
<u>166344</u>	FATH 4-slot double-flange linear bearing, black, 143 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 3in profile T-slotted rails. Manufacturer part number: 093DF762S.	Stock	\$168.00
<u>166345</u>	FATH 3-slot single-flange linear bearing, silver, 63 x 80 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093SF381.	Stock	\$60.00

<u>166346</u>	FATH 3-slot single-flange linear bearing, black, 63 x 80 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093SF381S.	Stock	\$63.00
<u>166347</u>	FATH 3-slot single-flange linear bearing, silver, 63 x 160 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093SF382.	Stock	\$120.00
<u>166348</u>	FATH 3-slot single-flange linear bearing, black, 63 x 160 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 1.5in profile T-slotted rails. Manufacturer part number: 093SF382S.	Stock	\$126.00
<u>166393</u>	FATH 3-slot double-flange linear bearing, silver, 103 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093DF401.	Stock	\$63.00
<u>166394</u>	FATH 3-slot double-flange linear bearing, black, 103 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093DF401S.	Stock	\$63.00
<u>166395</u>	FATH 3-slot double-flange linear bearing, silver, 103 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093DF402.	Stock	\$126.00
<u>166396</u>	FATH 3-slot double-flange linear bearing, black, 103 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093DF402S.	Stock	\$130.00
<u>166397</u>	FATH 4-slot double-flange linear bearing, silver, 143 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 80mm profile T-slotted rails. Manufacturer part number: 093DF801.	Stock	\$80.00
<u>166398</u>	FATH 4-slot double-flange linear bearing, black, 143 x 80 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 80mm profile T-slotted rails. Manufacturer part number: 093DF801S.	Stock	\$84.00
<u>166399</u>	FATH 4-slot double-flange linear bearing, silver, 143 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 80mm profile T-slotted rails. Manufacturer part number: 093DF802.	Stock	\$157.00
<u>166400</u>	FATH 4-slot double-flange linear bearing, black, 143 x 160 x 48mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 80mm profile T-slotted rails. Manufacturer part number: 093DF802S.	Stock	\$168.00
<u>166401</u>	FATH 3-slot single-flange linear bearing, silver, 63 x 80 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093SF401.	Stock	\$60.00
<u>166402</u>	FATH 3-slot single-flange linear bearing, black, 63 x 80 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093SF401S.	Stock	\$63.00
<u>166403</u>	FATH 3-slot single-flange linear bearing, silver, 63 x 160 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093SF402.	Stock	\$120.00
<u>166404</u>	FATH 3-slot single-flange linear bearing, black, 63 x 160 x 67mm, aluminum/die-cast zinc/polyoxymethylene (POM), slot size 8. For use with all 40mm profile T-slotted rails. Manufacturer part number: 093SF402S.	Stock	\$126.00
<u>166349</u>	FATH cam lever brake, black, plastic/steel, slot size 8. For use with FATH single- and double-flange linear bearings. Manufacturer part number: 093SDFB01.	Stock	\$45.00
<u>166350</u>	FATH L-handle brake, black, plastic/steel, slot size 8. For use with FATH single- and double-flange linear bearings. Manufacturer part number: 093SDFB02.	Stock	\$28.00
<u>162970</u>	FATH profile slider center ridge, white, polyoxymethylene (POM), slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093SM10S04.	Stock	\$8.00
<u>162968</u>	FATH profile slider center slot, white, polyoxymethylene (POM), slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093SM08.	Stock	\$7.50
<u>162969</u>	FATH profile slider center slot, white, polyoxymethylene (POM), slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093SM10S03.	Stock	\$7.75
<u>148974</u>	FATH roller, black, 39.5 x 17.6mm, nylon, slot size 8. For use with all 1.5in, 3in, 30mm, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093020.	Stock	\$9.50
<u>151090</u>	FATH roller, black, 29 x 15mm, glass-filled nylon/steel, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093029.	Stock	\$7.25
<u>151274</u>	FATH roller, black, 39.5mm, glass-filled nylon/steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093021.	Stock	\$9.50
<u>163021</u>	FATH roller element, black, thermoplastic polyurethane/nylon/steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 09309302.	Stock	\$14.50
<u>163023</u>	FATH roller element, black, thermoplastic polyurethane/nylon/steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 09309302.	Stock	\$16.50
<u>163020</u>	FATH roller element with guide, black, thermoplastic polyurethane/nylon/steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 09309304.	Stock	\$14.50
<u>163022</u>	FATH roller element with guide, black, thermoplastic polyurethane/nylon/steel, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 09309304.	Stock	\$16.00
<u>151088</u>	FATH slider, black, glass-filled nylon, slot size 6. For use with all 1in and 2in profile T-slotted rails. Manufacturer part number: 093009.	Stock	\$4.50
<u>151166</u>	FATH slider, black, glass-filled nylon, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093001.	Stock	\$4.50
<u>151168</u>	FATH slider, white/silver, rubber/plastic/steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093PS0840F.	Stock	\$18.00

<u>151211</u>	FATH slider, black, glass-filled nylon, slot size 8. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 093007.	Stock	\$4.50
<u>151273</u>	FATH slider, black, glass-filled nylon, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093006.	Stock	\$4.50
<u>151169</u>	FATH slider with clamp lever, black/silver, rubber/plastic/steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093PS0840FS01.	Stock	\$36.00
Workstation Components for T-slotted Rails			
<u>162899</u>	FATH 4-axis mounting support, silver, 438 x 100 x 236mm, die-cast aluminum/plastic/steel, slot size 8/10. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 6MHM75100S40.	Stock	\$325.00
<u>162901</u>	FATH 4-axis workstation, silver, 936 x 410 x 488mm, die-cast aluminum/plastic/steel, slot size 8/10. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 6MHM75100S40IT.	Stock	\$630.00
<u>162900</u>	FATH 5-axis mounting support, silver, 625 x 100 x 464mm, die-cast aluminum/plastic/steel, slot size 8/10. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 6MHM75100D40.	Stock	\$394.00
<u>162964</u>	FATH grab tray, black, nylon, slot size 8. For use with all 1.5in, 3in, 30mm, 40mm, 60mm and 80mm profile T-slotted rails. Label included. Manufacturer part number: 061MGT2D391N08.	Stock	\$9.00
<u>162902</u>	FATH keyboard holder, silver, aluminum/nylon, slot size 8/10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Cover caps included. Manufacturer part number: 061KH300N0874.650.	Stock	\$185.00
<u>162965</u>	FATH label clip, gray, PVC, slot size 8. Package of 10. For use with all 1.5in, 3in, 30mm, 40mm, 60mm and 80mm profile T-slotted rails. Manufacturer part number: 093LC23N08.	Stock	\$2.00
<u>162966</u>	FATH label clip, gray, PVC, slot size 10. Package of 10. For use with all 45mm and 90mm profile T-slotted rails. Manufacturer part number: 093LC36N0810.	Stock	\$2.25
<u>162906</u>	FATH magnetic holder, gray, nylon/steel, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093323.	Stock	\$8.00
<u>162897</u>	FATH monitor holder, black/silver, 118 x 118mm, nylon/die-cast zinc, slot size 8. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 061SM7510040F.	Stock	\$92.00
<u>162898</u>	FATH monitor holder, black/silver, 118 x 118mm, nylon/die-cast zinc, slot size 10. For use with all 45mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 061SM7510045F.	Stock	\$93.00
<u>162896</u>	FATH monitor mounting joint, black/silver, 118 x 118mm, nylon/steel, slot size 8/10. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 061SM7510040.	Stock	\$92.00
<u>162893</u>	FATH swivel monitor mount, black, 125 x 131.5 x 79.3mm, nylon/steel, slot size 8/10/6. For use with all T-slotted rails. Mounting hardware included. Manufacturer part number: 061ESMS75100.	Stock	\$42.00
<u>162894</u>	FATH swivel monitor mount, black, 125 x 132.8 x 179.7mm, nylon/steel, slot size 8/10/6. For use with all T-slotted rails. Mounting hardware included. Manufacturer part number: 061ESMM75100.	Stock	\$50.00
<u>162895</u>	FATH swivel monitor mount, black, 125 x 167.5 x 278.9mm, nylon/steel, slot size 8/10/6. For use with all T-slotted rails. Mounting hardware included. Manufacturer part number: 061ESML75100.	Stock	\$58.00
<u>162909</u>	FATH top angle clamp, black, 90-degree, nylon/steel, slot size 8. For use with all 40mm and 80mm profile T-slotted rails. Mounting hardware included. Manufacturer part number: 093WT401N08S.	Stock	\$5.50
Accessories for T-slotted Rails			
<u>162930</u>	FATH corner protection profile, gray, 2000mm, thermoplastic rubber, slot size 8. Package of 5. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 092325.	Stock	\$284.00
<u>162931</u>	FATH cover cap, gray, 8 x 40 x 16mm, thermoplastic rubber, slot size 8. Package of 10. For use with FATH 162929 side protection profile and 162930 corner protection profile. Manufacturer part number: 091385.	Stock	\$28.00
<u>162932</u>	FATH cover cap, gray, 8 x 15mm, thermoplastic rubber, slot size 8. Package of 10. For use with FATH 162930 corner protection profile. Manufacturer part number: 091386.	Stock	\$21.00
<u>151092</u>	FATH end cap, black, glass-filled nylon, slot size 6. Package of 10. For use with 1 x 1in profile T-slotted rails. Manufacturer part number: 091232.	Stock	\$10.00
<u>151093</u>	FATH end cap, black, glass-filled nylon, slot size 6. Package of 10. For use with 1 x 2in profile T-slotted rails. Manufacturer part number: 091233.	Stock	\$14.50
<u>151094</u>	FATH end cap, black, glass-filled nylon, slot size 6. Package of 10. For use with 2 x 2in profile T-slotted rails. Manufacturer part number: 091235.	Stock	\$19.00
<u>151171</u>	FATH end cap, black, glass-filled nylon, slot size 8. Package of 10. For use with 1.5 x 1.5in profile T-slotted rails. Manufacturer part number: 091079.	Stock	\$16.50
<u>151172</u>	FATH end cap, black, glass-filled nylon, slot size 8. Package of 10. For use with 1.5 x 3in profile T-slotted rails. Manufacturer part number: 091080.	Stock	\$21.00
<u>151173</u>	FATH end cap, black, glass-filled nylon, slot size 8. Package of 10. For use with 3 x 3in profile T-slotted rails. Manufacturer part number: 091231.	Stock	\$37.00
<u>151212</u>	FATH end cap, black, 30 x 30mm, glass-filled nylon, slot size 8. Package of 10. For use with all 30mm and 60mm profile T-slotted rails. Manufacturer part number: 091027.	Stock	\$9.25

<u>151234</u>	FATH end cap, black, 40 x 40mm, glass-filled nylon, slot size 8. Package of 10. For use with 40 x 40mm profile T-slotted rails. Manufacturer part number: 091007.	Stock	\$16.50
<u>151235</u>	FATH end cap, black, 40 x 80mm, glass-filled nylon, slot size 8. Package of 10. For use with 40 x 80mm profile T-slotted rails. Manufacturer part number: 091009.	Stock	\$20.50
<u>151236</u>	FATH end cap, black, 80 x 80mm, glass-filled nylon, slot size 8. Package of 10. For use with 80 x 80mm profile T-slotted rails. Manufacturer part number: 091023.	Stock	\$32.00
<u>151275</u>	FATH end cap, black, 45 x 45mm, glass-filled nylon, slot size 10. Package of 10. For use with 45 x 45mm profile T-slotted rails. Manufacturer part number: 091011.	Stock	\$16.50
<u>151276</u>	FATH end cap, black, 45 x 90mm, glass-filled nylon, slot size 10. Package of 10. For use with 45 x 90mm profile T-slotted rails. Manufacturer part number: 091006.	Stock	\$24.00
<u>151277</u>	FATH end cap, black, 90 x 90mm, glass-filled nylon, slot size 10. Package of 10. For use with 90 x 90mm profile T-slotted rails. Manufacturer part number: 091169.	Stock	\$32.00
<u>162973</u>	FATH sensor mounting block, black, 8mm, nylon, slot size 6/8/10. For use with all T-slotted rails. Manufacturer part number: 093213.	Stock	\$3.25
<u>162974</u>	FATH sensor mounting block, black, 12mm, nylon, slot size 6/8/10. For use with all T-slotted rails. Manufacturer part number: 093214.	Stock	\$3.25
<u>162929</u>	FATH side protection profile, gray, 2000mm, thermoplastic rubber, slot size 8. Package of 5. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 092324.	Stock	\$252.00
<u>151089</u>	FATH snap hook, silver, zinc plated steel, slot size 6/8/10. For use with all T-slotted rails. Manufacturer part number: 092020.	Stock	\$4.50
<u>151091</u>	FATH stop bumper, black, M6-1.0 x 10mm, rubber/zinc-plated steel, slot size 8/10. For use with all 1.5in, 3in, 40mm, 45mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 051DC551520MM0610.	Stock	\$6.00
<u>151170</u>	FATH stop bumper, black, M8-1.25, rubber/zinc-plated steel, slot size 8/10. For use with all 1.5in, 3in, 30mm, 40mm, 45mm, 60mm, 80mm and 90mm profile T-slotted rails. Manufacturer part number: 051DC553030FM08.	Stock	\$9.00

Pneumatic Combination Air Prep Units

<u>TAP-3000</u>	NITRA pneumatic total air prep unit, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 7-116 psi (0.5-8 bar) adjustable range, Rynite (PET) bowl, semi-automatic drain, clog indicator, manual shutoff valve, soft start valve, pressure switch.	Stock	\$376.00
<u>TAP-1000</u>	NITRA pneumatic total air prep unit, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 7-116 psi (0.5-8 bar) adjustable range, Rynite (PET) bowl, semi-automatic drain, clog indicator, manual shutoff valve.	Stock	\$207.00
<u>5U11V10B24L101</u>	Metal Work Syntesi Size 1 pneumatic combination unit, valve-filter-regulator-lubricator, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain, manual shutoff valve.	Stock	\$96.00
<u>5U12V10B24L102</u>	Metal Work Syntesi Size 1 pneumatic combination unit, valve-filter-regulator-lubricator, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain, manual shutoff valve.	Stock	\$96.00
<u>BL82-201A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 4-145 psi range, polycarbonate bowl, automatic drain, manual shutoff valve.	Stock	\$216.00
<u>BL82-221A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 4-145 psi range, polycarbonate bowl, manual drain, manual shutoff valve.	Stock	\$192.00
<u>BL82-251A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 4-145 psi range, die-cast zinc bowl, automatic drain, manual shutoff valve.	Stock	\$243.00
<u>BL82-271A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 4-145 psi range, die-cast zinc bowl, manual drain, manual shutoff valve.	Stock	\$217.00
<u>5U13V10B24L103</u>	Metal Work Syntesi Size 1 pneumatic combination unit, valve-filter-regulator-lubricator, 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain, manual shutoff valve.	Stock	\$96.00
<u>BL82-301A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, polycarbonate bowl, automatic drain, manual shutoff valve.	Stock	\$216.00
<u>BL82-321A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, polycarbonate bowl, manual drain, manual shutoff valve.	Stock	\$192.00
<u>BL82-351A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, die-cast zinc bowl, automatic drain, manual shutoff valve.	Stock	\$243.00
<u>BL82-371A</u>	Norgren Excelon Plus 82 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, die-cast zinc bowl, manual drain, manual shutoff valve.	Stock	\$217.00
<u>5U23V10B24L103</u>	Metal Work Syntesi Size 2 pneumatic combination unit, valve-filter-regulator-lubricator, 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain, manual shutoff valve.	Stock	\$143.00
<u>BL84-301A</u>	Norgren Excelon Plus 84 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, polycarbonate bowl, automatic drain, manual shutoff valve.	Stock	\$333.00
<u>BL84-351A</u>	Norgren Excelon Plus 84 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, die-cast aluminum bowl, automatic drain, manual shutoff valve.	Stock	\$395.00

<u>5U24V10B24L104</u>	Metal Work Syntesi Size 2 pneumatic combination unit, valve-filter-regulator-lubricator, 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain, manual shutoff valve.	Stock	\$143.00
<u>BL84-401A</u>	Norgren Excelon Plus 84 pneumatic combination unit, filter-regulator-lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 4-145 psi range, polycarbonate bowl, automatic drain, manual shutoff valve.	Stock	\$333.00
<u>BL84-451A</u>	Norgren Excelon Plus 84 pneumatic combination unit, filter-regulator-lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 4-145 psi range, die-cast aluminum bowl, automatic drain, manual shutoff valve.	Stock	\$395.00
<u>5U25V10B24L105</u>	Metal Work Syntesi Size 2 pneumatic combination unit, valve-filter-regulator-lubricator, 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain, manual shutoff valve.	Stock	\$169.00
<u>BL84-601A</u>	Norgren Excelon Plus 84 pneumatic combination unit, filter-regulator-lubricator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 4-145 psi range, polycarbonate bowl, automatic drain, manual shutoff valve.	Stock	\$333.00
<u>BL84-651A</u>	Norgren Excelon Plus 84 pneumatic combination unit, filter-regulator-lubricator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 4-145 psi range, die-cast aluminum bowl, automatic drain, manual shutoff valve.	Stock	\$395.00
<u>5U26V10B24L106</u>	Metal Work Syntesi Size 2 pneumatic combination unit, valve-filter-regulator-lubricator, 1in female NPT inlet (s), 1in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain, manual shutoff valve.	Stock	\$169.00
<u>5U11B24L101</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-regulator-lubricator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$62.00
<u>5U12B24L102</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-regulator-lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$62.00
<u>5U13B24L103</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$62.00
<u>5U23B24L103</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-regulator-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$95.00
<u>5U24B24L104</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-regulator-lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$111.00
<u>5U25B24L105</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-regulator-lubricator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$111.00
<u>5U26B24L106</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-regulator-lubricator, 1in female NPT inlet(s), 1in female NPT outlet(s), 0 to 120 psig range, clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$111.00
<u>5U11F20L101</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-lubricator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$48.00
<u>5U12F20L102</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$48.00
<u>5U13F20L103</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$48.00
<u>5U23F20L103</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$74.00
<u>5U24F20L104</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$74.00
<u>5U25F20L105</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-lubricator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$86.00
<u>5U26F20L106</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-lubricator, 1in female NPT inlet(s), 1in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$86.00
<u>5U11F10D101</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-coalescing filter, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$83.00
<u>5U12F10D102</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-coalescing filter, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$83.00
<u>5U13F10D103</u>	Metal Work Syntesi Size 1 pneumatic combination unit, filter-coalescing filter, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$83.00
<u>5U23F10D103</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-coalescing filter, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$126.00
<u>5U24F10D104</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-coalescing filter, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$126.00
<u>5U25F10D105</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-coalescing filter, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$132.00
<u>5U26F10D106</u>	Metal Work Syntesi Size 2 pneumatic combination unit, filter-coalescing filter, 1in female NPT inlet(s), 1in female NPT outlet(s), clear technopolymer bowl, manual/semi-automatic drain.	Stock	\$132.00
Pneumatic Filter/Regulators			
<u>5U11B241</u>	Metal Work Syntesi Size 1 pneumatic filter-regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 0 to 120 psig range, manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$35.50
<u>AFR2-2132-N</u>	NITRA pneumatic filter-regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 20-60 psi adjustable range, manual/semi-automatic drain, nylon bowl, bowl guard. For use with Ax-21 series air prep components.	Stock	\$68.00

[illegible]

<u>AFR2-3233-A</u>	NITRA pneumatic filter-regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, polycarbonate bowl, bowl guard. For use with Ax-32 series air prep components.	Stock	\$96.00
<u>5U13B243</u>	Metal Work Syntesi Size 1 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0 to 120 psig range, manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$35.50
<u>5U23B243</u>	Metal Work Syntesi Size 2 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0 to 120 psig range, manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$54.00
<u>B82G-3AK-AD3-RMG</u>	Norgren Excelon Plus 82 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, automatic drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$110.00
<u>B82G-3AK-AP3-RMG</u>	Norgren Excelon Plus 82 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$95.00
<u>B82G-3AK-QD3-RMG</u>	Norgren Excelon Plus 82 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, manual drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$83.00
<u>B82G-3AK-OP3-RMG</u>	Norgren Excelon Plus 82 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, manual drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$71.00
<u>B84G-3AK-AD3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$192.00
<u>B84G-3AK-AP3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$159.00
<u>B84G-3AK-QD3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, manual drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$159.00
<u>B84G-3AK-OP3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range, manual drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$127.00
<u>AFR2-3332-N</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-60 psi adjustable range, manual/semi-automatic drain, nylon bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$78.00
<u>AFR2-3332-D</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-60 psi adjustable range, manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$89.00
<u>AFR2-3332</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-60 psi adjustable range, manual/semi-automatic drain, polycarbonate bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$78.00
<u>AFR2-3333-N</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, nylon bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$57.00
<u>AFR2-3333-D</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$89.00
<u>AFR2-3333</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, polycarbonate bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$78.00
<u>AFR2-3332-AN</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-60 psi adjustable range, automatic drain, nylon bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$96.00
<u>AFR2-3332-AD</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-60 psi adjustable range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$107.00
<u>AFR2-3332-A</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-60 psi adjustable range, automatic drain, polycarbonate bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$96.00
<u>AFR2-3333-AN</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, nylon bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$96.00
<u>AFR2-3333-AD</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$107.00
<u>AFR2-3333-A</u>	NITRA pneumatic filter-regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, polycarbonate bowl, bowl guard. For use with Ax-33 series air prep components.	Stock	\$96.00
<u>5U24B244</u>	Metal Work Syntesi Size 2 pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0 to 120 psig range, manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$54.00
<u>B84G-4AK-AD3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 4-145 psi range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$192.00
<u>B84G-4AK-AP3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 4-145 psi range, automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$159.00
<u>B84G-4AK-QD3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 4-145 psi range, manual drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$159.00
<u>B84G-4AK-OP3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 4-145 psi range, manual drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$127.00
<u>AFR2-4433-N</u>	NITRA pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, nylon bowl, bowl guard. For use with Ax-44 series air prep components.	Stock	\$122.00

<u>AFR2-4433-D</u>	NITRA pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-44 series air prep components.	Stock	\$137.00
<u>AFR2-4433</u>	NITRA pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, polycarbonate bowl, bowl guard. For use with Ax-44 series air prep components.	Stock	\$122.00
<u>AFR2-4433-AN</u>	NITRA pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, nylon bowl, bowl guard. For use with Ax-44 series air prep components.	Stock	\$104.00
<u>AFR2-4433-AD</u>	NITRA pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-44 series air prep components.	Stock	\$155.00
<u>AFR2-4433-A</u>	NITRA pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, polycarbonate bowl, bowl guard. For use with Ax-44 series air prep components.	Stock	\$140.00
<u>5U25B245</u>	Metal Work Syntesi Size 2 pneumatic filter-regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 0 to 120 psig range, manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$57.00
<u>B84G-6AK-AD3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 4-145 psi range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$192.00
<u>B84G-6AK-AP3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 4-145 psi range, automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$159.00
<u>B84G-6AK-QD3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 4-145 psi range, manual drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$159.00
<u>B84G-6AK-QP3-RMG</u>	Norgren Excelon Plus 84 pneumatic filter-regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 4-145 psi range, manual drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$127.00
<u>AFR2-6633-D</u>	NITRA pneumatic filter-regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-66 series air prep components.	Stock	\$208.00
<u>AFR2-6633-AD</u>	NITRA pneumatic filter-regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-66 series air prep components.	Stock	\$169.00
<u>5U26B246</u>	Metal Work Syntesi Size 2 pneumatic filter-regulator, 1in female NPT inlet(s), 1in female NPT outlet(s), 0 to 120 psig range, manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$57.00
<u>AFR2-6833-D</u>	NITRA pneumatic filter-regulator, 1in female NPT inlet(s), 1in female NPT outlet(s), 20-130 psi adjustable range, manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-68 series air prep components.	Stock	\$208.00
<u>AFR2-6833-AD</u>	NITRA pneumatic filter-regulator, 1in female NPT inlet(s), 1in female NPT outlet(s), 20-130 psi adjustable range, automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-68 series air prep components.	Stock	\$227.00
Pneumatic Air Filters			
<u>5U11F201</u>	Metal Work Syntesi Size 1 pneumatic filter, particulate and moisture separation, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$21.50
<u>5U11D101</u>	Metal Work Syntesi Size 1 pneumatic filter, coalescing oil removal, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$62.00
<u>AF2-213-N</u>	NITRA pneumatic filter, particulate and moisture separation, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-21 series air prep components.	Stock	\$31.00
<u>AF2-213-D</u>	NITRA pneumatic filter, particulate and moisture separation, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-21 series air prep components.	Stock	\$39.00
<u>AF2-213</u>	NITRA pneumatic filter, particulate and moisture separation, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-21 series air prep components.	Stock	\$31.00
<u>AC-214</u>	NITRA pneumatic filter, coalescing, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-21 series air prep components.	Stock	\$94.00
<u>AC-214-N</u>	NITRA pneumatic filter, coalescing, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-21 series air prep components.	Stock	\$95.00
<u>5U12F202</u>	Metal Work Syntesi Size 1 pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$21.50
<u>5U12D102</u>	Metal Work Syntesi Size 1 pneumatic filter, coalescing oil removal, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$62.00
<u>F82G-2AN-AD3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$74.00
<u>F82G-2AN-AP3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$62.00
<u>F82G-2AN-QD3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$49.50

<u>F82G-2AN-QP3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$36.50
<u>F82C-2AD-AD0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$127.00
<u>F82C-2AD-AP0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$115.00
<u>F82C-2AD-QD0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$101.00
<u>F82C-2AD-QP0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$90.00
<u>F82V-2AN-EDA</u>	Norgren Excelon Plus 82 pneumatic filter, vapor removal, 1/4in female NPT inlet(s), 1/4in female NPT outlet (s), closed bowl drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$101.00
<u>F82V-2AN-EPA</u>	Norgren Excelon Plus 82 pneumatic filter, vapor removal, 1/4in female NPT inlet(s), 1/4in female NPT outlet (s), closed bowl drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$90.00
<u>AF2-223-N</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-22 series air prep components.	Stock	\$31.00
<u>AF2-223-D</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-22 series air prep components.	Stock	\$39.00
<u>AF2-223</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-22 series air prep components.	Stock	\$31.00
<u>AC-224</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-22 series air prep components.	Stock	\$94.00
<u>AC-224-N</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-22 series air prep components.	Stock	\$95.00
<u>AF2-323-N</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$36.00
<u>AF2-323-D</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-32 series air prep components.	Stock	\$44.50
<u>AF2-323</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$36.00
<u>AF2-323-AN</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, nylon bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$51.00
<u>AF2-323-AD</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-32 series air prep components.	Stock	\$60.00
<u>AF2-323-A</u>	NITRA pneumatic filter, particulate and moisture separation, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$51.00
<u>AC-324</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$100.00
<u>AC-324-N</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$103.00
<u>AC-324-D</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), manual/semi-automatic drain, metal bowl, sight gauge. For use with Ax-32 series air prep components.	Stock	\$104.00
<u>AC-324-A</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$130.00
<u>AC-324-AN</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, nylon bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$134.00
<u>AC-324-AD</u>	NITRA pneumatic filter, coalescing, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), automatic drain, metal bowl, sight gauge. For use with Ax-32 series air prep components.	Stock	\$136.00
<u>5U13F203</u>	Metal Work Syntesi Size 1 pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$21.50
<u>5U23F203</u>	Metal Work Syntesi Size 2 pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$35.00
<u>5U13D103</u>	Metal Work Syntesi Size 1 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$62.00
<u>5U23D103</u>	Metal Work Syntesi Size 2 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$92.00
<u>F82G-3AN-AD3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$74.00

<u>F82G-3AN-AP3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$62.00
<u>F82G-3AN-OD3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$49.50
<u>F82G-3AN-OP3</u>	Norgren Excelon Plus 82 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$36.50
<u>F82C-3AD-AD0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$127.00
<u>F82C-3AD-AP0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$115.00
<u>F82C-3AD-QD0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$101.00
<u>F82C-3AD-QP0</u>	Norgren Excelon Plus 82 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$90.00
<u>F82V-3AN-FDA</u>	Norgren Excelon Plus 82 pneumatic filter, vapor removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet (s), closed bowl drain, die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$101.00
<u>F82V-3AN-EPA</u>	Norgren Excelon Plus 82 pneumatic filter, vapor removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet (s), closed bowl drain, polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$90.00
<u>F84G-3AN-AD3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$129.00
<u>F84G-3AN-AP3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$96.00
<u>F84G-3AN-OD3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$96.00
<u>F84G-3AN-OP3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$64.00
<u>F84C-3AD-AD0</u>	Norgren Excelon Plus 84 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$208.00
<u>F84C-3AD-AP0</u>	Norgren Excelon Plus 84 pneumatic filter, coalescing oil removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$175.00
<u>F84V-3AN-EMA</u>	Norgren Excelon Plus 84 pneumatic filter, vapor removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet (s), closed bowl drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$175.00
<u>F84V-3AN-EPA</u>	Norgren Excelon Plus 84 pneumatic filter, vapor removal, 3/8in female NPT inlet(s), 3/8in female NPT outlet (s), closed bowl drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$142.00
<u>AF2-333-N</u>	NITRA pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$36.00
<u>AF2-333-D</u>	NITRA pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$44.50
<u>AF2-333</u>	NITRA pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$36.00
<u>AF2-333-AN</u>	NITRA pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, nylon bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$51.00
<u>AF2-333-AD</u>	NITRA pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$60.00
<u>AF2-333-A</u>	NITRA pneumatic filter, particulate and moisture separation, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$51.00
<u>AC-334</u>	NITRA pneumatic filter, coalescing, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$100.00
<u>AC-334-N</u>	NITRA pneumatic filter, coalescing, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$103.00
<u>AC-334-D</u>	NITRA pneumatic filter, coalescing, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), manual/semi-automatic drain, metal bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$104.00
<u>AC-334-A</u>	NITRA pneumatic filter, coalescing, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$130.00
<u>AC-334-AN</u>	NITRA pneumatic filter, coalescing, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, nylon bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$134.00
<u>AC-334-AD</u>	NITRA pneumatic filter, coalescing, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), automatic drain, metal bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$136.00
<u>5U24F204</u>	Metal Work Syntesi Size 2 pneumatic filter, particulate and moisture separation, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$35.00

<u>5U24D104</u>	Metal Work Syntesi Size 2 pneumatic filter, coalescing oil removal, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$92.00
<u>F84G-4AN-AD3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$129.00
<u>F84G-4AN-AP3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$96.00
<u>F84G-4AN-QD3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$96.00
<u>F84G-4AN-QP3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$64.00
<u>F84C-4AD-AD0</u>	Norgren Excelon Plus 84 pneumatic filter, coalescing oil removal, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$208.00
<u>F84C-4AD-AP0</u>	Norgren Excelon Plus 84 pneumatic filter, coalescing oil removal, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$175.00
<u>F84V-4AN-EMA</u>	Norgren Excelon Plus 84 pneumatic filter, vapor removal, 1/2in female NPT inlet(s), 1/2in female NPT outlet (s), closed bowl drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$175.00
<u>F84V-4AN-EPA</u>	Norgren Excelon Plus 84 pneumatic filter, vapor removal, 1/2in female NPT inlet(s), 1/2in female NPT outlet (s), closed bowl drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$142.00
<u>AF2-443-N</u>	NITRA pneumatic filter, particulate and moisture separation, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$53.00
<u>AF2-443-D</u>	NITRA pneumatic filter, particulate and moisture separation, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-44 series air prep components.	Stock	\$61.00
<u>AF2-443</u>	NITRA pneumatic filter, particulate and moisture separation, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$53.00
<u>AF2-443-AN</u>	NITRA pneumatic filter, particulate and moisture separation, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, nylon bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$69.00
<u>AF2-443-AD</u>	NITRA pneumatic filter, particulate and moisture separation, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-44 series air prep components.	Stock	\$80.00
<u>AF2-443-A</u>	NITRA pneumatic filter, particulate and moisture separation, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$69.00
<u>AC-444</u>	NITRA pneumatic filter, coalescing, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$135.00
<u>AC-444-N</u>	NITRA pneumatic filter, coalescing, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, nylon bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$139.00
<u>AC-444-D</u>	NITRA pneumatic filter, coalescing, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), manual/semi-automatic drain, metal bowl, sight gauge. For use with Ax-44 series air prep components.	Stock	\$139.00
<u>AC-444-A</u>	NITRA pneumatic filter, coalescing, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, polycarbonate bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$166.00
<u>AC-444-AN</u>	NITRA pneumatic filter, coalescing, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, nylon bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$172.00
<u>AC-444-AD</u>	NITRA pneumatic filter, coalescing, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), automatic drain, metal bowl, sight gauge. For use with Ax-44 series air prep components.	Stock	\$149.00
<u>5U25F205</u>	Metal Work Syntesi Size 2 pneumatic filter, particulate and moisture separation, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$41.50
<u>5U25D105</u>	Metal Work Syntesi Size 2 pneumatic filter, coalescing oil removal, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$95.00
<u>F84G-6AN-AD3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$129.00
<u>F84G-6AN-AP3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$96.00
<u>F84G-6AN-QD3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), manual drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$96.00
<u>F84G-6AN-QP3</u>	Norgren Excelon Plus 84 pneumatic filter, particulate, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), manual drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$64.00
<u>F84C-6AD-AD0</u>	Norgren Excelon Plus 84 pneumatic filter, coalescing oil removal, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Excelon 84 series components.	Stock	\$208.00
<u>F84C-6AD-AP0</u>	Norgren Excelon Plus 84 pneumatic filter, coalescing oil removal, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), automatic drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$175.00
<u>F84V-6AN-EMA</u>	Norgren Excelon Plus 84 pneumatic filter, vapor removal, 3/4in female NPT inlet(s), 3/4in female NPT outlet (s), closed bowl drain, die-cast aluminum bowl. For use with Excelon 84 series components.	Stock	\$175.00

F84V-6AN-EPA	Norgren Excelon Plus 84 pneumatic filter, vapor removal, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), closed bowl drain, polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$142.00
AF2-663-D	NITRA pneumatic filter, particulate and moisture separation, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-66 series air prep components.	Stock	\$100.00
AF2-663-AD	NITRA pneumatic filter, particulate and moisture separation, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-66 series air prep components.	Stock	\$114.00
5U26F206	Metal Work Syntesi Size 2 pneumatic filter, particulate and moisture separation, 1in female NPT inlet(s), 1in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$41.50
5U26D106	Metal Work Syntesi Size 2 pneumatic filter, coalescing oil removal, 1in female NPT inlet(s), 1in female NPT outlet(s), manual/semi-automatic drain, clear technopolymer bowl, bowl guard.	Stock	\$95.00
AF2-683-D	NITRA pneumatic filter, particulate and moisture separation, 1in female NPT inlet(s), 1in female NPT outlet(s), manual/semi-automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-68 series air prep components.	Stock	\$100.00
AF2-683-AD	NITRA pneumatic filter, particulate and moisture separation, 1in female NPT inlet(s), 1in female NPT outlet(s), automatic drain, die-cast aluminum bowl, sight gauge. For use with Ax-68 series air prep components.	Stock	\$107.00
Pneumatic Air Pressure Regulators			
5U11R141	Metal Work Syntesi Size 1 pneumatic regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 0 to 120 psig range.	Stock	\$26.00
AR2-212	NITRA pneumatic regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 7-60 psi range. For use with Ax-21 series air prep components.	Stock	\$41.00
AR2-213	NITRA pneumatic regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 7-130 psi range. For use with Ax-21 series air prep components.	Stock	\$41.00
5U12R142	Metal Work Syntesi Size 1 pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0 to 120 psig range.	Stock	\$26.00
R82G-2AK-RFG	Norgren Excelon Plus 82 pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 4-58 psi range. For use with Excelon 82 series components.	Stock	\$47.00
R82G-2AK-RMG	Norgren Excelon Plus 82 pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 4-145 psi range. For use with Excelon 82 series components.	Stock	\$47.00
AR2-222	NITRA pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 7-60 psi range. For use with Ax-22 series air prep components.	Stock	\$41.00
AR2-223	NITRA pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 7-130 psi range. For use with Ax-22 series air prep components.	Stock	\$41.00
AR2-322	NITRA pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 7-60 psi range. For use with Ax-32 series air prep components.	Stock	\$51.00
AR2-323	NITRA pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 7-130 psi range. For use with Ax-32 series air prep components.	Stock	\$51.00
5U13R143	Metal Work Syntesi Size 1 pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0 to 120 psig range.	Stock	\$26.00
5U23R143	Metal Work Syntesi Size 2 pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0 to 120 psig range.	Stock	\$40.00
R82G-3AK-RFG	Norgren Excelon Plus 82 pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-58 psi range. For use with Excelon 82 series components.	Stock	\$47.00
R82G-3AK-RMG	Norgren Excelon Plus 82 pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range. For use with Excelon 82 series components.	Stock	\$47.00
R84G-3AK-RMG	Norgren Excelon Plus 84 pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 4-145 psi range. For use with Excelon 84 series components.	Stock	\$94.00
AR2-332	NITRA pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 7-60 psi range. For use with Ax-33 series air prep components.	Stock	\$51.00
AR2-333	NITRA pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 7-130 psi range. For use with Ax-33 series air prep components.	Stock	\$51.00
5U24R144	Metal Work Syntesi Size 2 pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0 to 120 psig range.	Stock	\$40.00
R84G-4AK-RMG	Norgren Excelon Plus 84 pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 4-145 psi range. For use with Excelon 84 series components.	Stock	\$94.00
AR2-443	NITRA pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 7-130 psi range. For use with Ax-44 series air prep components.	Stock	\$72.00
5U25R145	Metal Work Syntesi Size 2 pneumatic regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 0 to 120 psig range.	Stock	\$46.50
R84G-6AK-RMG	Norgren Excelon Plus 84 pneumatic regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 4-145 psi range. For use with Excelon 84 series components.	Stock	\$94.00
AR2-663	NITRA pneumatic regulator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), 7-130 psi range. For use with Ax-66 series air prep components.	Stock	\$118.00

<u>5U26R146</u>	Metal Work Syntesi Size 2 pneumatic regulator, 1in female NPT inlet(s), 1in female NPT outlet(s), 0 to 120 psig range.	Stock	\$46.50
<u>AR2-683</u>	NITRA pneumatic regulator, 1in female NPT inlet(s), 1in female NPT outlet(s), 7-130 psi range. For use with Ax-68 series air prep components.	Stock	\$118.00
Pneumatic Air Lubricators			
<u>5U11L101</u>	Metal Work Syntesi Size 1 pneumatic lubricator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), clear technopolymer bowl, bowl guard.	Stock	\$27.00
<u>AL2-21-N</u>	NITRA pneumatic lubricator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), nylon bowl, metal bowl guard. For use with Ax-21 series air prep components.	Stock	\$34.50
<u>AL2-21-D</u>	NITRA pneumatic lubricator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), die-cast aluminum bowl, sight gauge. For use with Ax-21 series air prep components.	Stock	\$44.00
<u>AL2-21</u>	NITRA pneumatic lubricator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), polycarbonate bowl, metal bowl guard. For use with Ax-21 series air prep components.	Stock	\$34.50
<u>5U12L102</u>	Metal Work Syntesi Size 1 pneumatic lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), clear technopolymer bowl, bowl guard.	Stock	\$27.00
<u>L82M-2AP-EDN</u>	Norgren Excelon Plus 82 pneumatic micro fog lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet (s), die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$62.00
<u>L82M-2AP-EPN</u>	Norgren Excelon Plus 82 pneumatic micro fog lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet (s), polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$48.00
<u>AL2-22-N</u>	NITRA pneumatic lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), nylon bowl, metal bowl guard. For use with Ax-22 series air prep components.	Stock	\$34.50
<u>AL2-22-D</u>	NITRA pneumatic lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), die-cast aluminum bowl, sight gauge. For use with Ax-22 series air prep components.	Stock	\$44.00
<u>AL2-22</u>	NITRA pneumatic lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), polycarbonate bowl, metal bowl guard. For use with Ax-22 series air prep components.	Stock	\$34.50
<u>AL2-32-N</u>	NITRA pneumatic lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), nylon bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$54.00
<u>AL2-32-D</u>	NITRA pneumatic lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), die-cast aluminum bowl, sight gauge. For use with Ax-32 series air prep components.	Stock	\$44.00
<u>AL2-32</u>	NITRA pneumatic lubricator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), polycarbonate bowl, metal bowl guard. For use with Ax-32 series air prep components.	Stock	\$54.00
<u>5U13L103</u>	Metal Work Syntesi Size 1 pneumatic lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), clear technopolymer bowl, bowl guard.	Stock	\$27.00
<u>5U23L103</u>	Metal Work Syntesi Size 2 pneumatic lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), clear technopolymer bowl, bowl guard.	Stock	\$43.50
<u>L82M-3AP-EDN</u>	Norgren Excelon Plus 82 pneumatic micro fog lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet (s), die-cast zinc bowl, sight gauge. For use with Excelon 82 series components.	Stock	\$62.00
<u>L82M-3AP-EPN</u>	Norgren Excelon Plus 82 pneumatic micro fog lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet (s), polycarbonate bowl, bowl guard. For use with Excelon 82 series components.	Stock	\$48.00
<u>L84M-3AP-EPN</u>	Norgren Excelon Plus 84 pneumatic micro fog lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet (s), polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$72.00
<u>AL2-33-N</u>	NITRA pneumatic lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), nylon bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$54.00
<u>AL2-33-D</u>	NITRA pneumatic lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), die-cast aluminum bowl, sight gauge. For use with Ax-33 series air prep components.	Stock	\$44.00
<u>AL2-33</u>	NITRA pneumatic lubricator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), polycarbonate bowl, metal bowl guard. For use with Ax-33 series air prep components.	Stock	\$52.00
<u>5U24L104</u>	Metal Work Syntesi Size 2 pneumatic lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), clear technopolymer bowl, bowl guard.	Stock	\$43.50
<u>L84M-4AP-EPN</u>	Norgren Excelon Plus 84 pneumatic micro fog lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet (s), polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$72.00
<u>AL2-44-N</u>	NITRA pneumatic lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), nylon bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$67.00
<u>AL2-44-D</u>	NITRA pneumatic lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), die-cast aluminum bowl, sight gauge. For use with Ax-44 series air prep components.	Stock	\$70.00
<u>AL2-44</u>	NITRA pneumatic lubricator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), polycarbonate bowl, metal bowl guard. For use with Ax-44 series air prep components.	Stock	\$76.00
<u>5U25L105</u>	Metal Work Syntesi Size 2 pneumatic lubricator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), clear technopolymer bowl, bowl guard.	Stock	\$48.00
<u>L84M-6AP-EPN</u>	Norgren Excelon Plus 84 pneumatic micro fog lubricator, 3/4in female NPT inlet(s), 3/4in female NPT outlet (s), polycarbonate bowl, bowl guard. For use with Excelon 84 series components.	Stock	\$72.00
<u>AL2-66-D</u>	NITRA pneumatic lubricator, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), die-cast aluminum bowl, sight gauge. For use with Ax-66 series air prep components.	Stock	\$123.00

<u>5U26L106</u>	Metal Work Syntesi Size 2 pneumatic lubricator, 1in female NPT inlet(s), 1in female NPT outlet(s), clear technopolymer bowl, bowl guard.	Stock	\$48.00
<u>AL2-68-D</u>	NITRA pneumatic lubricator, 1in female NPT inlet(s), 1in female NPT outlet(s), die-cast aluminum bowl, sight gauge. For use with Ax-68 series air prep components.	Stock	\$123.00
Pneumatic Control Valves			
<u>5U11V101</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.2. For use with Syntesi Size 1 air prep components.	Stock	\$33.50
<u>5U11A701</u>	Metal Work soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.3. For use with Syntesi Size 1 air prep components.	Stock	\$88.00
<u>5U11V701</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.2. For use with Syntesi Size 1 air prep components.	Stock	\$67.00
<u>ARV-21</u>	NITRA shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/4in female NPT exhaust(s). For use with Ax-21 series air prep components.	Stock	\$38.50
<u>ASD-21-24D</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=7, 24 VDC operating voltage. For use with Ax-21 series air prep components.	Stock	\$91.00
<u>ASD-21-120A</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=7, 120 VAC operating voltage. For use with Ax-21 series air prep components.	Stock	\$91.00
<u>5U12V102</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.5. For use with Syntesi Size 1 air prep components.	Stock	\$33.50
<u>5U12A702</u>	Metal Work soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.5. For use with Syntesi Size 1 air prep components.	Stock	\$88.00
<u>5U12V702</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.5. For use with Syntesi Size 1 air prep components.	Stock	\$67.00
<u>T82T-2AA-B1N</u>	Norgren shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s). For use with Excelon 82 series components.	Stock	\$46.00
<u>P82F-2AT-PFA</u>	Norgren soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.7, 24 VDC operating voltage. For use with Excelon Plus 82 series components.	Stock	\$238.00
<u>P82C-2AT-PFA</u>	Norgren shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.6, 24 VDC operating voltage. For use with Excelon Plus 82 series components.	Stock	\$180.00
<u>ARV-22</u>	NITRA shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s). For use with Ax-22 series air prep components.	Stock	\$38.50
<u>ARV-32</u>	NITRA shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 3/8in female NPT exhaust(s). For use with Ax-32 series air prep components.	Stock	\$43.50
<u>ASD-22-24D</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=7.5, 24 VDC operating voltage. For use with Ax-22 series air prep components.	Stock	\$91.00
<u>ASD-22-120A</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=7.5, 120 VAC operating voltage. For use with Ax-22 series air prep components.	Stock	\$91.00
<u>ASD-32-24D</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=12, 24 VDC operating voltage. For use with Ax-32 series air prep components.	Stock	\$100.00
<u>ASD-32-120A</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=12, 120 VAC operating voltage. For use with Ax-32 series air prep components.	Stock	\$100.00
<u>5U13V103</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, twist, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.6. For use with Syntesi Size 1 air prep components.	Stock	\$33.50
<u>5U23V103</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, twist, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.1. For use with Syntesi Size 2 air prep components.	Stock	\$48.00
<u>5U13A703</u>	Metal Work soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.6. For use with Syntesi Size 1 air prep components.	Stock	\$88.00
<u>5U23A703</u>	Metal Work soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.1. For use with Syntesi Size 2 air prep components.	Stock	\$103.00
<u>5U13V703</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), G1/8 female BSPP exhaust(s), Cv=1.6. For use with Syntesi Size 1 air prep components.	Stock	\$67.00

<u>5U23V703</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.1. For use with Syntesi Size 2 air prep components.	Stock	\$79.00
<u>T82T-3AA-B1N</u>	Norgren shut-off valve, 3-port (3-way), 2-position, twist, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 1/4in female NPT exhaust(s). For use with Excelon 82 series components.	Stock	\$46.00
<u>P82F-3AT-PFA</u>	Norgren soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.8, 24 VDC operating voltage. For use with Excelon Plus 82 series components.	Stock	\$239.00
<u>P82C-3AT-PFA</u>	Norgren shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.8, 24 VDC operating voltage. For use with Excelon Plus 82 series components.	Stock	\$180.00
<u>T84T-3AA-B1N</u>	Norgren shut-off valve, 3-port (3-way), 2-position, twist, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), G1/4 female BSPP exhaust(s). For use with Excelon 84 series components.	Stock	\$62.00
<u>P84F-3AT-PFA</u>	Norgren soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=2.9, 24 VDC operating voltage. For use with Excelon Plus 84 series components.	Stock	\$333.00
<u>P84C-3AT-PFA</u>	Norgren shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=3, 24 VDC operating voltage. For use with Excelon Plus 84 series components.	Stock	\$235.00
<u>ARV-33</u>	NITRA shut-off valve, 3-port (3-way), 2-position, twist, N.C., 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s). For use with Ax-33 series air prep components.	Stock	\$43.50
<u>ASD-33-24D</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=15, 24 VDC operating voltage. For use with Ax-33 series air prep components.	Stock	\$100.00
<u>ASD-33-120A</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=15, 120 VAC operating voltage. For use with Ax-33 series air prep components.	Stock	\$100.00
<u>5U24V104</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.4. For use with Syntesi Size 2 air prep components.	Stock	\$48.50
<u>5U24A704</u>	Metal Work soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=5.3. For use with Syntesi Size 2 air prep components.	Stock	\$103.00
<u>5U24V704</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.4. For use with Syntesi Size 2 air prep components.	Stock	\$79.00
<u>T84T-4AA-B1N</u>	Norgren shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), G1/4 female BSPP exhaust(s). For use with Excelon 84 series components.	Stock	\$62.00
<u>P84F-4AT-PFA</u>	Norgren soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4, 24 VDC operating voltage. For use with Excelon Plus 84 series components.	Stock	\$331.00
<u>P84C-4AT-PFA</u>	Norgren shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6, 24 VDC operating voltage. For use with Excelon Plus 84 series components.	Stock	\$232.00
<u>ARV-44</u>	NITRA shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s). For use with Ax-44 series air prep components.	Stock	\$57.00
<u>ASD-44-24D</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=24, 24 VDC operating voltage. For use with Ax-44 series air prep components.	Stock	\$165.00
<u>ASD-44-120A</u>	NITRA soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=24, 120 VAC operating voltage. For use with Ax-44 series air prep components.	Stock	\$157.00
<u>5U25V105</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, twist, N.C., 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.4. For use with Syntesi Size 2 air prep components.	Stock	\$55.00
<u>5U25A705</u>	Metal Work soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=5.3. For use with Syntesi Size 2 air prep components.	Stock	\$110.00
<u>5U25V705</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.4. For use with Syntesi Size 2 air prep components.	Stock	\$85.00
<u>T84T-6AA-B1N</u>	Norgren shut-off valve, 3-port (3-way), 2-position, twist, N.C., 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), G1/4 female BSPP exhaust(s). For use with Excelon 84 series components.	Stock	\$62.00
<u>P84F-6AT-PFA</u>	Norgren soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4, 24 VDC operating voltage. For use with Excelon Plus 84 series components.	Stock	\$333.00
<u>P84C-6AT-PFA</u>	Norgren shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6, 24 VDC operating voltage. For use with Excelon Plus 84 series components.	Stock	\$235.00

<u>5U26V106</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, twist, N.C., 1in female NPT inlet(s), 1in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.4. For use with Syntesi Size 2 air prep components.	Stock	\$56.00
<u>5U26A706</u>	Metal Work soft start valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1in female NPT inlet(s), 1in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=5.3. For use with Syntesi Size 2 air prep components.	Stock	\$110.00
<u>5U26V706</u>	Metal Work shut-off valve, 3-port (3-way), 2-position, single solenoid spring return, N.C., 1in female NPT inlet (s), 1in female NPT outlet(s), G1/4 female BSPP exhaust(s), Cv=4.4. For use with Syntesi Size 2 air prep components.	Stock	\$85.00
Pneumatic Air Prep Pressure Switches			
<u>5U11S101</u>	Metal Work pressure switch, air, 1/8in female NPT process connection, 7.5 to 145 psi set point, N.O./N.C. complementary, 2m 3-wire cable. For use with Syntesi Size 1 air prep components.	Stock	\$49.50
<u>5U12S102</u>	Metal Work pressure switch, air, 1/4in female NPT process connection, 7.5 to 145 psi set point, N.O./N.C. complementary, 2m 3-wire cable. For use with Syntesi Size 1 air prep components.	Stock	\$49.50
<u>5U13S103</u>	Metal Work pressure switch, air, 3/8in female NPT process connection, 7.5 to 145 psi set point, N.O./N.C. complementary, 2m 3-wire cable. For use with Syntesi Size 1 air prep components.	Stock	\$49.50
<u>5U23S103</u>	Metal Work pressure switch, air, 3/8in female NPT process connection, 7.5 to 145 psi set point, N.O./N.C. complementary, 2m 3-wire cable. For use with Syntesi Size 2 air prep components.	Stock	\$63.00
<u>5U24S104</u>	Metal Work pressure switch, air, 1/2in female NPT process connection, 7.5 to 145 psi set point, N.O./N.C. complementary, 2m 3-wire cable. For use with Syntesi Size 2 air prep components.	Stock	\$63.00
<u>5U25S105</u>	Metal Work pressure switch, air, 3/4in female NPT process connection, 7.5 to 145 psi set point, N.O./N.C. complementary, 2m 3-wire cable. For use with Syntesi Size 2 air prep components.	Stock	\$73.00
<u>5U26S106</u>	Metal Work pressure switch, air, 1in female NPT process connection, 7.5 to 145 psi set point, N.O./N.C. complementary, 2m 3-wire cable. For use with Syntesi Size 2 air prep components.	Stock	\$73.00
Pneumatic Air Prep Distribution Blocks			
<u>5U11P201</u>	Metal Work air distribution block, 1/8in female NPT inlet(s), (1) 1/4in female NPT and (2) 1/8in female NPT outlet(s). For use with Syntesi Size 1 air prep components.	Stock	\$32.00
<u>5U12P202</u>	Metal Work air distribution block, 1/4in female NPT inlet(s), (1) 1/8in female NPT and (2) 1/4in female NPT outlet(s). For use with Syntesi Size 1 air prep components.	Stock	\$32.00
<u>5U13P203</u>	Metal Work air distribution block, 3/8in female NPT inlet(s), (1) 1/8in female NPT, (1) 1/4in female NPT and (1) 3/8in female NPT outlet(s). For use with Syntesi Size 1 air prep components.	Stock	\$32.00
<u>5U23P203</u>	Metal Work air distribution block, 3/8in female NPT inlet(s), (1) 1/4in female NPT and (2) 3/8in female NPT outlet(s). For use with Syntesi Size 2 air prep components.	Stock	\$52.00
<u>5U24P204</u>	Metal Work air distribution block, 1/2in female NPT inlet(s), (1) 1/4in female NPT, (1) 3/8in female NPT and (1) 1/2in female NPT outlet(s). For use with Syntesi Size 2 air prep components.	Stock	\$52.00
<u>5U25P205</u>	Metal Work air distribution block, 3/4in female NPT inlet(s), (1) 1/4in female NPT, (1) 3/8in female NPT and (1) 3/4in female NPT outlet(s). For use with Syntesi Size 2 air prep components.	Stock	\$59.00
<u>5U26P206</u>	Metal Work air distribution block, 1in female NPT inlet(s), (1) 1/4in female NPT, (1) 3/8in female NPT and (1) 1in female NPT outlet(s). For use with Syntesi Size 2 air prep components.	Stock	\$59.00
<u>5U10P100</u>	Metal Work air distribution block, 3/8in female NPT inlet(s), (1) 3/8in female NPT and (2) 1/8in female NPT outlet(s). For use with Syntesi Size 1 air prep components.	Stock	\$7.25
<u>5U20P100</u>	Metal Work air distribution block, 1/2in female NPT inlet(s), (1) 1/2in female NPT and (2) 3/8in female NPT outlet(s). For use with Syntesi Size 2 air prep components.	Stock	\$19.50
<u>ADB-21</u>	NITRA pneumatic distribution block, 1/8in female NPT inlet(s), (3) 1/8in female NPT outlet(s). For use with Ax-21 series air prep components.	Stock	\$19.50
<u>ADB-22</u>	NITRA pneumatic distribution block, 1/4in female NPT inlet(s), (3) 1/4in female NPT outlet(s). For use with Ax-22 series air prep components.	Stock	\$19.50
<u>ADB-32</u>	NITRA pneumatic distribution block, 1/4in female NPT inlet(s), (3) 1/4in female NPT outlet(s). For use with Ax-32 series air prep components.	Stock	\$28.00
<u>ADB-33</u>	NITRA pneumatic distribution block, 3/8in female NPT inlet(s), (3) 3/8in female NPT outlet(s). For use with Ax-33 series air prep components.	Stock	\$28.00
<u>ADB-44</u>	NITRA pneumatic distribution block, 1/2in female NPT inlet(s), (3) 1/2in female NPT outlet(s). For use with Ax-44 series air prep components.	Stock	\$29.50
Pneumatic Pressure Gauges			
<u>88257F8</u>	Metal Work pneumatic mechanical pressure gauge, 40mm diameter, 0 to 180 psi, G1/8 male BSPP process connection, center back mount.	Stock	\$7.50
<u>88257F9</u>	Metal Work pneumatic mechanical pressure gauge, 40mm diameter, 0 to 60 psi, G1/8 male BSPP process connection, center back mount.	Stock	\$7.50
<u>88257G1</u>	Metal Work pneumatic mechanical pressure gauge, 50mm diameter, 0 to 180 psi, G1/8 male BSPP process connection, center back mount.	Stock	\$7.50
<u>88257G2</u>	Metal Work pneumatic mechanical pressure gauge, 50mm diameter, 0 to 60 psi, G1/8 male BSPP process connection, center back mount.	Stock	\$7.50
<u>9700110</u>	Metal Work pneumatic mechanical pressure gauge, 40mm x 40mm, 0 to 180 psi, G1/8 male BSPP process connection, center back mount.	Stock	\$7.50

<u>88257G3</u>	Metal Work pneumatic mechanical pressure gauge, 63mm diameter, 0 to 180 psi, G1/4 male BSPP process connection, center back mount.	Stock	\$11.75
Pneumatic Precision Regulators			
<u>BR-321</u>	NITRA precision pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-30 psi adjustable range.	Stock	\$55.00
<u>BR-322</u>	NITRA precision pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-60 psi adjustable range.	Stock	\$55.00
<u>BR-323</u>	NITRA precision pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-120 psi adjustable range.	Stock	\$55.00
<u>BR-341</u>	NITRA precision pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-30 psi adjustable range.	Stock	\$101.00
<u>BR-342</u>	NITRA precision pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-60 psi adjustable range.	Stock	\$101.00
<u>BR-343</u>	NITRA precision pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-120 psi adjustable range.	Stock	\$101.00
<u>CR-724</u>	NITRA precision pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-2 psi adjustable range.	Stock	\$100.00
<u>CR-725</u>	NITRA precision pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-150 psi adjustable range.	Stock	\$94.00
<u>CR-734</u>	NITRA precision pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0-2 psi adjustable range.	Stock	\$100.00
<u>CR-735</u>	NITRA precision pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 0-150 psi adjustable range.	Stock	\$94.00
<u>CR-744</u>	NITRA precision pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-2 psi adjustable range.	Stock	\$117.00
<u>CR-745</u>	NITRA precision pneumatic regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-150 psi adjustable range.	Stock	\$112.00
<u>DR-123</u>	NITRA precision pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 2-120 psi adjustable range.	Stock	\$116.00
<u>DR-126</u>	NITRA precision pneumatic regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0.5-25 psi adjustable range.	Stock	\$138.00
<u>DR-133</u>	NITRA precision pneumatic regulator, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 2-120 psi adjustable range.	Stock	\$116.00
<u>ER-911</u>	NITRA precision pneumatic regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 0.7-30 psi adjustable range.	Stock	\$87.00
<u>ER-913</u>	NITRA precision pneumatic regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1.4-120 psi adjustable range.	Stock	\$87.00
Pneumatic Precision Filter / Regulators			
<u>BFR-3231</u>	NITRA precision pneumatic filter-regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-30 psi adjustable range, manual drain, die-cast aluminum bowl, sight gauge.	Stock	\$61.00
<u>BFR-3232</u>	NITRA precision pneumatic filter-regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-60 psi adjustable range, manual drain, die-cast aluminum bowl, sight gauge.	Stock	\$61.00
<u>BFR-3233</u>	NITRA precision pneumatic filter-regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-120 psi adjustable range, manual drain, die-cast aluminum bowl, sight gauge.	Stock	\$61.00
<u>BFR-3431</u>	NITRA precision pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-30 psi adjustable range, manual drain, die-cast aluminum bowl, sight gauge.	Stock	\$125.00
<u>BFR-3432</u>	NITRA precision pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-60 psi adjustable range, manual drain, die-cast aluminum bowl, sight gauge.	Stock	\$125.00
<u>BFR-3433</u>	NITRA precision pneumatic filter-regulator, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 0-120 psi adjustable range, manual drain, die-cast aluminum bowl, sight gauge.	Stock	\$125.00
Air Prep Accessories for Pneumatic Components			
<u>TAP-ACC01</u>	NITRA panel mounting brackets, plated steel. For use with TAP unit. Mounting hardware included.	Stock	\$16.00
<u>TAP-ACC17</u>	NITRA regulator removal wrench, steel. For use with TAP unit.	Stock	\$5.25
<u>AB-2T</u>	NITRA modular T-bracket, for use with Ax-2 series air prep components.	Stock	\$18.00
<u>AB-2L</u>	NITRA modular L-bracket, for use with Ax-2 series air prep components.	Stock	\$18.00
<u>AB-2U</u>	NITRA modular U-bracket, for use with Ax-2 series air prep components.	Stock	\$18.00
<u>AB-3T</u>	NITRA modular T-bracket, for use with Ax-3 series air prep components.	Stock	\$19.50
<u>AB-3L</u>	NITRA modular L-bracket, for use with Ax-3 series air prep components.	Stock	\$19.50

AB-3U	NITRA modular U-bracket, for use with Ax-3 series air prep components.	Stock	\$19.50
AB-4T	NITRA modular T-bracket, for use with Ax-4 series air prep components.	Stock	\$24.00
AB-4L	NITRA modular L-bracket, for use with Ax-4 series air prep components.	Stock	\$24.00
AB-4U	NITRA modular U-bracket, for use with Ax-4 series air prep components.	Stock	\$24.00
AB-6T	NITRA modular T-bracket, for use with Ax-6 series air prep components.	Stock	\$35.00
AB-6L	NITRA modular L-bracket, for use with Ax-6 series air prep components.	Stock	\$33.00
AB-6U	NITRA modular U-bracket, for use with Ax-6 series air prep components.	Stock	\$31.00
88257E1	Metal Work mounting bracket, panel, plated steel. For use with Syntesi Size 1 regulators and filter-regulators.	Stock	\$3.25
88257E2	Metal Work mounting bracket, panel, plated steel. For use with Syntesi Size 2 regulators and filter-regulators.	Stock	\$4.25
88257E3	Metal Work mounting bracket, rear, plated steel. For use with Syntesi Size 1 air prep components. Mounting hardware included.	Stock	\$11.25
88257E4	Metal Work mounting bracket, rear, plated steel. For use with Syntesi Size 2 air prep components. Mounting hardware included.	Stock	\$13.00
9200718X	Metal Work DIN rail adapter, anodized aluminum. Package of 2. For use with Syntesi Size 1 and 2 air prep components. Mounting hardware included.	Stock	\$15.50
88257E5	Metal Work connector nipple, anodized aluminum. For use with Syntesi Size 1 air prep components. Mounting hardware included.	Stock	\$2.25
88257E6	Metal Work connector nipple, anodized aluminum. For use with Syntesi Size 2 air prep components. Mounting hardware included.	Stock	\$5.75
88257E7	Metal Work connector nipple, 90 degree mounting, anodized aluminum. For use with Syntesi Size 1 air prep components. Mounting hardware included.	Stock	\$3.25
88257E8	Metal Work connector nipple, 90 degree mounting, anodized aluminum. For use with Syntesi Size 2 air prep components. Mounting hardware included.	Stock	\$5.25
88257E9	Metal Work hex bushing, G1/4 male BSPP to G1/8 female BSPP, brass. For use with Syntesi Size 2 regulators and filter-regulators.	Stock	\$2.25
820014-51KIT	Norgren Quikclamp, for use with Excelon 82 series components.	Stock	\$13.00
820014-52KIT	Norgren Quikclamp with bracket, for use with Excelon 82 series components.	Stock	\$13.50
820024-50KIT	Norgren mounting bracket, for use with Excelon 82 series components.	Stock	\$10.50
840014-51KIT	Norgren Quikclamp, for use with Excelon 84 series components.	Stock	\$16.00
840014-52KIT	Norgren Quikclamp with bracket, for use with Excelon 84 series components.	Stock	\$20.50
840024-50KIT	Norgren mounting bracket, for use with Excelon 84 series components.	Stock	\$17.50
BBKT-3	NITRA mounting bracket, for use with BFR-3 and BR-3 series air prep components.	Stock	\$8.75
CBKT-7	NITRA mounting bracket, for use with CR-7 series air prep components.	Stock	\$8.75
DBKT-1	NITRA mounting bracket, for use with DR-1 series air prep components.	Stock	\$12.50
EBKT-9	NITRA mounting bracket, for use with ER-9 series air prep components.	Stock	\$10.00
TAP-ACC07	NITRA port insert, 1/4in NPT, anodized aluminum. For use with TAP unit.	Stock	\$18.50
TAP-ACC08	NITRA port insert, G1/4 BSPP, anodized aluminum. For use with TAP unit.	Stock	\$18.50
TAP-ACC09	NITRA port insert, 3/8in NPT, anodized aluminum. For use with TAP unit.	Stock	\$18.50
TAP-ACC10	NITRA port insert, G3/8 BSPP, anodized aluminum. For use with TAP unit.	Stock	\$18.50
TAP-ACC11	NITRA port insert, replacement, 1/2in NPT, anodized aluminum. For use with TAP unit.	Stock	\$22.50
TAP-ACC12	NITRA port insert, G1/2 BSPP, anodized aluminum. For use with TAP unit.	Stock	\$22.50
TAP-ACC13	NITRA port insert, 3/4in NPT, anodized aluminum. For use with TAP unit.	Stock	\$25.50
TAP-ACC14	NITRA port insert, G3/4 BSPP, anodized aluminum. For use with TAP unit.	Stock	\$25.50
TAP-ACC15	NITRA port insert, 1in NPT, anodized aluminum. For use with TAP unit.	Stock	\$30.00
TAP-ACC16	NITRA port insert, G1 BSPP, anodized aluminum. For use with TAP unit.	Stock	\$30.00
88257F1	Metal Work port adapter, 1/8in female NPT, anodized aluminum. For use with Syntesi Size 1 air prep components. Mounting hardware included.	Stock	\$1.75
88257F2	Metal Work port adapter, 1/4in female NPT, anodized aluminum. For use with Syntesi Size 1 air prep components. Mounting hardware included.	Stock	\$1.75

<u>88257F3</u>	Metal Work port adapter, 3/8in female NPT, anodized aluminum. For use with Syntesi Size 1 air prep components. Mounting hardware included.	Stock	\$1.75
<u>88257F4</u>	Metal Work port adapter, 3/8in female NPT, anodized aluminum. For use with Syntesi Size 2 air prep components. Mounting hardware included.	Stock	\$5.00
<u>88257F5</u>	Metal Work port adapter, 1/2in female NPT, anodized aluminum. For use with Syntesi Size 2 air prep components. Mounting hardware included.	Stock	\$5.00
<u>88257F6</u>	Metal Work port adapter, 3/4in female NPT, anodized aluminum. For use with Syntesi Size 2 air prep components. Mounting hardware included.	Stock	\$8.50
<u>88257F7</u>	Metal Work port adapter, 1in female NPT, anodized aluminum. For use with Syntesi Size 2 air prep components. Mounting hardware included.	Stock	\$8.50
<u>820015-02KIT</u>	Norgren port adapter, replacement, 1/4in NPT thread. For use with Excelon 82 series components.	Stock	\$12.50
<u>820015-03KIT</u>	Norgren port adapter, replacement, 3/8in NPT thread. For use with Excelon 82 series components.	Stock	\$12.50
<u>840015-02KIT</u>	Norgren port adapter, replacement, 3/8in NPT thread. For use with Excelon 84 series components.	Stock	\$30.00
<u>840015-03KIT</u>	Norgren port adapter, replacement, 1/2in NPT thread. For use with Excelon 84 series components.	Stock	\$30.00
<u>840015-04KIT</u>	Norgren port adapter, replacement, 3/4in NPT thread. For use with Excelon 84 series components.	Stock	\$30.00
<u>AGP2-21</u>	NITRA pneumatic gauge port adapter plate, 1/8in female NPT connection(s), aluminum. For use with Ax-2 series air prep components. (3) o-rings included.	Stock	\$5.75
<u>AGP2-31</u>	NITRA pneumatic gauge port adapter plate, 1/8in female NPT connection(s), aluminum. For use with Ax-3 series air prep components. (3) o-rings included.	Stock	\$7.50
<u>AGP2-42</u>	NITRA pneumatic gauge port adapter plate, 1/4in female NPT connection(s), aluminum. For use with Ax-4 and Ax-6 series air prep components. (3) o-rings included.	Stock	\$8.25
<u>TAP-ACC02</u>	NITRA filter element, replacement, 20 micron particles, ultra high molecular weight polyethylene (UHMWPE). For use with TAP unit.	Stock	\$8.75
<u>TAP-ACC03</u>	NITRA regulator, replacement, 7-116 psi (0.5-8 bar) adjustable range, acetal. For use with TAP unit.	Stock	\$19.00
<u>TAP-ACC04</u>	NITRA filter element, replacement, 5 micron particles, ultra high molecular weight polyethylene (UHMWPE). For use with TAP unit.	Stock	\$8.75
<u>TAP-ACC05</u>	NITRA regulator diaphragm, replacement, brass. For use with TAP unit.	Stock	\$9.00
<u>TAP-ACC06</u>	NITRA plug and filter element, replacement, 20 micron particles, acetal. For use with TAP unit.	Stock	\$16.50
<u>TAP-ACC18</u>	NITRA solenoid valve, replacement. For use with TAP-3000 unit.	Stock	\$44.50
<u>TAP-ACC20</u>	NITRA automatic drain valve, replacement, acetal. For use with TAP unit.	Stock	\$53.00
<u>TAP-ACC21</u>	NITRA padlock, replacement, brass. For use with TAP unit.	Stock	\$11.00
<u>TAP-ACC23</u>	NITRA regulator knob, replacement, 7-116 psi (0.5-8 bar) adjustable range, acetal. For use with TAP unit.	Stock	\$1.75
<u>9210101</u>	Metal Work automatic drain, for use with Syntesi Size 1 air prep components. Filter bowl included.	Stock	\$26.50
<u>9210106</u>	Metal Work automatic drain, for use with Syntesi Size 2 air prep components. Filter bowl included.	Stock	\$32.50
<u>9210150</u>	Metal Work particulate filter element, replacement, 5 micron particles, yellow UHMWPE. For use with Syntesi Size 1 filters.	Stock	\$4.25
<u>9210151</u>	Metal Work particulate filter element, replacement, 20 micron particles, white UHMWPE. For use with Syntesi Size 1 filters.	Stock	\$4.25
<u>9210152</u>	Metal Work particulate filter element, replacement, 50 micron particles, blue HDPE. For use with Syntesi Size 1 filters.	Stock	\$4.25
<u>9210160</u>	Metal Work coalescing oil removal filter element, replacement, 0.01 micron particles, borosilicate glass microfiber. For use with Syntesi Size 1 filters.	Stock	\$45.00
<u>9210155</u>	Metal Work particulate filter element, replacement, 5 micron particles, yellow UHMWPE. For use with Syntesi Size 2 filters.	Stock	\$5.50
<u>9210156</u>	Metal Work particulate filter element, replacement, 20 micron particles, white UHMWPE. For use with Syntesi Size 2 filters.	Stock	\$5.50
<u>9210157</u>	Metal Work particulate filter element, replacement, 50 micron particles, blue HDPE. For use with Syntesi Size 2 filters.	Stock	\$5.50
<u>9210165</u>	Metal Work coalescing oil removal filter element, replacement, 0.01 micron particles, borosilicate glass microfiber. For use with Syntesi Size 2 filters.	Stock	\$77.00
<u>9210190</u>	Metal Work regulator spring, 0 to 30 psi range. For use with Syntesi Size 1 regulators.	Stock	\$2.00
<u>9210191</u>	Metal Work regulator spring, 0 to 60 psi range. For use with Syntesi Size 1 regulators.	Stock	\$2.00
<u>9210192</u>	Metal Work regulator spring, 0 to 120 psi range. For use with Syntesi Size 1 regulators.	Stock	\$2.00
<u>9210193</u>	Metal Work regulator spring, 0 to 180 psi range. For use with Syntesi Size 1 regulators.	Stock	\$2.00

<u>9210195</u>	Metal Work regulator spring, 0 to 30 psi range. For use with Syntesi Size 2 regulators.	Stock	\$4.00
<u>9210196</u>	Metal Work regulator spring, 0 to 60 psi range. For use with Syntesi Size 2 regulators.	Stock	\$4.00
<u>9210197</u>	Metal Work regulator spring, 0 to 120 psi range. For use with Syntesi Size 2 regulators.	Stock	\$2.75
<u>9210198</u>	Metal Work regulator spring, 0 to 180 psi range. For use with Syntesi Size 2 regulators.	Stock	\$3.00
<u>88257G4</u>	Metal Work solenoid coil, 12 VDC, 2W, 11mm DIN style wiring plug. For use with Metal Work valves.	Stock	\$11.75
<u>88257G5</u>	Metal Work solenoid coil, 24 VDC, 2W, 11mm DIN style wiring plug. For use with Metal Work valves.	Stock	\$11.75
<u>88257G6</u>	Metal Work solenoid coil, 24 VAC, 3.5VA, 11mm DIN style wiring plug. For use with Metal Work valves.	Stock	\$11.75
<u>88257G7</u>	Metal Work solenoid coil, 110 VAC, 3.5VA, 11mm DIN style wiring plug. For use with Metal Work valves.	Stock	\$11.75
<u>88257G8</u>	Metal Work solenoid coil, 240 VAC, 3.5VA, 11mm DIN style wiring plug. For use with Metal Work valves.	Stock	\$11.75
<u>AFE2-23</u>	NITRA particulate filter element, replacement, 40 micron particles, high-density polyethylene (HDPE). For use with AF-2 series filters or AFR-2 series filter regulators.	Stock	\$1.75
<u>AFE2-33</u>	NITRA particulate filter element, replacement, 40 micron particles, high-density polyethylene (HDPE). For use with AF-3 series filters or AFR-3 series filter regulators.	Stock	\$3.25
<u>AFE2-43</u>	NITRA particulate filter element, replacement, 40 micron particles, high-density polyethylene (HDPE). For use with AF-4 series filters or AFR-4 series filter regulators.	Stock	\$4.75
<u>AFE2-63</u>	NITRA particulate filter element, replacement, 40 micron particles, high-density polyethylene (HDPE). For use with AF-6 series filters or AFR-6 series filter regulators.	Stock	\$12.00
<u>AFE2-21</u>	NITRA particulate filter element, replacement, 5 micron particles, high-density polyethylene (HDPE). For use with AF-2 series filters or AFR-2 series filter regulators.	Stock	\$1.75
<u>AFE2-31</u>	NITRA particulate filter element, replacement, 5 micron particles, high-density polyethylene (HDPE). For use with AF-3 series filters or AFR-3 series filter regulators.	Stock	\$3.25
<u>AFE2-41</u>	NITRA particulate filter element, replacement, 5 micron particles, high-density polyethylene (HDPE). For use with AF-4 series filters or AFR-4 series filter regulators.	Stock	\$4.75
<u>AFE2-61</u>	NITRA particulate filter element, replacement, 5 micron particles, high-density polyethylene (HDPE). For use with AF-6 series filters or AFR-6 series filter regulators.	Stock	\$12.00
<u>AFE-24</u>	NITRA coalescing oil removal filter element, replacement, 0.3 micron particles, borosilicate glass microfiber. For use with AC-2 series coalescing filters.	Stock	\$22.50
<u>AFE-34</u>	NITRA coalescing oil removal filter element, replacement, 0.3 micron particles, borosilicate glass microfiber. For use with AC-3 series coalescing filters.	Stock	\$28.00
<u>AFE-44</u>	NITRA coalescing oil removal filter element, replacement, 0.3 micron particles, borosilicate glass microfiber. For use with AC-4 series coalescing filters.	Stock	\$44.50
<u>AFE-25</u>	NITRA coalescing oil removal filter element, replacement, 0.01 micron particles, borosilicate glass microfiber. For use with AC-2 series coalescing filters.	Stock	\$22.50
<u>AFE-35</u>	NITRA coalescing oil removal filter element, replacement, 0.01 micron particles, borosilicate glass microfiber. For use with AC-3 series coalescing filters.	Stock	\$28.00
<u>AFE-45</u>	NITRA coalescing oil removal filter element, replacement, 0.01 micron particles, borosilicate glass microfiber. For use with AC-4 series coalescing filters.	Stock	\$44.50
<u>820044-50KIT</u>	Norgren coalescing oil removal filter element, replacement, 0.01 micron particles and 0.01 mg/cubic meter oil, polyethylene. For use with Excelon 82 series coalescing filters.	Stock	\$61.00
<u>820041-50KIT</u>	Norgren vapor removal filter element, replacement, 0.003 mg/cubic meter oil, activated carbon. For use with Excelon 82 series vapor removal filters.	Stock	\$61.00
<u>820038-50KIT</u>	Norgren particulate filter element, replacement, 5 micron particles, polypropylene. For use with Excelon 82 series particulate filters.	Stock	\$16.00
<u>820038-51KIT</u>	Norgren particulate filter element, replacement, 40 micron particles, polypropylene. For use with Excelon 82 series particulate filters.	Stock	\$16.00
<u>840044-50KIT</u>	Norgren coalescing oil removal filter element, replacement, 0.01 micron particles and 0.01 mg/cubic meter oil, polyethylene. For use with Excelon 84 series coalescing filters.	Stock	\$88.00
<u>840041-50KIT</u>	Norgren vapor removal filter element, replacement, 0.003 mg/cubic meter oil, activated carbon. For use with Excelon 84 series vapor removal filters.	Stock	\$88.00
<u>840038-50KIT</u>	Norgren particulate filter element, replacement, 5 micron particles, polypropylene. For use with Excelon 84 series particulate filters.	Stock	\$24.50
<u>840038-51KIT</u>	Norgren particulate filter element, replacement, 40 micron particles, polypropylene. For use with Excelon 84 series particulate filters.	Stock	\$24.50
<u>BFE-31</u>	NITRA particulate filter element, replacement, 5 micron particles, polyethylene. For use with BFR-32 series filter regulators.	Stock	\$14.00
<u>BFE-33</u>	NITRA particulate filter element, replacement, 40 micron particles, polyethylene. For use with BFR-32 series filter regulators.	Stock	\$14.00
<u>BFE-41</u>	NITRA particulate filter element, replacement, 5 micron particles, polyethylene. For use with BFR-34 series filter regulators.	Stock	\$14.00

BFE-43	NITRA particulate filter element, replacement, 40 micron particles, polyethylene. For use with BFR-34 series filter regulators.	Stock	\$14.00
End of Arm Tooling Components for Vacuum Pick-and-Place Systems			
10.01.49.00090	Schmalz PXT series single beam gripper framing kit, kit includes Universal Robots and blank flanges, extruded rails and assorted parts.	Stock	\$1,020.00
10.01.49.00091	Schmalz PXT series double beam gripper framing kit, kit includes Universal Robots flange, extruded rails and assorted parts.	Stock	\$1,660.00
10.01.49.00087	Schmalz PXT series structural rail, internal vacuum capable, round, D30-I (30 x 30mm) profile, 1000mm length, anodized aluminum.	Stock	\$57.00
10.01.49.00086	Schmalz PXT series structural rail, internal vacuum capable, round, D30-I (30 x 30mm) profile, 500mm length, anodized aluminum.	Stock	\$43.00
10.01.49.00089	Schmalz PXT series structural rail, half-round, 8D30-I (30 x 25mm) profile, 1000mm length, anodized aluminum.	Stock	\$62.00
10.01.49.00088	Schmalz PXT series structural rail, half-round, 8D30-I (30 x 25mm) profile, 500mm length, anodized aluminum.	Stock	\$46.00
10.01.49.00012	Schmalz PXT series interface flange, single beam. For use with FANUC 31.5mm pitch robot arm. Mounting hardware included.	Stock	\$301.00
10.01.49.00013	Schmalz PXT series interface flange, single beam. For use with FANUC 64mm pitch robot arm. Mounting hardware included.	Stock	\$301.00
10.01.49.00014	Schmalz PXT series interface flange, single beam. For use with Universal Robots 50mm pitch robot arm. Mounting hardware included.	Stock	\$301.00
10.01.49.00015	Schmalz PXT series interface flange, single beam. For use with Yaskawa 63mm pitch robot arm. Mounting hardware included.	Stock	\$301.00
10.01.49.00016	Schmalz PXT series interface flange blank, single beam. For use with robots or other automation devices.	Stock	\$301.00
10.01.49.00024	Schmalz PXT series interface flange, double beam. For use with FANUC 31.5mm pitch robot arm. Mounting hardware included.	Stock	\$433.00
10.01.49.00025	Schmalz PXT series interface flange, double beam. For use with Rethink 40mm pitch robot arm. Mounting hardware included.	Stock	\$433.00
10.01.49.00026	Schmalz PXT series interface flange, double beam. For use with Universal Robots 50mm pitch robot arm. Mounting hardware included.	Stock	\$433.00
10.01.49.00027	Schmalz PXT series interface flange, double beam. For use with Yaskawa 63mm pitch robot arm. Mounting hardware included.	Stock	\$433.00
10.01.49.00028	Schmalz PXT series interface flange, double beam. For use with FANUC 64mm pitch robot arm. Mounting hardware included.	Stock	\$433.00
10.01.49.00029	Schmalz PXT series interface flange, double beam. For use with Yaskawa 80mm pitch robot arm. Mounting hardware included.	Stock	\$433.00
10.01.49.00034	Schmalz PXT series rail connector, cross, internal vacuum capable, aluminum alloy. For use with (2) D30-I profiles.	Stock	\$222.00
25.09.06.00123	Schmalz PXT series rail connector, cross, aluminum alloy. For use with (2) D30-I profiles.	Stock	\$30.00
25.09.06.00131	Schmalz PXT series rail connector, threaded, aluminum alloy. For use with D30-I profile.	Stock	\$31.00
10.01.49.00047	Schmalz PXT series rail connector, tee, aluminum alloy. For use with (2) D30-I profiles.	Stock	\$23.00
25.09.06.00121	Schmalz PXT series rail connector, parallel, aluminum alloy. For use with (2) D30-I profiles.	Stock	\$15.00
25.09.06.00122	Schmalz PXT series tube clamp, aluminum alloy. For use with 30mm round tube.	Stock	\$15.00
10.01.49.00036	Schmalz PXT series suction cup mount, slotted, 5/16in (8mm) push-to-connect vacuum connection, G1/4 female BSPP cup connection, aluminum alloy. For use with D30-I profile.	Stock	\$140.00
10.01.49.00039	Schmalz PXT series suction cup mount, swivel, 5/16in (8mm) push-to-connect vacuum connection, G1/4 female BSPP cup connection, aluminum alloy. For use with D30-I profile.	Stock	\$98.00
10.01.49.00045	Schmalz PXT series suction cup mount, straight, internal vacuum capable, G1/4 female BSPP cup connection, aluminum alloy. For use with D30-I profile.	Stock	\$176.00
10.01.49.00046	Schmalz PXT series suction cup mount, swivel, internal vacuum capable, G1/4 female BSPP cup connection, aluminum alloy. For use with D30-I profile.	Stock	\$231.00
10.01.49.00038	Schmalz PXT series suction cup mount, swivel, aluminum alloy. For use with D30-I profile.	Stock	\$65.00
10.08.02.00589	Schmalz PXT series suction cup connector, straight, 5/16in (8mm) push-to-connect vacuum connection, G1/4 female BSPP cup connection.	Stock	\$48.00
10.01.49.00031	Schmalz PXT series end seal, internal vacuum capable, aluminum alloy. For use with D30-I profile.	Stock	\$39.00
25.09.06.00144	Schmalz PXT series end cap, plastic. Package of 6. For use with D30-I profile.	Stock	\$20.00
25.09.06.00145	Schmalz PXT series end cap, plastic. Package of 6. For use with 8D30-I profile.	Stock	\$20.00
25.09.06.00143	Schmalz PXT series tubing holder, plastic. Package of 10.	Stock	\$19.50

10.01.49.00057	Schmalz PXT series drilling fixture, internal vacuum capable, 8mm, aluminum alloy. For use with 8mm drill bushing.	Stock	\$73.00
10.01.49.00044	Schmalz PXT series drill bushing, internal vacuum capable, 8mm, steel. For use with M16x1 threaded hole.	Stock	\$33.50
Vacuum Suction Cups			
10.01.01.13240	Schmalz vacuum suction cup, flat, round, 20mm, Elastodur, G1/8 male BSPP.	Stock	\$12.50
10.01.01.13244	Schmalz vacuum suction cup, flat, round, 30mm, Elastodur, G1/8 male BSPP.	Stock	\$14.00
10.01.01.13246	Schmalz vacuum suction cup, flat, round, 40mm, Elastodur, G1/4 male BSPP.	Stock	\$20.00
10.01.01.13248	Schmalz vacuum suction cup, flat, round, 50mm, Elastodur, G1/4 male BSPP.	Stock	\$22.00
10.01.06.03489	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 10mm, Elastodur, M5 male.	Stock	\$13.00
10.01.06.03492	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 20mm, Elastodur, G1/8 male BSPP.	Stock	\$14.50
10.01.06.03496	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 30mm, Elastodur, G1/8 male BSPP.	Stock	\$17.50
10.01.06.03498	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 40mm, Elastodur, G1/4 male BSPP.	Stock	\$23.00
10.01.06.03500	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 50mm, Elastodur, G1/4 male BSPP.	Stock	\$26.00
10.01.06.03502	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 60mm, Elastodur, G1/4 male BSPP.	Stock	\$28.00
10.01.06.03453	Schmalz vacuum suction cup, bellows, round, 2 fold(s), 20mm, Elastodur, G1/8 male BSPP.	Stock	\$18.00
10.01.06.03457	Schmalz vacuum suction cup, bellows, round, 2 fold(s), 30mm, Elastodur, G1/8 male BSPP.	Stock	\$21.50
10.01.06.03459	Schmalz vacuum suction cup, bellows, round, 2 fold(s), 40mm, Elastodur, G1/4 male BSPP.	Stock	\$27.50
10.01.06.03461	Schmalz vacuum suction cup, bellows, round, 2 fold(s), 50mm, Elastodur, G1/4 male BSPP.	Stock	\$33.00
10.01.01.12370	Schmalz vacuum suction cup, replacement, flat, round, 20mm, Elastodur.	Stock	\$7.75
10.01.01.12372	Schmalz vacuum suction cup, replacement, flat, round, 30mm, Elastodur.	Stock	\$9.25
10.01.01.12373	Schmalz vacuum suction cup, replacement, flat, round, 40mm, Elastodur.	Stock	\$12.50
10.01.01.12374	Schmalz vacuum suction cup, replacement, flat, round, 50mm, Elastodur.	Stock	\$14.50
10.01.06.02782	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 10mm, Elastodur.	Stock	\$7.75
10.01.06.02452	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 20mm, Elastodur.	Stock	\$9.25
10.01.06.02454	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 30mm, Elastodur.	Stock	\$12.00
10.01.06.02455	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 40mm, Elastodur.	Stock	\$14.50
10.01.06.02456	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 50mm, Elastodur.	Stock	\$18.00
10.01.06.02457	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 60mm, Elastodur.	Stock	\$20.00
10.01.06.03409	Schmalz vacuum suction cup, replacement, bellows, round, 2 fold(s), 20mm, Elastodur.	Stock	\$13.00
10.01.06.03411	Schmalz vacuum suction cup, replacement, bellows, round, 2 fold(s), 30mm, Elastodur.	Stock	\$17.00
10.01.06.03412	Schmalz vacuum suction cup, replacement, bellows, round, 2 fold(s), 40mm, Elastodur.	Stock	\$20.50
10.01.06.03413	Schmalz vacuum suction cup, replacement, bellows, round, 2 fold(s), 50mm, Elastodur.	Stock	\$25.50
10.01.06.00384	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 14mm, silicone, G1/8 male BSPP.	Stock	\$12.50
10.01.06.00393	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 20mm, silicone, G1/8 male BSPP.	Stock	\$13.50
10.01.06.00091	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 33mm, silicone, G1/4 male BSPP.	Stock	\$16.50
10.01.06.00092	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 43mm, silicone, G1/4 male BSPP.	Stock	\$19.00
10.01.06.00093	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 53mm, silicone, G1/4 male BSPP.	Stock	\$23.50
10.01.06.00686	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 63mm, silicone, G1/4 male BSPP.	Stock	\$31.00
10.01.06.03515	Schmalz vacuum suction cup, bellows, round, 4 fold(s), 20mm, silicone, G1/4 male BSPP.	Stock	\$22.00
10.01.06.03521	Schmalz vacuum suction cup, bellows, round, 4 fold(s), 30mm, silicone, G1/4 male BSPP.	Stock	\$24.50
10.01.06.03526	Schmalz vacuum suction cup, bellows, round, 4 fold(s), 40mm, silicone, G1/4 male BSPP.	Stock	\$32.00
10.01.06.03532	Schmalz vacuum suction cup, bellows, round, 4 fold(s), 50mm, silicone, G1/4 male BSPP.	Stock	\$42.00

<u>10.01.06.00371</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 14mm, silicone.	Stock	\$9.00
<u>10.01.06.00374</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 20mm, silicone.	Stock	\$10.00
<u>10.01.06.00126</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 33mm, silicone.	Stock	\$10.50
<u>10.01.06.00127</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 43mm, silicone.	Stock	\$13.50
<u>10.01.06.00128</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 53mm, silicone.	Stock	\$17.50
<u>10.01.06.00689</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 63mm, silicone.	Stock	\$25.00
<u>10.01.06.02588</u>	Schmalz vacuum suction cup, replacement, bellows, round, 4 fold(s), 20mm, silicone.	Stock	\$15.50
<u>10.01.06.02589</u>	Schmalz vacuum suction cup, replacement, bellows, round, 4 fold(s), 30mm, silicone.	Stock	\$18.00
<u>10.01.06.02590</u>	Schmalz vacuum suction cup, replacement, bellows, round, 4 fold(s), 40mm, silicone.	Stock	\$24.00
<u>10.01.06.02613</u>	Schmalz vacuum suction cup, replacement, bellows, round, 4 fold(s), 50mm, silicone.	Stock	\$34.00
<u>10.01.06.00381</u>	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 14mm, nitrile rubber, G1/8 male BSPP.	Stock	\$9.00
<u>10.01.06.00390</u>	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 20mm, nitrile rubber, G1/8 male BSPP.	Stock	\$10.50
<u>10.01.06.00081</u>	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 33mm, nitrile rubber, G1/4 male BSPP.	Stock	\$14.00
<u>10.01.06.00082</u>	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 43mm, nitrile rubber, G1/4 male BSPP.	Stock	\$16.50
<u>10.01.06.00083</u>	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 53mm, nitrile rubber, G1/4 male BSPP.	Stock	\$18.50
<u>10.01.06.00685</u>	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 63mm, nitrile rubber, G1/4 male BSPP.	Stock	\$23.50
<u>10.01.06.00084</u>	Schmalz vacuum suction cup, bellows, round, 1 fold(s), 78mm, nitrile rubber, G1/4 male BSPP.	Stock	\$28.00
<u>10.01.06.00370</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 14mm, nitrile rubber.	Stock	\$5.75
<u>10.01.06.00373</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 20mm, nitrile rubber.	Stock	\$7.25
<u>10.01.06.00130</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 33mm, nitrile rubber.	Stock	\$7.50
<u>10.01.06.00131</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 43mm, nitrile rubber.	Stock	\$10.50
<u>10.01.06.00132</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 53mm, nitrile rubber.	Stock	\$13.00
<u>10.01.06.00688</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 63mm, nitrile rubber.	Stock	\$17.50
<u>10.01.06.00133</u>	Schmalz vacuum suction cup, replacement, bellows, round, 1 fold(s), 78mm, nitrile rubber.	Stock	\$22.50
Vacuum Ejectors			
<u>10.02.01.01605</u>	Schmalz basic vacuum ejector, 500.0 l/min (17.7 cfm) suction rate, 3/8in female NPT inlet(s), 3/4in female NPT vacuum port.	Stock	\$452.00
<u>10.02.01.01606</u>	Schmalz basic vacuum ejector, 860.0 l/min (30.4 cfm) suction rate, 3/8in female NPT inlet(s), 1in female NPT vacuum port.	Stock	\$748.00
<u>10.02.01.01597</u>	Schmalz basic vacuum ejector, 500.0 l/min (17.7 cfm) suction rate, G3/8 female BSPP inlet(s), G3/4 female BSPP vacuum port.	Stock	\$452.00
<u>10.02.01.01598</u>	Schmalz basic vacuum ejector, 860.0 l/min (30.4 cfm) suction rate, G3/8 female BSPP inlet(s), G1 female BSPP vacuum port.	Stock	\$748.00
<u>10.02.01.01962</u>	Schmalz basic vacuum ejector, 308.8 l/min (10.9 cfm) suction rate, G1/4 female BSPP inlet(s), G3/8 female BSPP vacuum port.	Stock	\$233.00
<u>10.02.01.01517</u>	Schmalz silencer, plastic. For use with SBP-HV-3-16-22-KU ejector.	Stock	\$8.50
<u>10.02.01.00565</u>	Schmalz basic vacuum ejector, 37.7 l/min (1.3 cfm) suction rate, 6mm push-to-connect inlet(s), 8mm push-to-connect vacuum port.	Stock	\$50.00
<u>10.02.01.00566</u>	Schmalz basic vacuum ejector, 71.0 l/min (2.5 cfm) suction rate, 6mm push-to-connect inlet(s), 8mm push-to-connect vacuum port.	Stock	\$54.00
<u>10.02.02.04116</u>	Schmalz compact vacuum ejector, 65.5 l/min (2.3 cfm) suction rate, G1/8 female BSPP inlet(s), G1/8 female BSPP vacuum port, air saving.	Stock	\$745.00
Accessories for Pneumatic Vacuum Products			
<u>10.01.02.00608</u>	Schmalz spring plunger, M5 female cup connection, M5 female vacuum connection, 10mm (0.39in) stroke.	Stock	\$66.00
<u>10.01.02.00609</u>	Schmalz spring plunger, M5 female cup connection, M5 female vacuum connection, 20mm (0.79in) stroke.	Stock	\$69.00
<u>10.01.02.00603</u>	Schmalz spring plunger, G1/8 male BSPP cup connection, G1/8 female BSPP vacuum connection, 25mm (0.98in) stroke.	Stock	\$78.00
<u>10.01.02.00604</u>	Schmalz spring plunger, G1/8 male BSPP cup connection, G1/8 female BSPP vacuum connection, 50mm (1.97in) stroke.	Stock	\$80.00

<u>10.01.02.00567</u>	Schmalz spring plunger, G1/4 male BSPP cup connection, female G1/8 BSPP vacuum connection, 25mm (0.98in) stroke.	Stock	\$88.00
<u>10.01.02.00568</u>	Schmalz spring plunger, G1/4 male BSPP cup connection, female G1/8 BSPP vacuum connection, 50mm (1.97in) stroke.	Stock	\$91.00
<u>10.08.05.00125</u>	Schmalz coupling, G1/8 female BSPP to G1/8 female BSPP.	Stock	\$4.00
<u>10.08.05.00126</u>	Schmalz coupling, G1/4 female BSPP to G1/4 female BSPP.	Stock	\$5.00
Miniature Pneumatic (Air) Manual Valves			
<u>GVS-3C1F-TD</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., toggle style actuator, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), vent hole exhaust(s), Cv=0.42, through panel mount.	Stock	\$32.00
<u>GVS-3C1F-PB</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., pushbutton, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), (1) vent hole exhaust(s), Cv=0.42, through panel mount.	Stock	\$28.00
<u>GVS-3CS1F-TD</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., toggle style actuator, detented, side ports, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.42, through panel mount.	Stock	\$40.50
<u>GVS-3CS1F-PB</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., pushbutton, spring return, side ports, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.42, through panel mount.	Stock	\$38.50
<u>GVS-331F-TD</u>	NITRA pneumatic manual valve, 3-port (3-way), 3-position, center exhaust, toggle style actuator, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), (1) vent hole exhaust(s), Cv=0.54, through panel mount.	Stock	\$73.00
<u>GVS-331F-TM</u>	NITRA pneumatic manual valve, 3-port (3-way), 3-position, center exhaust, toggle style actuator, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), (1) vent hole exhaust(s), Cv=0.54, through panel mount.	Stock	\$73.00
<u>GVS-231F-TD</u>	NITRA pneumatic manual valve, 2-way, 3-position, center closed, toggle style actuator, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.54, through panel mount.	Stock	\$73.00
<u>GVS-231F-TM</u>	NITRA pneumatic manual valve, 2-way, 3-position, center closed, toggle style actuator, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.54, through panel mount.	Stock	\$77.00
<u>GV-BKT</u>	NITRA 90 degree mounting bracket, plated steel. For use with all GVP and GVS valves.	Stock	\$3.75
<u>GV-CAM</u>	NITRA roller cam actuator, for use with all GVP and GVS valves.	Stock	\$16.00
<u>GV-TMB</u>	NITRA thumb actuator, for use with all GVP and GVS valves.	Stock	\$15.00
NITRA Bronze Pneumatic Exhaust Silencers			
<u>SBC-18N</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, 1/8in male NPT. Package of 2.	Stock	\$3.50
<u>SBC-14N</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, 1/4in male NPT. Package of 2.	Stock	\$4.75
<u>SBC-38N</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, 3/8in male NPT. Package of 2.	Stock	\$6.75
<u>SBC-12N</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, 1/2in male NPT. Package of 2.	Stock	\$12.50
<u>SBC-M5</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, M5 x 0.8 male ISO. Package of 2.	Stock	\$2.50
<u>SBC-18R</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, R1/8 male BSPT. Package of 2.	Stock	\$3.50
<u>SBC-14R</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, R1/4 male BSPT. Package of 2.	Stock	\$4.00
<u>SBC-38R</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, R3/8 male BSPT. Package of 2.	Stock	\$6.00
<u>SBC-12R</u>	NITRA pneumatic exhaust silencer, sintered bronze, cone, R1/2 male BSPT. Package of 2.	Stock	\$10.50
<u>SBF-18N</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, 1/8in male NPT. Package of 2.	Stock	\$3.50
<u>SBF-14N</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, 1/4in male NPT. Package of 2.	Stock	\$4.25
<u>SBF-38N</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, 3/8in male NPT. Package of 2.	Stock	\$7.25
<u>SBF-12N</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, 1/2in male NPT. Package of 2.	Stock	\$11.00
<u>SBF-M5</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, M5 x 0.8 male ISO. Package of 2.	Stock	\$2.50
<u>SBF-18R</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, R1/8 male BSPT. Package of 2.	Stock	\$3.50
<u>SBF-14R</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, R1/4 male BSPT. Package of 2.	Stock	\$4.00
<u>SBF-38R</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, R3/8 male BSPT. Package of 2.	Stock	\$6.25
<u>SBF-12R</u>	NITRA pneumatic exhaust silencer, sintered bronze, flat, R1/2 male BSPT. Package of 2.	Stock	\$11.00

NITRA Plastic Pneumatic Exhaust Silencers			
SPL-18N	NITRA pneumatic exhaust silencer, plastic, cylindrical, 1/8in male NPT. Package of 2.	Stock	\$2.75
SPL-14N	NITRA pneumatic exhaust silencer, plastic, cylindrical, 1/4in male NPT. Package of 2.	Stock	\$3.00
SPL-38N	NITRA pneumatic exhaust silencer, plastic, cylindrical, 3/8in male NPT. Package of 2.	Stock	\$3.50
SPL-12N	NITRA pneumatic exhaust silencer, plastic, cylindrical, 1/2in male NPT. Package of 2.	Stock	\$3.50
SPL-18R	NITRA pneumatic exhaust silencer, plastic, cylindrical, 1/8in male BSPT. Package of 2.	Stock	\$2.75
SPL-14R	NITRA pneumatic exhaust silencer, plastic, cylindrical, 1/4in male BSPT. Package of 2.	Stock	\$3.00
SPL-38R	NITRA pneumatic exhaust silencer, plastic, cylindrical, 3/8in male BSPT. Package of 2.	Stock	\$3.50
SPL-12R	NITRA pneumatic exhaust silencer, plastic, cylindrical, 1/2in male BSPT. Package of 2.	Stock	\$3.50
NITRA High-flow Aluminum Pneumatic Exhaust Silencers			
HVM-18N	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=2, 1/8in male NPT.	Stock	\$24.50
HVM-14N	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=2.7, 1/4in male NPT.	Stock	\$24.50
HVM-38N	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=3.2, 3/8in male NPT.	Stock	\$24.50
HVM-38N-H	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=4.9, 3/8in male NPT.	Stock	\$32.50
HVM-12N	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=5.9, 1/2in male NPT.	Stock	\$34.00
HVM-34N	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=5.9, 3/4in male NPT.	Stock	\$32.50
HVM-34N-H	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=13.5, 3/4in male NPT.	Stock	\$69.00
HVM-1N	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=16.7, 1in male NPT.	Stock	\$69.00
HVM-114N	NITRA pneumatic exhaust silencer, aluminum, cylindrical, Cv=17.4, 1-1/4in male NPT.	Stock	\$69.00
Non-repairable Pneumatic Air Cylinders			
A07005SN	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 1/2in stroke, single acting, front nose mount.	Stock	\$19.50
A07010SN	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 1in stroke, single acting, front nose mount.	Stock	\$21.50
A07015SN	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 1-1/2in stroke, single acting, front nose mount.	Stock	\$23.00
A07020SN	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 2in stroke, single acting, front nose mount.	Stock	\$24.50
A07005SP	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 1/2in stroke, single acting, rear pivot mount.	Stock	\$25.00
A07010SP	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 1in stroke, single acting, rear pivot mount.	Stock	\$27.50
A07015SP	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 1-1/2in stroke, single acting, rear pivot mount.	Stock	\$24.00
A07020SP	NITRA pneumatic cylinder, non-repairable, 7/16in bore, 3/16in rod diameter, 2in stroke, single acting, rear pivot mount.	Stock	\$30.50
A09005SN	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 1/2in stroke, single acting, front nose mount.	Stock	\$21.00
A09010SN	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 1in stroke, single acting, front nose mount.	Stock	\$18.50
A09020SN	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 2in stroke, single acting, front nose mount.	Stock	\$22.00
A09030SN	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 3in stroke, single acting, front nose mount.	Stock	\$24.50
A09005SD	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 1/2in stroke, single acting, double end mount.	Stock	\$26.50
A09010SD	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 1in stroke, single acting, double end mount.	Stock	\$23.50
A09020SD	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 2in stroke, single acting, double end mount.	Stock	\$27.00
A09030SD	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 3in stroke, single acting, double end mount.	Stock	\$29.50

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>A24080DP</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 8in stroke, double acting, rear pivot mount.	Stock	\$99.00
<u>A24090DP</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 9in stroke, double acting, rear pivot mount.	Stock	\$102.00
<u>A24100DP</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 10in stroke, double acting, rear pivot mount.	Stock	\$108.00
<u>A24120DP</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 12in stroke, double acting, rear pivot mount.	Stock	\$115.00
<u>A32010DN</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 1in stroke, double acting, front nose mount.	Stock	\$93.00
<u>A32020DN</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 2in stroke, double acting, front nose mount.	Stock	\$96.00
<u>A32030DN</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 3in stroke, double acting, front nose mount.	Stock	\$102.00
<u>A32040DN</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 4in stroke, double acting, front nose mount.	Stock	\$107.00
<u>A32050DN</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 5in stroke, double acting, front nose mount.	Stock	\$112.00
<u>A32060DN</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 6in stroke, double acting, front nose mount.	Stock	\$117.00
<u>A32010DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 1in stroke, double acting, double end mount.	Stock	\$111.00
<u>A32020DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 2in stroke, double acting, double end mount.	Stock	\$115.00
<u>A32030DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 3in stroke, double acting, double end mount.	Stock	\$119.00
<u>A32040DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 4in stroke, double acting, double end mount.	Stock	\$125.00
<u>A32050DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 5in stroke, double acting, double end mount.	Stock	\$130.00
<u>A32060DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 6in stroke, double acting, double end mount.	Stock	\$136.00
<u>A32070DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 7in stroke, double acting, double end mount.	Stock	\$140.00
<u>A32080DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 8in stroke, double acting, double end mount.	Stock	\$111.00
<u>A32100DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 10in stroke, double acting, double end mount.	Stock	\$157.00
<u>A32120DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 12in stroke, double acting, double end mount.	Stock	\$165.00
<u>A32140DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 14in stroke, double acting, double end mount.	Stock	\$176.00
<u>A32160DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 16in stroke, double acting, double end mount.	Stock	\$185.00
<u>A32180DD</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 18in stroke, double acting, double end mount.	Stock	\$196.00
<u>A09010DD-M</u>	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 1in stroke, double acting, magnetic piston, double end mount.	Stock	\$40.50
<u>A09020DD-M</u>	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 2in stroke, double acting, magnetic piston, double end mount.	Stock	\$42.50
<u>A09030DD-M</u>	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 3in stroke, double acting, magnetic piston, double end mount.	Stock	\$45.00
<u>A09040DD-M</u>	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 4in stroke, double acting, magnetic piston, double end mount.	Stock	\$47.00
<u>A09060DD-M</u>	NITRA pneumatic cylinder, non-repairable, 9/16in bore, 3/16in rod diameter, 6in stroke, double acting, magnetic piston, double end mount.	Stock	\$51.00
<u>A12010DP-M</u>	NITRA pneumatic cylinder, non-repairable, 3/4in bore, 1/4in rod diameter, 1in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$47.50
<u>A12020DP-M</u>	NITRA pneumatic cylinder, non-repairable, 3/4in bore, 1/4in rod diameter, 2in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$51.00
<u>A12030DP-M</u>	NITRA pneumatic cylinder, non-repairable, 3/4in bore, 1/4in rod diameter, 3in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$54.00
<u>A12040DP-M</u>	NITRA pneumatic cylinder, non-repairable, 3/4in bore, 1/4in rod diameter, 4in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$56.00

[illegible]

<u>A24060DP-M</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 6in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$113.00
<u>A24070DP-M</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 7in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$118.00
<u>A24080DP-M</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 8in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$123.00
<u>A24090DP-M</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 9in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$127.00
<u>A24100DP-M</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 10in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$131.00
<u>A24120DP-M</u>	NITRA pneumatic cylinder, non-repairable, 1-1/2in bore, 7/16in rod diameter, 12in stroke, double acting, magnetic piston, rear pivot mount.	Stock	\$140.00
<u>A32010DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 1in stroke, double acting, magnetic piston, double end mount.	Stock	\$139.00
<u>A32020DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 2in stroke, double acting, magnetic piston, double end mount.	Stock	\$143.00
<u>A32030DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 3in stroke, double acting, magnetic piston, double end mount.	Stock	\$149.00
<u>A32040DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 4in stroke, double acting, magnetic piston, double end mount.	Stock	\$153.00
<u>A32050DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 5in stroke, double acting, magnetic piston, double end mount.	Stock	\$159.00
<u>A32060DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 6in stroke, double acting, magnetic piston, double end mount.	Stock	\$164.00
<u>A32070DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 7in stroke, double acting, magnetic piston, double end mount.	Stock	\$170.00
<u>A32080DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 8in stroke, double acting, magnetic piston, double end mount.	Stock	\$130.00
<u>A32100DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 10in stroke, double acting, magnetic piston, double end mount.	Stock	\$184.00
<u>A32120DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 12in stroke, double acting, magnetic piston, double end mount.	Stock	\$194.00
<u>A32140DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 14in stroke, double acting, magnetic piston, double end mount.	Stock	\$153.00
<u>A32160DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 16in stroke, double acting, magnetic piston, double end mount.	Stock	\$214.00
<u>A32180DD-M</u>	NITRA pneumatic cylinder, non-repairable, 2in bore, 5/8in rod diameter, 18in stroke, double acting, magnetic piston, double end mount.	Stock	\$224.00
Compact Pneumatic Air Cylinders			
<u>C090025D</u>	NITRA pneumatic cylinder, compact, 9/16in bore, 1/4in rod diameter, 1/4in stroke, double acting, counter-bored holes mount.	Stock	\$59.00
<u>C09005D</u>	NITRA pneumatic cylinder, compact, 9/16in bore, 1/4in rod diameter, 1/2in stroke, double acting, counter-bored holes mount.	Stock	\$59.00
<u>C12005D</u>	NITRA pneumatic cylinder, compact, 3/4in bore, 5/16in rod diameter, 1/2in stroke, double acting, counter-bored holes mount.	Stock	\$61.00
<u>C120075D</u>	NITRA pneumatic cylinder, compact, 3/4in bore, 5/16in rod diameter, 3/4in stroke, double acting, counter-bored holes mount.	Stock	\$62.00
<u>C12010D</u>	NITRA pneumatic cylinder, compact, 3/4in bore, 5/16in rod diameter, 1in stroke, double acting, counter-bored holes mount.	Stock	\$64.00
<u>C12015D</u>	NITRA pneumatic cylinder, compact, 3/4in bore, 5/16in rod diameter, 1-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$66.00
<u>C170025D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 1/4in stroke, double acting, counter-bored holes mount.	Stock	\$78.00
<u>C17005D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 1/2in stroke, double acting, counter-bored holes mount.	Stock	\$78.00
<u>C170075D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 3/4in stroke, double acting, counter-bored holes mount.	Stock	\$78.00
<u>C17010D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 1in stroke, double acting, counter-bored holes mount.	Stock	\$80.00
<u>C17015D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 1-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$81.00
<u>C17020D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 2in stroke, double acting, counter-bored holes mount.	Stock	\$83.00

<u>C17025D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 2-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$85.00
<u>C17030D</u>	NITRA pneumatic cylinder, compact, 1-1/16in bore, 1/2in rod diameter, 3in stroke, double acting, counter-bored holes mount.	Stock	\$90.00
<u>C24005D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 1/2in stroke, double acting, counter-bored holes mount.	Stock	\$95.00
<u>C240075D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 3/4in stroke, double acting, counter-bored holes mount.	Stock	\$95.00
<u>C24010D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 1in stroke, double acting, counter-bored holes mount.	Stock	\$96.00
<u>C24015D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 1-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$100.00
<u>C24020D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 2in stroke, double acting, counter-bored holes mount.	Stock	\$104.00
<u>C24025D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 2-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$107.00
<u>C24030D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 3in stroke, double acting, counter-bored holes mount.	Stock	\$112.00
<u>C24035D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 3-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$116.00
<u>C24040D</u>	NITRA pneumatic cylinder, compact, 1-1/2in bore, 5/8in rod diameter, 4in stroke, double acting, counter-bored holes mount.	Stock	\$119.00
<u>C32005D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 1/2in stroke, double acting, counter-bored holes mount.	Stock	\$112.00
<u>C320075D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 3/4in stroke, double acting, counter-bored holes mount.	Stock	\$113.00
<u>C32010D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 1in stroke, double acting, counter-bored holes mount.	Stock	\$114.00
<u>C32015D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 1-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$120.00
<u>C32020D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 2in stroke, double acting, counter-bored holes mount.	Stock	\$127.00
<u>C32025D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 2-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$131.00
<u>C32030D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 3in stroke, double acting, counter-bored holes mount.	Stock	\$137.00
<u>C32035D</u>	NITRA pneumatic cylinder, compact, 2in bore, 3/4in rod diameter, 3-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$143.00
<u>C40005D</u>	NITRA pneumatic cylinder, compact, 2-1/2in bore, 3/4in rod diameter, 1/2in stroke, double acting, counter-bored holes mount.	Stock	\$142.00
<u>C40010D</u>	NITRA pneumatic cylinder, compact, 2-1/2in bore, 3/4in rod diameter, 1in stroke, double acting, counter-bored holes mount.	Stock	\$148.00
<u>C40020D</u>	NITRA pneumatic cylinder, compact, 2-1/2in bore, 3/4in rod diameter, 2in stroke, double acting, counter-bored holes mount.	Stock	\$157.00
<u>C40025D</u>	NITRA pneumatic cylinder, compact, 2-1/2in bore, 3/4in rod diameter, 2-1/2in stroke, double acting, counter-bored holes mount.	Stock	\$166.00
<u>C48005D</u>	NITRA pneumatic cylinder, compact, 3in bore, 3/4in rod diameter, 1/2in stroke, double acting, counter-bored holes mount.	Stock	\$170.00
<u>C48010D</u>	NITRA pneumatic cylinder, compact, 3in bore, 3/4in rod diameter, 1in stroke, double acting, counter-bored holes mount.	Stock	\$173.00

NFPA Tie Rod Pneumatic Air Cylinders

<u>D224010DT-M</u>	NITRA pneumatic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 1in stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$231.00
<u>D224010DT-MC</u>	NITRA pneumatic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 1in stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$319.00
<u>D224020DT-M</u>	NITRA pneumatic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 2in stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$239.00
<u>D224020DT-MC</u>	NITRA pneumatic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 2in stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$326.00
<u>D224030DT-M</u>	NITRA pneumatic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 3in stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$246.00
<u>D224030DT-MC</u>	NITRA pneumatic cylinder, NFPA tie rod, 1-1/2in bore, 5/8in rod diameter, 3in stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$334.00

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>D264280DT-MC</u>	NITRA pneumatic cylinder, NFPA tie rod, 4in bore, 1in rod diameter, 28in stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$937.00
<u>D264320DT-M</u>	NITRA pneumatic cylinder, NFPA tie rod, 4in bore, 1in rod diameter, 32in stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$862.00
<u>D264320DT-MC</u>	NITRA pneumatic cylinder, NFPA tie rod, 4in bore, 1in rod diameter, 32in stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$993.00
Dual Guide Rod Pneumatic Air Cylinders			
<u>E12M010MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 10mm stroke, double acting, magnetic piston, universal mount.	Stock	\$204.00
<u>E12M020MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 20mm stroke, double acting, magnetic piston, universal mount.	Stock	\$159.00
<u>E12M025MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 25mm stroke, double acting, magnetic piston, universal mount.	Stock	\$159.00
<u>E12M030MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 30mm stroke, double acting, magnetic piston, universal mount.	Stock	\$219.00
<u>E12M040MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 40mm stroke, double acting, magnetic piston, universal mount.	Stock	\$219.00
<u>E12M050MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 50mm stroke, double acting, magnetic piston, universal mount.	Stock	\$171.00
<u>E12M075MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 75mm stroke, double acting, magnetic piston, universal mount.	Stock	\$226.00
<u>E12M100MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 100mm stroke, double acting, magnetic piston, universal mount.	Stock	\$237.00
<u>E12M125MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 125mm stroke, double acting, magnetic piston, universal mount.	Stock	\$194.00
<u>E12M150MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 12mm bore, 6mm rod diameter, 150mm stroke, double acting, magnetic piston, universal mount.	Stock	\$262.00
<u>E16M010MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 10mm stroke, double acting, magnetic piston, universal mount.	Stock	\$247.00
<u>E16M020MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 20mm stroke, double acting, magnetic piston, universal mount.	Stock	\$229.00
<u>E16M025MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 25mm stroke, double acting, magnetic piston, universal mount.	Stock	\$246.00
<u>E16M030MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 30mm stroke, double acting, magnetic piston, universal mount.	Stock	\$246.00
<u>E16M040MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 40mm stroke, double acting, magnetic piston, universal mount.	Stock	\$246.00
<u>E16M050MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 50mm stroke, double acting, magnetic piston, universal mount.	Stock	\$246.00
<u>E16M075MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 75mm stroke, double acting, magnetic piston, universal mount.	Stock	\$260.00
<u>E16M100MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 100mm stroke, double acting, magnetic piston, universal mount.	Stock	\$286.00
<u>E16M125MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 125mm stroke, double acting, magnetic piston, universal mount.	Stock	\$308.00
<u>E16M150MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 150mm stroke, double acting, magnetic piston, universal mount.	Stock	\$249.00
<u>E16M175MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 175mm stroke, double acting, magnetic piston, universal mount.	Stock	\$334.00
<u>E16M200MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 16mm bore, 8mm rod diameter, 200mm stroke, double acting, magnetic piston, universal mount.	Stock	\$337.00
<u>E20M020MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 20mm bore, 10mm rod diameter, 20mm stroke, double acting, magnetic piston, universal mount.	Stock	\$278.00
<u>E20M025MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 20mm bore, 10mm rod diameter, 25mm stroke, double acting, magnetic piston, universal mount.	Stock	\$293.00
<u>E20M030MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 20mm bore, 10mm rod diameter, 30mm stroke, double acting, magnetic piston, universal mount.	Stock	\$293.00
<u>E20M040MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 20mm bore, 10mm rod diameter, 40mm stroke, double acting, magnetic piston, universal mount.	Stock	\$230.00
<u>E20M050MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 20mm bore, 10mm rod diameter, 50mm stroke, double acting, magnetic piston, universal mount.	Stock	\$293.00
<u>E20M075MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 20mm bore, 10mm rod diameter, 75mm stroke, double acting, magnetic piston, universal mount.	Stock	\$318.00

[illegible]

<u>E40M050MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 50mm stroke, double acting, magnetic piston, universal mount.	Stock	\$463.00
<u>E40M075MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 75mm stroke, double acting, magnetic piston, universal mount.	Stock	\$392.00
<u>E40M100MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 100mm stroke, double acting, magnetic piston, universal mount.	Stock	\$413.00
<u>E40M125MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 125mm stroke, double acting, magnetic piston, universal mount.	Stock	\$567.00
<u>E40M150MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 150mm stroke, double acting, magnetic piston, universal mount.	Stock	\$601.00
<u>E40M175MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 175mm stroke, double acting, magnetic piston, universal mount.	Stock	\$622.00
<u>E40M200MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 200mm stroke, double acting, magnetic piston, universal mount.	Stock	\$658.00
<u>E40M250MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 40mm bore, 16mm rod diameter, 250mm stroke, double acting, magnetic piston, universal mount.	Stock	\$724.00
<u>E50M025MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 25mm stroke, double acting, magnetic piston, universal mount.	Stock	\$497.00
<u>E50M030MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 30mm stroke, double acting, magnetic piston, universal mount.	Stock	\$544.00
<u>E50M040MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 40mm stroke, double acting, magnetic piston, universal mount.	Stock	\$544.00
<u>E50M050MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 50mm stroke, double acting, magnetic piston, universal mount.	Stock	\$544.00
<u>E50M075MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 75mm stroke, double acting, magnetic piston, universal mount.	Stock	\$573.00
<u>E50M100MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 100mm stroke, double acting, magnetic piston, universal mount.	Stock	\$612.00
<u>E50M125MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 125mm stroke, double acting, magnetic piston, universal mount.	Stock	\$652.00
<u>E50M150MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 150mm stroke, double acting, magnetic piston, universal mount.	Stock	\$647.00
<u>E50M175MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 175mm stroke, double acting, magnetic piston, universal mount.	Stock	\$565.00
<u>E50M200MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 200mm stroke, double acting, magnetic piston, universal mount.	Stock	\$767.00
<u>E50M250MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 50mm bore, 20mm rod diameter, 250mm stroke, double acting, magnetic piston, universal mount.	Stock	\$869.00
<u>E63M025MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 25mm stroke, double acting, magnetic piston, universal mount.	Stock	\$528.00
<u>E63M030MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 30mm stroke, double acting, magnetic piston, universal mount.	Stock	\$563.00
<u>E63M040MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 40mm stroke, double acting, magnetic piston, universal mount.	Stock	\$563.00
<u>E63M050MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 50mm stroke, double acting, magnetic piston, universal mount.	Stock	\$563.00
<u>E63M075MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 75mm stroke, double acting, magnetic piston, universal mount.	Stock	\$610.00
<u>E63M100MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 100mm stroke, double acting, magnetic piston, universal mount.	Stock	\$638.00
<u>E63M125MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 125mm stroke, double acting, magnetic piston, universal mount.	Stock	\$676.00
<u>E63M150MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 150mm stroke, double acting, magnetic piston, universal mount.	Stock	\$724.00
<u>E63M175MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 175mm stroke, double acting, magnetic piston, universal mount.	Stock	\$749.00
<u>E63M200MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 200mm stroke, double acting, magnetic piston, universal mount.	Stock	\$803.00
<u>E63M250MD-M</u>	NITRA pneumatic cylinder, dual guide rod, 63mm bore, 20mm rod diameter, 250mm stroke, double acting, magnetic piston, universal mount.	Stock	\$863.00
Stainless Steel Non-repairable Pneumatic Air Cylinders			
<u>F12005DN</u>	NITRA pneumatic cylinder, all stainless steel non-repairable, 3/4in bore, 1/4in rod diameter, 1/2in stroke, double acting, front nose mount.	Stock	\$124.00

[illegible]

[illegible]

[illegible]

[illegible]

<u>G63M300MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 63mm bore, 20mm rod diameter, 300mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$147.00
<u>G63M400MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 63mm bore, 20mm rod diameter, 400mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$158.00
<u>G63M500MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 63mm bore, 20mm rod diameter, 500mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$172.00
<u>G63M600MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 63mm bore, 20mm rod diameter, 600mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$184.00
<u>G80M025MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 25mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$131.00
<u>G80M050MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 50mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$135.00
<u>G80M075MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 75mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$139.00
<u>G80M100MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 100mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$142.00
<u>G80M125MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 125mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$148.00
<u>G80M150MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 150mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$152.00
<u>G80M200MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 200mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$160.00
<u>G80M250MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 250mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$172.00
<u>G80M300MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 300mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$181.00
<u>G80M400MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 400mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$197.00
<u>G80M500MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 500mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$216.00
<u>G80M600MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 80mm bore, 25mm rod diameter, 600mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$233.00
<u>G100M025MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 25mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$181.00
<u>G100M050MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 50mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$185.00
<u>G100M075MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 75mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$189.00
<u>G100M100MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 100mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$193.00
<u>G100M125MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 125mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$198.00
<u>G100M150MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 150mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$201.00
<u>G100M200MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 200mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$212.00
<u>G100M250MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 250mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$224.00
<u>G100M300MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 300mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$232.00
<u>G100M400MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 400mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$250.00
<u>G100M500MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 500mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$270.00
<u>G100M600MD-MC</u>	NITRA pneumatic cylinder, ISO 15552, 100mm bore, 25mm rod diameter, 600mm stroke, double acting, magnetic piston, front and rear adjustable cushions.	Stock	\$288.00
Compact Extruded Pneumatic Air Cylinders			
<u>H12M005MD-M</u>	NITRA pneumatic cylinder, compact extruded, 12mm bore, 6mm rod diameter, 5mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$40.00
<u>H12M010MD-M</u>	NITRA pneumatic cylinder, compact extruded, 12mm bore, 6mm rod diameter, 10mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$42.00
<u>H12M015MD-M</u>	NITRA pneumatic cylinder, compact extruded, 12mm bore, 6mm rod diameter, 15mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$43.50

[illegible]

[illegible]

<u>H63M010MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 10mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$140.00
<u>H63M015MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 15mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$142.00
<u>H63M020MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 20mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$146.00
<u>H63M025MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 25mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$147.00
<u>H63M030MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 30mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$149.00
<u>H63M040MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 40mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$154.00
<u>H63M050MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 50mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$158.00
<u>H63M075MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 75mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$170.00
<u>H63M100MD-M</u>	NITRA pneumatic cylinder, compact extruded, 63mm bore, 20mm rod diameter, 100mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$181.00
<u>H80M005MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 5mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$173.00
<u>H80M010MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 10mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$176.00
<u>H80M015MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 15mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$178.00
<u>H80M020MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 20mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$182.00
<u>H80M025MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 25mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$183.00
<u>H80M030MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 30mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$185.00
<u>H80M040MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 40mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$191.00
<u>H80M050MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 50mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$196.00
<u>H80M075MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 75mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$209.00
<u>H80M100MD-M</u>	NITRA pneumatic cylinder, compact extruded, 80mm bore, 25mm rod diameter, 100mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$221.00
<u>H100M005MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 5mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$226.00
<u>H100M010MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 10mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$247.00
<u>H100M015MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 15mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$252.00
<u>H100M020MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 20mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$254.00
<u>H100M025MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 25mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$258.00
<u>H100M030MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 30mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$261.00
<u>H100M040MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 40mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$267.00
<u>H100M050MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 50mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$274.00
<u>H100M075MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 75mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$226.00
<u>H100M100MD-M</u>	NITRA pneumatic cylinder, compact extruded, 100mm bore, 32mm rod diameter, 100mm stroke, double acting, magnetic piston, tapped end caps mount.	Stock	\$306.00
Accessories for Pneumatic Air Cylinders			
<u>AN-38-24</u>	NITRA mounting nut, 3/8-24 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$1.25
<u>AN-716-20</u>	NITRA mounting nut, 7/16-20 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$1.25
<u>AN-12-20</u>	NITRA mounting nut, 1/2-20 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$1.25

<u>AN-58-18</u>	NITRA mounting nut, 5/8-18 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$1.25
<u>AN-34-16</u>	NITRA mounting nut, 3/4-16 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$1.25
<u>AN-114-12</u>	NITRA mounting nut, 1-1/4-12 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$7.75
<u>AMB-3</u>	NITRA mounting bracket, zinc plated steel. For use with 7/16in bore A-series cylinders.	Stock	\$4.75
<u>AMB-4</u>	NITRA mounting bracket, zinc plated steel. For use with 7/16 and 9/16in bore A-series cylinders.	Stock	\$5.00
<u>AMB-5</u>	NITRA mounting bracket, zinc plated steel. For use with 3/4in bore A-series cylinders.	Stock	\$4.50
<u>AMB-6</u>	NITRA mounting bracket, zinc plated steel. For use with 3/4, 7/8 and 1-1/16in bore A-series cylinders.	Stock	\$5.25
<u>AMB-7</u>	NITRA mounting bracket, zinc plated steel. For use with 1-1/4 and 1-1/2in bore A-series cylinders.	Stock	\$8.25
<u>AMB-11</u>	NITRA mounting bracket, zinc plated steel. For use with 2in bore A-series cylinders.	Stock	\$17.50
<u>APB-1</u>	NITRA mounting bracket, pivot without pin, zinc plated steel. For use with 7/16in bore A-series cylinders.	Stock	\$5.00
<u>APB-2</u>	NITRA mounting bracket, pivot without pin, zinc plated steel. For use with 3/4, 7/8 and 1-1/16in bore A-series cylinders.	Stock	\$5.00
<u>APB-3</u>	NITRA mounting bracket, pivot without pin, zinc plated steel. For use with 1-1/2in bore A-series cylinders.	Stock	\$10.50
<u>APBP-2</u>	NITRA mounting bracket, pivot with pin, zinc plated steel. For use with 9/16in bore A-series cylinders.	Stock	\$5.75
<u>APBP-3</u>	NITRA mounting bracket, pivot with pin, zinc plated steel. For use with 7/8in bore A-series cylinders.	Stock	\$5.75
<u>APBP-4</u>	NITRA mounting bracket, pivot with pin, zinc plated steel. For use with 1-1/4in bore A-series cylinders.	Stock	\$10.50
<u>APBP-5</u>	NITRA mounting bracket, pivot with pin, zinc plated steel. For use with 2in bore A-series cylinders.	Stock	\$20.50
<u>ARC-10-32</u>	NITRA rod clevis and hex nut, #10-32 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$5.00
<u>ARC-14-28</u>	NITRA rod clevis and hex nut, 1/4-28 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$5.25
<u>ARC-516-24</u>	NITRA rod clevis and hex nut, 5/16-24 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$6.00
<u>ARC-716-20</u>	NITRA rod clevis and hex nut, 7/16-20 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$9.50
<u>ARC-12-20</u>	NITRA rod clevis and hex nut, 1/2-20 UNF thread, zinc plated steel. For use with A-series cylinders.	Stock	\$8.50
<u>CCB-17</u>	NITRA rod clevis, anodized aluminum, stainless steel pin. For use with CRP-09, CRP-12, or CRP-17 rod eyes.	Stock	\$26.50
<u>CCB-40</u>	NITRA rod clevis, anodized aluminum, stainless steel pin. For use with CRP-24, or CRP-40 rod eyes.	Stock	\$38.00
<u>CCB-48</u>	NITRA rod clevis, anodized aluminum, stainless steel pin. For use with CRP-48 rod eye.	Stock	\$50.00
<u>CRP-09</u>	NITRA rod eye, #8-32 UNC thread, zinc plated steel. For use with C-series cylinders. Bronze pivot bushing and nut included.	Stock	\$17.00
<u>CRP-12</u>	NITRA rod eye, #10-32 UNF thread, zinc plated steel. For use with C-series cylinders. Bronze pivot bushing and nut included.	Stock	\$19.00
<u>CRP-17</u>	NITRA rod eye, 5/16-24 UNF thread, zinc plated steel. For use with C-series cylinders. Bronze pivot bushing and nut included.	Stock	\$18.00
<u>CRP-24</u>	NITRA rod eye, 3/8-24 UNF thread, zinc plated steel. For use with C-series cylinders. Bronze pivot bushing and nut included.	Stock	\$19.50
<u>CRP-40</u>	NITRA rod eye, 1/2-20 UNF thread, zinc plated steel. For use with C-series cylinders. Bronze pivot bushing and nut included.	Stock	\$19.50
<u>CRP-48</u>	NITRA rod eye, 5/8-18 UNF thread, zinc plated steel. For use with C-series cylinders. Bronze pivot bushing and nut included.	Stock	\$22.50
<u>D2RC-1</u>	NITRA rod clevis, 7/16-20 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$32.00
<u>D2RC-2</u>	NITRA rod clevis, 3/4-16 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$44.00
<u>D2RE-1</u>	NITRA rod eye, 7/16-20 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$36.50
<u>D2RE-2</u>	NITRA rod eye, 3/4-16 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$52.00
<u>D2RCP-1</u>	NITRA self-aligning rod coupler, 7/16-20 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$49.50
<u>D2RCP-2</u>	NITRA self-aligning rod coupler, 3/4-16 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$74.00
<u>D2-716-20</u>	NITRA jam nut, 7/16-20 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$2.00
<u>D2-34-16</u>	NITRA jam nut, 3/4-16 UNF thread, steel. For use with D2 series NFPA cylinders.	Stock	\$6.00
<u>D2SPC-1</u>	NITRA cylinder rear short clevis bracket, steel. For use with 1.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$34.50

<u>D2PC-1</u>	NITRA cylinder rear clevis bracket, steel. For use with 1.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$34.50
<u>D2SPC-2</u>	NITRA cylinder rear short clevis bracket, steel. For use with 2in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$40.50
<u>D2PC-2</u>	NITRA cylinder rear clevis bracket, steel. For use with 2in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$40.50
<u>D2SPC-3</u>	NITRA cylinder rear short clevis bracket, steel. For use with 2.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$47.50
<u>D2PC-3</u>	NITRA cylinder rear clevis bracket, steel. For use with 2.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$47.50
<u>D2SPC-4</u>	NITRA cylinder rear short clevis bracket, steel. For use with 3.25in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$60.00
<u>D2PC-4</u>	NITRA cylinder rear clevis bracket, steel. For use with 3.25in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$60.00
<u>D2SPC-5</u>	NITRA cylinder rear short clevis bracket, steel. For use with 4in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$68.00
<u>D2PC-5</u>	NITRA cylinder rear clevis bracket, steel. For use with 4in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$68.00
<u>D2PA-1</u>	NITRA rear pivot eye, steel. For use with 1.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$34.50
<u>D2PA-2</u>	NITRA rear pivot eye, steel. For use with 2in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$40.50
<u>D2PA-3</u>	NITRA rear pivot eye, steel. For use with 2.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$47.50
<u>D2PA-4</u>	NITRA rear pivot eye, steel. For use with 3.25in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$60.00
<u>D2PA-5</u>	NITRA rear pivot eye, steel. For use with 4in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$68.00
<u>D2FM-1</u>	NITRA flange mount plate, steel. For use with 1.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$34.50
<u>D2FM-2</u>	NITRA flange mount plate, steel. For use with 2in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$39.50
<u>D2FM-3</u>	NITRA flange mount plate, steel. For use with 2.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$45.00
<u>D2FM-4</u>	NITRA flange mount plate, steel. For use with 3.25in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$58.00
<u>D2FM-5</u>	NITRA flange mount plate, steel. For use with 4in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$65.00
<u>D2AM-1</u>	NITRA angle mount bracket, steel. For use with 1.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$32.50
<u>D2AM-2</u>	NITRA angle mount bracket, steel. For use with 2in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$37.00
<u>D2AM-3</u>	NITRA angle mount bracket, steel. For use with 2.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$43.50
<u>D2AM-4</u>	NITRA angle mount bracket, steel. For use with 3.25in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$55.00
<u>D2AM-5</u>	NITRA angle mount bracket, steel. For use with 4in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$61.00
<u>D2BB-1</u>	NITRA base mount bracket, anodized aluminum. For use with 1.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$39.50
<u>D2BB-2</u>	NITRA base mount bracket, anodized aluminum. For use with 2in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$45.50
<u>D2BB-3</u>	NITRA base mount bracket, anodized aluminum. For use with 2.5in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$54.00
<u>D2BB-4</u>	NITRA base mount bracket, anodized aluminum. For use with 3.25in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$65.00
<u>D2BB-5</u>	NITRA base mount bracket, anodized aluminum. For use with 4in bore D2 series NFPA cylinders. Mounting hardware included.	Stock	\$65.00
<u>D2SK-24</u>	NITRA seal kit, for use with 1.5in bore NFPA cylinders. All wear parts for both D-series and D2-series NFPA cylinders included.	Stock	\$95.00
<u>D2SK-32</u>	NITRA seal kit, for use with 2in bore NFPA cylinders. All wear parts for both D-series and D2-series NFPA cylinders included.	Stock	\$102.00
<u>D2SK-40</u>	NITRA seal kit, for use with 2.5in bore NFPA cylinders. All wear parts for both D-series and D2-series NFPA cylinders included.	Stock	\$105.00
<u>D2SK-52</u>	NITRA seal kit, for use with 3.25in bore NFPA cylinders. All wear parts for both D-series and D2-series NFPA cylinders included.	Stock	\$128.00

<u>D2SK-64</u>	NITRA seal kit, for use with 4in bore NFPA cylinders. All wear parts for both D-series and D2-series NFPA cylinders included.	Stock	\$139.00
<u>FN-58-18</u>	NITRA mounting nut, 5/8-18 UNF thread, stainless steel. For use with F-series cylinders. Mounting hardware included.	Stock	\$3.75
<u>FN-34-16</u>	NITRA mounting nut, 3/4-16 UNF thread, stainless steel. For use with F-series cylinders. Mounting hardware included.	Stock	\$5.00
<u>FN-114-12</u>	NITRA mounting nut, 1-1/4-12 UNF thread, stainless steel. For use with F-series cylinders. Mounting hardware included.	Stock	\$12.00
<u>FMB-6</u>	NITRA mounting bracket, stainless steel. For use with 3/4 and 1-1/16in bore F-series cylinders.	Stock	\$11.00
<u>FMB-7</u>	NITRA mounting bracket, stainless steel. For use with 1-1/2in bore F-series cylinders.	Stock	\$33.50
<u>FMB-11</u>	NITRA mounting bracket, stainless steel. For use with 2in bore F-series cylinders.	Stock	\$48.00
<u>FPBP-2</u>	NITRA mounting bracket, pivot with pin, stainless steel. For use with 3/4 and 1-1/16in bore F-series cylinders.	Stock	\$30.50
<u>FPBP-3</u>	NITRA mounting bracket, pivot with pin, stainless steel. For use with 1-1/2in bore F-series cylinders.	Stock	\$38.50
<u>FPBP-4</u>	NITRA mounting bracket, pivot with pin, stainless steel. For use with 2in bore F-series cylinders.	Stock	\$47.00
<u>FRC-14-28</u>	NITRA rod clevis and hex nut, 1/4-28 UNF thread, stainless steel. For use with F-series cylinders.	Stock	\$39.50
<u>FRC-516-24</u>	NITRA rod clevis and hex nut, 5/16-24 UNF thread, stainless steel. For use with F-series cylinders.	Stock	\$44.50
<u>FRC-716-20</u>	NITRA rod clevis and hex nut, 7/16-20 UNF thread, stainless steel. For use with F-series cylinders.	Stock	\$55.00
<u>FRC-12-20</u>	NITRA rod clevis and hex nut, 1/2-20 UNF thread, stainless steel. For use with F-series cylinders.	Stock	\$65.00
<u>GRC-M10-125</u>	NITRA rod clevis, M10 X 1.25 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$4.50
<u>GRC-M12-125</u>	NITRA rod clevis, M12 X 1.25 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$7.50
<u>GRC-M16-15</u>	NITRA rod clevis, M16 X 1.5 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$16.00
<u>GRC-M20-15</u>	NITRA rod clevis, M20 X 1.5 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$26.00
<u>GRE-M10-125</u>	NITRA rod eye, M10 X 1.25 thread, spherical bearing, zinc plated steel. For use with G-series cylinders.	Stock	\$25.00
<u>GRE-M12-125</u>	NITRA rod eye, M12 X 1.25 thread, spherical bearing, zinc plated steel. For use with G-series cylinders.	Stock	\$28.50
<u>GRE-M16-15</u>	NITRA rod eye, M16 X 1.5 thread, spherical bearing, zinc plated steel. For use with G-series cylinders.	Stock	\$53.00
<u>GRE-M20-15</u>	NITRA rod eye, M20 X 1.5 thread, spherical bearing, zinc plated steel. For use with G-series cylinders.	Stock	\$71.00
<u>GRCP-M10-125</u>	NITRA self-aligning rod coupler, M10 X 1.25 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$57.00
<u>GRCP-M12-125</u>	NITRA self-aligning rod coupler, M12 X 1.25 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$60.00
<u>GRCP-M16-15</u>	NITRA self-aligning rod coupler, M16 X 1.5 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$78.00
<u>GRCP-M20-15</u>	NITRA self-aligning rod coupler, M20 X 1.5 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$96.00
<u>GMB-32MM</u>	NITRA mounting bracket, zinc plated steel. For use with 32mm bore G-series cylinders.	Stock	\$7.00
<u>GMB-40MM</u>	NITRA mounting bracket, zinc plated steel. For use with 40mm bore G-series cylinders.	Stock	\$8.25
<u>GMB-50MM</u>	NITRA mounting bracket, zinc plated steel. For use with 50mm bore G-series cylinders.	Stock	\$9.50
<u>GMB-63MM</u>	NITRA mounting bracket, zinc plated steel. For use with 63mm bore G-series cylinders.	Stock	\$10.50
<u>GMB-80MM</u>	NITRA mounting bracket, zinc plated steel. For use with 80mm bore G-series cylinders.	Stock	\$15.00
<u>GMB-100MM</u>	NITRA mounting bracket, zinc plated steel. For use with 100mm bore G-series cylinders.	Stock	\$24.00
<u>GMC-32MM</u>	NITRA rear pivot eye, zinc plated steel. For use with 32mm bore G-series cylinders.	Stock	\$18.00
<u>GMC-40MM</u>	NITRA rear pivot eye, zinc plated steel. For use with 40mm bore G-series cylinders.	Stock	\$19.00
<u>GMC-50MM</u>	NITRA rear pivot eye, zinc plated steel. For use with 50mm bore G-series cylinders.	Stock	\$22.00
<u>GMC-63MM</u>	NITRA rear pivot eye, zinc plated steel. For use with 63mm bore G-series cylinders.	Stock	\$26.00
<u>GMC-80MM</u>	NITRA rear pivot eye, zinc plated steel. For use with 80mm bore G-series cylinders.	Stock	\$32.00
<u>GMC-100MM</u>	NITRA rear pivot eye, zinc plated steel. For use with 100mm bore G-series cylinders.	Stock	\$44.50
<u>GSMC-32MM</u>	NITRA rear spherical pivot, spherical bearing, zinc plated steel. For use with 32mm bore G-series cylinders.	Stock	\$25.00
<u>GSMC-40MM</u>	NITRA rear spherical pivot, spherical bearing, zinc plated steel. For use with 40mm bore G-series cylinders.	Stock	\$27.00

<u>GSMC-50MM</u>	NITRA rear spherical pivot, spherical bearing, zinc plated steel. For use with 50mm bore G-series cylinders.	Stock	\$39.00
<u>GSMC-63MM</u>	NITRA rear spherical pivot, spherical bearing, zinc plated steel. For use with 63mm bore G-series cylinders.	Stock	\$50.00
<u>GSMC-80MM</u>	NITRA rear spherical pivot, spherical bearing, zinc plated steel. For use with 80mm bore G-series cylinders.	Stock	\$62.00
<u>GSMC-100MM</u>	NITRA rear spherical pivot, spherical bearing, zinc plated steel. For use with 100mm bore G-series cylinders.	Stock	\$84.00
<u>GFL-32MM</u>	NITRA flange mount plate, zinc plated steel. For use with 32mm bore G-series cylinders.	Stock	\$12.00
<u>GFL-40MM</u>	NITRA flange mount plate, zinc plated steel. For use with 40mm bore G-series cylinders.	Stock	\$13.00
<u>GFL-50MM</u>	NITRA flange mount plate, zinc plated steel. For use with 50mm bore G-series cylinders.	Stock	\$16.00
<u>GFL-63MM</u>	NITRA flange mount plate, zinc plated steel. For use with 63mm bore G-series cylinders.	Stock	\$23.00
<u>GFL-80MM</u>	NITRA flange mount plate, zinc plated steel. For use with 80mm bore G-series cylinders.	Stock	\$26.00
<u>GFL-100MM</u>	NITRA flange mount plate, zinc plated steel. For use with 100mm bore G-series cylinders.	Stock	\$31.00
<u>GN-M10-125</u>	NITRA rod nut, M10 X 1.25 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$1.50
<u>GN-M12-125</u>	NITRA rod nut, M12 X 1.25 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$1.75
<u>GN-M16-15</u>	NITRA rod nut, M16 X 1.5 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$2.00
<u>GN-M20-15</u>	NITRA rod nut, M20 X 1.5 thread, zinc plated steel. For use with G-series cylinders.	Stock	\$2.25
<u>HRC-12M</u>	NITRA cylinder rod clevis, M5 x 0.8 thread, plated steel. For use with 12mm H-series cylinders. Male adapter and hex nut included.	Stock	\$15.50
<u>HRC-16M</u>	NITRA cylinder rod clevis, M6 x 1.0 thread, plated steel. For use with 16mm H-series cylinders. Male adapter and hex nut included.	Stock	\$16.50
<u>HRC-20M</u>	NITRA cylinder rod clevis, M8 x 1.25 thread, plated steel. For use with 20mm H-series cylinders. Male adapter and hex nut included.	Stock	\$17.00
<u>HRC-25M</u>	NITRA cylinder rod clevis, M10 X 1.25 thread, plated steel. For use with 25mm H-series cylinders. Male adapter and hex nut included.	Stock	\$19.00
<u>HRC-32M</u>	NITRA cylinder rod clevis, M14 x 1.5 thread, cast iron. For use with 32mm H-series cylinders. Male adapter and hex nut included.	Stock	\$21.50
<u>HRC-40M</u>	NITRA cylinder rod clevis, M14 x 1.5 thread, cast iron. For use with 40mm H-series cylinders. Male adapter and hex nut included.	Stock	\$21.50
<u>HRC-50M</u>	NITRA cylinder rod clevis, M18 x 1.5 thread, cast iron. For use with 50mm H-series cylinders. Male adapter and hex nut included.	Stock	\$27.50
<u>HRC-63M</u>	NITRA cylinder rod clevis, M18 x 1.5 thread, cast iron. For use with 63mm H-series cylinders. Male adapter and hex nut included.	Stock	\$28.00
<u>HRC-80M</u>	NITRA cylinder rod clevis, M22 x 1.5 thread, cast iron. For use with 80mm H-series cylinders. Male adapter and hex nut included.	Stock	\$38.50
<u>HRC-100M</u>	NITRA cylinder rod clevis, M26 x 1.5 thread, cast iron. For use with 100mm H-series cylinders. Male adapter and hex nut included.	Stock	\$45.00
<u>HMA-12M</u>	NITRA cylinder male adapter, M5 x 0.8 thread, stainless steel. For use with 12mm H-series cylinders. Hex nut included.	Stock	\$10.00
<u>HMA-16M</u>	NITRA cylinder male adapter, M6 x 1.0 thread, stainless steel. For use with 16mm H-series cylinders. Hex nut included.	Stock	\$10.00
<u>HMA-20M</u>	NITRA cylinder male adapter, M8 x 1.25 thread, stainless steel. For use with 20mm H-series cylinders. Hex nut included.	Stock	\$10.50
<u>HMA-25M</u>	NITRA cylinder male adapter, M10 X 1.25 thread, stainless steel. For use with 25mm H-series cylinders. Hex nut included.	Stock	\$11.00
<u>HMA-32M</u>	NITRA cylinder male adapter, M14 x 1.5 thread, stainless steel. For use with 32mm H-series cylinders. Hex nut included.	Stock	\$11.50
<u>HMA-40M</u>	NITRA cylinder male adapter, M14 x 1.5 thread, stainless steel. For use with 40mm H-series cylinders. Hex nut included.	Stock	\$11.50
<u>HMA-50M</u>	NITRA cylinder male adapter, M18 x 1.5 thread, stainless steel. For use with 50mm H-series cylinders. Hex nut included.	Stock	\$13.00
<u>HMA-63M</u>	NITRA cylinder male adapter, M18 x 1.5 thread, stainless steel. For use with 63mm H-series cylinders. Hex nut included.	Stock	\$13.00
<u>HMA-80M</u>	NITRA cylinder male adapter, M22 x 1.5 thread, stainless steel. For use with 80mm H-series cylinders. Hex nut included.	Stock	\$17.00
<u>HMA-100M</u>	NITRA cylinder male adapter, M26 x 1.5 thread, stainless steel. For use with 100mm H-series cylinders. Hex nut included.	Stock	\$20.50
<u>HFC-12M</u>	NITRA cylinder rear clevis bracket, aluminum. For use with 12mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$15.50

<u>HFC-16M</u>	NITRA cylinder rear clevis bracket, aluminum. For use with 16mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$16.00
<u>HFC-20M</u>	NITRA cylinder rear clevis bracket, aluminum. For use with 20mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$17.50
<u>HFC-25M</u>	NITRA cylinder rear clevis bracket, aluminum. For use with 25mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$21.00
<u>HFC-32M</u>	NITRA cylinder rear clevis bracket, cast iron. For use with 32mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$24.50
<u>HFC-40M</u>	NITRA cylinder rear clevis bracket, cast iron. For use with 40mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$24.50
<u>HFC-50M</u>	NITRA cylinder rear clevis bracket, cast iron. For use with 50mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$34.00
<u>HFC-63M</u>	NITRA cylinder rear clevis bracket, cast iron. For use with 63mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$34.00
<u>HFC-80M</u>	NITRA cylinder rear clevis bracket, cast iron. For use with 80mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$45.50
<u>HFC-100M</u>	NITRA cylinder rear clevis bracket, cast iron. For use with 100mm H-series cylinders. Mounting hardware and pivot pin included.	Stock	\$51.00
Rodless Pneumatic Air Cylinders			
<u>L16M0100MD-MC</u>	NITRA air cylinder, rodless, 16mm bore, 100mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$239.00
<u>L16M0200MD-MC</u>	NITRA air cylinder, rodless, 16mm bore, 200mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$251.00
<u>L16M0300MD-MC</u>	NITRA air cylinder, rodless, 16mm bore, 300mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$256.00
<u>L16M0400MD-MC</u>	NITRA air cylinder, rodless, 16mm bore, 400mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$262.00
<u>L16M0500MD-MC</u>	NITRA air cylinder, rodless, 16mm bore, 500mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$267.00
<u>L16M0600MD-MC</u>	NITRA air cylinder, rodless, 16mm bore, 600mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$277.00
<u>L16M0800MD-MC</u>	NITRA air cylinder, rodless, 16mm bore, 800mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$285.00
<u>L25M0200MD-MC</u>	NITRA pneumatic cylinder, rodless, 25mm bore, 200mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$296.00
<u>L25M0300MD-MC</u>	NITRA pneumatic cylinder, rodless, 25mm bore, 300mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$303.00
<u>L25M0400MD-MC</u>	NITRA pneumatic cylinder, rodless, 25mm bore, 400mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$315.00
<u>L25M0500MD-MC</u>	NITRA pneumatic cylinder, rodless, 25mm bore, 500mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$322.00
<u>L25M0600MD-MC</u>	NITRA pneumatic cylinder, rodless, 25mm bore, 600mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$333.00
<u>L25M0800MD-MC</u>	NITRA pneumatic cylinder, rodless, 25mm bore, 800mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$341.00
<u>L25M1000MD-MC</u>	NITRA pneumatic cylinder, rodless, 25mm bore, 1000mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$349.00
<u>L32M0200MD-MC</u>	NITRA pneumatic cylinder, rodless, 32mm bore, 200mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$350.00
<u>L32M0300MD-MC</u>	NITRA pneumatic cylinder, rodless, 32mm bore, 300mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$360.00
<u>L32M0400MD-MC</u>	NITRA pneumatic cylinder, rodless, 32mm bore, 400mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$372.00
<u>L32M0500MD-MC</u>	NITRA pneumatic cylinder, rodless, 32mm bore, 500mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$395.00
<u>L32M0600MD-MC</u>	NITRA pneumatic cylinder, rodless, 32mm bore, 600mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$401.00
<u>L32M0800MD-MC</u>	NITRA pneumatic cylinder, rodless, 32mm bore, 800mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$416.00
<u>L32M1000MD-MC</u>	NITRA pneumatic cylinder, rodless, 32mm bore, 1000mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$425.00
<u>L40M0200MD-MC</u>	NITRA pneumatic cylinder, rodless, 40mm bore, 200mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$380.00

<u>L40M0300MD-MC</u>	NITRA pneumatic cylinder, rodless, 40mm bore, 300mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$402.00
<u>L40M0400MD-MC</u>	NITRA pneumatic cylinder, rodless, 40mm bore, 400mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$413.00
<u>L40M0500MD-MC</u>	NITRA pneumatic cylinder, rodless, 40mm bore, 500mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$438.00
<u>L40M0600MD-MC</u>	NITRA pneumatic cylinder, rodless, 40mm bore, 600mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$445.00
<u>L40M0800MD-MC</u>	NITRA pneumatic cylinder, rodless, 40mm bore, 800mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$480.00
<u>L40M1000MD-MC</u>	NITRA pneumatic cylinder, rodless, 40mm bore, 1000mm stroke, double acting, magnetic piston, front and rear adjustable cushions, tapped end caps mount.	Stock	\$513.00
<u>LEMB-16M</u>	NITRA mounting bracket, end, stainless steel. For use with L16M series rodless cylinders. Mounting screws included.	Stock	\$5.50
<u>LEMB-25M</u>	NITRA mounting bracket, end, stainless steel. For use with L25M series rodless cylinders. Mounting screws included.	Stock	\$6.00
<u>LEMB-32M</u>	NITRA mounting bracket, end, aluminum. For use with L32M series rodless cylinders. Mounting screws included.	Stock	\$21.50
<u>LEMB-40M</u>	NITRA mounting bracket, end, aluminum. For use with L40M series rodless cylinders. Mounting screws included.	Stock	\$29.50
<u>LCMB-16M</u>	NITRA mounting bracket, center, aluminum. For use with L16M series rodless cylinders.	Stock	\$12.50
<u>LCMB-25M</u>	NITRA mounting bracket, center, aluminum. For use with L25M series rodless cylinders.	Stock	\$14.00
<u>LCMB-32M</u>	NITRA mounting bracket, center, aluminum. For use with L32M series rodless cylinders. Mounting screws included.	Stock	\$29.00
<u>LCMB-40M</u>	NITRA mounting bracket, center, aluminum. For use with L40M series rodless cylinders. Mounting screws included.	Stock	\$30.00
<u>LSMB-16M25M</u>	NITRA mounting bracket, switch, aluminum. For use with L16M and L25M series rodless cylinders and CPS switches. Mounting screws included.	Stock	\$12.00
<u>LSMB2-16M25M</u>	NITRA mounting bracket, switch, aluminum. For use with L16M and L25M series rodless cylinders and CPS9D and CPS9E switches. Mounting screw included.	Stock	\$14.00

NITRA Pneumatic Rotary Actuators

<u>J10MD-M</u>	NITRA pneumatic rotary actuator, double acting, size 10, 0 to 190 degrees, rubber bumpers, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$383.00
<u>J10MD-MA</u>	NITRA pneumatic rotary actuator, double acting, size 10, 0 to 190 degrees, shock absorbers, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$470.00
<u>J20MD-M</u>	NITRA pneumatic rotary actuator, double acting, size 20, 0 to 190 degrees, rubber bumpers, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$436.00
<u>J20MD-MA</u>	NITRA pneumatic rotary actuator, double acting, size 20, 0 to 190 degrees, shock absorbers, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$530.00
<u>J30MD-M</u>	NITRA pneumatic rotary actuator, double acting, size 30, 0 to 190 degrees, rubber bumpers, anodized aluminum body, 1/8in female NPT port(s).	Stock	\$470.00
<u>J30MD-MA</u>	NITRA pneumatic rotary actuator, double acting, size 30, 0 to 190 degrees, shock absorbers, anodized aluminum body, 1/8in female NPT port(s).	Stock	\$569.00
<u>J50MD-M</u>	NITRA pneumatic rotary actuator, double acting, size 50, 0 to 190 degrees, rubber bumpers, anodized aluminum body, 1/8in female NPT port(s).	Stock	\$535.00
<u>J50MD-MA</u>	NITRA pneumatic rotary actuator, double acting, size 50, 0 to 190 degrees, shock absorbers, anodized aluminum body, 1/8in female NPT port(s).	Stock	\$664.00
<u>J10M-SA</u>	NITRA shock absorber, for use with J-series size 10 rotary actuators.	Stock	\$47.00
<u>J2030M-SA</u>	NITRA shock absorber, for use with J-series sizes 20 and 30 rotary actuators.	Stock	\$54.00
<u>J50M-SA</u>	NITRA shock absorber, for use with J-series size 50 rotary actuators.	Stock	\$68.00

NITRA Pneumatic Parallel Grippers

<u>KP06MD-M</u>	NITRA pneumatic gripper, parallel, double acting, 6mm bore, 4mm stroke, side mount grip, anodized aluminum body, M3 x 0.5 female ISO port(s).	Stock	\$253.00
<u>KP10MD-M</u>	NITRA pneumatic gripper, parallel, double acting, 10mm bore, 4mm stroke, side mount grip, anodized aluminum body, M3 x 0.5 female ISO port(s).	Stock	\$273.00
<u>KP16MD-M</u>	NITRA pneumatic gripper, parallel, double acting, 16mm bore, 6mm stroke, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$279.00
<u>KP20MD-M</u>	NITRA pneumatic gripper, parallel, double acting, 20mm bore, 10mm stroke, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$396.00
<u>KP25MD-M</u>	NITRA pneumatic gripper, parallel, double acting, 25mm bore, 14mm stroke, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$473.00

[illegible]

<u>KP16MSA-MB</u>	NITRA pneumatic gripper, parallel, single acting, N.O., 16mm bore, 6mm stroke, end mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$279.00
<u>KP20MSA-MB</u>	NITRA pneumatic gripper, parallel, single acting, N.O., 20mm bore, 10mm stroke, end mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$396.00
<u>KP25MSA-MB</u>	NITRA pneumatic gripper, parallel, single acting, N.O., 25mm bore, 14mm stroke, end mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$473.00
<u>KP32MSA-MB</u>	NITRA pneumatic gripper, parallel, single acting, N.O., 32mm bore, 22mm stroke, end mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$714.00
<u>KP40MSA-MB</u>	NITRA pneumatic gripper, parallel, single acting, N.O., 40mm bore, 30mm stroke, end mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$817.00
NITRA Pneumatic Angle Grippers			
<u>KA06MD-M</u>	NITRA pneumatic gripper, angular, double acting, 6mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M3 x 0.5 female ISO port(s).	Stock	\$130.00
<u>KA10MD-M</u>	NITRA pneumatic gripper, angular, double acting, 10mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M3 x 0.5 female ISO port(s).	Stock	\$181.00
<u>KA16MD-M</u>	NITRA pneumatic gripper, angular, double acting, 16mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$188.00
<u>KA20MD-M</u>	NITRA pneumatic gripper, angular, double acting, 20mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$227.00
<u>KA25MD-M</u>	NITRA pneumatic gripper, angular, double acting, 25mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$253.00
<u>KA32MD-M</u>	NITRA pneumatic gripper, angular, double acting, 32mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$279.00
<u>KA06MSA-M</u>	NITRA pneumatic gripper, angular, single acting, N.O., 6mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M3 x 0.5 female ISO port(s).	Stock	\$130.00
<u>KA10MSA-M</u>	NITRA pneumatic gripper, angular, single acting, N.O., 10mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M3 x 0.5 female ISO port(s).	Stock	\$181.00
<u>KA16MSA-M</u>	NITRA pneumatic gripper, angular, single acting, N.O., 16mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$188.00
<u>KA20MSA-M</u>	NITRA pneumatic gripper, angular, single acting, N.O., 20mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$227.00
<u>KA25MSA-M</u>	NITRA pneumatic gripper, angular, single acting, N.O., 25mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$253.00
<u>KA32MSA-M</u>	NITRA pneumatic gripper, angular, single acting, N.O., 32mm bore, 30 degrees open position, -10 degrees closed position, side mount grip, anodized aluminum body, M5 x 0.8 female ISO port(s).	Stock	\$279.00
4mm Square T-Slot Position Switches for Pneumatic Cylinders			
<u>CPS9H-AP-A</u>	NITRA cylinder switch, square, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 4mm square T-slot mount, for position sensing.	Stock	\$24.50
<u>CPS9H-AN-A</u>	NITRA cylinder switch, square, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 4mm square T-slot mount, for position sensing.	Stock	\$24.50
<u>CPS9H-AP-F</u>	NITRA cylinder switch, square, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 4mm square T-slot mount, for position sensing.	Stock	\$24.50
<u>CPS9H-AN-F</u>	NITRA cylinder switch, square, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 4mm square T-slot mount, for position sensing.	Stock	\$24.50
5mm Square T-Slot Position Switches (and Accessories) for Pneumatic Cylinders			
<u>CPS-AP-F</u>	NITRA cylinder switch, square, PNP, N.O. output, 10-30 VDC operating voltage, LED indication, 0.3m (1ft) cable with 3-pin M8 snap-fit connector, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$24.00
<u>CPS-CP-F</u>	NITRA cylinder switch, square, PNP, N.C. output, 10-30 VDC operating voltage, LED indication, 0.3m (1ft) cable with 3-pin M8 snap-fit connector, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$24.00
<u>CPS-AN-F</u>	NITRA cylinder switch, square, NPN, N.O. output, 10-30 VDC operating voltage, LED indication, 0.3m (1ft) cable with 3-pin M8 snap-fit connector, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$24.00
<u>CPS-AP-A</u>	NITRA cylinder switch, square, PNP, N.O. output, 10-30 VDC operating voltage, LED indication, 2m (6.56ft) 3-wire pigtail with wire leads, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$23.00
<u>CPS-CP-A</u>	NITRA cylinder switch, square, PNP, N.C. output, 10-30 VDC operating voltage, LED indication, 2m (6.56ft) 3-wire pigtail with wire leads, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$23.00
<u>CPS-AN-A</u>	NITRA cylinder switch, square, NPN, N.O. output, 10-30 VDC operating voltage, LED indication, 2m (6.56ft) 3-wire pigtail with wire leads, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$23.00
<u>CPSB-07</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 5/16 or 7/16in (8 or 10mm) bore round body cylinder.	Stock	\$3.00
<u>CPSB-14</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 9/16, 3/4 or 7/8in (12, 16 or 20mm) bore round body cylinder.	Stock	\$3.00
<u>CPSB-20</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 1-1/16 or 1-1/4in (25 or 32mm) bore round body cylinder.	Stock	\$3.50

<u>CPSB-24</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 1-1/2in (40mm) bore round body cylinder.	Stock	\$3.75
<u>CPSB-32</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 1-3/4 or 2in (50mm) bore round body cylinder.	Stock	\$4.25
<u>CPSB-40</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 2-1/2in (63mm) bore round body cylinder.	Stock	\$4.50
<u>CPSB-52</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 3 or 3-1/4in (80mm) bore round body cylinder.	Stock	\$5.25
<u>CPSB-64</u>	NITRA mounting band, for use with a 5mm square cylinder position switch and a 4in (100mm) bore round body cylinder.	Stock	\$5.25
<u>CPSA-04</u>	NITRA adapter bracket, for use with a 5mm square cylinder position switch and a 3/16 to 1/4in (5 to 7mm) diameter tie rod.	Stock	\$7.50
<u>CPSA-07</u>	NITRA adapter bracket, for use with a 5mm square cylinder position switch and a 3/16 to 7/16in (5 to 11mm) diameter tie rod.	Stock	\$6.75
<u>CPSA-09</u>	NITRA adapter bracket, for use with a 5mm square cylinder position switch and a 3/8 to 9/16in (9 to 15mm) diameter tie rod.	Stock	\$6.75
<u>CPSA-12</u>	NITRA adapter bracket, for use with a 5mm square cylinder position switch and a 9/16 to 3/4in (14 to 20mm) diameter tie rod.	Stock	\$8.75
IP69K (Harsh Duty) 5mm Square T-Slot Position Switches (and Accessories) for Pneumatic Cylinders			
<u>CPSF-AP-H</u>	NITRA cylinder switch, square, PNP, N.O. output, 10-30 VDC operating voltage, LED indication, IP69K, 0.3m (1ft) cable with M12 connector, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$28.50
<u>CPSF-AP-A</u>	NITRA cylinder switch, square, PNP, N.O. output, 10-30 VDC operating voltage, LED indication, IP69K, 2m (6.56ft) 3-wire pigtail with wire leads, straight cable entry, 5mm square T-slot mount, for position sensing.	Stock	\$26.50
<u>CPSS-07</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 5/16 or 7/16in (8 or 10mm) bore round body cylinder.	Stock	\$6.25
<u>CPSS-14</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 9/16, 3/4 or 7/8in (12, 16 or 20mm) bore round body cylinder.	Stock	\$6.50
<u>CPSS-20</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 1-1/16 or 1-1/4in (25 or 32mm) bore round body cylinder.	Stock	\$6.75
<u>CPSS-24</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 1-1/2in (40mm) bore round body cylinder.	Stock	\$7.00
<u>CPSS-32</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 1-3/4 or 2in (50mm) bore round body cylinder.	Stock	\$7.50
<u>CPSS-40</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 2-1/2in (63mm) bore round body cylinder.	Stock	\$7.75
<u>CPSS-52</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 3 or 3-1/4in (80mm) bore round body cylinder.	Stock	\$8.00
<u>CPSS-64</u>	NITRA mounting band, stainless steel. For use with a 5mm square cylinder position switch and a 4in (100mm) bore round body cylinder.	Stock	\$8.25
<u>CPSA-03</u>	NITRA adapter bracket, for use with a 5mm square cylinder position switch and a 1/8 to 3/16in (3 to 5mm) diameter tie rod.	Stock	\$6.75
6.5 x 3.2mm T-Slot Position Switches for Pneumatic Cylinders			
<u>CPS9F-AP-A</u>	NITRA cylinder switch, rectangular, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, 45-degree cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$17.50
<u>CPS9F-AN-A</u>	NITRA cylinder switch, rectangular, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, 45-degree cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$17.50
<u>CPS9F-AP-F</u>	NITRA cylinder switch, rectangular, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, 45-degree cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$17.50
<u>CPS9F-AN-F</u>	NITRA cylinder switch, rectangular, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, 45-degree cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$17.50
Low Profile 6.5 x 3.2mm T-Slot Position Switches for Pneumatic Cylinders			
<u>CPS9Q-AP-A</u>	NITRA cylinder switch, rectangular, low profile, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$19.00
<u>CPS9Q-AN-A</u>	NITRA cylinder switch, rectangular, low profile, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$19.00
<u>CPS9Q-AP-F</u>	NITRA cylinder switch, rectangular, low profile, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$19.00

<u>CPS9Q-AN-F</u>	NITRA cylinder switch, rectangular, low profile, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 6.5 x 3.2mm T-slot mount, for position sensing.	Stock	\$19.00
4mm Round Position Switches for Pneumatic Cylinders			
<u>CPS9C-AP-A</u>	NITRA cylinder switch, round, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 4mm round slot mount, for position sensing.	Stock	\$17.00
<u>CPS9C-AN-A</u>	NITRA cylinder switch, round, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 4mm round slot mount, for position sensing.	Stock	\$17.00
<u>CPS9C-AP-F</u>	NITRA cylinder switch, round, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 4mm round slot mount, for position sensing.	Stock	\$17.00
<u>CPS9C-AN-F</u>	NITRA cylinder switch, round, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 4mm round slot mount, for position sensing.	Stock	\$17.00
1/4 Inch Round Position Switches for Pneumatic Cylinders			
<u>CPS9M-AP-A</u>	NITRA cylinder switch, round, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 1/4in round slot mount, for position sensing.	Stock	\$18.50
<u>CPS9M-AN-A</u>	NITRA cylinder switch, round, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 1/4in round slot mount, for position sensing.	Stock	\$18.50
<u>CPS9M-AP-F</u>	NITRA cylinder switch, round, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 1/4in round slot mount, for position sensing.	Stock	\$18.50
<u>CPS9M-AN-F</u>	NITRA cylinder switch, round, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 1/4in round slot mount, for position sensing.	Stock	\$18.50
Dovetail Position Switches for Pneumatic Cylinders			
<u>CPS9E-AP-A</u>	NITRA cylinder switch, dovetail, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$20.00
<u>CPS9D-AP-A</u>	NITRA cylinder switch, dovetail, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, 45-degree cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$15.50
<u>CPS9E-AN-A</u>	NITRA cylinder switch, dovetail, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, straight cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$20.00
<u>CPS9D-AN-A</u>	NITRA cylinder switch, dovetail, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 9.8ft (3.00m) 3-wire pigtail with wire leads, 45-degree cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$15.50
<u>CPS9E-AP-F</u>	NITRA cylinder switch, dovetail, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$29.00
<u>CPS9D-AP-F</u>	NITRA cylinder switch, dovetail, PNP, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, 45-degree cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$15.50
<u>CPS9E-AN-F</u>	NITRA cylinder switch, dovetail, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, straight cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$29.00
<u>CPS9D-AN-F</u>	NITRA cylinder switch, dovetail, NPN, N.O. output, 5-28 VDC operating voltage, LED indication, 0.5ft (0.15m) cable with 3-pin M8 snap-fit connector, 45-degree cable entry, 1/4in 60 degree dovetail slot mount, for position sensing.	Stock	\$15.50
<u>CPS9D-D12M</u>	NITRA dovetail groove adapter, 12mm. For use with CPS9D cylinder position switch in a 60 degree dovetail slot.	Stock	\$2.00
<u>CPS9D-D38</u>	NITRA dovetail groove adapter, 3/8in. For use with CPS9D cylinder position switch in a 60 degree dovetail slot.	Stock	\$1.75
<u>CPS9D-D14M</u>	NITRA dovetail groove adapter, 14mm. For use with CPS9D cylinder position switch in a 60 degree dovetail slot.	Stock	\$1.75
Straight Flexible Pneumatic Tubing			
<u>PU18BLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 1/8in outside diameter, 0.062in inside diameter, 100ft package.	Stock	\$23.50
<u>PU18BLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 1/8in outside diameter, 0.062in inside diameter, 500ft reel.	Stock	\$118.00
<u>PU18BLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 1/8in outside diameter, 0.062in inside diameter, 100ft package.	Stock	\$23.50
<u>PU18BLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 1/8in outside diameter, 0.062in inside diameter, 500ft reel.	Stock	\$118.00
<u>PU18CLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 1/8in outside diameter, 0.062in inside diameter, 100ft package.	Stock	\$23.50
<u>PU18CLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 1/8in outside diameter, 0.062in inside diameter, 500ft reel.	Stock	\$118.00

<u>PU18RED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 1/8in outside diameter, 0.062in inside diameter, 100ft package.	Stock	\$23.50
<u>PU18YEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 1/8in outside diameter, 0.062in inside diameter, 100ft package.	Stock	\$23.50
<u>PU18CBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 1/8in outside diameter, 0.062in inside diameter, 100ft package.	Stock	\$23.50
<u>UV18GRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 1/8in outside diameter, 0.062in inside diameter, UV stabilized, 100ft package.	Stock	\$30.50
<u>PU532BLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 5/32in (4mm) outside diameter, 0.093in inside diameter, 100ft package.	Stock	\$21.50
<u>PU532BLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 5/32in (4mm) outside diameter, 0.093in inside diameter, 500ft reel.	Stock	\$100.00
<u>PU532BLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 5/32in (4mm) outside diameter, 0.093in inside diameter, 100ft package.	Stock	\$21.50
<u>PU532BLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 5/32in (4mm) outside diameter, 0.093in inside diameter, 500ft reel.	Stock	\$100.00
<u>PU532CLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 5/32in (4mm) outside diameter, 0.093in inside diameter, 100ft package.	Stock	\$21.50
<u>PU532CLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 5/32in (4mm) outside diameter, 0.093in inside diameter, 500ft reel.	Stock	\$100.00
<u>PU532RED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 5/32in (4mm) outside diameter, 0.093in inside diameter, 100ft package.	Stock	\$21.50
<u>PU532RED500</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 5/32in (4mm) outside diameter, 0.093in inside diameter, 500ft reel.	Stock	\$100.00
<u>PU532YEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 5/32in (4mm) outside diameter, 0.093in inside diameter, 100ft package.	Stock	\$21.50
<u>PU532YEL500</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 5/32in (4mm) outside diameter, 0.093in inside diameter, 500ft reel.	Stock	\$100.00
<u>PU532CBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 5/32in (4mm) outside diameter, 0.093in inside diameter, 100ft package.	Stock	\$21.50
<u>PU532CBL500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 5/32in (4mm) outside diameter, 0.093in inside diameter, 500ft reel.	Stock	\$100.00
<u>UV532GRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 5/32in (4mm) outside diameter, 0.093in inside diameter, UV stabilized, 100ft package.	Stock	\$22.50
<u>UV532GRN500</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 5/32in (4mm) outside diameter, 0.093in inside diameter, UV stabilized, 500ft reel.	Stock	\$105.00
<u>2PU532-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black and clear blue, double 5/32in outside diameter, 0.093in inside diameter, 50ft package.	Stock	\$25.50
<u>3PU532-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black, clear blue and blue, triple 5/32in outside diameter, 0.093in inside diameter, 50ft package.	Stock	\$37.00
<u>N532BLK100</u>	NITRA pneumatic tubing, nylon 12, black, 5/32in (4mm) outside diameter, 0.106in inside diameter, 100ft package.	Stock	\$17.50
<u>N532BLK500</u>	NITRA pneumatic tubing, nylon 12, black, 5/32in (4mm) outside diameter, 0.106in inside diameter, 500ft reel.	Stock	\$88.00
<u>N532BLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 5/32in (4mm) outside diameter, 0.106in inside diameter, 100ft package.	Stock	\$17.50
<u>N532BLU500</u>	NITRA pneumatic tubing, nylon 12, blue, 5/32in (4mm) outside diameter, 0.106in inside diameter, 500ft reel.	Stock	\$88.00
<u>N532NAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 5/32in (4mm) outside diameter, 0.106in inside diameter, 100ft package.	Stock	\$17.50
<u>N532NAT500</u>	NITRA pneumatic tubing, nylon 12, natural, 5/32in (4mm) outside diameter, 0.106in inside diameter, 500ft reel.	Stock	\$88.00
<u>N532RED100</u>	NITRA pneumatic tubing, nylon 12, red, 5/32in (4mm) outside diameter, 0.106in inside diameter, 100ft package.	Stock	\$17.50
<u>N532RED500</u>	NITRA pneumatic tubing, nylon 12, red, 5/32in (4mm) outside diameter, 0.106in inside diameter, 500ft reel.	Stock	\$88.00
<u>N532YEL100</u>	NITRA pneumatic tubing, nylon 12, yellow, 5/32in (4mm) outside diameter, 0.106in inside diameter, 100ft package.	Stock	\$17.50
<u>N532YEL500</u>	NITRA pneumatic tubing, nylon 12, yellow, 5/32in (4mm) outside diameter, 0.106in inside diameter, 500ft reel.	Stock	\$88.00
<u>PT4MNAT100</u>	NITRA pneumatic tubing, PTFE, natural, 5/32in (4mm) outside diameter, 2.5mm inside diameter, 100ft package.	Stock	\$355.00
<u>PU14BLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 1/4in outside diameter, 0.156in inside diameter, 100ft package.	Stock	\$32.00

<u>PU14BLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 1/4in outside diameter, 0.156in inside diameter, 500ft reel.	Stock	\$161.00
<u>PU14BLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 1/4in outside diameter, 0.156in inside diameter, 100ft package.	Stock	\$32.00
<u>PU14BLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 1/4in outside diameter, 0.156in inside diameter, 500ft reel.	Stock	\$161.00
<u>PU14CLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 1/4in outside diameter, 0.156in inside diameter, 100ft package.	Stock	\$32.00
<u>PU14CLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 1/4in outside diameter, 0.156in inside diameter, 500ft reel.	Stock	\$161.00
<u>PU14RED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 1/4in outside diameter, 0.156in inside diameter, 100ft package.	Stock	\$32.00
<u>PU14RED500</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 1/4in outside diameter, 0.156in inside diameter, 500ft reel.	Stock	\$161.00
<u>PU14YEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 1/4in outside diameter, 0.156in inside diameter, 100ft package.	Stock	\$32.00
<u>PU14YEL500</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 1/4in outside diameter, 0.156in inside diameter, 500ft reel.	Stock	\$161.00
<u>PU14CBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 1/4in outside diameter, 0.156in inside diameter, 100ft package.	Stock	\$32.00
<u>PU14CBL500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 1/4in outside diameter, 0.156in inside diameter, 500ft reel.	Stock	\$161.00
<u>UV14GRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 1/4in outside diameter, 0.156in inside diameter, UV stabilized, 100ft package.	Stock	\$38.50
<u>UV14GRN500</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 1/4in outside diameter, 0.156in inside diameter, UV stabilized, 500ft reel.	Stock	\$182.00
<u>2PU14-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black and clear blue, double 1/4in outside diameter, 0.156in inside diameter, 50ft package.	Stock	\$60.00
<u>3PU14-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black, clear blue and blue, triple 1/4in outside diameter, 0.156in inside diameter, 50ft package.	Stock	\$88.00
<u>N14BLK100</u>	NITRA pneumatic tubing, nylon 12, black, 1/4in outside diameter, 0.180in inside diameter, 100ft package.	Stock	\$28.00
<u>N14BLK500</u>	NITRA pneumatic tubing, nylon 12, black, 1/4in outside diameter, 0.180in inside diameter, 500ft reel.	Stock	\$145.00
<u>N14BLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 1/4in outside diameter, 0.180in inside diameter, 100ft package.	Stock	\$28.00
<u>N14BLU500</u>	NITRA pneumatic tubing, nylon 12, blue, 1/4in outside diameter, 0.180in inside diameter, 500ft reel.	Stock	\$145.00
<u>N14NAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 1/4in outside diameter, 0.180in inside diameter, 100ft package.	Stock	\$28.50
<u>N14NAT500</u>	NITRA pneumatic tubing, nylon 12, natural, 1/4in outside diameter, 0.180in inside diameter, 500ft reel.	Stock	\$145.00
<u>N14RED100</u>	NITRA pneumatic tubing, nylon 12, red, 1/4in outside diameter, 0.180in inside diameter, 100ft package.	Stock	\$28.00
<u>N14RED500</u>	NITRA pneumatic tubing, nylon 12, red, 1/4in outside diameter, 0.180in inside diameter, 500ft reel.	Stock	\$145.00
<u>N14YEL100</u>	NITRA pneumatic tubing, nylon 12, yellow, 1/4in outside diameter, 0.180in inside diameter, 100ft package.	Stock	\$28.00
<u>N14YEL500</u>	NITRA pneumatic tubing, nylon 12, yellow, 1/4in outside diameter, 0.180in inside diameter, 500ft reel.	Stock	\$145.00
<u>PT14-18NAT100</u>	NITRA pneumatic tubing, PTFE, natural, 1/4in outside diameter, 1/8in inside diameter, 100ft package.	Stock	\$489.00
<u>PT14-532NAT100</u>	NITRA pneumatic tubing, PTFE, natural, 1/4in outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$382.00
<u>PT14-316NAT100</u>	NITRA pneumatic tubing, PTFE, natural, 1/4in outside diameter, 3/16in inside diameter, 100ft package.	Stock	\$290.00
<u>PU38BLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 3/8in outside diameter, 0.250in inside diameter, 100ft package.	Stock	\$69.00
<u>PU38BLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 3/8in outside diameter, 0.250in inside diameter, 500ft reel.	Stock	\$348.00
<u>PU38BLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 3/8in outside diameter, 0.250in inside diameter, 100ft package.	Stock	\$69.00
<u>PU38BLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 3/8in outside diameter, 0.250in inside diameter, 500ft reel.	Stock	\$348.00
<u>PU38CLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 3/8in outside diameter, 0.250in inside diameter, 100ft package.	Stock	\$69.00
<u>PU38CLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 3/8in outside diameter, 0.250in inside diameter, 500ft reel.	Stock	\$348.00
<u>PU38RED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 3/8in outside diameter, 0.250in inside diameter, 100ft package.	Stock	\$69.00

<u>PU38RED500</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 3/8in outside diameter, 0.250in inside diameter, 500ft reel.	Stock	\$348.00
<u>PU38YEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 3/8in outside diameter, 0.250in inside diameter, 100ft package.	Stock	\$69.00
<u>PU38YEL500</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 3/8in outside diameter, 0.250in inside diameter, 500ft reel.	Stock	\$348.00
<u>PU38CBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 3/8in outside diameter, 0.250in inside diameter, 100ft package.	Stock	\$69.00
<u>PU38CBL500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 3/8in outside diameter, 0.250in inside diameter, 500ft reel.	Stock	\$348.00
<u>UV38GRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 3/8in outside diameter, 0.250in inside diameter, UV stabilized, 100ft package.	Stock	\$79.00
<u>UV38GRN500</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 3/8in outside diameter, 0.250in inside diameter, UV stabilized, 500ft reel.	Stock	\$374.00
<u>2PU38-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black and clear blue, double 3/8in outside diameter, 0.250in inside diameter, 50ft package.	Stock	\$116.00
<u>N38BLK100</u>	NITRA pneumatic tubing, nylon 12, black, 3/8in outside diameter, 0.275in inside diameter, 100ft package.	Stock	\$61.00
<u>N38BLK500</u>	NITRA pneumatic tubing, nylon 12, black, 3/8in outside diameter, 0.275in inside diameter, 500ft reel.	Stock	\$307.00
<u>N38BLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 3/8in outside diameter, 0.275in inside diameter, 100ft package.	Stock	\$61.00
<u>N38BLU500</u>	NITRA pneumatic tubing, nylon 12, blue, 3/8in outside diameter, 0.275in inside diameter, 500ft reel.	Stock	\$307.00
<u>N38NAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 3/8in outside diameter, 0.275in inside diameter, 100ft package.	Stock	\$61.00
<u>N38NAT500</u>	NITRA pneumatic tubing, nylon 12, natural, 3/8in outside diameter, 0.275in inside diameter, 500ft reel.	Stock	\$307.00
<u>N38RED100</u>	NITRA pneumatic tubing, nylon 12, red, 3/8in outside diameter, 0.275in inside diameter, 100ft package.	Stock	\$61.00
<u>N38RED500</u>	NITRA pneumatic tubing, nylon 12, red, 3/8in outside diameter, 0.275in inside diameter, 500ft reel.	Stock	\$307.00
<u>N38YEL100</u>	NITRA pneumatic tubing, nylon 12, yellow, 3/8in outside diameter, 0.275in inside diameter, 100ft package.	Stock	\$61.00
<u>PT38NAT100</u>	NITRA pneumatic tubing, PTFE, natural, 3/8in outside diameter, 0.250in inside diameter, 100ft package.	Stock	\$829.00
<u>PU12BLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 1/2in outside diameter, 0.328in inside diameter, 100ft package.	Stock	\$139.00
<u>PU12BLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 1/2in outside diameter, 0.328in inside diameter, 500ft reel.	Stock	\$672.00
<u>PU12BLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 1/2in outside diameter, 0.328in inside diameter, 100ft package.	Stock	\$139.00
<u>PU12BLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 1/2in outside diameter, 0.328in inside diameter, 500ft reel.	Stock	\$672.00
<u>PU12CLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 1/2in outside diameter, 0.328in inside diameter, 100ft package.	Stock	\$139.00
<u>PU12CLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 1/2in outside diameter, 0.328in inside diameter, 500ft reel.	Stock	\$672.00
<u>PU12RED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 1/2in outside diameter, 0.328in inside diameter, 100ft package.	Stock	\$139.00
<u>PU12YEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 1/2in outside diameter, 0.328in inside diameter, 100ft package.	Stock	\$139.00
<u>PU12CBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 1/2in outside diameter, 0.328in inside diameter, 100ft package.	Stock	\$139.00
<u>UV12GRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 1/2in outside diameter, 0.328in inside diameter, UV stabilized, 100ft package.	Stock	\$142.00
<u>2PU12-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black and clear blue, double 1/2in outside diameter, 0.328in inside diameter, 50ft package.	Stock	\$218.00
<u>N12BLK100</u>	NITRA pneumatic tubing, nylon 12, black, 1/2in outside diameter, 0.375in inside diameter, 100ft package.	Stock	\$92.00
<u>N12BLK500</u>	NITRA pneumatic tubing, nylon 12, black, 1/2in outside diameter, 0.375in inside diameter, 500ft reel.	Stock	\$448.00
<u>N12BLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 1/2in outside diameter, 0.375in inside diameter, 100ft package.	Stock	\$92.00
<u>N12BLU500</u>	NITRA pneumatic tubing, nylon 12, blue, 1/2in outside diameter, 0.375in inside diameter, 500ft reel.	Stock	\$448.00
<u>N12NAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 1/2in outside diameter, 0.375in inside diameter, 100ft package.	Stock	\$92.00
<u>N12NAT500</u>	NITRA pneumatic tubing, nylon 12, natural, 1/2in outside diameter, 0.375in inside diameter, 500ft reel.	Stock	\$448.00
<u>N12RED100</u>	NITRA pneumatic tubing, nylon 12, red, 1/2in outside diameter, 0.375in inside diameter, 100ft package.	Stock	\$92.00

<u>N12RED500</u>	NITRA pneumatic tubing, nylon 12, red, 1/2in outside diameter, 0.375in inside diameter, 500ft reel.	Stock	\$448.00
<u>N12YEL100</u>	NITRA pneumatic tubing, nylon 12, yellow, 1/2in outside diameter, 0.375in inside diameter, 100ft package.	Stock	\$92.00
<u>PU6MBLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$34.00
<u>PU6MBLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$164.00
<u>PU6MBLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$34.00
<u>PU6MBLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$164.00
<u>PU6MCLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$34.00
<u>PU6MCLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$164.00
<u>PU6MRED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$32.50
<u>PU6MRED500</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$158.00
<u>PU6MYEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$32.50
<u>PU6MYEL500</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$158.00
<u>PU6MCBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$32.50
<u>PU6MCBL500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$158.00
<u>UV6MGRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 6mm outside diameter, 5/32in (4mm) inside diameter, UV stabilized, 100ft package.	Stock	\$37.50
<u>UV6MGRN500</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 6mm outside diameter, 5/32in (4mm) inside diameter, UV stabilized, 500ft reel.	Stock	\$180.00
<u>2PU06M-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black and clear blue, double 6mm outside diameter, 5/32in (4mm) inside diameter, 50ft package.	Stock	\$63.00
<u>N6MBLK100</u>	NITRA pneumatic tubing, nylon 12, black, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$28.00
<u>N6MBLK500</u>	NITRA pneumatic tubing, nylon 12, black, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$144.00
<u>N6MBLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$28.00
<u>N6MBLU500</u>	NITRA pneumatic tubing, nylon 12, blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$144.00
<u>N6MNAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$28.00
<u>N6MNAT500</u>	NITRA pneumatic tubing, nylon 12, natural, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$144.00
<u>N6MRED100</u>	NITRA pneumatic tubing, nylon 12, red, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$27.00
<u>N6MRED500</u>	NITRA pneumatic tubing, nylon 12, red, 6mm outside diameter, 5/32in (4mm) inside diameter, 500ft reel.	Stock	\$138.00
<u>N6MYEL100</u>	NITRA pneumatic tubing, nylon 12, yellow, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$27.00
<u>PT6MNAT100</u>	NITRA pneumatic tubing, PTFE, natural, 6mm outside diameter, 5/32in (4mm) inside diameter, 100ft package.	Stock	\$489.00
<u>PU8MBLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 5/16in (8mm) outside diameter, 5mm inside diameter, 100ft package.	Stock	\$57.00
<u>PU8MBLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 5/16in (8mm) outside diameter, 5mm inside diameter, 500ft reel.	Stock	\$283.00
<u>PU8MBLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 5/16in (8mm) outside diameter, 5mm inside diameter, 100ft package.	Stock	\$57.00
<u>PU8MBLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 5/16in (8mm) outside diameter, 5mm inside diameter, 500ft reel.	Stock	\$283.00
<u>PU8MCLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 5/16in (8mm) outside diameter, 5mm inside diameter, 100ft package.	Stock	\$57.00
<u>PU8MCLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 5/16in (8mm) outside diameter, 5mm inside diameter, 500ft reel.	Stock	\$283.00

<u>PU8MRED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 5/16in (8mm) outside diameter, 5mm inside diameter, 100ft package.	Stock	\$55.00
<u>PU8MYEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 5/16in (8mm) outside diameter, 5mm inside diameter, 100ft package.	Stock	\$55.00
<u>PU8MCBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 5/16in (8mm) outside diameter, 5mm inside diameter, 100ft package.	Stock	\$55.00
<u>UV8MGRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 5/16in (8mm) outside diameter, 5mm inside diameter, UV stabilized, 100ft package.	Stock	\$58.00
<u>2PU08M-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black and clear blue, double 8mm outside diameter, 5mm inside diameter, 50ft package.	Stock	\$119.00
<u>N8MBLK100</u>	NITRA pneumatic tubing, nylon 12, black, 5/16in (8mm) outside diameter, 6mm inside diameter, 100ft package.	Stock	\$41.50
<u>N8MBLK500</u>	NITRA pneumatic tubing, nylon 12, black, 5/16in (8mm) outside diameter, 6mm inside diameter, 500ft reel.	Stock	\$209.00
<u>N8MBLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 5/16in (8mm) outside diameter, 6mm inside diameter, 100ft package.	Stock	\$41.50
<u>N8MBLU500</u>	NITRA pneumatic tubing, nylon 12, blue, 5/16in (8mm) outside diameter, 6mm inside diameter, 500ft reel.	Stock	\$209.00
<u>N8MNAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 5/16in (8mm) outside diameter, 6mm inside diameter, 100ft package.	Stock	\$41.50
<u>N8MNAT500</u>	NITRA pneumatic tubing, nylon 12, natural, 5/16in (8mm) outside diameter, 6mm inside diameter, 500ft reel.	Stock	\$209.00
<u>N8MRED100</u>	NITRA pneumatic tubing, nylon 12, red, 5/16in (8mm) outside diameter, 6mm inside diameter, 100ft package.	Stock	\$40.00
<u>N8MRED500</u>	NITRA pneumatic tubing, nylon 12, red, 5/16in (8mm) outside diameter, 6mm inside diameter, 500ft reel.	Stock	\$201.00
<u>N8MYEL100</u>	NITRA pneumatic tubing, nylon 12, yellow, 5/16in (8mm) outside diameter, 6mm inside diameter, 100ft package.	Stock	\$40.00
<u>PT8MNAT100</u>	NITRA pneumatic tubing, PTFE, natural, 5/16in (8mm) outside diameter, 6mm inside diameter, 100ft package.	Stock	\$633.00
<u>PU10MBLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 10mm outside diameter, 6.5mm inside diameter, 100ft package.	Stock	\$77.00
<u>PU10MBLK500</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 10mm outside diameter, 6.5mm inside diameter, 500ft reel.	Stock	\$374.00
<u>PU10MBLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 10mm outside diameter, 6.5mm inside diameter, 100ft package.	Stock	\$77.00
<u>PU10MBLU500</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 10mm outside diameter, 6.5mm inside diameter, 500ft reel.	Stock	\$374.00
<u>PU10MCLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 10mm outside diameter, 6.5mm inside diameter, 100ft package.	Stock	\$77.00
<u>PU10MCLR500</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 10mm outside diameter, 6.5mm inside diameter, 500ft reel.	Stock	\$374.00
<u>PU10MRED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 10mm outside diameter, 6.5mm inside diameter, 100ft package.	Stock	\$77.00
<u>PU10MYEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 10mm outside diameter, 6.5mm inside diameter, 100ft package.	Stock	\$77.00
<u>PU10MCBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 10mm outside diameter, 6.5mm inside diameter, 100ft package.	Stock	\$77.00
<u>UV10MGRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 10mm outside diameter, 6.5mm inside diameter, UV stabilized, 100ft package.	Stock	\$79.00
<u>2PU10M-50</u>	NITRA pneumatic bonded tubing, ether-based polyurethane, black and clear blue, double 10mm outside diameter, 6.5mm inside diameter, 50ft package.	Stock	\$167.00
<u>N10MBLK100</u>	NITRA pneumatic tubing, nylon 12, black, 10mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$54.00
<u>N10MBLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 10mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$54.00
<u>N10MNAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 10mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$54.00
<u>N10MRED100</u>	NITRA pneumatic tubing, nylon 12, red, 10mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$54.00
<u>N10MYEL100</u>	NITRA pneumatic tubing, nylon 12, yellow, 10mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$54.00
<u>PT10MNAT100</u>	NITRA pneumatic tubing, PTFE, natural, 10mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$599.00
<u>PU12MBLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 12mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$118.00

<u>PU12MBLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 12mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$118.00
<u>PU12MCLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 12mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$118.00
<u>PU12MRED100</u>	NITRA pneumatic tubing, ether-based polyurethane, red, 12mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$108.00
<u>PU12MYEL100</u>	NITRA pneumatic tubing, ether-based polyurethane, yellow, 12mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$118.00
<u>PU12MCBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 12mm outside diameter, 5/16in (8mm) inside diameter, 100ft package.	Stock	\$118.00
<u>UV12MGRN100</u>	NITRA pneumatic tubing, ether-based polyurethane, dark green, 12mm outside diameter, 5/16in (8mm) inside diameter, UV stabilized, 100ft package.	Stock	\$138.00
<u>N12MBLK100</u>	NITRA pneumatic tubing, nylon 12, black, 12mm outside diameter, 10mm inside diameter, 100ft package.	Stock	\$89.00
<u>N12MBLU100</u>	NITRA pneumatic tubing, nylon 12, blue, 12mm outside diameter, 10mm inside diameter, 100ft package.	Stock	\$89.00
<u>N12MNAT100</u>	NITRA pneumatic tubing, nylon 12, natural, 12mm outside diameter, 10mm inside diameter, 100ft package.	Stock	\$94.00
<u>PU16MBLK100</u>	NITRA pneumatic tubing, ether-based polyurethane, black, 16mm outside diameter, 11mm inside diameter, 100ft package.	Stock	\$204.00
<u>PU16MBLU100</u>	NITRA pneumatic tubing, ether-based polyurethane, blue, 16mm outside diameter, 11mm inside diameter, 100ft package.	Stock	\$204.00
<u>PU16MCLR100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear, 16mm outside diameter, 11mm inside diameter, 100ft package.	Stock	\$204.00
<u>PU16MCBL100</u>	NITRA pneumatic tubing, ether-based polyurethane, clear blue, 16mm outside diameter, 11mm inside diameter, 100ft package.	Stock	\$204.00
Coiled Flexible Pneumatic Tubing			
<u>1PU532C10</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 5/32in (4mm) outside diameter, 0.093in inside diameter, 10 coils, 2.2ft working length.	Stock	\$8.75
<u>1PU532C20</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 5/32in (4mm) outside diameter, 0.093in inside diameter, 20 coils, 3.9ft working length.	Stock	\$9.50
<u>1PU532C40</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 5/32in (4mm) outside diameter, 0.093in inside diameter, 40 coils, 5.5ft working length.	Stock	\$11.00
<u>2PU532C10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 5/32in outside diameter, 0.093in inside diameter, 10 coils, 2ft working length.	Stock	\$11.00
<u>2PU532C20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 5/32in outside diameter, 0.093in inside diameter, 20 coils, 3.5ft working length.	Stock	\$12.00
<u>2PU532C40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 5/32in outside diameter, 0.093in inside diameter, 40 coils, 6.5ft working length.	Stock	\$13.50
<u>3PU532C10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 5/32in outside diameter, 0.093in inside diameter, 10 coils, 2.5ft working length.	Stock	\$19.00
<u>3PU532C20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 5/32in outside diameter, 0.093in inside diameter, 20 coils, 4.4ft working length.	Stock	\$22.50
<u>3PU532C40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 5/32in outside diameter, 0.093in inside diameter, 40 coils, 8.3ft working length.	Stock	\$28.50
<u>1PU14C10</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 1/4in outside diameter, 0.156in inside diameter, 10 coils, 3.2ft working length.	Stock	\$11.50
<u>1PU14C20</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 1/4in outside diameter, 0.156in inside diameter, 20 coils, 5.8ft working length.	Stock	\$13.50
<u>1PU14C40</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 1/4in outside diameter, 0.156in inside diameter, 40 coils, 8.4ft working length.	Stock	\$16.00
<u>2PU14C10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 1/4in outside diameter, 0.156in inside diameter, 10 coils, 2.9ft working length.	Stock	\$13.50
<u>2PU14C20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 1/4in outside diameter, 0.156in inside diameter, 20 coils, 5.3ft working length.	Stock	\$14.50
<u>2PU14C40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 1/4in outside diameter, 0.156in inside diameter, 40 coils, 10ft working length.	Stock	\$23.50
<u>3PU14C10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 1/4in outside diameter, 0.156in inside diameter, 10 coils, 3.4ft working length.	Stock	\$23.50
<u>3PU14C20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 1/4in outside diameter, 0.156in inside diameter, 20 coils, 6.3ft working length.	Stock	\$28.50
<u>3PU14C40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 1/4in outside diameter, 0.156in inside diameter, 40 coils, 11.9ft working length.	Stock	\$51.00
<u>1PU38C10</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 3/8in outside diameter, 0.250in inside diameter, 10 coils, 4ft working length.	Stock	\$16.50

<u>1PU38C20</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 3/8in outside diameter, 0.250in inside diameter, 20 coils, 7.4ft working length.	Stock	\$23.50
<u>1PU38C40</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 3/8in outside diameter, 0.250in inside diameter, 40 coils, 14.2ft working length.	Stock	\$29.00
<u>2PU38C10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 3/8in outside diameter, 0.250in inside diameter, 10 coils, 3.6ft working length.	Stock	\$17.50
<u>2PU38C20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 3/8in outside diameter, 0.250in inside diameter, 20 coils, 6.7ft working length.	Stock	\$25.50
<u>2PU38C40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 3/8in outside diameter, 0.250in inside diameter, 40 coils, 12.9ft working length.	Stock	\$45.00
<u>3PU38C10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 3/8in outside diameter, 0.250in inside diameter, 10 coils, 4.4ft working length.	Stock	\$33.00
<u>3PU38C20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 3/8in outside diameter, 0.250in inside diameter, 20 coils, 8.3ft working length.	Stock	\$48.50
<u>3PU38C40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 3/8in outside diameter, 0.250in inside diameter, 40 coils, 16ft working length.	Stock	\$94.00
<u>1PU06MC10</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 10 coils, 3.2ft working length.	Stock	\$11.50
<u>1PU06MC20</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 20 coils, 5.8ft working length.	Stock	\$13.50
<u>1PU06MC40</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 6mm outside diameter, 5/32in (4mm) inside diameter, 40 coils, 8.4ft working length.	Stock	\$16.50
<u>2PU06MC10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 6mm outside diameter, 5/32in (4mm) inside diameter, 10 coils, 2.8ft working length.	Stock	\$12.50
<u>2PU06MC20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 6mm outside diameter, 5/32in (4mm) inside diameter, 20 coils, 5.2ft working length.	Stock	\$14.00
<u>2PU06MC40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 6mm outside diameter, 5/32in (4mm) inside diameter, 40 coils, 9.9ft working length.	Stock	\$23.00
<u>3PU06MC10</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 6mm outside diameter, 5/32in (4mm) inside diameter, 10 coils, 3.1ft working length.	Stock	\$23.00
<u>3PU06MC20</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 6mm outside diameter, 5/32in (4mm) inside diameter, 20 coils, 6.2ft working length.	Stock	\$28.00
<u>3PU06MC40</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, black, clear blue and blue, triple 6mm outside diameter, 5/32in (4mm) inside diameter, 40 coils, 11.8ft working length.	Stock	\$48.50
<u>1PU08MC10</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 5/16in (8mm) outside diameter, 5mm inside diameter, 10 coils, 3.3ft working length.	Stock	\$13.50
<u>1PU08MC20</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 5/16in (8mm) outside diameter, 5mm inside diameter, 20 coils, 6.1ft working length.	Stock	\$19.00
<u>1PU08MC40</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 5/16in (8mm) outside diameter, 5mm inside diameter, 40 coils, 8.8ft working length.	Stock	\$25.00
<u>2PU08MC10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 8mm outside diameter, 5mm inside diameter, 10 coils, 3ft working length.	Stock	\$14.50
<u>2PU08MC20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 8mm outside diameter, 5mm inside diameter, 20 coils, 5.5ft working length.	Stock	\$19.00
<u>2PU08MC40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 8mm outside diameter, 5mm inside diameter, 40 coils, 10.5ft working length.	Stock	\$31.50
<u>1PU10MC10</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 10mm outside diameter, 6.5mm inside diameter, 10 coils, 4ft working length.	Stock	\$17.50
<u>1PU10MC20</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 10mm outside diameter, 6.5mm inside diameter, 20 coils, 7.4ft working length.	Stock	\$25.00
<u>1PU10MC40</u>	NITRA pneumatic coiled tubing, ether-based polyurethane, clear blue, 10mm outside diameter, 6.5mm inside diameter, 40 coils, 14.2ft working length.	Stock	\$33.00
<u>2PU10MC10</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 10mm outside diameter, 6.5mm inside diameter, 10 coils, 3.6ft working length.	Stock	\$19.00
<u>2PU10MC20</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 10mm outside diameter, 6.5mm inside diameter, 20 coils, 6.7ft working length.	Stock	\$28.50
<u>2PU10MC40</u>	NITRA pneumatic bonded coiled tubing, ether-based polyurethane, black and clear blue, double 10mm outside diameter, 6.5mm inside diameter, 40 coils, 13ft working length.	Stock	\$53.00
Pneumatic Air Hoses			
<u>HPVC14-25BG2</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 1/4in inside diameter, 7/16in outside diameter, 1/4in male NPT nickel-plated brass rigid fittings, 25ft working length.	Stock	\$28.00
<u>HPVC14-50BG2</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 1/4in inside diameter, 7/16in outside diameter, 1/4in male NPT nickel-plated brass rigid fittings, 50ft working length.	Stock	\$34.00

<u>HPVC14-100BG</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 1/4in inside diameter, 7/16in outside diameter, 100ft working length.	Stock	\$46.00
<u>HPVC14-250BG</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 1/4in inside diameter, 7/16in outside diameter, 250ft working length.	Stock	\$114.00
<u>HPVC14-500BG</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 1/4in inside diameter, 7/16in outside diameter, 500ft working length.	Stock	\$222.00
<u>HBP14-25CBL2</u>	NITRA pneumatic hose, ether-based polyurethane, polyester reinforced, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in male NPT nickel-plated brass swivel fittings, 25ft package.	Stock	\$40.50
<u>HBP14-50CBL2</u>	NITRA pneumatic hose, ether-based polyurethane, polyester reinforced, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in male NPT nickel-plated brass swivel fittings, 50ft package.	Stock	\$57.00
<u>HBP14C10CBL</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in male NPT brass fittings (one end fixed, one end swivel), 8ft working length.	Stock	\$45.00
<u>HBP14C15CBL</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in male NPT brass fittings (one end fixed, one end swivel), 12ft working length.	Stock	\$60.00
<u>HBP14C20CBL</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in male NPT brass fittings (one end fixed, one end swivel), 16ft working length.	Stock	\$73.00
<u>HBP14C10CBL-QC</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in chrome-plated steel quick-disconnect fittings, 8ft working length.	Stock	\$78.00
<u>HBP14C15CBL-QC</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in chrome-plated steel quick-disconnect fittings, 12ft working length.	Stock	\$89.00
<u>HP14C10CBL</u>	NITRA pneumatic coiled hose, polyurethane, clear blue, 1/4in inside diameter, 0.375in outside diameter, (2) 1/4in male NPT brass fittings (one end fixed, one end swivel), 8ft working length.	Stock	\$24.50
<u>HP14C15CBL</u>	NITRA pneumatic coiled hose, polyurethane, clear blue, 1/4in inside diameter, 0.375in outside diameter, (2) 1/4in male NPT brass fittings (one end fixed, one end swivel), 12ft working length.	Stock	\$28.00
<u>HP14C20CBL</u>	NITRA pneumatic coiled hose, polyurethane, clear blue, 1/4in inside diameter, 0.375in outside diameter, (2) 1/4in male NPT brass fittings (one end fixed, one end swivel), 16ft working length.	Stock	\$31.50
<u>HP14C10CBL-QC</u>	NITRA pneumatic coiled hose, polyurethane, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in chrome-plated steel quick-disconnect fittings, 8ft working length.	Stock	\$56.00
<u>HP14C15CBL-QC</u>	NITRA pneumatic coiled hose, polyurethane, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in chrome-plated steel quick-disconnect fittings, 12ft working length.	Stock	\$59.00
<u>HP14C20CBL-QC</u>	NITRA pneumatic coiled hose, polyurethane, clear blue, 1/4in inside diameter, 0.375in outside diameter, 1/4in chrome-plated steel quick-disconnect fittings, 16ft working length.	Stock	\$63.00
<u>HN14C14-12YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 1/4in inside diameter, 0.3125in outside diameter, (2) 1/4in male NPT nickel-plated brass swivel fittings, 10ft working length.	Stock	\$23.00
<u>HN14C14-25YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 1/4in inside diameter, 0.3125in outside diameter, (2) 1/4in male NPT nickel-plated brass swivel fittings, 20ft working length.	Stock	\$30.00
<u>HN14C14-50YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 1/4in inside diameter, 0.3125in outside diameter, (2) 1/4in male NPT nickel-plated brass swivel fittings, 40ft working length.	Stock	\$42.50
<u>HPVC38-25BG3</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 3/8in inside diameter, 9/16in outside diameter, 3/8in male NPT nickel-plated brass rigid fittings, 25ft working length.	Stock	\$37.00
<u>HPVC38-50BG3</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 3/8in inside diameter, 9/16in outside diameter, 3/8in male NPT nickel-plated brass rigid fittings, 50ft working length.	Stock	\$50.00
<u>HPVC38-100BG</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 3/8in inside diameter, 9/16in outside diameter, 100ft working length.	Stock	\$63.00
<u>HPVC38-250BG</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 3/8in inside diameter, 9/16in outside diameter, 250ft working length.	Stock	\$165.00
<u>HPVC38-500BG</u>	NITRA pneumatic or water hose, hybrid PVC, polyester reinforced, black with green stripe, 3/8in inside diameter, 9/16in outside diameter, 500ft working length.	Stock	\$342.00
<u>HBP38-25CBL2</u>	NITRA pneumatic hose, ether-based polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 1/4in male NPT nickel-plated brass swivel fittings, 25ft package.	Stock	\$44.50
<u>HBP38-50CBL2</u>	NITRA pneumatic hose, ether-based polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 1/4in male NPT nickel-plated brass swivel fittings, 50ft package.	Stock	\$70.00
<u>HBP38-25CBL3</u>	NITRA pneumatic hose, ether-based polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 3/8in male NPT nickel-plated brass swivel fittings, 25ft package.	Stock	\$46.50
<u>HBP38-50CBL3</u>	NITRA pneumatic hose, ether-based polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 3/8in male NPT nickel-plated brass swivel fittings, 50ft package.	Stock	\$75.00
<u>HBP38C10CBL</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 3/8in male NPT brass fittings (one end fixed, one end swivel), 8ft working length.	Stock	\$76.00
<u>HBP38C15CBL</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 3/8in male NPT brass fittings (one end fixed, one end swivel), 12ft working length.	Stock	\$94.00
<u>HBP38C10CBL-QC</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 3/8in chrome-plated steel quick-disconnect fittings, 8ft working length.	Stock	\$110.00
<u>HBP38C15CBL-QC</u>	NITRA pneumatic coiled hose, polyurethane, polyester reinforced, clear blue, 3/8in inside diameter, 0.5625in outside diameter, 3/8in chrome-plated steel quick-disconnect fittings, 12ft working length.	Stock	\$132.00

<u>HN38C14-12YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 3/8in inside diameter, 0.47in outside diameter, (2) 1/4in male NPT nickel-plated brass swivel fittings, 10ft working length.	Stock	\$40.00
<u>HN38C14-25YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 3/8in inside diameter, 0.47in outside diameter, (2) 1/4in male NPT nickel-plated brass swivel fittings, 20ft working length.	Stock	\$55.00
<u>HN38C14-50YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 3/8in inside diameter, 0.47in outside diameter, (2) 1/4in male NPT nickel-plated brass swivel fittings, 44ft working length.	Stock	\$83.00
<u>HN38C38-12YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 3/8in inside diameter, 0.47in outside diameter, (2) 3/8in male NPT nickel-plated brass swivel fittings, 10ft working length.	Stock	\$42.00
<u>HN38C38-25YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 3/8in inside diameter, 0.47in outside diameter, (2) 3/8in male NPT nickel-plated brass swivel fittings, 20ft working length.	Stock	\$58.00
<u>HN38C38-50YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 3/8in inside diameter, 0.47in outside diameter, (2) 3/8in male NPT nickel-plated brass swivel fittings, 42ft working length.	Stock	\$86.00
<u>HN12C12-12YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 1/2in inside diameter, 0.625in outside diameter, (2) 1/2in male NPT nickel-plated brass swivel fittings, 10ft working length.	Stock	\$63.00
<u>HN12C12-25YEL</u>	NITRA pneumatic coiled hose, nylon 12, yellow, 1/2in inside diameter, 0.625in outside diameter, (2) 1/2in male NPT nickel-plated brass swivel fittings, 20ft working length.	Stock	\$84.00

Accessories for Pneumatic Tubing and Hoses

<u>HSR14-14N</u>	NITRA pneumatic or water threaded fitting, male, hose rigid, nickel-plated brass body, nickel-plated brass threads, thread sealant, 1/4in inside diameter to 1/4in male NPT.	Stock	\$6.75
<u>HSR38-14N</u>	NITRA pneumatic or water threaded fitting, male, hose rigid, nickel-plated brass body, nickel-plated brass threads, thread sealant, 3/8in inside diameter to 1/4in male NPT.	Stock	\$7.00
<u>HSR38-38N</u>	NITRA pneumatic or water threaded fitting, male, hose rigid, nickel-plated brass body, nickel-plated brass threads, thread sealant, 3/8in inside diameter to 3/8in male NPT.	Stock	\$10.00
<u>HS14-14M-R</u>	NITRA pneumatic threaded fitting, hose swivel, nickel-plated brass body, 1/4in inside diameter to 1/4in male NPT.	Stock	\$6.50
<u>HS38-14M-R</u>	NITRA pneumatic threaded fitting, hose swivel, nickel-plated brass body, 3/8in inside diameter to 1/4in male NPT.	Stock	\$9.25

Push-to-Connect Pneumatic Fittings

<u>MS18-M3</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) M3 x 0.5 male ISO to (1) 1/8in push-to-connect. Package of 5.	Stock	\$11.00
<u>MS18-10N</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) #10-32 male UNF to (1) 1/8in push-to-connect. Package of 5.	Stock	\$11.50
<u>MS18-18N</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) 1/8in male NPT to (1) 1/8in push-to-connect. Package of 5.	Stock	\$12.50
<u>MS18-14N</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) 1/4in male NPT to (1) 1/8in push-to-connect. Package of 5.	Stock	\$14.50
<u>MS532-M3</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) M3 x 0.5 male ISO to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$11.00
<u>MS532-10N</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) #10-32 male UNF to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.50
<u>MS532-10N-B</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, (1) #10-32 male UNF to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$8.00
<u>MS532-18N</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.50
<u>MS532-18N-B</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$7.50
<u>MS532-18N-SS</u>	NITRA pneumatic push-to-connect fitting, straight, 316 stainless steel body, 316 stainless steel threads, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect.	Stock	\$12.00
<u>MS532-14N</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) 1/4in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.50
<u>MS532-14N-B</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) 1/4in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$9.50
<u>MS4M-M5</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) M5 x 0.8 male ISO to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$7.75
<u>MS4M-M5-B</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, (1) M5 x 0.8 male ISO to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$7.50
<u>MS4M-18R</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) R1/8 male BSPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.50
<u>MS4M-18R-B</u>	NITRA pneumatic push-to-connect fitting, straight, nickel-plated brass body, nickel-plated brass threads, thread sealant, (1) R1/8 male BSPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$7.50
<u>MS4M-18R-SS</u>	NITRA pneumatic push-to-connect fitting, straight, 316 stainless steel body, 316 stainless steel threads, (1) R1/8 male BSPT to (1) 5/32in (4mm) push-to-connect.	Stock	\$12.00

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<u>US532</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$9.25
<u>US532-B</u>	NITRA pneumatic push-to-connect fitting, union straight, nickel-plated brass body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$12.50
<u>US532-SS</u>	NITRA pneumatic push-to-connect fitting, union straight, 316 stainless steel body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect.	Stock	\$19.50
<u>US6M</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$9.75
<u>US6M-B</u>	NITRA pneumatic push-to-connect fitting, union straight, nickel-plated brass body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$14.00
<u>US6M-SS</u>	NITRA pneumatic push-to-connect fitting, union straight, 316 stainless steel body, (1) 6mm push-to-connect to (1) 6mm push-to-connect.	Stock	\$21.00
<u>US14</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$10.00
<u>US14-B</u>	NITRA pneumatic push-to-connect fitting, union straight, nickel-plated brass body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$14.50
<u>US14-SS</u>	NITRA pneumatic push-to-connect fitting, union straight, 316 stainless steel body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$21.00
<u>US8M</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$11.50
<u>US8M-B</u>	NITRA pneumatic push-to-connect fitting, union straight, nickel-plated brass body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$17.50
<u>US8M-SS</u>	NITRA pneumatic push-to-connect fitting, union straight, 316 stainless steel body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect.	Stock	\$22.50
<u>US38</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$13.00
<u>US38-B</u>	NITRA pneumatic push-to-connect fitting, union straight, nickel-plated brass body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$21.50
<u>US38-SS</u>	NITRA pneumatic push-to-connect fitting, union straight, 316 stainless steel body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect.	Stock	\$30.00
<u>US10M</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 10mm push-to-connect to (1) 10mm push-to-connect. Package of 5.	Stock	\$13.00
<u>US10M-B</u>	NITRA pneumatic push-to-connect fitting, union straight, nickel-plated brass body, (1) 10mm push-to-connect to (1) 10mm push-to-connect. Package of 5.	Stock	\$19.00
<u>US12M</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 12mm push-to-connect to (1) 12mm push-to-connect. Package of 5.	Stock	\$15.00
<u>US12</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect. Package of 5.	Stock	\$15.50
<u>US12-B</u>	NITRA pneumatic push-to-connect fitting, union straight, nickel-plated brass body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect. Package of 5.	Stock	\$25.50
<u>US12-SS</u>	NITRA pneumatic push-to-connect fitting, union straight, 316 stainless steel body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect.	Stock	\$37.50
<u>US16M</u>	NITRA pneumatic push-to-connect fitting, union straight, thermoplastic (PBT) body, (1) 16mm push-to-connect to (1) 16mm push-to-connect. Package of 5.	Stock	\$33.00
<u>UR532-18</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 5/32in (4mm) push-to-connect to (1) 1/8in push-to-connect. Package of 5.	Stock	\$12.50
<u>UR6M-4M</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 6mm push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$13.50
<u>UR6M-4M-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 6mm push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$15.00
<u>UR6M-4M-SS</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, 316 stainless steel body, (1) 6mm push-to-connect to (1) 5/32in (4mm) push-to-connect.	Stock	\$20.50
<u>UR14-18</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (1) 1/8in push-to-connect. Package of 5.	Stock	\$13.00
<u>UR14-532</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$11.50
<u>UR14-532-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 1/4in push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$15.00
<u>UR14-6M-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 1/4in push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$15.00
<u>UR516-14</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$10.50
<u>UR516-14-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 5/16in (8mm) push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$21.50

<u>UR8M-6M</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$14.00
<u>UR8M-6M-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 5/16in (8mm) push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$21.50
<u>UR8M-6M-SS</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, 316 stainless steel body, (1) 5/16in (8mm) push-to-connect to (1) 6mm push-to-connect.	Stock	\$24.00
<u>UR38-6M-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 3/8in push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$26.00
<u>UR38-14</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$14.00
<u>UR38-14-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 3/8in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$26.00
<u>UR38-14-SS</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, 316 stainless steel body, (1) 3/8in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$31.00
<u>UR38-516</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$13.50
<u>UR38-516-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 3/8in push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$26.00
<u>UR38-10M-B</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, nickel-plated brass body, (1) 10mm push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$26.50
<u>UR10M-8M</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 10mm push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$14.00
<u>UR12M-10M</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 12mm push-to-connect to (1) 10mm push-to-connect. Package of 5.	Stock	\$19.50
<u>UR12-38</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 1/2in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$20.50
<u>UR12-38-SS</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, 316 stainless steel body, (1) 1/2in push-to-connect to (1) 3/8in push-to-connect.	Stock	\$39.50
<u>UR16M-12M</u>	NITRA pneumatic push-to-connect fitting, union straight reducer, thermoplastic (PBT) body, (1) 16mm push-to-connect to (1) 12mm push-to-connect. Package of 5.	Stock	\$25.00
<u>UT18</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 1/8in push-to-connect connection(s). Package of 5.	Stock	\$18.00
<u>UT532</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$13.00
<u>UT532-B</u>	NITRA pneumatic push-to-connect fitting, union tee, nickel-plated brass body, (3) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$20.50
<u>UT532-SS</u>	NITRA pneumatic push-to-connect fitting, union tee, 316 stainless steel body, (3) 5/32in (4mm) push-to-connect connection(s).	Stock	\$30.00
<u>UT6M</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 6mm push-to-connect connection(s). Package of 5.	Stock	\$13.00
<u>UT6M-B</u>	NITRA pneumatic push-to-connect fitting, union tee, nickel-plated brass body, (3) 6mm push-to-connect connection(s). Package of 5.	Stock	\$23.50
<u>UT6M-SS</u>	NITRA pneumatic push-to-connect fitting, union tee, 316 stainless steel body, (3) 6mm push-to-connect connection(s).	Stock	\$32.00
<u>UT14</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$13.50
<u>UT14-B</u>	NITRA pneumatic push-to-connect fitting, union tee, nickel-plated brass body, (3) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$23.50
<u>UT14-SS</u>	NITRA pneumatic push-to-connect fitting, union tee, 316 stainless steel body, (3) 1/4in push-to-connect connection(s).	Stock	\$37.00
<u>UT8M</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$14.00
<u>UT8M-B</u>	NITRA pneumatic push-to-connect fitting, union tee, nickel-plated brass body, (3) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$26.50
<u>UT8M-SS</u>	NITRA pneumatic push-to-connect fitting, union tee, 316 stainless steel body, (3) 5/16in (8mm) push-to-connect connection(s).	Stock	\$39.00
<u>UT38</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$15.00
<u>UT38-B</u>	NITRA pneumatic push-to-connect fitting, union tee, nickel-plated brass body, (3) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$33.50
<u>UT38-SS</u>	NITRA pneumatic push-to-connect fitting, union tee, 316 stainless steel body, (3) 3/8in push-to-connect connection(s).	Stock	\$51.00
<u>UT10M</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 10mm push-to-connect connection(s). Package of 5.	Stock	\$15.50

<u>UT10M-SS</u>	NITRA pneumatic push-to-connect fitting, union tee, 316 stainless steel body, (3) 10mm push-to-connect connection(s).	Stock	\$51.00
<u>UT12M</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 12mm push-to-connect connection(s). Package of 5.	Stock	\$20.50
<u>UT12</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$21.00
<u>UT12-SS</u>	NITRA pneumatic push-to-connect fitting, union tee, 316 stainless steel body, (3) 1/2in push-to-connect connection(s).	Stock	\$72.00
<u>UT16M</u>	NITRA pneumatic push-to-connect fitting, union tee, thermoplastic (PBT) body, (3) 16mm push-to-connect connection(s). Package of 3.	Stock	\$30.50
<u>UTR14-532</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 1/4in push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$13.00
<u>UTR516-14</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 5/16in (8mm) push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$13.50
<u>UTR38-14</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 3/8in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$15.50
<u>UTR38-516</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 3/8in push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$14.50
<u>UTR12-38</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 1/2in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$21.50
<u>UTR6M-4M</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 6mm push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$13.50
<u>UTR8M-6M</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 5/16in (8mm) push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$15.00
<u>UTR10M-8M</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 10mm push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$17.00
<u>UTR12M-10M</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 12mm push-to-connect to (1) 10mm push-to-connect. Package of 5.	Stock	\$22.50
<u>UTR16M-10M</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 16mm push-to-connect to (1) 10mm push-to-connect. Package of 3.	Stock	\$30.00
<u>UTR16M-12M</u>	NITRA pneumatic push-to-connect fitting, union tee reducer, thermoplastic (PBT) body, (2) 16mm push-to-connect to (1) 12mm push-to-connect. Package of 3.	Stock	\$30.50
<u>UL18</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 1/8in push-to-connect to (1) 1/8in push-to-connect. Package of 5.	Stock	\$10.50
<u>UL532</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$8.00
<u>UL532-B</u>	NITRA pneumatic push-to-connect fitting, union elbow, nickel-plated brass body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$15.00
<u>UL532-SS</u>	NITRA pneumatic push-to-connect fitting, union elbow, 316 stainless steel body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect.	Stock	\$23.50
<u>UL6M</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$8.50
<u>UL6M-B</u>	NITRA pneumatic push-to-connect fitting, union elbow, nickel-plated brass body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$16.50
<u>UL6M-SS</u>	NITRA pneumatic push-to-connect fitting, union elbow, 316 stainless steel body, (1) 6mm push-to-connect to (1) 6mm push-to-connect.	Stock	\$25.00
<u>UL14</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$9.25
<u>UL14-B</u>	NITRA pneumatic push-to-connect fitting, union elbow, nickel-plated brass body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$16.50
<u>UL14-SS</u>	NITRA pneumatic push-to-connect fitting, union elbow, 316 stainless steel body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$23.50
<u>UL8M</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$11.00
<u>UL8M-B</u>	NITRA pneumatic push-to-connect fitting, union elbow, nickel-plated brass body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$19.00
<u>UL8M-SS</u>	NITRA pneumatic push-to-connect fitting, union elbow, 316 stainless steel body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect.	Stock	\$30.50
<u>UL38</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$13.00
<u>UL38-B</u>	NITRA pneumatic push-to-connect fitting, union elbow, nickel-plated brass body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$24.00
<u>UL38-SS</u>	NITRA pneumatic push-to-connect fitting, union elbow, 316 stainless steel body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect.	Stock	\$39.50

<u>UL10M</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 10mm push-to-connect to (1) 10mm push-to-connect. Package of 5.	Stock	\$13.50
<u>UL10M-SS</u>	NITRA pneumatic push-to-connect fitting, union elbow, 316 stainless steel body, (1) 10mm push-to-connect to (1) 10mm push-to-connect.	Stock	\$39.50
<u>UL12M</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 12mm push-to-connect to (1) 12mm push-to-connect. Package of 5.	Stock	\$13.50
<u>UL12</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect. Package of 5.	Stock	\$14.00
<u>UL12-SS</u>	NITRA pneumatic push-to-connect fitting, union elbow, 316 stainless steel body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect.	Stock	\$53.00
<u>UL16M</u>	NITRA pneumatic push-to-connect fitting, union elbow, thermoplastic (PBT) body, (1) 16mm push-to-connect to (1) 16mm push-to-connect. Package of 5.	Stock	\$33.00
<u>UY18</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 1/8in push-to-connect connection(s). Package of 5.	Stock	\$21.50
<u>UY532</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$14.00
<u>UY532-B</u>	NITRA pneumatic push-to-connect fitting, union Y, nickel-plated brass body, (3) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$43.50
<u>UY6M</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 6mm push-to-connect connection(s). Package of 5.	Stock	\$13.50
<u>UY6M-B</u>	NITRA pneumatic push-to-connect fitting, union Y, nickel-plated brass body, (3) 6mm push-to-connect connection(s). Package of 5.	Stock	\$49.00
<u>UY14</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$16.00
<u>UY14-B</u>	NITRA pneumatic push-to-connect fitting, union Y, nickel-plated brass body, (3) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$49.00
<u>UY8M</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$14.00
<u>UY8M-B</u>	NITRA pneumatic push-to-connect fitting, union Y, nickel-plated brass body, (3) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$57.00
<u>UY38</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$20.00
<u>UY38-B</u>	NITRA pneumatic push-to-connect fitting, union Y, nickel-plated brass body, (3) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$76.00
<u>UY10M</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 10mm push-to-connect connection(s). Package of 5.	Stock	\$18.50
<u>UY12M</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 12mm push-to-connect connection(s). Package of 5.	Stock	\$24.00
<u>UY12</u>	NITRA pneumatic push-to-connect fitting, union Y, thermoplastic (PBT) body, (3) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$24.50
<u>URY532-18</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 5/32in (4mm) push-to-connect to (2) 1/8in push-to-connect. Package of 5.	Stock	\$26.00
<u>URY14-18</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (2) 1/8in push-to-connect. Package of 5.	Stock	\$28.00
<u>URY14-532</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (2) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$18.00
<u>URY516-14</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (2) 1/4in push-to-connect. Package of 5.	Stock	\$18.00
<u>URY38-14</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (2) 1/4in push-to-connect. Package of 5.	Stock	\$20.00
<u>URY38-516</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (2) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$21.00
<u>URY12-38</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 1/2in push-to-connect to (2) 3/8in push-to-connect. Package of 5.	Stock	\$28.50
<u>URY6M-4M</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 6mm push-to-connect to (2) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$17.00
<u>URY8M-6M</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (2) 6mm push-to-connect. Package of 5.	Stock	\$20.00
<u>URY10M-8M</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 10mm push-to-connect to (2) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$21.50
<u>URY12M-10M</u>	NITRA pneumatic push-to-connect fitting, union Y reducer, thermoplastic (PBT) body, (1) 12mm push-to-connect to (2) 10mm push-to-connect. Package of 5.	Stock	\$28.50
<u>UX532</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$22.00

<u>UX14</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$23.50
<u>UX38</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$30.00
<u>UX12</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$33.00
<u>UX6M</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 6mm push-to-connect connection(s). Package of 5.	Stock	\$23.00
<u>UX8M</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$27.50
<u>UX10M</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 10mm push-to-connect connection(s). Package of 5.	Stock	\$30.50
<u>UX12M</u>	NITRA pneumatic push-to-connect fitting, union cross, thermoplastic (PBT) body, (4) 12mm push-to-connect connection(s). Package of 5.	Stock	\$32.00
<u>U3B14-532</u>	NITRA pneumatic push-to-connect fitting, union triple branch, thermoplastic (PBT) body, (2) 1/4in push-to-connect to (3) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$31.00
<u>U3B516-14</u>	NITRA pneumatic push-to-connect fitting, union triple branch, thermoplastic (PBT) body, (2) 5/16in (8mm) push-to-connect to (3) 1/4in push-to-connect. Package of 5.	Stock	\$33.50
<u>U3B38-14</u>	NITRA pneumatic push-to-connect fitting, union triple branch, thermoplastic (PBT) body, (2) 3/8in push-to-connect to (3) 1/4in push-to-connect. Package of 5.	Stock	\$40.00
<u>U3B38-516</u>	NITRA pneumatic push-to-connect fitting, union triple branch, thermoplastic (PBT) body, (2) 3/8in push-to-connect to (3) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$37.50
<u>U3B6M-4M</u>	NITRA pneumatic push-to-connect fitting, union triple branch, thermoplastic (PBT) body, (2) 6mm push-to-connect to (3) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$29.50
<u>U3B8M-6M</u>	NITRA pneumatic push-to-connect fitting, union triple branch, thermoplastic (PBT) body, (2) 5/16in (8mm) push-to-connect to (3) 6mm push-to-connect. Package of 5.	Stock	\$35.00
<u>U3B10M-8M</u>	NITRA pneumatic push-to-connect fitting, union triple branch, thermoplastic (PBT) body, (2) 10mm push-to-connect to (3) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$42.50
<u>UB532</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$20.00
<u>UB14</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$21.00
<u>UB38</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$29.00
<u>UB12</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect. Package of 5.	Stock	\$38.50
<u>UB6M</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$20.50
<u>UB8M</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$25.00
<u>UB10M</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 10mm push-to-connect to (1) 10mm push-to-connect. Package of 5.	Stock	\$30.50
<u>UB12M</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, nickel-plated brass body, (1) 12mm push-to-connect to (1) 12mm push-to-connect. Package of 5.	Stock	\$31.50
<u>UB532-SS</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, 316 stainless steel body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect.	Stock	\$29.00
<u>UB14-SS</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, 316 stainless steel body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$29.00
<u>UB38-SS</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, 316 stainless steel body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect.	Stock	\$41.50
<u>UB12-SS</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, 316 stainless steel body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect.	Stock	\$62.00
<u>UB6M-SS</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, 316 stainless steel body, (1) 6mm push-to-connect to (1) 6mm push-to-connect.	Stock	\$29.00
<u>UB8M-SS</u>	NITRA pneumatic push-to-connect fitting, bulkhead union, 316 stainless steel body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect.	Stock	\$31.50
<u>PLUG532</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 5/32in (4mm) plug-in. Package of 5.	Stock	\$4.00
<u>PLUG14</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 1/4in plug-in. Package of 5.	Stock	\$4.25
<u>PLUG38</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 3/8in plug-in. Package of 5.	Stock	\$5.00
<u>PLUG12</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 1/2in plug-in. Package of 5.	Stock	\$6.00
<u>PLUG6M</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 6mm plug-in. Package of 5.	Stock	\$4.00

<u>PLUG8M</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 5/16in (8mm) plug-in. Package of 5.	Stock	\$4.75
<u>PLUG10M</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 10mm plug-in. Package of 5.	Stock	\$5.25
<u>PLUG12M</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 12mm plug-in. Package of 5.	Stock	\$6.00
<u>PLUG16M</u>	NITRA pneumatic push-to-connect fitting, plug, thermoplastic (PBT) body, 16mm plug-in. Package of 5.	Stock	\$12.00
<u>PR532-18</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 5/32in (4mm) plug-in to (1) 1/8in push-to-connect. Package of 5.	Stock	\$21.50
<u>PR6M-4M</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 6mm plug-in to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.50
<u>PR6M-4M-B</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, nickel-plated brass body, (1) 6mm plug-in to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$10.00
<u>PR14-18</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 1/4in plug-in to (1) 1/8in push-to-connect. Package of 5.	Stock	\$22.50
<u>PR14-532</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 1/4in plug-in to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.75
<u>PR14-532-B</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, nickel-plated brass body, (1) 1/4in plug-in to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$10.00
<u>PR516-14</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 5/16in (8mm) plug-in to (1) 1/4in push-to-connect. Package of 5.	Stock	\$7.75
<u>PR8M-6M</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 5/16in (8mm) plug-in to (1) 6mm push-to-connect. Package of 5.	Stock	\$6.75
<u>PR8M-6M-B</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, nickel-plated brass body, (1) 5/16in (8mm) plug-in to (1) 6mm push-to-connect. Package of 5.	Stock	\$12.50
<u>PR38-14</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 3/8in plug-in to (1) 1/4in push-to-connect. Package of 5.	Stock	\$7.75
<u>PR38-14-B</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, nickel-plated brass body, (1) 3/8in plug-in to (1) 1/4in push-to-connect. Package of 5.	Stock	\$13.50
<u>PR38-516</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 3/8in plug-in to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$9.50
<u>PR10M-8M</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 10mm plug-in to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$8.00
<u>PR12M-10M</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 12mm plug-in to (1) 10mm push-to-connect. Package of 5.	Stock	\$8.50
<u>PR12-38</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 1/2in plug-in to (1) 3/8in push-to-connect. Package of 5.	Stock	\$8.50
<u>PR16M-12M</u>	NITRA pneumatic push-to-connect fitting, plug-in reducer, thermoplastic (PBT) body, (1) 16mm plug-in to (1) 12mm push-to-connect. Package of 5.	Stock	\$15.50
Threaded Adapter Fittings			
<u>BFMC-18N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/8in male NPT to (1) 1/8in male NPT. Package of 5.	Stock	\$6.00
<u>BFMC-14N-18N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/4in male NPT to (1) 1/8in male NPT. Package of 5.	Stock	\$8.50
<u>BFMC-14N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/4in male NPT to (1) 1/4in male NPT. Package of 5.	Stock	\$8.75
<u>BFMC-38N-18N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 3/8in male NPT to (1) 1/8in male NPT. Package of 5.	Stock	\$11.50
<u>BFMC-38N-14N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 3/8in male NPT to (1) 1/4in male NPT. Package of 5.	Stock	\$12.50
<u>BFMC-38N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 3/8in male NPT to (1) 3/8in male NPT. Package of 5.	Stock	\$14.00
<u>BFMC-12N-14N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/2in male NPT to (1) 1/4in male NPT. Package of 2.	Stock	\$7.75
<u>BFMC-12N-38N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/2in male NPT to (1) 3/8in male NPT. Package of 2.	Stock	\$7.75
<u>BFMC-12N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/2in male NPT to (1) 1/2in male NPT. Package of 2.	Stock	\$8.75
<u>BFFC-18N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/8in female NPT to (1) 1/8in female NPT. Package of 5.	Stock	\$6.50
<u>BFFC-14N-18N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/4in female NPT to (1) 1/8in female NPT. Package of 5.	Stock	\$11.00
<u>BFFC-14N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/4in female NPT to (1) 1/4in female NPT. Package of 5.	Stock	\$13.50

<u>BFFC-38N-14N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 3/8in female NPT to (1) 1/4in female NPT. Package of 5.	Stock	\$23.00
<u>BFFC-38N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 3/8in female NPT to (1) 3/8in female NPT. Package of 5.	Stock	\$17.00
<u>BFFC-12N-14N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/2in female NPT to (1) 1/4in female NPT. Package of 2.	Stock	\$10.00
<u>BFFC-12N-38N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/2in female NPT to (1) 3/8in female NPT. Package of 2.	Stock	\$13.00
<u>BFFC-12N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/2in female NPT to (1) 1/2in female NPT. Package of 2.	Stock	\$11.50
<u>BFMFR-14N-18N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/4in female NPT to (1) 1/8in male NPT. Package of 5.	Stock	\$12.50
<u>BFMFR-38N-18N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 3/8in female NPT to (1) 1/8in male NPT. Package of 5.	Stock	\$22.00
<u>BFMFR-38N-14N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 3/8in female NPT to (1) 1/4in male NPT. Package of 5.	Stock	\$13.50
<u>BFMFR-12N-38N</u>	NITRA pneumatic threaded fitting, straight, brass body, brass threads, (1) 1/2in female NPT to (1) 3/8in male NPT. Package of 2.	Stock	\$11.00
<u>BFHB-14N-18N</u>	NITRA pneumatic threaded fitting, hex bushing, brass body, brass threads, (1) 1/4in male NPT to (1) 1/8in female NPT. Package of 5.	Stock	\$6.50
<u>BFHB-38N-18N</u>	NITRA pneumatic threaded fitting, hex bushing, brass body, brass threads, (1) 3/8in male NPT to (1) 1/8in female NPT. Package of 5.	Stock	\$10.00
<u>BFHB-38N-14N</u>	NITRA pneumatic threaded fitting, hex bushing, brass body, brass threads, (1) 3/8in male NPT to (1) 1/4in female NPT. Package of 5.	Stock	\$10.00
<u>BFHB-12N-18N</u>	NITRA pneumatic threaded fitting, hex bushing, brass body, brass threads, (1) 1/2in male NPT to (1) 1/8in female NPT. Package of 2.	Stock	\$6.75
<u>BFHB-12N-14N</u>	NITRA pneumatic threaded fitting, hex bushing, brass body, brass threads, (1) 1/2in male NPT to (1) 1/4in female NPT. Package of 2.	Stock	\$6.25
<u>BFHB-12N-38N</u>	NITRA pneumatic threaded fitting, hex bushing, brass body, brass threads, (1) 1/2in male NPT to (1) 3/8in female NPT. Package of 2.	Stock	\$6.25
<u>BFFE-18N</u>	NITRA pneumatic threaded fitting, elbow, brass body, brass threads, (1) 1/8in female NPT to (1) 1/8in female NPT. Package of 2.	Stock	\$5.50
<u>BFFE-14N</u>	NITRA pneumatic threaded fitting, elbow, brass body, brass threads, (1) 1/4in female NPT to (1) 1/4in female NPT. Package of 2.	Stock	\$7.50
<u>BFFE-38N</u>	NITRA pneumatic threaded fitting, elbow, brass body, brass threads, (1) 3/8in female NPT to (1) 3/8in female NPT. Package of 2.	Stock	\$11.50
<u>BFSE-18N</u>	NITRA pneumatic threaded fitting, street elbow, brass body, brass threads, (1) 1/8in male NPT to (1) 1/8in female NPT. Package of 2.	Stock	\$3.00
<u>BFSE-14N</u>	NITRA pneumatic threaded fitting, street elbow, brass body, brass threads, (1) 1/4in male NPT to (1) 1/4in female NPT. Package of 2.	Stock	\$6.00
<u>BFSE-38N</u>	NITRA pneumatic threaded fitting, street elbow, brass body, brass threads, (1) 3/8in male NPT to (1) 3/8in female NPT. Package of 2.	Stock	\$8.75
<u>BFSE-12N</u>	NITRA pneumatic threaded fitting, street elbow, brass body, brass threads, (1) 1/2in male NPT to (1) 1/2in female NPT. Package of 2.	Stock	\$19.00
<u>BFMT-18N</u>	NITRA pneumatic threaded fitting, tee, brass body, brass threads, (1) 1/8in male NPT to (2) 1/8in female NPT. Package of 2.	Stock	\$6.50
<u>BFMT-14N</u>	NITRA pneumatic threaded fitting, tee, brass body, brass threads, (1) 1/4in male NPT to (2) 1/4in female NPT. Package of 2.	Stock	\$12.50
<u>BFMT-38N</u>	NITRA pneumatic threaded fitting, tee, brass body, brass threads, (1) 3/8in male NPT to (2) 3/8in female NPT. Package of 2.	Stock	\$13.50
<u>BFFT-18N</u>	NITRA pneumatic threaded fitting, tee, brass body, brass threads, (3) 1/8in female NPT connection(s). Package of 2.	Stock	\$6.75
<u>BFFT-14N</u>	NITRA pneumatic threaded fitting, tee, brass body, brass threads, (3) 1/4in female NPT connection(s). Package of 2.	Stock	\$12.00
<u>BFFT-38N</u>	NITRA pneumatic threaded fitting, tee, brass body, brass threads, (3) 3/8in female NPT connection(s). Package of 2.	Stock	\$14.00
<u>BFFT-12N</u>	NITRA pneumatic threaded fitting, tee, brass body, brass threads, (3) 1/2in female NPT connection(s). Package of 2.	Stock	\$26.50
<u>BFRHP-14N</u>	NITRA pneumatic threaded fitting, recessed hex plug, brass body, brass threads, 1/4in male NPT. Package of 5.	Stock	\$4.50
<u>BFRHP-38N</u>	NITRA pneumatic threaded fitting, recessed hex plug, brass body, brass threads, 3/8in male NPT. Package of 5.	Stock	\$6.25
<u>BFRHP-12N</u>	NITRA pneumatic threaded fitting, recessed hex plug, brass body, brass threads, 1/2in male NPT. Package of 5.	Stock	\$12.50

[illegible]

<u>BAHBL-38-38N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 3/8in male NPT to (1) 3/8in hose. Package of 5.	Stock	\$32.00
<u>BAHBL-12-14N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 1/4in male NPT to (1) 1/2in hose. Package of 5.	Stock	\$33.00
<u>BAHBL-12-38N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 3/8in male NPT to (1) 1/2in hose. Package of 5.	Stock	\$56.00
<u>BAHBL-12-12N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 1/2in male NPT to (1) 1/2in hose. Package of 5.	Stock	\$48.00
<u>BAHBL-58-38N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 3/8in male NPT to (1) 5/8in hose. Package of 3.	Stock	\$38.50
<u>BAHBL-58-12N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 1/2in male NPT to (1) 5/8in hose. Package of 3.	Stock	\$44.00
<u>BAHBL-34-12N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 1/2in male NPT to (1) 3/4in hose. Package of 3.	Stock	\$56.00
<u>BAHBL-34-34N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 3/4in male NPT to (1) 3/4in hose. Package of 3.	Stock	\$82.00
<u>BAHBL-1-34N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 3/4in male NPT to (1) 1in hose. Package of 1.	Stock	\$32.00
<u>BAHBL-1-1N</u>	NITRA water, oil, air or gases threaded fitting, hose barb elbow, brass body, brass threads, (1) 1in male NPT to (1) 1in hose. Package of 1.	Stock	\$58.00
<u>BAHM-316</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 3/16in hose to (1) 3/16in hose. Package of 5.	Stock	\$7.75
<u>BAHM-14</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 1/4in hose to (1) 1/4in hose. Package of 5.	Stock	\$10.00
<u>BAHM-516</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 5/16in (8mm) hose to (1) 5/16in (8mm) hose. Package of 5.	Stock	\$13.00
<u>BAHM-38</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 3/8in hose to (1) 3/8in hose. Package of 5.	Stock	\$14.00
<u>BAHM-12</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 1/2in hose to (1) 1/2in hose. Package of 5.	Stock	\$19.00
<u>BAHM-58</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 5/8in hose to (1) 5/8in hose. Package of 3.	Stock	\$13.50
<u>BAHM-34</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 3/4in hose to (1) 3/4in hose. Package of 3.	Stock	\$17.00
<u>BAHM-1</u>	NITRA water, oil, air or gases barbed fitting, hose mender, brass body, brass threads, (1) 1in hose to (1) 1in hose. Package of 3.	Stock	\$31.50

Quick-Disconnect Air Couplings			
<u>HC14-14F-A</u>	NITRA pneumatic quick disconnect fitting, coupling, steel body, (1) 1/4in female NPT to (1) 1/4in industrial interchange.	Stock	\$8.50
<u>HC14-38F-A</u>	NITRA pneumatic quick disconnect fitting, coupling, steel body, (1) 3/8in female NPT to (1) 1/4in industrial interchange.	Stock	\$9.00
<u>HC14-14M-A</u>	NITRA pneumatic quick disconnect fitting, coupling, steel body, (1) 1/4in male NPT to (1) 1/4in industrial interchange.	Stock	\$8.50
<u>HC14-38M-A</u>	NITRA pneumatic quick disconnect fitting, coupling, steel body, (1) 3/8in male NPT to (1) 1/4in industrial interchange.	Stock	\$8.75
<u>HC14-14F-B</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 1/4in female NPT to (1) 1/4in industrial interchange.	Stock	\$16.00
<u>HC14-38F-B</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 3/8in female NPT to (1) 1/4in industrial interchange.	Stock	\$16.00
<u>HC14-14M-B</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 1/4in male NPT to (1) 1/4in industrial interchange.	Stock	\$16.00
<u>HC14-38M-B</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 3/8in male NPT to (1) 1/4in industrial interchange.	Stock	\$16.00
<u>HC14-14F-C</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 1/4in female NPT to (1) 1/4in universal.	Stock	\$22.00
<u>HC14-38F-C</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 3/8in female NPT to (1) 1/4in universal.	Stock	\$22.00
<u>HC14-14M-C</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 1/4in male NPT to (1) 1/4in universal.	Stock	\$22.00
<u>HC14-38M-C</u>	NITRA pneumatic quick disconnect fitting, automatic coupling, chrome-plated steel body, (1) 3/8in male NPT to (1) 1/4in universal.	Stock	\$22.00
<u>HC38-14F-A</u>	NITRA pneumatic quick disconnect fitting, coupling, steel body, (1) 1/4in female NPT to (1) 3/8in industrial interchange.	Stock	\$12.50

[illegible]

<u>HCP38-12M-M</u>	NITRA pneumatic quick disconnect fitting, coupling plug, chrome-plated steel body, (1) 1/2in male NPT to (1) 3/8in industrial interchange.	Stock	\$5.75
Swivel Air Fittings			
<u>HS14F-14M</u>	NITRA pneumatic threaded fitting, hose swivel, chrome-plated steel body, (1) 1/4in male NPT to (1) 1/4in female NPT.	Stock	\$40.00
<u>HSP14-14M-S</u>	NITRA pneumatic quick disconnect fitting, swivel, chrome-plated steel body, (1) 1/4in male NPT to (1) 1/4in industrial interchange.	Stock	\$43.00
<u>HSP38-14M-S</u>	NITRA pneumatic quick disconnect fitting, swivel, chrome-plated steel body, (1) 1/4in male NPT to (1) 3/8in industrial interchange.	Stock	\$43.00
<u>HSP38-38M-S</u>	NITRA pneumatic quick disconnect fitting, swivel, chrome-plated steel body, (1) 3/8in male NPT to (1) 3/8in industrial interchange.	Stock	\$48.00
<u>HSP14-14M-T</u>	NITRA pneumatic quick disconnect fitting, swivel, chrome-plated steel body, (1) 1/4in male NPT to (1) 1/4in ARO 210.	Stock	\$48.00
<u>HSP14-14M-U</u>	NITRA pneumatic quick disconnect fitting, swivel, chrome-plated steel body, (1) 1/4in male NPT to (1) 1/4in Truflate.	Stock	\$48.00
Special Purpose Pneumatic Fittings			
<u>FVS18-10N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) #10-32 male UNF to (1) 1/8in push-to-connect. Package of 2.	Stock	\$16.00
<u>FVR18-10N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) #10-32 male UNF to (1) 1/8in push-to-connect. Package of 2.	Stock	\$16.00
<u>FVU532</u>	NITRA pneumatic push-to-connect fitting, inline flow control valve, thermoplastic (PBT) body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$18.50
<u>FVS532-10N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) #10-32 male UNF to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$12.50
<u>FVS532-10N-B</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, nickel-plated brass body, nickel-plated brass threads, (1) #10-32 male UNF to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$23.00
<u>FVR532-10N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) #10-32 male UNF to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$12.50
<u>FVS532-18N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$16.50
<u>FVS532-18N-B</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, nickel-plated brass body, nickel-plated brass threads, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$22.00
<u>FVR532-18N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$16.50
<u>FVS4M-M5</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) M5 x 0.8 male ISO to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$13.50
<u>FVS4M-M5-B</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, nickel-plated brass body, nickel-plated brass threads, (1) M5 x 0.8 male ISO to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$23.00
<u>FVR4M-M5</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) M5 x 0.8 male ISO to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$13.50
<u>FVS4M-18R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) R1/8 male BSPT to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$16.50
<u>FVR4M-18R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) R1/8 male BSPT to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$16.00
<u>FVS4M-18G</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) G1/8 male BSPP to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$16.50
<u>FVR4M-18G</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) G1/8 male BSPP to (1) 5/32in (4mm) push-to-connect. Package of 2.	Stock	\$16.00
<u>FVU6M</u>	NITRA pneumatic push-to-connect fitting, inline flow control valve, thermoplastic (PBT) body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 2.	Stock	\$22.50
<u>FVS6M-M5</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) M5 x 0.8 male ISO to (1) 6mm push-to-connect. Package of 2.	Stock	\$16.50
<u>FVS6M-M5-B</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, nickel-plated brass body, nickel-plated brass threads, (1) M5 x 0.8 male ISO to (1) 6mm push-to-connect. Package of 2.	Stock	\$23.50
<u>FVR6M-M5</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) M5 x 0.8 male ISO to (1) 6mm push-to-connect. Package of 2.	Stock	\$16.50
<u>FVS6M-18N-B</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, nickel-plated brass body, nickel-plated brass threads, (1) 1/8in male NPT to (1) 6mm push-to-connect. Package of 2.	Stock	\$22.50
<u>FVS6M-18R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) R1/8 male BSPT to (1) 6mm push-to-connect. Package of 2.	Stock	\$17.00
<u>FVS6M-18R-B</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, nickel-plated brass body, nickel-plated brass threads, (1) R1/8 male BSPT to (1) 6mm push-to-connect. Package of 2.	Stock	\$22.50

[illegible]

[illegible]

<u>FVS10M-38G</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) G3/8 male BSPP to (1) 10mm push-to-connect. Package of 2.	Stock	\$28.00
<u>FVR10M-38G</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) G3/8 male BSPP to (1) 10mm push-to-connect. Package of 2.	Stock	\$28.00
<u>FVS10M-12R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) R1/2 male BSPT to (1) 10mm push-to-connect. Package of 2.	Stock	\$31.50
<u>FVR10M-12R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) R1/2 male BSPT to (1) 10mm push-to-connect. Package of 2.	Stock	\$31.50
<u>FVS10M-12G</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) G1/2 male BSPP to (1) 10mm push-to-connect. Package of 2.	Stock	\$31.50
<u>FVU12M</u>	NITRA pneumatic push-to-connect fitting, inline flow control valve, thermoplastic (PBT) body, (1) 12mm push-to-connect to (1) 12mm push-to-connect. Package of 2.	Stock	\$44.00
<u>FVS12M-38R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) R3/8 male BSPT to (1) 12mm push-to-connect. Package of 2.	Stock	\$32.00
<u>FVR12M-38R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) R3/8 male BSPT to (1) 12mm push-to-connect. Package of 2.	Stock	\$32.00
<u>FVS12M-12R</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) R1/2 male BSPT to (1) 12mm push-to-connect. Package of 2.	Stock	\$32.00
<u>FVU12</u>	NITRA pneumatic push-to-connect fitting, inline flow control valve, thermoplastic (PBT) body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect. Package of 2.	Stock	\$45.00
<u>FVS12-38N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) 3/8in male NPT to (1) 1/2in push-to-connect. Package of 2.	Stock	\$36.00
<u>FVR12-38N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) 3/8in male NPT to (1) 1/2in push-to-connect. Package of 2.	Stock	\$36.00
<u>FVS12-12N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-out, thermoplastic (PBT) body, nickel-plated brass threads, (1) 1/2in male NPT to (1) 1/2in push-to-connect. Package of 2.	Stock	\$37.00
<u>FVR12-12N</u>	NITRA pneumatic push-to-connect fitting, elbow flow control valve, rotating, meter-in, thermoplastic (PBT) body, nickel-plated brass threads, (1) 1/2in male NPT to (1) 1/2in push-to-connect. Package of 2.	Stock	\$37.00
<u>QEU14</u>	NITRA pneumatic push-to-connect fitting, inline quick exhaust valve, technopolymer body, (1) 1/4in push-to-connect inlet(s), (1) 1/4in push-to-connect outlet(s), (1) 1/4in push-to-connect exhaust(s).	Stock	\$11.00
<u>QEU516</u>	NITRA pneumatic push-to-connect fitting, inline quick exhaust valve, technopolymer body, (1) 5/16in (8mm) push-to-connect inlet(s), (1) 5/16in (8mm) push-to-connect outlet(s), (1) 5/16in (8mm) push-to-connect exhaust(s).	Stock	\$11.00
<u>QEU14-S</u>	NITRA pneumatic push-to-connect fitting, inline quick exhaust valve, technopolymer body, (1) 1/4in push-to-connect inlet(s), (1) 1/4in push-to-connect outlet(s), (1) silenced exhaust(s).	Stock	\$11.00
<u>QEU516-S</u>	NITRA pneumatic push-to-connect fitting, inline quick exhaust valve, technopolymer body, (1) 5/16in (8mm) push-to-connect inlet(s), (1) 5/16in (8mm) push-to-connect outlet(s), (1) silenced exhaust(s).	Stock	\$12.00
<u>HVU14</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 2.	Stock	\$21.50
<u>HVU14-2</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 2-way, technopolymer body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$14.00
<u>HVU14-3</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, technopolymer body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$14.00
<u>HVU14-2L</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, locking, 2-way, technopolymer body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$23.50
<u>HVU14-3L</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, locking, 3-way, technopolymer body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect.	Stock	\$30.50
<u>HVU516-2</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 2-way, technopolymer body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect.	Stock	\$15.50
<u>HVU516-3</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, technopolymer body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect.	Stock	\$15.50
<u>HVU516-2L</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, locking, 2-way, technopolymer body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect.	Stock	\$25.00
<u>HVU516-3L</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, locking, 3-way, technopolymer body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect.	Stock	\$24.50
<u>HVU516</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 2.	Stock	\$22.50
<u>HVU38</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 2.	Stock	\$24.00
<u>HVU12</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect. Package of 2.	Stock	\$27.00
<u>HVU6M</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 2.	Stock	\$19.50
<u>HVU8M</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 2.	Stock	\$21.00

<u>HVU10M</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 10mm push-to-connect to (1) 10mm push-to-connect. Package of 2.	Stock	\$22.00
<u>HVU12M</u>	NITRA pneumatic push-to-connect fitting, manual shutoff valve, 3-way, thermoplastic (PBT) body, (1) 12mm push-to-connect to (1) 12mm push-to-connect. Package of 2.	Stock	\$23.50
<u>PRU14</u>	NITRA pneumatic push-to-connect fitting, inline pressure regulator, technopolymer body, (1) 1/4in push-to-connect inlet(s), (1) 1/4in push-to-connect outlet(s), 15-120 psi adjustable range.	Stock	\$25.00
<u>PRU516</u>	NITRA pneumatic push-to-connect fitting, inline pressure regulator, technopolymer body, (1) 5/16in (8mm) push-to-connect inlet(s), (1) 5/16in (8mm) push-to-connect outlet(s), 15-120 psi adjustable range.	Stock	\$26.50
<u>PGU14</u>	NITRA pneumatic push-to-connect fitting, inline pressure gauge, technopolymer body, (1) 1/4in push-to-connect inlet(s), (1) 1/4in push-to-connect outlet(s), 0-170 psi range.	Stock	\$22.00
<u>PGU516</u>	NITRA pneumatic push-to-connect fitting, inline pressure gauge, technopolymer body, (1) 5/16in (8mm) push-to-connect inlet(s), (1) 5/16in (8mm) push-to-connect outlet(s), 0-170 psi range.	Stock	\$23.50
<u>PMU14A</u>	NITRA pneumatic push-to-connect fitting, inline pressure indicator, technopolymer body, (1) 1/4in push-to-connect inlet(s), (1) 1/4in push-to-connect outlet(s), 29-145 psi range, orange indication.	Stock	\$15.00
<u>PMU14G</u>	NITRA pneumatic push-to-connect fitting, inline pressure indicator, technopolymer body, (1) 1/4in push-to-connect inlet(s), (1) 1/4in push-to-connect outlet(s), 29-145 psi range, green indication.	Stock	\$15.00
<u>PMU516A</u>	NITRA pneumatic push-to-connect fitting, inline pressure indicator, technopolymer body, (1) 5/16in (8mm) push-to-connect inlet(s), (1) 5/16in (8mm) push-to-connect outlet(s), 29-145 psi range, orange indication.	Stock	\$16.00
<u>PMU516G</u>	NITRA pneumatic push-to-connect fitting, inline pressure indicator, technopolymer body, (1) 5/16in (8mm) push-to-connect inlet(s), (1) 5/16in (8mm) push-to-connect outlet(s), 29-145 psi range, green indication.	Stock	\$16.00
<u>SLV-PU</u>	NITRA pneumatic pop up pressure indicator, 5 psi, 1/8in male NPT.	Stock	\$32.50
<u>CVU532</u>	NITRA pneumatic push-to-connect fitting, check valve, thermoplastic (PBT) body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$42.50
<u>CVU14</u>	NITRA pneumatic push-to-connect fitting, check valve, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$49.00
<u>CVU38</u>	NITRA pneumatic push-to-connect fitting, check valve, aluminum body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$131.00
<u>CVU6M</u>	NITRA pneumatic push-to-connect fitting, check valve, thermoplastic (PBT) body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$43.50
<u>CVU8M</u>	NITRA pneumatic push-to-connect fitting, check valve, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$54.00
<u>CVU10N</u>	NITRA pneumatic threaded fitting, check valve, nickel-plated brass body, nickel-plated brass threads, (1) #10-32 female UNF to (1) #10-32 female UNF.	Stock	\$8.50
<u>CVU18N</u>	NITRA pneumatic threaded fitting, check valve, nickel-plated brass body, nickel-plated brass threads, (1) 1/8in female NPT to (1) 1/8in female NPT.	Stock	\$10.00
<u>CVF18N-M18N</u>	NITRA pneumatic threaded fitting, check valve, nickel-plated brass body, nickel-plated brass threads, (1) 1/8in female NPT to (1) 1/8in male NPT.	Stock	\$10.00
<u>CVM18N-F18N</u>	NITRA pneumatic threaded fitting, check valve, nickel-plated brass body, nickel-plated brass threads, (1) 1/8in male NPT to (1) 1/8in female NPT.	Stock	\$10.00
<u>CV-1202-MF</u>	CITO pneumatic, coolant, oil or water threaded fitting, check valve, brass body, brass threads, (1) 1/4in female NPT to (1) 1/4in female NPT.	Stock	\$28.00
<u>CV-1203-MF</u>	CITO pneumatic, coolant, oil or water threaded fitting, check valve, brass body, brass threads, (1) 3/8in female NPT to (1) 3/8in female NPT.	Stock	\$34.00
<u>CV-1204-MF</u>	CITO pneumatic, coolant, oil or water threaded fitting, female, check valve, brass body, brass threads, (2) 1/2in female NPT.	Stock	\$42.00
<u>POC18N</u>	NITRA pneumatic threaded fitting, pilot operated check valve, rotating, anodized aluminum body, zinc-plated brass threads, (1) #10-32 female UNF to (1) 1/8in female NPT to (1) 1/8in male NPT.	Stock	\$55.00
<u>POC14-18N</u>	NITRA pneumatic threaded fitting, pilot operated check valve, rotating, anodized aluminum body, zinc-plated brass threads, (1) #10-32 female UNF to (1) 1/4in push-to-connect to (1) 1/8in male NPT.	Stock	\$56.00
<u>POC14-14N</u>	NITRA pneumatic threaded fitting, pilot operated check valve, rotating, anodized aluminum body, nickel-plated brass threads, (1) #10-32 female UNF to (1) 1/4in male NPT to (1) 1/4in push-to-connect.	Stock	\$41.00
<u>SVU532</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$39.00
<u>SVU14</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 1/4in push-to-connect to (1) 1/4in push-to-connect. Package of 5.	Stock	\$46.50
<u>SVU38</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 3/8in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$62.00
<u>SVU12</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 1/2in push-to-connect to (1) 1/2in push-to-connect. Package of 5.	Stock	\$62.00
<u>SVU6M</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 6mm push-to-connect to (1) 6mm push-to-connect. Package of 5.	Stock	\$41.50
<u>SVU8M</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$49.00

<u>SVU10M</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 10mm push-to-connect to (1) 10mm push-to-connect. Package of 5.	Stock	\$56.00
<u>SVU12M</u>	NITRA pneumatic push-to-connect fitting, union straight stop valve, thermoplastic (PBT) body, (1) 12mm push-to-connect to (1) 12mm push-to-connect. Package of 5.	Stock	\$57.00
<u>SV18N</u>	NITRA pneumatic threaded fitting, shuttle valve, anodized aluminum body, nickel-plated brass threads, (3) 1/8in female NPT.	Stock	\$17.00
<u>SV14</u>	NITRA pneumatic threaded fitting, shuttle valve, anodized aluminum body, nickel-plated brass threads, (3) 1/4in push-to-connect.	Stock	\$26.50
<u>GBV10N</u>	NITRA pneumatic threaded fitting, bleed valve, nickel-plated brass body, nickel-plated brass threads, #10-32 male UNF.	Stock	\$15.00
<u>GBV18N</u>	NITRA pneumatic threaded fitting, bleed valve, nickel-plated brass body, nickel-plated brass threads, 1/8in male NPT.	Stock	\$13.50
<u>GBV14N</u>	NITRA pneumatic threaded fitting, bleed valve, nickel-plated brass body, nickel-plated brass threads, 1/4in male NPT.	Stock	\$15.00
Accessories for Pneumatic Fittings			
<u>TS12-260</u>	NITRA thread sealing tape, 1/2 x 260in, PTFE.	Stock	\$5.25
<u>FBKT</u>	NITRA pneumatic mounting bracket, plated steel. For use with push-to-connect fittings.	Stock	\$2.50
<u>TU14</u>	NITRA pneumatic U-tube, polyamide, 1/4in. For use with push-to-connect fittings.	Stock	\$3.00
<u>TU516</u>	NITRA pneumatic U-tube, polyamide, 5/16in (8mm). For use with push-to-connect fittings.	Stock	\$3.00
Hose Clamps			
<u>HC-316</u>	NITRA hose clamp, 2-ear, 0.318-0.433in diameter, plated steel. Package of 10. For use with HBV series 3/16in hose.	Stock	\$5.75
<u>HCSS-316</u>	NITRA hose clamp, interlocking ear, 0.346-0.413in diameter, 304 stainless steel. Package of 10. For use with HBV series 3/16in hose.	Stock	\$6.25
<u>HC-14</u>	NITRA hose clamp, 2-ear, 0.425-0.512in diameter, plated steel. Package of 10. For use with HBV series 1/4in hose.	Stock	\$5.75
<u>HCSS-14</u>	NITRA hose clamp, interlocking ear, 0.398-0.465in diameter, 304 stainless steel. Package of 10. For use with HBV series 1/4in hose.	Stock	\$6.25
<u>HC-516</u>	NITRA hose clamp, 2-ear, 0.492-0.591in diameter, plated steel. Package of 10. For use with HBV series 5/16in hose.	Stock	\$6.00
<u>HCSS-516</u>	NITRA hose clamp, interlocking ear, 0.472-0.571in diameter, 304 stainless steel. Package of 10. For use with HBV series 5/16in hose.	Stock	\$6.50
<u>HC-38</u>	NITRA hose clamp, 2-ear, 0.551-0.669in diameter, plated steel. Package of 10. For use with HBV series 3/8in hose.	Stock	\$6.25
<u>HCSS-38</u>	NITRA hose clamp, interlocking ear, 0.520-0.618in diameter, 304 stainless steel. Package of 10. For use with HBV series 3/8in hose.	Stock	\$6.50
<u>HC-12</u>	NITRA hose clamp, 2-ear, 0.638-0.787in diameter, plated steel. Package of 10. For use with HBV series 1/2in hose.	Stock	\$6.50
<u>HCSS-12</u>	NITRA hose clamp, interlocking ear, 0.654-0.780in diameter, 304 stainless steel. Package of 10. For use with HBV series 1/2in hose.	Stock	\$7.75
<u>HC-58</u>	NITRA hose clamp, 2-ear, 0.748-0.906in diameter, plated steel. Package of 10. For use with HBV series 5/8in hose.	Stock	\$7.75
<u>HCSS-58</u>	NITRA hose clamp, interlocking ear, 0.823-0.949in diameter, 304 stainless steel. Package of 10. For use with HBV series 5/8in hose.	Stock	\$8.25
<u>HC-34</u>	NITRA hose clamp, 2-ear, 0.945-1.102in diameter, plated steel. Package of 10. For use with HBV series 3/4in hose.	Stock	\$11.00
<u>HCSS-34</u>	NITRA hose clamp, interlocking ear, 0.941-1.067in diameter, 304 stainless steel. Package of 10. For use with HBV series 3/4in hose.	Stock	\$9.25
<u>HCSS-1</u>	NITRA hose clamp, interlocking ear, 1.236-1.362in diameter, 304 stainless steel. Package of 10. For use with HBV series 1in hose.	Stock	\$9.50
Air Jets			
<u>AJS-35</u>	NITRA pneumatic air jet set, 35 pieces, brass.	Stock	\$308.00
<u>AJTB-18N</u>	NITRA pneumatic air jet base, 1in length, brass, 1/8in male NPT.	Stock	\$9.25
<u>AJPB-14</u>	NITRA pneumatic air jet base, 1.1in length, brass, 1/4in push-to-connect.	Stock	\$10.50
<u>AJB-10</u>	NITRA pneumatic air jet base, 1in length, brass, #10-32 female threaded.	Stock	\$8.50
<u>AJB-15</u>	NITRA pneumatic air jet base, 1.5in length, brass, #10-32 female threaded.	Stock	\$8.50
<u>AJB-20</u>	NITRA pneumatic air jet base, 2in length, brass, #10-32 female threaded.	Stock	\$8.50

<u>AJN16-1</u>	NITRA pneumatic air jet nozzle, 1in length, straight, brass.	Stock	\$10.50
<u>AJN16-2</u>	NITRA pneumatic air jet nozzle, 2in length, straight, brass.	Stock	\$10.50
<u>AJN16-1-45</u>	NITRA pneumatic air jet nozzle, 1in length, 45 degree, brass.	Stock	\$10.50
<u>AJN16-1-90</u>	NITRA pneumatic air jet nozzle, 1in length, 90 degree, brass.	Stock	\$10.50
<u>AJN16-1-CD</u>	NITRA pneumatic air jet nozzle, 1in length, compound angle, brass.	Stock	\$11.00
<u>AJN16-3</u>	NITRA pneumatic air jet nozzle, 3in length, straight, brass.	Stock	\$10.50
<u>AJ-NUT</u>	NITRA pneumatic air jet nut, brass.	Stock	\$4.00
<u>AJH-1</u>	NITRA pneumatic air jet holder, anodized aluminum.	Stock	\$12.50
<u>AJNV-M10N</u>	NITRA pneumatic air jet needle valve, brass, #10-32 female threaded.	Stock	\$10.50
Pneumatic Manifolds			
<u>MYA-2</u>	NITRA pneumatic valve manifold, aluminum, blue, round, 500 psi maximum operating pressure, (2) stations, (1) 1/4in female NPT inlet(s), (2) 1/4in female NPT outlet(s).	Stock	\$9.00
<u>MYA-3</u>	NITRA pneumatic valve manifold, aluminum, blue, round, 500 psi maximum operating pressure, (3) stations, (1) 1/4in female NPT inlet(s), (3) 1/4in female NPT outlet(s).	Stock	\$9.50
<u>MRA-4BA</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (1) 1/8in female NPT inlet(s), (4) #10-32 female UNF outlet(s), standard hole spacing.	Stock	\$16.00
<u>MRA-4BA-180</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (1) 1/8in female NPT inlet(s), (8) #10-32 female UNF outlet(s), 180-degree orientation, standard hole spacing.	Stock	\$19.50
<u>MRA-6BA</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (1) 1/8in female NPT inlet(s), (6) #10-32 female UNF outlet(s), standard hole spacing.	Stock	\$17.00
<u>MRA-6BA-180</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (1) 1/8in female NPT inlet(s), (12) #10-32 female UNF outlet(s), 180-degree orientation, standard hole spacing.	Stock	\$22.00
<u>MRA-8BA</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (1) 1/8in female NPT inlet(s), (8) #10-32 female UNF outlet(s), standard hole spacing.	Stock	\$18.50
<u>MRA-8BA-180</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (1) 1/8in female NPT inlet(s), (16) #10-32 female UNF outlet(s), 180-degree orientation, standard hole spacing.	Stock	\$22.50
<u>MRA-10BA</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (10) stations, (1) 1/8in female NPT inlet(s), (10) #10-32 female UNF outlet(s), standard hole spacing.	Stock	\$24.50
<u>MRA-10BA-180</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (10) stations, (1) 1/8in female NPT inlet(s), (20) #10-32 female UNF outlet(s), 180-degree orientation, standard hole spacing.	Stock	\$31.00
<u>MRA-2CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1/4in female NPT inlet(s), (2) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$19.00
<u>MRA-2CB-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1/4in female NPT inlet(s), (4) 1/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$30.00
<u>MRA-2CB-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1/4in female NPT inlet(s), (2) 1/8in female NPT outlet(s), wide hole spacing.	Stock	\$22.50
<u>MRA-3CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1/4in female NPT inlet(s), (3) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$20.50
<u>MRA-3CB-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1/4in female NPT inlet(s), (6) 1/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$32.00
<u>MRA-3CB-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1/4in female NPT inlet(s), (3) 1/8in female NPT outlet(s), wide hole spacing.	Stock	\$25.00
<u>MRA-4CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1/4in female NPT inlet(s), (4) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$23.00
<u>MRA-4CB-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1/4in female NPT inlet(s), (8) 1/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$34.50
<u>MRA-4CB-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1/4in female NPT inlet(s), (4) 1/8in female NPT outlet(s), wide hole spacing.	Stock	\$27.00
<u>IM3-4-BD-8-1-8-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (4) stations, (2) 3/4in female NPT inlet(s), (8) 1/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$84.00

<u>IM3-4-BD-8-1-8-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (4) stations, (2) 3/4in female NPT inlet(s), (8) 1/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$84.00
<u>MRA-5CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1/4in female NPT inlet(s), (5) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$25.00
<u>MRA-5CB-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1/4in female NPT inlet(s), (10) 1/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$37.00
<u>MRA-5CB-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1/4in female NPT inlet(s), (5) 1/8in female NPT outlet(s), wide hole spacing.	Stock	\$28.00
<u>MRA-6CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1/4in female NPT inlet(s), (6) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$27.00
<u>MRA-6CB-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1/4in female NPT inlet(s), (12) 1/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$40.00
<u>MRA-6CB-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1/4in female NPT inlet(s), (6) 1/8in female NPT outlet(s), wide hole spacing.	Stock	\$29.00
<u>IM3-6-BD-12-1-8-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (6) stations, (2) 3/4in female NPT inlet(s), (12) 1/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$108.00
<u>IM3-6-BD-12-1-8-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (6) stations, (2) 3/4in female NPT inlet(s), (12) 1/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$108.00
<u>IM-3030</u>	CITO manifold end cap, 3/4in male NPT, anodized aluminum. O-ring included.	Stock	\$12.00
<u>MRA-7CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (7) stations, (2) 1/4in female NPT inlet(s), (7) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$28.00
<u>MRA-8CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1/4in female NPT inlet(s), (8) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$29.00
<u>MRA-8CB-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1/4in female NPT inlet(s), (16) 1/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$46.00
<u>MRA-8CB-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1/4in female NPT inlet(s), (8) 1/8in female NPT outlet(s), wide hole spacing.	Stock	\$32.50
<u>IM3-8-BD-16-1-8-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (8) stations, (2) 3/4in female NPT inlet(s), (16) 1/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$132.00
<u>IM3-8-BD-16-1-8-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (8) stations, (2) 3/4in female NPT inlet(s), (16) 1/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$132.00
<u>MRA-10CB</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (10) stations, (2) 1/4in female NPT inlet(s), (10) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$29.50
<u>MRA-2DC</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 3/8in female NPT inlet(s), (2) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$19.00
<u>MRA-2DC-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 3/8in female NPT inlet(s), (4) 1/4in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$30.00
<u>MRA-2DC-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 3/8in female NPT inlet(s), (2) 1/4in female NPT outlet(s), wide hole spacing.	Stock	\$23.00
<u>MRA-3DC</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 3/8in female NPT inlet(s), (3) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$20.50
<u>MRA-3DC-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 3/8in female NPT inlet(s), (6) 1/4in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$32.00
<u>MRA-3DC-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 3/8in female NPT inlet(s), (3) 1/4in female NPT outlet(s), wide hole spacing.	Stock	\$25.00
<u>MRA-4DC</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 3/8in female NPT inlet(s), (4) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$23.00
<u>MRA-4DC-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 3/8in female NPT inlet(s), (8) 1/4in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$34.50
<u>MRA-4DC-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 3/8in female NPT inlet(s), (4) 1/4in female NPT outlet(s), wide hole spacing.	Stock	\$27.50
<u>IM3-4-BD-8-1-4-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (4) stations, (2) 3/4in female NPT inlet(s), (8) 1/4in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$84.00

[illegible]

<u>MRA-2ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1/2in female NPT inlet(s), (2) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$33.00
<u>MRA-2ED-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1/2in female NPT inlet(s), (4) 3/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$44.00
<u>MRA-2ED-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1/2in female NPT inlet(s), (2) 3/8in female NPT outlet(s), wide hole spacing.	Stock	\$34.00
<u>MRA-3ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1/2in female NPT inlet(s), (3) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$35.00
<u>MRA-3ED-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1/2in female NPT inlet(s), (6) 3/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$45.00
<u>MRA-3ED-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1/2in female NPT inlet(s), (3) 3/8in female NPT outlet(s), wide hole spacing.	Stock	\$36.50
<u>MRA-4ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1/2in female NPT inlet(s), (4) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$37.00
<u>MRA-4ED-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1/2in female NPT inlet(s), (8) 3/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$46.00
<u>MRA-4ED-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1/2in female NPT inlet(s), (4) 3/8in female NPT outlet(s), wide hole spacing.	Stock	\$39.50
<u>IM4-6-BD-8-3-8-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (4) stations, (2) 1in female NPT inlet(s), (8) 3/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$105.00
<u>IM4-6-BD-8-3-8-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (4) stations, (2) 1in female NPT inlet(s), (8) 3/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$105.00
<u>MRA-5ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1/2in female NPT inlet(s), (5) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$38.50
<u>MRA-5ED-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1/2in female NPT inlet(s), (10) 3/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$47.00
<u>MRA-5ED-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1/2in female NPT inlet(s), (5) 3/8in female NPT outlet(s), wide hole spacing.	Stock	\$41.50
<u>MRA-6ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1/2in female NPT inlet(s), (6) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$40.50
<u>MRA-6ED-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1/2in female NPT inlet(s), (12) 3/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$47.50
<u>MRA-6ED-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1/2in female NPT inlet(s), (6) 3/8in female NPT outlet(s), wide hole spacing.	Stock	\$44.00
<u>IM4-9-BD-12-3-8-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (6) stations, (2) 1in female NPT inlet(s), (12) 3/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$131.00
<u>IM4-9-BD-12-3-8-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (6) stations, (2) 1in female NPT inlet(s), (12) 3/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$131.00
<u>MRA-7ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (7) stations, (2) 1/2in female NPT inlet(s), (7) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$47.50
<u>MRA-8ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1/2in female NPT inlet(s), (8) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$55.00
<u>MRA-8ED-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1/2in female NPT inlet(s), (16) 3/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$72.00
<u>MRA-8ED-W</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1/2in female NPT inlet(s), (8) 3/8in female NPT outlet(s), wide hole spacing.	Stock	\$60.00
<u>IM4-11-BD-16-3-8-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (8) stations, (2) 1in female NPT inlet(s), (16) 3/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$164.00
<u>IM4-11-BD-16-3-8-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (8) stations, (2) 1in female NPT inlet(s), (16) 3/8in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$164.00
<u>IM-3040</u>	CITO manifold end cap, 1in male NPT, anodized aluminum. O-ring included.	Stock	\$14.00
<u>MRA-9ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (9) stations, (2) 1/2in female NPT inlet(s), (9) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$51.00

<u>MRA-10ED</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (10) stations, (2) 1/2in female NPT inlet(s), (10) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$57.00
<u>MRA-10ED-90</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (10) stations, (2) 1/2in female NPT inlet(s), (20) 3/8in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$76.00
<u>MRA-2FD</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 3/4in female NPT inlet(s), (2) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$44.00
<u>MRA-3FD</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 3/4in female NPT inlet(s), (3) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$46.50
<u>MRA-4FD</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 3/4in female NPT inlet(s), (4) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$48.50
<u>MRA-5FD</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 3/4in female NPT inlet(s), (5) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$51.00
<u>MRA-6FD</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 3/4in female NPT inlet(s), (6) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$54.00
<u>MRA-8FD</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 3/4in female NPT inlet(s), (8) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$73.00
<u>MRA-10FD</u>	NITRA pneumatic valve manifold, aluminum, black, rectangular, 1000 psi maximum operating pressure, (10) stations, (2) 3/4in female NPT inlet(s), (10) 3/8in female NPT outlet(s), standard hole spacing.	Stock	\$76.00
<u>MRA-2GE</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1in female NPT inlet(s), (2) 1/2in female NPT outlet(s), standard hole spacing.	Stock	\$73.00
<u>MRA-2GE-90</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (2) stations, (2) 1in female NPT inlet(s), (4) 1/2in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$82.00
<u>MRA-3GE</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1in female NPT inlet(s), (3) 1/2in female NPT outlet(s), standard hole spacing.	Stock	\$84.00
<u>MRA-3GE-90</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (3) stations, (2) 1in female NPT inlet(s), (6) 1/2in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$94.00
<u>MRA-4GE</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1in female NPT inlet(s), (4) 1/2in female NPT outlet(s), standard hole spacing.	Stock	\$95.00
<u>MRA-4GE-90</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (4) stations, (2) 1in female NPT inlet(s), (8) 1/2in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$107.00
<u>IM6-10-BD-8-1-2-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (4) stations, (2) 1-1/2in female NPT inlet(s), (8) 1/2in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$162.00
<u>IM6-10-BD-8-1-2-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (4) stations, (2) 1-1/2in female NPT inlet(s), (8) 1/2in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$162.00
<u>MRA-5GE</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1in female NPT inlet(s), (5) 1/2in female NPT outlet(s), standard hole spacing.	Stock	\$102.00
<u>MRA-5GE-90</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (5) stations, (2) 1in female NPT inlet(s), (10) 1/2in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$113.00
<u>MRA-6GE</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1in female NPT inlet(s), (6) 1/2in female NPT outlet(s), standard hole spacing.	Stock	\$108.00
<u>MRA-6GE-90</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (6) stations, (2) 1in female NPT inlet(s), (12) 1/2in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$126.00
<u>IM6-14-BD-12-1-2-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (6) stations, (2) 1-1/2in female NPT inlet(s), (12) 1/2in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$218.00
<u>IM6-14-BD-12-1-2-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (6) stations, (2) 1-1/2in female NPT inlet(s), (12) 1/2in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$218.00
<u>MRA-7GE</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (7) stations, (2) 1in female NPT inlet(s), (7) 1/2in female NPT outlet(s), standard hole spacing.	Stock	\$127.00
<u>MRA-7GE-90</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (7) stations, (2) 1in female NPT inlet(s), (14) 1/2in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$139.00
<u>MRA-8GE</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1in female NPT inlet(s), (8) 1/2in female NPT outlet(s), standard hole spacing.	Stock	\$145.00
<u>MRA-8GE-90</u>	NITRA pneumatic valve manifold, aluminum, silver, rectangular, 1000 psi maximum operating pressure, (8) stations, (2) 1in female NPT inlet(s), (16) 1/2in female NPT outlet(s), 90-degree orientation, standard hole spacing.	Stock	\$161.00

<u>IM6-18-BD-16-1-2-N-R</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, red, rectangular, 3000 psi maximum operating pressure, (8) stations, (2) 1-1/2in female NPT inlet(s), (16) 1/2in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$274.00
<u>IM6-18-BD-16-1-2-N-B</u>	CITO Inline air, coolant, oil or water manifold, anodized aluminum, blue, rectangular, 3000 psi maximum operating pressure, (8) stations, (2) 1-1/2in female NPT inlet(s), (16) 1/2in female NPT outlet(s), 45-deg and 135-deg orientation.	Stock	\$274.00
<u>IM-3060</u>	CITO manifold end cap, 1-1/2in male NPT, anodized aluminum. O-ring included.	Stock	\$16.00
<u>MRN-2CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (2) stations, (2) 1/4in female NPT inlet(s), (2) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$48.00
<u>MRN-3CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (3) stations, (2) 1/4in female NPT inlet(s), (3) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$54.00
<u>MRN-4CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (4) stations, (2) 1/4in female NPT inlet(s), (4) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$59.00
<u>MRN-5CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (5) stations, (2) 1/4in female NPT inlet(s), (5) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$62.00
<u>MRN-6CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (6) stations, (2) 1/4in female NPT inlet(s), (6) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$65.00
<u>MRN-7CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (7) stations, (2) 1/4in female NPT inlet(s), (7) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$70.00
<u>MRN-8CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (8) stations, (2) 1/4in female NPT inlet(s), (8) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$74.00
<u>MRN-9CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (9) stations, (2) 1/4in female NPT inlet(s), (9) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$78.00
<u>MRN-10CB</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (10) stations, (2) 1/4in female NPT inlet(s), (10) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$80.00
<u>MRN-2DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (2) stations, (2) 3/8in female NPT inlet(s), (2) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$54.00
<u>MRN-3DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (3) stations, (2) 3/8in female NPT inlet(s), (3) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$59.00
<u>MRN-4DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (4) stations, (2) 3/8in female NPT inlet(s), (4) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$64.00
<u>MRN-5DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (5) stations, (2) 3/8in female NPT inlet(s), (5) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$70.00
<u>MRN-6DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (6) stations, (2) 3/8in female NPT inlet(s), (6) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$76.00
<u>MRN-7DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (7) stations, (2) 3/8in female NPT inlet(s), (7) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$78.00
<u>MRN-8DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (8) stations, (2) 3/8in female NPT inlet(s), (8) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$80.00
<u>MRN-9DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (9) stations, (2) 3/8in female NPT inlet(s), (9) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$83.00
<u>MRN-10DC</u>	NITRA pneumatic or water valve manifold, Nylon 6, white, rectangular, 200 psi maximum operating pressure, (10) stations, (2) 3/8in female NPT inlet(s), (10) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$87.00
<u>MRP-2CB</u>	NITRA pneumatic or water valve manifold, polypropylene (PP), white, rectangular, 150 psi maximum operating pressure, (2) stations, (2) 1/4in female NPT inlet(s), (2) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$44.50
<u>MRP-3CB</u>	NITRA pneumatic or water valve manifold, polypropylene (PP), white, rectangular, 150 psi maximum operating pressure, (3) stations, (2) 1/4in female NPT inlet(s), (3) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$49.50
<u>MRP-4CB</u>	NITRA pneumatic or water valve manifold, polypropylene (PP), white, rectangular, 150 psi maximum operating pressure, (4) stations, (2) 1/4in female NPT inlet(s), (4) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$55.00
<u>MRP-5CB</u>	NITRA pneumatic or water valve manifold, polypropylene (PP), white, rectangular, 150 psi maximum operating pressure, (5) stations, (2) 1/4in female NPT inlet(s), (5) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$56.00
<u>MRP-6CB</u>	NITRA pneumatic or water valve manifold, polypropylene (PP), white, rectangular, 150 psi maximum operating pressure, (6) stations, (2) 1/4in female NPT inlet(s), (6) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$59.00
<u>MRP-7CB</u>	NITRA pneumatic or water valve manifold, polypropylene (PP), white, rectangular, 150 psi maximum operating pressure, (7) stations, (2) 1/4in female NPT inlet(s), (7) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$62.00
<u>MRP-8CB</u>	NITRA pneumatic or water valve manifold, polypropylene (PP), white, rectangular, 150 psi maximum operating pressure, (8) stations, (2) 1/4in female NPT inlet(s), (8) 1/8in female NPT outlet(s), standard hole spacing.	Stock	\$69.00

[illegible]

MRS-9DC	NITRA pneumatic valve manifold, stainless steel, silver, rectangular, 3500 psi maximum operating pressure, (9) stations, (2) 3/8in female NPT inlet(s), (9) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$193.00
MRS-10DC	NITRA pneumatic valve manifold, stainless steel, silver, rectangular, 3500 psi maximum operating pressure, (10) stations, (2) 3/8in female NPT inlet(s), (10) 1/4in female NPT outlet(s), standard hole spacing.	Stock	\$207.00
Pneumatic Blow Guns			
HBG-01	NITRA pneumatic blow gun, heavy duty palm type, safety tip, 1/4in female NPT.	Stock	\$11.50
HBG-04	NITRA pneumatic blow gun, pistol grip, 6in nozzle, cast aluminum, 1/4in female NPT.	Stock	\$14.00
DIN Rail Mount DC Power Supplies			
PM-0112-020-0	BLOCK Power Mini series switching power supply, 12 VDC @ 2A/24W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, push terminals, NEC Class 2.	Stock	\$85.00
PM-0112-040-0	BLOCK Power Mini series switching power supply, 12 VDC @ 4A/48W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, push terminals, NEC Class 2.	Stock	\$85.00
PM-0112-070-0	BLOCK Power Mini series switching power supply, 12 VDC @ 7A/84W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, push terminals.	Stock	\$102.00
PM-0124-010-0	BLOCK Power Mini series switching power supply, 24 VDC @ 1A/24W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, push terminals, NEC Class 2.	Stock	\$49.50
PM-0124-020-0	BLOCK Power Mini series switching power supply, 24 VDC @ 2A/48W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, push terminals, NEC Class 2.	Stock	\$67.00
PM-0124-038-0	BLOCK Power Mini series switching power supply, 24 VDC @ 3.8A/91.2W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, push terminals, NEC Class 2.	Stock	\$102.00
PM-0124-040-0	BLOCK Power Mini series switching power supply, 24 VDC @ 4A/96W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, push terminals.	Stock	\$93.00
2687-2142	WAGO Eco2 series switching power supply, 24 VDC @ 1.25A/30W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, cage clamp, NEC Class 2.	Stock	\$68.00
2687-2143	WAGO Eco2 series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, cage clamp.	Stock	\$93.00
2687-2144	WAGO Eco2 series switching power supply, 24 VDC @ 5A/120W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$118.00
2687-2146	WAGO Eco2 series switching power supply, 24 VDC @ 10A/240W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$198.00
2787-2134	WAGO Pro2 series switching power supply, 12 VDC @ 10A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$205.00
2787-2135	WAGO Pro2 series switching power supply, 12 VDC @ 15A/180W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$343.00
2787-2144	WAGO Pro2 series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$210.00
2787-2146	WAGO Pro2 series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$294.00
2787-2147	WAGO Pro2 series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$425.00
2787-2448	WAGO Pro2 series switching power supply, 24 VDC @ 40A/960W (adjustable), 220 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$668.00
2787-2154	WAGO Pro2 series switching power supply, 48 VDC @ 2.5A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$322.00
2787-2157	WAGO Pro2 series switching power supply, 48 VDC @ 10A/480W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$520.00
2787-2344	WAGO Pro2 series switching power supply, 24 VDC @ 5A/120W (adjustable), 480 VAC nominal input, 3-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$294.00
2787-2346	WAGO Pro2 series switching power supply, 24 VDC @ 10A/240W (adjustable), 480 VAC nominal input, 3-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$405.00
2787-2347	WAGO Pro2 series switching power supply, 24 VDC @ 20A/480W (adjustable), 480 VAC nominal input, 3-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$544.00
2787-2348	WAGO Pro2 series switching power supply, 24 VDC @ 40A/960W (adjustable), 480 VAC nominal input, 3-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$781.00
2787-2357	WAGO Pro2 series switching power supply, 48 VDC @ 10A/480W (adjustable), 480 VAC nominal input, 3-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$567.00
2787-2358	WAGO Pro2 series switching power supply, 48 VDC @ 20A/960W (adjustable), 480 VAC nominal input, 3-phase, enclosed, metal housing, 35mm DIN rail mount, cage clamp.	Stock	\$878.00
PSA-12-75	AchieVe PSA series switching power supply, 12 VDC @ 6.2A/75W, 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals.	Stock	\$25.50
PSA-12-120	AchieVe PSA series switching power supply, 12 VDC @ 10A/120W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$32.00

<u>PSA-12-240</u>	AchieVe PSA series switching power supply, 12 VDC @ 20A/240W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$59.00
<u>PSA-24-75</u>	AchieVe PSA series switching power supply, 24 VDC @ 3.125A/75W, 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals.	Stock	\$25.50
<u>PSA-24-120</u>	AchieVe PSA series switching power supply, 24 VDC @ 5A/120W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$29.50
<u>PSA-24-240</u>	AchieVe PSA series switching power supply, 24 VDC @ 10A/240W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$59.00
<u>PSA-24-480</u>	AchieVe PSA series switching power supply, 24 VDC @ 20A/480W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$118.00
<u>PSA-48-120</u>	AchieVe PSA series switching power supply, 48 VDC @ 2.5A/120W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$32.00
<u>PSA-48-240</u>	AchieVe PSA series switching power supply, 48 VDC @ 5A/240W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$59.00
<u>PSA-48-480</u>	AchieVe PSA series switching power supply, 48 VDC @ 10A/480W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$118.00
<u>PSRP-12-120</u>	RHINO PRO PSRP series switching power supply, 12 VDC @ 10A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$225.00
<u>PSRP-24-120</u>	RHINO PRO PSRP series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$170.00
<u>PSRP-24-240</u>	RHINO PRO PSRP series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$229.00
<u>PSRP-24-480</u>	RHINO PRO PSRP series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$335.00
<u>PSRP-24-120-3</u>	RHINO PRO PSRP series switching power supply, 24 VDC @ 5A/120W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$190.00
<u>PSRP-24-240-3</u>	RHINO PRO PSRP series switching power supply, 24 VDC @ 10A/240W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$213.00
<u>PSRP-24-480-3</u>	RHINO PRO PSRP series switching power supply, 24 VDC @ 20A/480W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$387.00
<u>PSRP-24-960-3</u>	RHINO PRO PSRP series switching power supply, 24 VDC @ 40A/960W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, push-in spring.	Stock	\$525.00
<u>CPSB1-120-24E</u>	LUTZE CPS Eco series switching power supply, 24 VDC @ 5A/120W, 120 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$97.00
<u>CPSB1-240-24E</u>	LUTZE CPS Eco series switching power supply, 24 VDC @ 10A/240W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$150.00
<u>CPSB1-480-24E</u>	LUTZE CPS Eco series switching power supply, 24 VDC @ 20A/480W, 220 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$275.00
<u>CPS2B1-120-24</u>	LUTZE CPS Ultra series switching power supply, 24 VDC @ 5A/120W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$155.00
<u>CPS2B1-240-24</u>	LUTZE CPS Ultra series switching power supply, 24 VDC @ 10A/240W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$210.00
<u>CPS2B1-480-24</u>	LUTZE CPS Ultra series switching power supply, 24 VDC @ 20A/480W, 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$335.00
<u>CPSB-123-240-24</u>	LUTZE CPS Universal series switching power supply, 24 VDC @ 10A/240W, 220/480 VAC nominal input, 1, 2 and 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$230.00
<u>CPSB-123-480-24</u>	LUTZE CPS Universal series switching power supply, 24 VDC @ 20A/480W, 220/480 VAC nominal input, 1, 2 and 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$355.00
<u>CPSB3-120-24</u>	LUTZE CPS 3-phase series switching power supply, 24 VDC @ 5A/120W, 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, push terminals.	Stock	\$165.00
<u>CPSB3-240-24</u>	LUTZE CPS 3-phase series switching power supply, 24 VDC @ 10A/240W, 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, push terminals.	Stock	\$215.00
<u>CPSB3-960-24</u>	LUTZE CPS 3-phase series switching power supply, 24 VDC @ 40A/960W, 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$495.00
<u>PSR-24-120</u>	RHINO PSR series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$69.00
<u>PSR-24-240</u>	RHINO PSR series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$92.00
<u>PSR-24-480</u>	RHINO PSR series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$149.00
<u>PSR-24-120-3</u>	RHINO PSR series switching power supply, 24 VDC @ 5A/120W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$91.00
<u>PSR-24-240-3</u>	RHINO PSR series switching power supply, 24 VDC @ 10A/240W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$137.00

<u>PSR-24-480-3</u>	RHINO PSR series switching power supply, 24 VDC @ 20A/480W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$237.00
<u>PSR-24-960-3</u>	RHINO PSR series switching power supply, 24 VDC @ 40A/960W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$356.00
<u>PSL-05-010</u>	RHINO PSL series switching power supply, 5 VDC @ 1.5A/7.5W, 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$35.00
<u>PSL-12-010</u>	RHINO PSL series switching power supply, 12 VDC @ 0.83A/9.96W, 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$32.00
<u>PSL-12-030</u>	RHINO PSL series switching power supply, 12 VDC @ 2.1A/25W (adjustable), 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$42.00
<u>PSL-12-060</u>	RHINO PSL series switching power supply, 12 VDC @ 4.5A/54W (adjustable), 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$57.00
<u>PSL-12-090</u>	RHINO PSL series switching power supply, 12 VDC @ 6A/72W (adjustable), 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals.	Stock	\$73.00
<u>PSL-24-010</u>	RHINO PSL series switching power supply, 24 VDC @ 0.42A/10W, 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$35.00
<u>PSL-24-030</u>	RHINO PSL series switching power supply, 24 VDC @ 1.25A/30W (adjustable), 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$42.00
<u>PSL-24-060</u>	RHINO PSL series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$57.00
<u>PSL-24-090</u>	RHINO PSL series switching power supply, 24 VDC @ 3.8A/91.2W (adjustable), 120/240 VAC or 125-250 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$73.00
<u>PSV5-15S</u>	RHINO PSV series switching power supply, 5 VDC @ 3A/15W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$29.50
<u>PSV5-25S</u>	RHINO PSV series switching power supply, 5 VDC @ 5A/25W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$45.00
<u>PSV12-50S</u>	RHINO PSV series switching power supply, 12 VDC @ 4A/48W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$45.00
<u>PSV24-30S</u>	RHINO PSV series switching power supply, 24 VDC @ 1.25A/30W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$29.50
<u>PSV24-50S</u>	RHINO PSV series switching power supply, 24 VDC @ 2.1A/50W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$42.00
<u>PSV24-100S</u>	RHINO PSV series switching power supply, 24 VDC @ 3.8A/91W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$55.00
<u>PSV24-120S</u>	RHINO PSV series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$66.00
<u>PSV24-240S</u>	RHINO PSV series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$96.00
<u>PSV24-480S</u>	RHINO PSV series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$169.00
<u>PSV48-120S</u>	RHINO PSV series switching power supply, 48 VDC @ 2.5A/120W (adjustable), 120/240 VAC or 120-375 VDC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$66.00
<u>PSC-05-012</u>	RHINO SELECT PSC series switching power supply, 5 VDC @ 2.4A/12W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$67.00
<u>PSC-12-015</u>	RHINO SELECT PSC series switching power supply, 12 VDC @ 1.25A/15W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$67.00
<u>PSC-12-030</u>	RHINO SELECT PSC series switching power supply, 12 VDC @ 2.5A/30W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$68.00
<u>PSC-12-060</u>	RHINO SELECT PSC series switching power supply, 12 VDC @ 4.5A/54W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$86.00
<u>PSC-24-015</u>	RHINO SELECT PSC series switching power supply, 24 VDC @ 0.63A/15W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$65.00
<u>PSC-24-030</u>	RHINO SELECT PSC series switching power supply, 24 VDC @ 1.25A/30W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$86.00
<u>PSC-24-060</u>	RHINO SELECT PSC series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$103.00
<u>PSC-24-090</u>	RHINO SELECT PSC series switching power supply, 24 VDC @ 3.75A/90W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$127.00
<u>PSP05-020S</u>	RHINO SELECT PSP series switching power supply, 5-5.25 VDC output, 4A, 20W, 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$91.00
<u>PSP12-024S</u>	RHINO SELECT PSP series switching power supply, 12 VDC @ 2A/24W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$110.00

<u>PSP12-060S</u>	RHINO SELECT PSP series switching power supply, 12 VDC @ 4A/48W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$143.00
<u>PSP12-060C</u>	RHINO SELECT PSP series switching power supply, 12 VDC @ 4A/48W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, spring clamp terminals.	Stock	\$162.00
<u>PSP12-120S</u>	RHINO SELECT PSP series switching power supply, 12 VDC @ 8A/96W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$230.00
<u>PSP12-120C</u>	RHINO SELECT PSP series switching power supply, 12 VDC @ 8A/96W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, spring clamp terminals.	Stock	\$203.00
<u>PSP24-024S</u>	RHINO SELECT PSP series switching power supply, 24 VDC @ 1A/24W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$84.00
<u>PSP24-024C</u>	RHINO SELECT PSP series switching power supply, 24 VDC @ 1A/24W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, spring clamp terminals.	Stock	\$89.00
<u>PSP24-060S</u>	RHINO SELECT PSP series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$128.00
<u>PSP24-060C</u>	RHINO SELECT PSP series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, spring clamp terminals.	Stock	\$129.00
<u>PSP24-120S</u>	RHINO SELECT PSP series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$201.00
<u>PSP24-120C</u>	RHINO SELECT PSP series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, spring clamp terminals.	Stock	\$214.00
<u>PSP24-240S</u>	RHINO SELECT PSP series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail or chassis mount, removable screw terminal.	Stock	\$270.00
<u>PSM12-078S</u>	RHINO SELECT PSM series switching power supply, 12 VDC @ 6.5A/78W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal.	Stock	\$198.00
<u>PSM12-156S</u>	RHINO SELECT PSM series switching power supply, 12 VDC @ 13A/156W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal.	Stock	\$236.00
<u>PSM24-090S</u>	RHINO SELECT PSM series switching power supply, 24 VDC @ 3.75A/90W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal.	Stock	\$147.00
<u>PSM24-090S-N</u>	RHINO SELECT PSM series switching power supply, 24 VDC @ 3.75A/90W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal, NEC Class 2.	Stock	\$203.00
<u>PSM24-180S</u>	RHINO SELECT PSM series switching power supply, 24 VDC @ 7.5A/180W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal.	Stock	\$229.00
<u>PSM24-360S</u>	RHINO SELECT PSM series switching power supply, 24 VDC @ 15A/360W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal.	Stock	\$345.00
<u>PSM24-600S</u>	RHINO SELECT PSM series switching power supply, 24 VDC @ 25A/600W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals.	Stock	\$513.00
<u>PSB24-060S-P</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 120/240 VAC or 120-240 VDC nominal input, 1-phase, enclosed, plastic housing, 35mm DIN rail mount, screw terminals, NEC Class 2, hazardous location rated.	Stock	\$45.00
<u>PSB24-060S</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 120/240 VAC or 120-240 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$54.00
<u>PSB24-060S-3</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 2.5A/60W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$76.00
<u>PSB24-100-N</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 3.8A/91.2W (adjustable), 120/240 VAC or 120-375 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals, NEC Class 2.	Stock	\$81.00
<u>PSB24-120S</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC or 120-375 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$97.00
<u>PSB24-120S-3</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 5A/120W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$98.00
<u>PSB24-240S</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC or 120-375 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$161.00

<u>PSB24-240S-3</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 10A/240W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$163.00
<u>PSB24-480S</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$248.00
<u>PSB24-480S-3</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 20A/480W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$232.00
<u>PSB24-960S-3</u>	RHINO SELECT PSB series switching power supply, 24 VDC @ 40A/960W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$343.00
<u>PSB48-120S</u>	RHINO SELECT PSB series switching power supply, 48 VDC @ 2.5A/120W (adjustable), 120/240 VAC or 120-375 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$97.00
<u>PSB48-240S</u>	RHINO SELECT PSB series switching power supply, 48 VDC @ 5A/240W (adjustable), 120/240 VAC or 120-375 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$161.00
<u>PSB48-480S</u>	RHINO SELECT PSB series switching power supply, 48 VDC @ 10A/480W (adjustable), 120/240 VAC or 120-375 VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$219.00
<u>PS24-300D</u>	RHINO SELECT PS series switching power supply, 24 VDC @ 12A/288W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$292.00
<u>PS24-500D</u>	RHINO SELECT PS series switching power supply, 24 VDC @ 20A/480W (adjustable), 120 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal.	Stock	\$511.00
<u>PS24-600D</u>	RHINO SELECT PS series switching power supply, 24 VDC @ 24A/576W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$507.00
<u>PSN24-080</u>	RHINO PRO PSN series switching power supply, 24 VDC @ 3.4A/81.6W (adjustable), 120/240 VAC or 110-300VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$107.00
<u>PSN24-120</u>	RHINO PRO PSN series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC or 110-300VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$142.00
<u>PSN24-240</u>	RHINO PRO PSN series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC or 110-300VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$208.00
<u>PSN24-480</u>	RHINO PRO PSN series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC or 110-300VDC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$318.00
<u>PSN24-480-3</u>	RHINO PRO PSN series switching power supply, 24 VDC @ 20A/480W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$321.00
<u>PSN24-960</u>	RHINO PRO PSN series switching power supply, 24 VDC @ 40A/960W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$485.00
<u>PSN24-960-3</u>	RHINO PRO PSN series switching power supply, 24 VDC @ 40A/960W (adjustable), 480 VAC nominal input, 3-phase, enclosed, aluminum housing, 35mm DIN rail mount, screw terminals.	Stock	\$509.00
<u>PSD24-120-L</u>	RHINO PRO PSD series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC or 110-300VDC nominal input, 1-phase, enclosed, aluminum housing, LCD display, 35mm DIN rail mount, screw terminals.	Stock	\$224.00
<u>PSD24-240-L</u>	RHINO PRO PSD series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC or 110-300VDC nominal input, 1-phase, enclosed, aluminum housing, LCD display, 35mm DIN rail mount, screw terminals.	Stock	\$311.00
<u>PSD24-480-L</u>	RHINO PRO PSD series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC or 110-300VDC nominal input, 1-phase, enclosed, aluminum housing, LCD display, 35mm DIN rail mount, screw terminals.	Stock	\$395.00
<u>PSH-12-080</u>	RHINO PRO PSH series switching power supply, 12 VDC @ 6.6A/80W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$138.00
<u>PSH-12-120</u>	RHINO PRO PSH series switching power supply, 12 VDC @ 10A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$183.00
<u>PSH-24-080</u>	RHINO PRO PSH series switching power supply, 24 VDC @ 3.4A/80W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$129.00
<u>PSH-24-120</u>	RHINO PRO PSH series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$166.00
<u>PSH-24-240</u>	RHINO PRO PSH series switching power supply, 24 VDC @ 10A/240W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$218.00
<u>PSH-24-480</u>	RHINO PRO PSH series switching power supply, 24 VDC @ 20A/480W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$327.00
<u>PSH-48-080</u>	RHINO PRO PSH series switching power supply, 48 VDC @ 1.7A/80W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$125.00
<u>PSH-48-120</u>	RHINO PRO PSH series switching power supply, 48 VDC @ 2.5A/120W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$182.00

<u>PSH-48-240</u>	RHINO PRO PSH series switching power supply, 48 VDC @ 5A/240W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$231.00
<u>PSH-48-480</u>	RHINO PRO PSH series switching power supply, 48 VDC @ 10A/480W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$343.00
Machine Mount DC Power Supplies			
<u>PSRT-24-100</u>	RHINO TOUGH PSRT series switching power supply, 24 VDC @ 3.8A/91.2W, 120/240 VAC nominal input, 1-phase, encapsulated, aluminum housing, chassis mount, (1) 7/8in - 16 UN2 4-pin female and (1) 7/8in - 16 UN2 3-pin male, NEC Class 2.	Stock	\$289.00
<u>PSRT-24-200</u>	RHINO TOUGH PSRT series switching power supply, 24 VDC @ 8A/192W, 120/240 VAC nominal input, 1-phase, encapsulated, aluminum housing, chassis mount, (1) 7/8in - 16 UN2 3-pin male and (1) 7/8in - 16 UN2 5-pin female.	Stock	\$375.00
<u>PSX-12-100</u>	RHINO TOUGH PSX series switching power supply, 12 VDC @ 8A/96W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, encapsulated, die-cast aluminum housing, chassis mount, screw connectors, hazardous location rated.	Stock	\$372.00
<u>PSX-24-120</u>	RHINO TOUGH PSX series switching power supply, 24 VDC @ 5A/120W (adjustable), 120/240 VAC or 85-375 VDC nominal input, 1-phase, encapsulated, die-cast aluminum housing, chassis mount, screw connectors, hazardous location rated.	Stock	\$346.00
Encapsulated Chassis Mount DC Power Supplies			
<u>PSE05-110-S</u>	RHINO PSE-S series switching power supply, 5 VDC @ 2A/10W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$22.50
<u>PSE12-110-S</u>	RHINO PSE-S series switching power supply, 12 VDC @ 0.8A/10W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$22.50
<u>PSE15-110-S</u>	RHINO PSE-S series switching power supply, 15 VDC @ 0.6A/10W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$22.50
<u>PSE24-110-S</u>	RHINO PSE-S series switching power supply, 24 VDC @ 0.4A/10W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$21.50
<u>PSE05-125-S</u>	RHINO PSE-S series switching power supply, 5.1 VDC @ 3.9A/20W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$31.00
<u>PSE12-125-S</u>	RHINO PSE-S series switching power supply, 12 VDC @ 2.1A/25W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$31.00
<u>PSE15-125-S</u>	RHINO PSE-S series switching power supply, 15 VDC @ 1.6A/25W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$31.00
<u>PSE24-125-S</u>	RHINO PSE-S series switching power supply, 24 VDC @ 1.0A/25W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$29.50
<u>PSE12-150-S</u>	RHINO PSE-S series switching power supply, 12 VDC @ 4.1A/50W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$42.00
<u>PSE15-150-S</u>	RHINO PSE-S series switching power supply, 15 VDC @ 3.3A/50W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$42.00
<u>PSE24-150-S</u>	RHINO PSE-S series switching power supply, 24 VDC @ 2.1A/50W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$42.00
<u>PSE05-115</u>	RHINO PSE series switching power supply, 5 VDC @ 3A/15W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$67.00
<u>PSE05-130</u>	RHINO PSE series switching power supply, 5 VDC @ 6A/30W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$98.00
<u>PSE05-150</u>	RHINO PSE series switching power supply, 5.1 VDC @ 10A/51W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$118.00
<u>PSE12-115</u>	RHINO PSE series switching power supply, 12 VDC @ 1.25A/15W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$66.00
<u>PSE12-130</u>	RHINO PSE series switching power supply, 12 VDC @ 2.5A/30W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$98.00
<u>PSE12-160</u>	RHINO PSE series switching power supply, 12 VDC @ 5A/60W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$117.00
<u>PSE15-115</u>	RHINO PSE series switching power supply, 15 VDC @ 1A/15W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$66.00
<u>PSE15-130</u>	RHINO PSE series switching power supply, 15 VDC @ 2A/30W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$98.00
<u>PSE15-160</u>	RHINO PSE series switching power supply, 15 VDC @ 4A/60W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$117.00
<u>PSE24-115</u>	RHINO PSE series switching power supply, 24 VDC @ 0.625A/15W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$66.00
<u>PSE24-130</u>	RHINO PSE series switching power supply, 24 VDC @ 1.25A/30W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$98.00

<u>PSE24-160</u>	RHINO PSE series switching power supply, 24 VDC @ 2.5A/60W, 120/240 VAC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$117.00
<u>PSE12-215</u>	RHINO PSE series switching power supply, +12 VDC @ 0.625A/15W and -12 VDC @ 0.625A/15W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$69.00
<u>PSE12-230</u>	RHINO PSE series switching power supply, +12 VDC @ 1.3A/30W and -12 VDC @ 1.3A/30W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$101.00
<u>PSE15-215</u>	RHINO PSE series switching power supply, +15 VDC @ 0.5A/15W and -15 VDC @ 0.5A/15W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$69.00
<u>PSE15-230</u>	RHINO PSE series switching power supply, +15 VDC @ 1A/30W and -15 VDC @ 1A/30W, 120/240 (47-440 Hz) VAC or 120-370 VDC nominal input, 1-phase, encapsulated, plastic resin and fiberglass housing, chassis mount, screw terminals.	Stock	\$101.00
Enclosed Chassis Mount DC Power Supplies			
<u>PSS12-035-S</u>	RHINO PSS series switching power supply, 12 VDC @ 3A/35W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, aluminum housing, chassis mount, screw terminals.	Stock	\$14.50
<u>PSS12-050-S</u>	RHINO PSS series switching power supply, 12 VDC @ 4.2A/50W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, aluminum housing, chassis mount, screw terminals.	Stock	\$16.50
<u>PSS12-100-S</u>	RHINO PSS series switching power supply, 12 VDC @ 8.5A/100W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, aluminum housing, chassis mount, screw terminals.	Stock	\$22.00
<u>PSS12-155-U</u>	RHINO SELECT PSS series switching power supply, 13.8 VDC @ 11A/151W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, galvanized steel housing, chassis mount, screw terminals.	Stock	\$48.00
<u>PSS24-035-S</u>	RHINO PSS series switching power supply, 24 VDC @ 1.5A/35W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, aluminum housing, chassis mount, screw terminals.	Stock	\$14.50
<u>PSS24-050-S</u>	RHINO PSS series switching power supply, 24 VDC @ 2.2A/50W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, aluminum housing, chassis mount, screw terminals.	Stock	\$16.50
<u>PSS24-100-S</u>	RHINO PSS series switching power supply, 24 VDC @ 4.5A/100W (adjustable), 100-240 VAC nominal input, 1-phase, enclosed, aluminum housing, chassis mount, screw terminals.	Stock	\$22.00
<u>PSS0524-100</u>	RHINO PSS series switching power supply, 24 VDC @ 2.7A/100W (adjustable) and 5 VDC @ 0.5A/35W, 120/240 VAC or 125-375 VDC nominal input, 1-phase, enclosed, aluminum housing, chassis mount, screw terminals.	Stock	\$54.00
<u>PSS24-155-U</u>	RHINO SELECT PSS series switching power supply, 27.8 VDC @ 5.5A/151W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, galvanized steel housing, chassis mount, screw terminals.	Stock	\$48.00
Open Frame DC Power Supplies			
<u>PSFA12-060-U</u>	RHINO SELECT PSFA series switching power supply, 13.8 VDC @ 4.3A/60W (adjustable), 120-240 VAC nominal input, 1-phase, open frame, galvanized steel housing, chassis mount, screw terminals.	Stock	\$39.00
<u>PSFA24-060-U</u>	RHINO SELECT PSFA series switching power supply, 27.8 VDC @ 2.1A/60W (adjustable), 120-240 VAC nominal input, 1-phase, open frame, galvanized steel housing, chassis mount, screw terminals.	Stock	\$39.00
<u>FA-24PS</u>	AutomationDirect switching power supply, 24 VDC @ 1.25A/30W, 120/240 VAC nominal input, 1-phase, open frame, plastic housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$73.00
<u>FA-24PS-90</u>	AutomationDirect switching power supply, 24 VDC @ 3.7A/90W, 120/240 VAC nominal input, 1-phase, open frame, plastic housing, 35mm DIN rail mount, screw terminals, hazardous location rated.	Stock	\$101.00
Specialty Modules for DC Power Supplies			
<u>PSL-24-BCM240</u>	RHINO battery control module, 1 input, 24 VDC nominal input, 23-28 VDC output, 10A, alarm contact for operation monitoring, screw terminals. Requires power supply, 24V battery (user-supplied).	Stock	\$38.00
<u>PSB24-BCM960S</u>	RHINO battery control module, 1 input, 24 VDC nominal input, 23-28 VDC output, 40A, alarm contact for operation monitoring, screw terminals. Requires power supply, 24V battery (user-supplied).	Stock	\$73.00
<u>PSM24-BCM360S</u>	RHINO battery control module, 1 input, 24 VDC nominal input, 24-28 VDC output, 15A, alarm contact for operation monitoring, removable screw terminals. Requires PSM24 power supply, 24V battery (user-supplied).	Stock	\$235.00
<u>PSH-BCM360S</u>	RHINO battery control module, 2 inputs, 24/48 VDC nominal input, 23-27 VDC / 47-55 VDC output, 15A at 24 VDC, 7.5A at 48 VDC, alarm contact for operation monitoring, screw terminals. Requires power supply, 12V battery (user-supplied).	Stock	\$290.00
<u>PSB24-BFM20S</u>	RHINO buffer module, 1 input, 24 VDC nominal input, 23-28 VDC output, 20A, selection switch, alarm contact for operation monitoring, screw terminals, hazardous location rated. Requires PSB24 power supply.	Stock	\$142.00
<u>PSM24-BFM600S</u>	RHINO buffer module, 1 input, 24 VDC nominal input, 22-28 VDC output, 25A, potentiometer, alarm contact for operation monitoring, removable screw terminals. Requires 24 VDC power supply.	Stock	\$276.00
<u>PM-0624-100-0</u>	BLOCK redundancy module, 2 inputs, 24 VDC nominal input, 10-36 VDC output, 10A, alarm contact for operation monitoring, push terminals. Requires BLOCK Power Mini Power Supplies.	Stock	\$98.00
<u>PSB60-REM20S</u>	RHINO redundancy module, 2 inputs, 24/48 VDC nominal input, 24-48 VDC output, 20A, alarm contact for operation monitoring, screw terminals, hazardous location rated. Requires (2) matched 24 or 48 VDC power supplies.	Stock	\$45.00

<u>PSB60-REM40S</u>	RHINO redundancy module, 2 inputs, 24/48 VDC nominal input, 24-48 VDC output, 40A, alarm contact for operation monitoring, screw terminals, hazardous location rated. Requires (2) matched 24 or 48 VDC power supplies.	Stock	\$55.00
<u>PSP24-REM240S</u>	RHINO redundancy module, 2 inputs, 5/12/24 VDC nominal input, 4-59 VDC output, 8A, removable screw terminals. Requires (2) matched 24 VDC power supplies.	Stock	\$71.00
<u>PSM24-REM360S</u>	RHINO redundancy module, 2 inputs, 24 VDC nominal input, 24-27 VDC output, 15A, alarm contact for operation monitoring, active current sharing, removable screw terminals. Requires (2) PSM24 power supplies.	Stock	\$238.00
Linear DC Power Supplies			
<u>IHB5-3-OVP</u>	International Power regulated linear power supply, 5 VDC @ 3A/15W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$77.00
<u>IHCC512</u>	International Power regulated linear power supply, 5 VDC @ 6A/30W and 12-15 VDC @ 2.5A/30W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$173.00
<u>IHBB15-1.5</u>	International Power regulated linear power supply, 12 VDC @ 1.7A/20W and 15 VDC @ 1.5A/22W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$120.00
<u>IHDD15-5</u>	International Power regulated linear power supply, 15 VDC @ 5A/75W and 12 VDC @ 5A/60W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$236.00
<u>IHB24-1.2</u>	International Power regulated linear power supply, 24 VDC @ 1.2A/28W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$80.00
<u>IHC24-2.4</u>	International Power regulated linear power supply, 24 VDC @ 2.4A/58W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$103.00
<u>IHD24-4.8</u>	International Power regulated linear power supply, 24 VDC @ 4.8A/115W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$168.00
<u>IHTAA-16W</u>	International Power regulated linear power supply, 5 VDC @ 2A/10W, 12 or 15 VDC @ 0.4A/6W and -5, -12 or -15 VDC @ 0.4A/6W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$117.00
<u>IHBAA-40W</u>	International Power regulated linear power supply, 5 VDC @ 3A/15W, 12 or 15 VDC @ 0.8A/12W and -5, -12 or -15 VDC @ 0.8A/12W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, turret terminals.	Stock	\$139.00
<u>IP500U36</u>	International Power unregulated linear power supply, 36 VDC @ 13.3A/480W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, screw and spade.	Stock	\$350.00
<u>IP500U48</u>	International Power unregulated linear power supply, 48 VDC @ 10A/480W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, screw and spade.	Stock	\$350.00
<u>IP500U75</u>	International Power unregulated linear power supply, 75 VDC @ 6.6A/480W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, screw and spade.	Stock	\$364.00
<u>STP-PWR-3204</u>	SureStep unregulated linear power supply, 32 VDC @ 4A/120W and 5 VDC @ 0.5A/2.5W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, screw terminals.	Stock	\$150.00
<u>STP-PWR-4805</u>	SureStep unregulated linear power supply, 48 VDC @ 5A/240W and 5 VDC @ 0.5A/2.5W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, screw terminals.	Stock	\$183.00
<u>STP-PWR-4810</u>	SureStep unregulated linear power supply, 48 VDC @ 10A/480W and 5 VDC @ 0.5A/2.5W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, screw terminals.	Stock	\$237.00
<u>STP-PWR-7005</u>	SureStep unregulated linear power supply, 70 VDC @ 5A/350W and 5 VDC @ 0.5A/2.5W, 120/240 VAC nominal input, 1-phase, open frame, aluminum housing, chassis mount, screw terminals.	Stock	\$233.00
Accessories for DC Power Supplies			
<u>2789-9015</u>	WAGO Pro2 series communication module, 2 ports, (2) RS-485 (RJ45) port(s), Modbus RTU, up to 115.2k baud. For use with WAGO Pro2 power supplies.	Stock	\$76.00
<u>2789-9023</u>	WAGO Pro2 series communication module, 2 ports, (2) Ethernet 10/100Base-T (RJ45) port(s), EtherNet/IP, 10/100 Mbps auto-detect. For use with WAGO Pro2 power supplies.	Stock	\$108.00
<u>2789-9052</u>	WAGO Pro2 series communication module, 2 ports, (2) Ethernet 10/100Base-T (RJ45) port(s), Modbus TCP/IP and UDP/IP, 10/100 Mbps auto-detect. For use with WAGO Pro2 power supplies.	Stock	\$108.00
<u>2789-9080</u>	WAGO Pro2 series communication module, 1 port, (1) 3-position removable terminal port(s), IO-Link Class A Device, IO-Link COM3. For use with WAGO Pro2 power supplies.	Stock	\$76.00
<u>2789-9915</u>	WAGO terminating resistor, 120 ohm, RJ45. For use with WAGO communication module 2789-9015.	Stock	\$42.00
<u>750-923</u>	WAGO cable, 8.2ft/2.5m cable length. For use with WAGO Pro2 power supplies.	Stock	\$45.00
<u>PSB-CVR</u>	Terminal covers, replacement. For use with PSB series power supplies with fixed-screw terminal strips.	Stock	\$6.00
<u>PSM-PK1</u>	Terminal blocks, replacement. For use with PSM12-078S, PSM24-090S, PSM24-090S-N power supplies.	Stock	\$8.50
<u>PSM-PK2</u>	Terminal blocks, replacement. For use with PSM12-156S, PSM24-180S, PSM24-360S power supplies.	Stock	\$12.50
<u>PSM-PANEL1</u>	Panel mounting bracket, for use with all PSM series power supplies up to 180W.	Stock	\$45.50
<u>PSM-PANEL2</u>	Panel mounting bracket, for use with PSM24-360S and PSM24-600S power supplies.	Stock	\$39.50
<u>PSX-CON1</u>	Field wireable connector, PG13.5 thread nut 4-pin female axial, accepts cable diameter size 10-12mm, 20 - 14 AWG, screw terminal connection, IP67.	Stock	\$36.00

<u>PSX-CON2</u>	Field wireable connector, PG16 thread nut 7-pin male axial, accepts cable diameter size 12-14mm, 22 - 16 AWG, screw terminal connection, IP67.	Stock	\$36.00
<u>PSE-BRKT-10</u>	RHINO DIN rail mounting bracket, aluminum. For use with 10W PSE-S series encapsulated power supplies. Mounting hardware included.	Stock	\$7.50
<u>PSE-BRKT-25</u>	RHINO DIN rail mounting bracket, aluminum. For use with 20W-25W PSE-S series encapsulated power supplies. Mounting hardware included.	Stock	\$7.50
<u>PSE-BRKT-50</u>	RHINO DIN rail mounting bracket, aluminum. For use with 50W PSE-S series encapsulated power supplies. Mounting hardware included.	Stock	\$7.50
<u>PSE-BRKT-1</u>	DIN rail mounting bracket, for use with 15W PSE series encapsulated power supplies. Mounting hardware included.	Stock	\$13.00
<u>PSE-BRKT-2</u>	DIN rail mounting bracket, for use with 30W-60W PSE series encapsulated power supplies. Mounting hardware included.	Stock	\$13.00
<u>PSM-JC01</u>	Link cable, replacement. For use with PSM24-BCM360S and PSM24-REM360S specialty modules.	Stock	\$9.00
<u>PSM-TS</u>	Temperature sensor, for use with PSM24-BCM360S battery control module.	Stock	\$40.00
DIN Rail Mount DC-to-DC Converters			
<u>2000-5420-1399-0987</u>	WAGO PNP/NPN converter, 19.2-28.8 VDC input, 24 VDC output, 0.1A, 2.4W, plastic housing, 35mm DIN rail mount, cage clamp.	Stock	\$52.00
<u>859-801</u>	WAGO DC to DC converter, 10-30 VDC input, 5 VDC output, 0.5A, 2.5W, plastic housing, 35mm DIN rail mount, cage clamp.	Stock	\$75.00
<u>859-802</u>	WAGO DC to DC converter, 10-30 VDC input, 10 VDC output, 0.5A, 5W, plastic housing, 35mm DIN rail mount, cage clamp.	Stock	\$75.00
<u>859-805</u>	WAGO DC to DC converter, 10-30 VDC input, 12 VDC output, 0.5A, 6W, plastic housing, 35mm DIN rail mount, cage clamp.	Stock	\$75.00
<u>PSP05-DC24-5</u>	RHINO DC to DC converter, 18-75 VDC input, 5 VDC output, 5A, 25W, plastic housing, 35mm DIN rail mount, screw terminal, removable. DIN rail insert for panel mounting included.	Stock	\$117.00
<u>PSP12-DC24-2</u>	RHINO DC to DC converter, 18-75 VDC input, 12 VDC output, 2A, 25W, plastic housing, 35mm DIN rail mount, screw terminal, removable. DIN rail insert for panel mounting included.	Stock	\$96.00
<u>PSP12-DC24-5</u>	RHINO DC to DC converter, 18-75 VDC input, 12 VDC output, 5A, 60W, plastic housing, 35mm DIN rail mount, screw terminal, removable. DIN rail insert for panel mounting included.	Stock	\$136.00
<u>PSP24-DC12-1</u>	RHINO DC to DC converter, 9.5-18 VDC input, 24 VDC output, 1A, 25W, plastic housing, 35mm DIN rail mount, screw terminal, removable. DIN rail insert for panel mounting included.	Stock	\$120.00
<u>PSP24-DC24-1</u>	RHINO DC to DC converter, 18-75 VDC input, 24 VDC output, 1A, 25W, plastic housing, 35mm DIN rail mount, screw terminal, removable. DIN rail insert for panel mounting included.	Stock	\$115.00
<u>PSP24-DC24-2</u>	RHINO DC to DC converter, 18-75 VDC input, 24 VDC output, 2.5A, 60W, plastic housing, 35mm DIN rail mount, screw terminal, removable. DIN rail insert for panel mounting included.	Stock	\$140.00
<u>FA-DCDC-1</u>	AutomationDirect DC to DC converter, 12-24 VDC input, +/- 10 VDC, +/-5 VDC output, 0.125A, 3.75W, plastic housing, 35mm DIN rail mount, screw terminal, removable.	Stock	\$116.00
Encapsulated Chassis Mount DC-To-DC Converters			
<u>PSRP-12-DC24-150</u>	RHINO PRO DC to DC converter, 9-36 VDC input, 12 VDC output, 12.5A, 150W, aluminum housing, encapsulated, chassis mount, screw terminal.	Stock	\$215.00
<u>PSRP-15-DC24-150</u>	RHINO PRO DC to DC converter, 9-36 VDC input, 15 VDC output, 10A, 150W, aluminum housing, encapsulated, chassis mount, screw terminal.	Stock	\$215.00
<u>PSRP-24-DC24-150</u>	RHINO PRO DC to DC converter, 9-36 VDC input, 24 VDC output, 6.3A, 150W, aluminum housing, encapsulated, chassis mount, screw terminal.	Stock	\$215.00
<u>PSRP-28-DC24-150</u>	RHINO PRO DC to DC converter, 9-36 VDC input, 28 VDC output, 5.4A, 150W, aluminum housing, encapsulated, chassis mount, screw terminal.	Stock	\$215.00
<u>PSRP-48-DC24-150</u>	RHINO PRO DC to DC converter, 9-36 VDC input, 48 VDC output, 3.2A, 150W, aluminum housing, encapsulated, chassis mount, screw terminal.	Stock	\$217.00
<u>PSRP-12-DC48-150</u>	RHINO PRO DC to DC converter, 18-75 VDC input, 12 VDC output, 12.5A, 150W, aluminum housing, encapsulated, chassis mount, screw terminal.	Stock	\$217.00
<u>PSRP-24-DC48-150</u>	RHINO PRO DC to DC converter, 18-75 VDC input, 24 VDC output, 6.3A, 150W, aluminum housing, encapsulated, chassis mount, screw terminal.	Stock	\$217.00
<u>PSE05-DC12-40</u>	RHINO DC to DC converter, 9.5-36 VDC input, 5.1 VDC output, 8A, 40W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$92.00
<u>PSE12-DC12-40</u>	RHINO DC to DC converter, 9.5-36 VDC input, 12 VDC output, 3.33A, 40W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$92.00
<u>PSE24-DC12-40</u>	RHINO DC to DC converter, 9.5-36 VDC input, 24 VDC output, 1.67A, 40W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$92.00
<u>PSE05-DC24-40</u>	RHINO DC to DC converter, 18-75 VDC input, 5.1 VDC output, 8A, 40W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$98.00
<u>PSE12-DC24-40</u>	RHINO DC to DC converter, 18-75 VDC input, 12 VDC output, 3.33A, 40W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$98.00

<u>PSE24-DC24-40</u>	RHINO DC to DC converter, 18-75 VDC input, 24 VDC output, 1.67A, 40W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$98.00
<u>PSE05-DC12-60</u>	RHINO DC to DC converter, 9.5-36 VDC input, 5.1 VDC output, 12A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$110.00
<u>PSE12-DC12-60</u>	RHINO DC to DC converter, 9.5-36 VDC input, 12 VDC output, 5A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$110.00
<u>PSE24-DC12-60</u>	RHINO DC to DC converter, 9.5-36 VDC input, 24 VDC output, 2.5A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$110.00
<u>PSE48-DC12-60</u>	RHINO DC to DC converter, 9.5-36 VDC input, 48 VDC output, 1.25A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$110.00
<u>PSE05-DC24-60</u>	RHINO DC to DC converter, 18-75 VDC input, 5.1 VDC output, 12A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$115.00
<u>PSE12-DC24-60</u>	RHINO DC to DC converter, 18-75 VDC input, 12 VDC output, 5A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$115.00
<u>PSE24-DC24-60</u>	RHINO DC to DC converter, 18-75 VDC input, 24 VDC output, 2.5A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$115.00
<u>PSE48-DC24-60</u>	RHINO DC to DC converter, 18-75 VDC input, 48 VDC output, 1.25A, 60W, plastic housing, encapsulated, chassis mount, screw terminal.	Stock	\$115.00

Accessories for DC-to-DC Converters

<u>859-525-5</u>	WAGO end cover, package of 5. For use with WAGO DC to DC converters.	Stock	\$5.00
<u>2000-5491-5</u>	WAGO end cover, package of 5. For use with WAGO PNP/NPN converters.	Stock	\$6.00

Ventilated General Purpose Transformers (NEMA Rated)

<u>SG3A0015KB</u>	Hammond general purpose transformer, open core, 15 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$1,525.00
<u>SG3A0030KB</u>	Hammond general purpose transformer, open core, 30 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$2,120.00
<u>SG3A0045KB</u>	Hammond general purpose transformer, open core, 45 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$2,412.00
<u>SG3A0075KB</u>	Hammond general purpose transformer, open core, 75 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, NEMA 3R, floor mount.	Stock	\$3,179.00
<u>SG3C0015KD</u>	Hammond general purpose transformer, open core, 15 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$1,497.00
<u>SG3C0030KD</u>	Hammond general purpose transformer, open core, 30 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$2,184.00
<u>SG3C0045KD</u>	Hammond general purpose transformer, open core, 45 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$2,484.00
<u>SG3C0075KD</u>	Hammond general purpose transformer, open core, 75 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, NEMA 3R, floor mount.	Stock	\$3,274.00

Ventilated Drive Isolation Transformers

<u>DM007JJ</u>	Hammond drive isolation transformer, open core, 7.5 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$1,270.00
<u>DM011JJ</u>	Hammond drive isolation transformer, open core, 11 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$1,412.00
<u>DM014JJ</u>	Hammond drive isolation transformer, open core, 14 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$1,439.00
<u>DM020JJ</u>	Hammond drive isolation transformer, open core, 20 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$1,794.00
<u>DM027JJ</u>	Hammond drive isolation transformer, open core, 27 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$1,932.00
<u>DM034JJ</u>	Hammond drive isolation transformer, open core, 34 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$2,092.00
<u>DM040JJ</u>	Hammond drive isolation transformer, open core, 40 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$2,221.00
<u>DM051JJ</u>	Hammond drive isolation transformer, open core, 51 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$2,442.00
<u>DM063JJ</u>	Hammond drive isolation transformer, open core, 63 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$3,074.00
<u>DM075JJ</u>	Hammond drive isolation transformer, open core, 75 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$3,128.00
<u>DM093JJ</u>	Hammond drive isolation transformer, open core, 93 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$3,686.00

<u>DM118JJ</u>	Hammond drive isolation transformer, open core, 118 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor, wall or ceiling mount.	Stock	\$4,113.00
<u>DM145JJ</u>	Hammond drive isolation transformer, open core, 145 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor mount.	Stock	\$5,034.00
<u>DM175JJ</u>	Hammond drive isolation transformer, open core, 175 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor mount.	Stock	\$5,893.00
<u>DM220JJ</u>	Hammond drive isolation transformer, open core, 220 kVA, 3-phase, 460 VAC Delta, 460Y/266 VAC secondary, 60 Hz, NEMA 3R, floor mount.	Stock	\$6,721.00
Encapsulated Core General Purpose Transformers (NEMA Rated)			
<u>C1FC50LE</u>	Hammond general purpose transformer, encapsulated core, 500 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$178.00
<u>C1FC75LES</u>	Hammond general purpose transformer, encapsulated core, 750 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$225.00
<u>C1F1C0LES</u>	Hammond general purpose transformer, encapsulated core, 1 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$270.00
<u>C1F1C5LES</u>	Hammond general purpose transformer, encapsulated core, 1.5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$323.00
<u>C1F002LES</u>	Hammond general purpose transformer, encapsulated core, 2 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$395.00
<u>C1F003LES</u>	Hammond general purpose transformer, encapsulated core, 3 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$497.00
<u>C1F005LES</u>	Hammond general purpose transformer, encapsulated core, 5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$727.00
<u>C1F007LES</u>	Hammond general purpose transformer, encapsulated core, 7.5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,079.00
<u>C1F010LES</u>	Hammond general purpose transformer, encapsulated core, 10 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,246.00
<u>C1F015LES</u>	Hammond general purpose transformer, encapsulated core, 15 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,602.00
<u>C1F025LES</u>	Hammond general purpose transformer, encapsulated core, 25 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,993.00
<u>T253007S</u>	ACME general purpose transformer, encapsulated core, 250 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$118.00
<u>T253008S</u>	ACME general purpose transformer, encapsulated core, 500 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$137.00
<u>T253009S</u>	ACME general purpose transformer, encapsulated core, 750 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$183.00
<u>T253010S</u>	ACME general purpose transformer, encapsulated core, 1 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$211.00
<u>T253011S</u>	ACME general purpose transformer, encapsulated core, 1.5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$235.00
<u>T253012S</u>	ACME general purpose transformer, encapsulated core, 2 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$291.00
<u>T2530134S</u>	ACME general purpose transformer, encapsulated core, 3 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$468.00
<u>T2530144S</u>	ACME general purpose transformer, encapsulated core, 5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$658.00
<u>T2535153S</u>	ACME general purpose transformer, encapsulated core, 7.5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$874.00
<u>T2535163S</u>	ACME general purpose transformer, encapsulated core, 10 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$980.00
<u>T2535173S</u>	ACME general purpose transformer, encapsulated core, 15 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,183.00
<u>T2535183S</u>	ACME general purpose transformer, encapsulated core, 25 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,657.00
<u>C1FC10WE</u>	Hammond general purpose transformer, encapsulated core, 100 VA, 1-phase, 120-277 VAC selectable, 120/240 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$161.00
<u>C1FC25WE</u>	Hammond general purpose transformer, encapsulated core, 250 VA, 1-phase, 120-277 VAC selectable, 120/240 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$199.00
<u>C1FC50WE</u>	Hammond general purpose transformer, encapsulated core, 500 VA, 1-phase, 120-277 VAC selectable, 120/240 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$230.00
<u>C1F1C0WES</u>	Hammond general purpose transformer, encapsulated core, 1 kVA, 1-phase, 120-277 VAC selectable, 120/240 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$334.00

[illegible]

<u>T2A533081S</u>	ACME general purpose transformer, encapsulated core, 3 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$729.00
<u>T2A533091S</u>	ACME general purpose transformer, encapsulated core, 6 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,040.00
<u>T2A533101S</u>	ACME general purpose transformer, encapsulated core, 9 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,357.00
<u>T3533111S</u>	ACME general purpose transformer, encapsulated core, 15 kVA, 3-phase, 480 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, floor mount.	Stock	\$1,627.00
<u>T2A533281S</u>	ACME general purpose transformer, encapsulated core, 3 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$753.00
<u>T2A533291S</u>	ACME general purpose transformer, encapsulated core, 6 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,008.00
<u>T2A533401S</u>	ACME general purpose transformer, encapsulated core, 9 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,329.00
<u>T3533411S</u>	ACME general purpose transformer, encapsulated core, 15 kVA, 3-phase, 480 VAC Delta, 240/120 VAC Delta (center tap) secondary, 60 Hz, electrostatic shield, NEMA 3R, floor mount.	Stock	\$1,777.00
<u>T2A795161S</u>	ACME general purpose transformer, encapsulated core, 3 kVA, 3-phase, 600 VAC Delta, 480Y/277 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,003.00
<u>T2A795171S</u>	ACME general purpose transformer, encapsulated core, 6 kVA, 3-phase, 600 VAC Delta, 480Y/277 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,257.00
<u>T2A795181S</u>	ACME general purpose transformer, encapsulated core, 9 kVA, 3-phase, 600 VAC Delta, 480Y/277 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,682.00
<u>T3795191S</u>	ACME general purpose transformer, encapsulated core, 15 kVA, 3-phase, 600 VAC Delta, 480Y/277 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, floor mount.	Stock	\$1,822.00
<u>T2A793301S</u>	ACME general purpose transformer, encapsulated core, 3 kVA, 3-phase, 600 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$986.00
<u>T2A793311S</u>	ACME general purpose transformer, encapsulated core, 6 kVA, 3-phase, 600 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,261.00
<u>T2A793321S</u>	ACME general purpose transformer, encapsulated core, 9 kVA, 3-phase, 600 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, wall mount.	Stock	\$1,723.00
<u>T3793331S</u>	ACME general purpose transformer, encapsulated core, 15 kVA, 3-phase, 600 VAC Delta, 208Y/120 VAC secondary, 60 Hz, electrostatic shield, NEMA 3R, floor mount.	Stock	\$1,938.00

Encapsulated Core Buck-Boost Transformers (NEMA Rated)

<u>T181050</u>	ACME buck-boost transformer, encapsulated core, 250 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$136.00
<u>T181051</u>	ACME buck-boost transformer, encapsulated core, 500 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$174.00
<u>T181052</u>	ACME buck-boost transformer, encapsulated core, 750 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$225.00
<u>T111683</u>	ACME buck-boost transformer, encapsulated core, 1 kVA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$256.00
<u>T111684</u>	ACME buck-boost transformer, encapsulated core, 1.5 kVA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$325.00
<u>T111685</u>	ACME buck-boost transformer, encapsulated core, 2 kVA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$420.00
<u>T111686</u>	ACME buck-boost transformer, encapsulated core, 3 kVA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$596.00
<u>T111687</u>	ACME buck-boost transformer, encapsulated core, 5 kVA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$912.00
<u>T181057</u>	ACME buck-boost transformer, encapsulated core, 250 VA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$167.00
<u>T181058</u>	ACME buck-boost transformer, encapsulated core, 500 VA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$186.00
<u>T181059</u>	ACME buck-boost transformer, encapsulated core, 750 VA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$240.00
<u>T113073</u>	ACME buck-boost transformer, encapsulated core, 1 kVA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$288.00
<u>T113074</u>	ACME buck-boost transformer, encapsulated core, 1.5 kVA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$349.00
<u>T113075</u>	ACME buck-boost transformer, encapsulated core, 2 kVA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$427.00
<u>T113076</u>	ACME buck-boost transformer, encapsulated core, 3 kVA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$657.00

<u>T113077</u>	ACME buck-boost transformer, encapsulated core, 5 kVA, 1-phase, 120/240 VAC, 16/32 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$1,111.00
<u>T181064</u>	ACME buck-boost transformer, encapsulated core, 250 VA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$164.00
<u>T181065</u>	ACME buck-boost transformer, encapsulated core, 500 VA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$203.00
<u>T181066</u>	ACME buck-boost transformer, encapsulated core, 750 VA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 50/60 Hz, NEMA 3R, wall mount.	Stock	\$263.00
<u>T137920</u>	ACME buck-boost transformer, encapsulated core, 1 kVA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$282.00
<u>T137921</u>	ACME buck-boost transformer, encapsulated core, 1.5 kVA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$353.00
<u>T137922</u>	ACME buck-boost transformer, encapsulated core, 2 kVA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$438.00
<u>T137923</u>	ACME buck-boost transformer, encapsulated core, 3 kVA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$648.00
<u>T137924</u>	ACME buck-boost transformer, encapsulated core, 5 kVA, 1-phase, 240/480 VAC, 24/48 VAC secondary, 60 Hz, NEMA 3R, wall mount.	Stock	\$1,015.00

Open Core Industrial Control Transformers

<u>USTE100/2X115</u>	BLOCK control transformer, open core, 100 VA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel or 35mm DIN rail mount.	Stock	\$88.00
<u>USTE250/2X115</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel or 35mm DIN rail mount.	Stock	\$116.00
<u>USTE400/2X115</u>	BLOCK control transformer, open core, 400 VA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel mount.	Stock	\$158.00
<u>USTE500/2X115</u>	BLOCK control transformer, open core, 500 VA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel mount.	Stock	\$188.00
<u>USTE800/2X115</u>	BLOCK control transformer, open core, 800 VA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel mount.	Stock	\$203.00
<u>USTE1000/2X115</u>	BLOCK control transformer, open core, 1 kVA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel mount.	Stock	\$295.00
<u>USTE1600/2X115</u>	BLOCK control transformer, open core, 1.6 kVA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel mount.	Stock	\$391.00
<u>USTE2500/2X115</u>	BLOCK control transformer, open core, 2.5 kVA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel mount.	Stock	\$664.00
<u>USTE3200/2X115</u>	BLOCK control transformer, open core, 3.2 kVA, 1-phase, 208-600 VAC selectable, 115/230 VAC secondary, 50/60 Hz, panel mount.	Stock	\$882.00
<u>USTE40/2X12</u>	BLOCK control transformer, open core, 40 VA, 1-phase, 208-600 VAC selectable, 12/24 VAC secondary, 50/60 Hz, panel or 35mm DIN rail mount.	Stock	\$64.00
<u>USTE100/2X12</u>	BLOCK control transformer, open core, 100 VA, 1-phase, 208-600 VAC selectable, 12/24 VAC secondary, 50/60 Hz, panel or 35mm DIN rail mount.	Stock	\$78.00
<u>USTE250/2X12</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 208-600 VAC selectable, 12/24 VAC secondary, 50/60 Hz, panel or 35mm DIN rail mount.	Stock	\$116.00
<u>USTE400/2X12</u>	BLOCK control transformer, open core, 400 VA, 1-phase, 208-600 VAC selectable, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$154.00
<u>86143</u>	Murrelektronik control transformer, open core, 100 VA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel or 35mm DIN rail mount.	Stock	\$94.00
<u>86144</u>	Murrelektronik control transformer, open core, 160 VA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel or 35mm DIN rail mount.	Stock	\$107.00
<u>86145</u>	Murrelektronik control transformer, open core, 250 VA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$124.00
<u>86147</u>	Murrelektronik control transformer, open core, 400 VA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$166.00
<u>86148</u>	Murrelektronik control transformer, open core, 500 VA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$207.00
<u>86149</u>	Murrelektronik control transformer, open core, 630 VA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$237.00
<u>86150</u>	Murrelektronik control transformer, open core, 800 VA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$277.00
<u>86151</u>	Murrelektronik control transformer, open core, 1 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$312.00
<u>86152</u>	Murrelektronik control transformer, open core, 1.6 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$430.00

<u>86153</u>	Murrelektronik control transformer, open core, 2 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$570.00
<u>86154</u>	Murrelektronik control transformer, open core, 2.5 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$726.00
<u>86155</u>	Murrelektronik control transformer, open core, 3 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$871.00
<u>86156</u>	Murrelektronik control transformer, open core, 4 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$999.00
<u>86157</u>	Murrelektronik control transformer, open core, 5 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$1,100.00
<u>86158</u>	Murrelektronik control transformer, open core, 6.3 kVA, 1-phase, 208-550 VAC selectable, 115/230 VAC secondary, 50/60 Hz, electrostatic shield, panel mount.	Stock	\$1,507.00
<u>CT-005-048-24-0</u>	BLOCK control transformer, open core, 50 VA, 1-phase, 240/480 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$62.00
<u>CT-007-048-24-0</u>	BLOCK control transformer, open core, 75 VA, 1-phase, 240/480 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$65.00
<u>CT-010-048-24-0</u>	BLOCK control transformer, open core, 100 VA, 1-phase, 240/480 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$72.00
<u>CT-015-048-24-0</u>	BLOCK control transformer, open core, 150 VA, 1-phase, 240/480 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$83.00
<u>CT-025-048-24-0</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 240/480 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$103.00
<u>CT-035-048-24-0</u>	BLOCK control transformer, open core, 350 VA, 1-phase, 240/480 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$125.00
<u>CT-005-048-12-0</u>	BLOCK control transformer, open core, 50 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$62.00
<u>CT-007-048-12-0</u>	BLOCK control transformer, open core, 75 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$65.00
<u>CT-007-048-12-1</u>	BLOCK control transformer, open core, 75 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$85.00
<u>CT-010-048-12-0</u>	BLOCK control transformer, open core, 100 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$71.00
<u>CT-015-048-12-0</u>	BLOCK control transformer, open core, 150 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$83.00
<u>CT-015-048-12-1</u>	BLOCK control transformer, open core, 150 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$102.00
<u>CT-025-048-12-0</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$103.00
<u>CT-025-048-12-1</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$122.00
<u>CT-035-048-12-0</u>	BLOCK control transformer, open core, 350 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$124.00
<u>CT-035-048-12-1</u>	BLOCK control transformer, open core, 350 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$143.00
<u>CT-050-048-12-0</u>	BLOCK control transformer, open core, 500 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$152.00
<u>CT-050-048-12-1</u>	BLOCK control transformer, open core, 500 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$171.00
<u>CT-075-048-12-0</u>	BLOCK control transformer, open core, 750 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$199.00
<u>CT-075-048-12-1</u>	BLOCK control transformer, open core, 750 VA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$218.00
<u>CT-100-048-12-0</u>	BLOCK control transformer, open core, 1 kVA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$248.00
<u>CT-100-048-12-1</u>	BLOCK control transformer, open core, 1 kVA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$267.00
<u>CT-150-048-12-0</u>	BLOCK control transformer, open core, 1.5 kVA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$336.00
<u>CT-200-048-12-0</u>	BLOCK control transformer, open core, 2 kVA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$417.00
<u>CT-250-048-12-0</u>	BLOCK control transformer, open core, 2.5 kVA, 1-phase, 240/480 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$497.00
<u>CT-005-060-24-0</u>	BLOCK control transformer, open core, 50 VA, 1-phase, 600 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$53.00

<u>CT-007-060-24-0</u>	BLOCK control transformer, open core, 75 VA, 1-phase, 600 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$56.00
<u>CT-010-060-24-0</u>	BLOCK control transformer, open core, 100 VA, 1-phase, 600 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$62.00
<u>CT-025-060-24-0</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 600 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$93.00
<u>CT-035-060-24-0</u>	BLOCK control transformer, open core, 350 VA, 1-phase, 600 VAC, 24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$116.00
<u>CT-005-060-12-0</u>	BLOCK control transformer, open core, 50 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$53.00
<u>CT-007-060-12-0</u>	BLOCK control transformer, open core, 75 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$57.00
<u>CT-010-060-12-0</u>	BLOCK control transformer, open core, 100 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$62.00
<u>CT-015-060-12-0</u>	BLOCK control transformer, open core, 150 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$74.00
<u>CT-015-060-12-1</u>	BLOCK control transformer, open core, 150 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$93.00
<u>CT-025-060-12-0</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$92.00
<u>CT-025-060-12-1</u>	BLOCK control transformer, open core, 250 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$111.00
<u>CT-035-060-12-0</u>	BLOCK control transformer, open core, 350 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$115.00
<u>CT-050-060-12-0</u>	BLOCK control transformer, open core, 500 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$141.00
<u>CT-050-060-12-1</u>	BLOCK control transformer, open core, 500 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$161.00
<u>CT-075-060-12-0</u>	BLOCK control transformer, open core, 750 VA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$191.00
<u>CT-100-060-12-0</u>	BLOCK control transformer, open core, 1 kVA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$238.00
<u>CT-100-060-12-1</u>	BLOCK control transformer, open core, 1 kVA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, fused, panel mount.	Stock	\$258.00
<u>CT-150-060-12-0</u>	BLOCK control transformer, open core, 1.5 kVA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$327.00
<u>CT-200-060-12-0</u>	BLOCK control transformer, open core, 2 kVA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$418.00
<u>CT-250-060-12-0</u>	BLOCK control transformer, open core, 2.5 kVA, 1-phase, 600 VAC, 120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$487.00
<u>SP50MQMJ</u>	Hammond control transformer, open core, 50 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$52.00
<u>SP100MQMJ</u>	Hammond control transformer, open core, 100 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$62.00
<u>SP150MQMJ</u>	Hammond control transformer, open core, 150 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$73.00
<u>SP250MQMJ</u>	Hammond control transformer, open core, 250 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$99.00
<u>SP350MQMJ</u>	Hammond control transformer, open core, 350 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$132.00
<u>SP500MQMJ</u>	Hammond control transformer, open core, 500 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$159.00
<u>SP750MQMJ</u>	Hammond control transformer, open core, 750 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$217.00
<u>SP1000MQMJ</u>	Hammond control transformer, open core, 1 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$243.00
<u>SP1500MQMJ</u>	Hammond control transformer, open core, 1.5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$317.00
<u>SP2000MQMJ</u>	Hammond control transformer, open core, 2 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$461.00
<u>SP3000MQMJ</u>	Hammond control transformer, open core, 3 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$742.00
<u>SP5000MQMJ</u>	Hammond control transformer, open core, 5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$1,181.00

<u>SP50PR</u>	Hammond control transformer, open core, 50 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$52.00
<u>SP100PR</u>	Hammond control transformer, open core, 100 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$62.00
<u>SP150PR</u>	Hammond control transformer, open core, 150 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$75.00
<u>SP250PR</u>	Hammond control transformer, open core, 250 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$99.00
<u>SP350PR</u>	Hammond control transformer, open core, 350 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$129.00
<u>SP500PR</u>	Hammond control transformer, open core, 500 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$158.00
<u>SP50ACP</u>	Hammond control transformer, open core, 50 VA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$52.00
<u>SP100ACP</u>	Hammond control transformer, open core, 100 VA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$62.00
<u>SP150ACP</u>	Hammond control transformer, open core, 150 VA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$73.00
<u>SP250ACP</u>	Hammond control transformer, open core, 250 VA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$101.00
<u>SP350ACP</u>	Hammond control transformer, open core, 350 VA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$132.00
<u>SP500ACP</u>	Hammond control transformer, open core, 500 VA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$159.00
<u>SP750ACP</u>	Hammond control transformer, open core, 750 VA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$217.00
<u>SP1000ACP</u>	Hammond control transformer, open core, 1 kVA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$243.00
<u>SP1500ACP</u>	Hammond control transformer, open core, 1.5 kVA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$317.00
<u>SP2000ACP</u>	Hammond control transformer, open core, 2 kVA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$458.00
<u>SP3000ACP</u>	Hammond control transformer, open core, 3 kVA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$748.00
<u>SP5000ACP</u>	Hammond control transformer, open core, 5 kVA, 1-phase, 480/600 VAC, 120/240 VAC secondary, 60 Hz, panel mount.	Stock	\$1,179.00
<u>SP100SP</u>	Hammond control transformer, open core, 100 VA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$62.00
<u>SP150SP</u>	Hammond control transformer, open core, 150 VA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$75.00
<u>SP250SP</u>	Hammond control transformer, open core, 250 VA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$101.00
<u>SP350SP</u>	Hammond control transformer, open core, 350 VA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$132.00
<u>SP500SP</u>	Hammond control transformer, open core, 500 VA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$159.00
<u>SP750SP</u>	Hammond control transformer, open core, 750 VA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$214.00
<u>SP1000SP</u>	Hammond control transformer, open core, 1 kVA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$243.00
<u>SP1500SP</u>	Hammond control transformer, open core, 1.5 kVA, 1-phase, 208/416 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$327.00
Compact Encapsulated Core Industrial Control Transformers			
<u>PH50MQMJ</u>	Hammond control transformer, encapsulated core, 50 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$72.00
<u>PH75MQMJ</u>	Hammond control transformer, encapsulated core, 75 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$82.00
<u>PH100MQMJ</u>	Hammond control transformer, encapsulated core, 100 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$95.00
<u>PH150MQMJ</u>	Hammond control transformer, encapsulated core, 150 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$120.00
<u>PH250MQMJ</u>	Hammond control transformer, encapsulated core, 250 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$152.00

<u>PH350MQMJ</u>	Hammond control transformer, encapsulated core, 350 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$175.00
<u>PH500MQMJ</u>	Hammond control transformer, encapsulated core, 500 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$222.00
<u>PH750MQMJ</u>	Hammond control transformer, encapsulated core, 750 VA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$300.00
<u>PH1000MQMJ</u>	Hammond control transformer, encapsulated core, 1 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$336.00
<u>PH1500MQMJ</u>	Hammond control transformer, encapsulated core, 1.5 kVA, 1-phase, 240/480 VAC, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$430.00
<u>PH50MGJ</u>	Hammond control transformer, encapsulated core, 50 VA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$90.00
<u>PH75MGJ</u>	Hammond control transformer, encapsulated core, 75 VA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$91.00
<u>PH100MGJ</u>	Hammond control transformer, encapsulated core, 100 VA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$101.00
<u>PH150MGJ</u>	Hammond control transformer, encapsulated core, 150 VA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$132.00
<u>PH250MGJ</u>	Hammond control transformer, encapsulated core, 250 VA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$186.00
<u>PH350MGJ</u>	Hammond control transformer, encapsulated core, 350 VA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$222.00
<u>PH500MGJ</u>	Hammond control transformer, encapsulated core, 500 VA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$287.00
<u>PH1000MGJ</u>	Hammond control transformer, encapsulated core, 1 kVA, 1-phase, 208-380 VAC selectable, 120/240 VAC secondary, 50/60 Hz, panel mount.	Stock	\$384.00
<u>PH50PG</u>	Hammond control transformer, encapsulated core, 50 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$76.00
<u>PH75PG</u>	Hammond control transformer, encapsulated core, 75 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$78.00
<u>PH100PG</u>	Hammond control transformer, encapsulated core, 100 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$90.00
<u>PH150PG</u>	Hammond control transformer, encapsulated core, 150 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$120.00
<u>PH250PG</u>	Hammond control transformer, encapsulated core, 250 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$152.00
<u>PH350PG</u>	Hammond control transformer, encapsulated core, 350 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$175.00
<u>PH500PG</u>	Hammond control transformer, encapsulated core, 500 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$222.00
<u>PH750PG</u>	Hammond control transformer, encapsulated core, 750 VA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$297.00
<u>PH1000PG</u>	Hammond control transformer, encapsulated core, 1 kVA, 1-phase, 120/240 VAC, 12/24 VAC secondary, 50/60 Hz, panel mount.	Stock	\$336.00
<u>PH50MLI</u>	Hammond control transformer, encapsulated core, 50 VA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$90.00
<u>PH100MLI</u>	Hammond control transformer, encapsulated core, 100 VA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$101.00
<u>PH150MLI</u>	Hammond control transformer, encapsulated core, 150 VA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$122.00
<u>PH250MLI</u>	Hammond control transformer, encapsulated core, 250 VA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$186.00
<u>PH350MLI</u>	Hammond control transformer, encapsulated core, 350 VA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$222.00
<u>PH500MLI</u>	Hammond control transformer, encapsulated core, 500 VA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$287.00
<u>PH750MLI</u>	Hammond control transformer, encapsulated core, 750 VA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$302.00
<u>PH1000MLI</u>	Hammond control transformer, encapsulated core, 1 kVA, 1-phase, 240/480 VAC, 25/120 VAC secondary, 50/60 Hz, panel mount.	Stock	\$384.00
Wall Mount Brackets for Encapsulated General Purpose Transformers			
<u>PL79911</u>	ACME wall mounting brackets, for use with 15 kVA 3-phase encapsulated transformer.	Stock	\$99.00

Fusing and Connection Accessories for Control Transformers			
POI-4/2/PTKS	BLOCK jumper, push-in type, 2-pole. Package of 10. For use with Block USTE series control transformers.	Stock	\$10.50
SPFBAK1	Hammond fuse block adapter kit, for use with 50 to 3000 VA ACP and MQMJ series, 50 to 1500 VA SP series and 50 to 500 VA PR series Spartan control transformers, includes (1) adapter plate, (2) mounting clips and (2) mounting screws.	Stock	\$15.00
PFK1	Hammond primary side fuse kit, for use with 50-100 VA MQMJ and PG Imperator series control transformers.	Stock	\$12.50
PFK2	Hammond primary side fuse kit, for use with 150-250 VA MQMJ and PG Imperator series control transformers.	Stock	\$12.50
PFK3	Hammond primary side fuse kit, for use with 350-1500 VA MQMJ and PG Imperator series control transformers.	Stock	\$12.50
PFK4	Hammond primary side fuse kit, for use with 50 VA MGJ and MLI Imperator series control transformers.	Stock	\$12.50
PFK5	Hammond primary side fuse kit, for use with 75 VA and 100 VA MGJ and MLI Imperator series control transformers.	Stock	\$12.50
PFK6	Hammond primary side fuse kit, for use with 150 VA and 250 VA MGJ and MLI Imperator series control transformers.	Stock	\$13.00
PFK7	Hammond primary side fuse kit, for use with 350 VA and 500 VA MGJ and MLI Imperator series control transformers.	Stock	\$13.00
Finger Guards			
SPFG1	Hammond finger guard, primary or secondary side. For use with 50 to 3000 VA ACP and MQMJ series, 50 to 1500 VA SP series and 50 to 350 VA PR series Spartan control transformers.	Stock	\$5.50
FG1	Hammond finger guard, primary or secondary side. For use with unfused 50 VA MQMJ and PG Imperator series control transformers.	Stock	\$6.50
FGF1	Hammond finger guard, primary or secondary side. For use with fused 50 VA MQMJ and PG Imperator series control transformers.	Stock	\$7.00
FG2	Hammond finger guard, primary or secondary side. For use with unfused 75 VA and 100 VA Imperator series control transformers as well as PH50MLI and PH50MGJ.	Stock	\$6.50
FGF2	Hammond finger guard, primary or secondary side. For use with fused 75 VA and 100 VA Imperator series control transformers as well as PH50MLI and PH50MGJ.	Stock	\$7.50
FG3	Hammond finger guard, primary or secondary side. For use with fused and unfused 150 VA Imperator series control transformers as well as PH250MQMJ and PH250PG.	Stock	\$7.00
FG4	Hammond finger guard, primary or secondary side. For use with fused and unfused 350 VA and 500 VA Imperator series control transformers as well as PH750MQMJ, PH250MLI, and PH250MGJ.	Stock	\$7.00
FG5	Hammond finger guard, primary or secondary side. For use with fused and unfused 1 kVA and 1.5 kVA Imperator series control transformers as well as PH750PG.	Stock	\$7.00
Power Meters			
ADM100W-HPS	Trumeter ADM100 standard graphical power meter, current or voltage input, 3in positive backlit LCD configurable to white, green, red, (2) discrete or current outputs, 100-277 VAC operating voltage, Modbus RTU.	Stock	\$158.00
4825U010	Socomec DIRIS A10 power meter, current and voltage input, 3-line backlit LCD, configurable output, 110-277 VAC operating voltage.	Stock	\$361.00
4825U011	Socomec DIRIS A10 power meter, current and voltage input, 3-line backlit LCD, configurable output, 110-277 VAC operating voltage, Modbus RTU.	Stock	\$419.00
4825U200	Socomec DIRIS A20 power meter, current and voltage input, 3-line backlit LCD, 110-240 VAC/120-250 VDC operating voltage.	Stock	\$499.00
Accessories for Power Meters			
48250080	Socomec configurable output module, for use with DIRIS A20 power meter.	Stock	\$78.00
48250082	Socomec output module, Modbus RTU, 1 port, (1) RS-485 (3-pin terminal) port(s). For use with DIRIS A20 power meter. Internal switch-selectable 120 ohm terminating resistor included.	Stock	\$70.00
Standard Graphical Panel Meters			
ADM100P-LP	Trumeter ADM100 standard graphical process meter, current or voltage input, 3in positive backlit LCD configurable to white, green, red, (2) discrete or current outputs, 12-24 VAC/VDC operating voltage.	Stock	\$100.00
ADM100P-LN	Trumeter ADM100 standard graphical process meter, current or voltage input, 3in negative backlit LCD configurable to white, green, red, (2) discrete or current outputs, 12-24 VAC/VDC operating voltage.	Stock	\$100.00
ADM100C-LP	Trumeter ADM100 standard graphical current meter, current input, 3in positive backlit LCD configurable to white, green, red, (2) discrete or current outputs, 12-24 VAC/VDC operating voltage.	Stock	\$91.00
ADM100C-LN	Trumeter ADM100 standard graphical current meter, current input, 3in negative backlit LCD configurable to white, green, red, (2) discrete or current outputs, 12-24 VAC/VDC operating voltage.	Stock	\$91.00
ADM100T-LP	Trumeter ADM100 standard graphical temperature meter, thermocouple input, 3in positive backlit LCD configurable to white, green, red, (2) discrete or current outputs, 12-24 VAC/VDC operating voltage.	Stock	\$115.00

Enclosed Style, UL Recognized Terminal Blocks				
<u>38680C</u>	FTG enclosed power distribution block, finger-safe, 85A, 1-pole, line side: 1 opening accepts 3 AWG to 14 AWG, load side: 6 openings accept 8 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1953 listed.	Stock	\$21.00	
<u>38682C</u>	FTG enclosed power distribution block, finger-safe, 115A, 1-pole, line side: 1 opening accepts 1 AWG to 14 AWG, load side: 6 openings accept 4 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1953 listed.	Stock	\$25.50	
<u>38684C</u>	FTG enclosed power distribution block, finger-safe, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 14 AWG, load side: 4 openings accept 2 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1953 listed.	Stock	\$31.00	
<u>38686C</u>	FTG enclosed power distribution block, finger-safe, 255A, 1-pole, line side: 1 opening accepts 250 kcmil to 2 AWG, load side: 6 openings accept 2 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1953 listed.	Stock	\$46.00	
<u>38688C</u>	FTG enclosed power distribution block, finger-safe, 380A, 1-pole, line side: 1 opening accepts 500 kcmil to 2/0 AWG, load side: 6 openings accept 2 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1953 listed.	Stock	\$54.00	
<u>EPDB101</u>	Edison enclosed power distribution block, finger-safe, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 1 opening accepts 2/0 AWG to 8 AWG, DIN rail mount, UL 1953 listed.	Stock	\$23.50	
<u>EPDB104</u>	Edison enclosed power distribution block, finger-safe, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 4 openings accept 4AWG to 14 AWG, DIN rail mount, UL 1953 listed.	Stock	\$35.00	
<u>EPDB301</u>	Edison enclosed power distribution block, finger-safe, 310A, 1-pole, line side: 1 opening accepts 350 MCM to 6 AWG, load side: 1 opening accepts 350 MCM to 8 AWG, DIN rail mount, UL 1953 listed.	Stock	\$55.00	
<u>EPDB306</u>	Edison enclosed power distribution block, finger-safe, 380A, 1-pole, line side: 1 opening accepts 500 MCM to 6 AWG, load side: 6 openings accept 2 AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$81.00	
<u>EPDB512</u>	Edison enclosed power distribution block, finger-safe, 570A, 1-pole, line side: 2 openings accept 300 MCM to 4 AWG, load side: 12 openings accept 4AWG to 14 AWG, DIN rail mount, UL 1953 listed.	Stock	\$90.00	
<u>EPDB702</u>	Edison enclosed power distribution block, finger-safe, 760A, 1-pole, line side: 2 openings accept 500 MCM to 6 AWG, load side: 2 openings accept 500 MCM to 6 AWG, panel mount, UL 1953 listed.	Stock	\$146.00	
<u>GPB1-85P1-7S</u>	Gladiator enclosed terminal block, finger-safe, 85A, 1-pole, line side: 3 openings accept 6 AWG to 16 AWG, load side: 4 openings accept 8 AWG to 16 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$12.50	
<u>GPB1-85P1-15S</u>	Gladiator enclosed terminal block, finger-safe, 85A, 1-pole, line side: 3 openings accept 6 AWG to 16 AWG, load side: 12 openings accept 8 AWG to 16 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$17.50	
<u>GPB1-130P1-16S</u>	Gladiator enclosed terminal block, finger-safe, 130A, 1-pole, line side: 2 (screw) openings accept 1 AWG to 8 AWG & 2 openings accept 6 AWG to 16 AWG, load side: 12 openings accept 8 AWG to 16 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$28.00	
<u>GPB2-80P1-4L</u>	Gladiator enclosed terminal block, finger-safe, 80A, 1-pole, line side: 3 openings accept 6 AWG to 14 AWG, load side: 4 openings accept 10 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$12.50	
<u>GPB2-115P1-6L</u>	Gladiator enclosed terminal block, finger-safe, 115A, 1-pole, line side: 1 opening accepts 2 AWG to 18 AWG, load side: 1 opening accepts 6 AWG to 10 AWG & 6 openings accept 6 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$23.00	
<u>GPB2-115P3-6L</u>	Gladiator enclosed terminal block, finger-safe, 115A, 3-pole, line side: 1 opening accepts 2 AWG to 18 AWG, load side: 1 opening accepts 6 AWG to 10 AWG & 6 openings accept 6 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$46.00	
<u>GPB2-160P1-6L</u>	Gladiator enclosed terminal block, finger-safe, 160A, 1-pole, line side: 1 opening accepts 2/0 AWG to 6 AWG, load side: 1 opening accepts 6 AWG to 10 AWG & 6 openings accept 6 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$31.00	
<u>GPB2-175P1-10L</u>	Gladiator enclosed terminal block, finger-safe, 175A, 1-pole, line side: 2 openings accept 2/0 AWG to 6 AWG, load side: 10 openings accept 6 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$42.00	
<u>GPB2-175P3-6L</u>	Gladiator enclosed terminal block, finger-safe, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 6 AWG, load side: 1 opening accepts 6 AWG to 10 AWG & 6 openings accept 6 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$61.00	
<u>GPB2-255P1-11L</u>	Gladiator enclosed terminal block, finger-safe, 225A, 1-pole, line side: 1 opening accepts 250 kcmil to 2 AWG, load side: 2 openings accept 2 AWG to 14 AWG & 5 openings accept 6 AWG to 14 AWG & 4 openings accept 8 AWG to 14 AWG, DIN rail or panel mount.	Stock	\$46.00	
<u>GPB2-250P1-6F</u>	Gladiator enclosed terminal block, finger-safe, 250A, 1-pole, line side: 1 opening accepts flat busbar, load side: 6 openings accept 6 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$51.00	
<u>GPB2-335P1-11L</u>	Gladiator enclosed terminal block, finger-safe, 335A, 1-pole, line side: 1 opening accepts 400 kcmil to 3/0 AWG, load side: 2 openings accept 2 AWG to 14 AWG & 5 openings accept 6 AWG to 14 AWG & 4 openings accept 8 AWG to 14 AWG, DIN rail or panel mount.	Stock	\$52.00	
<u>GPB2-400P1-12L</u>	Gladiator enclosed terminal block, finger-safe, 400A, 1-pole, line side: 2 openings accept 250 kcmil to 4 AWG, load side: 12 openings accept 6 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$38.50	
<u>GPB2-420P1-11F</u>	Gladiator enclosed terminal block, finger-safe, 420A, 1-pole, line side: 1 opening accepts flat busbar, load side: 2 openings accept 2 AWG to 14 AWG & 5 openings accept 6 AWG to 14 AWG & 4 openings accept 8 AWG to 14 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$52.00	
<u>GPB2-510P1-2L</u>	Gladiator enclosed terminal block, finger-safe, 510A, 1-pole, line side: 2 openings accept 250 kcmil to 4 AWG, load side: 2 openings accept 250 kcmil to 4 AWG, DIN rail or panel mount, UL 1059 recognized.	Stock	\$53.00	
<u>38049AL</u>	FTG enclosed terminal block, finger-safe, 80A, 1-pole, line side: 3 openings accept 4 AWG to 14 AWG, load side: 4 openings accept 10 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$15.50	

<u>38641</u>	FTG enclosed terminal block, finger-safe, 115A, 1-pole, line side: 1 opening accepts 2 AWG to 8 AWG & 1 opening accepts 4 AWG to 14 AWG, load side: 6 openings accept 4 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$18.00
<u>38676</u>	FTG enclosed terminal block, finger-safe, 115A, 1-pole, line side: 1 opening accepts 2 AWG to 8 AWG, load side: 10 openings accept 4 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$20.50
<u>38675</u>	FTG enclosed terminal block, finger-safe, 115A, 3-pole, line side: 1 opening accepts 2 AWG to 8 AWG, load side: 6 openings accept 4 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$49.50
<u>38674</u>	FTG enclosed terminal block, finger-safe, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 10 openings accept 4 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$25.50
<u>38673</u>	FTG enclosed terminal block, finger-safe, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 6 openings accept 4 AWG to 14 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$49.50
<u>38620</u>	FTG enclosed terminal block, finger-safe, 225A, 1-pole, line side: 1 opening accepts 250 kcmil to 2 AWG, load side: 2 openings accept 2 AWG to 14 AWG & 5 openings accept 6 AWG to 14 AWG & 4 openings accept 8 AWG to 14 AWG, panel or 35mm DIN rail mount.	Stock	\$41.50
<u>38019AL</u>	FTG enclosed terminal block, finger-safe, 310A, 1-pole, line side: 1 opening accepts 350 kcmil to 3/0 AWG, load side: 2 openings accept 2 AWG to 14 AWG & 5 openings accept 6 AWG to 14 AWG & 4 openings accept 8 AWG to 14 AWG, panel or 35mm DIN rail mount.	Stock	\$49.50
<u>38057</u>	FTG enclosed terminal block, finger-safe, 355A, 1-pole, line side: 1 opening accepts 400 kcmil to 6 AWG, load side: 1 opening accepts 400 kcmil to 6 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$53.00
<u>38059</u>	FTG enclosed terminal block, finger-safe, 840A, 1-pole, line side: 2 openings accept 600 kcmil to 4 AWG, load side: 2 openings accept 600 kcmil to 4 AWG, panel or 35mm DIN rail mount, UL 1059 recognized.	Stock	\$90.00
Open Style, UL Listed Power Distribution Blocks			
<u>ASRB-11-2/0-1</u>	Penn-Union open splicer/reducer block, finger-safe, 175A, 1-pole, line side: 1 openings accept 2/0 AWG to 14 AWG Cu/AL, load side: 1 openings accept 2/0 AWG to 14 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$17.00
<u>APDB-14-2/0-1</u>	Penn-Union open power distribution block, finger-safe, 175A, 1-pole, line side: 1 openings accept 2/0 AWG to 14 AWG Cu/AL, load side: 4 openings accept 4 AWG to 14 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$18.50
<u>ASRB-11-350-1</u>	Penn-Union open splicer/reducer block, finger-safe, 310A, 1-pole, line side: 1 openings accept 350 MCM to 6 AWG Cu/AL, load side: 1 openings accept 350 MCM to 6 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$20.50
<u>APDB-112-350-1</u>	Penn-Union open power distribution block, finger-safe, 310A, 1-pole, line side: 1 openings accept 350 MCM to 6 AWG Cu/AL, load side: 12 openings accept 4 AWG to 14 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$44.50
<u>ASRB-22-2/0-1</u>	Penn-Union open splicer/reducer block, finger-safe, 350A, 1-pole, line side: 2 openings accept 2/0 AWG to 14 AWG Cu/AL, load side: 2 openings accept 2/0 AWG to 14 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$22.50
<u>ASRB-11-500-1</u>	Penn-Union open splicer/reducer block, finger-safe, 380A, 1-pole, line side: 1 openings accept 500 MCM to 4 AWG Cu/AL, load side: 1 openings accept 500 MCM to 4 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$31.00
<u>APDB-14-500-1</u>	Penn-Union open power distribution block, finger-safe, 380A, 1-pole, line side: 1 openings accept 500 MCM to 4 AWG Cu/AL, load side: 4 openings accept 4/0 AWG to 6 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$56.00
<u>APDB-16-500-1</u>	Penn-Union open power distribution block, finger-safe, 380A, 1-pole, line side: 1 openings accept 500 MCM to 4 AWG Cu/AL, load side: 6 openings accept 2/0 AWG to 14 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$57.00
<u>ASRB-22-350-1</u>	Penn-Union open splicer/reducer block, finger-safe, 620A, 1-pole, line side: 2 openings accept 350 MCM to 6 AWG Cu/AL, load side: 2 openings accept 350 MCM to 6 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$38.50
<u>APDB-26-350-1</u>	Penn-Union open power distribution block, finger-safe, 620A, 1-pole, line side: 2 openings accept 350 MCM to 6 AWG Cu/AL, load side: 6 openings accept 2/0 AWG to 14 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$50.00
<u>ASRB-22-500-1</u>	Penn-Union open splicer/reducer block, finger-safe, 760A, 1-pole, line side: 2 openings accept 500 MCM to 4 AWG Cu/AL, load side: 2 openings accept 500 MCM to 4 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$52.00
<u>APDB-24-500-1</u>	Penn-Union open power distribution block, finger-safe, 760A, 1-pole, line side: 2 openings accept 500 MCM to 4 AWG Cu/AL, load side: 4 openings accept 4/0 AWG to 6 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$49.50
<u>APDB-212-500-1</u>	Penn-Union open power distribution block, finger-safe, 760A, 1-pole, line side: 2 openings accept 500 MCM to 4 AWG Cu/AL, load side: 12 openings accept 4 AWG to 14 AWG Cu/AL, DIN rail or panel mount, UL 1953 listed.	Stock	\$45.50
<u>HPB101-1</u>	Edison open power distribution block, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 1 opening accepts 2/0 AWG to 8 AWG, panel mount, UL 1953 listed.	Stock	\$26.50
<u>HPB101-3</u>	Edison open power distribution block, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 1 opening accepts 2/0 AWG to 8 AWG, panel mount, UL 1953 listed.	Stock	\$73.00
<u>HPB104-1</u>	Edison open power distribution block, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 4 openings accept 4AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$35.50
<u>HPB104-3</u>	Edison open power distribution block, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 4 openings accept 4AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$99.00

<u>HPB10S-3</u>	Edison open power distribution block, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 1/4-20 X 3/4 stud, panel mount, UL 1953 listed.	Stock	\$96.00
<u>HPB106-1</u>	Edison open power distribution block, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 6 openings accept 4 AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$46.50
<u>HPB106-2</u>	Edison open power distribution block, 175A, 2-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 6 openings accept 4 AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$85.00
<u>HPB106-3</u>	Edison open power distribution block, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 6 openings accept 4 AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$126.00
<u>HPB306-1</u>	Edison open power distribution block, 310A, 1-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 6 openings accept 4 AWG to 12 AWG, panel mount, UL 1953 listed.	Stock	\$67.00
<u>HPB306-3</u>	Edison open power distribution block, 310A, 3-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 6 openings accept 4 AWG to 12 AWG, panel mount, UL 1953 listed.	Stock	\$180.00
<u>HPB309-1</u>	Edison open power distribution block, 310A, 1-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 6 openings accept 2AWG to 12 AWG, 3 openings accept 1/0 to 12 AWG, panel mount, UL 1953 listed.	Stock	\$100.00
<u>HPB309-3</u>	Edison open power distribution block, 310A, 3-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 6 openings accept 2AWG to 12 AWG, 3 openings accept 1/0 to 12 AWG, panel mount, UL 1953 listed.	Stock	\$271.00
<u>HPB312-1</u>	Edison open power distribution block, 310A, 1-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 12 openings accept 4AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$107.00
<u>HPB312-3</u>	Edison open power distribution block, 310A, 3-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 12 openings accept 4AWG to 14 AWG, panel mount, UL 1953 listed.	Stock	\$295.00
Open Style, UL Recognized Terminal Blocks			
<u>PB1011</u>	Edison open terminal block, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 1 opening accepts 2/0 AWG to 8 AWG, panel mount, UL 1059 recognized.	Stock	\$19.00
<u>PB1012</u>	Edison open terminal block, 175A, 2-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 1 opening accepts 2/0 AWG to 8 AWG, panel mount, UL 1059 recognized.	Stock	\$27.50
<u>PB1013</u>	Edison open terminal block, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 1 opening accepts 2/0 AWG to 8 AWG, panel mount, UL 1059 recognized.	Stock	\$33.50
<u>PB1041</u>	Edison open terminal block, 175A, 1-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 4 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$28.00
<u>PB1042</u>	Edison open terminal block, 175A, 2-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 4 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$44.00
<u>PB1043</u>	Edison open terminal block, 175A, 3-pole, line side: 1 opening accepts 2/0 AWG to 8 AWG, load side: 4 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$53.00
<u>PB3061</u>	Edison open terminal block, 310A, 1-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 6 openings accept 4 AWG to 12 AWG, panel mount, UL 1059 recognized.	Stock	\$77.00
<u>PB3062</u>	Edison open terminal block, 310A, 2-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 6 openings accept 4 AWG to 12 AWG, panel mount, UL 1059 recognized.	Stock	\$91.00
<u>PB3063</u>	Edison open terminal block, 310A, 3-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 6 openings accept 4 AWG to 12 AWG, panel mount, UL 1059 recognized.	Stock	\$108.00
<u>PB3121</u>	Edison open terminal block, 310A, 1-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 12 openings accept 4AWG to 12 AWG, panel mount, UL 1059 recognized.	Stock	\$68.00
<u>PB3122</u>	Edison open terminal block, 310A, 2-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 12 openings accept 4AWG to 12 AWG, panel mount, UL 1059 recognized.	Stock	\$112.00
<u>PB3123</u>	Edison open terminal block, 310A, 3-pole, line side: 1 opening accepts 350 MCM to 4 AWG, load side: 12 openings accept 4AWG to 12 AWG, panel mount, UL 1059 recognized.	Stock	\$156.00
<u>PB4011</u>	Edison open terminal block, 380A, 1-pole, line side: 1 opening accepts 500 MCM to 6 AWG, load side: 3/8-16 X 1 stud, panel mount, UL 1059 recognized.	Stock	\$54.00
<u>PB4012</u>	Edison open terminal block, 380A, 2-pole, line side: 1 opening accepts 500 MCM to 6 AWG, load side: 3/8-16 X 1 stud, panel mount, UL 1059 recognized.	Stock	\$86.00
<u>PB4013</u>	Edison open terminal block, 380A, 3-pole, line side: 1 opening accepts 500 MCM to 6 AWG, load side: 3/8-16 X 1 stud, panel mount, UL 1059 recognized.	Stock	\$121.00
<u>PB5121</u>	Edison open terminal block, 570A, 1-pole, line side: 2 openings accept 300 MCM to 4 AWG, load side: 12 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$78.00
<u>PB5122</u>	Edison open terminal block, 570A, 2-pole, line side: 2 openings accept 300 MCM to 4 AWG, load side: 12 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$125.00
<u>PB5123</u>	Edison open terminal block, 570A, 3-pole, line side: 2 openings accept 300 MCM to 4 AWG, load side: 12 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$179.00
<u>PB7121</u>	Edison open terminal block, 760A, 1-pole, line side: 2 openings accept 500 MCM to 6 AWG, load side: 12 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$133.00
<u>PB7123</u>	Edison open terminal block, 760A, 3-pole, line side: 2 openings accept 500 MCM to 6 AWG, load side: 12 openings accept 4AWG to 14 AWG, panel mount, UL 1059 recognized.	Stock	\$221.00

Accessories for Power Distribution Blocks				
<u>APDB-CS</u>	Penn-Union cover, replacement, 1-pole. Package of 15. For use with Penn Union APDB distribution blocks & ASRB splicer/reducer blocks.	Stock	\$9.00	
<u>APDB-CM</u>	Penn-Union cover, replacement, 1-pole. Package of 10. For use with Penn Union APDB distribution blocks & ASRB splicer/reducer blocks.	Stock	\$9.50	
<u>APDB-CL</u>	Penn-Union cover, replacement, 1-pole. Package of 10. For use with Penn Union APDB distribution blocks & ASRB splicer/reducer blocks.	Stock	\$11.00	
<u>PBC21</u>	Edison power distribution block cover, package of 1. For use with 175A open style 1-pole blocks except HPB106-1 block.	Stock	\$4.25	
<u>PBC22</u>	Edison power distribution block cover, package of 1. For use with 175A open style 2-pole blocks except HPB106-2 block.	Stock	\$5.75	
<u>PBC23</u>	Edison power distribution block cover, package of 1. For use with 175A open style 3-pole blocks except HPB106-3 block.	Stock	\$7.00	
<u>PBC31</u>	Edison power distribution block cover, package of 1. For use with 310A, 380A, and 570A open style 1-pole blocks and HPB106-1 block.	Stock	\$10.50	
<u>PBC32</u>	Edison power distribution block cover, package of 1. For use with 310A, 380A, and 570A open style 2-pole blocks and HPB106-2 block.	Stock	\$13.50	
<u>PBC33</u>	Edison power distribution block cover, package of 1. For use with 310A, 380A, and 570A open style 3-pole blocks and HPB106-3 block.	Stock	\$15.00	
<u>PBC71</u>	Edison power distribution block cover, package of 1. For use with 760A open style 1-pole and 3-pole blocks.	Stock	\$15.50	
Universal Surge Suppressors				
<u>26051</u>	Murrelektronik universal surge suppressor, diode-Zener Diode, 12-30 VDC, 1-phase, 15W, pigtail with spade connectors, contactor mount.	Stock	\$8.75	
<u>26180</u>	Murrelektronik universal surge suppressor, varistor, 0-25 VAC/0-30 VDC, 1-phase, 0-60Hz, 50W, pigtail with spade connectors, adhesive foil and cable tie mount.	Stock	\$8.75	
<u>26181</u>	Murrelektronik universal surge suppressor, varistor, 24-48 VAC/VDC, 1-phase, 0-60Hz, 70W, pigtail with spade connectors, adhesive foil and cable tie mount.	Stock	\$8.75	
<u>26182</u>	Murrelektronik universal surge suppressor, varistor, 48-130 VAC/VDC, 1-phase, 0-60Hz, 100W, pigtail with spade connectors, adhesive foil and cable tie mount.	Stock	\$9.00	
<u>26183</u>	Murrelektronik universal surge suppressor, varistor, 110-250 VAC/VDC, 1-phase, 0-60Hz, 200W, pigtail with spade connectors, adhesive foil and cable tie mount.	Stock	\$9.00	
<u>20001</u>	Murrelektronik universal surge suppressor, resistor-capacitor, 24-60 VAC/VDC, 1-phase, 0-60Hz, 15W, pigtail with spade connectors, adhesive foil and cable tie mount.	Stock	\$9.25	
<u>22051</u>	Murrelektronik universal surge suppressor, resistor-capacitor, 48-127 VAC/VDC, 1-phase, 0-60Hz, 15W, pigtail with spade connectors, contactor mount.	Stock	\$9.25	
<u>22052</u>	Murrelektronik universal surge suppressor, resistor-capacitor, 127-240 VAC/VDC, 1-phase, 0-60Hz, 15W, pigtail with spade connectors, contactor mount.	Stock	\$9.25	
<u>20010</u>	Murrelektronik universal surge suppressor, resistor-capacitor, 110-230 VAC/VDC, 1-phase, 50/60 Hz, 75W, pigtail with spade connectors, adhesive foil and cable tie mount.	Stock	\$9.25	
Motor Surge Suppressors				
<u>23050</u>	Murrelektronik motor surge suppressor, resistor-capacitor, 575 VAC, 3-phase, 50/60 Hz, 4 kW, pigtail with spade connectors, adhesive foil mount.	Stock	\$28.50	
<u>230563</u>	Murrelektronik motor surge suppressor, resistor-capacitor, 575 VAC, 3-phase, 50/60 Hz, 7.5 kW, pigtail with end ferrule, 35mm DIN rail mount.	Stock	\$44.50	
<u>23146</u>	Murrelektronik motor surge suppressor, varistor, 575 VAC, 3-phase, 10-400 Hz, 20 kW, pigtail with ring terminal, M20x1.5 threaded connection mount.	Stock	\$53.00	
Solenoid Valve Surge Suppressors				
<u>3124833</u>	Murrelektronik solenoid valve surge suppressor, Zener diode, 18-30 VAC/VDC, 1-phase, 0-60Hz, 100W, vertical mount. For use with 8mm DIN style Form C plug.	Stock	\$15.50	
<u>3124832</u>	Murrelektronik solenoid valve surge suppressor, Zener diode, 18-30 VAC/VDC, 1-phase, 0-60Hz, 100W, vertical mount. For use with 9.4mm DIN style Form C plug.	Stock	\$15.50	
<u>3124873</u>	Murrelektronik solenoid valve surge suppressor, Zener diode, 18-30 VAC/VDC, 1-phase, 0-60Hz, 100W, horizontal mount. For use with 10mm DIN style Form B plug.	Stock	\$15.50	
<u>3124133</u>	Murrelektronik solenoid valve surge suppressor, Zener diode, 18-30 VAC/VDC, 1-phase, 0-60Hz, 50W, horizontal mount. For use with 11mm DIN style Form B plug.	Stock	\$15.50	
<u>3124170</u>	Murrelektronik solenoid valve surge suppressor, resistor-capacitor, 95-132 VA/VDC, 1-phase, 0-60Hz, 10W, horizontal mount. For use with 11mm DIN style Form B plug.	Stock	\$15.50	
<u>3124233</u>	Murrelektronik solenoid valve surge suppressor, Zener diode, 18-30 VAC/VDC, 1-phase, 0-60Hz, 100W, vertical mount. For use with 11mm DIN style Form B plug.	Stock	\$13.00	
<u>3124270</u>	Murrelektronik solenoid valve surge suppressor, resistor-capacitor, 48-130 VAC/VDC, 1-phase, 0-60Hz, 10W, vertical mount. For use with 11mm DIN style Form B plug.	Stock	\$13.00	

<u>3124033</u>	Murrelektronik solenoid valve surge suppressor, Zener diode, 18-30 VAC/VDC, 1-phase, 0-60Hz, 100W, vertical mount. For use with 18mm DIN style Form A plug.	Stock	\$11.00
<u>3124046</u>	Murrelektronik solenoid valve surge suppressor, varistor, 48-130 VAC/VDC, 1-phase, 0-60Hz, 100W, vertical mount. For use with 18mm DIN style Form A plug.	Stock	\$11.00
Surge Protection Devices			
<u>929963</u>	Dehn DPI-CD series data & signal Surge Protective Device (SPD), 24VAC/VDC, parallel circuit, 2 lines or 1 pair, IP67, 1/2in-14 NPSM mount.	Stock	\$110.00
<u>929970</u>	Dehn DPI-CD series power, data & signal Surge Protective Device (SPD), 230/120 VAC 1-Phase & 24V, parallel circuit, 2 lines or 1 pair, IP67, 1/2in-14 NPSM mount.	Stock	\$166.00
<u>927910</u>	Dehn BCO compact series data & signal Surge Protective Device (SPD), 5 kA discharge current, 180 VAC/VDC, series circuit, indirect grounding, 2 lines or 1 pair, 35mm DIN rail mount.	Stock	\$35.50
<u>927924</u>	Dehn BCO compact series data & signal Surge Protective Device (SPD), 5 kA discharge current, 24 VAC/VDC, series circuit, direct grounding, 2 lines or 1 pair, 35mm DIN rail mount.	Stock	\$63.50
<u>927944</u>	Dehn BCO compact series data & signal Surge Protective Device (SPD), 5 kA discharge current, 24 VAC/VDC, series circuit, indirect grounding, 2 lines or 1 pair, 35mm DIN rail mount.	Stock	\$63.50
<u>927971</u>	Dehn BCO compact series data & signal Surge Protective Device (SPD), 5 kA discharge current, 5 VAC/VDC, series circuit, indirect grounding, 2 lines or 1 pair, 35mm DIN rail mount.	Stock	\$73.00
<u>929121</u>	Dehn DPA series data & signal Surge Protective Device (SPD), series circuit, 35mm DIN rail mount.	Stock	\$120.00
<u>929221</u>	Dehn DPA series data & signal Surge Protective Device (SPD), series circuit, NEMA 4/4X enclosure rating, IP66, pole or wall mount.	Stock	\$359.00
<u>953206</u>	Dehn DR-M-2P series supplemental power & controls Surge Protective Device (SPD), 1 kA discharge current, 24VAC/VDC 1-Phase, series or parallel circuit, 35mm DIN rail mount.	Stock	\$57.00
<u>953202</u>	Dehn DR-M-2P series supplemental power & controls Surge Protective Device (SPD), 1 kA discharge current, 48VAC/VDC 1-Phase, series or parallel circuit, 35mm DIN rail mount.	Stock	\$54.00
<u>953209</u>	Dehn DR-M-2P series supplemental power & controls Surge Protective Device (SPD), 2 kA discharge current, 120VAC/VDC 1-Phase, series or parallel circuit, 35mm DIN rail mount.	Stock	\$57.00
<u>953205</u>	Dehn DR-M-2P series supplemental power & controls Surge Protective Device (SPD), 3 kA discharge current, 230VAC/DC 1-Phase, series or parallel circuit, 35mm DIN rail mount.	Stock	\$57.00
<u>908090</u>	Dehn DG-SU series power Surge Protective Device (SPD), 20 kA discharge current, 120 VAC 1-Phase, parallel circuit, 35mm DIN rail mount.	Stock	\$62.00
<u>STXR120P05</u>	Mersen STXR series power Surge Protective Device (SPD), 20 kA discharge current, 120 VAC 1-Phase, parallel circuit, NEMA 4/4X enclosure rating, 3/4in NPSM mount.	Stock	\$151.00
<u>908345</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 208/120 VAC 3-Phase Wye, neutral ground protection, parallel circuit, 35mm DIN rail mount.	Stock	\$215.00
<u>STXR208Y05N</u>	Mersen STXR series power Surge Protective Device (SPD), 20 kA discharge current, 208/120 VAC 3-Phase Wye, neutral ground protection, parallel circuit, NEMA 4/4X enclosure rating, 3/4in NPSM mount.	Stock	\$206.00
<u>908195</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 240/120 VAC Split Phase, parallel circuit, 35mm DIN rail mount.	Stock	\$135.00
<u>STXR240S05</u>	Mersen STXR series power Surge Protective Device (SPD), 20 kA discharge current, 240/120 VAC Split Phase, parallel circuit, NEMA 4/4X enclosure rating, 3/4in NPSM mount.	Stock	\$188.00
<u>908356</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 240 VAC 3-Phase Delta, parallel circuit, 35mm DIN rail mount.	Stock	\$162.00
<u>STXR240D05</u>	Mersen STXR series power Surge Protective Device (SPD), 20 kA discharge current, 240 VAC 3-Phase Delta, parallel circuit, NEMA 4/4X enclosure rating, 3/4in NPSM mount.	Stock	\$209.00
<u>908348</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 240/120 VAC High-Leg Delta, neutral ground protection, parallel circuit, 35mm DIN rail mount.	Stock	\$215.00
<u>908355</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 480 VAC 3-Phase Delta, parallel circuit, 35mm DIN rail mount.	Stock	\$162.00
<u>STXR480D05</u>	Mersen STXR series power Surge Protective Device (SPD), 10 kA discharge current, 480 VAC 3-Phase Delta, parallel circuit, NEMA 4/4X enclosure rating, 3/4in NPSM mount.	Stock	\$209.00
<u>908319</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 480/277 VAC 3-Phase Wye, parallel circuit, 35mm DIN rail mount.	Stock	\$162.00
<u>908346</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 480/277 VAC 3-Phase Wye, neutral ground protection, parallel circuit, 35mm DIN rail mount.	Stock	\$215.00
<u>STXR480Y05N</u>	Mersen STXR series power Surge Protective Device (SPD), 20 kA discharge current, 480/277 VAC 3-Phase Wye, neutral ground protection, parallel circuit, NEMA 4/4X enclosure rating, 3/4in NPSM mount.	Stock	\$230.00
<u>908347</u>	Dehn DG-MU series power Surge Protective Device (SPD), 20 kA discharge current, 600/347 VAC 3-Phase Wye, neutral ground protection, parallel circuit, 35mm DIN rail mount.	Stock	\$215.00
<u>STXR600Y05N</u>	Mersen STXR series power Surge Protective Device (SPD), 20 kA discharge current, 600/347 VAC 3-Phase Wye, neutral ground protection, parallel circuit, NEMA 4/4X enclosure rating, 3/4in NPSM mount.	Stock	\$288.00
Surge Protection Accessories			
<u>STXRM BK</u>	Mersen wall/panel mounting bracket, for use with Mersen STXR surge protectors.	Stock	\$23.50

<u>910710</u>	Dehn DRC IRCM series life status monitoring kit, (1) SPST N.C. contact(s). For use with Dehn BCO compact series SPDs. Includes (1) transmitter and (1) receiver modules.	Stock	\$96.00
<u>908011</u>	Dehn DG-PLU series protection module, replacement, 180 VAC. For use with Dehn DG-MU or DG-SU series surge protectors.	Stock	\$59.00
<u>908012</u>	Dehn DG-PLU series protection module, replacement, 230 VAC. For use with Dehn DG-MU or DG-SU series surge protectors.	Stock	\$56.00
<u>908010</u>	Dehn DG-PLU series protection module, replacement, 275 VAC. For use with Dehn DG-MU or DG-SU series surge protectors.	Stock	\$59.00
<u>908014</u>	Dehn DG-PLU series protection module, replacement, 385 VAC. For use with Dehn DG-MU or DG-SU series surge protectors.	Stock	\$59.00
<u>908013</u>	Dehn DG-PLU series protection module, replacement, 510 VAC. For use with Dehn DG-MU or DG-SU series surge protectors.	Stock	\$59.00
<u>908015</u>	Dehn DG-PLU series protection module, replacement, 550 VAC. For use with Dehn DG-MU or DG-SU series surge protectors.	Stock	\$59.00
<u>953011</u>	Dehn DR-MOD series protection module, replacement, 30 VAC. For use with Dehn DR-M-2P series surge protectors.	Stock	\$42.50
<u>953012</u>	Dehn DR-MOD series protection module, replacement, 60 VAC. For use with Dehn DR-M-2P series surge protectors.	Stock	\$42.50
<u>953014</u>	Dehn DR-MOD series protection module, replacement, 150 VAC. For use with Dehn DR-M-2P series surge protectors.	Stock	\$42.50
<u>953010</u>	Dehn DR-MOD series protection module, replacement, 255 VAC. For use with Dehn DR-M-2P series surge protectors.	Stock	\$42.50

EMI / RF Power Line Filters

<u>ADPV12001</u>	Eaton Aegis series powerline filter, 120 VAC, 1-phase, 1A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, screw terminals, 5kA SCCR.	Stock	\$247.00
<u>ADPV12003</u>	Eaton Aegis series powerline filter, 120 VAC, 1-phase, 3A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, screw terminals, 5kA SCCR.	Stock	\$284.00
<u>ADPV12005</u>	Eaton Aegis series powerline filter, 120 VAC, 1-phase, 5A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, screw terminals, 5kA SCCR.	Stock	\$337.00
<u>ADPV24001</u>	Eaton Aegis series powerline filter, 240 VAC, 1-phase, 1A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, screw terminals, 5kA SCCR.	Stock	\$261.00
<u>ADPV24003</u>	Eaton Aegis series powerline filter, 240 VAC, 1-phase, 3A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, screw terminals, 5kA SCCR.	Stock	\$293.00
<u>ADPV24005</u>	Eaton Aegis series powerline filter, 240 VAC, 1-phase, 5A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, screw terminals, 5kA SCCR.	Stock	\$347.00
<u>ADPH12010</u>	Eaton Aegis series powerline filter, 120 VAC, 1-phase, 10A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, SPDT alarm, screw terminals, 5kA SCCR.	Stock	\$521.00
<u>ADPH12015</u>	Eaton Aegis series powerline filter, 120 VAC, 1-phase, 15A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, SPDT alarm, screw terminals, 5kA SCCR.	Stock	\$697.00
<u>ADPH24010</u>	Eaton Aegis series powerline filter, 240 VAC, 1-phase, 10A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, SPDT alarm, screw terminals, 5kA SCCR.	Stock	\$531.00
<u>ADPH24015</u>	Eaton Aegis series powerline filter, 240 VAC, 1-phase, 15A, 35mm DIN rail mount, EMI/RFI filtering, LED indication, UL Type 2, SPDT alarm, screw terminals, 5kA SCCR.	Stock	\$707.00
<u>RES10F01</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 1A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$30.00
<u>RES10F03</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 3A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$33.00
<u>RES10F06</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 6A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$34.00
<u>RES10F10</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 10A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$34.00
<u>RES10F12</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 12A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$43.00
<u>RES10F13</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 13A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$43.00
<u>RES10F16</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 16A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$47.00
<u>RES10S20</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 20A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, studs.	Stock	\$57.00
<u>RES10S30</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 30A, panel mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, studs.	Stock	\$110.00
<u>RES70F01</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 1A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, 1/4in quick-disconnect.	Stock	\$52.00

<u>RES70F03</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 3A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, 1/4in quick-disconnect.	Stock	\$53.00
<u>RES70F06</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 6A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, 1/4in quick-disconnect.	Stock	\$114.00
<u>RES70F10</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 10A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, 1/4in quick-disconnect.	Stock	\$143.00
<u>RES70F12</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 12A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, 1/4in quick-disconnect.	Stock	\$143.00
<u>RES70F16</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 16A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, 1/4in quick-disconnect.	Stock	\$149.00
<u>RES70S25</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 25A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, studs.	Stock	\$214.00
<u>RES70S36</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 36A, panel mount, EMI/RFI filtering, multi-stage, general purpose, high performance, studs.	Stock	\$215.00
<u>DRF01</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 1A, 35mm DIN rail mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, screw terminals.	Stock	\$62.00
<u>DRF03</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 3A, 35mm DIN rail mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, screw terminals.	Stock	\$62.00
<u>DRF06</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 6A, 35mm DIN rail mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, screw terminals.	Stock	\$62.00
<u>DRF08</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 8A, 35mm DIN rail mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, screw terminals.	Stock	\$59.00
<u>DRF10</u>	Roxburgh EMI input filter, 120/240 VAC, 1-phase, 10A, 35mm DIN rail mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, screw terminals.	Stock	\$62.00
Power Entry Module Line Filters			
<u>RID-0142-H</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 1A, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$10.50
<u>RID-0342-H</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 3A, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$13.00
<u>RID-0642-H</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 6A, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$13.00
<u>RID-1042-H</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 10A, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$13.00
<u>RIR-0222-H</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 2A, fused, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$26.00
<u>RIR-0422-H</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 4A, fused, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$26.00
<u>RIR-0622-H</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 6A, fused, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$21.00
<u>RIP-0242-H2</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 2A, on/off switch, fused, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$47.00
<u>RIP-0442-H2</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 4A, on/off switch, fused, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$49.00
<u>RIP-0642-H2</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 6A, on/off switch, fused, screw mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$46.00
<u>RIQ-0242-H2</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 2A, on/off switch, fused, snap-in mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$43.00
<u>RIQ-0442-H2</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 4A, on/off switch, fused, snap-in mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$44.00
<u>RIQ-0642-H2</u>	Roxburgh IEC inlet filter, 120/240 VAC, 1-phase, 6A, on/off switch, fused, snap-in mount, EMI/RFI filtering, 1-stage, general purpose, standard performance, 1/4in quick-disconnect.	Stock	\$47.00
Accessories for Power Line Filters			
<u>SLV45</u>	Roxburgh protective boot, for use with RID series input filters.	Stock	\$4.00
<u>SLV48</u>	Roxburgh protective boot, for use with RIR series input filters.	Stock	\$3.00
<u>SLV47</u>	Roxburgh protective boot, for use with RIP and RIQ series input filters.	Stock	\$4.00
Solid Transformers AC Current Power Products (Electrical)			
<u>CTF-5RL-0050</u>	AcuAMP AC current transformer, solid core, 50A primary, 5A secondary, 1.56in diameter sensing window, 2% accuracy, (2) 24in 16AWG lead wires.	Stock	\$26.00
<u>CTF-5SFT-0050</u>	AcuAMP AC current transformer, solid core, 50A primary, 5A secondary, 1.56in diameter sensing window, 2% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$27.50

<u>CTF-5RL-0100</u>	AcuAMP AC current transformer, solid core, 100A primary, 5A secondary, 1.56in diameter sensing window, 2% accuracy, (2) 24in 16AWG lead wires.	Stock	\$26.00
<u>CTF-5SFT-0100</u>	AcuAMP AC current transformer, solid core, 100A primary, 5A secondary, 1.56in diameter sensing window, 2% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$27.50
<u>CTF-5RL-0150</u>	AcuAMP AC current transformer, solid core, 150A primary, 5A secondary, 1.56in diameter sensing window, 1% accuracy, (2) 24in 16AWG lead wires.	Stock	\$26.00
<u>CTF-5SFT-0150</u>	AcuAMP AC current transformer, solid core, 150A primary, 5A secondary, 1.56in diameter sensing window, 1% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$27.50
<u>CTF-5RL-0200</u>	AcuAMP AC current transformer, solid core, 200A primary, 5A secondary, 1.56in diameter sensing window, 1% accuracy, (2) 24in 16AWG lead wires.	Stock	\$26.00
<u>CTF-5SFT-0200</u>	AcuAMP AC current transformer, solid core, 200A primary, 5A secondary, 1.56in diameter sensing window, 1% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$27.50
<u>CTF-5RL-0400</u>	AcuAMP AC current transformer, solid core, 400A primary, 5A secondary, 1.56in diameter sensing window, 1% accuracy, (2) 24in 16AWG lead wires.	Stock	\$26.00
<u>CTF-5SFT-0400</u>	AcuAMP AC current transformer, solid core, 400A primary, 5A secondary, 1.56in diameter sensing window, 1% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$27.50
<u>CTF-7RL-0400</u>	AcuAMP AC current transformer, solid core, 400A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, (2) 24in 16AWG lead wires.	Stock	\$48.50
<u>CTF-7SFT-0400</u>	AcuAMP AC current transformer, solid core, 400A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$50.00
<u>CTF-7RL-0600</u>	AcuAMP AC current transformer, solid core, 600A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, (2) 24in 16AWG lead wires.	Stock	\$48.50
<u>CTF-7SFT-0600</u>	AcuAMP AC current transformer, solid core, 600A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$50.00
<u>CTF-7RL-0800</u>	AcuAMP AC current transformer, solid core, 800A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, (2) 24in 16AWG lead wires.	Stock	\$60.00
<u>CTF-7SFT-0800</u>	AcuAMP AC current transformer, solid core, 800A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$60.00
<u>CTF-7RL-1000</u>	AcuAMP AC current transformer, solid core, 1000A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, (2) 24in 16AWG lead wires.	Stock	\$60.00
<u>CTF-7SFT-1000</u>	AcuAMP AC current transformer, solid core, 1000A primary, 5A secondary, 2.5in diameter sensing window, 1% accuracy, M4 x 0.7 threaded terminal stud with nut.	Stock	\$66.00

Split Transformers Ac Current Power Products (electrical)

<u>CTF-0150-5-SA</u>	AcuAMP AC current transformer, split core, 150A primary, 5A secondary, 1.19 x 2.22in sensing window, 1.5% accuracy, screw terminal.	Stock	\$94.00
<u>CTF-0200-5-SA</u>	AcuAMP AC current transformer, split core, 200A primary, 5A secondary, 1.19 x 2.22in sensing window, 1% accuracy, screw terminal.	Stock	\$94.00
<u>CTF-0400-5-SA</u>	AcuAMP AC current transformer, split core, 400A primary, 5A secondary, 1.19 x 2.22in sensing window, 1% accuracy, screw terminal.	Stock	\$133.00
<u>CTF-0600-5-SA</u>	AcuAMP AC current transformer, split core, 600A primary, 5A secondary, 1.19 x 2.22in sensing window, 1% accuracy, screw terminal.	Stock	\$133.00
<u>CTF-0800-5-SB</u>	AcuAMP AC current transformer, split core, 800A primary, 5A secondary, 2.36 x 3.49in sensing window, 1% accuracy, screw terminal.	Stock	\$179.00
<u>CTF-1000-5-SB</u>	AcuAMP AC current transformer, split core, 1000A primary, 5A secondary, 2.36 x 3.49in sensing window, 1% accuracy, screw terminal.	Stock	\$179.00

Molded Case Circuit Breakers

<u>GCB100S-2FF15LL</u>	Gladiator molded case circuit breaker, 100A frame, 15A, 600Y/480 VAC/250 VDC, 2-pole, characteristics, fixed thermal/fixed magnetic, 35kA @ 480 VAC interrupting rating, panel mount. Line and load lug terminals included.	Stock	\$194.00
<u>GCB100S-2FF20LL</u>	Gladiator molded case circuit breaker, 100A frame, 20A, 600Y/480 VAC/250 VDC, 2-pole, characteristics, fixed thermal/fixed magnetic, 35kA @ 480 VAC interrupting rating, panel mount. Line and load lug terminals included.	Stock	\$194.00
<u>GCB100S-2FF25LL</u>	Gladiator molded case circuit breaker, 100A frame, 25A, 600Y/480 VAC/250 VDC, 2-pole, characteristics, fixed thermal/fixed magnetic, 35kA @ 480 VAC interrupting rating, panel mount. Line and load lug terminals included.	Stock	\$194.00
<u>GCB100S-2FF30LL</u>	Gladiator molded case circuit breaker, 100A frame, 30A, 600Y/480 VAC/250 VDC, 2-pole, characteristics, fixed thermal/fixed magnetic, 35kA @ 480 VAC interrupting rating, panel mount. Line and load lug terminals included.	Stock	\$194.00
<u>GCB100S-2FF40LL</u>	Gladiator molded case circuit breaker, 100A frame, 40A, 600Y/480 VAC/250 VDC, 2-pole, characteristics, fixed thermal/fixed magnetic, 35kA @ 480 VAC interrupting rating, panel mount. Line and load lug terminals included.	Stock	\$194.00
<u>GCB100S-2FF50LL</u>	Gladiator molded case circuit breaker, 100A frame, 50A, 600Y/480 VAC/250 VDC, 2-pole, characteristics, fixed thermal/fixed magnetic, 35kA @ 480 VAC interrupting rating, panel mount. Line and load lug terminals included.	Stock	\$194.00

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Electronic Circuit Protection Devices			
<u>787-3861/004-020</u>	WAGO 787-3861 series electronic circuit protector, adjustable 0.5-4A, 1 channel(s), 35mm DIN rail mount.	Stock	\$35.00
<u>787-3861/004-1020</u>	WAGO 787-3861 series electronic circuit protector, adjustable 0.5-4A, 1 channel(s), NEC Class 2, 35mm DIN rail mount.	Stock	\$36.00
<u>787-3861/050-000</u>	WAGO 787-3861 series electronic circuit protector, 0.5A, 1 channel(s), 35mm DIN rail mount.	Stock	\$32.00
<u>787-3861/050-1000</u>	WAGO 787-3861 series electronic circuit protector, 0.5A, 1 channel(s), NEC Class 2, 35mm DIN rail mount.	Stock	\$33.00
<u>787-3861/100-000</u>	WAGO 787-3861 series electronic circuit protector, 1A, 1 channel(s), 35mm DIN rail mount.	Stock	\$32.00
<u>787-3861/100-1000</u>	WAGO 787-3861 series electronic circuit protector, 1A, 1 channel(s), NEC Class 2, 35mm DIN rail mount.	Stock	\$33.00
<u>787-3861/108-020</u>	WAGO 787-3861 series electronic circuit protector, adjustable 1-8A, 1 channel(s), 35mm DIN rail mount.	Stock	\$35.00
<u>787-3861/200-000</u>	WAGO 787-3861 series electronic circuit protector, 2A, 1 channel(s), 35mm DIN rail mount.	Stock	\$32.00
<u>787-3861/200-1000</u>	WAGO 787-3861 series electronic circuit protector, 2A, 1 channel(s), NEC Class 2, 35mm DIN rail mount.	Stock	\$33.00
<u>787-3861/400-000</u>	WAGO 787-3861 series electronic circuit protector, 4A, 1 channel(s), 35mm DIN rail mount.	Stock	\$32.00
<u>787-3861/400-1000</u>	WAGO 787-3861 series electronic circuit protector, 4A, 1 channel(s), NEC Class 2, 35mm DIN rail mount.	Stock	\$33.00
<u>787-3861/600-000</u>	WAGO 787-3861 series electronic circuit protector, 6A, 1 channel(s), 35mm DIN rail mount.	Stock	\$32.00
<u>787-3861/800-000</u>	WAGO 787-3861 series electronic circuit protector, 8A, 1 channel(s), 35mm DIN rail mount.	Stock	\$32.00
<u>787-3861/000-1000</u>	WAGO potential distribution module, 20A, 0 VDC operating voltage. For use with WAGO 787-3861 series circuit protectors.	Stock	\$11.00
<u>787-3861/000-2000</u>	WAGO potential distribution module, 20A, 24 VDC operating voltage. For use with WAGO 787-3861 series circuit protectors.	Stock	\$11.00
<u>787-3861/000-3000</u>	WAGO potential distribution module, 20A, 0-24 VDC operating voltage. For use with WAGO 787-3861 series circuit protectors.	Stock	\$11.00
<u>GECP-1CH-1-10A</u>	Gladiator GECP series electronic circuit protector, adjustable 1-10A, 12/24 VDC, 1 channel(s), adjustable curve, 35mm DIN rail mount.	Stock	\$44.00
<u>GECP-1CH-1A</u>	Gladiator GECP series electronic circuit protector, 1A, 12/24 VDC, 1 channel(s), slow 1 curve, 35mm DIN rail mount.	Stock	\$29.50
<u>GECP-1CH-2A</u>	Gladiator GECP series electronic circuit protector, 2A, 12/24 VDC, 1 channel(s), slow 1 curve, 35mm DIN rail mount.	Stock	\$29.50
<u>GECP-1CH-4A</u>	Gladiator GECP series electronic circuit protector, 4A, 12/24 VDC, 1 channel(s), slow 1 curve, 35mm DIN rail mount.	Stock	\$29.50
<u>GECP-1CH-6A</u>	Gladiator GECP series electronic circuit protector, 6A, 12/24 VDC, 1 channel(s), slow 1 curve, 35mm DIN rail mount.	Stock	\$29.50
<u>GECP-1CH-8A</u>	Gladiator GECP series electronic circuit protector, 8A, 12/24 VDC, 1 channel(s), slow 1 curve, 35mm DIN rail mount.	Stock	\$29.50
<u>GECP-0V-TERM</u>	Gladiator supply terminal, 40A, 0 VDC operating voltage. For use with Gladiator GECP series circuit protectors.	Stock	\$30.00
<u>GECP-24V-SS</u>	Gladiator supply terminal, 40A, 24 VDC operating voltage. For use with Gladiator GECP series circuit protectors. End block included.	Stock	\$20.00
<u>787-2861-100-000</u>	WAGO electronic circuit protector, 1A, 24 VDC, 1 channel(s), 35mm DIN rail mount.	Stock	\$59.00
<u>787-2861-400-000</u>	WAGO electronic circuit protector, 4A, 24 VDC, 1 channel(s), 35mm DIN rail mount.	Stock	\$59.00
<u>787-2861-600-000</u>	WAGO electronic circuit protector, 6A, 24 VDC, 1 channel(s), 35mm DIN rail mount.	Stock	\$59.00
<u>787-2861-800-000</u>	WAGO electronic circuit protector, 8A, 24 VDC, 1 channel(s), 35mm DIN rail mount.	Stock	\$59.00
<u>787-2861-108-020</u>	WAGO electronic circuit protector, adjustable 1-8A, 24 VDC, 1 channel(s), 35mm DIN rail mount.	Stock	\$67.00
<u>787-1662-006-1000</u>	WAGO electronic circuit protector, current-limiting, adjustable 0.5-6A, 24 VDC, 2 independent channel(s), 35mm DIN rail mount.	Stock	\$254.00
<u>787-1662-106-000</u>	WAGO electronic circuit protector, adjustable 1-6A, 24 VDC, 2 independent channel(s), 35mm DIN rail mount.	Stock	\$204.00
<u>787-1662</u>	WAGO electronic circuit protector, adjustable 2-10A, 24 VDC, 2 independent channel(s), 35mm DIN rail mount.	Stock	\$204.00
<u>787-1662-004-1000</u>	WAGO electronic circuit protector, current-limiting, 3.8A, 24 VDC, 2 independent channel(s), NEC Class 2, 35mm DIN rail mount.	Stock	\$283.00
<u>787-1664-006-1000</u>	WAGO electronic circuit protector, current-limiting, adjustable 0.5-6A, 24 VDC, 4 independent channel(s), 35mm DIN rail mount.	Stock	\$350.00
<u>787-1664-106-000</u>	WAGO electronic circuit protector, adjustable 1-6A, 24 VDC, 4 independent channel(s), 35mm DIN rail mount.	Stock	\$263.00
<u>787-1664</u>	WAGO electronic circuit protector, adjustable 2-10A, 24 VDC, 4 independent channel(s), 35mm DIN rail mount.	Stock	\$251.00

<u>787-1664-004-1000</u>	WAGO electronic circuit protector, current-limiting, 3.8A, 24 VDC, 4 independent channel(s), NEC Class 2, 35mm DIN rail mount.	Stock	\$397.00
<u>787-1668-006-1000</u>	WAGO electronic circuit protector, current-limiting, adjustable 0.5-6A, 24 VDC, 8 independent channel(s), 35mm DIN rail mount.	Stock	\$598.00
<u>787-1668-106-000</u>	WAGO electronic circuit protector, adjustable 1-6A, 24 VDC, 8 independent channel(s), 35mm DIN rail mount.	Stock	\$421.00
<u>787-1668</u>	WAGO electronic circuit protector, adjustable 2-10A, 24 VDC, 8 independent channel(s), 35mm DIN rail mount.	Stock	\$421.00
<u>EM-T01-001-24-40A</u>	E-T-A REX series modular circuit protector, mains supply, 40A, 24 VDC operating voltage, 35mm DIN rail mount.	Stock	\$25.50
<u>EM-T00-000-GND-40A</u>	E-T-A REX series modular circuit protector, ground supply, 40A, 0 VDC operating voltage, 35mm DIN rail mount.	Stock	\$11.00
<u>REX-TA2-24-2A</u>	E-T-A REX series modular circuit protector, overcurrent protection, 2A, 24 VDC output, 2 independent channel(s), electronic, NEC Class 2, 35mm DIN rail mount.	Stock	\$45.50
<u>REX-TA2-24-4A</u>	E-T-A REX series modular circuit protector, overcurrent protection, 4A, 24 VDC output, 2 independent channel(s), electronic, 35mm DIN rail mount.	Stock	\$45.50
<u>REX-TA2-24-6A</u>	E-T-A REX series modular circuit protector, overcurrent protection, 6A, 24 VDC output, 2 independent channel(s), electronic, 35mm DIN rail mount.	Stock	\$45.50
<u>REXD-TE2-24-1A-10A</u>	E-T-A REX series modular circuit protector, overcurrent protection, adjustable 1-10A, 24 VDC output, 2 independent channel(s), electronic, 35mm DIN rail mount.	Stock	\$53.50
<u>REX-TA1-24-8A</u>	E-T-A REX series modular circuit protector, overcurrent protection, 8A, 24 VDC output, 1 channel(s), electronic, 35mm DIN rail mount.	Stock	\$41.00
<u>REX-TA1-24-10A</u>	E-T-A REX series modular circuit protector, overcurrent protection, 10A, 24 VDC output, 1 channel(s), electronic, 35mm DIN rail mount.	Stock	\$41.00
<u>REX-TA2-24-3A-N</u>	E-T-A REX series modular circuit protector, overcurrent protection, 3A, 24 VDC output, 2 independent channel(s), electronic, NEC Class 2, 35mm DIN rail mount.	Stock	\$57.00
<u>PM-T01-00-LOAD-20A</u>	E-T-A REX series modular circuit protector, load distribution, 20A, 24 VDC output, 24 VDC operating voltage, 8 channel(s), 35mm DIN rail mount.	Stock	\$29.50
<u>PM-T03-00-GND-20A</u>	E-T-A REX series modular circuit protector, ground distribution, 20A, 0 VDC output, 0 VDC operating voltage, 8 channel(s), 35mm DIN rail mount.	Stock	\$27.00

Accessories for Circuit Breakers and Protectors

<u>GCBX1-AUX-LT</u>	Gladiator field installable auxiliary contact, left side mount, (1) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, 20in 24AWG lead wires, Auxiliary contact indicates if the MCCB is closed or open/tripped. For use with Gladiator 100A frame MCCBs.	Stock	\$14.50
<u>GCBX1-AUX-RT</u>	Gladiator field installable auxiliary contact, right side mount, (1) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, 20in 24AWG lead wires, Auxiliary contact indicates if the MCCB is closed or open/tripped. For use with Gladiator 100A frame MCCBs.	Stock	\$14.50
<u>GCBX1-ALX-RT</u>	Gladiator field installable alarm/auxiliary contact, right side mount, (2) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, 20in 24AWG lead wires, Auxiliary contact indicates if the MCCB is closed or open/tripped. Alarm contact indicates if the MCCB is tripped.	Stock	\$14.50
<u>GCBX1-ALX-LT</u>	Gladiator field installable alarm/auxiliary contact, left side mount, (2) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, 20in 24AWG lead wires, Auxiliary contact indicates if the MCCB is closed or open/tripped. Alarm contact indicates if the MCCB is tripped.	Stock	\$14.50
<u>GCBX4-AUX</u>	Gladiator field installable auxiliary contact, left or right side mount, (1) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, screw terminals, Auxiliary contact indicates if the MCCB is closed or open/tripped. For use with Gladiator 150A to 600A frame MCCBs.	Stock	\$14.50
<u>GCBX5-AUX</u>	Gladiator field installable auxiliary contact, right side mount, (1) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, screw terminals, Auxiliary contact indicates if the MCCB is closed or open/tripped. For use with Gladiator 800A and 1200A frame MCCBs.	Stock	\$14.50
<u>GCBX4-ALM</u>	Gladiator field installable alarm contact, left or right side mount, (1) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, 20in 26AWG lead wires, Alarm contacts indicate when the MCCB is tripped. For use with Gladiator 150A to 600A frame MCCBs.	Stock	\$14.50
<u>GCBX5-ALM</u>	Gladiator field installable alarm contact, right side mount, (1) SPDT contact(s), 3A @ 250VAC/0.2A @ 250VDC, 20in 26AWG lead wires, Alarm contacts indicate when the MCCB is tripped. For use with Gladiator 800A and 1200A frame MCCBs.	Stock	\$14.50
<u>GCBX1-SHT-24VDC</u>	Gladiator field installable shunt trip, right side mount, 24 VAC/VDC coil voltage, screw terminals. For use with Gladiator 100A frame MCCBs.	Stock	\$26.00
<u>GCBX1-SHT-110VAC</u>	Gladiator field installable shunt trip, right side mount, 110-130 VAC/VDC coil voltage, screw terminals. For use with Gladiator 100A frame MCCBs.	Stock	\$29.50
<u>GCBX4-SHT-24VDC</u>	Gladiator field installable shunt trip, left side mount, 24 VAC/VDC coil voltage, screw terminals. For use with Gladiator 150A to 600A frame MCCBs.	Stock	\$37.00
<u>GCBX4-SHT-110VAC</u>	Gladiator field installable shunt trip, left side mount, 110-130 VAC/VDC coil voltage, screw terminals. For use with Gladiator 150A to 600A frame MCCBs.	Stock	\$37.00
<u>GCBX5-SHT-24VDC</u>	Gladiator field installable shunt trip, right side mount, 24 VAC/VDC coil voltage, screw terminals. For use with Gladiator 800A and 1200A frame MCCBs.	Stock	\$69.00

<u>GCBX5-SHT-110VAC</u>	Gladiator field installable shunt trip, right side mount, 110-130 VAC/VDC coil voltage, screw terminals. For use with Gladiator 800A and 1200A frame MCCBs.	Stock	\$69.00
<u>GCBX1-UVT-24VDC</u>	Gladiator field installable undervoltage trip, right side mount, 24 VAC/VDC sensing range, screw terminals. For use with Gladiator 100A frame MCCBs.	Stock	\$26.00
<u>GCBX1-UVT-110VAC</u>	Gladiator field installable undervoltage trip, right side mount, 110-130 VAC/VDC sensing range, screw terminals. For use with Gladiator 100A frame MCCBs.	Stock	\$29.50
<u>GCBX4-UVT-24VDC</u>	Gladiator field installable undervoltage trip, left side mount, 24 VAC/VDC sensing range, screw terminals. For use with Gladiator 150A to 600A frame MCCBs.	Stock	\$45.00
<u>GCBX4-UVT-110VAC</u>	Gladiator field installable undervoltage trip, left side mount, 110-130 VAC/VDC sensing range, screw terminals. For use with Gladiator 150A to 600A frame MCCBs.	Stock	\$48.50
<u>GCBX5-UVT-24VDC</u>	Gladiator field installable undervoltage trip, right side mount, 24 VAC/VDC sensing range, screw terminals. For use with Gladiator 800A and 1200A frame MCCBs.	Stock	\$76.00
<u>GCBX5-UVT-110VAC</u>	Gladiator field installable undervoltage trip, right side mount, 110-130 VAC/VDC sensing range, screw terminals. For use with Gladiator 800A and 1200A frame MCCBs.	Stock	\$82.00
<u>GCBX1-EHR-N12-GY</u>	Gladiator rotary handle, pistol, gray, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 1/12. For use with Gladiator 100A frame MCCBs. Operating mechanism included.	Stock	\$69.00
<u>GCBX1-EHR-N3R4-BK</u>	Gladiator rotary handle, pistol, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/3R/4. For use with Gladiator 100A frame MCCBs. Operating mechanism included.	Stock	\$76.00
<u>GCBX1-EHR-N4X-BK</u>	Gladiator rotary handle, pistol, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/4/4X. For use with Gladiator 100A frame MCCBs. Operating mechanism included.	Stock	\$87.00
<u>GCBX2-EHR-N12-GY</u>	Gladiator rotary handle, pistol, gray, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 1/12. For use with Gladiator 150A and 250A frame MCCBs. Operating mechanism included.	Stock	\$79.00
<u>GCBX2-EHR-N3R4-BK</u>	Gladiator rotary handle, pistol, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/3R/4. For use with Gladiator 150A and 250A frame MCCBs. Operating mechanism included.	Stock	\$91.00
<u>GCBX2-EHR-N4X-BK</u>	Gladiator rotary handle, pistol, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/4/4X. For use with Gladiator 150A and 250A frame MCCBs. Operating mechanism included.	Stock	\$107.00
<u>GCBX3-EHR-N12-GY</u>	Gladiator rotary handle, pistol, gray, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 1/12. For use with Gladiator 400A to 600A frame MCCBs. Operating mechanism included.	Stock	\$95.00
<u>GCBX3-EHR-N3R4-BK</u>	Gladiator rotary handle, pistol, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/3R/4. For use with Gladiator 400A to 600A frame MCCBs. Operating mechanism included.	Stock	\$110.00
<u>GCBX3-EHR-N4X-BK</u>	Gladiator rotary handle, pistol, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/4/4X. For use with Gladiator 400A to 600A frame MCCBs. Operating mechanism included.	Stock	\$125.00
<u>GCBX5-EHR-N12-GY</u>	Gladiator rotary handle, tee, gray, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 1/12. For use with Gladiator 800A and 1200A frame MCCBs. Operating mechanism included.	Stock	\$209.00
<u>GCBX5-EHR-N3R4-BK</u>	Gladiator rotary handle, tee, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/3R/4. For use with Gladiator 800A and 1200A frame MCCBs. Operating mechanism included.	Stock	\$225.00
<u>GCBX5-EHR-N4X-BK</u>	Gladiator rotary handle, tee, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 3/4/4X. For use with Gladiator 800A and 1200A frame MCCBs. Operating mechanism included.	Stock	\$247.00
<u>GCBX1-SFT-12</u>	Gladiator shaft, 12in length. For use with GCBX1 rotary handles.	Stock	\$12.50
<u>GCBX1-SFT-16</u>	Gladiator shaft, 16in length. For use with GCBX1 rotary handles.	Stock	\$14.00
<u>GCBX1-SFT-24</u>	Gladiator shaft, 24in length. For use with GCBX1 rotary handles.	Stock	\$21.50
<u>GCBX4-SFT-12</u>	Gladiator shaft, 12in length. For use with GCBX2 or GCBX3 rotary handles.	Stock	\$20.00
<u>GCBX4-SFT-16</u>	Gladiator shaft, 16in length. For use with GCBX2 or GCBX3 rotary handles.	Stock	\$22.00
<u>GCBX4-SFT-24</u>	Gladiator shaft, 24in length. For use with GCBX2 or GCBX3 rotary handles.	Stock	\$33.00
<u>GCBX5-SFT-12</u>	Gladiator shaft, 12in length. For use with GCBX5 rotary handles.	Stock	\$33.00
<u>GCBX5-SFT-16</u>	Gladiator shaft, 16in length. For use with GCBX5 rotary handles.	Stock	\$35.00
<u>GCBX5-SFT-24</u>	Gladiator shaft, 24in length. For use with GCBX5 rotary handles.	Stock	\$52.00
<u>GCBX1-FHC-N3R4-M</u>	Gladiator flange handle, lever, gray/chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/3R/4. For use with Gladiator 100A frame MCCBs. Operating mechanism included.	Stock	\$283.00
<u>GCBX1-FHC-N4X-M</u>	Gladiator flange handle, lever, chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/4/4X. For use with Gladiator 100A frame MCCBs. Operating mechanism included.	Stock	\$306.00
<u>GCBX2-FHC-N3R4-M</u>	Gladiator flange handle, lever, gray/chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/3R/4. For use with Gladiator 150A and 250A frame MCCBs. Operating mechanism included.	Stock	\$211.00
<u>GCBX2-FHC-N4X-M</u>	Gladiator flange handle, lever, chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/4/4X. For use with Gladiator 150A and 250A frame MCCBs. Operating mechanism included.	Stock	\$229.00
<u>GCBX3-FHC-N3R4-M</u>	Gladiator flange handle, lever, gray/chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/3R/4. For use with Gladiator 400A and 600A frame MCCBs. Operating mechanism included.	Stock	\$211.00

<u>GCBX3-FHC-N4X-M</u>	Gladiator flange handle, lever, chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/4/4X. For use with Gladiator 400A and 600A frame MCCBs. Operating mechanism included.	Stock	\$177.00
<u>GCBX5-FHC-N3R4-M</u>	Gladiator flange handle, lever, gray/chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/3R/4. For use with Gladiator 800A and 1200A frame MCCBs. Operating mechanism included.	Stock	\$459.00
<u>GCBX5-FHC-N4X-M</u>	Gladiator flange handle, lever, chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 3/4/4X. For use with Gladiator 800A and 1200A frame MCCBs. Operating mechanism included.	Stock	\$485.00
<u>GCBX2-CBL-36</u>	Gladiator cable, 36in length. For use with Gladiator GCBX1-FHC-XX and GCBX2-FHC-XX flange handles.	Stock	\$69.00
<u>GCBX2-CBL-60</u>	Gladiator cable, 60in length. For use with Gladiator GCBX1-FHC-XX and GCBX2-FHC-XX flange handles.	Stock	\$81.00
<u>GCBX3-CBL-36</u>	Gladiator cable, 36in length. For use with Gladiator GCBX3-FHC-XX flange handles.	Stock	\$81.00
<u>GCBX3-CBL-60</u>	Gladiator cable, 60in length. For use with Gladiator GCBX3-FHC-XX flange handles.	Stock	\$96.00
<u>GCBX5-CBL-60</u>	Gladiator cable, 60in length. For use with Gladiator GCBX5-FHC-XX flange handles.	Stock	\$102.00
<u>GCBX1-LCK-PL</u>	Gladiator lockout attachment, 5-8mm (3/16-5/16in) diameter. For use with Gladiator 100A frame MCCBs. For locking in the OFF position only. Accepts up to 3 locks.	Stock	\$26.00
<u>GCBX2-LCK-PL</u>	Gladiator lockout attachment, 5-8mm (3/16-5/16in) diameter. For use with Gladiator 150A and 250A frame MCCBs. For locking in the OFF position only. Accepts up to 3 locks.	Stock	\$40.50
<u>GCBX3-LCK-PL</u>	Gladiator lockout attachment, 5-8mm (3/16-5/16in) diameter. For use with Gladiator 400A and 600A frame MCCBs. For locking in the OFF position only. Accepts up to 3 locks.	Stock	\$48.50
<u>GCBX5-LCK-PL</u>	Gladiator lockout attachment, 5-8mm (3/16-5/16in) diameter. For use with Gladiator 800A and 1200A frame MCCBs. For locking in the OFF position only. Accepts up to 3 locks.	Stock	\$56.00
<u>GCBX2-PBR-STD</u>	Gladiator phase barrier, package of 2. For use with Gladiator 150A and 250A frame MCCBs.	Stock	\$8.25
<u>GCBX3-PBR-STD</u>	Gladiator phase barrier, package of 2. For use with Gladiator 400A and 600A frame MCCBs.	Stock	\$16.00
<u>GCBX5-PBR-STD</u>	Gladiator phase barrier, package of 2. For use with Gladiator 800A and 1200A frame MCCBs.	Stock	\$34.00
<u>BW9W1SHA</u>	Fuji Electric field installable auxiliary contact, left side mount, SPDT contact(s), 5A @ 125 VAC, 19.69in 20AWG lead wires. For use with Fuji Electric 400A, 630A and 800A frame MCCBs.	Stock	\$36.00
<u>BW9FHA-R</u>	Fuji Electric field installable shunt trip, left side mount, 24-48 VAC/VDC coil voltage, 19.69in 20AWG lead wires. For use with Fuji Electric 400A, 630A and 800A frame MCCBs.	Stock	\$81.00
<u>BW9FHA-A</u>	Fuji Electric field installable shunt trip, left side mount, 100-240 VAC/100-220 VDC coil voltage, 19.69in 20AWG lead wires. For use with Fuji Electric 400A, 630A and 800A frame MCCBs.	Stock	\$81.00
<u>BW9RHA-R</u>	Fuji Electric field installable undervoltage trip, left side mount, 24-48 VAC/VDC sensing range, 19.69in 20AWG lead wires. For use with Fuji Electric 400A, 630A and 800A frame MCCBs.	Stock	\$78.00
<u>BW9RHA-1</u>	Fuji Electric field installable undervoltage trip, left side mount, 120-130 VAC sensing range, 19.69in 20AWG lead wires. For use with Fuji Electric 400A, 630A and 800A frame MCCBs.	Stock	\$81.00
<u>BW9V0JA</u>	Fuji Electric rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, IP54. For use with Fuji Electric 630A and 800A frame MCCBs. 0.4in shaft and operator included.	Stock	\$130.00
<u>BZ-VS2-24</u>	Fuji Electric shaft, 24in length. For use with BW9V0HA and BW9V0JA rotary disconnect handles.	Stock	\$47.50
<u>BZ-VS2</u>	Fuji Electric shaft, 3.5in length. For use with BW9V0HA and BW9V0JA rotary disconnect handles.	Stock	\$14.00
<u>BW9F0JA-15A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 630A and 800A frame MCCBs. 1.5m cable and MCCB terminal covers included.	Stock	\$631.00
<u>BW9F0JA-20A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 630A and 800A frame MCCBs. 2m cable and MCCB terminal covers included.	Stock	\$648.00
<u>BW9BTJA-L3W</u>	Fuji Electric terminal shroud, line or load side. Package of 2. For use with Fuji Electric 630A and 800A frame MCCBs.	Stock	\$84.00
<u>BW9QNHA</u>	Fuji Electric lockout attachment, for use with Fuji Electric 400A, 630A and 800A frame MCCBs.	Stock	\$47.50
<u>BW9W1SG0</u>	Fuji Electric field installable auxiliary contact, left or right side mount, SPDT contact(s), 5A @ 125 VAC, 19.69in 20AWG lead wires. For use with Fuji Electric 125A and 250A frame MCCBs.	Stock	\$40.00
<u>BW9FRG0</u>	Fuji Electric field installable shunt trip, left or right side mount, 24 VAC/VDC coil voltage, 19.69in 20AWG lead wires. For use with Fuji Electric 125A and 250A frame MCCBs.	Stock	\$81.00
<u>BW9FAG0</u>	Fuji Electric field installable shunt trip, left or right side mount, 100-120 VAC coil voltage, 19.69in 20AWG lead wires. For use with Fuji Electric 125A and 250A frame MCCBs.	Stock	\$81.00
<u>BW9RGAR</u>	Fuji Electric field installable undervoltage trip, left side mount, 24 VDC sensing range, 19.69in 20AWG lead wires. For use with Fuji Electric 125A and 250A frame MCCBs.	Stock	\$81.00
<u>BW9RGAT</u>	Fuji Electric field installable undervoltage trip, left side mount, 110-130 VAC sensing range, 19.69in 20AWG lead wires. For use with Fuji Electric 125A and 250A frame MCCBs.	Stock	\$81.00
<u>BW9SL0CA-3</u>	Fuji Electric box type wiring lug, replacement, line or load mount, 1 openings, #14 AWG-1/0 copper only wire (s). Package of 3. For use with Fuji Electric 125A frame MCCBs sizes: up to 125A.	Stock	\$82.00

<u>BW9SL0GA-3</u>	Fuji Electric box type wiring lug, replacement, line or load mount, 1 openings, #1 AWG-3/0 copper only wire (s). Package of 3. For use with Fuji Electric 250A frame MCCBs sizes: 125A, 150A, 160A and 175A.	Stock	\$92.00
<u>BW9SL1GA-3</u>	Fuji Electric box type wiring lug, replacement, line or load mount, 1 openings, 2/0 AWG-300 MCM copper only wire(s). Package of 3. For use with Fuji Electric 250A frame MCCBs sizes: 200A, 225A and 250A.	Stock	\$102.00
<u>BW9V0CA</u>	Fuji Electric rotary handle, selector, black, external front mount, 2-position, lockable in OFF only, defeatable, IP54. For use with Fuji Electric 125A frame MCCBs. 0.4in shaft and operator included.	Stock	\$72.00
<u>BW9V0GA</u>	Fuji Electric rotary handle, selector, black, external front mount, 2-position, lockable in OFF only, defeatable, IP54. For use with Fuji Electric 250A frame MCCBs. 0.4in shaft and operator included.	Stock	\$72.00
<u>BW9VSG0-24</u>	Fuji Electric shaft, 24in length. For use with BW9V0CA and BW9V0GA rotary disconnect handles.	Stock	\$47.50
<u>BW9VSG0</u>	Fuji Electric shaft, 6.1in length. For use with BW9V0CA and BW9V0GA rotary disconnect handles.	Stock	\$17.50
<u>BW9V0HA</u>	Fuji Electric rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, IP54. For use with Fuji Electric 400A frame MCCBs. 0.4in shaft and operator included.	Stock	\$110.00
<u>BW9F0CA-15A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 125A frame MCCBs. 1.5m cable included.	Stock	\$386.00
<u>BW9F0CA-20A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 125A frame MCCBs. 2m cable included.	Stock	\$401.00
<u>BW9F0GA-15A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 250A frame MCCBs. 1.5m cable included.	Stock	\$401.00
<u>BW9F0GA-20A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 250A frame MCCBs. 2m cable included.	Stock	\$421.00
<u>BW9F0HA-15A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 400A frame MCCBs. 1.5m cable and MCCB terminal covers included.	Stock	\$584.00
<u>BW9F0HA-20A</u>	Fuji Electric flange handle, lever, black, external front mount, 2-position, lockable in ON-OFF, defeatable, NEMA 12. For use with Fuji Electric 400A frame MCCBs. 2m cable and MCCB terminal covers included.	Stock	\$601.00
<u>BW9BTHA-L3W</u>	Fuji Electric terminal shroud, line or load side. Package of 2. For use with Fuji Electric 400A frame MCCBs.	Stock	\$81.00
<u>BW9Q1CA</u>	Fuji Electric lockout attachment, for use with Fuji Electric 125A and 250A frame MCCBs.	Stock	\$19.50
<u>GDIN</u>	Eaton 35mm DIN rail mount adapter, package of 1. For use with AutomationDirect (Eaton) 100A frame MCCBs mounted onto 35mm DIN rail. Mounting hardware included.	Stock	\$15.00
<u>3TA100G3K</u>	Eaton multi-wire box type wiring lug, load side mount, 100A, 3 openings, #14-2 AWG copper only. Package of 3. For use with AutomationDirect (Eaton) 100A frame MCCBs. Mounting hardware and insulators included.	Stock	\$72.00
<u>3TA100G6K</u>	Eaton multi-wire box type wiring lug, load mount, 100A, 6 openings, #14-6 AWG copper only. Package of 3. For use with AutomationDirect (Eaton) 100A frame MCCBs. Mounting hardware and insulators included.	Stock	\$87.00
<u>3TA150F3K</u>	Eaton multi-wire box type wiring lug, load side mount, 225A, 3 openings, #14-2 AWG copper only. Package of 3. For use with AutomationDirect (Eaton) 225A frame MCCBs. Mounting hardware and insulators included.	Stock	\$80.00
<u>3TA150F6K</u>	Eaton multi-wire box type wiring lug, load mount, 225A, 6 openings, #14-6 AWG copper only. Package of 3. For use with AutomationDirect (Eaton) 225A frame MCCBs. Mounting hardware and insulators included.	Stock	\$87.00
<u>3TA225FD</u>	Eaton box type wiring lug, replacement, line or load mount, 1 openings, #4 AWG-4/0 wire(s). Package of 3. For use with AutomationDirect (Eaton) 225A frame MCCBs.	Stock	\$129.00
<u>3TA400K3K</u>	Eaton multi-wire box type wiring lug, load side mount, 400A, 3 openings, #14-2/0 AWG copper only. Package of 3. For use with AutomationDirect (Eaton) 400A frame MCCBs. Mounting hardware and insulators included.	Stock	\$161.00
<u>3TA400K6K</u>	Eaton multi-wire box type wiring lug, load side mount, 400A, 6 openings, #14-3 AWG copper only. Package of 3. For use with AutomationDirect (Eaton) 400A frame MCCBs. Mounting hardware and insulators included.	Stock	\$161.00
<u>3TA401K</u>	Eaton box type wiring lug, replacement, line or load mount, 2 openings, 2/0-250 MCM or 2/0-500 MCM wire (s). Package of 3. For use with AutomationDirect (Eaton) 400A frame MCCBs. (1) 3-pole terminal cover included.	Stock	\$135.00
<u>3TA603LDK</u>	Eaton box type wiring lug, replacement, line or load mount, 2 openings, 400 MCM-500 MCM wire(s). Package of 3. For use with AutomationDirect (Eaton) 600A frame MCCBs. (1) 3-pole terminal cover included.	Stock	\$166.00
<u>GHMVD06B</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 100A frame MCCBs. 6in shaft and operator included.	Stock	\$110.00
<u>GHMVD12B</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 100A frame MCCBs. 12in shaft and operator included.	Stock	\$123.00
<u>FHMVD12B</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 225A frame MCCBs. 12in shaft and operator included.	Stock	\$123.00
<u>HM1R12X</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 225A frame MCCBs. 12in shaft and operator included.	Stock	\$173.00
<u>HM1R24X</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 225A frame MCCBs. 24in shaft and operator included.	Stock	\$194.00
<u>KHMVD12B</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 400A frame MCCBs. 12in shaft and operator included.	Stock	\$175.00
<u>HM3R12X</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 400A frame MCCBs. 12in shaft and operator included.	Stock	\$212.00

<u>HM3R24X</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 400A frame MCCBs. 24in shaft and operator included.	Stock	\$237.00
<u>LHMVD12B</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 600A frame MCCBs. 12in shaft and operator included.	Stock	\$202.00
<u>HM4R12X</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 600A frame MCCBs. 12in shaft and operator included.	Stock	\$276.00
<u>HM4R24X</u>	Eaton rotary handle, pistol, black, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 600A frame MCCBs. 24in shaft and operator included.	Stock	\$292.00
<u>F0S03C</u>	Eaton flange handle, lever, external front mount, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 100A frame MCCBs. 3ft cable included.	Stock	\$473.00
<u>F0S03HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 100A frame MCCBs. 3ft cable included.	Stock	\$309.00
<u>F0S03HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 100A frame MCCBs. 3ft cable included.	Stock	\$340.00
<u>F0S06C</u>	Eaton flange handle, lever, external front mount, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 100A frame MCCBs. 6ft cable included.	Stock	\$529.00
<u>F0S06HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 100A frame MCCBs. 6ft cable included.	Stock	\$352.00
<u>F0S06HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 100A frame MCCBs. 6ft cable included.	Stock	\$387.00
<u>F1S03C</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 225A frame MCCBs. 3ft cable included.	Stock	\$529.00
<u>F1S03HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 225A frame MCCBs. 3ft cable included.	Stock	\$352.00
<u>F1S03HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 225A frame MCCBs. 3ft cable included.	Stock	\$387.00
<u>F1S06C</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 225A frame MCCBs. 6ft cable included.	Stock	\$573.00
<u>F1S06HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 225A frame MCCBs. 6ft cable included.	Stock	\$379.00
<u>F1S06HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 225A frame MCCBs. 6ft cable included.	Stock	\$418.00
<u>F3S03C</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 400A frame MCCBs. 3ft cable included.	Stock	\$631.00
<u>F3S03HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 400A frame MCCBs. 3ft cable included.	Stock	\$429.00
<u>F3S03HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 400A frame MCCBs. 3ft cable included.	Stock	\$473.00
<u>F3S06C</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 400A frame MCCBs. 6ft cable included.	Stock	\$662.00
<u>F3S06HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 400A frame MCCBs. 6ft cable included.	Stock	\$450.00
<u>F3S06HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 400A frame MCCBs. 6ft cable included.	Stock	\$496.00
<u>F4S04C</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 600A frame MCCBs. 4ft cable included.	Stock	\$721.00
<u>F4S04HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 600A frame MCCBs. 4ft cable included.	Stock	\$504.00
<u>F4S04HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 600A frame MCCBs. 4ft cable included.	Stock	\$543.00
<u>F4S06C</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/12. For use with AutomationDirect (Eaton) 600A frame MCCBs. 6ft cable included.	Stock	\$829.00
<u>F4S06HP</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with AutomationDirect (Eaton) 600A frame MCCBs. 6ft cable included.	Stock	\$580.00
<u>F4S06HPX</u>	Eaton flange handle, lever, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with AutomationDirect (Eaton) 600A frame MCCBs. 6ft cable included.	Stock	\$625.00
<u>A1X3PK</u>	Eaton field installable auxiliary contact, SPDT contact(s), 6A @ 600VAC, 18in pigtail. For use with AutomationDirect (Eaton) 400A frame MCCBs.	Stock	\$310.00
<u>A1X4PK</u>	Eaton field installable auxiliary contact, SPDT contact(s), 6A @ 600VAC, 18in pigtail. For use with AutomationDirect (Eaton) 600A frame MCCBs.	Stock	\$318.00
<u>SNT3P11K</u>	Eaton field installable shunt trip, 110-240 VAC/110-125 VDC coil voltage, 18in pigtail. For use with AutomationDirect (Eaton) 400A frame MCCBs.	Stock	\$481.00
<u>SNT4RP11K</u>	Eaton field installable shunt trip, 110-240 VAC/110-125 VDC coil voltage, 18in pigtail. For use with AutomationDirect (Eaton) 600A frame MCCBs.	Stock	\$550.00

<u>SNT3P04K</u>	Eaton field installable shunt trip, 12/24 VAC/VDC coil voltage, 18in pigtail. For use with AutomationDirect (Eaton) 400A frame MCCBs.	Stock	\$481.00
<u>SNT4RP03K</u>	Eaton field installable shunt trip, 12/24 VAC/VDC coil voltage, 18in pigtail. For use with AutomationDirect (Eaton) 600A frame MCCBs.	Stock	\$550.00
<u>UVH3LP08K</u>	Eaton field installable undervoltage trip, 110-127 VAC sensing range, 18in pigtail. For use with AutomationDirect (Eaton) 400A frame MCCBs.	Stock	\$481.00
<u>UVH4LP08K</u>	Eaton field installable undervoltage trip, 110-127 VAC sensing range, 18in pigtail. For use with AutomationDirect (Eaton) 600A frame MCCBs.	Stock	\$513.00
<u>UVH3LP21K</u>	Eaton field installable undervoltage trip, 24 VDC sensing range, 18in pigtail. For use with AutomationDirect (Eaton) 400A frame MCCBs.	Stock	\$481.00
<u>UVH4LP21K</u>	Eaton field installable undervoltage trip, 24 VDC sensing range, 18in pigtail. For use with AutomationDirect (Eaton) 600A frame MCCBs.	Stock	\$550.00
<u>C361KJ4</u>	Eaton door interlocking safety handle kit, pistol, 4in. For use with AutomationDirect (Eaton) MCCBs when mounted in an SDN12 series enclosure. Mounting hardware included.	Stock	\$360.00
<u>C361KJ6</u>	Eaton door interlocking safety handle kit, pistol, 6in. For use with AutomationDirect (Eaton) MCCBs when mounted in an SDN12 series enclosure. Mounting hardware included.	Stock	\$378.00
<u>C361KR</u>	Eaton door interlocking safety roller kit, for use with C361KJ4 or C361KJ6 handles, includes roller and all hardware, for use when enclosure is taller than 36in and 3-point latching is used.	Stock	\$77.00
<u>GCBX5-BATT</u>	Gladiator trip unit replacement battery, replacement. For use with GCB800 and GCB1200 molded case circuit breakers.	Stock	\$22.00
<u>ZIHK-NA</u>	Eaton auxiliary contact, DPST contact(s), 2A @ 230VAC/0.55A @ 110VAC/VDC. For use with Eaton FAZ-NA series miniature circuit breakers.	Stock	\$30.00
<u>ZNHK</u>	Eaton alarm/auxiliary contact, (2) SPDT contact(s), 2A @ 230VAC/0.5A @ 110VAC/VDC. For use with Eaton FAZ-NA series miniature circuit breakers.	Stock	\$37.50
<u>FAZ-XAA-NA110-415V</u>	Eaton shunt trip, 110-415 VAC/110-230 VDC coil voltage. For use with Eaton FAZ-NA series miniature circuit breakers.	Stock	\$55.00
<u>FAZ-XAA-NA12-110V</u>	Eaton shunt trip, 12-110 VAC/12-60 VDC coil voltage. For use with Eaton FAZ-NA series miniature circuit breakers.	Stock	\$55.00
<u>ZEK35-UL</u>	Eaton box type wiring lug, 80A, 480 VAC, 1 openings, #14-2 AWG copper only. Package of 3. For use with ZSVUL series busbars.	Stock	\$59.00
<u>ZEK35-UL-1</u>	Eaton box type wiring lug, 80A, 480 VAC, 1 openings, #14-2 AWG copper only. For use with ZSVUL series busbars.	Stock	\$20.00
<u>ZVBS-UL</u>	Eaton safety cover, package of 10. For use with up to (3) unused pins on Eaton ZSVUL series busbars.	Stock	\$39.00
<u>ZVBS-UL-5</u>	Eaton safety cover, package of 5. For use with up to (3) unused pins on Eaton ZSVUL series busbars.	Stock	\$22.00
<u>ZIS-SPE-1TE-3</u>	Eaton lockout attachment, 7.1mm diameter. Package of 3. For use with Eaton FAZ-NA and FAZ series miniature circuit breakers.	Stock	\$46.00
<u>ZSVUL16-1P-1TE6SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (6) 1-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$15.50
<u>ZSVUL16-1P-1TE12SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (12) 1-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$28.00
<u>ZSVUL16-1P-1TE18SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (18) 1-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$43.00
<u>ZSVUL16-2P-2TE6SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (3) 2-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$17.50
<u>ZSVUL16-2P-2TE12SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (6) 2-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$35.00
<u>ZSVUL16-2P-2TE18SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (9) 2-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$52.00
<u>ZSVUL16-3P-3TE6SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (2) 3-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$19.00
<u>ZSVUL16-3P-3TE12SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (4) 3-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$36.00
<u>ZSVUL16-3P-3TE18SP</u>	Eaton busbar, 80A, 480 VAC, cut to length not permitted, connects up to (6) 3-pole Eaton FAZ-NA series miniature circuit breakers without auxiliary components.	Stock	\$55.00
<u>FAZ-XAM002</u>	Eaton alarm/auxiliary contact, (2) SPDT contact(s), 2A @ 230VAC/0.5A @ 110VAC/VDC. For use with Eaton FAZ series supplementary protectors.	Stock	\$37.50
<u>FAZ-XHIN11-SP</u>	Eaton auxiliary contact, DPST contact(s), 2A @ 230VAC/0.5A @ 110VAC/VDC. For use with Eaton FAZ series supplementary protectors.	Stock	\$37.50
<u>FAZ-XAA-C110-415V</u>	Eaton shunt trip, 110-415 VAC/110-230 VDC coil voltage. For use with Eaton FAZ series supplementary protectors.	Stock	\$66.00
<u>FAZ-XAA-C12-110V</u>	Eaton shunt trip, 12-110 VAC/12-60 VDC coil voltage. For use with Eaton FAZ series supplementary protectors.	Stock	\$66.00
<u>BBUL-EC-3</u>	Eaton end cap, package of 10. For use with Eaton BBUL series 2-phase and 3-phase busbars.	Stock	\$25.50

<u>BBUL-EC-3-2</u>	Eaton end cap, package of 2. For use with Eaton BBUL series 2-phase and 3-phase busbars.	Stock	\$6.75
<u>BBUL-EC-1-2</u>	Eaton end cap, package of 2. For use with Eaton BBUL series 1-phase busbars.	Stock	\$6.75
<u>BBUL-EC-1</u>	Eaton end cap, package of 10. For use with Eaton BBUL series 1-phase busbars.	Stock	\$16.50
<u>BBIP-5-5</u>	Eaton safety cover, package of 5. For use with up to (5) unused pins on Eaton BBUL series busbars.	Stock	\$44.50
<u>BBIP-5</u>	Eaton safety cover, package of 10. For use with up to (5) unused pins on Eaton BBUL series busbars.	Stock	\$74.00
<u>BBUL-TEP-35-1</u>	Eaton box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. For use with BBUL series 2-phase and 3-phase busbars.	Stock	\$20.00
<u>BBUL-TEP-35-3</u>	Eaton box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. Package of 3. For use with BBUL series 2-phase and 3-phase busbars.	Stock	\$55.00
<u>BBUL-TEPA-35-1</u>	Eaton box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. For use with BBUL series 1-phase busbars.	Stock	\$20.00
<u>BBUL-TEPA-35-3</u>	Eaton box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. Package of 3. For use with BBUL series 1-phase busbars.	Stock	\$55.00
<u>BBUL25-1P-1M57-SP</u>	Eaton busbar, 100A, 480 VAC, cut to length permitted, connects up to (57) 1-pole Eaton FAZ series supplementary protectors without auxiliary components.	Stock	\$62.00
<u>BBUL25-2P-2M56-SP</u>	Eaton busbar, 100A, 480 VAC, cut to length permitted, connects up to (28) 2-pole Eaton FAZ series supplementary protectors without auxiliary components.	Stock	\$114.00
<u>BBUL25-3P-3M57-SP</u>	Eaton busbar, 100A, 480 VAC, cut to length permitted, connects up to (19) 3-pole Eaton FAZ series supplementary protectors without auxiliary components.	Stock	\$173.00
<u>GMCBU-LOCK</u>	Gladiator lockout attachment, 7.0mm diameter. For use with Gladiator GMCBU and GMCB series miniature circuit breakers.	Stock	\$7.75
<u>GMCBU-AUX11</u>	Gladiator auxiliary contact, left side mount, SPDT contact(s), 6A @ 240 VAC/1A @ 110 VDC. For use with Gladiator GMCBU series miniature circuit breakers.	Stock	\$16.50
<u>GMCBU-ALM11</u>	Gladiator alarm contact, left side mount, SPDT contact(s), 6A @ 240 VAC/1A @ 110 VDC. For use with Gladiator GMCBU series miniature circuit breakers.	Stock	\$19.50
<u>GMCBU-SH110-380VAC</u>	Gladiator shunt trip, left side mount, 110-380 VAC coil voltage. For use with Gladiator GMCBU series miniature circuit breakers.	Stock	\$27.00
<u>GMCBU-UV110-120VAC</u>	Gladiator undervoltage trip, left side mount, 110-120 VAC sensing range. For use with Gladiator GMCBU series miniature circuit breakers.	Stock	\$34.00
<u>GMCBU-UV220-240VAC</u>	Gladiator undervoltage trip, left side mount, 220-240 VAC sensing range. For use with Gladiator GMCBU series miniature circuit breakers.	Stock	\$34.00
<u>GMCB-AUX11</u>	Gladiator auxiliary contact, left side mount, SPDT contact(s), 6A @ 240 VAC/1A @ 110 VDC. For use with Gladiator GMCB series supplementary protectors.	Stock	\$15.00
<u>GMCB-ALM11</u>	Gladiator alarm contact, left side mount, SPDT contact(s), 6A @ 240 VAC/1A @ 110 VDC. For use with Gladiator GMCB series supplementary protectors.	Stock	\$16.50
<u>GMCB-SH110-380VAC</u>	Gladiator shunt trip, left side mount, 110-380 VAC coil voltage. For use with Gladiator GMCB series supplementary protectors.	Stock	\$24.00
<u>60432948</u>	WAGO jumper, push-in type, 10-pole, blue, 18A. Package of 5. For use with WAGO 787-2861 Single Channel Electronic Circuit Breakers.	Stock	\$12.00
<u>60432947</u>	WAGO jumper, push-in type, 10-pole, red, 18A. Package of 5. For use with WAGO 787-2861 Single Channel Electronic Circuit Breakers.	Stock	\$12.00
<u>GECP-BB-4</u>	Gladiator busbar, 40A, 4 -pin, cut to length permitted.	Stock	\$4.00
<u>GECP-BB-8</u>	Gladiator busbar, 40A, 8 -pin, cut to length permitted.	Stock	\$5.00
<u>GECP-JC-8W</u>	Gladiator jumper, push-in type, 8-pole, white, 6A. Package of 1. For use with Gladiator GECP series circuit protectors.	Stock	\$5.00
<u>GECP-JC-8R</u>	Gladiator jumper, push-in type, 8-pole, red, 6A. Package of 1. For use with Gladiator GECP series circuit protectors.	Stock	\$5.00
<u>GECP-JC-8B</u>	Gladiator jumper, push-in type, 8-pole, blue, 6A. Package of 1. For use with Gladiator GECP series circuit protectors.	Stock	\$5.00
<u>GMCB-BB1P-57-100C</u>	Gladiator busbar, 100A, 600 VAC/1000 VDC, 57 -pin, cut to length permitted, connects up to (57) 1-pole Gladiator GMCB series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$37.50
<u>GMCB-BB2P-56-100C</u>	Gladiator busbar, 100A, 600 VAC/VDC, 56 -pin, cut to length permitted, connects up to (28) 2-pole Gladiator GMCB series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$56.00
<u>GMCB-BB3P-57-100C</u>	Gladiator busbar, 100A, 600 VAC/VDC, 57 -pin, cut to length permitted, connects up to (19) 3-pole Gladiator GMCB series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$79.00
<u>GMCB-BB1P-ECAP</u>	Gladiator end cap, package of 10. For use with Gladiator GMCB series 1-phase busbars.	Stock	\$6.00
<u>GMCB-BBM-ECAP</u>	Gladiator end cap, package of 10. For use with Gladiator GMCB series 2-phase and 3-phase busbars.	Stock	\$7.25
<u>GMCB-BBM-PTB</u>	Gladiator box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, 1/0 to 10 AWG copper only. Package of 10. For use with Gladiator GMCB series 2-phase and 3-phase UL1077 busbars.	Stock	\$54.00

<u>GMCB-BB1P-PTB</u>	Gladiator box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, 1/0 to 10 AWG copper only. Package of 10. For use with Gladiator GMCB series 1-phase UL1077 busbars.	Stock	\$48.00
<u>GMCB-BBM-BFT</u>	Gladiator direct feed wiring lug, 115A, 1000 VAC/VDC, 1 openings, 1 to 14 AWG copper only. Package of 10. For use with Gladiator GMCB series UL1077 busbars.	Stock	\$54.00
<u>GMCB-BBM-TMC-5</u>	Gladiator safety cover, package of 10. For use with up to (5) unused pins on Gladiator GMCB series busbars.	Stock	\$23.00
<u>GMCBU-BB1P-12-100C</u>	Gladiator busbar, 100A, 1000 VAC/VDC, 12 -pin, cut to length permitted, connects up to (12) 1-pole Gladiator GMCBU series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$22.50
<u>GMCBU-BB1P-57-100C</u>	Gladiator busbar, 100A, 1000 VAC/VDC, 57 -pin, cut to length permitted, connects up to (57) 1-pole Gladiator GMCBU series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$87.00
<u>GMCBU-BB2P-12-100C</u>	Gladiator busbar, 100A, 1000 VAC/VDC, 12 -pin, cut to length permitted, connects up to (6) 2-pole Gladiator GMCBU series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$27.50
<u>GMCBU-BB2P-56-100C</u>	Gladiator busbar, 100A, 1000 VAC/VDC, 56 -pin, cut to length permitted, connects up to (28) 2-pole Gladiator GMCBU series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$108.00
<u>GMCBU-BB3P-12-100C</u>	Gladiator busbar, 100A, 1000 VAC/VDC, 12 -pin, cut to length permitted, connects up to (4) 3-pole Gladiator GMCBU series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$31.50
<u>GMCBU-BB3P-57-100C</u>	Gladiator busbar, 100A, 1000 VAC/VDC, 57 -pin, cut to length permitted, connects up to (19) 3-pole Gladiator GMCBU series miniature circuit breakers without auxiliary components. (2) endcaps included.	Stock	\$123.00
<u>GMCBU-BBM-ECAP</u>	Gladiator end cap, package of 10. For use with Gladiator GMCBU series busbars.	Stock	\$9.00
<u>GMCBU-BBM-PTB</u>	Gladiator box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, 2 to 14 AWG copper only. Package of 10. For use with Gladiator GMCBU series UL489 busbars.	Stock	\$77.00
<u>GMCBU-BBM-BFT</u>	Gladiator direct feed wiring lug, 115A, 1000 VAC/VDC, 1 openings, 1 to 14 AWG copper only. Package of 8. For use with Gladiator GMCBU series UL489 busbars.	Stock	\$53.00
<u>GMCBU-BBM-TMC-3</u>	Gladiator safety cover, package of 10. For use with up to (3) unused pins on Gladiator GMCBU series busbars.	Stock	\$13.00

Class CC Current Limiting Fuses

<u>HCLR-5</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 0.5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: HCLR0.5.	Stock	\$150.00
<u>HCLR-75</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 0.75A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: HCLR0.75.	Stock	\$165.00
<u>HCLR1</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 1A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$144.00
<u>HCLR1-5</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 1.5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: HCLR1.5.	Stock	\$144.00
<u>HCLR2</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 2A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$144.00
<u>HCLR2-5</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 2.5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: HCLR2.5.	Stock	\$182.00
<u>HCLR3</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 3A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$144.00
<u>HCLR3-5</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 3.5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: HCLR3.5.	Stock	\$190.00
<u>HCLR4</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 4A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$152.00
<u>HCLR5</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$144.00
<u>HCLR6</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 6A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$149.00
<u>HCLR7</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 7A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$176.00
<u>HCLR8</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 8A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$152.00
<u>HCLR9</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 9A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$190.00
<u>HCLR10</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 10A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$144.00
<u>HCLR12</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 12A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$145.00
<u>HCLR15</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 15A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$144.00
<u>HCLR20</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 20A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$144.00
<u>HCLR25</u>	Edison fuse, HCLR series, Class CC, current-limiting, fast-acting, 25A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$152.00

[illegible]

<u>HCTR5</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$169.00
<u>HCTR6</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 6A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$187.00
<u>HCTR7-5</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 7.5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: HCTR7.5.	Stock	\$203.00
<u>HCTR8</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 8A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$187.00
<u>HCTR10</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 10A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$182.00
<u>HCTR15</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 15A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$172.00
<u>HCTR20</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 20A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$180.00
<u>HCTR25</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 25A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$180.00
<u>HCTR-25</u>	Edison fuse, HCTR series, Class CC, current-limiting, time-delay, 0.25A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: HCTR0.25.	Stock	\$195.00
Class J Current Limiting Fuses			
<u>JDL1</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 1A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$273.00
<u>JDL2</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 2A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$273.00
<u>JDL3</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 3A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$280.00
<u>JDL4</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 4A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$291.00
<u>JDL5</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$270.00
<u>JDL6</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 6A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$272.00
<u>JDL8</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 8A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$284.00
<u>JDL10</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 10A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$271.00
<u>JDL12</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 12A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$269.00
<u>JDL15</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 15A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$286.00
<u>JDL17-5</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 17.5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: JDL17.5.	Stock	\$296.00
<u>JDL20</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 20A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$284.00
<u>JDL25</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 25A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$287.00
<u>JDL30</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 30A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$312.00
<u>JDL35</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 35A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$491.00
<u>JDL40</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 40A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$481.00
<u>JDL45</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 45A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$489.00
<u>JDL50</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 50A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$478.00
<u>JDL60</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 60A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$483.00
<u>JDL70</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 70A, 600 VAC, knife blade. Package of 5. Feeder/branch protection applications.	Stock	\$451.00
<u>JDL80</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 80A, 600 VAC, knife blade. Package of 5. Feeder/branch protection applications.	Stock	\$451.00
<u>JDL90</u>	Edison fuse, JDL series, Class J, current-limiting, time-delay, 90A, 600 VAC, knife blade. Package of 5. Feeder/branch protection applications.	Stock	\$478.00

[illegible]

<u>JHL300</u>	Edison drive fuse, JHL series, Class J, current-limiting, high speed, 300A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$294.00
<u>JHL350</u>	Edison drive fuse, JHL series, Class J, current-limiting, high speed, 350A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$306.00
<u>JHL400</u>	Edison drive fuse, JHL series, Class J, current-limiting, high speed, 400A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$294.00
<u>JHL450</u>	Edison drive fuse, JHL series, Class J, current-limiting, high speed, 450A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$446.00
<u>JHL500</u>	Edison drive fuse, JHL series, Class J, current-limiting, high speed, 500A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$461.00
<u>JHL600</u>	Edison drive fuse, JHL series, Class J, current-limiting, high speed, 600A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$451.00
Class RK5 Current Limiting Fuses			
<u>ECNR1</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 1A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$131.00
<u>ECNR2</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 2A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$127.00
<u>ECNR3</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 3A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$122.00
<u>ECSR3</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 3A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$217.00
<u>ECSR4</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 4A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$217.00
<u>ECNR5</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 5A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$119.00
<u>ECSR5</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$217.00
<u>ECSR6</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 6A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$217.00
<u>ECSR6-25</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 6.25A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: ECSR6.25.	Stock	\$226.00
<u>ECSR7</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 7A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$231.00
<u>ECNR8</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 8A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$122.00
<u>ECSR8</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 8A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$217.00
<u>ECNR10</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 10A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$119.00
<u>ECSR10</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 10A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$217.00
<u>ECSR12</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 12A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$217.00
<u>ECNR15</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 15A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$93.00
<u>ECSR15</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 15A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$193.00
<u>ECSR17-5</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 17.5A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications. Manufacturer part number: ECSR17.5.	Stock	\$193.00
<u>ECNR20</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 20A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$93.00
<u>ECSR20</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 20A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$193.00
<u>ECNR25</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 25A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$93.00
<u>ECSR25</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 25A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$193.00
<u>ECNR30</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 30A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$93.00
<u>ECSR30</u>	Edison fuse, ECSR series, Class RK5, current-limiting, time-delay, 30A, 600 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$193.00
<u>ECNR35</u>	Edison fuse, ECNR series, Class RK5, current-limiting, time-delay, 35A, 250 VAC, ferrule. Package of 10. Feeder/branch protection applications.	Stock	\$151.00

[illegible]

<u>LESRK400</u>	Edison fuse, LESRK series, Class RK1, current-limiting, time-delay, 400A, 600 VAC, knife blade, feeder/branch protection applications.	Stock	\$321.00
<u>LENRK500</u>	Edison fuse, LENRK series, Class RK1, current-limiting, time-delay, 500A, 250 VAC, knife blade, feeder/branch protection applications.	Stock	\$279.00
<u>LESRK500</u>	Edison fuse, LESRK series, Class RK1, current-limiting, time-delay, 500A, 600 VAC, knife blade, feeder/branch protection applications.	Stock	\$462.00
<u>LENRK600</u>	Edison fuse, LENRK series, Class RK1, current-limiting, time-delay, 600A, 250 VAC, knife blade, feeder/branch protection applications.	Stock	\$264.00
<u>LESRK600</u>	Edison fuse, LESRK series, Class RK1, current-limiting, time-delay, 600A, 600 VAC, knife blade, feeder/branch protection applications.	Stock	\$457.00

Class L Fast-acting Current Limiting Fuses

<u>LCU601</u>	Edison fuse, LCU series, Class L, current-limiting, fast-acting, 601A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$782.00
<u>LCU650</u>	Edison fuse, LCU series, Class L, current-limiting, fast-acting, 650A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$932.00
<u>LCU700</u>	Edison fuse, LCU series, Class L, current-limiting, fast-acting, 700A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$782.00
<u>LCU800</u>	Edison fuse, LCU series, Class L, current-limiting, fast-acting, 800A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$738.00
<u>LCU1000</u>	Edison fuse, LCU series, Class L, current-limiting, fast-acting, 1000A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$738.00
<u>LCU1200</u>	Edison fuse, LCU series, Class L, current-limiting, fast-acting, 1200A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$738.00

Class T Extremely Fast-acting Current Limiting Fuses

<u>TJN1</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 1A, 300 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$210.00
<u>TJS1</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 1A, 600 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$203.00
<u>TJN1-1</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 1A, 300 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$27.00
<u>TJS1-1</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 1A, 600 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$21.50
<u>TJN3</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 3A, 300 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$210.00
<u>TJS3</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 3A, 600 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$203.00
<u>TJN3-1</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 3A, 300 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$27.00
<u>TJS3-1</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 3A, 600 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$21.50
<u>TJN6</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 6A, 300 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$210.00
<u>TJS6</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 6A, 600 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$203.00
<u>TJN6-1</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 6A, 300 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$27.00
<u>TJS6-1</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 6A, 600 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$21.50
<u>TJN10</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 10A, 300 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$257.00
<u>TJS10</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 10A, 600 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$231.00
<u>TJN10-1</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 10A, 300 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$31.50
<u>TJS10-1</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 10A, 600 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$26.50
<u>TJN15</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 15A, 300 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$279.00
<u>TJS15</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 15A, 600 VAC, ferrule. Package of 10. Feeder/branch, semiconductor protection applications.	Stock	\$232.00
<u>TJN15-1</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 15A, 300 VAC, ferrule, feeder/branch, semiconductor protection applications.	Stock	\$35.00

[illegible]

[illegible]

<u>TJS300</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 300A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$178.00
<u>TJN350</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 350A, 300 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$108.00
<u>TJS350</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 350A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$183.00
<u>TJN400</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 400A, 300 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$98.00
<u>TJS400</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 400A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$188.00
<u>TJN450</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 450A, 300 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$143.00
<u>TJS450</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 450A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$371.00
<u>TJN500</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 500A, 300 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$159.00
<u>TJS500</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 500A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$382.00
<u>TJN600</u>	Edison fuse, TJN series, Class T, current-limiting, extremely fast-acting, 600A, 300 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$159.00
<u>TJS600</u>	Edison fuse, TJS series, Class T, current-limiting, extremely fast-acting, 600A, 600 VAC, knife blade, feeder/branch, semiconductor protection applications.	Stock	\$415.00

Class M (Midget) Fuses

<u>MCL-5</u>	Edison fuse, MCL series, Class Midget, fast-acting, 0.5A, 600 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MCL0.5.	Stock	\$188.00
<u>MCL1</u>	Edison fuse, MCL series, Class Midget, fast-acting, 1A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$168.00
<u>MCL1-5</u>	Edison fuse, MCL series, Class Midget, fast-acting, 1.5A, 600 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MCL1.5.	Stock	\$190.00
<u>MCL2</u>	Edison fuse, MCL series, Class Midget, fast-acting, 2A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$175.00
<u>MCL2-5</u>	Edison fuse, MCL series, Class Midget, fast-acting, 2.5A, 600 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MCL2.5.	Stock	\$220.00
<u>MCL3</u>	Edison fuse, MCL series, Class Midget, fast-acting, 3A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$168.00
<u>MCL3-5</u>	Edison fuse, MCL series, Class Midget, fast-acting, 3.5A, 600 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MCL3.5.	Stock	\$228.00
<u>MCL4</u>	Edison fuse, MCL series, Class Midget, fast-acting, 4A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$180.00
<u>MCL5</u>	Edison fuse, MCL series, Class Midget, fast-acting, 5A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$168.00
<u>MCL6</u>	Edison fuse, MCL series, Class Midget, fast-acting, 6A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$164.00
<u>MCL8</u>	Edison fuse, MCL series, Class Midget, fast-acting, 8A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$172.00
<u>MCL10</u>	Edison fuse, MCL series, Class Midget, fast-acting, 10A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$168.00
<u>MCL12</u>	Edison fuse, MCL series, Class Midget, fast-acting, 12A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$210.00
<u>MCL15</u>	Edison fuse, MCL series, Class Midget, fast-acting, 15A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$168.00
<u>MCL20</u>	Edison fuse, MCL series, Class Midget, fast-acting, 20A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$168.00
<u>MCL25</u>	Edison fuse, MCL series, Class Midget, fast-acting, 25A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$175.00
<u>MCL30</u>	Edison fuse, MCL series, Class Midget, fast-acting, 30A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$168.00
<u>MCL35</u>	Edison fuse, MCL series, Class Midget, fast-acting, 35A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$228.00
<u>MCL40</u>	Edison fuse, MCL series, Class Midget, fast-acting, 40A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$205.00
<u>MCL50</u>	Edison fuse, MCL series, Class Midget, fast-acting, 50A, 600 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$232.00

[illegible]

<u>MEQ20</u>	Edison fuse, MEQ series, Class Midget, time-delay, 20A, 500 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$171.00
<u>MEQ25</u>	Edison fuse, MEQ series, Class Midget, time-delay, 25A, 500 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$171.00
<u>MEQ30</u>	Edison fuse, MEQ series, Class Midget, time-delay, 30A, 500 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$171.00
<u>MEN-5</u>	Edison fuse, MEN series, Class Midget, time-delay, 0.5A, 250 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MEN0.5.	Stock	\$86.00
<u>MEN-6</u>	Edison fuse, MEN series, Class Midget, time-delay, 0.6A, 250 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MEN0.6.	Stock	\$86.00
<u>MEN1</u>	Edison fuse, MEN series, Class Midget, time-delay, 1A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$82.00
<u>MEN1-4</u>	Edison fuse, MEN series, Class Midget, time-delay, 1.4A, 250 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MEN1.4.	Stock	\$106.00
<u>MEN1-5</u>	Edison fuse, MEN series, Class Midget, time-delay, 1.5A, 250 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MEN1.5.	Stock	\$110.00
<u>MEN2</u>	Edison fuse, MEN series, Class Midget, time-delay, 2A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$73.00
<u>MEN2-5</u>	Edison fuse, MEN series, Class Midget, time-delay, 2.5A, 250 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MEN2.5.	Stock	\$84.00
<u>MEN3</u>	Edison fuse, MEN series, Class Midget, time-delay, 3A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$78.00
<u>MEN3-5</u>	Edison fuse, MEN series, Class Midget, time-delay, 3.5A, 250 VAC, ferrule. Package of 10. Supplemental protection applications. Manufacturer part number: MEN3.5.	Stock	\$81.00
<u>MEN4</u>	Edison fuse, MEN series, Class Midget, time-delay, 4A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$78.00
<u>MEN5</u>	Edison fuse, MEN series, Class Midget, time-delay, 5A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$73.00
<u>MEN6</u>	Edison fuse, MEN series, Class Midget, time-delay, 6A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$84.00
<u>MEN7</u>	Edison fuse, MEN series, Class Midget, time-delay, 7A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$81.00
<u>MEN8</u>	Edison fuse, MEN series, Class Midget, time-delay, 8A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$80.00
<u>MEN10</u>	Edison fuse, MEN series, Class Midget, time-delay, 10A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$73.00
<u>MEN12</u>	Edison fuse, MEN series, Class Midget, time-delay, 12A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$85.00
<u>MEN15</u>	Edison fuse, MEN series, Class Midget, time-delay, 15A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$80.00
<u>MEN20</u>	Edison fuse, MEN series, Class Midget, time-delay, 20A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$80.00
<u>MEN25</u>	Edison fuse, MEN series, Class Midget, time-delay, 25A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$90.00
<u>MEN30</u>	Edison fuse, MEN series, Class Midget, time-delay, 30A, 250 VAC, ferrule. Package of 10. Supplemental protection applications.	Stock	\$80.00

Small Dimension Electronic Glass Fuses

<u>AGC-1</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 0.10A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-1/10-R.	Stock	\$14.50
<u>AGC-125</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 0.125A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-1/8-R.	Stock	\$14.50
<u>AGC-25</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 0.25A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-1/4-R.	Stock	\$8.25
<u>AGC-5</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 0.5A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-1/2-R.	Stock	\$5.50
<u>AGC-75</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 0.75A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-3/4-R.	Stock	\$5.50
<u>AGC1</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 1A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-1-R.	Stock	\$3.50
<u>AGC1-5</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 1.5A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-1-1/2-R.	Stock	\$3.50
<u>AGC2</u>	Bussmann fuse, AGC series, small dimension, fast-acting, 2A, 250 VAC, glass tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: AGC-2-R.	Stock	\$3.50

[illegible]

[illegible]

MDA4	Busmann fuse, MDA series, small dimension, time-delay, 4A, 250 VAC, ceramic tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: MDA-4-R.	Stock	\$19.00
MDA5	Busmann fuse, MDA series, small dimension, time-delay, 5A, 250 VAC, ceramic tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: MDA-5-R.	Stock	\$19.00
MDA8	Busmann fuse, MDA series, small dimension, time-delay, 8A, 250 VAC, ceramic tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: MDA-8-R.	Stock	\$19.00
MDA10	Busmann fuse, MDA series, small dimension, time-delay, 10A, 250 VAC, ceramic tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: MDA-10-R.	Stock	\$19.00
MDA12	Busmann fuse, MDA series, small dimension, time-delay, 12A, 250 VAC, ceramic tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: MDA-12-R.	Stock	\$19.00
MDA15	Busmann fuse, MDA series, small dimension, time-delay, 15A, 250 VAC, ceramic tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: MDA-15-R.	Stock	\$19.00
MDA20	Busmann fuse, MDA series, small dimension, time-delay, 20A, 250 VAC, ceramic tube. Package of 5. Supplemental, electronic protection applications. Manufacturer part number: MDA-20-R.	Stock	\$20.00
Blown Fuse Monitoring Relays			
38993120	Socomec blown fuse monitor/indicator, 3-pole, 120-260 VAC, (1) N.O. and (1) N.C. contact(s), 3A @ 230VAC/30VDC, (3) status LEDs, reset pushbutton and indicator test function controls. (3) removable terminal blocks included.	Stock	\$199.00
38993380	Socomec blown fuse monitor/indicator, 3-pole, 380-690 VAC, (1) N.O. and (1) N.C. contact(s), 3A @ 230VAC/30VDC, (3) status LEDs, reset pushbutton and indicator test function controls. (3) removable terminal blocks included.	Stock	\$219.00
38199120	Socomec connection hardware, for use with blown fuse monitors/indicators. Wire and ferrules included.	Stock	\$35.00
38299120	Socomec door mounting and connection hardware, for use with blown fuse monitors/indicators. Wire, ferrules and bezel included.	Stock	\$66.00
Modular Fuse Holders			
EHCC1DIU-12	Edison modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 12.	Stock	\$273.00
EHCC1DIU	Edison modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$26.50
EHCC1DU-12	Edison modular fuse holder, accepts Class CC fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 12.	Stock	\$210.00
EHCC1DU	Edison modular fuse holder, accepts Class CC fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$21.00
57050011	Socomec modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 12.	Stock	\$129.00
57050011-1PK	Socomec modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$12.00
57050001	Socomec modular fuse holder, accepts Class CC fuses, 30A, 600 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 12.	Stock	\$96.00
57050001-1PK	Socomec modular fuse holder, accepts Class CC fuses, 30A, 600 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$8.75
EHCC2DIU-6	Edison modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 6.	Stock	\$280.00
EHCC2DIU	Edison modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$55.00
EHCC2DU-6	Edison modular fuse holder, accepts Class CC fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 6.	Stock	\$214.00
EHCC2DU	Edison modular fuse holder, accepts Class CC fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$42.50
57050012	Socomec modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600 VAC, 2-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 6.	Stock	\$135.00
57050012-1PK	Socomec modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600 VAC, 2-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$26.50
57050002	Socomec modular fuse holder, accepts Class CC fuses, 30A, 600 VAC, 2-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 6.	Stock	\$87.00
57050002-1PK	Socomec modular fuse holder, accepts Class CC fuses, 30A, 600 VAC, 2-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$16.00
EHCC3DIU-4	Edison modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 4.	Stock	\$282.00
EHCC3DIU	Edison modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$83.00
EHCC3DU-4	Edison modular fuse holder, accepts Class CC fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 4.	Stock	\$218.00

<u>EHCC3DU</u>	Edison modular fuse holder, accepts Class CC fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$63.00
<u>57050013</u>	Socomec modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600 VAC, 3-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 4.	Stock	\$111.00
<u>57050013-1PK</u>	Socomec modular fuse holder, with indicator, accepts Class CC fuses, 30A, 600 VAC, 3-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$31.50
<u>57050003</u>	Socomec modular fuse holder, accepts Class CC fuses, 30A, 600 VAC, 3-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 4.	Stock	\$94.00
<u>57050003-1PK</u>	Socomec modular fuse holder, accepts Class CC fuses, 30A, 600 VAC, 3-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$26.00
<u>EHM1DIU-12</u>	Edison modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 12.	Stock	\$239.00
<u>EHM1DIU</u>	Edison modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$23.50
<u>EHM1DU-12</u>	Edison modular fuse holder, accepts Class Midget fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 12.	Stock	\$180.00
<u>EHM1DU</u>	Edison modular fuse holder, accepts Class Midget fuses, 30A, 600V, 1-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$17.50
<u>57010011</u>	Socomec modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 750 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 12.	Stock	\$136.00
<u>57010011-1PK</u>	Socomec modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 750 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$12.50
<u>57010015</u>	Socomec modular fuse holder, accepts Class Midget fuses, 30A, 750 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 12.	Stock	\$57.00
<u>57010015-1PK</u>	Socomec modular fuse holder, accepts Class Midget fuses, 30A, 750 VAC, 1-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$5.50
<u>EHM2DIU-6</u>	Edison modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 6.	Stock	\$242.00
<u>EHM2DIU</u>	Edison modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$47.50
<u>EHM2DU-6</u>	Edison modular fuse holder, accepts Class Midget fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 6.	Stock	\$187.00
<u>EHM2DU</u>	Edison modular fuse holder, accepts Class Midget fuses, 30A, 600V, 2-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$36.50
<u>57010020</u>	Socomec modular fuse holder, accepts Class Midget fuses, 30A, 750 VAC, 2-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 6.	Stock	\$65.00
<u>57010020-1PK</u>	Socomec modular fuse holder, accepts Class Midget fuses, 30A, 750 VAC, 2-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$12.00
<u>EHM3DIU-4</u>	Edison modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 4.	Stock	\$249.00
<u>EHM3DIU</u>	Edison modular fuse holder, with indicator, accepts Class Midget fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$76.00
<u>EHM3DU-4</u>	Edison modular fuse holder, accepts Class Midget fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount. Package of 4.	Stock	\$188.00
<u>EHM3DU</u>	Edison modular fuse holder, accepts Class Midget fuses, 30A, 600V, 3-pole, 18-4 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail mount.	Stock	\$55.00
<u>57010018</u>	Socomec modular fuse holder, accepts Class Midget fuses, 30A, 750 VAC, 3-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount. Package of 4.	Stock	\$64.00
<u>57010018-1PK</u>	Socomec modular fuse holder, accepts Class Midget fuses, 30A, 750 VAC, 3-pole, 18-8 AWG copper only, pressure plate, 35mm DIN rail mount.	Stock	\$17.50
<u>CH30J1I</u>	Bussmann modular fuse holder, with indicator, accepts Class J fuses, 30A, 600 VAC/VDC or less, 1-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 6.	Stock	\$330.00
<u>CH30J1</u>	Bussmann modular fuse holder, accepts Class J fuses, 30A, 600 VAC/VDC or less, 1-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 6.	Stock	\$285.00
<u>CH30J2I</u>	Bussmann modular fuse holder, with indicator, accepts Class J fuses, 30A, 600 VAC/VDC or less, 2-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 3.	Stock	\$452.00
<u>CH30J2</u>	Bussmann modular fuse holder, accepts Class J fuses, 30A, 600 VAC/VDC or less, 2-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 3.	Stock	\$397.00
<u>CH30J3I</u>	Bussmann modular fuse holder, with indicator, accepts Class J fuses, 30A, 600 VAC/VDC or less, 3-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 2.	Stock	\$430.00
<u>CH30J3</u>	Bussmann modular fuse holder, accepts Class J fuses, 30A, 600 VAC/VDC or less, 3-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 2.	Stock	\$392.00

<u>CH60J1I</u>	Bussmann modular fuse holder, with indicator, accepts Class J fuses, 60A, 600 VAC/VDC or less, 1-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 6.	Stock	\$425.00
<u>CH60J1</u>	Bussmann modular fuse holder, accepts Class J fuses, 60A, 600 VAC/VDC or less, 1-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 6.	Stock	\$380.00
<u>CH60J2I</u>	Bussmann modular fuse holder, with indicator, accepts Class J fuses, 60A, 600 VAC/VDC or less, 2-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 3.	Stock	\$529.00
<u>CH60J2</u>	Bussmann modular fuse holder, accepts Class J fuses, 60A, 600 VAC/VDC or less, 2-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 3.	Stock	\$445.00
<u>CH60J3I</u>	Bussmann modular fuse holder, with indicator, accepts Class J fuses, 60A, 600 VAC/VDC or less, 3-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 2.	Stock	\$484.00
<u>CH60J3</u>	Bussmann modular fuse holder, accepts Class J fuses, 60A, 600 VAC/VDC or less, 3-pole, 18-1 AWG copper only, integral pressure plate with separate spade connection, 35mm DIN rail or panel mount. Package of 2.	Stock	\$451.00
Busbars and Other Accessories for Fuse Holders			
<u>FP-2</u>	Edison fuse puller, for use with 13/32in to 13/16in diameter fuses.	Stock	\$40.00
<u>JV-L</u>	Bussmann multi-pole connection kit, for use with up to (4) EHM, CHM, EHCC or CHCC series fuse holders. (6) body connectors and (3) handle pins included. Includes (6) body connectors and (3) handle pins.	Stock	\$15.00
<u>EB1P100M3</u>	Edison busbar, 100A, 600 VAC/1000 VDC, 3 -pin, cut to length permitted, connects up to (3) 1-pole Edison EHM or EHCC series fuse holders. (2) EECAP1P end caps included.	Stock	\$14.50
<u>EB1P100M6</u>	Edison busbar, 100A, 600 VAC/1000 VDC, 6 -pin, cut to length permitted, connects up to (6) 1-pole Edison EHM or EHCC series fuse holders. (2) EECAP1P end caps included.	Stock	\$21.50
<u>EB1P100M9</u>	Edison busbar, 100A, 600 VAC/1000 VDC, 9 -pin, cut to length permitted, connects up to (9) 1-pole Edison EHM or EHCC series fuse holders. (2) EECAP1P end caps included.	Stock	\$27.00
<u>EB1P100M12</u>	Edison busbar, 100A, 600 VAC/1000 VDC, 12 -pin, cut to length permitted, connects up to (12) 1-pole Edison EHM or EHCC series fuse holders. (2) EECAP1P end caps included.	Stock	\$34.00
<u>EB1P100M15</u>	Edison busbar, 100A, 600 VAC/1000 VDC, 15 -pin, cut to length permitted, connects up to (15) 1-pole Edison EHM or EHCC series fuse holders. (2) EECAP1P end caps included.	Stock	\$40.50
<u>EB1P100M57</u>	Edison busbar, 100A, 600 VAC/1000 VDC, 57 -pin, cut to length permitted, connects up to (57) 1-pole Edison EHM or EHCC series fuse holders.	Stock	\$123.00
<u>EB3P100M6</u>	Edison busbar, 100A, 600 VAC/VDC, 6 -pin, cut to length permitted, connects up to (2) 3-pole Edison EHM or EHCC series fuse holders. (2) EECAPMP end caps included.	Stock	\$48.50
<u>EB3P100M9</u>	Edison busbar, 100A, 600 VAC/VDC, 9 -pin, cut to length permitted, connects up to (3) 3-pole Edison EHM or EHCC series fuse holders. (2) EECAPMP end caps included.	Stock	\$61.00
<u>EB3P100M12</u>	Edison busbar, 100A, 600 VAC/VDC, 12 -pin, cut to length permitted, connects up to (4) 3-pole Edison EHM or EHCC series fuse holders. (2) EECAPMP end caps included.	Stock	\$76.00
<u>EB3P100M15</u>	Edison busbar, 100A, 600 VAC/VDC, 15 -pin, cut to length permitted, connects up to (5) 3-pole Edison EHM or EHCC series fuse holders. (2) EECAPMP end caps included.	Stock	\$101.00
<u>EB3P100M57</u>	Edison busbar, 100A, 600 VAC/VDC, 57 -pin, cut to length permitted, connects up to (19) 3-pole Edison EHM or EHCC series fuse holders.	Stock	\$344.00
<u>EECAP1P</u>	Edison end cap, package of 50. For use with Edison EB1P series 1-phase busbars.	Stock	\$76.00
<u>EECAP1P-10</u>	Edison end cap, package of 10. For use with Edison EB1P series 1-phase busbars.	Stock	\$21.00
<u>EECAPMP</u>	Edison end cap, package of 50. For use with Edison EB3P series 3-phase busbars.	Stock	\$92.00
<u>EECAPMP-10</u>	Edison end cap, package of 10. For use with Edison EB3P series 3-phase busbars.	Stock	\$26.50
<u>EPWR1PLP-1</u>	Edison box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. For use with EB1P series busbars.	Stock	\$27.50
<u>EPWR1PLP</u>	Edison box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. Package of 10. For use with EB1P series busbars.	Stock	\$183.00
<u>EPWR35MM-1</u>	Edison box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. For use with EB3P series busbars.	Stock	\$25.00
<u>EPWR35MM</u>	Edison box type wiring lug, 115A, 1000 VAC/VDC, 1 openings, #10 AWG-1/0 copper only. Package of 10. For use with EB3P series busbars.	Stock	\$168.00
<u>EPWR50MM-1</u>	Edison direct feed wiring lug, 115A, 1000 VAC/VDC, 1 openings, #14-1 AWG copper only. For use with EB1P or EB3P series busbars.	Stock	\$29.50
<u>EPWR50MM</u>	Edison direct feed wiring lug, 115A, 1000 VAC/VDC, 1 openings, #14-1 AWG copper only. Package of 10. For use with EB1P or EB3P series busbars.	Stock	\$203.00
<u>EFSCVR-2</u>	Edison safety cover, package of 2. For use with up to (5) unused pins on Edison EB1P or EB3P series busbars.	Stock	\$22.00
<u>EFSCVR</u>	Edison safety cover, package of 10. For use with up to (5) unused pins on Edison EB1P or EB3P series busbars.	Stock	\$74.00

Combination Fuse and Power Distribution Blocks			
<u>JM60100-1MW14-1</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 100A, 600V, 1-pole, 1 line/4 load opening(s) per pole, box lug, panel mount.	Stock	\$69.00
<u>JM60100-1MW14-2</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 100A, 600V, 2-pole, 1 line/4 load opening(s) per pole, box lug, panel mount.	Stock	\$133.00
<u>JM60100-1MW14-3</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 100A, 600V, 3-pole, 1 line/4 load opening(s) per pole, box lug, panel mount.	Stock	\$205.00
<u>JM60200-1MW16-1</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 200A, 600V, 1-pole, 1 line/6 load opening(s) per pole, box lug, panel mount.	Stock	\$232.00
<u>JM60200-1MW16-2</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 200A, 600V, 2-pole, 1 line/6 load opening(s) per pole, box lug, panel mount.	Stock	\$445.00
<u>JM60200-1MW16-3</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 200A, 600V, 3-pole, 1 line/6 load opening(s) per pole, box lug, panel mount.	Stock	\$670.00
<u>JM60400-1MW16-1</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 400A, 600V, 1-pole, 1 line/6 load opening(s) per pole, box lug, panel mount.	Stock	\$412.00
<u>JM60400-1MW16-3</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 400A, 600V, 3-pole, 1 line/6 load opening(s) per pole, box lug, panel mount.	Stock	\$1,182.00
<u>JM60400-1MW26-1</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 400A, 600V, 1-pole, 2 line/6 load opening(s) per pole, box lug, panel mount.	Stock	\$518.00
<u>JM60400-1MW26-3</u>	Bussmann modular power distribution fuse block, multi-wire, accepts J fuses, 400A, 600V, 3-pole, 2 line/6 load opening(s) per pole, box lug, panel mount.	Stock	\$1,479.00
Modular Fuse Blocks			
<u>BCCMM603-3PQ</u>	Bussmann modular combination fuse block, accepts (1) Class Midget and (2) Class CC fuses, 30A, 600V, 3-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount. Package of 5.	Stock	\$146.00
<u>BCM603-1PQ-1</u>	Bussmann modular fuse block, accepts CC fuses, 30A, 600V, 1-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount.	Stock	\$15.00
<u>BCM603-1PQ</u>	Bussmann modular fuse block, accepts CC fuses, 30A, 600V, 1-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount. Package of 15.	Stock	\$209.00
<u>BCM603-2PQ</u>	Bussmann modular fuse block, accepts CC fuses, 30A, 600V, 2-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount. Package of 5.	Stock	\$107.00
<u>BCM603-3PQ</u>	Bussmann modular fuse block, accepts CC fuses, 30A, 600V, 3-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount. Package of 5.	Stock	\$134.00
<u>BMM603-1PQ-1</u>	Bussmann modular fuse block, accepts Midget fuses, 30A, 600V, 1-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount.	Stock	\$11.00
<u>BMM603-1PQ</u>	Bussmann modular fuse block, accepts Midget fuses, 30A, 600V, 1-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount. Package of 15.	Stock	\$152.00
<u>BMM603-2PQ</u>	Bussmann modular fuse block, accepts Midget fuses, 30A, 600V, 2-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount. Package of 5.	Stock	\$86.00
<u>BMM603-3PQ</u>	Bussmann modular fuse block, accepts Midget fuses, 30A, 600V, 3-pole, 18-10 AWG copper only, pressure plate with quick-connect terminals, 35mm DIN rail or panel mount. Package of 5.	Stock	\$110.00
<u>JM60030-1CR</u>	Bussmann modular fuse block, accepts J fuses, 30A, 600V, 1-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$39.00
<u>JM60030-2CR</u>	Bussmann modular fuse block, accepts J fuses, 30A, 600V, 2-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$82.00
<u>JM60030-3CR</u>	Bussmann modular fuse block, accepts J fuses, 30A, 600V, 3-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$119.00
<u>JM60030-1PR</u>	Bussmann modular fuse block, accepts J fuses, 30A, 600V, 1-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$35.50
<u>JM60030-2PR</u>	Bussmann modular fuse block, accepts J fuses, 30A, 600V, 2-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$70.00
<u>JM60030-3PR</u>	Bussmann modular fuse block, accepts J fuses, 30A, 600V, 3-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$107.00
<u>JM60060-1CR</u>	Bussmann modular fuse block, accepts J fuses, 60A, 600V, 1-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$47.50
<u>JM60060-2CR</u>	Bussmann modular fuse block, accepts J fuses, 60A, 600V, 2-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$95.00
<u>JM60060-3CR</u>	Bussmann modular fuse block, accepts J fuses, 60A, 600V, 3-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$143.00
<u>JM60100-1CR-1</u>	Bussmann modular fuse block, accepts J fuses, 100A, 600V, 1-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$56.00
<u>JM60100-1CR-2</u>	Bussmann modular fuse block, accepts J fuses, 100A, 600V, 2-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$112.00

<u>JM60100-1CR-3</u>	Bussmann modular fuse block, accepts J fuses, 100A, 600V, 3-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$168.00
<u>JM60200-1CR-1</u>	Bussmann modular fuse block, accepts J fuses, 200A, 600V, 1-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$229.00
<u>JM60200-1CR-2</u>	Bussmann modular fuse block, accepts J fuses, 200A, 600V, 2-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$454.00
<u>JM60200-1CR-3</u>	Bussmann modular fuse block, accepts J fuses, 200A, 600V, 3-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$687.00
<u>JM60400-1MW22-1</u>	Bussmann modular fuse block, multi-wire, accepts J fuses, 400A, 600V, 1-pole, 2 line/2 load opening(s) per pole, box lug, panel mount.	Stock	\$475.00
<u>JM60400-1MW22-3</u>	Bussmann modular fuse block, multi-wire, accepts J fuses, 400A, 600V, 3-pole, 2 line/2 load opening(s) per pole, box lug, panel mount.	Stock	\$1,356.00
<u>JM60400-1CR-1</u>	Bussmann modular fuse block, accepts J fuses, 400A, 600V, 1-pole, 4 AWG-600 MCM copper or aluminum, box lug, panel mount.	Stock	\$442.00
<u>JM60400-1CR-3</u>	Bussmann modular fuse block, accepts J fuses, 400A, 600V, 3-pole, 4 AWG-600 MCM copper or aluminum, box lug, panel mount.	Stock	\$1,321.00
<u>JM60600-1CR-1</u>	Bussmann modular fuse block, accepts J fuses, 600A, 600V, 1-pole, 2 line/2 load opening(s) per pole, (2) 4 AWG-500 MCM copper or aluminum, box lug, panel mount.	Stock	\$714.00
<u>JM60600-1CR-3</u>	Bussmann modular fuse block, accepts J fuses, 600A, 600V, 3-pole, 2 line/2 load opening(s) per pole, (2) 4 AWG-500 MCM copper or aluminum, box lug, panel mount.	Stock	\$2,134.00
<u>RM25030-1SR</u>	Bussmann modular fuse block, accepts R fuses, 30A, 250V, 1-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$18.00
<u>RM25030-2SR</u>	Bussmann modular fuse block, accepts R fuses, 30A, 250V, 2-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$29.00
<u>RM25030-3SR</u>	Bussmann modular fuse block, accepts R fuses, 30A, 250V, 3-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$44.00
<u>RM25060-1CR</u>	Bussmann modular fuse block, accepts R fuses, 60A, 250V, 1-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$34.50
<u>RM25060-2CR</u>	Bussmann modular fuse block, accepts R fuses, 60A, 250V, 2-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$61.00
<u>RM25060-3CR</u>	Bussmann modular fuse block, accepts R fuses, 60A, 250V, 3-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$82.00
<u>RM60030-1SR</u>	Bussmann modular fuse block, accepts R fuses, 30A, 600V, 1-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$38.50
<u>RM60030-2SR</u>	Bussmann modular fuse block, accepts R fuses, 30A, 600V, 2-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$59.00
<u>RM60030-3SR</u>	Bussmann modular fuse block, accepts R fuses, 30A, 600V, 3-pole, 18-10 AWG copper only, screw with pressure plate, 35mm DIN rail or panel mount.	Stock	\$71.00
<u>RM60060-1CR</u>	Bussmann modular fuse block, accepts R fuses, 60A, 600V, 1-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$48.50
<u>RM60060-2CR</u>	Bussmann modular fuse block, accepts R fuses, 60A, 600V, 2-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$81.00
<u>RM60060-3CR</u>	Bussmann modular fuse block, accepts R fuses, 60A, 600V, 3-pole, 14-2 AWG copper or 8-2 AWG aluminum, box lug, 35mm DIN rail or panel mount.	Stock	\$146.00
<u>RM25100-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 100A, 250V, 1-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$50.00
<u>RM25100-1CR-2</u>	Bussmann modular fuse block, accepts R fuses, 100A, 250V, 2-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$99.00
<u>RM25100-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 100A, 250V, 3-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$150.00
<u>RM25200-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 200A, 250V, 1-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$166.00
<u>RM25200-1CR-2</u>	Bussmann modular fuse block, accepts R fuses, 200A, 250V, 2-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$326.00
<u>RM25200-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 200A, 250V, 3-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$496.00
<u>RM25400-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 400A, 250V, 1-pole, 4 AWG-600 MCM copper or aluminum, box lug, panel mount.	Stock	\$571.00
<u>RM25400-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 400A, 250V, 3-pole, 4 AWG-600 MCM copper or aluminum, box lug, panel mount.	Stock	\$1,716.00
<u>RM25600-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 600A, 250V, 1-pole, 2 line/2 load opening(s) per pole, (2) 4 AWG-500 MCM copper or aluminum, box lug, panel mount.	Stock	\$732.00
<u>RM25600-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 600A, 250V, 3-pole, 2 line/2 load opening(s) per pole, (2) 4 AWG-500 MCM copper or aluminum, box lug, panel mount.	Stock	\$2,192.00

<u>RM60100-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 100A, 600V, 1-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$60.00
<u>RM60100-1CR-2</u>	Bussmann modular fuse block, accepts R fuses, 100A, 600V, 2-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$122.00
<u>RM60100-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 100A, 600V, 3-pole, 14-1/0 AWG copper or aluminum, box lug, panel mount.	Stock	\$181.00
<u>RM60200-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 200A, 600V, 1-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$158.00
<u>RM60200-1CR-2</u>	Bussmann modular fuse block, accepts R fuses, 200A, 600V, 2-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$312.00
<u>RM60200-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 200A, 600V, 3-pole, 6 AWG-250 MCM copper or aluminum, box lug, panel mount.	Stock	\$469.00
<u>RM60400-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 400A, 600V, 1-pole, 4 AWG-600 MCM copper or aluminum, box lug, panel mount.	Stock	\$466.00
<u>RM60400-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 400A, 600V, 3-pole, 4 AWG-600 MCM copper or aluminum, box lug, panel mount.	Stock	\$1,395.00
<u>RM60600-1CR-1</u>	Bussmann modular fuse block, accepts R fuses, 600A, 600V, 1-pole, 2 line/2 load opening(s) per pole, (2) 4 AWG-500 MCM copper or aluminum, box lug, panel mount.	Stock	\$731.00
<u>RM60600-1CR-3</u>	Bussmann modular fuse block, accepts R fuses, 600A, 600V, 3-pole, 2 line/2 load opening(s) per pole, (2) 4 AWG-500 MCM copper or aluminum, box lug, panel mount.	Stock	\$2,191.00
<u>T30030-2SR</u>	Bussmann fuse block, accepts T fuses, 30A, 300V, 2-pole, 18-10 AWG copper only, screw with pressure plate, panel mount.	Stock	\$41.00
<u>T30030-3SR</u>	Bussmann fuse block, accepts T fuses, 30A, 300V, 3-pole, 18-10 AWG copper only, screw with pressure plate, panel mount.	Stock	\$40.50
<u>T30060-2CR</u>	Bussmann fuse block, accepts T fuses, 60A, 300V, 2-pole, 14-2 AWG copper or aluminum, box lug, panel mount.	Stock	\$52.00
<u>T30060-3CR</u>	Bussmann fuse block, accepts T fuses, 60A, 300V, 3-pole, 14-2 AWG copper or aluminum, box lug, panel mount.	Stock	\$78.00
<u>T60030-1SR</u>	Bussmann fuse block, accepts T fuses, 30A, 600V, 1-pole, 18-10 AWG copper only, screw with pressure plate, panel mount.	Stock	\$30.00
<u>T60030-2SR</u>	Bussmann fuse block, accepts T fuses, 30A, 600V, 2-pole, 18-10 AWG copper only, screw with pressure plate, panel mount.	Stock	\$54.00
<u>T60030-3SR</u>	Bussmann fuse block, accepts T fuses, 30A, 600V, 3-pole, 18-10 AWG copper only, screw with pressure plate, panel mount.	Stock	\$47.50
<u>T60060-1CR</u>	Bussmann fuse block, accepts T fuses, 60A, 600V, 1-pole, 14-2 AWG copper or aluminum, box lug, panel mount.	Stock	\$29.50
<u>T60060-2CR</u>	Bussmann fuse block, accepts T fuses, 60A, 600V, 2-pole, 14-2 AWG copper or aluminum, box lug, panel mount.	Stock	\$60.00
<u>T60060-3CR</u>	Bussmann fuse block, accepts T fuses, 60A, 600V, 3-pole, 14-2 AWG copper or aluminum, box lug, panel mount.	Stock	\$88.00
Covers and Accessories for Modular Fuse Blocks			
<u>CVRI-CCM-QC</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 30A Class Midget and Class CC modular fuse blocks.	Stock	\$41.00
<u>CVR-CCM-QC</u>	Bussmann fuse block cover, package of 3. For use with 30A Class Midget and Class CC modular fuse blocks.	Stock	\$31.50
<u>CVRI-J-60030</u>	Bussmann fuse block cover, with indicator. For use with 600V 30A Class J modular fuse blocks.	Stock	\$15.00
<u>CVRI-RH-25030</u>	Bussmann fuse block cover, with indicator. For use with 250V 30A Class R modular fuse blocks.	Stock	\$15.00
<u>CVRI-RH-60030</u>	Bussmann fuse block cover, with indicator. For use with 600V 30A Class R modular fuse blocks.	Stock	\$15.00
<u>CVR-J-60030</u>	Bussmann fuse block cover, for use with 600V 30A Class J modular fuse blocks.	Stock	\$11.50
<u>CVR-RH-60030</u>	Bussmann fuse block cover, for use with 600V 30A Class R modular fuse blocks.	Stock	\$12.00
<u>CVRI-J-60060</u>	Bussmann fuse block cover, with indicator. For use with 600V 60A Class J modular fuse blocks.	Stock	\$15.50
<u>CVRI-RH-25060</u>	Bussmann fuse block cover, with indicator. For use with 250V 60A Class R modular fuse blocks.	Stock	\$15.50
<u>CVRI-RH-60060</u>	Bussmann fuse block cover, with indicator. For use with 600V 60A Class R modular fuse blocks.	Stock	\$15.50
<u>CVR-J-60060</u>	Bussmann fuse block cover, for use with 600V 60A Class J modular fuse blocks.	Stock	\$14.00
<u>CVR-RH-25060</u>	Bussmann fuse block cover, for use with 250V 60A Class R modular fuse blocks.	Stock	\$14.00
<u>CVR-RH-60060</u>	Bussmann fuse block cover, for use with 600V 60A Class R modular fuse blocks.	Stock	\$14.00
<u>CVRI-J-60100-M-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 100A Class J modular fuse blocks.	Stock	\$28.00

<u>CVRI-J-60100-M-2</u>	Bussmann fuse block cover, with indicator. Package of 2. For use with 600V 100A Class J modular fuse blocks.	Stock	\$54.00
<u>CVRI-J-60100-M-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 100A Class J modular fuse blocks.	Stock	\$80.00
<u>CVRI-RH-25100-1</u>	Bussmann fuse block cover, with indicator. For use with 250V 100A Class R modular fuse blocks.	Stock	\$29.50
<u>CVRI-RH-25100-2</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 250V 100A Class R modular fuse blocks.	Stock	\$58.00
<u>CVRI-RH-25100-3</u>	Bussmann fuse block cover, with indicator. Package of 2. For use with 250V 100A Class R modular fuse blocks.	Stock	\$86.00
<u>CVRI-RH-60100-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 100A Class R modular fuse blocks.	Stock	\$36.50
<u>CVRI-RH-60100-2</u>	Bussmann fuse block cover, with indicator. Package of 2. For use with 600V 100A Class R modular fuse blocks.	Stock	\$71.00
<u>CVRI-RH-60100-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 100A Class R modular fuse blocks.	Stock	\$107.00
<u>CVR-J-60100-M-1</u>	Bussmann fuse block cover, for use with 600V 100A Class J modular fuse blocks.	Stock	\$15.00
<u>CVR-J-60100-M-2</u>	Bussmann fuse block cover, package of 2. For use with 600V 100A Class J modular fuse blocks.	Stock	\$31.00
<u>CVR-J-60100-M-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 100A Class J modular fuse blocks.	Stock	\$45.00
<u>CVR-RH-25100-1</u>	Bussmann fuse block cover, for use with 250V 100A Class R modular fuse blocks.	Stock	\$17.50
<u>CVR-RH-25100-2</u>	Bussmann fuse block cover, package of 2. For use with 250V 100A Class R modular fuse blocks.	Stock	\$36.50
<u>CVR-RH-25100-3</u>	Bussmann fuse block cover, package of 3. For use with 250V 100A Class R modular fuse blocks.	Stock	\$54.00
<u>CVR-RH-60100-1</u>	Bussmann fuse block cover, for use with 600V 100A Class R modular fuse blocks.	Stock	\$23.00
<u>CVR-RH-60100-2</u>	Bussmann fuse block cover, package of 2. For use with 600V 100A Class R modular fuse blocks.	Stock	\$44.00
<u>CVR-RH-60100-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 100A Class R modular fuse blocks.	Stock	\$62.00
<u>CVRI-J-60200-M-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 200A Class J modular fuse blocks.	Stock	\$31.00
<u>CVRI-J-60200-M-2</u>	Bussmann fuse block cover, with indicator. Package of 2. For use with 600V 200A Class J modular fuse blocks.	Stock	\$59.00
<u>CVRI-J-60200-M-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 200A Class J modular fuse blocks.	Stock	\$90.00
<u>CVRI-RH-25200-1</u>	Bussmann fuse block cover, with indicator. For use with 250V 200A Class R modular fuse blocks.	Stock	\$39.00
<u>CVRI-RH-25200-2</u>	Bussmann fuse block cover, with indicator. Package of 2. For use with 250V 200A Class R modular fuse blocks.	Stock	\$76.00
<u>CVRI-RH-25200-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 250V 200A Class R modular fuse blocks.	Stock	\$114.00
<u>CVRI-RH-60200-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 200A Class R modular fuse blocks.	Stock	\$44.00
<u>CVRI-RH-60200-2</u>	Bussmann fuse block cover, with indicator. Package of 2. For use with 600V 200A Class R modular fuse blocks.	Stock	\$86.00
<u>CVRI-RH-60200-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 200A Class R modular fuse blocks.	Stock	\$131.00
<u>CVR-J-60200-M-1</u>	Bussmann fuse block cover, for use with 600V 200A Class J modular fuse blocks.	Stock	\$18.50
<u>CVR-J-60200-M-2</u>	Bussmann fuse block cover, package of 2. For use with 600V 200A Class J modular fuse blocks.	Stock	\$39.00
<u>CVR-J-60200-M-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 200A Class J modular fuse blocks.	Stock	\$56.00
<u>CVR-RH-25200-1</u>	Bussmann fuse block cover, for use with 250V 200A Class R modular fuse blocks.	Stock	\$25.50
<u>CVR-RH-25200-2</u>	Bussmann fuse block cover, package of 2. For use with 250V 200A Class R modular fuse blocks.	Stock	\$51.00
<u>CVR-RH-25200-3</u>	Bussmann fuse block cover, package of 3. For use with 250V 200A Class R modular fuse blocks.	Stock	\$73.00
<u>CVR-RH-60200-1</u>	Bussmann fuse block cover, for use with 600V 200A Class R modular fuse blocks.	Stock	\$29.50
<u>CVR-RH-60200-2</u>	Bussmann fuse block cover, package of 2. For use with 600V 200A Class R modular fuse blocks.	Stock	\$56.00
<u>CVR-RH-60200-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 200A Class R modular fuse blocks.	Stock	\$85.00
<u>CVR-RH-25030</u>	Bussmann fuse block cover, for use with 250V 30A Class R modular fuse blocks.	Stock	\$11.50
<u>CVRI-J-60400-M-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 400A Class J modular fuse blocks.	Stock	\$48.50
<u>CVRI-J-60400-M-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 400A Class J modular fuse blocks.	Stock	\$141.00

<u>CVRI-RH-25400-1</u>	Bussmann fuse block cover, with indicator. For use with 250V 400A Class R modular fuse blocks.	Stock	\$55.00
<u>CVRI-RH-25400-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 250V 400A Class R modular fuse blocks.	Stock	\$168.00
<u>CVRI-RH-60400-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 400A Class R modular fuse blocks.	Stock	\$70.00
<u>CVRI-RH-60400-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 400A Class R modular fuse blocks.	Stock	\$211.00
<u>CVR-J-60400-M-1</u>	Bussmann fuse block cover, for use with 600V 400A Class J modular fuse blocks.	Stock	\$34.00
<u>CVR-J-60400-M-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 400A Class J modular fuse blocks.	Stock	\$100.00
<u>CVR-RH-25400-1</u>	Bussmann fuse block cover, for use with 250V 400A Class R modular fuse blocks.	Stock	\$40.50
<u>CVR-RH-25400-3</u>	Bussmann fuse block cover, package of 3. For use with 250V 400A Class R modular fuse blocks.	Stock	\$116.00
<u>CVR-RH-60400-1</u>	Bussmann fuse block cover, for use with 600V 400A Class R modular fuse blocks.	Stock	\$52.00
<u>CVR-RH-60400-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 400A Class R modular fuse blocks.	Stock	\$153.00
<u>CVRI-J-60600-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 600A Class J modular fuse blocks.	Stock	\$70.00
<u>CVRI-J-60600-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 600A Class J modular fuse blocks.	Stock	\$212.00
<u>CVRI-RH-25600-1</u>	Bussmann fuse block cover, with indicator. For use with 250V 600A Class R modular fuse blocks.	Stock	\$86.00
<u>CVRI-RH-25600-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 250V 600A Class R modular fuse blocks.	Stock	\$266.00
<u>CVRI-RH-60600-1</u>	Bussmann fuse block cover, with indicator. For use with 600V 600A Class R modular fuse blocks.	Stock	\$108.00
<u>CVRI-RH-60600-3</u>	Bussmann fuse block cover, with indicator. Package of 3. For use with 600V 600A Class R modular fuse blocks.	Stock	\$326.00
<u>CVR-J-60600-1</u>	Bussmann fuse block cover, for use with 600V 600A Class J modular fuse blocks.	Stock	\$56.00
<u>CVR-J-60600-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 600A Class J modular fuse blocks.	Stock	\$169.00
<u>CVR-RH-25600-1</u>	Bussmann fuse block cover, for use with 250V 600A Class R modular fuse blocks.	Stock	\$71.00
<u>CVR-RH-25600-3</u>	Bussmann fuse block cover, package of 3. For use with 250V 600A Class R modular fuse blocks.	Stock	\$219.00
<u>CVR-RH-60600-1</u>	Bussmann fuse block cover, for use with 600V 600A Class R modular fuse blocks.	Stock	\$89.00
<u>CVR-RH-60600-3</u>	Bussmann fuse block cover, package of 3. For use with 600V 600A Class R modular fuse blocks.	Stock	\$272.00

Manual Transfer Switches

<u>41502012</u>	Socomec SIRCOVER series rotary manual transfer switch, 2-pole, 240 VAC, 100A, 100kA SCCR, panel mount, UL1008 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$451.00
<u>41503012</u>	Socomec SIRCOVER series rotary manual transfer switch, 3-pole, 600 VAC, 100A, 100kA SCCR, panel mount, UL1008 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$527.00
<u>41504012</u>	Socomec SIRCOVER series rotary manual transfer switch, 4-pole, 600 VAC, 100A, 100kA SCCR, panel mount, UL1008 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$674.00
<u>41502026</u>	Socomec SIRCOVER series rotary manual transfer switch, 2-pole, 240 VAC, 260A, 65kA SCCR, panel mount, UL1008 rated, front operated, accepts 15 x 12mm size shaft.	Stock	\$869.00
<u>41503026</u>	Socomec SIRCOVER series rotary manual transfer switch, 3-pole, 600 VAC, 260A, 65kA SCCR, panel mount, UL1008 rated, front operated, accepts 15 x 12mm size shaft.	Stock	\$1,063.00
<u>41504026</u>	Socomec SIRCOVER series rotary manual transfer switch, 4-pole, 600 VAC, 260A, 65kA SCCR, panel mount, UL1008 rated, front operated, accepts 15 x 12mm size shaft.	Stock	\$1,411.00
<u>41503042</u>	Socomec SIRCOVER series rotary manual transfer switch, 3-pole, 600 VAC, 400A, 65kA SCCR, panel mount, UL1008 rated, front operated, accepts 15 x 12mm size shaft.	Stock	\$1,243.00
<u>41504042</u>	Socomec SIRCOVER series rotary manual transfer switch, 4-pole, 600 VAC, 400A, 65kA SCCR, panel mount, UL1008 rated, front operated, accepts 15 x 12mm size shaft.	Stock	\$1,696.00

Fused Disconnects

<u>37103003</u>	Socomec FUSERBLOC Compact series rotary disconnect switch, fusible, Class CC, load break capable, 3-pole, 600 VAC, 30A, 100kA SCCR, DIN rail or panel mount, UL 489 rated, front operated, accepts 5 x 5mm size shaft.	Stock	\$134.00
<u>37103004</u>	Socomec FUSERBLOC Compact series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC, 30A, 100kA SCCR, DIN rail or panel mount, UL 489 rated, front operated, accepts 5 x 5mm size shaft.	Stock	\$134.00
<u>37104003</u>	Socomec FUSERBLOC Compact series rotary disconnect switch, fusible, Class CC, load break capable, 3-pole, 600 VAC, 30A, 100kA SCCR, DIN rail or panel mount, UL 489 rated, front operated, accepts 5 x 5mm size shaft, switched neutral.	Stock	\$173.00

<u>37104004</u>	Socomec FUSERBLOC Compact series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC, 30A, 100kA SCCR, DIN rail or panel mount, UL 489 rated, front operated, accepts 5 x 5mm size shaft, switched neutral.	Stock	\$173.00
<u>37105003</u>	Socomec FUSERBLOC Compact series rotary disconnect switch, fusible, Class CC, load break capable, 3-pole, 600 VAC, 30A, 100kA SCCR, DIN rail or panel mount, UL 489 rated, front operated, accepts 5 x 5mm size shaft, unswitched neutral.	Stock	\$165.00
<u>37105004</u>	Socomec FUSERBLOC Compact series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC, 30A, 100kA SCCR, DIN rail or panel mount, UL 489 rated, front operated, accepts 5 x 5mm size shaft, unswitched neutral.	Stock	\$166.00
<u>38612004</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 2-pole, 600 VAC/250 VDC, 30A, 200kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$127.00
<u>38612005</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 2-pole, 600 VAC/250 VDC, 60A, 100kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$163.00
<u>38612010</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 2-pole, 600 VAC/250 VDC, 100A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$219.00
<u>38612020</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 2-pole, 600 VAC/250 VDC, 200A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$598.00
<u>38613004</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC/250 VDC, 30A, 200kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$161.00
<u>38613005</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC/250 VDC, 60A, 100kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$201.00
<u>38613010</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC/250 VDC, 100A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$273.00
<u>38613020</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC/250 VDC, 200A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$736.00
<u>38513038</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC/250 VDC, 400A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$1,012.00
<u>38503060</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 3-pole, 600 VAC/250 VDC, 600A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 12 x 12mm size shaft.	Stock	\$1,764.00
<u>38616004</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 4-pole, 600 VAC/250 VDC, 30A, 200kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$191.00
<u>38616005</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 4-pole, 600 VAC/250 VDC, 60A, 100kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$252.00
<u>38616010</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 4-pole, 600 VAC/250 VDC, 100A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$348.00
<u>38616020</u>	Socomec FUSERBLOC series rotary disconnect switch, fusible, Class J, load break capable, 4-pole, 600 VAC/250 VDC, 200A, 200kA SCCR, panel mount, UL 98 rated, front or side operated, accepts 10 x 10mm size shaft.	Stock	\$932.00

Non-Fused Disconnects

<u>22013003</u>	Socomec SIRCO M Compact series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 30A, 100kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$66.00
<u>22013006</u>	Socomec SIRCO M Compact series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 60A, 100kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$77.00
<u>22003010</u>	Socomec SIRCO M Compact series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 100A, 100kA SCCR, DIN rail or panel mount, UL 98 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$90.00
<u>27003011</u>	Socomec SIRCO series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 100A, 200kA SCCR, panel mount, UL 98 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$194.00
<u>27004011</u>	Socomec SIRCO series rotary disconnect switch, load break capable, 4-pole, 600 VAC, 100A, 200kA SCCR, panel mount, UL 98 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$227.00
<u>27003021</u>	Socomec SIRCO series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 200A, 200kA SCCR, panel mount, UL 98 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$301.00
<u>27004021</u>	Socomec SIRCO series rotary disconnect switch, load break capable, 4-pole, 600 VAC, 200A, 200kA SCCR, panel mount, UL 98 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$332.00

<u>27003041</u>	Socomec SIRCO series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 400A, 200kA SCCR, panel mount, UL 98 rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$721.00
<u>27003060</u>	Socomec SIRCO series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 600A, 200kA SCCR, panel mount, UL 98 rated, front operated, accepts 15 x 12mm size shaft.	Stock	\$1,247.00
Non-Fused DC-Rated Disconnects			
<u>27DC4011</u>	Socomec SIRCO DC series rotary disconnect switch, load break capable, 4-pole, 1000 VDC, 100A, 10kA SCCR, panel mount, UL 98B rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$408.00
<u>27DC4021</u>	Socomec SIRCO DC series rotary disconnect switch, load break capable, 4-pole, 1000 VDC, 250A, 10kA SCCR, panel mount, UL 98B rated, front operated, accepts 10 x 10mm size shaft.	Stock	\$493.00
Motor Disconnects and Controllers			
<u>22003000</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 16A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$25.00
<u>22003001</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 20A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$26.50
<u>22003002</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 25A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$29.00
<u>22003003</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 32A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$30.00
<u>22003004</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 40A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$30.50
<u>22003006</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 63A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$40.50
<u>22003008</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 80A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$45.00
<u>22003009</u>	Socomec SIRCO M series rotary disconnect switch, load break capable, 3-pole, 600 VAC, 100A, 65kA SCCR, DIN rail or panel mount, UL 508 rated, front or side operated, accepts 5 x 5mm size shaft.	Stock	\$58.00
<u>ML1-016-V-A01</u>	Merz manual motor controller, open, 16A, 600 VAC, 3-pole, 10hp, 35mm DIN rail or panel mount, UL 508 rated.	Stock	\$21.50
<u>ML1-016-E-H03R</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 16A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable red/yellow handle for use with NEMA 4/4X enclosures included.	Stock	\$33.00
<u>ML1-016-E-H03B</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 16A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable black/gray handle for use with NEMA 4/4X enclosures included.	Stock	\$33.00
<u>ML1-025-V-A01</u>	Merz manual motor controller, open, 25A, 600 VAC, 3-pole, 10hp, 35mm DIN rail or panel mount, UL 508 rated.	Stock	\$23.50
<u>ML1-025-E-H03R</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 25A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable red/yellow handle for use with NEMA 4/4X enclosures included.	Stock	\$36.50
<u>ML1-025-E-H03B</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 25A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable black/gray handle for use with NEMA 4/4X enclosures included.	Stock	\$36.50
<u>ML1-032-V-A01</u>	Merz manual motor controller, open, 32A, 600 VAC, 3-pole, 20hp, 35mm DIN rail or panel mount, UL 508 rated.	Stock	\$25.00
<u>ML1-032-E-H03R</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 32A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable red/yellow handle for use with NEMA 4/4X enclosures included.	Stock	\$37.00
<u>ML1-032-E-H03B</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 32A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable black/gray handle for use with NEMA 4/4X enclosures included.	Stock	\$37.00
<u>ML1-040-V-A01</u>	Merz manual motor controller, open, 40A, 600 VAC, 3-pole, 20hp, 35mm DIN rail or panel mount, UL 508 rated.	Stock	\$27.00
<u>ML1-040-E-H03R</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 40A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable red/yellow handle for use with NEMA 4/4X enclosures included.	Stock	\$38.50
<u>ML1-040-E-H03B</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 40A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable black/gray handle for use with NEMA 4/4X enclosures included.	Stock	\$38.50
<u>ML2-063-E-H04R</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 63A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable red/yellow handle for use with NEMA 4/4X enclosures included.	Stock	\$53.00
<u>ML2-063-E-H04B</u>	Merz rotary disconnect switch, load break capable, 3-pole, 600 VAC, 63A, 5kA SCCR, door mount, UL 508 rated, front operated. Hardware for 4-hole door mounting & lockable black/gray handle for use with NEMA 4/4X enclosures included.	Stock	\$53.00

<u>ML2-063-V-A02</u>	Merz manual motor controller, open, 63A, 600 VAC, 3-pole, 30hp, 35mm DIN rail or panel mount, UL 508 rated.	Stock	\$37.50
<u>ML2-080-V-A02</u>	Merz manual motor controller, open, 80A, 600 VAC, 3-pole, 40hp, 35mm DIN rail or panel mount, UL 508 rated.	Stock	\$42.00
<u>ML3-125-V-A02</u>	Merz manual motor controller, open, 125A, 600 VAC, 3-pole, 50hp, 35mm DIN rail or panel mount, UL 508 rated.	Stock	\$48.50
<u>30002D</u>	Bryant manual motor controller, open, 30A, 600 VAC, 2-pole, 15hp, UL 508 rated.	Stock	\$40.50
<u>30003D</u>	Bryant manual motor controller, open, 30A, 600 VAC, 3-pole, 20hp, UL 508 rated.	Stock	\$85.00
<u>4002</u>	Bryant manual motor controller, open, 40A, 600 VAC, 2-pole, 5hp.	Stock	\$45.50
<u>40002D</u>	Bryant manual motor controller, open, 40A, 600 VAC, 2-pole, 15hp, UL 508 rated.	Stock	\$71.00
<u>40003D</u>	Bryant manual motor controller, open, 40A, 600 VAC, 3-pole, 20hp, UL 508 rated.	Stock	\$115.00
<u>60002D</u>	Bryant manual motor controller, open, 60A, 600 VAC, 2-pole, 20hp, UL 508 rated.	Stock	\$124.00
<u>60003D</u>	Bryant manual motor controller, open, 60A, 600 VAC, 3-pole, 30hp, UL 508 rated.	Stock	\$152.00

Enclosed Motor Disconnects

<u>22143503</u>	Socomec SIRCO M series rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 30A, 65kA SCCR, wall mount, UL 508 rated, 3.9 x 6.38 x 4.37in housing.	Stock	\$119.00
<u>22243503</u>	Socomec SIRCO M series rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 30A, 65kA SCCR, wall mount, UL 508 rated, 4.94 x 8.27 x 4.37in housing.	Stock	\$138.00
<u>22243506</u>	Socomec SIRCO M series rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 60A, 50kA SCCR, wall mount, UL 508 rated, 4.94 x 8.27 x 4.37in housing.	Stock	\$164.00
<u>ML1-025-V-E01R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 25A, 5kA SCCR, wall mount, UL 508 rated, 4.7 x 4.8 x 4.5in housing.	Stock	\$73.00
<u>ML1-032-V-E01R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 32A, 5kA SCCR, wall mount, UL 508 rated, 4.7 x 4.8 x 4.5in housing.	Stock	\$76.00
<u>ML1-040-V-E02R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 40A, 5kA SCCR, wall mount, UL 508 rated, 7.8 x 7.8 x 6.4in housing.	Stock	\$108.00
<u>ML1-040-V-E04R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 40A, 5kA SCCR, wall mount, UL 508 rated, 7.8 x 7.8 x 6.4in housing, switched neutral.	Stock	\$125.00
<u>ML2-063-V-E03R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 63A, 5kA SCCR, wall mount, UL 508 rated, 7.8 x 7.8 x 6.4in housing.	Stock	\$101.00
<u>ML2-063-V-E05R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 63A, 5kA SCCR, wall mount, UL 508 rated, 7.8 x 7.8 x 6.4in housing, switched neutral.	Stock	\$112.00
<u>ML2-080-V-E03R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 80A, 5kA SCCR, wall mount, UL 508 rated, 7.8 x 7.8 x 6.4in housing.	Stock	\$156.00
<u>ML3-125-V-E03R</u>	Merz rotary enclosed disconnect switch, load break capable, 3-pole, 600 VAC, 125A, 5kA SCCR, wall mount, UL 508 rated, 7.8 x 7.8 x 6.4in housing.	Stock	\$179.00
<u>30102D</u>	Bryant manual motor controller, enclosed, 30A, 600 VAC, 2-pole, 15hp, wall mount, aluminum housing, NEMA 1, UL 508 rated.	Stock	\$52.00
<u>30103D</u>	Bryant manual motor controller, enclosed, 30A, 600 VAC, 3-pole, 20hp, wall mount, aluminum housing, NEMA 1, UL 508 rated.	Stock	\$114.00
<u>30322D</u>	Bryant manual motor controller, enclosed, 30A, 600 VAC, 2-pole, 15hp, wall mount, thermoplastic housing, NEMA 3R, UL 508 rated.	Stock	\$90.00
<u>30323D</u>	Bryant manual motor controller, enclosed, 30A, 600 VAC, 3-pole, 20hp, wall mount, thermoplastic housing, NEMA 3R, UL 508 rated.	Stock	\$96.00
<u>30302D</u>	Bryant manual motor controller, enclosed, 30A, 600 VAC, 2-pole, 15hp, wall mount, die-cast aluminum housing, NEMA 3R, UL 508 rated.	Stock	\$78.00
<u>30303D</u>	Bryant manual motor controller, enclosed, 30A, 600 VAC, 3-pole, 20hp, wall mount, die-cast aluminum housing, NEMA 3R, UL 508 rated.	Stock	\$139.00
<u>60302D</u>	Bryant manual motor controller, enclosed, 60A, 600 VAC, 2-pole, 20hp, wall mount, die-cast aluminum housing, NEMA 3R, UL 508 rated.	Stock	\$181.00
<u>60303D</u>	Bryant manual motor controller, enclosed, 60A, 600 VAC, 3-pole, 30hp, wall mount, die-cast aluminum housing, NEMA 3R, UL 508 rated.	Stock	\$211.00
<u>664X33D</u>	Bryant manual motor controller, enclosed, 30A, 600 VAC, 3-pole, 20hp, wall mount, thermoplastic housing, NEMA 4X, UL 508 rated.	Stock	\$189.00
<u>664X63D</u>	Bryant manual motor controller, enclosed, 60A, 600 VAC, 3-pole, 30hp, wall mount, thermoplastic housing, NEMA 4X, UL 508 rated.	Stock	\$237.00

Mechanical Interlocks

<u>BRY420MI9W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 240 VAC, 20A, 3-phase, 3-pole, 4-wire, 9 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$513.00
-----------------------------------	---	-------	----------

<u>BRY420MI7W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 480 VAC, 20A, 3-phase, 3-pole, 4-wire, 7 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$513.00
<u>BRY330MI4W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 120 VAC, 30A, 1-phase, 2-pole, 3-wire, 4 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$518.00
<u>BRY330MI6W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 240 VAC, 30A, 1-phase, 2-pole, 3-wire, 6 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$518.00
<u>BRY330MI7W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 480 VAC, 30A, 1-phase, 2-pole, 3-wire, 7 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$518.00
<u>BRY430MI12W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 120/240 VAC, 30A, 1-phase, 3-pole, 4-wire, 12 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$588.00
<u>BRY430MI9W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 240 VAC, 30A, 3-phase, 3-pole, 4-wire, 9 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$588.00
<u>BRY430MI7W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 480 VAC, 30A, 3-phase, 3-pole, 4-wire, 7 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$578.00
<u>BRY430MI5W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 600 VAC, 30A, 3-phase, 3-pole, 4-wire, 5 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$588.00
<u>BRY530MI7W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 480Y/277 VAC, 30A, 3-phase, 4-pole, 5-wire, 7 hour pin and sleeve receptacle, 10kA SCCR, 10.1in x6.9in x7.8in housing.	Stock	\$650.00
<u>BRY360MI6W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 240 VAC, 60A, 1-phase, 2-pole, 3-wire, 6 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x8.6in housing.	Stock	\$773.00
<u>BRY460MI12W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 120/240 VAC, 60A, 1-phase, 3-pole, 4-wire, 12 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x8.6in housing.	Stock	\$879.00
<u>BRY460MI9W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 240 VAC, 60A, 3-phase, 3-pole, 4-wire, 9 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x8.6in housing.	Stock	\$879.00
<u>BRY460MI7W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 480 VAC, 60A, 3-phase, 3-pole, 4-wire, 7 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x8.6in housing.	Stock	\$879.00
<u>BRY460MI5W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 600 VAC, 60A, 3-phase, 3-pole, 4-wire, 5 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x8.6in housing.	Stock	\$879.00
<u>BRY560MI9W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 208Y/120 VAC, 60A, 3-phase, 4-pole, 5-wire, 9 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x8.6in housing.	Stock	\$879.00
<u>BRY560MI7W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 480Y/277 VAC, 60A, 3-phase, 4-pole, 5-wire, 7 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x8.6in housing.	Stock	\$879.00
<u>BRY4100MI12W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 120/240 VAC, 100A, 1-phase, 3-pole, 4-wire, 12 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x9.3in housing.	Stock	\$994.00
<u>BRY4100MI9W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 240 VAC, 100A, 3-phase, 3-pole, 4-wire, 9 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x9.3in housing.	Stock	\$994.00
<u>BRY4100MI7W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 480 VAC, 100A, 3-phase, 3-pole, 4-wire, 7 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x9.3in housing.	Stock	\$994.00
<u>BRY4100MI5W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 600 VAC, 100A, 3-phase, 3-pole, 4-wire, 5 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x9.3in housing.	Stock	\$994.00
<u>BRY5100MI9W</u>	Bryant pin and sleeve mechanical interlock, rotary, enclosed, load break capable, 208Y/120 VAC, 100A, 3-phase, 4-pole, 5-wire, 9 hour pin and sleeve receptacle, 10kA SCCR, 11.9in x6.9in x9.3in housing.	Stock	\$994.00
Rotary Cam Switches			
<u>W251-2.H08B</u>	Merz rotary motor reversing cam switch, 2-pole, 600 VAC, 25A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$34.00
<u>W251-3.H08B</u>	Merz rotary motor reversing cam switch, 3-pole, 600 VAC, 25A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$39.00
<u>W451-2.H08B</u>	Merz rotary motor reversing cam switch, 2-pole, 600 VAC, 32A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$56.00
<u>W451-3.H08B</u>	Merz rotary motor reversing cam switch, 3-pole, 600 VAC, 32A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$59.00
<u>Z251-2.H08B</u>	Merz rotary transfer cam switch, 2-pole, 600 VAC, 25A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$31.00
<u>Z251-3.H08B</u>	Merz rotary transfer cam switch, 3-pole, 600 VAC, 25A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$38.00
<u>Z451-2.H08B</u>	Merz rotary transfer cam switch, 2-pole, 600 VAC, 32A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$43.50
<u>Z451-3.H08B</u>	Merz rotary transfer cam switch, 3-pole, 600 VAC, 32A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$56.00
<u>Z656-3.H09B</u>	Merz rotary transfer cam switch, 3-pole, 600 VAC, 80A, 5kA SCCR, door mount, front operated. Hardware for 4-hole door mounting & black operating handle included.	Stock	\$102.00

External Handles and Components for Disconnects			
<u>6610MK</u>	Bryant rotary handle kit, selector, red/yellow, 2-position, lockable in OFF only, NEMA 1. For use with 664X33D and 664X63D rotary manual motor controllers. Handle, shaft, mounting brackets, required screws, and instruction sheet included.	Stock	\$22.00
<u>664XWP</u>	Bryant gasket repair kit, NEMA 4X. For use with 664X33D and 664X63D rotary manual motor controllers. Includes 1 sealing gasket, 3 O-rings and instruction sheet.	Stock	\$14.00
<u>22696009</u>	Socomec multi-pole conversion adapter, front mount. For use with SIRCO M 16A-100A switch bodies. Manual operating handle, interlocking module, operating faceplate, hardware and instruction sheet included.	Stock	\$24.50
<u>22096009</u>	Socomec transfer switch conversion adapter, front mount. For use with SIRCO M 16A-100A switch bodies. Manual operating handle, interlocking module, operating faceplate, hardware and instruction sheet included.	Stock	\$27.50
<u>37299002</u>	Socomec flange handle, lever, gray, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3/3R/4/12.	Stock	\$144.00
<u>37299003</u>	Socomec flange handle, lever, chrome, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3/3R/4/4X/12.	Stock	\$387.00
<u>37299903</u>	Socomec cable operating mechanism, for use with disconnect flange handles; FUSERBLOC 30-200A switch bodies.	Stock	\$149.00
<u>37299992</u>	Socomec cable, 3ft length. For use with operating mechanism 37299903.	Stock	\$174.00
<u>37299993</u>	Socomec cable, 5ft length. For use with operating mechanism 37299903.	Stock	\$202.00
<u>22995012</u>	Socomec rotary handle, round, M00, blue, direct mount, 2-position. For use with SIRCO M 16-100A switch bodies.	Stock	\$3.00
<u>22995032</u>	Socomec rotary handle, round, M01, blue, direct mount, 2-position. For use with SIRCO M Compact 30-100A switch bodies.	Stock	\$4.75
<u>26995052</u>	Socomec rotary handle, pistol, black, direct mount, 2-position, lockable in OFF only. For use with SIRCO 100 - 400A switch bodies.	Stock	\$20.00
<u>36297910</u>	Socomec rotary handle, pistol, black, direct mount, 2-position, lockable in OFF only. For use with FUSERBLOC 30-400A Class J switch bodies.	Stock	\$31.00
<u>37294012</u>	Socomec rotary handle, pistol, black, direct mount, 2-position, lockable in OFF only. For use with FUSERBLOC Compact 30A Class CC switch bodies.	Stock	\$24.00
<u>37294014</u>	Socomec rotary handle, pistol, black, direct mount, 2-position, lockable in OFF only. For use with FUSERBLOC Compact 30A Class J switch bodies.	Stock	\$24.00
<u>37996012</u>	Socomec rotary handle, pistol, black, direct mount, 2-position, lockable in OFF only. For use with SIRCO 600A switch bodies.	Stock	\$40.00
<u>38596011</u>	Socomec rotary handle, pistol, black, direct mount, 2-position, lockable in OFF only. For use with FUSERBLOC 600A switch bodies.	Stock	\$55.00
<u>41994012</u>	Socomec rotary handle, pistol, B3, black, direct mount, 3-position, lockable in I-off-II. For use with SIRCOVER 100-400A transfer switch bodies.	Stock	\$42.50
<u>37294532</u>	Socomec rotary handle, pistol, red, internal mount, 2-position, lockable in OFF only. For use with FUSERBLOC Compact Class J and CC 30A switch bodies. Shaft and hardware assembly included.	Stock	\$52.00
<u>37297540</u>	Socomec rotary handle, pistol, red, internal mount, 2-position, lockable in OFF only. For use with FUSERBLOC 30-200A switch bodies. Shaft and hardware assembly included.	Stock	\$65.00
<u>37297544</u>	Socomec rotary handle, pistol, red, internal mount, 2-position, lockable in OFF only. For use with FUSERBLOC 400A switch bodies. Shaft and hardware assembly included.	Stock	\$94.00
<u>37297552</u>	Socomec rotary handle, pistol, red, internal mount, 2-position, lockable in OFF only. For use with FUSERBLOC 600A switch bodies. Shaft and hardware assembly included.	Stock	\$197.00
<u>14841111</u>	Socomec rotary handle, round, S0, red/yellow, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$25.50
<u>14731111</u>	Socomec rotary handle, round, S00, black/blue, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$14.50
<u>14741111</u>	Socomec rotary handle, round, S00, red/yellow, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$14.50
<u>147D1111</u>	Socomec rotary handle, round, S00, black/blue, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$23.50
<u>147E1111</u>	Socomec rotary handle, round, S00, red/yellow, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$23.50
<u>14831111</u>	Socomec rotary handle, round, S0, black/blue, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$24.50
<u>14940111</u>	Socomec rotary handle, round, S0, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$24.50
<u>149D0111</u>	Socomec rotary handle, round, S0, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$30.00
<u>149E0111</u>	Socomec rotary handle, round, S0, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$30.00

<u>148D1111</u>	Socomec rotary handle, round, S0, black/blue, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$41.00
<u>148E1111</u>	Socomec rotary handle, round, S0, red/yellow, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$41.00
<u>14930111</u>	Socomec rotary handle, round, S0, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$24.50
<u>140D2111</u>	Socomec rotary handle, round, S01, black/blue, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$56.00
<u>140E2111</u>	Socomec rotary handle, round, S01, red/yellow, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$56.00
<u>140F2111</u>	Socomec rotary handle, round, S01, black/blue, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$38.50
<u>140G2111</u>	Socomec rotary handle, round, S01, red/yellow, external front or right side mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$38.50
<u>141D2111</u>	Socomec rotary handle, pistol, S1, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$47.00
<u>141D2115</u>	Socomec rotary handle, pistol, S1, black/blue, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X, test function.	Stock	\$51.00
<u>141D2911</u>	Socomec rotary handle, pistol, S1, heavy duty metallic hasp, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$55.00
<u>141E2111</u>	Socomec rotary handle, pistol, S1, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$47.00
<u>141E2115</u>	Socomec rotary handle, pistol, S1, red/yellow, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X, test function.	Stock	\$51.00
<u>141E2911</u>	Socomec rotary handle, pistol, S1, heavy duty metallic hasp, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$55.00
<u>141F2111</u>	Socomec rotary handle, pistol, S1, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$37.50
<u>141G2111</u>	Socomec rotary handle, pistol, S1, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$37.50
<u>141H6111</u>	Socomec rotary handle, pistol, S1, black/blue, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$47.50
<u>141H6911</u>	Socomec rotary handle, pistol, S1, heavy duty metallic hasp, black/blue, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$95.00
<u>141I6111</u>	Socomec rotary handle, pistol, S1, red/yellow, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$47.50
<u>141I6911</u>	Socomec rotary handle, pistol, S1, heavy duty metallic hasp, red/yellow, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$95.00
<u>142D2111</u>	Socomec rotary handle, pistol, S2, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$75.00
<u>142D2113</u>	Socomec rotary handle, pistol, S2, black/blue, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$76.00
<u>142D2115</u>	Socomec rotary handle, pistol, S2, black/blue, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X, test function.	Stock	\$94.00
<u>142D2813</u>	Socomec rotary handle, pistol, S2, black/blue, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$77.00
<u>142D2911</u>	Socomec rotary handle, pistol, S2, heavy duty metallic hasp, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$94.00
<u>142E2111</u>	Socomec rotary handle, pistol, S2, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$75.00
<u>142E2113</u>	Socomec rotary handle, pistol, S2, red/yellow, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$76.00
<u>142E2115</u>	Socomec rotary handle, pistol, S2, red/yellow, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X, test function.	Stock	\$94.00
<u>142E2813</u>	Socomec rotary handle, pistol, S2, red/yellow, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$77.00
<u>142E2911</u>	Socomec rotary handle, pistol, S2, heavy duty metallic hasp, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$94.00
<u>142F2111</u>	Socomec rotary handle, pistol, S2, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$54.00
<u>142F2113</u>	Socomec rotary handle, pistol, S2, black/blue, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$70.00
<u>142F2813</u>	Socomec rotary handle, pistol, S2, black/blue, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$70.00

<u>142G2111</u>	Socomec rotary handle, pistol, S2, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$54.00
<u>142G2113</u>	Socomec rotary handle, pistol, S2, red/yellow, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$70.00
<u>142G2813</u>	Socomec rotary handle, pistol, S2, red/yellow, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$70.00
<u>142H6111</u>	Socomec rotary handle, pistol, S2, black/blue, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$70.00
<u>142H6911</u>	Socomec rotary handle, pistol, S2, heavy duty metallic hasp, black/blue, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$118.00
<u>142I6111</u>	Socomec rotary handle, pistol, S2, red/yellow, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$70.00
<u>142I6911</u>	Socomec rotary handle, pistol, S2, heavy duty metallic hasp, red/yellow, external right side mount, 2-position, lockable in OFF only, NEMA 4/4X.	Stock	\$118.00
<u>143D3111</u>	Socomec rotary handle, pistol, S3, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$89.00
<u>143D3113</u>	Socomec rotary handle, pistol, S3, black/blue, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$80.00
<u>143D3813</u>	Socomec rotary handle, pistol, S3, black/blue, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$80.00
<u>143D3911</u>	Socomec rotary handle, pistol, S3, heavy duty metallic hasp, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$123.00
<u>143E3111</u>	Socomec rotary handle, pistol, S3, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$89.00
<u>143E3113</u>	Socomec rotary handle, pistol, S3, red/yellow, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$80.00
<u>143E3813</u>	Socomec rotary handle, pistol, S3, red/yellow, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 4/4X. For use with SIRCOVER transfer switch bodies.	Stock	\$80.00
<u>143E3911</u>	Socomec rotary handle, pistol, S3, heavy duty metallic hasp, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 4/4X.	Stock	\$123.00
<u>143F3111</u>	Socomec rotary handle, pistol, S3, black/blue, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$70.00
<u>143F3113</u>	Socomec rotary handle, pistol, S3, black/blue, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$84.00
<u>143F3813</u>	Socomec rotary handle, pistol, S3, black/blue, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$80.00
<u>143G3111</u>	Socomec rotary handle, pistol, S3, red/yellow, external front mount, 2-position, lockable in OFF only, defeatable, NEMA 1/3R/12.	Stock	\$70.00
<u>143G3113</u>	Socomec rotary handle, pistol, S3, red/yellow, external front mount, 3-position, lockable in OFF only, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$84.00
<u>143G3813</u>	Socomec rotary handle, pistol, S3, red/yellow, external front mount, 3-position, lockable in I-off-II, defeatable, NEMA 1/3R/12. For use with SIRCOVER transfer switch bodies.	Stock	\$80.00
<u>H05R</u>	Merz rotary handle, round, red/yellow, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML1 switch bodies in DIN rail applications with hinged doors. Shaft adapter and mounting screws included.	Stock	\$12.50
<u>H05B</u>	Merz rotary handle, round, black/gray, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML1 switch bodies in DIN rail applications with hinged doors. Shaft adapter and mounting screws included.	Stock	\$12.50
<u>H06R</u>	Merz rotary handle, round, red/yellow, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML2 & ML3 switch bodies in DIN rail applications with hinged doors. Shaft adapter and mounting screws included.	Stock	\$14.50
<u>H06B</u>	Merz rotary handle, round, black/gray, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML2 & ML3 switch bodies in DIN rail applications with hinged doors. Shaft adapter and mounting screws included.	Stock	\$14.50
<u>H01R</u>	Merz rotary handle, round, red/yellow, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML1 switch bodies in DIN rail applications with non-hinged doors. Shaft adapter and mounting screws included.	Stock	\$12.50
<u>H01B</u>	Merz rotary handle, round, black/gray, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML1 switch bodies in DIN rail applications with non-hinged doors. Shaft adapter and mounting screws included.	Stock	\$12.50
<u>H02R</u>	Merz rotary handle, round, red/yellow, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML2 & ML3 switch bodies in DIN rail applications with non-hinged doors. Shaft adapter and mounting screws included.	Stock	\$14.50
<u>H02B</u>	Merz rotary handle, round, black/gray, external front mount, 2-position, lockable in OFF only, NEMA 4/4X. For use with Merz ML2 & ML3 switch bodies in DIN rail applications with non-hinged doors. Shaft adapter and mounting screws included.	Stock	\$14.50

<u>H10B</u>	Merz rotary handle, pistol, black/gray, direct mount, 2-position, lockable in OFF only, NEMA 1. For use with Merz ML1 switch bodies in DIN rail applications. On-off faceplate included.	Stock	\$7.25
<u>H10R</u>	Merz rotary handle, pistol, red/yellow, direct mount, 2-position, lockable in OFF only, NEMA 1. For use with Merz ML1 switch bodies in DIN rail applications. On-off faceplate included.	Stock	\$7.25
<u>H11B</u>	Merz rotary handle, pistol, black/gray, direct mount, 2-position, lockable in OFF only, NEMA 1. For use with Merz ML2 switch bodies in DIN rail applications. On-off faceplate included.	Stock	\$8.75
<u>H11R</u>	Merz rotary handle, pistol, red/yellow, direct mount, 2-position, lockable in OFF only, NEMA 1. For use with Merz ML2 switch bodies in DIN rail applications. On-off faceplate included.	Stock	\$8.75
<u>H12B</u>	Merz rotary handle, pistol, black/gray, direct mount, 2-position, lockable in OFF only, NEMA 1. For use with Merz ML3 switch bodies in DIN rail applications. On-off faceplate included.	Stock	\$12.00
<u>H12R</u>	Merz rotary handle, pistol, red/yellow, direct mount, 2-position, lockable in OFF only, NEMA 1. For use with Merz ML3 switch bodies in DIN rail applications. On-off faceplate included.	Stock	\$12.00
<u>ASB-AL265-365</u>	Merz shaft support, for use with Merz AL-265 and AL-365 shafts.	Stock	\$11.00
<u>AL-165</u>	Merz shaft, adjustable, 178-238mm. For use with Merz handles -H01R(B), -H02R(B), -H05R(B), -H06R(B).	Stock	\$5.50
<u>AL-265</u>	Merz shaft, adjustable, 278-338mm. For use with Merz handles -H01R(B), -H02R(B), -H05R(B), -H06R(B).	Stock	\$6.50
<u>AL-365</u>	Merz shaft, adjustable, 378-438mm. For use with Merz handles -H01R(B), -H02R(B), -H05R(B), -H06R(B).	Stock	\$7.75
<u>14011520</u>	Socomec shaft, 200mm length, 12 x 12mm. For use with S3 type handles. 15mm shaft adapter included.	Stock	\$17.50
<u>14011532</u>	Socomec shaft, 320mm length, 12 x 12mm. For use with S3 type handles. 15mm shaft adapter and shaft alignment guide 14290000 included.	Stock	\$23.50
<u>14011540</u>	Socomec shaft, 400mm length, 12 x 12mm. For use with S3 type handles. 15mm shaft adapter and shaft alignment guide 14290000 included.	Stock	\$26.50
<u>14001220</u>	Socomec shaft, 200mm length, 12 x 12mm. For use with S3 type handles.	Stock	\$17.50
<u>14001232</u>	Socomec shaft, 320mm length, 12 x 12mm. For use with S3 type handles. Shaft alignment guide 14290000 included.	Stock	\$21.00
<u>14001240</u>	Socomec shaft, 400mm length, 12 x 12mm. For use with S3 type handles. Shaft alignment guide 14290000 included.	Stock	\$24.00
<u>14010520</u>	Socomec shaft, 200mm length, 5 x 5mm. For use with S1 type handles.	Stock	\$11.00
<u>14010532</u>	Socomec shaft, 320mm length, 5 x 5mm. For use with S1 type handles. Shaft alignment guide 14290000 included.	Stock	\$12.50
<u>14010540</u>	Socomec shaft, 400mm length, 5 x 5mm. For use with S1 type handles. Shaft alignment guide 14290000 included.	Stock	\$15.00
<u>14050620</u>	Socomec shaft, 200mm length, 5 x 5mm. For use with S0 type handles. 6mm shaft adapter included.	Stock	\$12.00
<u>14050632</u>	Socomec shaft, 320mm length, 5 x 5mm. For use with S0 type handles. 6mm shaft adapter and shaft alignment guide 14190000 included.	Stock	\$15.00
<u>14050640</u>	Socomec shaft, 400mm length, 5 x 5mm. For use with S0 type handles. 6mm shaft adapter and shaft alignment guide 14190000 included.	Stock	\$15.00
<u>14001020</u>	Socomec shaft, 200mm length, 10 x 10mm. For use with S1 and S2 type handles.	Stock	\$14.00
<u>14001032</u>	Socomec shaft, 320mm length, 10 x 10mm. For use with S1 and S2 type handles. Shaft alignment guide 14290000 included.	Stock	\$15.00
<u>14001040</u>	Socomec shaft, 400mm length, 10 x 10mm. For use with S1 and S2 type handles. Shaft alignment guide 14290000 included.	Stock	\$16.50
<u>14190000</u>	Socomec shaft alignment guide, for use with 5mm shafts longer than 300mm.	Stock	\$2.75
<u>14290000</u>	Socomec shaft alignment guide, for use with 10mm shafts and above longer than 300mm.	Stock	\$7.50
<u>14040520</u>	Socomec shaft, 200mm length, 5 x 5mm. For use with S01 type handles.	Stock	\$12.00
<u>14040532</u>	Socomec shaft, 320mm length, 5 x 5mm. For use with S01 type handles. Shaft alignment guide 14290000 included.	Stock	\$15.00
<u>14040540</u>	Socomec shaft, 400mm length, 5 x 5mm. For use with S01 type handles. Shaft alignment guide 14290000 included.	Stock	\$24.00
<u>14070515</u>	Socomec shaft, 150mm length, 5 x 5mm. For use with S0 and S00 type handles.	Stock	\$6.00
<u>14070520</u>	Socomec shaft, 200mm length, 5 x 5mm. For use with S0 and S00 type handles.	Stock	\$7.00
<u>14070532</u>	Socomec shaft, 320mm length, 5 x 5mm. For use with S0 and S00 type handles. Shaft alignment guide 14190000 included.	Stock	\$7.75
Accessories for Disconnects and Switches			
<u>6603N</u>	Bryant neutral bus connector, for use with 664X33D and 664X63D rotary manual motor controllers.	Stock	\$63.00
<u>660AC</u>	Bryant field installable auxiliary contact, SPDT contact(s), 15A @ 250 VAC/0.1A @ 125 VDC. For use with 664X33D and 664X63D rotary manual motor controllers.	Stock	\$27.00

<u>BRYAUX1</u>	Bryant field installable auxiliary contact, side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with 20-100A Bryant pin and sleeve mechanical interlocks.	Stock	\$31.00
<u>BRYAUX2</u>	Bryant field installable auxiliary contact, side mount, (1) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC, screw terminal. For use with 20-100A Bryant pin and sleeve mechanical interlocks.	Stock	\$31.00
<u>BRYMIRS20</u>	Bryant disconnect switch, replacement, 3-pole, 20A. For use with 20A Bryant pin and sleeve mechanical interlocks.	Stock	\$64.00
<u>BRYMIRS30</u>	Bryant disconnect switch, replacement, 3-pole, 30A. For use with 30A Bryant pin and sleeve mechanical interlocks.	Stock	\$145.00
<u>BRYMIRS60100</u>	Bryant disconnect switch, replacement, 3-pole, 100A. For use with 60 & 100A Bryant pin and sleeve mechanical interlocks.	Stock	\$210.00
<u>BRYRPLCFT</u>	Bryant mounting feet, replacement. Package of 10. For use with 20-100A Bryant pin and sleeve mechanical interlocks. Hardware included.	Stock	\$19.00
<u>22001000</u>	Socomec fourth pole module, 600 VAC, 16A, load break capable, 65kA SCCR, UL 508 rated. For use with SIRCO M 16A switch body.	Stock	\$14.50
<u>22001001</u>	Socomec fourth pole module, 600 VAC, 20A, load break capable, 65kA SCCR, UL 508 rated. For use with SIRCO M 20A switch body.	Stock	\$15.50
<u>22001002</u>	Socomec fourth pole module, 600 VAC, 25A, load break capable, 65kA SCCR, UL 508 rated. For use with SIRCO M 25A switch body.	Stock	\$15.50
<u>22001003</u>	Socomec fourth pole module, 600 VAC, 32A, load break capable, 65kA SCCR, UL 508 rated. For use with SIRCO M 32A switch body.	Stock	\$17.00
<u>22001004</u>	Socomec fourth pole module, 600 VAC, 40A, load break capable, 65kA SCCR, UL 508 rated. For use with SIRCO M 40A switch body.	Stock	\$18.50
<u>22001010</u>	Socomec fourth pole module, 600 VAC, 100A, load break capable, 100kA SCCR, UL 98 rated. For use with SIRCO M Compact 30-100A switch bodies.	Stock	\$28.50
<u>22990001</u>	Socomec auxiliary contact, left or right side mount, (1) N.O. pre-break/ (1) N.C. contact(s), 6A @ 120 VAC. For use with SIRCO M and SIRCO M Compact 16-100A switch bodies.	Stock	\$18.50
<u>22990011</u>	Socomec auxiliary contact, left or right side mount, (2) N.O. contact(s), 6A @ 120 VAC. For use with SIRCO M and SIRCO M Compact 16-100A switch bodies.	Stock	\$20.50
<u>22005011</u>	Socomec solid neutral pole module, 600 VAC, UL 98 rated. For use with SIRCO M Compact 30-100A switch bodies.	Stock	\$24.00
<u>22009011</u>	Socomec ground pole module, 600 VAC, UL 98 rated. For use with SIRCO M Compact 30-100A switch bodies.	Stock	\$24.00
<u>22011003</u>	Socomec fourth pole module, 600 VAC, 30A, load break capable, 100kA SCCR, UL 98 rated. For use with SIRCO M Compact 30A switch body.	Stock	\$20.00
<u>22011006</u>	Socomec fourth pole module, 600 VAC, 60A, load break capable, 100kA SCCR, UL 98 rated. For use with SIRCO M Compact 60A switch body.	Stock	\$23.00
<u>27990021</u>	Socomec auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 10A @ 125 VAC. For use with SIRCO 100 - 600A switch bodies.	Stock	\$15.00
<u>27990022</u>	Socomec auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 10A @ 125 VAC. Package of 2. For use with SIRCO 100 - 600A switch bodies.	Stock	\$20.00
<u>27990121</u>	Socomec auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 1A @ 125 VAC, low impedance. For use with SIRCO 100 - 600A switch bodies.	Stock	\$17.00
<u>27990122</u>	Socomec auxiliary contact, front mount, (1) N.O./ (1) N.C. contact(s), 1A @ 125 VAC, low impedance. Package of 2. For use with SIRCO 100 - 600A switch bodies.	Stock	\$27.50
<u>39990701</u>	Socomec auxiliary contact, front mount, (1) N.O. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with FUSERBLOC and FUSERBLOC Compact 30-600A Switch bodies.	Stock	\$10.00
<u>39990702</u>	Socomec auxiliary contact, front mount, (1) N.C. contact(s), 6A @ 120 VAC/0.55A @ 120 VDC. For use with FUSERBLOC and FUSERBLOC Compact 30-600A Switch bodies.	Stock	\$10.00
<u>39990710</u>	Socomec auxiliary contact holder, side mount. For use with FUSERBLOC Compact Class J and CC 30A switch bodies.	Stock	\$16.00
<u>3999U041</u>	Socomec auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/2.2A @ 120 VDC. For use with FUSERBLOC 30-200A switch bodies.	Stock	\$34.00
<u>3999U042</u>	Socomec auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC/2.2A @ 120 VDC. Package of 2. For use with FUSERBLOC 30-200A switch bodies.	Stock	\$66.00
<u>41590021</u>	Socomec auxiliary contact, side mount, (1) N.O./ (1) N.C. contact(s), 16A @ 125 VAC/250 VAC. Package of 2. For use with SIRCOVER 100-400A transfer switch bodies.	Stock	\$17.00
<u>41590022</u>	Socomec auxiliary contact, side mount, (1) N.O./ (1) N.C. contact(s), 1A @ 125 VAC, low impedance. Package of 2. For use with SIRCOVER 100-400A transfer switch bodies.	Stock	\$26.50
<u>AUX11-V</u>	Merz auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC. For use with Merz ML1, ML2, ML3 Din Rail mount switch bodies -A01, -A02, -E01R, -E02R, -E03R, -E04R, -E05R.	Stock	\$10.50
<u>AUX11-E</u>	Merz auxiliary contact, left or right side mount, (1) N.O./ (1) N.C. contact(s), 6A @ 120 VAC. For use with Merz ML1, ML2, ML3 door mount switch bodies -H03R(B), -H04R(B).	Stock	\$10.50
<u>SK1-V</u>	Merz fourth pole module, 600 VAC, 40A, load break capable, 5kA SCCR, UL 508 rated. For use with Merz ML1 switch bodies in DIN rail applications.	Stock	\$8.25

<u>SK2-V</u>	Merz fourth pole module, 600 VAC, 80A, load break capable, 5kA SCCR, UL 508 rated. For use with Merz ML2 switch bodies in DIN rail applications.	Stock	\$17.00
<u>SK3-V</u>	Merz fourth pole module, 600 VAC, 125A, load break capable, 5kA SCCR, UL 508 rated. For use with Merz ML3 switch bodies in DIN rail applications.	Stock	\$20.50
<u>PE1-V</u>	Merz ground pole module, 600 VAC, 40A, UL 508 rated. For use with Merz ML1 switch bodies in DIN rail applications.	Stock	\$8.25
<u>PE2-V</u>	Merz ground pole module, 600 VAC, 80A, UL 508 rated. For use with Merz ML2 switch bodies in DIN rail applications.	Stock	\$13.00
<u>PE3-V</u>	Merz ground pole module, 600 VAC, 125A, UL 508 rated. For use with Merz ML3 switch bodies in DIN rail applications.	Stock	\$15.50
<u>N1-V</u>	Merz solid neutral pole module, 600 VAC, 40A, UL 508 rated. For use with Merz ML1 switch bodies in DIN rail applications.	Stock	\$7.25
<u>N2-V</u>	Merz solid neutral pole module, 600 VAC, 80A, UL 508 rated. For use with Merz ML2 switch bodies in DIN rail applications.	Stock	\$13.00
<u>N3-V</u>	Merz solid neutral pole module, 600 VAC, 125A, UL 508 rated. For use with Merz ML3 switch bodies in DIN rail applications.	Stock	\$15.50
<u>2KL-V</u>	Merz terminal, left or right side mount, 10A @ 600 VAC. For use with Merz ML1, ML2, ML3 Din Rail mount switch bodies -A01, -A02, -E01R, -E02R, -E03R, -E04R, -E05R.	Stock	\$25.50
<u>2KL-E</u>	Merz terminal, left or right side mount, 10A @ 600 VAC. For use with Merz ML1, ML2, ML3 door mount switch bodies -H03R(B), -H04R(B).	Stock	\$13.00
<u>30003FG</u>	Bryant finger guard, package of 2. For use with 30A or 40A manual motor controller switch (except model 4002).	Stock	\$11.00
<u>22941005</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 2. For use with SIRCO M 16-40A switch bodies.	Stock	\$3.00
<u>22941009</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 2. For use with SIRCO M 63A-80A switch bodies.	Stock	\$3.50
<u>22941011</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 2. For use with SIRCO M Compact 30-100A switch bodies.	Stock	\$5.00
<u>22943005</u>	Socomec terminal shroud, line or load side, 3-pole. Package of 2. For use with SIRCO M 16-40A switch bodies.	Stock	\$4.75
<u>22943009</u>	Socomec terminal shroud, line or load side, 3-pole. Package of 2. For use with SIRCO M 63A-80A switch bodies.	Stock	\$6.00
<u>22943016</u>	Socomec terminal shroud, line or load side, 3-pole. Package of 2. For use with SIRCO M Compact 30-100A switch bodies.	Stock	\$8.75
<u>27983021</u>	Socomec terminal screen, line side, 3-pole. For use with SIRCO & SIRCO DC 100-250A switch bodies.	Stock	\$23.50
<u>27983041</u>	Socomec terminal screen, line side, 3-pole. For use with SIRCO 400A switch bodies.	Stock	\$35.00
<u>27983060</u>	Socomec terminal screen, line or load side, 3-pole. For use with SIRCO 600A switch bodies.	Stock	\$78.00
<u>27984021</u>	Socomec terminal screen, line or load side, 4-pole. For use with SIRCO & SIRCO DC 100-250A switch bodies.	Stock	\$27.50
<u>27988021</u>	Socomec terminal screen, load side, 3-pole. For use with SIRCO & SIRCO DC 100-250A switch bodies.	Stock	\$23.50
<u>27988041</u>	Socomec terminal screen, load side, 3-pole. For use with SIRCO 400A switch bodies.	Stock	\$35.00
<u>38982020</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 2. For use with FUSERBLOC 200A switch bodies.	Stock	\$20.50
<u>38983020</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 3. For use with FUSERBLOC 200A switch bodies.	Stock	\$29.50
<u>38983040</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 3. For use with FUSERBLOC 400A switch bodies.	Stock	\$37.50
<u>38983080</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 3. For use with FUSERBLOC 600A switch bodies.	Stock	\$66.00
<u>38984020</u>	Socomec terminal shroud, line or load side, 1-pole. Package of 4. For use with FUSERBLOC 200A switch bodies.	Stock	\$38.00
<u>41583021</u>	Socomec terminal screen, line and load. For use with SIRCOVER 100-200A 2 and 3 pole transfer switch bodies.	Stock	\$23.50
<u>41583041</u>	Socomec terminal screen, line or load. For use with SIRCOVER 260-400A 2 and 3 pole transfer switch bodies.	Stock	\$33.00
<u>41584021</u>	Socomec terminal screen, line and load. For use with SIRCOVER 100-200A 4 pole transfer switch bodies.	Stock	\$36.00
<u>41584041</u>	Socomec terminal screen, line or load. For use with SIRCOVER 260-400A 4 pole transfer switch bodies.	Stock	\$38.00
<u>HS1-ML1</u>	Merz terminal shroud, line or load side, 1-pole. For use with SK1-V, PE1-V, N1-V.	Stock	\$3.00
<u>HS3-ML1</u>	Merz terminal shroud, line or load side, 3-pole. For use with Merz ML1 switch bodies.	Stock	\$8.75
<u>HS1-ML2</u>	Merz terminal shroud, line or load side, 1-pole. For use with SK2-V, PE2-V, N2-V.	Stock	\$5.50

<u>HS3-ML2</u>	Merz terminal shroud, line or load side, 3-pole. For use with Merz ML2 switch bodies.	Stock	\$14.50
<u>HS1-ML3</u>	Merz terminal shroud, line or load side, 1-pole. For use with SK3-V, PE3-V, N3-V.	Stock	\$6.50
<u>HS3-ML3</u>	Merz terminal shroud, line or load side, 3-pole. For use with Merz ML3 switch bodies.	Stock	\$17.50
<u>39542020</u>	Socomec box type wiring lug, line or load mount, 1 openings, #6 AWG-300 MCM wire(s). Package of 2. For use with SIRCO and SIRCO DC 100-250A switch bodies.	Stock	\$20.00
<u>39542040</u>	Socomec box type wiring lug, line or load mount, 1 openings, #4 AWG-600 MCM wire(s). Package of 2. For use with SIRCOVER 260-400A transfer switch bodies.	Stock	\$64.00
<u>39543020</u>	Socomec box type wiring lug, line or load mount, 1 openings, #6 AWG-300 MCM wire(s). Package of 3. For use with SIRCO and SIRCO DC 100-250A switch bodies.	Stock	\$29.50
<u>39543040</u>	Socomec box type wiring lug, line or load mount, 1 openings, #4 AWG-600 MCM wire(s). Package of 3. For use with SIRCO and FUSERBLOC SERIES 400A switch bodies; SIRCOVER 260-400A transfer switch bodies.	Stock	\$76.00
<u>39543041</u>	Socomec box type wiring lug, line or load mount, 2 openings, #6 AWG-350 MCM wire(s). Package of 3. For use with SIRCO and FUSERBLOC SERIES 400A switch bodies.	Stock	\$103.00
<u>39543060</u>	Socomec box type wiring lug, line or load mount, 2 openings, #2 AWG-600 MCM wire(s). Package of 3. For use with SIRCO and FUSERBLOC SERIES 600A switch bodies.	Stock	\$155.00
<u>39544020</u>	Socomec box type wiring lug, line or load mount, 1 openings, #6 AWG-300 MCM wire(s). Package of 4. For use with SIRCO and FUSERBLOC SERIES 200A switch bodies; SIRCOVER 100-200A transfer switch bodies.	Stock	\$38.50
<u>39544040</u>	Socomec box type wiring lug, line or load mount, 1 openings, #4 AWG-600 MCM wire(s). Package of 4. For use with SIRCOVER 260-400A transfer switch bodies.	Stock	\$123.00
<u>664XFT</u>	Bryant mounting feet kit, for use with 664X33D and 664X63D rotary manual motor controllers, includes 4 mounting feet, 4 mounting screws and instruction sheet.	Stock	\$13.00
<u>22993409</u>	Socomec door mounting hardware, for use with SIRCO M 16-80A switch bodies; use S0 and S00 handles only.	Stock	\$6.00
<u>41592021</u>	Socomec bridging bar assembly, line or load mount. Package of 2. For use with SIRCOVER 100A-200A transfer switch bodies. 2 connection bars and hardware included.	Stock	\$101.00
<u>41593021</u>	Socomec bridging bar assembly, line or load mount. Package of 3. For use with SIRCOVER 100A-200A transfer switch bodies. 3 connection bars and hardware included.	Stock	\$134.00
<u>41594021</u>	Socomec bridging bar assembly, line or load mount. Package of 4. For use with SIRCOVER 100A-200A transfer switch bodies. 4 connection bars and hardware included.	Stock	\$169.00
<u>41592041</u>	Socomec bridging bar assembly, line or load mount. Package of 2. For use with SIRCOVER 260A-400A transfer switch bodies. 2 connection bars and hardware included.	Stock	\$106.00
<u>41593041</u>	Socomec bridging bar assembly, line or load mount. Package of 3. For use with SIRCOVER 260A-400A transfer switch bodies. 3 connection bars and hardware included.	Stock	\$158.00
<u>41594041</u>	Socomec bridging bar assembly, line or load mount. Package of 4. For use with SIRCOVER 260A-400A transfer switch bodies. 4 connection bars and hardware included.	Stock	\$230.00
<u>ML-SKT-1</u>	Merz cover mounting screws, replacement. For use with Merz small size enclosed disconnects -E01R.	Stock	\$5.50
<u>ML-SKT-2</u>	Merz cover mounting screws, replacement. For use with Merz large size enclosed disconnects -E02R, -E03R, -E04R, -E05R.	Stock	\$6.50
<u>ML-SKT-3</u>	Merz screw kit, replacement. Mounting and hardware screws for shafts AL-165, AL-265, AL-365; shaft support ASB-AL265-365 and terminal shrouds HS3-ML1, HS3-ML2, HS3-ML3 included.	Stock	\$5.50
<u>ML-SKT-4</u>	Merz handle mounting screws, replacement. For use with Merz handles -H01R(B), -H02R(B), -H03R(B), -H04R(B), -H05R(B), -H06R(B), -H08R(B), -H09R(B) -H10R(B), -H11R(B), -H12R(B), -E01R, -E02R, -E03R, -E04R, -E05R.	Stock	\$6.25
Electrical Test Equipment			
<u>10031S</u>	Southwire digital multimeter, AC/DC voltage, DC current, resistance, continuity and battery tester, CAT III 600V. Test leads included.	Stock	\$35.00
<u>10037K</u>	Southwire electrical test kit, includes 10031S manual-ranging multimeter, a non-contact AC voltage detector and receptacle tester.	Stock	\$39.00
<u>16020N</u>	Southwire autoranging digital multimeter, AC/DC voltage, AC/DC current, resistance, continuity, capacitance, frequency and non-contact AC voltage detection, CAT I VAC 600V. Built-in test leads included.	Stock	\$42.50
<u>10041N</u>	Southwire autoranging digital multimeter, AC/DC voltage, AC/DC current, resistance, continuity, capacitance, frequency, non-contact AC voltage detection, battery tester and temperature, CAT III 600V. Test leads included.	Stock	\$56.50
<u>14060S</u>	Southwire TechnicianPRO autoranging digital multimeter, AC/DC voltage, AC/DC current, resistance, continuity, capacitance, frequency and temperature, CAT IV 600V/CAT III 1000V. Test leads included.	Stock	\$119.00
<u>23070T</u>	Southwire MaintenancePRO autoranging clamp meter, True RMS AC/DC voltage, AC/DC current, resistance, continuity, capacitance and frequency, CAT IV 600V/CAT III 1000V. Test leads included.	Stock	\$199.00
<u>60010S</u>	Southwire test lead set, CAT IV 600V/CAT III 1000V, 48in length. For use with all Southwire meters except for the 10010S Analog Multimeter. Alligator clip adapters included.	Stock	\$16.00
<u>40126N</u>	Southwire voltage tester, non-contact AC voltage detection, CAT IV 600V.	Stock	\$21.00
<u>40040S</u>	Southwire continuity tester, remote included. For use with individual wires and multiconductor cables.	Stock	\$30.00

M550	Southwire data/video cable tester, for use with Cat 7, Cat 7a, Cat 6a, Cat 6, Cat 5e, Cat 5, Cat 4, Cat 3 and Coax.	Stock	\$44.00
SEN-TESTER-001	AutomationDirect sensor tester, 24 VDC output. 9V rechargeable battery included.	Stock	\$73.00
Tool Sets			
WT92100	Wiha contractor set, 194 pieces.	Stock	\$1,346.00
05135871001	Wera maintenance set, 35 pieces, imperial.	Stock	\$229.00
05135870001	Wera maintenance set, 35 pieces, metric.	Stock	\$229.00
WT30278	Wiha standard screwdriver set, Phillips and slotted, 7 pieces.	Stock	\$47.00
WT30284	Wiha standard stubby screwdriver set, Phillips and slotted, 14 pieces.	Stock	\$102.00
WT32059	Wiha insulated screwdriver set, Phillips, slotted and square, 5 pieces, 1000V insulation rating.	Stock	\$41.00
WT32090	Wiha insulated screwdriver set, Phillips and slotted, 4 pieces, 1000V insulation rating.	Stock	\$33.00
WT32092	Wiha insulated screwdriver set, Phillips and slotted, 6 pieces, 1000V insulation rating.	Stock	\$58.00
WT35890	Wiha insulated screwdriver set, Phillips, slotted and square, 6 pieces, 1000V insulation rating.	Stock	\$57.00
WT32093	Wiha insulated screwdriver set, Phillips and slotted, 10 pieces, 1000V insulation rating.	Stock	\$85.00
WT32094	Wiha insulated screwdriver set, Phillips and slotted, 13 pieces, 1000V insulation rating.	Stock	\$126.00
WT32097	Wiha insulated screwdriver set, Phillips, slotted and square, 7 pieces, 1000V insulation rating.	Stock	\$54.00
WT32188	Wiha insulated screwdriver set, Phillips and slotted, 7 pieces, 1000V insulation rating.	Stock	\$62.00
WT32190	Wiha insulated screwdriver and nutdriver set, Phillips, slotted and internal hex, 15 pieces, 1000V insulation rating, imperial.	Stock	\$210.00
WT32590	Wiha insulated screwdriver set, Torx, 6 pieces, 1000V insulation rating.	Stock	\$47.00
WT32196	Wiha SlimLine insulated screwdriver set, Phillips, slotted and square, 6 pieces, 1000V insulation rating.	Stock	\$59.00
WT32197	Wiha SlimLine insulated screwdriver set, Phillips, slotted and square, 8 pieces, 1000V insulation rating.	Stock	\$126.00
WT32198	Wiha SlimLine insulated screwdriver set, Phillips, PlusMinus, slotted and square, 11 pieces, 1000V insulation rating.	Stock	\$107.00
05018283055	Wera Kraftform Plus heavy duty screwdriver set, Phillips and slotted, 6 pieces.	Stock	\$64.00
WT53082	Wiha heavy duty screwdriver set, Phillips and slotted, 2 pieces, hexagon bolster and impact cap in handle.	Stock	\$42.00
05073675001	Wera Kraftform Micro precision screwdriver set, Phillips, Torx, slotted and external hex, 12 pieces.	Stock	\$55.00
05073671055	Wera Kraftform Micro precision ESD screwdriver set, Phillips, Torx, Torx Plus, external hex, slotted and Pentalobe, 20 pieces, 44mm bit length, 4mm Halfmoon/HIOS drive, metric.	Stock	\$231.00
WT26090	Wiha precision screwdriver set, slotted, 6 pieces, free-spinning cap.	Stock	\$28.00
WT26092	Wiha precision screwdriver set, Phillips and slotted, 7 pieces, free-spinning cap.	Stock	\$35.00
WT26098	Wiha precision screwdriver set, slotted, 8 pieces, free-spinning cap.	Stock	\$44.00
WT26192	Wiha precision screwdriver set, Phillips and slotted, 5 pieces, free-spinning cap.	Stock	\$32.00
WT26194	Wiha precision screwdriver set, Phillips, 4 pieces, free-spinning cap.	Stock	\$21.00
WT26197	Wiha precision screwdriver set, Phillips and slotted, 7 pieces, free-spinning cap.	Stock	\$33.00
WT26199	Wiha precision screwdriver set, Phillips and slotted, 8 pieces, free-spinning cap.	Stock	\$47.00
WT26390	Wiha precision screwdriver set, external hex, 7 pieces, metric, free-spinning cap.	Stock	\$33.00
WT26391	Wiha precision screwdriver set, external hex, 8 pieces, imperial, free-spinning cap.	Stock	\$37.00
WT26491	Wiha precision screwdriver set, external hex, 5 pieces, metric, ball-end tip and free-spinning cap.	Stock	\$27.00
WT26590	Wiha precision nutdriver set, internal hex, 8 pieces, metric, free-spinning cap.	Stock	\$56.00
WT26591	Wiha precision nutdriver set, internal hex, 8 pieces, imperial, free-spinning cap.	Stock	\$56.00
WT26791	Wiha precision screwdriver set, Torx, 8 pieces, free-spinning cap.	Stock	\$50.00
WT26799	Wiha precision screwdriver set, Torx, 8 pieces, free-spinning cap.	Stock	\$57.00
05345230055	Wera nutdriver set, internal hex, 7 pieces, imperial.	Stock	\$45.00

<u>05029510055</u>	Wera nutdriver set, internal hex, 7 pieces, metric.	Stock	\$45.00
<u>WT32601</u>	Wiha pliers set, combination, long nose, tongue and groove and diagonal, 4 pieces.	Stock	\$94.00
<u>WT32608</u>	Wiha pliers set, combination, long nose, long flat nose, long round nose, diagonal and high leverage diagonal, 8 pieces.	Stock	\$179.00
<u>WT32626</u>	Wiha pliers set, internal snap ring, 5 pieces.	Stock	\$140.00
<u>WT32634</u>	Wiha pliers and cutters set, long nose, high leverage diagonal and linesmans, 3 pieces.	Stock	\$72.00
<u>WT32647</u>	Wiha pliers and cutters set, combination, long nose, tongue and groove and diagonal, 4 pieces.	Stock	\$121.00
<u>WT32648</u>	Wiha pliers and cutters set, long nose and diagonal, 2 pieces.	Stock	\$46.00
<u>WT32653</u>	Wiha pliers and cutters set, combination, long nose and high leverage diagonal, 3 pieces.	Stock	\$81.00
<u>WT32669</u>	Wiha pliers set, adjustable push button, 3 pieces.	Stock	\$108.00
<u>WT32670</u>	Wiha pliers set, tongue and groove, 3 pieces.	Stock	\$97.00
<u>WT32698</u>	Wiha pliers and cutters set, combination, long nose and diagonal, 3 pieces.	Stock	\$64.00
<u>WT32699</u>	Wiha pliers set, long nose and linesmans, 2 pieces.	Stock	\$64.00
<u>WT32968</u>	Wiha pliers and cutters set, long nose, linesmans and high leverage diagonal, 3 pieces, 1000V insulation rating.	Stock	\$112.00
<u>WT57830</u>	Wiha pliers set, wire stripping, crimping and wire cutting, 3 pieces.	Stock	\$74.00
<u>WT26190</u>	Wiha precision screwdriver and pliers set, slotted and Phillips, long nose, 8 pieces.	Stock	\$51.00
<u>WT26191</u>	Wiha precision screwdriver and cutters set, slotted and Phillips, classic diagonal, 8 pieces.	Stock	\$55.00
<u>WT32872</u>	Wiha SoftFinish insulated screwdriver, pliers, and cutters set, slotted and Phillips, long nose and diagonal, 5 pieces, 1000V insulation rating.	Stock	\$111.00
<u>WT32875</u>	Wiha SoftFinish insulated screwdriver and pliers set, slotted and Phillips, linesmans and long nose, 5 pieces, 1000V insulation rating.	Stock	\$166.00
<u>WT32984</u>	Wiha SoftFinish insulated screwdriver and pliers set, slotted, Phillips and square, combination and long nose, 6 pieces, 1000V insulation rating.	Stock	\$111.00
<u>WT32985</u>	Wiha SoftFinish insulated screwdriver and pliers set, slotted and Phillips, combination, long nose and diagonal, 7 pieces, 1000V insulation rating.	Stock	\$144.00
<u>WT32986</u>	Wiha SoftFinish insulated screwdriver and pliers set, slotted, Phillips and square, long nose, combination, diagonal and wire stripping, 11 pieces, 1000V insulation rating.	Stock	\$215.00
<u>05006612001</u>	Wera Kraftform Kompakt insulated screwdriver and pliers set, Phillips, Pozidriv, PlusMinus, Torx and slotted, combination, 17 pieces, 1000V insulation rating.	Stock	\$218.00
<u>05020110001</u>	Wera Joker adjustable wrench set, 4 pieces, steel, automatic and continuous self-setting and 30 degree low return angle.	Stock	\$220.00
<u>05020170001</u>	Wera Joker adjustable wrench set, 4 pieces, 1000V insulation rating.	Stock	\$269.00
<u>05073295055</u>	Wera Joker combination wrench set, 4 pieces, steel, imperial.	Stock	\$118.00
<u>05020012055</u>	Wera Joker combination wrench set, 8 pieces, steel, imperial.	Stock	\$226.00
<u>05073290055</u>	Wera Joker combination wrench set, 4 pieces, steel, metric.	Stock	\$118.00
<u>05020013055</u>	Wera Joker combination wrench set, 11 pieces, steel, metric.	Stock	\$316.00
<u>05004018055</u>	Wera Zyklop Metal standard ratchet, driver bit, and socket set, Phillips, Pozidriv, internal hex, Torx and external hex, 28 pieces, 1in bit length, 1/4in drive, metric.	Stock	\$120.00
<u>05004021055</u>	Wera Zyklop Metal standard ratchet, driver bit, and socket set, Phillips, Pozidriv, internal hex, Torx and external hex, 28 pieces, 1in bit length, 1/4in drive, imperial.	Stock	\$120.00
<u>05051045055</u>	Wera Zyklop Speed standard ratchet, driver bit, and socket set, Phillips, Pozidriv, Torx, internal hex, slotted and external hex, 26 pieces, 2in bit length, 1/4in drive, metric.	Stock	\$139.00
<u>05004048055</u>	Wera Zyklop Metal standard ratchet, driver bit, and socket set, Phillips, Pozidriv, internal hex, Torx and external hex, 29 pieces, 1in bit length, 3/8in drive, metric.	Stock	\$154.00
<u>05004051055</u>	Wera Zyklop Metal standard ratchet, driver bit, and socket set, Phillips, Pozidriv, internal hex, Torx and external hex, 29 pieces, 1in bit length, 3/8in drive, imperial.	Stock	\$154.00
<u>05004078055</u>	Wera Zyklop Metal standard ratchet, driver bit, and socket set, Phillips, internal hex, Torx and external hex, 28 pieces, 1in bit length, 1/2in drive, metric.	Stock	\$223.00
<u>05004081055</u>	Wera Zyklop Metal standard ratchet, driver bit, and socket set, Phillips, internal hex, Torx and external hex, 28 pieces, 1in bit length, 1/2in drive, imperial.	Stock	\$223.00
<u>TW-DB-SET-28R</u>	Wera Bit-Check standard driver bit set, Phillips, Torx, tamperproof torx, external hex, slotted and square, 31 pieces, 1in bit length, 1/4in drive, imperial.	Stock	\$85.00

<u>05057460055</u>	Wera Kraftform Kompakt standard and impact driver bit set, Phillips, Pozidriv, Torx, slotted and external hex, 52 pieces, 1in and 2in bit length, 1/4in drive, metric.	Stock	\$134.00
<u>05056490001</u>	Wera Tool-Check PLUS standard socket and driver bit set, Phillips, slotted, Torx, tamperproof torx, internal hex, external hex and Pozidriv, 39 pieces, 1in bit length, 1/4in drive, metric.	Stock	\$119.00
<u>05073220055</u>	Wera Tool-Check standard driver bit and socket set, Phillips, Pozidriv, slotted, Torx, tamperproof torx, internal hex and external hex, 38 pieces, 1in bit length, 1/4in drive, metric.	Stock	\$112.00
<u>05056491001</u>	Wera Tool-Check standard socket and driver bit set, Phillips, slotted, Torx, tamperproof torx, internal hex, square and external hex, 39 pieces, 1in bit length, 1/4in drive, imperial.	Stock	\$118.00
<u>WT33478</u>	Wiha T-handle hex key set, external hex, 5 pieces, 1000V insulation rating, metric.	Stock	\$63.00
<u>WT33490</u>	Wiha T-handle hex key set, external hex, 6 pieces, 1000V insulation rating, imperial.	Stock	\$76.00
<u>WT33492</u>	Wiha T-handle hex key set, external hex, 10 pieces, imperial.	Stock	\$59.00
<u>WT33493</u>	Wiha T-handle hex key set, external hex, 8 pieces, metric.	Stock	\$53.00
<u>WT33494</u>	Wiha T-handle hex key set, external hex, 11 pieces, imperial, ball-end tip and dual-drive handle.	Stock	\$82.00
<u>WT33496</u>	Wiha T-handle hex key set, external hex, 8 pieces, metric, ball-end tip and dual-drive handle.	Stock	\$69.00
<u>WT36590</u>	Wiha wing handle torx key set, Torx, 7 pieces.	Stock	\$23.00
<u>WT36592</u>	Wiha wing handle torx key set, Torx Plus, 7 pieces.	Stock	\$23.00
<u>WT37090</u>	Wiha flag handle torx key set, Torx, 7 pieces.	Stock	\$23.00
<u>WT54095</u>	Wiha T-handle hex key set, external hex, 8 pieces, metric, ball-end tip and dual-drive handle.	Stock	\$90.00
<u>WT54097</u>	Wiha T-handle hex key set, external hex, 10 pieces, imperial, ball-end tip and dual-drive handle.	Stock	\$108.00

Screwdriver Sets

<u>TW-SD-SET-1</u>	Wera Kraftform Plus standard screwdriver set, Phillips and slotted, 6 pieces.	Stock	\$39.00
<u>05008100001</u>	Wera Kraftform Plus standard terminal block tool kit, slotted, 2 pieces.	Stock	\$23.00
<u>WT30277</u>	Wiha SoftFinish standard screwdriver set, slotted and Phillips, 5 pieces.	Stock	\$37.00
<u>TW-SD-SET-2</u>	Wera Kraftform Plus insulated screwdriver set, Phillips and slotted, 6 pieces, 1000V insulation rating.	Stock	\$43.00
<u>WT32099</u>	Wiha SoftFinish insulated screwdriver set, slotted and Phillips, 7 pieces, 1000V insulation rating.	Stock	\$66.00
<u>WT32091</u>	Wiha SoftFinish insulated screwdriver set, slotted and Phillips, 5 pieces, 1000V insulation rating.	Stock	\$44.00
<u>TW-SD-SET-3</u>	Wera Kraftform Micro precision screwdriver set, Phillips and slotted, 6 pieces.	Stock	\$32.00
<u>05134000001</u>	Wera Kraftform Micro precision screwdriver set, Phillips, Torx, Torx Plus, external hex, slotted, internal hex, Microstix and lifting fork, 25 pieces, metric.	Stock	\$176.00
<u>DN-TOOL2</u>	DINnector terminal block tool kit, for use with DN series terminal blocks, includes (1) spring opening tool for DN-Q series screwless terminal blocks and (1) jumper removal tool for J2, J4, J6, and JL14 jumpers.	Stock	\$12.50

Multi-bit Screwdrivers

<u>WT32490</u>	Wiha SlimLine SpeedE II insulated multi-bit electric screwdriver, 1000V insulation rating, 13 pieces, SoftFinish cushion grip handle, 2.1in (53mm) shaft length, slotted, Phillips, square and PlusMinus.	Stock	\$252.00
<u>WT28345</u>	Wiha SlimLine PocketMax insulated multi-bit screwdriver, 1000V insulation rating, 6 pieces, SoftFinish cushion grip handle with bit storage, 2.0in (50mm) shaft length, slotted, Phillips and square.	Stock	\$56.00
<u>05006600001</u>	Wera Kraftform Kompakt insulated multi-bit screwdriver, 1000V insulation rating, 7 pieces, Kraftform ergonomic handle, 4.0in (102mm) shaft length, Phillips and slotted.	Stock	\$48.00
<u>05006616001</u>	Wera Kraftform Kompakt insulated multi-bit screwdriver, 1000V insulation rating, 18 pieces, Kraftform ergonomic handle, 4.0in (102mm) shaft length, Phillips, Pozidriv, PlusMinus, slotted and square.	Stock	\$102.00
<u>05059295001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 17 pieces, metric, Kraftform ergonomic handle, Phillips, Pozidriv, tamperproof torx, external hex and slotted.	Stock	\$75.00
<u>05059297001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 33 pieces, metric, Kraftform ergonomic handle, Phillips, Pozidriv, tamperproof torx, tamperproof hex, Torq-set, Tri-wing and slotted.	Stock	\$114.00
<u>TW-DB-SET-SD1</u>	Wera Kraftform Kompakt multi-bit screwdriver, 8 pieces, Kraftform ergonomic handle with bit storage, 4.0in (102mm) shaft length, Phillips and slotted.	Stock	\$47.00
<u>05051021001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 7 pieces, Kraftform ergonomic handle with bit storage, 2.8in (70mm) shaft length, Phillips, Pozidriv and slotted.	Stock	\$46.00
<u>05051025001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 7 pieces, Kraftform ergonomic handle with bit storage, 2.8in (70mm) shaft length, Phillips, square and slotted.	Stock	\$46.00
<u>05008873001</u>	Wera Kraftform Kompakt stubby multi-bit screwdriver, 6 pieces, Kraftform ergonomic handle with bit storage, Phillips, Torx and slotted.	Stock	\$24.00

<u>05008874001</u>	Wera Kraftform Kompakt stubby multi-bit screwdriver, 6 pieces, Kraftform ergonomic handle with bit storage, Phillips, Pozidriv and slotted.	Stock	\$24.00
<u>WT28188</u>	Wiha Drive-Loc VI multi-bit adjustable shaft screwdriver, 32 pieces, imperial and metric, SoftFinish cushion grip blade lock handle, adjustable shaft length, slotted, Phillips, tamperproof torx, square, external hex and internal hex.	Stock	\$324.00
<u>WT28189</u>	Wiha Drive-Loc VI multi-bit adjustable shaft screwdriver, 15 pieces, imperial and metric, SoftFinish cushion grip blade lock handle, adjustable shaft length, slotted, Phillips, tamperproof torx, external hex and square.	Stock	\$168.00
<u>211R2C36RD</u>	Megapro RATCHETING multi-bit screwdriver, 7 pieces, cushion grip with bit storage, 3.0in (75mm) shaft length, Phillips, Torx, square and slotted.	Stock	\$34.00
<u>151NAS</u>	Megapro ORIGINAL multi-bit screwdriver, 8 pieces, palm-saver with bit storage, 2.6in (66mm) shaft length, Phillips, Torx, square and slotted.	Stock	\$22.00
<u>151ELEC</u>	Megapro ELECTRONIC multi-bit screwdriver, 8 pieces, palm-saver with bit storage, 2.6in (66mm) shaft length, Phillips, Torx, square, slotted and spanner.	Stock	\$30.00
<u>151HX</u>	Megapro HEX multi-bit screwdriver, 8 pieces, palm-saver with bit storage, 2.6in (66mm) shaft length, external hex.	Stock	\$25.00
<u>151AUTO</u>	Megapro AUTOMOTIVE multi-bit screwdriver, 8 pieces, palm-saver with bit storage, 2.6in (66mm) shaft length, slotted, Phillips and Torx.	Stock	\$25.00
<u>251PRECISION</u>	Megapro PRECISION multi-bit screwdriver, 13 pieces, rubberized handle with bit storage, 1.8in (46mm) shaft length, Phillips, Torx, external hex, slotted, tamperproof torx, spanner, Pentalobe and tri-angle.	Stock	\$30.00
<u>151SL44</u>	Megapro SHAFTLOK multi-bit screwdriver, 8 pieces, palm-saver with bit storage, 2.6in (66mm) shaft length, Phillips, Torx, square and slotted.	Stock	\$27.00
<u>6EXT-SL6</u>	Megapro SHAFTLOK series extension, 6in shaft length. For use with SHAFTLOK handle 151SL44.	Stock	\$12.00
<u>05051060001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 14 pieces, ratcheting, metric, Kraftform ergonomic handle, Phillips, Pozidriv, Torx, external hex and slotted.	Stock	\$62.00
<u>05051065001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 14 pieces, ratcheting, imperial, Kraftform ergonomic handle, Phillips, square, Torx, external hex and slotted.	Stock	\$62.00
<u>05051061001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 15 pieces, ratcheting, metric, Kraftform ergonomic handle, Phillips, Pozidriv, Torx, external hex and slotted.	Stock	\$95.00
<u>05051066001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 15 pieces, ratcheting, imperial, Kraftform ergonomic handle, Phillips, Torx, external hex, square and slotted.	Stock	\$95.00
<u>05051041001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 17 pieces, ratcheting, imperial, Kraftform ergonomic handle, Phillips, Pozidriv, tamperproof torx, external hex and slotted.	Stock	\$112.00
<u>05051040001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 17 pieces, ratcheting, metric, Kraftform ergonomic handle, Phillips, Pozidriv, tamperproof torx, external hex and slotted.	Stock	\$108.00
<u>05073660001</u>	Wera Kraftform Kompakt multi-bit screwdriver, 6 pieces, ratcheting, Kraftform ergonomic handle with bit storage, 3.9in (100mm) shaft length, Phillips, Pozidriv and slotted.	Stock	\$66.00
<u>05073661002</u>	Wera Kraftform Kompakt multi-bit screwdriver, 6 pieces, ratcheting, Kraftform ergonomic handle with bit storage, 3.9in (100mm) shaft length, Phillips, square and slotted.	Stock	\$57.00
<u>05051492001</u>	Wera Kraftform Kompakt multi-bit screwdriver handle, 4.0in (102mm) overall length, 1/4in drive, 10 degrees degree return angle, magnetic bit holder locking mechanism, Kraftform ergonomic handle.	Stock	\$24.00
<u>05051493001</u>	Wera Kraftform Kompakt multi-bit screwdriver handle, 4.8in (122mm) overall length, 1/4in drive, 10 degrees degree return angle, Rapidaptor quick-release bit holder locking mechanism, Kraftform ergonomic handle.	Stock	\$37.00
<u>05051461001</u>	Wera Kraftform Kompakt multi-bit screwdriver handle, 5.6in (141mm) overall length, 1/4in drive, 8 degrees degree return angle, Rapidaptor quick-release bit holder locking mechanism, Kraftform ergonomic handle.	Stock	\$46.00
<u>05004281001</u>	Wera Zyklop Pocket standard multi-bit ratchet screwdriver and socket set, Phillips, Pozidriv, Torx, external hex and internal hex, 18 pieces, 5.2in (133mm) overall length, 1in bit length, 3/8in drive, metric.	Stock	\$155.00
<u>05004283001</u>	Wera Zyklop Pocket standard multi-bit ratchet screwdriver and socket set, Phillips, Torx, external hex, square and internal hex, 18 pieces, 5.2in (133mm) overall length, 1in bit length, 3/8in drive, imperial.	Stock	\$155.00
<u>05023471001</u>	Wera Kraftform Kompakt standard T-handle bit holder set, Phillips, Pozidriv, Torx, external hex and slotted, 17 pieces, 3.5in bit length, 1/4in drive, metric.	Stock	\$141.00
<u>05057473001</u>	Wera Kraftform Kompakt standard T-handle bit holder set, Phillips, Torx, external hex, square and slotted, 17 pieces, 3.5in bit length, 1/4in drive, imperial.	Stock	\$141.00
<u>WT77890</u>	Wiha SoftFinish multi-bit reversible shaft screwdriver, 4 pieces, SoftFinish cushion grip handle, 3.0in (75mm) shaft length, slotted and Phillips.	Stock	\$15.00
<u>WT77891</u>	Wiha SoftFinish multi-bit reversible shaft screwdriver, 8 pieces, SoftFinish cushion grip handle, 3.0in (75mm) shaft length, slotted, Phillips, square and Torx.	Stock	\$19.00
<u>WT77892</u>	Wiha SoftFinish multi-bit reversible shaft screwdriver, 5 pieces, SoftFinish cushion grip handle, 2.4in (60mm) shaft length, slotted and Phillips.	Stock	\$30.00
<u>WT28103</u>	Wiha multi-bit stubby bit holder, 2.25in (57mm) overall length, 1/4in drive, magnetic bit holder locking mechanism, SoftFinish cushion grip handle with bit storage.	Stock	\$15.00
<u>05350451055</u>	Wera multi-bit adjustable torque screwdriver set, Torx, Torx Plus and external hex, 27 pieces, 1in bit length, 1/4in drive.	Stock	\$359.00
<u>05075851001</u>	Wera Kraftform Safe-Torque multi-bit adjustable torque screwdriver, 16 pieces, Kraftform ergonomic handle, Phillips, Torx Plus, tamperproof torx and external hex.	Stock	\$176.00

WT28310	Wiha SlimLine 3.5mm slotted insulated blade, 1000V insulation rating, 3.0in (76mm) shaft length, reduced shank.	Stock	\$7.00
WT28315	Wiha SlimLine 6.5mm slotted insulated blade, 1000V insulation rating, 3.0in (76mm) shaft length, reduced shank.	Stock	\$7.00
WT28317	Wiha SlimLine #1 Phillips insulated blade, 1000V insulation rating, 3.0in (76mm) shaft length, reduced shank.	Stock	\$7.00
WT28319	Wiha SlimLine #2 Phillips insulated blade, 1000V insulation rating, 3.0in (76mm) shaft length, reduced shank.	Stock	\$7.00
WT28347	Wiha SlimLine #2 square insulated blade, 1000V insulation rating, 3.0in (76mm) shaft length, reduced shank.	Stock	\$7.00
Single Screwdrivers			
TW-SD-SL-1	Wera Kraftform Plus 3.0mm slotted standard screwdriver, 3.1in (80mm) shaft length, Kraftform ergonomic handle.	Stock	\$3.00
TW-SD-SL-2	Wera Kraftform Plus 4.0mm slotted standard screwdriver, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$4.00
TW-SD-SL-3	Wera Kraftform Plus 5.5mm slotted standard screwdriver, 4.9in (125mm) shaft length, Kraftform ergonomic handle.	Stock	\$8.00
TW-SD-SL-4	Wera Kraftform Plus 6.5mm slotted standard screwdriver, 5.9in (150mm) shaft length, Kraftform ergonomic handle.	Stock	\$11.00
05008027055	Wera Kraftform Plus 4.0mm slotted standard screwdriver, 11.8in (300mm) shaft length, Kraftform ergonomic handle.	Stock	\$9.00
05008060055	Wera Kraftform Plus 5.5mm slotted standard screwdriver, 11.8in (300mm) shaft length, Kraftform ergonomic handle.	Stock	\$10.00
TW-SD-PH-3	Wera Kraftform Plus #0 Phillips standard screwdriver, 2.4in (60mm) shaft length, Kraftform ergonomic handle.	Stock	\$5.00
TW-SD-PH-1	Wera Kraftform Plus #1 Phillips standard screwdriver, 3.1in (80mm) shaft length, Kraftform ergonomic handle.	Stock	\$8.00
TW-SD-PH-2	Wera Kraftform Plus #2 Phillips standard screwdriver, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$10.00
05008715055	Wera Kraftform Plus #1 Phillips standard screwdriver, 11.8in (300mm) shaft length, Kraftform ergonomic handle.	Stock	\$9.00
05008730055	Wera Kraftform Plus #2 Phillips standard screwdriver, 11.8in (300mm) shaft length, Kraftform ergonomic handle.	Stock	\$11.00
05138262055	Wera Kraftform Plus TX20 tamperproof torx standard screwdriver, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$9.00
05023105001	Wera Kraftform Plus 2.0mm external hex standard screwdriver, 3.0in (75mm) shaft length, Kraftform ergonomic handle.	Stock	\$3.00
05023107001	Wera Kraftform Plus 2.5mm external hex standard screwdriver, 3.0in (75mm) shaft length, Kraftform ergonomic handle.	Stock	\$4.00
05023110001	Wera Kraftform Plus 3.0mm external hex standard screwdriver, 3.0in (75mm) shaft length, Kraftform ergonomic handle.	Stock	\$4.00
05008101001	Wera Kraftform Plus 2.5mm slotted standard terminal block tool, 3.2in (81mm) shaft length, Kraftform ergonomic handle.	Stock	\$11.00
05008102001	Wera Kraftform Plus 3.5mm slotted standard terminal block tool, 3.2in (81mm) shaft length, Kraftform ergonomic handle.	Stock	\$11.00
WT30204	Wiha 3mm slotted standard screwdriver, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
WT30205	Wiha 3mm slotted standard screwdriver, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
WT30210	Wiha 3.5mm slotted standard screwdriver, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
WT30211	Wiha 4.5mm slotted standard screwdriver, 4.9in (125mm) shaft length, SoftFinish cushion grip handle.	Stock	\$8.00
WT30215	Wiha 4mm slotted standard screwdriver, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
WT30218	Wiha 4.5mm slotted standard screwdriver, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
WT30220	Wiha 5.5mm slotted standard screwdriver, 4.9in (125mm) shaft length, SoftFinish cushion grip handle.	Stock	\$8.00
WT30223	Wiha 6.5mm slotted standard screwdriver, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
WT30225	Wiha 6.5mm slotted standard screwdriver, 5.9in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
WT30265	Wiha 6.5mm slotted standard screwdriver, 3.0in (76mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
WT30268	Wiha 8mm slotted standard screwdriver, 5.9in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$16.00
WT31105	Wiha #0 Phillips standard screwdriver, 2.4in (60mm) shaft length, SoftFinish cushion grip handle.	Stock	\$5.00
WT31110	Wiha SoftFinish #1 Phillips standard screwdriver, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$8.00

<u>WT31115</u>	Wiha SoftFinish #2 Phillips standard screwdriver, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$10.00
<u>WT31117</u>	Wiha #2 Phillips standard screwdriver, 7.8in (200mm) shaft length, SoftFinish cushion grip handle.	Stock	\$10.00
<u>WT31118</u>	Wiha #2 Phillips standard screwdriver, 11.8in (300mm) shaft length, SoftFinish cushion grip handle.	Stock	\$14.00
<u>WT31120</u>	Wiha #3 Phillips standard screwdriver, 5.9in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$13.00
<u>TW-SD-VSL-1</u>	Wera Kraftform Plus 2.5mm slotted insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, Kraftform ergonomic handle.	Stock	\$7.00
<u>TW-SD-VSL-2</u>	Wera Kraftform Plus 3.0mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$7.00
<u>05006440055</u>	Wera Kraftform Plus 3.5mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, reduced shank, Kraftform ergonomic handle.	Stock	\$10.00
<u>05006441055</u>	Wera Kraftform Plus 4.0mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, reduced shank, Kraftform ergonomic handle.	Stock	\$11.00
<u>TW-SD-VSL-3</u>	Wera Kraftform Plus 4.0mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$8.00
<u>TW-SD-VSL-4</u>	Wera Kraftform Plus 5.5mm slotted insulated screwdriver, 1000V insulation rating, 4.9in (125mm) shaft length, Kraftform ergonomic handle.	Stock	\$10.00
<u>05006442055</u>	Wera Kraftform Plus 5.5mm slotted insulated screwdriver, 1000V insulation rating, 4.9in (125mm) shaft length, reduced shank, Kraftform ergonomic handle.	Stock	\$12.00
<u>05006450055</u>	Wera Kraftform Plus #1 Phillips insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, reduced shank, Kraftform ergonomic handle.	Stock	\$11.00
<u>TW-SD-VPH-1</u>	Wera Kraftform Plus #1 Phillips insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, Kraftform ergonomic handle.	Stock	\$9.00
<u>05006451055</u>	Wera Kraftform Plus #2 Phillips insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, reduced shank, Kraftform ergonomic handle.	Stock	\$14.00
<u>TW-SD-VPH-2</u>	Wera Kraftform Plus #2 Phillips insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$11.00
<u>WT32005</u>	Wiha SoftFinish 2.0mm slotted insulated screwdriver, 1000V insulation rating, 2.4in (60mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32010</u>	Wiha SoftFinish 2.5mm slotted insulated screwdriver, 1000V insulation rating, 3.0in (75mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32012</u>	Wiha SoftFinish 3.0mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32015</u>	Wiha SoftFinish 3.5mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32023</u>	Wiha 4.5mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$8.00
<u>WT32017</u>	Wiha SoftFinish 4.0mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$8.00
<u>WT32024</u>	Wiha SoftFinish 4.5mm slotted insulated screwdriver, 1000V insulation rating, 4.9in (125mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT32031</u>	Wiha 5.5mm slotted insulated screwdriver, 1000V insulation rating, 4.9in (125mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT32026</u>	Wiha 5.5mm slotted insulated screwdriver, 1000V insulation rating, 6.9in (175mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT32034</u>	Wiha 6mm slotted insulated screwdriver, 1000V insulation rating, 5.9in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$11.00
<u>WT32039</u>	Wiha SoftFinish 6.5mm slotted insulated screwdriver, 1000V insulation rating, 5.9in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$12.00
<u>WT32100</u>	Wiha SoftFinish #0 Phillips insulated screwdriver, 1000V insulation rating, 2.4in (60mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32101</u>	Wiha SoftFinish #1 Phillips insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$8.00
<u>WT32102</u>	Wiha SoftFinish #2 Phillips insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$10.00
<u>WT32103</u>	Wiha SoftFinish #3 Phillips insulated screwdriver, 1000V insulation rating, 6.0in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$15.00
<u>WT32505</u>	Wiha SoftFinish T5 Torx insulated screwdriver, 1000V insulation rating, 2.4in (60mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32531</u>	Wiha SoftFinish T10 Torx insulated screwdriver, 1000V insulation rating, 2.4in (60mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32521</u>	Wiha T8 Torx insulated screwdriver, 1000V insulation rating, 2.4in (60mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00

<u>WT32526</u>	Wiha T9 Torx insulated screwdriver, 1000V insulation rating, 2.4in (60mm) shaft length, SoftFinish cushion grip handle.	Stock	\$7.00
<u>WT32536</u>	Wiha T15 Torx insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT32541</u>	Wiha T20 Torx insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT32546</u>	Wiha T25 Torx insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT32551</u>	Wiha T27 Torx insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$11.00
<u>WT32556</u>	Wiha T30 Torx insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$11.00
<u>WT35811</u>	Wiha #1 square insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT35812</u>	Wiha #2 square insulated screwdriver, 1000V insulation rating, 5.9in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$11.00
<u>WT30702</u>	Wiha #1 PlusMinus insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, SoftFinish cushion grip handle.	Stock	\$9.00
<u>WT30704</u>	Wiha #2 PlusMinus insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, SoftFinish cushion grip handle.	Stock	\$11.00
<u>WT32046</u>	Wiha SlimLine 3.5mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$13.00
<u>WT32049</u>	Wiha SlimLine 4mm slotted insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$15.00
<u>WT32052</u>	Wiha SlimLine 4.5mm slotted insulated screwdriver, 1000V insulation rating, 4.9in (125mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$15.00
<u>WT32055</u>	Wiha SlimLine 5.5mm slotted insulated screwdriver, 1000V insulation rating, 4.9in (125mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$16.00
<u>WT32058</u>	Wiha SlimLine 6.5mm slotted insulated screwdriver, 1000V insulation rating, 5.9in (150mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$19.00
<u>WT32145</u>	Wiha SlimLine #1 Phillips insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$15.00
<u>WT32146</u>	Wiha SlimLine #2 Phillips insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$18.00
<u>WT30746</u>	Wiha SlimLine #1 PlusMinus insulated screwdriver, 1000V insulation rating, 3.1in (80mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$16.00
<u>WT30747</u>	Wiha SlimLine #2 PlusMinus insulated screwdriver, 1000V insulation rating, 3.9in (100mm) shaft length, reduced shank, SoftFinish cushion grip handle.	Stock	\$20.00
<u>05018300055</u>	Wera Kraftform Plus 4.5mm slotted heavy duty screwdriver, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$12.00
<u>05018301055</u>	Wera Kraftform Plus 5.5mm slotted heavy duty screwdriver, 4.1in (103mm) shaft length, Kraftform ergonomic handle.	Stock	\$17.00
<u>05018302055</u>	Wera Kraftform Plus 7.0mm slotted heavy duty screwdriver, 3.9in (100mm) shaft length, Kraftform ergonomic handle.	Stock	\$20.00
<u>05017040055</u>	Wera Kraftform Plus #1 Phillips heavy duty screwdriver, 3.5in (90mm) shaft length, Kraftform ergonomic handle.	Stock	\$14.00
<u>05017041055</u>	Wera Kraftform Plus #2 Phillips heavy duty screwdriver, 4.5in (113mm) shaft length, Kraftform ergonomic handle.	Stock	\$20.00
<u>WT53027</u>	Wiha 8mm slotted heavy duty screwdriver, 5.9in (150mm) shaft length, SoftFinish cushion grip handle.	Stock	\$26.00
<u>WT53035</u>	Wiha 10mm slotted heavy duty screwdriver, 6.9in (175mm) shaft length, SoftFinish cushion grip handle.	Stock	\$27.00
<u>TW-SD-MSL-1</u>	Wera Kraftform Micro 2.0mm slotted precision screwdriver, 2.4in (60mm) shaft length, Kraftform ergonomic handle with rotating cap.	Stock	\$4.00
<u>TW-SD-MSL-2</u>	Wera Kraftform Micro 2.5mm slotted precision screwdriver, 3.1in (80mm) shaft length, Kraftform ergonomic handle with rotating cap.	Stock	\$4.00
<u>TW-SD-MSL-3</u>	Wera Kraftform Micro 3.0mm slotted precision screwdriver, 3.1in (80mm) shaft length, Kraftform ergonomic handle with rotating cap.	Stock	\$4.00
<u>TW-SD-MPH-1</u>	Wera Kraftform Micro #0 Phillips precision screwdriver, 2.4in (60mm) shaft length, Kraftform ergonomic handle with rotating cap.	Stock	\$4.00
<u>05118064001</u>	Wera Kraftform Micro 1.3mm (.050in) external hex precision screwdriver, 1.6in (40mm) shaft length, Kraftform ergonomic handle with rotating cap.	Stock	\$4.00
<u>05118066001</u>	Wera Kraftform Micro 1.5mm external hex precision screwdriver, 2.4in (60mm) shaft length, Kraftform ergonomic handle with rotating cap.	Stock	\$4.00

<u>05118068001</u>	Wera Kraftform Micro 2.0mm external hex precision screwdriver, 2.4in (60mm) shaft length, Kraftform ergonomic handle with rotating cap.	Stock	\$3.00
<u>WT26008</u>	Wiha 0.8mm slotted precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$7.00
<u>WT26010</u>	Wiha 1.0mm slotted precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$7.00
<u>WT26012</u>	Wiha 1.2mm slotted precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$6.00
<u>WT26015</u>	Wiha 1.5mm slotted precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26018</u>	Wiha 1.8mm slotted precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26020</u>	Wiha 2.0mm slotted precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26022</u>	Wiha 2.0mm slotted precision screwdriver, 2.0in (50mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26025</u>	Wiha 2.5mm slotted precision screwdriver, 2.0in (50mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26027</u>	Wiha 2.5mm slotted precision screwdriver, 3.9in (100mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26028</u>	Wiha 2.5mm slotted precision screwdriver, 5.9in (150mm) shaft length, cushion grip handle with rotating cap.	Stock	\$6.00
<u>WT26030</u>	Wiha 3.0mm slotted precision screwdriver, 2.0in (50mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00
<u>WT26032</u>	Wiha 3.0mm slotted precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26033</u>	Wiha 3.0mm slotted precision screwdriver, 3.9in (100mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26034</u>	Wiha 3.0mm slotted precision screwdriver, 5.9in (150mm) shaft length, cushion grip handle with rotating cap.	Stock	\$6.00
<u>WT26035</u>	Wiha 3.5mm slotted precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26041</u>	Wiha 4mm slotted precision screwdriver, 3.9in (100mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26042</u>	Wiha 4mm slotted precision screwdriver, 5.9in (150mm) shaft length, cushion grip handle with rotating cap.	Stock	\$6.00
<u>WT26074</u>	Wiha PicoFinish 3.5mm slotted precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$7.00
<u>WT26040</u>	Wiha 4.0mm slotted precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$6.00
<u>WT26102</u>	Wiha #000 Phillips precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$7.00
<u>WT26100</u>	Wiha #00 Phillips precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$6.00
<u>WT26105</u>	Wiha #0 Phillips precision screwdriver, 2.0in (50mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26108</u>	Wiha #0 Phillips precision screwdriver, 3.0in (75mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26109</u>	Wiha #0 Phillips precision screwdriver, 5.9in (150mm) shaft length, cushion grip handle with rotating cap.	Stock	\$6.00
<u>WT26110</u>	Wiha #1 Phillips precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26115</u>	Wiha #1 Phillips precision screwdriver, 5.9in (150mm) shaft length, cushion grip handle with rotating cap.	Stock	\$7.00
<u>WT26307</u>	Wiha 0.7mm (.028in) external hex precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26309</u>	Wiha 0.9mm (.035in) external hex precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26313</u>	Wiha 1.3mm (.050in) external hex precision screwdriver, 1.6in (40mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26315</u>	Wiha 1.5mm external hex precision screwdriver, 2.0in (50mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26320</u>	Wiha 2.0mm (5/64in) external hex precision screwdriver, 2.0in (50mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00
<u>WT26023</u>	Wiha 2.0mm slotted precision screwdriver, 3.9in (100mm) shaft length, cushion grip handle with rotating cap.	Stock	\$5.00
<u>WT26325</u>	Wiha 2.5mm external hex precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00
<u>WT26334</u>	Wiha 3mm external hex precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00
<u>WT26316</u>	Wiha 1/16in external hex precision screwdriver, 2.0in (50mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00
<u>WT26323</u>	Wiha 3/32in external hex precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00
<u>WT26326</u>	Wiha 7/64in external hex precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00

<u>WT26335</u>	Wiha 1/8in external hex precision screwdriver, 2.4in (60mm) shaft length, cushion grip handle with rotating cap.	Stock	\$4.00
<u>05075815001</u>	Wera Kraftform Safe-Torque screwdriver, 2.0-6.0 Nm set point, +/-10% accuracy, numerical torque value, audible excess load signal, 1/4in drive.	Stock	\$99.00
<u>05075810001</u>	Wera Kraftform Safe-Torque screwdriver, 1.0-3.0 Nm set point, +/-10% accuracy, numerical torque value, audible excess load signal, 1/4in drive.	Stock	\$99.00
<u>05074702001</u>	Wera Kraftform 7400 screwdriver, 3.0-6.0 Nm set point, +/-6% (DIN EN ISO 6789) accuracy, numerical torque value, audible excess load signal, 1/4in drive.	Stock	\$147.00
<u>TW-TD-2-11</u>	Wera Kraftform 7400 screwdriver, 2.5-11.5 in-lb set point, +/-6% (DIN EN ISO 6789) accuracy, numerical torque value, audible excess load signal, 1/4in drive.	Stock	\$98.00
<u>TW-TD-11-29</u>	Wera Kraftform 7400 screwdriver, 11-29 in-lb set point, +/-6% (DIN EN ISO 6789) accuracy, numerical torque value, audible excess load signal, 1/4in drive.	Stock	\$98.00
<u>05074712055</u>	Wera Kraftform 7400 screwdriver, 25-55 in-lb set point, +/-6% (DIN EN ISO 6789) accuracy, numerical torque value, audible excess load signal, 1/4in drive.	Stock	\$147.00
Nutdriver Sets			
<u>WT28196</u>	Wiha Drive-Loc VI multi-bit adjustable shaft nutdriver, 8 pieces, imperial, SoftFinish cushion grip blade lock handle, adjustable shaft length, internal hex.	Stock	\$80.00
<u>WT28198</u>	Wiha Drive-Loc VI multi-bit adjustable shaft nutdriver, 8 pieces, metric, SoftFinish cushion grip blade lock handle, adjustable shaft length, internal hex.	Stock	\$75.00
<u>WT32294</u>	Wiha insulated nutdriver set, internal hex, 7 pieces, 1000V insulation rating, imperial.	Stock	\$96.00
<u>WT32293</u>	Wiha insulated nutdriver set, internal hex, 7 pieces, 1000V insulation rating, metric.	Stock	\$96.00
<u>ND6N1HD</u>	Southwire multi-bit reversible shaft nutdriver, 4 pieces, imperial, cushion grip handle, 1.4in (36mm) shaft length, internal hex.	Stock	\$21.50
Wire and Cable Stripping Tools			
<u>958</u>	CHANNELLOCK multi-purpose wiring tool, compatible with data & communications cable and round wire, precision machined hardened cutting edges, 20-12 AWG stranded and 18-10 AWG solid wire stripping capacity, 10 AWG cutting capacity.	Stock	\$16.00
<u>908</u>	CHANNELLOCK multi-purpose wiring tool, compatible with data & communications cable and round wire, precision machined hardened cutting edges, 22-12 AWG stranded and 20-10 AWG solid wire stripping capacity, 10 AWG cutting capacity.	Stock	\$22.00
<u>968</u>	CHANNELLOCK multi-purpose wiring tool, compatible with data & communications cable and round wire, comfort grip, curved shear cutting edges, 20-12 AWG stranded and 18-10 AWG solid wire stripping capacity, 10 AWG cutting capacity.	Stock	\$51.00
<u>MP61</u>	Southwire multi-purpose crimping pliers, multiple profile, 22-10 AWG capacity, compatible with insulated and non-insulated terminals and connectors.	Stock	\$22.00
<u>DN-CS-1</u>	AutomationDirect heavy duty cable stripping tool, 11/64-1-9/16in capacity.	Stock	\$61.00
<u>DN-CST</u>	AutomationDirect precision cable stripping tool, 0.1-0.43in capacity.	Stock	\$34.50
<u>JT10160</u>	JOKARI heavy duty stripping tool, compatible with round cable, non-slip grip, adjustable depth blade, 0.16-0.63in cable stripping capacity. Replacement blade included.	Stock	\$25.00
<u>JT10272</u>	JOKARI heavy duty stripping tool, compatible with round cable, adjustable depth blade, 0.32-1.10in cable stripping capacity. Replacement blade included.	Stock	\$20.00
<u>JT10270</u>	JOKARI heavy duty stripping tool, compatible with round cable, non-slip grip, adjustable depth blade, 0.32-1.10in cable stripping capacity. Replacement blade included.	Stock	\$25.00
<u>JT30120</u>	JOKARI precision stripping tool, compatible with round cable, 0.31-0.50in cable stripping capacity.	Stock	\$29.00
<u>JT30155</u>	JOKARI multi-purpose cutting and stripping tool, compatible with round cable and round wire, non-slip grip, slide-out blade, 0.31-0.50in cable stripping capacity, 24-12 AWG wire stripping capacity.	Stock	\$47.00
<u>JT30161</u>	JOKARI multi-purpose cutting and stripping tool, compatible with data & communications cable and round wire, slide-out blade, 0.19-0.38in cable stripping capacity, 24-18 AWG wire stripping capacity.	Stock	\$44.00
<u>JT30500</u>	JOKARI precision stripping tool, compatible with data & communications cable, 0.19-0.38in cable stripping capacity.	Stock	\$54.00
<u>JT70000</u>	JOKARI heavy duty stripping tool, compatible with round cable, non-slip grip, adjustable depth hook blade, 0.31-1.38in cable stripping capacity. Replaceable large diameter cable bracket and replacement blade included.	Stock	\$60.00
<u>JT71000</u>	JOKARI heavy duty stripping tool set, compatible with round cable, non-slip grip, adjustable depth hook blade, 0.16-2.75in cable stripping capacity. 5 replaceable cable brackets, replacement blade and storage case included.	Stock	\$173.00
<u>JT79016</u>	JOKARI cable bracket, replacement, 0.16-0.63in cable stripping capacity. For use with JT70000 cable stripping tool.	Stock	\$18.00
<u>JT79028</u>	JOKARI cable bracket, replacement, 0.31-1.10in cable stripping capacity. For use with JT70000 cable stripping tool.	Stock	\$17.50

<u>JT79035</u>	JOKARI cable bracket, replacement, 1.06-1.38in cable stripping capacity. For use with JT70000 cable stripping tool.	Stock	\$21.00
<u>JT79050</u>	JOKARI cable bracket, replacement, 1.38-1.97in cable stripping capacity. For use with JT70000 cable stripping tool.	Stock	\$21.00
<u>JT79070</u>	JOKARI cable bracket, replacement, 1.97-2.75in cable stripping capacity. For use with JT70000 cable stripping tool.	Stock	\$21.00
<u>DN-CST-BLADE</u>	AutomationDirect blade, replacement, 0.1-0.43in capacity. For use with DN-CST cable stripping tool.	Stock	\$11.00
<u>DN-WS</u>	AutomationDirect automatic cutting and stripping tool, self-adjusting, 34-8 AWG capacity. DN-WSJ insert blade included.	Stock	\$81.00
<u>DN-WS-PG</u>	AutomationDirect automatic cutting and stripping tool, pistol grip, self-adjusting, 34-8 AWG capacity. DN-WSJ blade insert included.	Stock	\$128.00
<u>JT20050</u>	JOKARI automatic cutting and stripping tool, compatible with round wire, pistol grip, special steel hardened cutting edges, self-adjusting, 24-10 AWG wire stripping capacity, 14 AWG cutting capacity.	Stock	\$38.00
<u>JT20100</u>	JOKARI automatic cutting and stripping tool, compatible with round wire, non-slip pistol grip, special steel hardened cutting edges, self-adjusting, 24-10 AWG wire stripping capacity, 14 AWG cutting capacity.	Stock	\$68.00
<u>JT20090</u>	JOKARI automatic stripping tool, compatible with round wire, non-slip grip, self-adjusting, 10-5 AWG wire stripping capacity.	Stock	\$120.00
<u>JT20300</u>	JOKARI automatic stripping tool, compatible with sensor/actuator cable and round cable, non-slip grip, self-adjusting, 0.17-0.27 in cable stripping capacity.	Stock	\$135.00
<u>JT20310</u>	JOKARI automatic stripping tool, compatible with sensor/actuator cable and round cable, non-slip grip, self-adjusting, 0.13-0.17in cable stripping capacity.	Stock	\$135.00
<u>JT20030</u>	JOKARI automatic stripping tool, compatible with flat cable, non-slip grip, self-adjusting, 0-0.50in cable stripping capacity.	Stock	\$84.00
<u>JT20075</u>	JOKARI automatic stripping tool, compatible with flat sensor/actuator cable, non-slip grip, self-adjusting, 1.5-2.5mm2 cable stripping capacity.	Stock	\$108.00
<u>WT32947</u>	Wiha wire stripping pliers, 6.3in (160mm) overall length, insulated, 1000V insulation rating, induction hardened beveled cutting edges, insulated cushion grip handles.	Stock	\$32.00
<u>S1020SOLUS</u>	Southwire multi-purpose cutting and stripping tool, beveled cutting edges, 22-10 AWG capacity.	Stock	\$12.50
<u>DN-WSJ</u>	AutomationDirect blade insert, 34-8 AWG capacity. For use with DN-WS cutting and stripping tool.	Stock	\$30.00
<u>DN-WSVBC</u>	AutomationDirect blade insert, 28-12 AWG capacity. For use with DN-WS cutting and stripping tool.	Stock	\$41.00
<u>DN-WSMMC</u>	AutomationDirect blade insert, 10-5 AWG cable stripping capacity. For use with DN-WS cutting and stripping tool.	Stock	\$63.00
<u>DN-WSRJ</u>	AutomationDirect jaw inserts, replacement. For use with DN-WS cutting and stripping tool. (1) upper jaw insert and (1) lower jaw insert included.	Stock	\$8.50
Crimping Pliers and Dies			
<u>909</u>	CHANNELLOCK crimping pliers, multiple profile profile, 22-10 AWG capacity, compatible with insulated and non-insulated terminals and connectors.	Stock	\$31.00
<u>DN-FE-16H</u>	AutomationDirect wire crimping tool, self-adjusting, hexagonal profile, 26-8 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$276.00
<u>DN-FE-16S</u>	AutomationDirect wire crimping tool, self-adjusting, square profile, 26-8 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$276.00
<u>DN-FE-16T</u>	AutomationDirect wire crimping tool, self-adjusting, rotatable die, trapezoidal profile, 26-8 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$276.00
<u>DN-CT-SQ1</u>	AutomationDirect wire crimping tool, self-adjusting, rotatable die, square profile, 26-6 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$232.00
<u>DN-CT-RBY</u>	AutomationDirect wire crimping tool, oval profile, 20-10 AWG capacity, compatible with insulated connectors.	Stock	\$226.00
<u>DN-CT-TC1</u>	AutomationDirect wire crimping tool, trapezoidal profile, 24-10 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$258.00
<u>DN-CT-TC2</u>	AutomationDirect wire crimping tool, trapezoidal profile, 6-4 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$258.00
<u>DN-CT-TC3</u>	AutomationDirect wire crimping tool, trapezoidal profile, 2-0 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$258.00
<u>DN-CT-ID1</u>	AutomationDirect wire crimping tool, indent profile, 8-4 AWG capacity, compatible with non-insulated connectors.	Stock	\$300.00
<u>K70ZA000130</u>	Z+F wire crimping tool, oval profile, 22-10 AWG capacity, compatible with ring, fork, and disconnect terminals.	Stock	\$127.00
<u>K70ZA000113</u>	Z+F wire crimping tool, trapezoidal profile, 20-10 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$127.00
<u>K70ZA000117</u>	Z+F wire crimping tool, trapezoidal profile, 10-4 AWG capacity, compatible with insulated and non-insulated wire ferrules.	Stock	\$136.00

<u>TCC9D-US</u>	Southwire crimping pliers, multiple profile, 22-10 AWG capacity, compatible with insulated and non-insulated terminals and connectors.	Stock	\$33.00
<u>DN-CT-SET</u>	AutomationDirect wire crimping tool set, 24-4 AWG capacity, compatible with insulated terminals and splices and insulated and non-insulated wire ferrules, includes (1) DN-CT-HDL handle and (3) die sets: DN-CT-D2, DN-CT-D4 and DN-CT-D5.	Stock	\$200.00
<u>DN-CT-HDL</u>	AutomationDirect wire crimping tool, for use with DN-CT-Dx die sets.	Stock	\$68.00
<u>DN-CT-D1</u>	AutomationDirect die set, 26-22 AWG or 12-10 AWG capacity, compatible with insulated terminals and splices. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$77.50
<u>DN-CT-D2</u>	AutomationDirect die set, 22-14 AWG capacity, compatible with insulated terminals and splices. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$77.00
<u>DN-CT-D3</u>	AutomationDirect die set, 22-10 AWG capacity, compatible with non-insulated terminals and splices. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$67.00
<u>DN-CT-D4</u>	AutomationDirect die set, 24-8 AWG capacity, compatible with insulated and non-insulated wire ferrules. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$67.00
<u>DN-CT-D5</u>	AutomationDirect die set, 6-4 AWG capacity, compatible with insulated and non-insulated wire ferrules. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$67.00
<u>DN-CT-D6</u>	AutomationDirect die set, 2-0 AWG capacity, compatible with insulated and non-insulated wire ferrules. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$67.00
<u>DN-CT-D7</u>	AutomationDirect die set, 22-10 AWG capacity, compatible with open-barrel non-insulated terminals and lugs. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$105.00
<u>DN-CT-D8</u>	AutomationDirect die set, compatible with 8-pin RJ45 modular connector. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$67.00
<u>DN-CT-D9</u>	AutomationDirect die set, compatible with 6-pin RJ12 modular connector. For use with DN-CT series wire crimping tool. Purchase DN-CT-HDL handle separately.	Stock	\$67.00
General Purpose Pliers			
<u>420</u>	CHANNELLOCK Classic tongue and groove pliers, 9.5in (241mm) overall length, classic grip vinyl handles.	Stock	\$18.00
<u>426</u>	CHANNELLOCK Classic tongue and groove pliers, 6.5in (165mm) overall length, classic grip vinyl handles.	Stock	\$15.00
<u>430</u>	CHANNELLOCK Classic tongue and groove pliers, 10.0in (254mm) overall length, classic grip vinyl handles.	Stock	\$19.00
<u>440</u>	CHANNELLOCK Classic tongue and groove pliers, 12.0in (305mm) overall length, classic grip vinyl handles.	Stock	\$21.00
<u>460</u>	CHANNELLOCK Classic tongue and groove pliers, 16.5in (418mm) overall length, classic grip vinyl handles.	Stock	\$36.00
<u>337</u>	CHANNELLOCK E SERIES diagonal cutters, 7.2in (184mm) overall length, precision knife & anvil cutting edges, classic grip vinyl handles.	Stock	\$25.00
<u>447</u>	CHANNELLOCK curved diagonal cutters, 7.7in (196mm) overall length, laser heat-treated curved cutting edges, classic grip vinyl handles, curved diagonal head.	Stock	\$33.00
<u>317</u>	CHANNELLOCK long nose pliers, 8.0in (203mm) overall length, precision knife & anvil cutting edges, classic grip vinyl handles.	Stock	\$26.00
<u>526</u>	CHANNELLOCK slip joint pliers, 6.5in (165mm) overall length, classic grip vinyl handles.	Stock	\$14.00
<u>GL10</u>	CHANNELLOCK GRIPLOCK tongue and groove pliers, 9.5in (241mm) overall length, classic grip vinyl handles.	Stock	\$16.00
<u>GL12</u>	CHANNELLOCK GRIPLOCK tongue and groove pliers, 12.5in (318mm) overall length, classic grip vinyl handles.	Stock	\$21.00
<u>GL6</u>	CHANNELLOCK GRIPLOCK tongue and groove pliers, 6.5in (165mm) overall length, classic grip vinyl handles.	Stock	\$15.00
<u>GLS-3</u>	CHANNELLOCK GRIPLOCK pliers set, tongue and groove, 3 pieces.	Stock	\$52.00
<u>GS-6</u>	CHANNELLOCK Classic pliers and cutters set, diagonal, long nose and tongue and groove, 3 pieces.	Stock	\$64.00
<u>TOOLROLL-1</u>	CHANNELLOCK Classic pliers and cutters set, crimping, diagonal, long nose, slip joint and tongue and groove, 5 pieces.	Stock	\$126.00
<u>TOOLROLL-2</u>	CHANNELLOCK Classic pliers and cutters set, crimping, diagonal, long nose and tongue and groove, 5 pieces.	Stock	\$126.00
<u>WT32621</u>	Wiha long nose pliers, 8.0in (203mm) overall length, induction hardened beveled cutting edges, classic grip vinyl handles.	Stock	\$22.00
<u>WT32954</u>	Wiha tongue and groove pliers, 10.0in (254mm) overall length, insulated, 1000V insulation rating, induction hardened beveled cutting edges, insulated cushion grip handles.	Stock	\$41.00
<u>WT30905</u>	Wiha combination pliers, 8.0in (203mm) overall length, induction hardened beveled cutting edges, industrial SoftGrip handles.	Stock	\$32.00
<u>WT56801</u>	Wiha pointed short nose pliers, 5.5in (140mm) overall length, precision machined hardened cutting edges, electronic cushion grip handles.	Stock	\$36.00
<u>WT32930</u>	Wiha combination pliers, 8.0in (203mm) overall length, insulated, 1000V insulation rating, induction hardened beveled cutting edges, insulated cushion grip handles.	Stock	\$37.00

<u>WT32926</u>	Wiha long nose pliers, 6.3in (160mm) overall length, insulated, 1000V insulation rating, induction hardened beveled cutting edges, insulated cushion grip handles.	Stock	\$30.00
<u>WT32941</u>	Wiha long flat nose pliers, 6.3in (160mm) overall length, insulated, 1000V insulation rating, induction hardened beveled cutting edges, insulated cushion grip handles.	Stock	\$29.00
<u>WT32661</u>	Wiha tongue and groove pliers, 10.0in (254mm) overall length, classic grip vinyl handles. 10 different opening sizes for optimal adjustments.	Stock	\$29.00
<u>WT32637</u>	Wiha tongue and groove pliers, 10.0in (254mm) overall length, classic grip vinyl handles. Self-adjusting jaws.	Stock	\$34.25
<u>WT32923</u>	Wiha long nose pliers, 8.0in (203mm) overall length, insulated, 1000V insulation rating, induction hardened beveled cutting edges, insulated cushion grip handles.	Stock	\$36.00
<u>WT32635</u>	Wiha tongue and groove pliers wrench, 10.3in (262mm) overall length, classic grip vinyl handles.	Stock	\$54.00
Precision Pliers			
<u>WT56813</u>	Wiha precision diagonal full flush cutters, 5.0in (127mm) overall length, ultra full flush cutting edge, 21 degrees angled head, electronic cushion grip handles.	Stock	\$39.00
<u>WT56812</u>	Wiha precision diagonal cutters, 4.5in (114mm) overall length, ultra full flush cutting edge, 21 degrees angled head, electronic cushion grip handles.	Stock	\$36.00
Cutting Pliers and Cable Shears			
<u>449</u>	CHANNELLOCK curved diagonal cutters, 9.5in (241mm) overall length, laser heat-treated curved cutting edges, classic grip vinyl handles, curved diagonal head.	Stock	\$34.00
<u>WT32636</u>	Wiha diagonal cutters, 8.0in (203mm) overall length, induction hardened beveled cutting edges, 15 degrees angled head, classic grip vinyl handles. Power button for increasing cutting capacity.	Stock	\$34.00
<u>WT32616</u>	Wiha linesmans pliers, 9.0in (229mm) overall length, induction hardened beveled cutting edges, classic grip vinyl handles.	Stock	\$43.00
<u>WT32624</u>	Wiha linesmans pliers, 9.5in (241mm) overall length, induction hardened beveled cutting edges, classic grip vinyl handles.	Stock	\$30.00
<u>DCPA8D-US</u>	Southwire diagonal cutters, 8.0in (203mm) overall length, induction hardened beveled cutting edges, 15-degree angled head, comfort grip handles.	Stock	\$37.00
<u>SCP9TPCD-US</u>	Southwire linesmans pliers, 9.0in (229mm) overall length, induction hardened beveled cutting edges, comfort grip handles. Additional features include fish tape pulling and conduit reaming.	Stock	\$41.50
<u>CCP9D-US</u>	Southwire cable shears, 9.0in (229mm) overall length, induction hardened shear cutting edges, comfort grip handles.	Stock	\$37.50
Knives			
<u>UTILQO</u>	Southwire EDGEFORCE folding knife, common replaceable 2 point utility blade, 6.01in overall length, metal body with comfort grip and pocket clip.	Stock	\$13.00
<u>HBKND2</u>	Southwire EDGEFORCE folding knife, hawkbill blade, 2.60in blade length, 7.24in overall length, metal body with comfort grip and pocket clip.	Stock	\$29.50
Jumper Cutting Tools			
<u>DN-J2CUT</u>	DINnector jumper cutting tool, for use with DN-2J2Y, DN-3J2Y and DN-24J2Y jumpers.	Stock	\$87.00
<u>DN-J4CUT</u>	DINnector jumper cutting tool, for use with DN-2J4Y, DN-3J4Y and DN-24J4Y jumpers.	Stock	\$87.00
<u>DN-J6CUT</u>	DINnector jumper cutting tool, for use with DN-12J6Y jumpers.	Stock	\$130.00
<u>DN-JL14CUT</u>	DINnector jumper cutting tool, for use with DN-12JL14-A and DN-12JL14B-A jumpers.	Stock	\$123.00
<u>DN-JFECUT</u>	DINnector jumper cutting tool, for use with DN-12JFE jumpers.	Stock	\$101.00
<u>DN-JXCUT</u>	DINnector jumper cutting tool, for use with DN-J2DIE, DN-J4DIE, DN-J6DIE, DN-JL14DIE and DN-JFEDIE dies.	Stock	\$84.00
<u>DN-J2DIE</u>	DINnector die set, replacement. Package of 2. For use with jumper cutting tools DN-J2CUT or DN-JXCUT.	Stock	\$130.00
<u>DN-J4DIE</u>	DINnector die set, replacement. Package of 2. For use with jumper cutting tools DN-J4CUT or DN-JXCUT.	Stock	\$130.00
<u>DN-J6DIE</u>	DINnector die set, replacement. Package of 2. For use with jumper cutting tools DN-J6CUT or DN-JXCUT.	Stock	\$130.00
<u>DN-JL14DIE</u>	DINnector die set, replacement. Package of 2. For use with jumper cutting tools DN-JL14CUT or DN-JXCUT.	Stock	\$130.00
<u>DN-JFEDIE</u>	DINnector die set, replacement. Package of 2. For use with jumper cutting tools DN-JFECUT or DN-JXCUT.	Stock	\$101.00
<u>DN-JKIT</u>	DINnector jumper cutting tool kit, for use with DN series jumpers, includes (1) DN-JXCUT cutting tool, (5) dies (DN-J2DIE, DN-J4DIE, DN-J6DIE, DN-JL14DIE, and DN-JFEDIE).	Stock	\$344.00
Pipe and Tube Cutters			
<u>TC-12</u>	NITRA pneumatic tubing cutter, for use with 1/8 to 1/2in (4 to 12mm) outside diameter polyurethane, nylon and other flexible tubing.	Stock	\$5.75
<u>TC-20</u>	NITRA pneumatic heavy duty tubing cutter, for use with up to 2in (50mm) outside diameter polyurethane, nylon and other flexible tubing.	Stock	\$12.00

Hose Clamp Pliers			
HCT-ES	NITRA hose clamp crimping tool, single action, straight jaw. For use with NITRA hose clamps.	Stock	\$44.00
HCT-SC	NITRA hose clamp crimping tool, compound action, straight jaw. For use with NITRA hose clamps.	Stock	\$78.00
Bit Drivers, Bits and Adapters			
05073230055	Wera Zyklop bit ratchet, switch lever, 1/4in drive, 5 degrees return angle, all-metal construction, ballpoint socket and retaining ring bit holder locking mechanism. Adapter for 1/4in sockets included.	Stock	\$40.00
TW-DB-PH-1	Wera #1 Phillips general purpose driver bit, 2.75in bit length, 1/4in drive, hexagonal. Package of 10.	Stock	\$11.00
TW-DB-PH-2	Wera #2 Phillips general purpose driver bit, 2.75in bit length, 1/4in drive, hexagonal. Package of 10.	Stock	\$11.00
TW-DB-SL-1	Wera 3.0mm slotted general purpose driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 10.	Stock	\$34.00
WT70297	Wiha TerminatorBlue impact driver bit set, Phillips, Torx and square, 40 pieces, 1in, 2in and 3.5in bit length, 1/4in drive, imperial.	Stock	\$34.00
WT76889	Wiha TerminatorBlue impact driver bit set, Phillips, Torx, external hex and Pozidriv, 32 pieces, 1in bit length, 1/4in drive, imperial and metric.	Stock	\$35.00
WT70098	Wiha TerminatorBlue impact driver bit set, Phillips, Torx and square, 8 pieces, 1in bit length, 1/4in drive.	Stock	\$9.00
WT70298	Wiha TerminatorBlue impact driver bit set, Phillips, Torx and square, 7 pieces, 2in bit length, 1/4in drive.	Stock	\$9.00
WT70201	Wiha TerminatorBlue #1 Phillips impact driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$4.00
WT70002	Wiha TerminatorBlue #2 Phillips impact driver bit, 1in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$3.50
WT70042	Wiha TerminatorBlue #2 Phillips impact driver bit, 1in bit length, 1/4in drive, hexagonal. Package of 20.	Stock	\$8.00
WT70202	Wiha TerminatorBlue #2 Phillips impact driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$4.00
WT70269	Wiha TerminatorBlue #2 Phillips impact driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 5.	Stock	\$9.00
WT70302	Wiha TerminatorBlue #2 Phillips impact driver bit, 3.5in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$5.00
WT70203	Wiha TerminatorBlue #3 Phillips impact driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$4.00
WT70020	Wiha TerminatorBlue T25 Torx impact driver bit, 1in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$3.50
WT70220	Wiha TerminatorBlue T25 Torx impact driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$4.00
WT70222	Wiha TerminatorBlue T30 Torx impact driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$4.00
WT70223	Wiha TerminatorBlue T40 Torx impact driver bit, 2in bit length, 1/4in drive, hexagonal. Package of 2.	Stock	\$4.00
WT70486	Wiha nut setter set, internal hex, 6 pieces, 6in (152.4mm) overall length, 1/4in drive, imperial.	Stock	\$35.00
WT70487	Wiha nut setter set, internal hex, 6 pieces, 6in (152.4mm) overall length, 1/4in drive, metric.	Stock	\$35.00
05023461001	Wera T-handle bit holder, 1/4in drive, 4.5 degrees return angle, Rapidaptor quick-release bit holder locking mechanism, ergonomic t-handle.	Stock	\$69.00
WT38800	Wiha T-handle bit holder, 7.3in (184mm) overall length, 1/4in drive, magnetic bit holder locking mechanism, classic grip t-handle.	Stock	\$13.00
TW-DB-ADT-MAG	Wera Rapidaptor magnetic driver bit adapter, 1/4in drive, 2.25in (57mm) overall length. Rapidaptor technology for rapid bit change.	Stock	\$22.00
WT70096	Wiha TerminatorBlue quick-release driver bit adapter, 1/4in drive, 2.4in (61mm) overall length. Impact-rated for power tool applications.	Stock	\$8.00
Hex, Torx, and Service Keys			
05022640001	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.4in (240mm) overall length, BlackLaser steel with multicolor grips, imperial, ball-end tip and hex-plus tip.	Stock	\$44.00
05022089055	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.2in (234mm) overall length, BlackLaser steel with multicolor grips, metric, ball-end tip and hex-plus tip.	Stock	\$45.00
05022210001	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.2in (234mm) overall length, BlackLaser steel with multicolor grips, metric, ballpoint holding function, ball-end tip and hex-plus tip.	Stock	\$57.00
05133164001	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 5.5in (140mm) overall length, BlackLaser steel with multicolor grips, metric, ball-end tip and hex-plus tip.	Stock	\$44.00
05022641001	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 5.5in (140mm) overall length, BlackLaser steel with multicolor grips, imperial, ball-end tip and hex-plus tip.	Stock	\$46.00
TW-HK-SET-STD	Wera Hex-Plus L-key hex key set, external hex, 13 pieces, 8.7in (220mm) overall length, BlackLaser steel, imperial, ball-end tip and hex-plus tip.	Stock	\$26.00
TW-HK-SET-MM	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.0in (229mm) overall length, BlackLaser steel, metric, ball-end tip and hex-plus tip.	Stock	\$14.00

<u>05133180001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 8.7in (220mm) overall length, BlackLaser steel, imperial, ball-end tip and hex-plus tip.	Stock	\$13.00
<u>05021737001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 5.5in (140mm) overall length, BlackLaser steel, metric, hex-plus tip.	Stock	\$4.00
<u>BH20199</u>	Bondhus ProGuard L-key hex key set, external hex, 22 pieces, 6.8in (173mm) overall length, protanium high torque steel, metric and imperial, ball-end tip.	Stock	\$32.00
<u>BH10937</u>	Bondhus ProGuard L-key hex key set, external hex, 13 pieces, 6.8in (173mm) overall length, protanium high torque steel, imperial, ball-end tip.	Stock	\$18.50
<u>BH10999</u>	Bondhus ProGuard L-key hex key set, external hex, 9 pieces, 6.7in (170mm) overall length, protanium high torque steel, metric, ball-end tip.	Stock	\$15.00
<u>BH20599</u>	Bondhus ProGuard L-key hex key set, external hex, 22 pieces, 6.8in (173mm) overall length, protanium high torque steel, metric and imperial, stubby and ball-end tip.	Stock	\$39.50
<u>BH16537</u>	Bondhus ProGuard L-key hex key set, external hex, 13 pieces, 6.8in (173mm) overall length, protanium high torque steel, imperial, stubby and ball-end tip.	Stock	\$22.50
<u>BH16599</u>	Bondhus ProGuard L-key hex key set, external hex, 9 pieces, 6.7in (170mm) overall length, protanium high torque steel, metric, stubby and ball-end tip.	Stock	\$18.50
<u>BH67037</u>	Bondhus ProGuard L-key hex key set, external hex, 13 pieces, 7.8in (198mm) overall length, protanium high torque steel, imperial, stubby and double ball-end tip.	Stock	\$28.50
<u>BH67099</u>	Bondhus ProGuard L-key hex key set, external hex, 9 pieces, 8.4in (213mm) overall length, protanium high torque steel, metric, stubby and double ball-end tip.	Stock	\$23.00
<u>BH22199</u>	Bondhus ProGuard L-key hex key set, external hex, 22 pieces, 6.8in (173mm) overall length, protanium high torque steel, metric and imperial.	Stock	\$20.00
<u>BH12137</u>	Bondhus ProGuard L-key hex key set, external hex, 13 pieces, 6.8in (173mm) overall length, protanium high torque steel, imperial.	Stock	\$10.50
<u>BH12199</u>	Bondhus ProGuard L-key hex key set, external hex, 9 pieces, 6.7in (170mm) overall length, protanium high torque steel, metric.	Stock	\$10.00
<u>BH12237</u>	Bondhus ProGuard L-key hex key set, external hex, 13 pieces, 4.3in (109mm) overall length, protanium high torque steel, imperial.	Stock	\$7.00
<u>BH12299</u>	Bondhus ProGuard L-key hex key set, external hex, 9 pieces, 4.3in (109mm) overall length, protanium high torque steel, metric.	Stock	\$7.50
<u>05022639055</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.4in (240mm) overall length, BlackLaser steel with multicolor grips, imperial, ball-end tip and hex-plus tip.	Stock	\$51.00
<u>05073391001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.0in (229mm) overall length, chrome-plated steel, imperial, ball-end tip and hex-plus tip.	Stock	\$20.00
<u>05133163001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 5.5in (140mm) overall length, chrome-plated steel, metric, ball-end tip and hex-plus tip.	Stock	\$24.00
<u>05022130001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.0in (229mm) overall length, chrome-plated steel, metric, ballpoint holding function and hex-plus tip.	Stock	\$40.00
<u>05022669001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.2in (234mm) overall length, stainless steel with multicolor grips, metric, ball-end tip and hex-plus tip.	Stock	\$66.00
<u>05022860001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.4in (240mm) overall length, stainless steel with multicolor grips, imperial, ball-end tip and hex-plus tip.	Stock	\$66.00
<u>05022699001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.2in (234mm) overall length, stainless steel with multicolor grips, metric, ballpoint holding function, ball-end tip and hex-plus tip.	Stock	\$77.00
<u>05073544001</u>	Wera Hex-Plus L-key hex key set, external hex, 9 pieces, 9.2in (234mm) overall length, stainless steel, metric, ball-end tip and hex-plus tip.	Stock	\$51.00
<u>05024480001</u>	Wera L-key torx key set, Torx, 9 pieces, 9.6in (243mm) overall length, BlackLaser steel with multicolor grips, ball-end tip.	Stock	\$59.00
<u>05024179001</u>	Wera L-key torx key set, Torx, 9 pieces, 5.5in (140mm) overall length, BlackLaser steel with multicolor grips, ballpoint holding function.	Stock	\$51.00
<u>05024460001</u>	Wera L-key torx key set, Torx, 9 pieces, 9.6in (243mm) overall length, BlackLaser steel, ball-end tip.	Stock	\$53.00
<u>05073598001</u>	Wera L-key torx key set, Torx, 9 pieces, 5.5in (140mm) overall length, BlackLaser steel, ball-end tip.	Stock	\$33.00
<u>05073599001</u>	Wera L-key torx key set, Torx and tamperproof torx, 9 pieces, 5.5in (140mm) overall length, BlackLaser steel with multicolor grips, demagnetizer and ball-end tip.	Stock	\$51.00
<u>BH31834</u>	Bondhus ProGuard L-key torx key set, Torx, 8 pieces, 4.9in (124mm) overall length, protanium high torque steel.	Stock	\$16.00
<u>05022689001</u>	Wera L-key torx key set, Torx, 9 pieces, 9.2in (234mm) overall length, stainless steel, holding function.	Stock	\$75.00
<u>BH12522</u>	Bondhus GorillaGrip fold-out hex key set, external hex, 16 pieces, 4.5in (114mm) overall length, protanium high torque steel, imperial and metric.	Stock	\$14.50
<u>BH12533</u>	Bondhus GorillaGrip fold-out hex and torx key set, external hex and Torx, 24 pieces, 4.5in (114mm) overall length, protanium high torque steel, imperial and metric.	Stock	\$28.00
<u>BH12589</u>	Bondhus GorillaGrip fold-out hex key set, external hex, 9 pieces, 4.5in (114mm) overall length, protanium high torque steel, imperial.	Stock	\$8.50

<u>BH12587</u>	Bondhus GorillaGrip fold-out hex key set, external hex, 7 pieces, 4.5in (114mm) overall length, protanium high torque steel, metric.	Stock	\$9.00
<u>BH12634</u>	Bondhus GorillaGrip fold-out torx key set, Torx, 8 pieces, 4.3in (109mm) overall length, protanium high torque steel.	Stock	\$17.00
<u>WT35195</u>	Wiha PocketStar fold-out hex key set, external hex, 7 pieces, 6.0in (152mm) overall length, metric.	Stock	\$29.00
<u>WT35197</u>	Wiha PocketStar fold-out hex key set, external hex, 9 pieces, 6.0in (152mm) overall length, imperial.	Stock	\$29.00
<u>BH00017</u>	Bondhus HEX-PRO pivot head wrench set, external hex, 8 pieces, heat-treated steel, imperial, 270 degree rotating arm.	Stock	\$70.50
<u>BH00010</u>	Bondhus HEX-PRO pivot head wrench set, external hex, 6 pieces, heat-treated steel, metric, 270 degree rotating arm.	Stock	\$58.50
<u>BH00015</u>	Bondhus HEX-PRO pivot head wrench set, Torx, 6 pieces, heat-treated steel, 270 degree rotating arm.	Stock	\$66.00
<u>BH00019</u>	Bondhus HEX-PRO pivot head wrench set, Torx, 5 pieces, heat-treated steel, 270 degree rotating arm.	Stock	\$54.00
<u>WT21103</u>	Wiha cross wrench enclosure key, 3 pieces, 5mm double-bit, 5mm square, 6mm square, 8mm square, 9mm triangular. Ideal for all common switch cabinets and locking systems for gas, water and electricity supplies.	Stock	\$40.00
<u>WT21105</u>	Wiha 8-in-1 pen style enclosure key, 3 pieces, 5mm double-bit, 5mm square, 6mm square, 8mm square, 9mm triangular. Ideal for all common switch cabinets and locking systems for gas, water and electricity supplies.	Stock	\$54.00

Combination Wrenches

<u>05073280055</u>	Wera Joker combination wrench, ratcheting, 5/16in, 5.7in (144mm) overall length, holding function and 30 degree low return angle.	Stock	\$23.00
<u>05073281055</u>	Wera Joker combination wrench, ratcheting, 3/8in, 7.9in (200mm) overall length, holding function and 30 degree low return angle.	Stock	\$24.00
<u>05073282055</u>	Wera Joker combination wrench, ratcheting, 7/16in, 5.7in (144mm) overall length, holding function and 30 degree low return angle.	Stock	\$26.00
<u>05073283055</u>	Wera Joker combination wrench, ratcheting, 1/2in, 4.7in (119mm) overall length, holding function and 30 degree low return angle.	Stock	\$26.00
<u>05073284055</u>	Wera Joker combination wrench, ratcheting, 9/16in, 9.3in (235mm) overall length, holding function and 30 degree low return angle.	Stock	\$28.00
<u>05073285055</u>	Wera Joker combination wrench, ratcheting, 5/8in, 7.0in (177mm) overall length, holding function and 30 degree low return angle.	Stock	\$31.00
<u>05073286055</u>	Wera Joker combination wrench, ratcheting, 11/16in, 9.7in (246mm) overall length, holding function and 30 degree low return angle.	Stock	\$35.00
<u>05073287055</u>	Wera Joker combination wrench, ratcheting, 3/4in, 8.3in (212mm) overall length, holding function and 30 degree low return angle.	Stock	\$39.00
<u>05073268055</u>	Wera Joker combination wrench, ratcheting, 8mm, 9.3in (235mm) overall length, holding function and 30 degree low return angle.	Stock	\$23.00
<u>05073270055</u>	Wera Joker combination wrench, ratcheting, 10mm, 6.7in (171mm) overall length, holding function and 30 degree low return angle.	Stock	\$24.00
<u>05073271055</u>	Wera Joker combination wrench, ratcheting, 11mm, 6.3in (159mm) overall length, holding function and 30 degree low return angle.	Stock	\$25.00
<u>05073272055</u>	Wera Joker combination wrench, ratcheting, 12mm, 7.4in (188mm) overall length, holding function and 30 degree low return angle.	Stock	\$26.00
<u>05073273055</u>	Wera Joker combination wrench, ratcheting, 13mm, 6.5in (165mm) overall length, holding function and 30 degree low return angle.	Stock	\$26.00
<u>05073274055</u>	Wera Joker combination wrench, ratcheting, 14mm, 9.7in (246mm) overall length, holding function and 30 degree low return angle.	Stock	\$28.00
<u>05073275055</u>	Wera Joker combination wrench, ratcheting, 15mm, 8.3in (212mm) overall length, holding function and 30 degree low return angle.	Stock	\$30.00
<u>05073276055</u>	Wera Joker combination wrench, ratcheting, 16mm, 7.0in (177mm) overall length, holding function and 30 degree low return angle.	Stock	\$31.00
<u>05073277055</u>	Wera Joker combination wrench, ratcheting, 17mm, 6.5in (165mm) overall length, holding function and 30 degree low return angle.	Stock	\$34.00
<u>05073278055</u>	Wera Joker combination wrench, ratcheting, 18mm, 6.3in (159mm) overall length, holding function and 30 degree low return angle.	Stock	\$35.00
<u>05073279055</u>	Wera Joker combination wrench, ratcheting, 19mm, 7.4in (188mm) overall length, holding function and 30 degree low return angle.	Stock	\$39.00

Adjustable Wrenches

<u>804</u>	CHANNELLOCK adjustable wrench, 0-1/2in, 4.5in (114mm) overall length, 4-thread knurl adjuster and laser engraved measurement scales.	Stock	\$18.00
<u>806W</u>	CHANNELLOCK adjustable wrench, 0-15/16in, 6.2in (157mm) overall length, extra wide jaws, 4-thread knurl adjuster and laser engraved measurement scales.	Stock	\$19.00

<u>808W</u>	CHANNELLOCK adjustable wrench, 0-1 1/16in, 8.0in (203mm) overall length, extra wide jaws, 4-thread knurl adjuster and laser engraved measurement scales.	Stock	\$21.00
<u>810W</u>	CHANNELLOCK adjustable wrench, 0-1 5/16in, 10.0in (254mm) overall length, extra wide jaws, 4-thread knurl adjuster and laser engraved measurement scales.	Stock	\$26.00
<u>WS-2</u>	CHANNELLOCK adjustable wrench set, 2 pieces, extra wide jaws, 4-thread knurl adjuster and laser engraved measurement scales.	Stock	\$45.00
<u>05020099001</u>	Wera Joker adjustable wrench, ratcheting, 1/4-3/8in, 4.7in (119mm) overall length, automatic and continuous self-setting and 30 degree low return angle.	Stock	\$42.00
<u>05020100001</u>	Wera Joker adjustable wrench, ratcheting, 7/16-1/2in, 6.1in (155mm) overall length, automatic and continuous self-setting and 30 degree low return angle.	Stock	\$46.00
<u>05020103001</u>	Wera Joker adjustable wrench, ratcheting, 1/2-5/8in, 7.5in (190mm) overall length, automatic and continuous self-setting and 30 degree low return angle.	Stock	\$55.00
<u>05020101001</u>	Wera Joker adjustable wrench, ratcheting, 5/8-3/4in, 8.9in (226mm) overall length, automatic and continuous self-setting and 30 degree low return angle.	Stock	\$66.00
<u>05020104001</u>	Wera Joker adjustable wrench, ratcheting, 3/4-15/16in, 10.0in (255mm) overall length, automatic and continuous self-setting and 30 degree low return angle.	Stock	\$75.00
<u>05020102001</u>	Wera Joker adjustable wrench, ratcheting, 15/16-1 1/4in, 12.7in (322mm) overall length, automatic and continuous self-setting and 30 degree low return angle.	Stock	\$84.00
<u>05020150001</u>	Wera Joker adjustable wrench, ratcheting, 1/4-3/8in, 4.7in (119mm) overall length, insulated, automatic and continuous self-setting, 30 degree low return angle, and contactless jaw opening feature.	Stock	\$54.00
<u>05020151001</u>	Wera Joker adjustable wrench, ratcheting, 7/16-1/2in, 6.1in (155mm) overall length, insulated, automatic and continuous self-setting, 30 degree low return angle, and contactless jaw opening feature.	Stock	\$59.00
<u>05020152001</u>	Wera Joker adjustable wrench, ratcheting, 1/2-5/8in, 7.5in (190mm) overall length, insulated, automatic and continuous self-setting, 30 degree low return angle, and contactless jaw opening feature.	Stock	\$67.00
<u>05020153001</u>	Wera Joker adjustable wrench, ratcheting, 5/8-3/4in, 8.9in (226mm) overall length, insulated, automatic and continuous self-setting, 30 degree low return angle, and contactless jaw opening feature.	Stock	\$84.00
T-handle Wrenches			
<u>WT38802</u>	Wiha T-handle bit holder, 7.0in (177mm) overall length, 1/4in drive, magnetic bit holder locking mechanism, SoftGrip t-handle.	Stock	\$21.00
Ratchets and Socket Sets			
<u>05023460001</u>	Wera t-handle ratchet, 1/4in, 4.5 degrees return angle, ballpoint socket locking mechanism, ergonomic t-handle.	Stock	\$69.00
<u>BH43645</u>	Bondhus ProHold impact socket bit set, external hex, 5 pieces, protanium high torque steel, 6in bit length, 1/4in drive, imperial.	Stock	\$125.00
<u>BH43646</u>	Bondhus ProHold impact socket bit set, external hex, 6 pieces, protanium high torque steel, 6in bit length, 1/4in drive, metric.	Stock	\$106.00
<u>BH43845</u>	Bondhus ProHold impact socket bit set, external hex, 7 pieces, protanium high torque steel, 6in bit length, 1/4in drive, imperial, ball-end tip.	Stock	\$123.50
<u>BH43887</u>	Bondhus ProHold impact socket bit set, external hex, 8 pieces, protanium high torque steel, 6in bit length, 1/4in drive, metric, ball-end tip.	Stock	\$138.50
<u>05004004055</u>	Wera Zyklus Metal ratchet, switch lever, 1/4in drive, 5 degrees return angle, all-metal construction, ballpoint socket locking mechanism.	Stock	\$51.00
<u>05003500055</u>	Wera Zyklus Speed ratchet, dial switch, 1/4in drive, 5 degrees return angle, Kraftform ergonomic handle, locking swivel head, free-turning sleeve, ballpoint socket locking mechanism.	Stock	\$84.00
<u>05004034055</u>	Wera Zyklus Metal ratchet, switch lever, 3/8in drive, 5 degrees return angle, all-metal construction, ballpoint socket locking mechanism.	Stock	\$58.00
<u>05003550055</u>	Wera Zyklus Speed ratchet, dial switch, 3/8in drive, 5 degrees return angle, Kraftform ergonomic handle, locking swivel head, free-turning sleeve, ballpoint socket locking mechanism.	Stock	\$94.00
<u>05004064055</u>	Wera Zyklus Metal ratchet, switch lever, 1/2in drive, 5 degrees return angle, all-metal construction, ballpoint socket locking mechanism.	Stock	\$67.00
<u>05003600055</u>	Wera Zyklus Speed ratchet, dial switch, 1/2in drive, 5 degrees return angle, Kraftform ergonomic handle, locking swivel head, free-turning sleeve, ballpoint socket locking mechanism.	Stock	\$102.00
Tool Storage and Organization			
<u>WT91869</u>	Wiha RedStripe backpack, composite, 21.00 x 15.25 x 10.25in, 103 compartments.	Stock	\$240.00
<u>WT91459</u>	Wiha tool pouch, polyester canvas, 14.00 x 7.50in, 10 compartments.	Stock	\$20.00
<u>WT91473</u>	Wiha zipper bag, Cordura canvas, 9.75 x 7.25 x 3.00in, 1 compartments.	Stock	\$15.00
<u>WT91482</u>	Wiha belt pouch, Cordura canvas, 10.50 x 9.00 x 3.00in, 8 compartments.	Stock	\$50.00
<u>WT91486</u>	Wiha tool bag, Cordura canvas, 12.00 x 8.00 x 10.00in, 7 compartments.	Stock	\$46.00
<u>WT91487</u>	Wiha tool bag, Cordura canvas, 16.00 x 8.50 x 11.00in, 23 compartments.	Stock	\$70.00

<u>WT91488</u>	Wiha tool bag, Cordura canvas, 23.00 x 8.00 x 11.00in, 23 compartments.	Stock	\$81.00
<u>CH958570</u>	CH Ellis tool case, high-impact plastic, 18.0 x 13.5 x 6.5in, 50 compartments.	Stock	\$227.00
<u>CH958583</u>	CH Ellis tool case, high-impact plastic, 19.0 x 16.0 x 10.5in, 50 compartments.	Stock	\$288.00
<u>CH037071D</u>	CH Ellis tool bag, nylon cloth, 12.0 x 6.0 x 6.0in, 14 compartments.	Stock	\$41.00
<u>BAGESP</u>	Southwire tool bag, 2400 denier ballistic weave nylon, 16 compartments.	Stock	\$40.00

Soldering Irons and Guns

<u>WLL25</u>	Wall Lenk soldering iron, 25W, 900 deg F, 6ft cord. Pointed tip and tool stand included.	Stock	\$16.25
<u>WLL25K</u>	Wall Lenk soldering iron, 25W, 900 deg F, 6ft cord. Pointed tip, chisel tip, fine pointed tip, 1/2 ounce lead free solder and tool stand included.	Stock	\$21.50
<u>WLL40</u>	Wall Lenk soldering iron, 40W, 975 deg F, 8ft cord. Pointed tip and tool stand included.	Stock	\$23.00
<u>WLL40K</u>	Wall Lenk soldering iron, 40W, 975 deg F, 8ft cord. Pointed tip, chisel tip, fine pointed tip, 1/2 ounce lead free solder and tool stand included.	Stock	\$29.00
<u>WLL80</u>	Wall Lenk soldering iron, 80W, 995 deg F, 8ft cord. Screwdriver tip and tool stand included.	Stock	\$48.00
<u>WLQ30SI</u>	Wall Lenk cordless soldering iron, 30W, 1100 deg F. Pointed tip, tool cap, safety stand and usb charging cable included.	Stock	\$33.00
<u>WLQ30HS</u>	Wall Lenk cordless soldering iron, 30W, 600 deg F. Heat shrink tip, tool cap, safety stand and usb charging cable included.	Stock	\$33.00
<u>WLLG2500K</u>	Wall Lenk soldering gun, 100W, 850 deg F, 6ft cord. (2) conical tips and 6 grams of lead free rosin core solder included.	Stock	\$42.00
<u>WLLG400C</u>	Wall Lenk soldering gun, 400W and 150W, 1000 deg F, 5ft cord. Pyramid tip, tool stand and blow molded storage case included.	Stock	\$122.00
<u>WLWG991KCS</u>	Wall Lenk soldering gun, 150W and 100W, 800 deg F, 8ft cord. Conical tip, bevel smoothing tip, knife cutting tip and 1/2 ounce lead free solder included.	Stock	\$72.00
<u>WLWG992K</u>	Wall Lenk soldering gun, 200W and 110W, 1130 deg F, 8ft cord. Conical tip, bevel smoothing tip, knife cutting tip and 1/2 ounce lead free solder included.	Stock	\$99.00
<u>WLL25PT</u>	Wall Lenk pointed soldering tip, replacement, 900 deg F. Package of 2. For use with Wall Lenk soldering iron WLL25 and WLL25K.	Stock	\$4.50
<u>WLL25CT</u>	Wall Lenk chisel soldering tip, replacement, 900 deg F. Package of 2. For use with Wall Lenk soldering iron WLL25 and WLL25K.	Stock	\$4.50
<u>WLL25FT</u>	Wall Lenk fine point soldering tip, replacement, 900 deg F. Package of 2. For use with Wall Lenk soldering iron WLL25 and WLL25K.	Stock	\$4.50
<u>WLL40PT</u>	Wall Lenk pointed soldering tip, replacement, 975 deg F. For use with Wall Lenk soldering iron WLL40 and WLL40K.	Stock	\$4.50
<u>WLL40CT</u>	Wall Lenk chisel soldering tip, replacement, 975 deg F. For use with Wall Lenk soldering iron WLL40 and WLL40K.	Stock	\$4.50
<u>WLL40FT</u>	Wall Lenk fine point soldering tip, replacement, 975 deg F. For use with Wall Lenk soldering iron WLL40 and WLL40K.	Stock	\$4.50
<u>WLL80T</u>	Wall Lenk screwdriver soldering tip, replacement, 995 deg F. For use with Wall Lenk soldering iron WLL80.	Stock	\$11.50
<u>WLQ30HST</u>	Wall Lenk heat shrink soldering tip, replacement, 600 deg F. For use with Wall Lenk soldering iron WLQ30SI and WLQ30HS.	Stock	\$7.25
<u>WLQ30CT</u>	Wall Lenk chisel soldering tip, replacement, 1100 deg F. For use with Wall Lenk soldering iron WLQ30SI and WLQ30HS.	Stock	\$7.25
<u>WLQ30FT</u>	Wall Lenk fine point soldering tip, replacement, 1100 deg F. For use with Wall Lenk soldering iron WLQ30SI and WLQ30HS.	Stock	\$7.25
<u>WLQ30PT</u>	Wall Lenk pointed soldering tip, replacement, 1100 deg F. For use with Wall Lenk soldering iron WLQ30SI and WLQ30HS.	Stock	\$7.25
<u>WLLG2500ST</u>	Wall Lenk conical soldering tip, replacement, 850 deg F. Package of 2. For use with Wall Lenk soldering iron WLLG2500K.	Stock	\$8.00
<u>WLWG991ST</u>	Wall Lenk conical soldering tip, replacement, 1130 deg F. For use with Wall Lenk soldering iron WLWG991KCS and WLWG992K.	Stock	\$4.50
<u>WLWG991SMT</u>	Wall Lenk bevel soldering tip, replacement, 1130 deg F. For use with Wall Lenk soldering iron WLWG991KCS and WLWG992K.	Stock	\$4.50
<u>WLWG991CT</u>	Wall Lenk knife soldering tip, replacement, 1130 deg F. For use with Wall Lenk soldering iron WLWG991KCS and WLWG992K.	Stock	\$4.50
<u>WLLG400TE</u>	Wall Lenk pyramid soldering tip, replacement, 1000 deg F. For use with Wall Lenk soldering iron WLLG400C.	Stock	\$73.00

Heat Guns

<u>HG-201D</u>	Master Appliance D-Series heat gun, 400 deg F, 120 VAC operating voltage, 600W. Non-slip reinforced stand included.	Stock	\$190.00
--------------------------------	---	-------	----------

HG-301D	Master Appliance D-Series heat gun, 800 deg F, 120 VAC operating voltage, 1440W. Non-slip reinforced stand included.	Stock	\$180.00
HG-501D	Master Appliance D-Series heat gun, 1200 deg F, 120 VAC operating voltage, 1740W. Non-slip reinforced stand included.	Stock	\$180.00
HG-201D-00-K	Master Appliance D-Series heat gun, 400 deg F, 120 VAC operating voltage, 600W. Non-slip reinforced stand, (3) attachments (heat shrink, spreader, reducer), plastic carrying case included.	Stock	\$240.00
HG-301D-00-K	Master Appliance D-Series heat gun, 800 deg F, 120 VAC operating voltage, 1440W. Non-slip reinforced stand, (3) attachments (heat shrink, spreader, reducer), plastic carrying case included.	Stock	\$230.00
HG-501D-00-K	Master Appliance D-Series heat gun, 1200 deg F, 120 VAC operating voltage, 1740W. Non-slip reinforced stand, (3) attachments (heat shrink, spreader, reducer), plastic carrying case included.	Stock	\$230.00
VT-751D	Master Appliance Varitemp heat gun, 1200 deg F, 120 VAC operating voltage, 1740W. Non-slip reinforced stand included.	Stock	\$240.00
VT-751D-00-K	Master Appliance Varitemp heat gun, 1200 deg F, 120 VAC operating voltage, 1740W. Non-slip reinforced stand, (3) attachments (heat shrink, spreader, reducer), plastic carrying case included.	Stock	\$290.00
EC-MINI	Master Appliance EC-Mini heat gun, 650 deg F, 120 VAC operating voltage, 350W. Wire stand and heat shrink attachment included.	Stock	\$26.00
MA10008	Master Appliance Master-Mite heat gun, 650 deg F, 120 VAC operating voltage, 475W. Adjustable stand and heat shrink attachment included.	Stock	\$140.00
A-160-HG	Master Appliance attachment, heat shrink, chrome-plated steel, up to 3/4in diameter. For use with HG-201D, HG-301D, HG-501D & VT-751D heat guns.	Stock	\$16.00
A-170-HG	Master Appliance attachment, heat shrink, chrome-plated steel, 3/4 to 2in diameter. For use with HG-201D, HG-301D, HG-501D & VT-751D heat guns.	Stock	\$16.00
MA35245	Master Appliance attachment set, heat shrink, spreader and reducer, chrome-plated steel, up to 3/4in diameter. For use with HG-201D, HG-301D, HG-501D & VT-751D heat guns. Includes (1) heat shrink attachment, (1) spreader attachment, and (1) reducer attachment.	Stock	\$38.00
MA51543	Master Appliance attachment, spreader, chrome-plated steel. For use with HG-201D, HG-301D, HG-501D & VT-751D heat guns.	Stock	\$16.00
MA51544	Master Appliance attachment, reducer, chrome-plated steel. For use with HG-201D, HG-301D, HG-501D & VT-751D heat guns.	Stock	\$16.00
MA40060	Master Appliance attachment, heat shrink, chrome-plated steel, up to 1in diameter. For use with MA10008 heat gun.	Stock	\$13.00
MA40061	Master Appliance attachment, pin point, chrome-plated steel. For use with MA10008 heat gun.	Stock	\$22.00
Fish Tapes			
FTSP45-75FML	Southwire SIMpull fish tape, 75ft length, spiral extruded polymer, swiveling flexible metal leader, 580lb tensile strength.	Stock	\$60.00
FTSP45-125FML	Southwire SIMpull fish tape, 125ft length, spiral extruded polymer, swiveling flexible metal leader, 580lb tensile strength.	Stock	\$90.00
Cable Tie Tools			
PIN.009	SapiSelco cable tie cutting pliers, 5.7in (145mm) overall length, angled cutting edges with hawkbill tip, 0.098 - 0.5in cable tie size range, red comfort grip handles.	Stock	\$16.00
PIN.003	SapiSelco cable tie hand tool, 5.5 to 26 lb adjustable tension range, 0 - 0.2in cable tie size range, metal, red.	Stock	\$21.00
PIN.005	SapiSelco cable tie tensioning tool, 0 - 0.35in cable tie size range, metal.	Stock	\$14.50
Step Drills			
101026USRO	RUKO step drill bit set, 3 pieces, high-speed steel (HSS), bright finish.	Stock	\$76.00
101026USTRO	RUKO step drill bit set, 3 pieces, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish.	Stock	\$120.00
101026USERO	RUKO step drill bit set, 3 pieces, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$109.00
101701	RUKO step drill bit, 6 steps, 3/16in, 1/4in, 5/16in, 3/8in, 7/16in and 1/2in, split point, high-speed steel (HSS), bright finish, 1/4in diameter 3-surface shank.	Stock	\$20.50
101701E	RUKO step drill bit, 6 steps, 3/16in, 1/4in, 5/16in, 3/8in, 7/16in and 1/2in, split point, 5% cobalt high-speed steel (HSSE-Co5), bright finish, 1/4in diameter 3-surface shank.	Stock	\$29.00
101701T	RUKO step drill bit, 6 steps, 3/16in, 1/4in, 5/16in, 3/8in, 7/16in and 1/2in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 1/4in diameter 3-surface shank.	Stock	\$34.50
101702	RUKO step drill bit, 13 steps, 1/8in, 5/32in, 3/16in, 7/32in, 1/4in, 9/32in, 5/16in, 11/32in, 3/8in, 13/32in, 7/16in, 15/32in and 1/2in, split point, high-speed steel (HSS), bright finish, 1/4in diameter 3-surface shank.	Stock	\$24.00
101702E	RUKO step drill bit, 13 steps, 1/8in, 5/32in, 3/16in, 7/32in, 1/4in, 9/32in, 5/16in, 11/32in, 3/8in, 13/32in, 7/16in, 15/32in and 1/2in, split point, 5% cobalt high-speed steel (HSSE-Co5), bright finish, 1/4in diameter 3-surface shank.	Stock	\$33.50
101702T	RUKO step drill bit, 13 steps, 1/8in, 5/32in, 3/16in, 7/32in, 1/4in, 9/32in, 5/16in, 11/32in, 3/8in, 13/32in, 7/16in, 15/32in and 1/2in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 1/4in diameter 3-surface shank.	Stock	\$37.50

<u>101703</u>	RUKO step drill bit, 9 steps, 1/4in, 5/16in, 3/8in, 7/16in, 1/2in, 9/16in, 5/8in, 11/16in and 3/4in, split point, high-speed steel (HSS), bright finish, 3/8in diameter 3-surface shank.	Stock	\$29.50
<u>101703E</u>	RUKO step drill bit, 9 steps, 1/4in, 5/16in, 3/8in, 7/16in, 1/2in, 9/16in, 5/8in, 11/16in and 3/4in, split point, 5% cobalt high-speed steel (HSSE-Co5), bright finish, 3/8in diameter 3-surface shank.	Stock	\$41.00
<u>101703T</u>	RUKO step drill bit, 9 steps, 1/4in, 5/16in, 3/8in, 7/16in, 1/2in, 9/16in, 5/8in, 11/16in and 3/4in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 3/8in diameter 3-surface shank.	Stock	\$47.00
<u>101704</u>	RUKO step drill bit, 12 steps, 3/16in, 1/4in, 5/16in, 3/8in, 7/16in, 1/2in, 9/16in, 5/8in, 11/16in, 3/4in, 13/16in and 7/8in, split point, high-speed steel (HSS), bright finish, 3/8in diameter 3-surface shank.	Stock	\$40.00
<u>101704E</u>	RUKO step drill bit, 12 steps, 3/16in, 1/4in, 5/16in, 3/8in, 7/16in, 1/2in, 9/16in, 5/8in, 11/16in, 3/4in, 13/16in and 7/8in, split point, 5% cobalt high-speed steel (HSSE-Co5), bright finish, 3/8in diameter 3-surface shank.	Stock	\$46.00
<u>101704T</u>	RUKO step drill bit, 12 steps, 3/16in, 1/4in, 5/16in, 3/8in, 7/16in, 1/2in, 9/16in, 5/8in, 11/16in, 3/4in, 13/16in and 7/8in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 3/8in diameter 3-surface shank.	Stock	\$53.00
<u>101705</u>	RUKO step drill bit, 9 steps, 13/32in, 9/16in, 5/8in, 11/16in, 3/4in, 13/16in, 7/8in, 15/16in and 1in, split point, high-speed steel (HSS), bright finish, 3/8in diameter 3-surface shank.	Stock	\$40.50
<u>101705E</u>	RUKO step drill bit, 9 steps, 13/32in, 9/16in, 5/8in, 11/16in, 3/4in, 13/16in, 7/8in, 15/16in and 1in, split point, 5% cobalt high-speed steel (HSSE-Co5), bright finish, 3/8in diameter 3-surface shank.	Stock	\$48.50
<u>101705T</u>	RUKO step drill bit, 9 steps, 13/32in, 9/16in, 5/8in, 11/16in, 3/4in, 13/16in, 7/8in, 15/16in and 1in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 3/8in diameter 3-surface shank.	Stock	\$56.00
<u>101706</u>	RUKO step drill bit, 5 steps, 7/8in, 1-1/8in, 1-7/32in, 1-1/4in and 1-3/8in, split point, high-speed steel (HSS), bright finish, 3/8in diameter 3-surface shank.	Stock	\$57.00
<u>101706E</u>	RUKO step drill bit, 5 steps, 7/8in, 1-1/8in, 1-7/32in, 1-1/4in and 1-3/8in, split point, 5% cobalt high-speed steel (HSSE-Co5), bright finish, 3/8in diameter 3-surface shank.	Stock	\$78.00
<u>101706T</u>	RUKO step drill bit, 5 steps, 7/8in, 1-1/8in, 1-7/32in, 1-1/4in and 1-3/8in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 3/8in diameter 3-surface shank.	Stock	\$88.00
<u>101708</u>	RUKO step drill bit, 1 steps, 7/8in, split point, high-speed steel (HSS), bright finish, 3/8in diameter 3-surface shank.	Stock	\$35.50
<u>101708T</u>	RUKO step drill bit, 1 steps, 7/8in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 3/8in diameter 3-surface shank.	Stock	\$49.50
<u>101709</u>	RUKO step drill bit, 2 steps, 7/8in and 1-1/8in, split point, high-speed steel (HSS), bright finish, 3/8in diameter 3-surface shank.	Stock	\$46.00
<u>101709E</u>	RUKO step drill bit, 2 steps, 7/8in and 1-1/8in, split point, 5% cobalt high-speed steel (HSSE-Co5), bright finish, 3/8in diameter 3-surface shank.	Stock	\$63.00
<u>101709T</u>	RUKO step drill bit, 2 steps, 7/8in and 1-1/8in, split point, high-speed steel (HSS), Titanium-Nitride (TiN) coated finish, 3/8in diameter 3-surface shank.	Stock	\$73.00
Drill Bits			
<u>214850RO</u>	RUKO jobber-length drill bit set, 21 pieces, high-speed steel (HSS), bright finish.	Stock	\$40.50
<u>214851RO</u>	RUKO jobber-length drill bit set, 29 pieces, high-speed steel (HSS), bright finish.	Stock	\$66.00
<u>214802</u>	RUKO jobber-length drill bit, 5/64in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$5.50
<u>214803</u>	RUKO jobber-length drill bit, 3/32in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$6.00
<u>214804</u>	RUKO jobber-length drill bit, 7/64in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$6.75
<u>214805</u>	RUKO jobber-length drill bit, 1/8in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$7.75
<u>214806</u>	RUKO jobber-length drill bit, 9/64in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$8.25
<u>214807</u>	RUKO jobber-length drill bit, 5/32in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$8.25
<u>214808</u>	RUKO jobber-length drill bit, 11/64in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$9.00
<u>214809</u>	RUKO jobber-length drill bit, 3/16in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$11.00
<u>214810</u>	RUKO jobber-length drill bit, 13/64in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$12.00
<u>214811</u>	RUKO jobber-length drill bit, 7/32in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$13.00
<u>214813</u>	RUKO jobber-length drill bit, 1/4in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$14.00
<u>214814</u>	RUKO jobber-length drill bit, 17/64in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$17.00

<u>214815</u>	RUKO jobber-length drill bit, 9/32in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$18.00
<u>214817</u>	RUKO jobber-length drill bit, 5/16in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$19.00
<u>214819</u>	RUKO jobber-length drill bit, 11/32in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$26.00
<u>214821</u>	RUKO jobber-length drill bit, 3/8in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$31.00
<u>214822</u>	RUKO jobber-length drill bit, 25/64in, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$32.00
<u>214825</u>	RUKO jobber-length drill bit, 7/16in, split point, high-speed steel (HSS), bright finish, round shank. Package of 5.	Stock	\$21.50
<u>214829</u>	RUKO jobber-length drill bit, 1/2in, split point, high-speed steel (HSS), bright finish, round shank. Package of 5.	Stock	\$27.00
<u>2149007</u>	RUKO jobber-length drill bit, wire number size 7, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$12.00
<u>2149021</u>	RUKO jobber-length drill bit, wire number size 21, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$9.00
<u>2149025</u>	RUKO jobber-length drill bit, wire number size 25, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$8.25
<u>2149029</u>	RUKO jobber-length drill bit, wire number size 29, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$7.75
<u>2149036</u>	RUKO jobber-length drill bit, wire number size 36, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$8.25
<u>214900F</u>	RUKO jobber-length drill bit, letter size F, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$14.50
<u>214900R</u>	RUKO jobber-length drill bit, letter size R, split point, high-speed steel (HSS), bright finish, round shank. Package of 10.	Stock	\$39.00
<u>215015</u>	RUKO jobber-length drill bit, 1.5mm, split point, 5% cobalt high-speed steel (HSSE-Co5), golden brown finish, round shank. Package of 10.	Stock	\$13.50
<u>215115</u>	RUKO jobber-length drill bit, 11.5mm, split point, 5% cobalt high-speed steel (HSSE-Co5), golden brown finish, round shank. Package of 5.	Stock	\$62.00
<u>215120</u>	RUKO jobber-length drill bit, 12mm, split point, 5% cobalt high-speed steel (HSSE-Co5), golden brown finish, round shank. Package of 5.	Stock	\$64.00
<u>215125</u>	RUKO jobber-length drill bit, 12.5mm, split point, 5% cobalt high-speed steel (HSSE-Co5), golden brown finish, round shank. Package of 5.	Stock	\$71.00
<u>215130</u>	RUKO jobber-length drill bit, 13mm, split point, 5% cobalt high-speed steel (HSSE-Co5), golden brown finish, round shank. Package of 5.	Stock	\$73.00
Machine Taps			
<u>265040UNC</u>	RUKO machine tap, #4-40 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$11.00
<u>265060UNC</u>	RUKO machine tap, #6-32 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$9.00
<u>265080UNC</u>	RUKO machine tap, #8-32 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$9.00
<u>265100UNC</u>	RUKO machine tap, #10-24 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$9.00
<u>265100UNF</u>	RUKO machine tap, #10-32 UNF, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$9.00
<u>265120UNC</u>	RUKO machine tap, #12-24 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$9.25
<u>265014UNC</u>	RUKO machine tap, 1/4-20 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$10.00
<u>265014UNF</u>	RUKO machine tap, 1/4-28 UNF, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$11.00
<u>265516UNC</u>	RUKO machine tap, 5/16-18 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$11.50
<u>265038UNC</u>	RUKO machine tap, 3/8-16 UNC, square shank per DIN 10, reinforced for through threads, 5% cobalt high-speed steel (HSSE-Co5), bright finish.	Stock	\$13.00
Hand taps			
<u>245004USRO</u>	RUKO hand tap set, 15 pieces, high-speed steel (HSS), UNC and UNF thread type, bright finish.	Stock	\$93.00
<u>245004RO</u>	RUKO hand tap set, 15 pieces, high-speed steel (HSS), metric coarse thread type, bright finish.	Stock	\$78.00

<u>241112</u>	RUKO adjustable tap wrench, die-cast zinc, chrome-plated steel handles (1 fixed and 1 removable). For use with M1 to M12 and 1/8 to 1/2in taps.	Stock	\$7.50
<u>241010</u>	RUKO adjustable tap wrench, ratcheting, chrome-plated steel, sliding T-handle. For use with M3 to M10 and 1/8 to 3/8in taps.	Stock	\$26.00
<u>241020</u>	RUKO adjustable tap wrench, ratcheting, chrome-plated steel, sliding T-handle. For use with M5 to M12 and 7/32 to 1/2in taps.	Stock	\$29.50
<u>246080UNC3</u>	RUKO hand tap, #8-32 UNC, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$10.50
<u>246100UNC3</u>	RUKO hand tap, #10-24 UNC, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$10.50
<u>246100UNF2</u>	RUKO hand tap, #10-32 UNF, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$10.50
<u>246014UNC3</u>	RUKO hand tap, 1/4-20 UNC, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$6.25
<u>246516UNC3</u>	RUKO hand tap, 5/16-18 UNC, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$6.25
<u>231116NPT</u>	RUKO hand tap, 1/16-27 NPT, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$16.00
<u>231018NPT</u>	RUKO hand tap, 1/8-27 NPT, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$14.50
<u>231014NPT</u>	RUKO hand tap, 1/4-18 NPT, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$15.50
<u>231038NPT</u>	RUKO hand tap, 3/8-18 NPT, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$22.00
<u>231012NPT</u>	RUKO hand tap, 1/2-14 NPT, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$27.00
<u>231030</u>	RUKO hand tap, M3 x 0.5 coarse, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$4.25
<u>231040</u>	RUKO hand tap, M4 x 0.7 coarse, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$4.25
<u>231050</u>	RUKO hand tap, M5 x 0.8 coarse, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$4.25
<u>231060</u>	RUKO hand tap, M6 x 1.0 coarse, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$4.50
<u>231080</u>	RUKO hand tap, M8 x 1.25 coarse, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$5.00
<u>231100</u>	RUKO hand tap, M10 x 1.50 coarse, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$7.00
<u>231120</u>	RUKO hand tap, M12 x 1.75 coarse, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$8.50
<u>264009</u>	RUKO hand tap, PG-9 x 18, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$21.50
<u>264011</u>	RUKO hand tap, PG-11 x 18, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$29.50
<u>264016</u>	RUKO hand tap, PG-16 x 18, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$42.00
<u>264021</u>	RUKO hand tap, PG-21 x 16, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$63.00
<u>264029</u>	RUKO hand tap, PG-29 x 16, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$97.00
<u>235041-2</u>	RUKO hand tap, M4 x 0.5 fine, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$8.50
<u>235050-2</u>	RUKO hand tap, M5 x 0.5 fine, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$9.00
<u>235081-2</u>	RUKO hand tap, M8 x 1.0 fine, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$11.00
<u>235122-2</u>	RUKO hand tap, M12 x 1.0 fine, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$12.00
<u>235181-2</u>	RUKO hand tap, M18 x 1.0 fine, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$23.50
<u>235301-2</u>	RUKO hand tap, M30 x 1.5 fine, square shank per DIN 10, high-speed steel (HSS), bright finish.	Stock	\$48.50
Knockout Punches			
<u>109101</u>	RUKO compact hydraulic punch. (1) distance sleeve and (3) adapter bolts (MF 10 x 1.0, 3/4" UNF fitting, MF 12 x 1.5, 3/4" UNF fitting, MF 16 x 1.5, 3/4" UNF fitting) included.	Stock	\$1,028.00
<u>109220</u>	RUKO knockout punch, 22.0mm. Punch, die and draw bolt included.	Stock	\$28.50
<u>109225</u>	RUKO knockout punch, 22.5mm. Punch, die and draw bolt included.	Stock	\$27.00
<u>109300</u>	RUKO knockout punch, 30.0mm. Punch, die and draw bolt included.	Stock	\$37.00
<u>109305</u>	RUKO knockout punch, 30.5mm. Punch, die and draw bolt included.	Stock	\$34.50
<u>1097012</u>	RUKO knockout punch, 1/2in conduit. Punch, die and draw bolt included.	Stock	\$28.50
<u>1097034</u>	RUKO knockout punch, 3/4in conduit. Punch, die and draw bolt included.	Stock	\$31.50
<u>1097010</u>	RUKO knockout punch, 1in conduit. Punch, die and draw bolt included.	Stock	\$39.00

1097114	RUKO knockout punch, 1-1/4in conduit. Punch, die and draw bolt included.	Stock	\$46.00
1097112	RUKO knockout punch, 1-1/2in conduit. Punch, die and draw bolt included.	Stock	\$56.00
1097020	RUKO knockout punch, 2in conduit. Punch, die and draw bolt included.	Stock	\$59.00
103110K	RUKO draw bolt, replacement. For use with punches having MF 10 x 1.0 threads. Ball bearing included.	Stock	\$23.00
103112K	RUKO draw bolt, replacement. For use with punches having MF 12 x 1.5 threads. Ball bearing included.	Stock	\$25.00
Hole Saws			
106302	RUKO bi-metal hole saw set, 9 pieces, high-speed steel (HSS), hardened steel backer, varied tooth.	Stock	\$90.00
126302	RUKO bi-metal hole saw set, 9 pieces, 8% cobalt high-speed steel (HSSE-Co8), hardened steel backer, fine tooth.	Stock	\$92.00
126304	RUKO bi-metal hole saw set, 13 pieces, 8% cobalt high-speed steel (HSSE-Co8), hardened steel backer, fine tooth.	Stock	\$137.00
126318	RUKO bi-metal hole saw set, 20 pieces, 8% cobalt high-speed steel (HSSE-Co8), hardened steel backer, fine tooth.	Stock	\$277.00
126022	RUKO bi-metal hole saw, 7/8in (22mm), 8% cobalt high-speed steel (HSSE-Co8), hardened steel backer, fine tooth, 1.5in (38mm) maximum cutting depth.	Stock	\$7.50
126121	RUKO bi-metal hole saw, 4-3/4in (121mm), 8% cobalt high-speed steel (HSSE-Co8), hardened steel backer, fine tooth, 1.5in (38mm) maximum cutting depth.	Stock	\$32.00
106201	RUKO arbor assembly, type A6, 5/8-18 UNF, 3/8in hex shank. For use with 1-1/4 to 8-1/4in diameter bi-metal hole saws. Type A6 arbor, HSS 1/4in pilot bit, hex key and ejector spring included.	Stock	\$7.50
106202	RUKO arbor assembly, type A5, 1/2-20 UNF, 3/8in hex shank. For use with 9/16 to 1-3/16in diameter bi-metal hole saws. Type A5 arbor, HSS 1/4in pilot bit, hex key and ejector spring included.	Stock	\$14.00
106206	RUKO pilot drill bit, replacement, 1/4in, split point, high-speed steel (HSS), bright finish, 1/4in diameter 3-surface shank. For use with RUKO 106210, 106209, 106202 and 106201 arbor assemblies.	Stock	\$4.50
106209	RUKO arbor assembly, type A2, 5/8-18 UNF, 7/16in hex shank. For use with 1-1/4 to 8-1/4in diameter bi-metal hole saws. Type A2 arbor, HSS 1/4in pilot bit, hex key and ejector spring included.	Stock	\$14.00
106210	RUKO arbor assembly, type A1, 1/2-20 UNF, 7/16in hex shank. For use with 9/16 to 1-3/16in diameter bi-metal hole saws. Type A1 arbor, HSS 1/4in pilot bit, hex key and ejector spring included.	Stock	\$10.00
126206	RUKO pilot drill bit, replacement, 1/4in, split point, 5% cobalt high-speed steel (HSSE-Co5), golden brown finish, 1/4in diameter 3-surface shank. For use with RUKO 106210, 106209, 106202 and 106201 arbor assemblies.	Stock	\$8.25
Deburring Tools			
107054	RUKO pocket deburring tool, E100, for deburring straight edges and hole edges, rotating blade, right hand.	Stock	\$10.00
107003	RUKO deburring tool set, 4 pieces, B10 and B20, for deburring straight edges and hole edges, rotating blade.	Stock	\$12.50
107006	RUKO deburring tool set, 5 pieces, E100, E200 and E300, for deburring straight edges, hole edges and cross-hole both edges, rotating blade.	Stock	\$14.50
107007	RUKO deburring tool set, 3 pieces, F20, for deburring hole edges, fixed blade.	Stock	\$29.00
107010	RUKO universal deburring tool handle, ergonomic handle with spare blade storage.	Stock	\$6.25
107012	RUKO deburring blade, B10, for deburring straight edges and hole edges, rotating blade, right hand, high-speed steel (HSS). Package of 10. For use with extendable blade holder for B blades and universal deburring tool handle.	Stock	\$11.50
107015	RUKO deburring blade, B30, for deburring cross-hole both edges, rotating blade, right hand, high-speed steel (HSS). Package of 10. For use with extendable blade holder for B blades and universal deburring tool handle.	Stock	\$13.00
107026	RUKO deburring blade, E100, for deburring straight edges and hole edges, rotating blade, right hand, high-speed steel (HSS), long shank. Package of 10. For use with extendable blade holder for E blades and universal deburring tool handle.	Stock	\$13.00
Wall-Mount Enclosures			
P4043-P10	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 4 x 4 x 3in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, integrated padlockable latch.	Stock	\$37.00
P4043C-P10	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 4 x 4 x 3in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, integrated padlockable latch.	Stock	\$42.50
SCE-404SC	Saginaw enclosure, NEMA 3R/4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.50
SCE-404CHNF	Saginaw enclosure, NEMA 3R/4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$49.50
HJ443HLP	Hammond enclosure, NEMA 3R/4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$52.00
HJ443LP	Hammond enclosure, NEMA 3R/4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$52.00

<u>1414SCA</u>	Hammond enclosure, NEMA 12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$52.00
<u>BN4040403</u>	Wiegmann enclosure, NEMA 4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (4) stainless steel clamps.	Stock	\$59.00
<u>B040403</u>	Wiegmann enclosure, NEMA 12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (1) plated steel clamp.	Stock	\$61.00
<u>EJ443</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$57.00
<u>EJ443LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$60.00
<u>B040403SC</u>	Wiegmann enclosure, NEMA 12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$84.00
<u>B040403CH</u>	Wiegmann enclosure, NEMA 12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) plated steel clamp.	Stock	\$62.00
<u>BN4040403CH</u>	Wiegmann enclosure, NEMA 4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) stainless steel clamp.	Stock	\$68.00
<u>BN4040403SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (4) stainless steel clamps.	Stock	\$117.00
<u>1414N4SSA</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$118.00
<u>1414N4ALA</u>	Hammond enclosure, NEMA 4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$129.00
<u>EJ443AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$130.00
<u>EJ443SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$170.00
<u>EJ443S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$206.00
<u>SCE-4044SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.50
<u>SCE-4044CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$51.00
<u>HJ444HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$54.00
<u>HJ444LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$55.00
<u>B040404</u>	Wiegmann enclosure, NEMA 12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (1) plated steel clamp.	Stock	\$64.00
<u>B040404CH</u>	Wiegmann enclosure, NEMA 12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) plated steel clamp.	Stock	\$64.00
<u>EJ444</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$60.00
<u>EJ444LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$63.00
<u>B040404SC</u>	Wiegmann enclosure, NEMA 12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$89.00
<u>EJ444AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 4 x 4 x 4in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$135.00
<u>EJ444SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 4 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$170.00
<u>EJ444S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 4 x 4 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$207.00
<u>SCE-604SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$56.00
<u>SCE-604CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$56.00
<u>HJ643LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$59.00
<u>HJ643HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$59.00
<u>BN4060403</u>	Wiegmann enclosure, NEMA 4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (4) stainless steel clamps.	Stock	\$67.00
<u>B060403</u>	Wiegmann enclosure, NEMA 12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (1) plated steel clamp.	Stock	\$69.00

<u>1414SCC</u>	Hammond enclosure, NEMA 12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$65.00
<u>B060403SC</u>	Wiegmann enclosure, NEMA 12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$97.00
<u>B060403CH</u>	Wiegmann enclosure, NEMA 12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) plated steel clamp.	Stock	\$71.00
<u>EJ643</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$68.00
<u>EJ643LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$71.00
<u>B060403CHQR</u>	Wiegmann enclosure, NEMA 12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch.	Stock	\$76.00
<u>BN4060403CH</u>	Wiegmann enclosure, NEMA 4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) stainless steel clamp.	Stock	\$77.00
<u>1414N4ALC</u>	Hammond enclosure, NEMA 4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$149.00
<u>EJ643AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$153.00
<u>BN4060403SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (4) stainless steel clamps.	Stock	\$150.00
<u>BN4060403AL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, lift-off cover, (4) stainless steel clamps.	Stock	\$167.00
<u>EJ643SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$171.00
<u>EJ643S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$208.00
<u>SCE-604ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$48.00
<u>SCE-604ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$48.00
<u>J604W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$81.00
<u>SCE-6044CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$60.00
<u>HJ644HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$63.00
<u>HJ644LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$64.00
<u>SCE-6044SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$63.00
<u>J604HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$86.00
<u>C3R644HCR</u>	Hammond enclosure, NEMA 3R, 6 x 4 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$64.00
<u>B060404</u>	Wiegmann enclosure, NEMA 12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (1) plated steel clamp.	Stock	\$74.00
<u>B060404CH</u>	Wiegmann enclosure, NEMA 12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) plated steel clamp.	Stock	\$75.00
<u>B060404SC</u>	Wiegmann enclosure, NEMA 12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$100.00
<u>EJ644</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$72.00
<u>EJ644LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$75.00
<u>J604HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$120.00
<u>JW604HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple, SAR acrylic window.	Stock	\$152.00
<u>J604HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) twist-lock latch.	Stock	\$159.00
<u>SCE-604ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$124.00
<u>SCE-604ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$149.00

<u>EJ644AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$158.00
<u>1414N4SSC4</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$153.00
<u>SCE-6044CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$162.00
<u>BN4060404CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (1) stainless steel clamp.	Stock	\$173.00
<u>1414N4PHSSC4</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$170.00
<u>EJ644SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$172.00
<u>SCE-6044CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$194.00
<u>1414N4PHS16C4</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$202.00
<u>EJ644S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$208.00
<u>SCE-604ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 6 x 4 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$294.00
<u>RJ604HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 6 x 4 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$176.00
<u>RJ604HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 6 x 4 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) twist-lock latch.	Stock	\$181.00
<u>P6063-P10</u>	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 6 x 6 x 3in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, integrated padlockable latch.	Stock	\$46.50
<u>P6063C-P10</u>	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 6 x 6 x 3in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, integrated padlockable latch.	Stock	\$53.00
<u>SCE-6N604LP</u>	Saginaw enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$47.50
<u>C3R664HCR</u>	Hammond enclosure, NEMA 3R, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$51.00
<u>RHC060604</u>	Wiegmann enclosure, NEMA 1/3R, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$58.00
<u>N1C060604</u>	Wiegmann enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$59.00
<u>N1J664</u>	Hammond enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$57.00
<u>SCE-606ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$56.00
<u>SCE-606ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$56.00
<u>J606W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$87.00
<u>AH664HW</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$82.00
<u>AH664</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$83.00
<u>HJ664HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$67.00
<u>SCE-606CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$65.00
<u>SCE-606SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>HJ664LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$69.00
<u>H6064SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$64.00
<u>BN4060604</u>	Wiegmann enclosure, NEMA 4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (4) stainless steel clamps.	Stock	\$78.00
<u>AH664C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$90.00
<u>AH664SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$89.00

<u>AHF664</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$92.00
<u>AHF664C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$99.00
<u>B060604</u>	Wiegmann enclosure, NEMA 12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (1) plated steel clamp.	Stock	\$80.00
<u>B060604CH</u>	Wiegmann enclosure, NEMA 12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) plated steel clamp.	Stock	\$80.00
<u>J606HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$99.00
<u>1414SCE</u>	Hammond enclosure, NEMA 12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$76.00
<u>EJ664</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$77.00
<u>EJ664LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$81.00
<u>BN4060604CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$85.00
<u>AH664CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$96.00
<u>H6064HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, hinged screw cover.	Stock	\$71.00
<u>H6064SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate screw cover.	Stock	\$74.00
<u>BN4060604CH</u>	Wiegmann enclosure, NEMA 4/12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) stainless steel clamp.	Stock	\$87.00
<u>DS60604HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$108.00
<u>WA060604GIE</u>	Wiegmann enclosure, NEMA 12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$89.00
<u>B060604CHQR</u>	Wiegmann enclosure, NEMA 12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch.	Stock	\$89.00
<u>H6064HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$73.00
<u>H6064HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$77.00
<u>DS60604W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$120.00
<u>J606HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$125.00
<u>B060604SC</u>	Wiegmann enclosure, NEMA 12/13, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$102.00
<u>H6064HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$85.00
<u>DS60604HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$136.00
<u>DSCC60604HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clear polycarbonate single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$146.00
<u>J606HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) twist-lock latch.	Stock	\$165.00
<u>JW606HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple, SAR acrylic window.	Stock	\$168.00
<u>SCE-606ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$155.00
<u>1414N4ALE</u>	Hammond enclosure, NEMA 4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$166.00
<u>EJ664AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$170.00
<u>BN4060604SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (4) stainless steel clamps.	Stock	\$171.00
<u>BN4060604CHAL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, single-door, (1) stainless steel clamp.	Stock	\$225.00

<u>1414N4SSE</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$175.00
<u>BN4060604AL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, lift-off cover, (4) stainless steel clamps.	Stock	\$187.00
<u>SCE-606ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$186.00
<u>BN4060604CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (1) stainless steel clamp.	Stock	\$189.00
<u>1414N4PHSSE</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$186.00
<u>EJ664SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$192.00
<u>SCE-606CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$202.00
<u>BN4060604CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$204.00
<u>SCE-606CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$221.00
<u>EJ664S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$233.00
<u>1414N4PHS16E</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$227.00
<u>SCE-606ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$367.00
<u>RJ606W</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised screw cover.	Stock	\$128.00
<u>RJ606HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$182.00
<u>RJ606HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 6 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) twist-lock latch.	Stock	\$188.00
<u>EJ683</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 8 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$83.00
<u>EJ683LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 6 x 8 x 3in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$87.00
<u>HJ683HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 6 x 8 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$71.00
<u>CL707W</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 7 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$247.00
<u>CL707HW</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 7 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$261.00
<u>CL707HPL</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 7 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$305.00
<u>CL707HL</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 7 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) 1/4-turn flush-mounted latch.	Stock	\$373.00
<u>P8063-P10</u>	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 6 x 3in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, integrated padlockable latch.	Stock	\$54.00
<u>P8063C-P10</u>	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 6 x 3in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, integrated padlockable latch.	Stock	\$62.00
<u>BN4080603</u>	Wiegmann enclosure, NEMA 4/12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (4) stainless steel clamps.	Stock	\$83.00
<u>B080603</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$85.00
<u>B080603CH</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$85.00
<u>EJ863</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$85.00
<u>EJ863LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$89.00
<u>B080603CHQR</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) quick-release latches.	Stock	\$95.00
<u>BN4080603CH</u>	Wiegmann enclosure, NEMA 4/12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) stainless steel clamps.	Stock	\$95.00
<u>B080603SC</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$103.00

<u>BN4080603AL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 8 x 6 x 3in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, lift-off cover, (4) stainless steel clamps.	Stock	\$195.00
<u>BN4080603CHAL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 8 x 6 x 3in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$186.00
<u>EJ863SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$208.00
<u>EJ863S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$253.00
<u>HJ863HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$71.00
<u>HJ863LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$73.00
<u>SCE-806SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$69.00
<u>SCE-806CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$70.00
<u>1414SCG</u>	Hammond enclosure, NEMA 12/13, 8 x 6 x 3.5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$82.00
<u>1414N4ALG</u>	Hammond enclosure, NEMA 4/4X/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$175.00
<u>EJ863AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$179.00
<u>1414N4SSG</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$201.00
<u>1414N4PHSSG</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$209.00
<u>1414N4PHS16G</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 3.5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$251.00
<u>SCE-8N604LP</u>	Saginaw enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$52.00
<u>C3R864HCR</u>	Hammond enclosure, NEMA 3R, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$57.00
<u>N1C060804</u>	Wiegmann enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$64.00
<u>RHC060804</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$65.00
<u>N1J864</u>	Hammond enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$63.00
<u>SCE-806ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$61.00
<u>SCE-806ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$61.00
<u>J806W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$92.00
<u>AH864HW</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$87.00
<u>AH864</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$88.00
<u>AH864SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$94.00
<u>J806HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$102.00
<u>AHF864</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$97.00
<u>AH864C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$99.00
<u>AHF864C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$108.00
<u>H8064SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$74.00
<u>DS80604HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$111.00
<u>H8064HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, hinged screw cover.	Stock	\$81.00

<u>AH864CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$107.00
<u>WA080604GIE</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$98.00
<u>BN4080604CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$98.00
<u>DS80604W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$126.00
<u>J806HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$126.00
<u>H8064HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$85.00
<u>H8064SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate screw cover.	Stock	\$86.00
<u>H8064HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$94.00
<u>DS80604HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$138.00
<u>H8064HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$95.00
<u>J806HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) twist-lock latch.	Stock	\$168.00
<u>JW806HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple, SAR acrylic window.	Stock	\$174.00
<u>JW806HLL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) twist-lock latch, SAR acrylic window.	Stock	\$178.00
<u>SCE-806ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$162.00
<u>SCE-806ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$194.00
<u>BN4080604SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (4) stainless steel clamps.	Stock	\$197.00
<u>SCE-8064CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$211.00
<u>BN4080604CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$216.00
<u>1414N4PHSSG4</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$212.00
<u>BN4080604CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$237.00
<u>SCE-8064CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$242.00
<u>1414N4PHS16G4</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$257.00
<u>SCE-806ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$383.00
<u>N1C060806</u>	Wiegmann enclosure, NEMA 1, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$69.00
<u>SCE-8066ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$72.00
<u>SCE-8066ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$72.00
<u>SCE-8066SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$79.00
<u>HJ866HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$86.00
<u>SCE-8066CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$83.00
<u>B080606</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$93.00
<u>B080606CH</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$101.00

<u>EJ866</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$95.00
<u>EJ866LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$99.00
<u>B080606SC</u>	Wiegmann enclosure, NEMA 12/13, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$113.00
<u>RJ806W</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised screw cover.	Stock	\$144.00
<u>RJ806HW</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised hinged screw cover.	Stock	\$152.00
<u>RJ806HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$185.00
<u>RJ806HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) twist-lock latch.	Stock	\$190.00
<u>SCE-8066ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$185.00
<u>RJW806HPL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 8 x 6 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) quick-release latch, padlock hasp and staple, SAR acrylic window.	Stock	\$289.00
<u>EJ866AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$202.00
<u>SCE-8066ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$222.00
<u>EJ866SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$252.00
<u>EJ866S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 6 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$306.00
<u>SCE-8066ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 8 x 6 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$438.00
<u>J8068SSH</u>	Stahlin FatBoy series enclosure, NEMA 1/3/4X/12, 8 x 6 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clamshell single-door, (1) twist-lock latch, padlock hasp and staple.	Stock	\$269.00
<u>SCE-8N804LP</u>	Saginaw enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$58.00
<u>N1C080804</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$71.00
<u>N1J884</u>	Hammond enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$70.00
<u>RHC080804</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$77.00
<u>AH884</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$92.00
<u>SCE-808ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$75.00
<u>SCE-808ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$75.00
<u>HJ884HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$82.00
<u>AH884SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$99.00
<u>SCE-808SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$79.00
<u>SCE-808CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$79.00
<u>B080804</u>	Wiegmann enclosure, NEMA 12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$94.00
<u>AHF884</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$105.00
<u>AH884C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$105.00
<u>AHF884C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$118.00
<u>B080804CH</u>	Wiegmann enclosure, NEMA 12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$97.00
<u>DS80804HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$121.00

<u>AH884CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$113.00
<u>J808W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$122.00
<u>EJ884</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$92.00
<u>EJ884LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$97.00
<u>WA080804GIE</u>	Wiegmann enclosure, NEMA 12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$100.00
<u>H8084SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$85.00
<u>SCE-1008ELJSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$554.00
<u>J1008WA</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$115.00
<u>J1008HWA</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$124.00
<u>J1008HAPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$141.00
<u>J1008HALL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) twist-lock latch.	Stock	\$193.00
<u>H8084HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, hinged screw cover.	Stock	\$92.00
<u>B080804SC</u>	Wiegmann enclosure, NEMA 12/13, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$114.00
<u>H8084HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$96.00
<u>H8084SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate screw cover.	Stock	\$98.00
<u>DS80804HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$144.00
<u>J808HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$145.00
<u>H8084HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$104.00
<u>H8084HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$104.00
<u>DSCC80804HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clear polycarbonate single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$164.00
<u>J808HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$171.00
<u>J808HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 8 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) twist-lock latch.	Stock	\$175.00
<u>EJ884AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$196.00
<u>EJ884SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$241.00
<u>EJ884S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$293.00
<u>SCE-8N806LP</u>	Saginaw enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$65.00
<u>N1C080806</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$80.00
<u>C3R886HCR</u>	Hammond enclosure, NEMA 3R, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$73.00
<u>RHC080806</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$82.00
<u>N1J886</u>	Hammond enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$78.00
<u>WA080806GIE</u>	Wiegmann enclosure, NEMA 12/13, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$107.00

SCE-8086ELJ	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$80.00
SCE-8086ELJLG	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$80.00
SCE-8086CHNF	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$90.00
RJ808HPL	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 8 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$193.00
J808SSH	Stahlin FatBoy series enclosure, NEMA 1/3/4X/12, 8 x 8 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clamshell single-door, (1) twist-lock latch, padlock hasp and staple.	Stock	\$287.00
HJ8104HLP	Hammond enclosure, NEMA 3R/4/12/13, 8 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$89.00
B100804CHS	Wiegmann enclosure, NEMA 12/13, 8 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$105.00
SCE-1008CHSNF	Saginaw enclosure, NEMA 3R/4/12/13, 8 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$97.00
EJ8104	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$103.00
EJ8104LG	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 8 x 10 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$108.00
CL907W	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 9 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$262.00
CL907HW	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 9 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$278.00
CL907HPL	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 9 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$322.00
CL907HL	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 9 x 7 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) 1/4-turn flush-mounted latch.	Stock	\$410.00
P9082-P10	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 9 x 8 x 2in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, integrated padlockable latch.	Stock	\$64.00
P9082C-P10	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 9 x 8 x 2in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, integrated padlockable latch.	Stock	\$74.00
SCE-10N804LP	Saginaw enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$63.00
J1008W	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$97.00
N1C081004	Wiegmann enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$78.00
N1J1084	Hammond enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$77.00
AH1083HW	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/6P/12, 10 x 8 x 3in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$101.00
AH1083	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 3in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$102.00
AH1083C	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 3in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$120.00
AH1083SS	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 3in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$112.00
AH1083CSS	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 3in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$131.00
AH1084HW	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$106.00
AH1084	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$107.00
SCE-1008ELJ	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$83.00
SCE-1008ELJLG	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$83.00
WA100804GIE	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$97.00
HJ1084HLP	Hammond enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$90.00

<u>SCE-1008SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>HJ1084LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$92.00
<u>J1008HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$120.00
<u>SCE-1008CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$91.00
<u>AH1084SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$115.00
<u>BN4100804</u>	Wiegmann enclosure, NEMA 4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (6) stainless steel clamps.	Stock	\$103.00
<u>B100804</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$105.00
<u>B100804CH</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$106.00
<u>1414SCI</u>	Hammond enclosure, NEMA 12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$103.00
<u>EJ1084</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$103.00
<u>EJ1084LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$108.00
<u>AHF1084</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$120.00
<u>AH1084C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$126.00
<u>AHF1084C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$139.00
<u>J1008HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$137.00
<u>BN4100804CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$112.00
<u>H10084SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$94.00
<u>B100804SC</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$115.00
<u>BN4100804CH</u>	Wiegmann enclosure, NEMA 4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) stainless steel clamps.	Stock	\$115.00
<u>H10084HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, hinged screw cover.	Stock	\$100.00
<u>AH1084CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$136.00
<u>B100804CHQR</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) quick-release latches.	Stock	\$124.00
<u>H10084HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$104.00
<u>H10084SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate screw cover.	Stock	\$109.00
<u>H10084HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$104.00
<u>H10084HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$118.00
<u>J1008HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) twist-lock latch.	Stock	\$182.00
<u>SCE-1008ELJW</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$140.00
<u>WH-J1008HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, white, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$198.00
<u>JW1008HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$202.00
<u>JW1008HLL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$206.00

<u>BN4100804AL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, lift-off cover, (6) stainless steel clamps.	Stock	\$210.00
<u>1414N4ALI</u>	Hammond enclosure, NEMA 4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$205.00
<u>EJ1084AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$210.00
<u>BN4100804CHAL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$229.00
<u>SCE-1008ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$239.00
<u>BN4100804SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (6) stainless steel clamps.	Stock	\$242.00
<u>1414N4SSI</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$246.00
<u>BN4100804CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$258.00
<u>BN4100804CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$260.00
<u>1414N4PHSSI</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$256.00
<u>EJ1084SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$260.00
<u>SCE-1008ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$287.00
<u>SCE-1008CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$305.00
<u>SCE-1008ELJWSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$329.00
<u>1414N4PHS16I</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$312.00
<u>EJ1084S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$315.00
<u>SCE-1008CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$357.00
<u>SCE-1008ELJWSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 4in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$395.00
<u>SCE-10N806LP</u>	Saginaw enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$72.00
<u>C3R1086HCR</u>	Hammond enclosure, NEMA 3R, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$79.00
<u>N1C081006</u>	Wiegmann enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$89.00
<u>RHC081006</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$90.00
<u>N1J1086</u>	Hammond enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$87.00
<u>AH1086HW</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$110.00
<u>AH1086</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$111.00
<u>P10086-P10</u>	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, integrated padlockable latch.	Stock	\$81.00
<u>AH1086SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$120.00
<u>SCE-10086ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$93.00
<u>SCE-10086ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$93.00
<u>WA100806GIE</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$113.00
<u>HJ1086HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$103.00
<u>SCE-10086SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$97.00

<u>DS100806HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$135.00
<u>B100806</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$114.00
<u>AHF1086</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$124.00
<u>AH1086C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$131.00
<u>AHF1086C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$144.00
<u>SCE-10086CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$104.00
<u>B100806CH</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$119.00
<u>H10086SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$95.00
<u>P10086C-P10</u>	Integra Impact series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, integrated padlockable latch.	Stock	\$94.00
<u>AH1086CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$140.00
<u>DS100806HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$154.00
<u>J100806W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$119.00
<u>H10086HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, hinged screw cover.	Stock	\$104.00
<u>EJ1086</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$119.00
<u>EJ1086LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$125.00
<u>DS100806W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$158.00
<u>B100806SC</u>	Wiegmann enclosure, NEMA 12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$126.00
<u>BN4100806CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$130.00
<u>H10086SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate screw cover.	Stock	\$110.00
<u>RJ1008W</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised screw cover.	Stock	\$161.00
<u>H10086HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$108.00
<u>BN4100806CH</u>	Wiegmann enclosure, NEMA 4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) stainless steel clamps.	Stock	\$134.00
<u>J100806HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$128.00
<u>H10086HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$120.00
<u>H10086HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$122.00
<u>RJ1008HW</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised hinged screw cover.	Stock	\$180.00
<u>DSCC100806HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clear polycarbonate single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$185.00
<u>J100806HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$146.00
<u>J100806HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (1) twist-lock latch.	Stock	\$193.00
<u>DS100806HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$198.00
<u>RJ1008HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$200.00

<u>RJ1008HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches.	Stock	\$206.00
<u>SCE-10086ELJW</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$148.00
<u>DSW100806HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$306.00
<u>DSW100806HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$309.00
<u>RJW1008HPL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 10 x 8 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$331.00
<u>EJ1086AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$242.00
<u>SCE-10086ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$266.00
<u>BN4100806CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 10 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$292.00
<u>EJ1086SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$297.00
<u>SCE-10086ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$319.00
<u>SCE-10086CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$333.00
<u>SCE-10086ELJWSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$347.00
<u>SCE-10086CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$390.00
<u>EJ1086S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$372.00
<u>SCE-10086ELJWSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$416.00
<u>SCE-10086ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 10 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$617.00
<u>J10088SSH</u>	Stahlin FatBoy series enclosure, NEMA 1/3/4X/12, 10 x 8 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clamshell single-door, (1) twist-lock latch, padlock hasp and staple.	Stock	\$307.00
<u>SCE-10N1004LP</u>	Saginaw enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$64.00
<u>N1C101004</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$86.00
<u>N1J10104</u>	Hammond enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$86.00
<u>SCE-1010SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$96.00
<u>B101004SC</u>	Wiegmann enclosure, NEMA 12/13, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$126.00
<u>SCE-10N1006LP</u>	Saginaw enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$79.00
<u>N1C101006</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$98.00
<u>N1J10106</u>	Hammond enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$97.00
<u>AH10106</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$118.00
<u>AH10106SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$126.00
<u>SCE-10106ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$98.00
<u>SCE-10106ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$98.00
<u>WA101006GIE</u>	Wiegmann enclosure, NEMA 12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$121.00
<u>HJ10106HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$111.00

<u>SCE-10106CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$106.00
<u>SCE-10106SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$107.00
<u>AHF10106</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$134.00
<u>AH10106C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$138.00
<u>AH10106CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$148.00
<u>B101006CH</u>	Wiegmann enclosure, NEMA 12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$131.00
<u>EJ10106</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$130.00
<u>EJ10106LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$136.00
<u>B101006SC</u>	Wiegmann enclosure, NEMA 12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$141.00
<u>AHF10106C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 10 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$154.00
<u>AHWD10106</u>	AttaBox Heartland series enclosure, with shelf, NEMA 1/3R/4/4X/12, 10 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$155.00
<u>EJ10106AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 10 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$265.00
<u>EJ10106SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$348.00
<u>EJ10106S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 10 x 10 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$422.00
<u>HJ10125HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 10 x 12 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$115.00
<u>SCE-1210CHSNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 10 x 12 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$118.00
<u>EJ10125</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 12 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$133.00
<u>EJ10125LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 10 x 12 x 5in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$139.00
<u>CL1109W</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 11 x 9 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$278.00
<u>CL1109HW</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 11 x 9 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$294.00
<u>CL1109HPL</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 11 x 9 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$339.00
<u>CL1109HL</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 11 x 9 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) 1/4-turn flush-mounted latch.	Stock	\$406.00
<u>SCE-12064CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$84.00
<u>HJ1264HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 12 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$90.00
<u>EJ1264</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$92.00
<u>EJ1264LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 6 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$97.00
<u>B120604CH</u>	Wiegmann enclosure, NEMA 12/13, 12 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$105.00
<u>EJ1264AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 6 x 4in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$213.00
<u>EJ1264SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$282.00
<u>EJ1264S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 6 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$343.00
<u>SCE-12N1004LP</u>	Saginaw enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$76.00
<u>N1C101204</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$94.00

<u>N1J12104</u>	Hammond enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$96.00
<u>WA121004GIE</u>	Wiegmann enclosure, NEMA 12/13, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$116.00
<u>H12104SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$108.00
<u>H12104HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, hinged screw cover.	Stock	\$117.00
<u>AH12104HW</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/6P/12, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$139.00
<u>H12104SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate screw cover.	Stock	\$124.00
<u>H12104HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$135.00
<u>H12104HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$122.00
<u>H12104HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$137.00
<u>AH12104</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$141.00
<u>AH12104C</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$157.00
<u>AH12104SS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$152.00
<u>AH12104CSS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$169.00
<u>J1210W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$131.00
<u>J1210HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$140.00
<u>HJ12105HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$116.00
<u>SCE-1210SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$109.00
<u>HJ12105LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$119.00
<u>J1210HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$157.00
<u>SCE-1210CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$115.00
<u>BN4121005</u>	Wiegmann enclosure, NEMA 4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (8) stainless steel clamps.	Stock	\$132.00
<u>B121005CHS</u>	Wiegmann enclosure, NEMA 12/13, 10 x 12 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$134.00
<u>B121005</u>	Wiegmann enclosure, NEMA 12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$135.00
<u>B121005CH</u>	Wiegmann enclosure, NEMA 12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$135.00
<u>EJ12105</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$133.00
<u>EJ12105LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$139.00
<u>B121005SC</u>	Wiegmann enclosure, NEMA 12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$144.00
<u>1414SCK</u>	Hammond enclosure, NEMA 12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$136.00
<u>B121005CHQR</u>	Wiegmann enclosure, NEMA 12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) quick-release latches.	Stock	\$146.00
<u>BN4121005CH</u>	Wiegmann enclosure, NEMA 4/12/13, 12 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) stainless steel clamps.	Stock	\$147.00

<u>J1210HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches.	Stock	\$208.00
<u>WH-J1210HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, white, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$227.00
<u>JW1210HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$234.00
<u>JW1210HLL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 5in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$239.00
<u>1414N4ALK</u>	Hammond enclosure, NEMA 4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$251.00
<u>EJ12105AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$259.00
<u>BN4121005AL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, lift-off cover, (8) stainless steel clamps.	Stock	\$281.00
<u>BN4121005CHAL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$295.00
<u>BN4121005SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (8) stainless steel clamps.	Stock	\$344.00
<u>EJ12105SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$341.00
<u>1414N4SSK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$350.00
<u>1414N4PHSSK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$355.00
<u>EJ12105S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$414.00
<u>1414N4PHS16K</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$435.00
<u>SCE-12N1006LP</u>	Saginaw enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$86.00
<u>N1C101206</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$107.00
<u>C3R12106HCR</u>	Hammond enclosure, NEMA 3R, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$97.00
<u>RHC101206</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$110.00
<u>N1J12106</u>	Hammond enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$106.00
<u>SCE-1210ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$101.00
<u>SCE-1210ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$101.00
<u>DS121006HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$153.00
<u>WA121006GIE</u>	Wiegmann enclosure, NEMA 12/13, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$126.00
<u>AH12106HW</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$147.00
<u>AH12106</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$148.00
<u>SCE-12106CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$121.00
<u>H12106SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$116.00
<u>DS121006HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$171.00
<u>BN4121006CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$141.00
<u>AH12106SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$159.00
<u>AHF12106</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$165.00
<u>DS121006W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$179.00

<u>AH12106C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$165.00
<u>H12106HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, hinged screw cover.	Stock	\$127.00
<u>AH12106CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$178.00
<u>H12106SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate screw cover.	Stock	\$134.00
<u>DSCC121006HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clear polycarbonate single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$204.00
<u>H12106HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/6/6P/12/13, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$146.00
<u>RJ1210HW</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised hinged screw cover.	Stock	\$208.00
<u>H12106HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$135.00
<u>AHF12106C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$182.00
<u>DS121006HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$220.00
<u>SCE-1210ELJW</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$162.00
<u>RJ1210HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$231.00
<u>H12106HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$150.00
<u>AHWD12106</u>	AttaBox Heartland series enclosure, with shelf, NEMA 1/3R/4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$189.00
<u>RJ1210HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches.	Stock	\$238.00
<u>EN4SD12106GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$233.00
<u>EN4SD12106LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$244.00
<u>DSW121006HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$339.00
<u>RJW1210HPL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 12 x 10 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$384.00
<u>EJ12106AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$277.00
<u>SCE-1210ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$301.00
<u>SCE-1210ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$361.00
<u>EJ12106SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$354.00
<u>BN4121006CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$364.00
<u>1414N4PHSSK6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$356.00
<u>SCE-12106CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$377.00
<u>SCE-1210ELJWSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$383.00
<u>BN4121006CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$388.00
<u>SCE-12106CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$419.00
<u>EJ12106S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$430.00

<u>SCE-1210ELJWSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$460.00
<u>1414N4PHS16K6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$436.00
<u>SCE-1210ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 12 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$642.00
<u>SCE-12108ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$115.00
<u>SCE-12108ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$115.00
<u>SCE-12108CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$130.00
<u>HJ12108HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$141.00
<u>B121008CH</u>	Wiegmann enclosure, NEMA 12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$164.00
<u>EJ12108</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$159.00
<u>EJ12108LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$166.00
<u>BN4121008CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$174.00
<u>SCE-12108ELJW</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$176.00
<u>EJ12108AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$303.00
<u>SCE-12108ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$323.00
<u>SCE-12108ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$388.00
<u>SCE-12108ELJWSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$396.00
<u>EJ12108SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$390.00
<u>SCE-12108CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$401.00
<u>BN4121008CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 12 x 10 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$440.00
<u>SCE-12108ELJWSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$475.00
<u>SCE-12108CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$482.00
<u>EJ12108S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$473.00
<u>SCE-12108ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 12 x 10 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$688.00
<u>SCE-121010SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 10 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$165.00
<u>BN4121010CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 12 x 10 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$207.00
<u>J121010SSH</u>	Stahlin FatBoy series enclosure, NEMA 1/3/4X/12, 12 x 10 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clamshell single-door, (1) twist-lock latch, padlock hasp and staple.	Stock	\$335.00
<u>BN4121010CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 12 x 10 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$475.00
<u>SCE-12N1204LP</u>	Saginaw enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$84.00
<u>N1C121204</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$103.00
<u>N1J12124</u>	Hammond enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$105.00
<u>EJ12124</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$138.00
<u>EJ12124LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$144.00

<u>EJ12124AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 4in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$288.00
<u>EJ12124SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$359.00
<u>EJ12124S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 4in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$426.00
<u>SCE-12N1206LP</u>	Saginaw enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$95.00
<u>SCE-12R1206LP</u>	Saginaw enclosure, NEMA 3R, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$115.00
<u>N1C121206</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$117.00
<u>C3R12126HCR</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$106.00
<u>RHC121206</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$121.00
<u>N1J12126</u>	Hammond enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$118.00
<u>SCE-1212ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$118.00
<u>SCE-1212ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$118.00
<u>WA121206GIE</u>	Wiegmann enclosure, NEMA 12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$142.00
<u>HJ12126HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$135.00
<u>SCE-1212SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$127.00
<u>SCE-1212CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$133.00
<u>BN4121206CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$151.00
<u>EJ12126</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$141.00
<u>EJ12126LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$148.00
<u>B121206</u>	Wiegmann enclosure, NEMA 12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$154.00
<u>BN4121206CH</u>	Wiegmann enclosure, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) stainless steel clamps.	Stock	\$155.00
<u>B121206CH</u>	Wiegmann enclosure, NEMA 12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$157.00
<u>B121206SC</u>	Wiegmann enclosure, NEMA 12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$163.00
<u>SCE-12EL1206LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$234.00
<u>SCE-12EL1206LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$234.00
<u>EN4SD12126GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$238.00
<u>EN4SD12126LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$250.00
<u>N412121206C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$246.00
<u>N412121206CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$246.00
<u>N412121206CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 12 x 12 x 6in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$470.00
<u>N412121206CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$282.00
<u>ST12126LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$309.00
<u>EJ12126AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$300.00

<u>N4121212061PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$361.00
<u>N412121206WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$388.00
<u>SCE-1212ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$326.00
<u>SCE-1212ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$391.00
<u>EJ12126SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$386.00
<u>BN4121206CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$401.00
<u>SCE-1212CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$404.00
<u>1414N4PHSSL6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$393.00
<u>BN4121206CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$421.00
<u>SCE-1212CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$462.00
<u>SCE-12EL1206SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$496.00
<u>EN4SD12126SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$466.00
<u>EJ12126S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$469.00
<u>N412121206SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$440.00
<u>1414N4PHS16L6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$481.00
<u>SCE-12EL1206SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$589.00
<u>SCE-1212ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$694.00
<u>EN4SD12126S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$665.00
<u>EN4SD12126WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$697.00
<u>N412121206SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$683.00
<u>N412121206WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$755.00
<u>SCE-12N1208LP</u>	Saginaw enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$106.00
<u>SCE-12R1208LP</u>	Saginaw enclosure, NEMA 3R, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$121.00
<u>N1C121208</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$131.00
<u>N1J12128</u>	Hammond enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$131.00
<u>BN4121208CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$191.00
<u>N412121208WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$414.00
<u>BN4121208CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 12 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$455.00
<u>N412121208WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 12 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$806.00
<u>BN4121210CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 12 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$217.00
<u>C3R121210HCR</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 10in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, single-door, quick-release latch, padlock hasp and staple.	Stock	\$213.00

BN4121210CHOTSS	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 12 x 12 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$487.00
HJ12146HLP	Hammond enclosure, NEMA 3R/4/12/13, 12 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$144.00
B141206CHS	Wiegmann enclosure, NEMA 12/13, 12 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$169.00
SCE-1412CHSNF	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$156.00
EJ12146	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$168.00
EJ12146LG	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 12 x 14 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$176.00
EN4SD12246GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$244.00
EN4SD12246LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$255.00
SCE-12EL2406LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 12 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$280.00
SCE-12EL2406LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 12 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$280.00
SCE-12H2406LP	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$317.00
N12122406	Wiegmann enclosure, NEMA 12/13, 12 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$392.00
1418A6	Hammond enclosure, NEMA 12/13, 12 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$424.00
SCE-12EL2406SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 12 x 24 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$659.00
SCE-12EL2406SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 12 x 24 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$783.00
EN4SD12248GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$252.00
EN4SD12248LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 12 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$264.00
SCE-12EL2408LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 12 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$305.00
SCE-12EL2408LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 12 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$305.00
SCE-12H2408LP	Saginaw enclosure, NEMA 3R/4/12/13, 12 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$337.00
N12122408	Wiegmann enclosure, NEMA 12/13, 12 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$414.00
1418A8	Hammond enclosure, NEMA 12/13, 12 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$443.00
CL1311W	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 13 x 11 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$304.00
CL1311HW	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 13 x 11 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$327.00
CL1311HPL	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 13 x 11 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) quick-release latch, padlock hasp and staple.	Stock	\$366.00
CL1311HLL	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 13 x 11 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) twist-lock latch.	Stock	\$375.00
CL1311HL	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 13 x 11 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) 1/4-turn flush-mounted latch.	Stock	\$431.00
SCE-14086CHNF	Saginaw enclosure, NEMA 3R/4/12/13, 14 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$115.00
HJ1486HLP	Hammond enclosure, NEMA 3R/4/12/13, 14 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$123.00
B140806CH	Wiegmann enclosure, NEMA 12/13, 14 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$144.00
EJ1486	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$154.00
EJ1486LG	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 8 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$162.00

<u>SCE-14N1204LP</u>	Saginaw enclosure, NEMA 1, 14 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$91.00
<u>N1C121404</u>	Wiegmann enclosure, NEMA 1, 14 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$111.00
<u>N1J14124</u>	Hammond enclosure, NEMA 1, 14 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$116.00
<u>AH14124</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$165.00
<u>AH14124C</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$173.00
<u>AH14124SS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$178.00
<u>AH14124CSS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$185.00
<u>SCE-14N1206LP</u>	Saginaw enclosure, NEMA 1, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$103.00
<u>J1412W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$153.00
<u>N1C121406</u>	Wiegmann enclosure, NEMA 1, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$127.00
<u>J1412HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$162.00
<u>N1J14126</u>	Hammond enclosure, NEMA 1, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$129.00
<u>DS141206HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$177.00
<u>SCE-1412ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$130.00
<u>SCE-1412ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$130.00
<u>WA141206GIE</u>	Wiegmann enclosure, NEMA 12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$154.00
<u>AH14126</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$174.00
<u>AH14126HW</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 15 x 13 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$172.00
<u>HJ14126HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$145.00
<u>SCE-1412SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$139.00
<u>AH14126C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$182.00
<u>J1412HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$199.00
<u>AH14126SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$187.00
<u>HJ14126LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$154.00
<u>H141206SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, screw cover.	Stock	\$131.00
<u>BN4141206</u>	Wiegmann enclosure, NEMA 4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (8) stainless steel clamps.	Stock	\$167.00
<u>SCE-1412CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$148.00
<u>B141206CH</u>	Wiegmann enclosure, NEMA 12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$174.00
<u>DS141206W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$210.00
<u>AHF14126</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$195.00
<u>AH14126CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$196.00

<u>B141206</u>	Wiegmann enclosure, NEMA 12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$175.00
<u>H141206HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, hinged screw cover.	Stock	\$140.00
<u>DS141206HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$216.00
<u>H141206SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate screw cover.	Stock	\$145.00
<u>EJ14126</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$168.00
<u>EJ14126LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$176.00
<u>BN4141206CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$180.00
<u>B141206SC</u>	Wiegmann enclosure, NEMA 12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$182.00
<u>1414SCM6</u>	Hammond enclosure, NEMA 12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$173.00
<u>B141206CHQR</u>	Wiegmann enclosure, NEMA 12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) quick-release latches.	Stock	\$184.00
<u>BN4141206CH</u>	Wiegmann enclosure, NEMA 4/12/13, 14 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) stainless steel clamps.	Stock	\$186.00
<u>H141206HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$156.00
<u>H141206HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/12/13, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$158.00
<u>J1412HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches.	Stock	\$263.00
<u>H141206HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/12/13, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$172.00
<u>AHF14126C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$202.00
<u>AHWD14126</u>	AttaBox Heartland series enclosure, with shelf, NEMA 1/3R/4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$217.00
<u>DSCC141206HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clear polycarbonate single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$282.00
<u>WH-J1412HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, white, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$287.00
<u>JW1412HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$323.00
<u>JW1412HLL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$329.00
<u>1414N4ALM6</u>	Hammond enclosure, NEMA 4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$305.00
<u>EJ14126AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$311.00
<u>DSW141206HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$467.00
<u>BN4141206CHAL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$339.00
<u>BN4141206AL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, lift-off cover, (8) stainless steel clamps.	Stock	\$342.00
<u>SCE-1412ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$346.00
<u>SCE-1412ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$416.00
<u>SCE-1412CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$426.00
<u>EJ14126SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$423.00
<u>BN4141206SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (8) stainless steel clamps.	Stock	\$433.00

<u>BN4141206CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$441.00
<u>1414N4SSM6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$439.00
<u>BN4141206CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$452.00
<u>1414N4PHSSM6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$443.00
<u>SCE-1412CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$506.00
<u>EJ14126S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$513.00
<u>1414N4PHS16M6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$528.00
<u>RJ1412HW</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised hinged screw cover.	Stock	\$231.00
<u>RJ1412HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$287.00
<u>RJ1412HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches.	Stock	\$296.00
<u>RJW1412HLL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$518.00
<u>RJW1412HPL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 14 x 12 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$529.00
<u>SCE-14N1208LP</u>	Saginaw enclosure, NEMA 1, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$115.00
<u>N1C121408</u>	Wiegmann enclosure, NEMA 1, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$142.00
<u>N1J14128</u>	Hammond enclosure, NEMA 1, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$142.00
<u>DS141208HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$189.00
<u>SCE-14128ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$139.00
<u>SCE-14128ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$139.00
<u>SCE-14128CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$157.00
<u>HJ14128HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$165.00
<u>DS141208W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$223.00
<u>DS141208HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$236.00
<u>B141208CH</u>	Wiegmann enclosure, NEMA 12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$196.00
<u>EJ14128</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$192.00
<u>EJ14128LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$201.00
<u>BN4141208CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$209.00
<u>HJ14128LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$182.00
<u>DS141208HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$305.00
<u>1414SCM8</u>	Hammond enclosure, NEMA 12/13, 14 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$243.00
<u>EJ14128AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$350.00
<u>1414N4ALM8</u>	Hammond enclosure, NEMA 4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$347.00
<u>SCE-14128ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$367.00

<u>DSW141208HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$614.00
<u>SCE-14128ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$441.00
<u>BN4141208CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 14 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$479.00
<u>EJ14128SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$458.00
<u>1414N4PHSSM8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$463.00
<u>1414N4PHS16M8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$539.00
<u>EJ14128S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$556.00
<u>SCE-14128ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 14 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$782.00
<u>J141212SSH</u>	Stahlin FatBoy series enclosure, NEMA 1/3/4X/12, 14 x 12 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clamshell single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$436.00
<u>HJ14166HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 14 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$169.00
<u>B161406CHS</u>	Wiegmann enclosure, NEMA 12/13, 14 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$199.00
<u>SCE-1614CHSNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 14 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$182.00
<u>EJ14166</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$199.00
<u>EJ14166LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 14 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$209.00
<u>CL1513W</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 15 x 13 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$358.00
<u>CL1513HW</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 15 x 13 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$379.00
<u>CL1513HPL</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 15 x 13 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$449.00
<u>CL1513HLL</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 15 x 13 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches.	Stock	\$459.00
<u>CL1513HL</u>	Stahlin Classic series enclosure, NEMA 1/3/3S/3R/4X/12, 15 x 13 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (1) 1/4-turn flush-mounted latch.	Stock	\$495.00
<u>SCE-16106CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$135.00
<u>HJ16106HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 16 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$146.00
<u>B161006CH</u>	Wiegmann enclosure, NEMA 12/13, 16 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$172.00
<u>EJ16106</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$168.00
<u>EJ16106LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 10 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$176.00
<u>N16107HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 16 x 10 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches.	Stock	\$638.00
<u>N1C121606S</u>	Wiegmann enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$138.00
<u>N1J16126</u>	Hammond enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$140.00
<u>SCE-16R1206LP</u>	Saginaw enclosure, NEMA 3R, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$150.00
<u>SCE-16N1206LP</u>	Saginaw enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$154.00
<u>C3R16126HCR</u>	Hammond enclosure, NEMA 3R, 16 x 12 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$138.00
<u>RHC161206</u>	Wiegmann enclosure, NEMA 1/3R, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$159.00
<u>N1C121606LP</u>	Wiegmann enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$194.00

<u>SCE-16EL1206LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$248.00
<u>SCE-16EL1206LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$248.00
<u>EN4SD16126GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$255.00
<u>EN4SD16126LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$267.00
<u>N412161206C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$263.00
<u>N412161206CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$263.00
<u>SCE-16H1206LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$284.00
<u>N412161206CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$285.00
<u>N412161206CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 16 x 12 x 6in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$502.00
<u>ST16126LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$331.00
<u>N12161206</u>	Wiegmann enclosure, NEMA 12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$338.00
<u>1418B6</u>	Hammond enclosure, NEMA 12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$359.00
<u>N4121612061PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$379.00
<u>EN4SD16126WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$384.00
<u>EN4SD16126WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$402.00
<u>N412161206WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$414.00
<u>1418N4B6</u>	Hammond enclosure, NEMA 3R/4/12, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$435.00
<u>WA161206FM</u>	Wiegmann enclosure, NEMA 12/13, 16 x 12 x 6in (HxWxD), flush wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$534.00
<u>SCE-16EL1206SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$546.00
<u>EN4SD16126SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$512.00
<u>N412161206SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$483.00
<u>1418N4ALB6</u>	Hammond enclosure, NEMA 4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$575.00
<u>SCE-16H1206SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$580.00
<u>SCE-16EL1206SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$649.00
<u>1418N4SSB6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$631.00
<u>SSN4161206</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$597.00
<u>SCE-16H1206SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$689.00
<u>1418N4S16B6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$691.00
<u>EN4SD16126S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$703.00
<u>EN4SD16126WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$772.00
<u>N412161206SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$734.00
<u>N412161206SSA1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$906.00

<u>N1A16127</u>	Hammond enclosure, NEMA 1, 16 x 12 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$188.00
<u>1418JB7</u>	Hammond enclosure, NEMA 12, 16 x 12 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$397.00
<u>SCE-16R1208LP</u>	Saginaw enclosure, NEMA 3R, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$157.00
<u>SCE-16N1208LP</u>	Saginaw enclosure, NEMA 1, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$168.00
<u>N1C121608LP</u>	Wiegmann enclosure, NEMA 1, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$211.00
<u>SCE-16EL1208LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$262.00
<u>SCE-16EL1208LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$262.00
<u>EN4SD16128GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$266.00
<u>EN4SD16128LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$279.00
<u>N412161208C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$276.00
<u>N412161208CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$276.00
<u>SCE-16H1208LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$297.00
<u>N12161208</u>	Wiegmann enclosure, NEMA 12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$355.00
<u>1418B8</u>	Hammond enclosure, NEMA 12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$376.00
<u>N4121612081PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$395.00
<u>EN4SD16128WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$402.00
<u>EN4SD16128WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$422.00
<u>N412161208WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$435.00
<u>1418N4B8</u>	Hammond enclosure, NEMA 3R/4/12, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$456.00
<u>N4161208</u>	Wiegmann enclosure, NEMA 4/12/13, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$475.00
<u>EN4SD16128SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$539.00
<u>SCE-16EL1208SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$583.00
<u>N412161208SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$509.00
<u>SCE-16H1208SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$621.00
<u>ST161208SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$638.00
<u>SCE-16EL1208SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$693.00
<u>1418N4SSB8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$673.00
<u>SSN4161208</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$638.00
<u>SCE-16H1208SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$738.00
<u>SCE-16EL1208SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$766.00
<u>N412161208CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$743.00
<u>1418N4S16B8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$785.00

<u>N412161208SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$766.00
<u>EN4SD16128S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$828.00
<u>N412161208WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$911.00
<u>N1A16129</u>	Hammond enclosure, NEMA 1, 16 x 12 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$202.00
<u>EN4SD161210GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$275.00
<u>EN4SD161210LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$288.00
<u>N412161210C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$287.00
<u>N412161210CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$287.00
<u>SCE-16H1210LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$311.00
<u>N12161210</u>	Wiegmann enclosure, NEMA 12/13, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$382.00
<u>1418B10</u>	Hammond enclosure, NEMA 12/13, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$401.00
<u>N412161210WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$452.00
<u>N412161210SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 12 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$545.00
<u>EN4SD161210SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$640.00
<u>N412161210SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 12 x 10in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$984.00
<u>EN4SD161210WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$936.00
<u>EN4SD161210S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 12 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$918.00
<u>N412161210WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 12 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$948.00
<u>AH16144</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$187.00
<u>AH16144C</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$212.00
<u>AH16144SS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$200.00
<u>AH16144CSS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$225.00
<u>J1614W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$179.00
<u>J1614HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$187.00
<u>J1614HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$216.00
<u>SCE-1614ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$153.00
<u>SCE-1614ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$153.00
<u>SCE-1614SC</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$162.00
<u>HJ16146HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$171.00
<u>HJ16146LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$180.00

<u>SCE-1614CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$173.00
<u>BN4161406</u>	Wiegmann enclosure, NEMA 4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (10) stainless steel clamps.	Stock	\$197.00
<u>B161406CH</u>	Wiegmann enclosure, NEMA 12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$201.00
<u>B161406</u>	Wiegmann enclosure, NEMA 12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, (2) plated steel clamps.	Stock	\$206.00
<u>BN4161406CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$218.00
<u>EJ16146</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$199.00
<u>EJ16146LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$208.00
<u>B161406SC</u>	Wiegmann enclosure, NEMA 12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$232.00
<u>B161406CHQR</u>	Wiegmann enclosure, NEMA 12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) quick-release latches.	Stock	\$217.00
<u>BN4161406CH</u>	Wiegmann enclosure, NEMA 4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) stainless steel clamps.	Stock	\$218.00
<u>1414SCO6</u>	Hammond enclosure, NEMA 12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$203.00
<u>J1614HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches.	Stock	\$286.00
<u>WH-J1614HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, white, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$312.00
<u>SCE-1614ELJW</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 16 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$227.00
<u>JW1614HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$355.00
<u>JW1614HLL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 6in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$362.00
<u>BN4161406AL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, lift-off cover, (10) stainless steel clamps.	Stock	\$350.00
<u>1414N4ALO6</u>	Hammond enclosure, NEMA 4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$352.00
<u>EJ16146AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$359.00
<u>BN4161406CHAL</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 5052-H32 aluminum, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$393.00
<u>SCE-1614ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$407.00
<u>BN4161406CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$492.00
<u>SCE-1614ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$489.00
<u>SCE-1614CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$502.00
<u>EJ16146SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$503.00
<u>SCE-1614ELJWSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$516.00
<u>BN4161406SS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, lift-off cover, (10) stainless steel clamps.	Stock	\$518.00
<u>BN4161406CHSS</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (2) stainless steel clamps.	Stock	\$522.00
<u>1414N4PHSSO6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$513.00
<u>1414N4SSO6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, lift-off cover, stainless steel clamps.	Stock	\$526.00
<u>SCE-1614CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$603.00
<u>SCE-1614ELJWSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$620.00

<u>EJ16146S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$590.00
<u>1414N4PHS16O6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$628.00
<u>H161407SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 16 x 14 x 7in (HxWxD), wall mount, polycarbonate, gray, gloss finish, screw cover.	Stock	\$158.00
<u>RJ1614W</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised screw cover.	Stock	\$256.00
<u>H161407HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 16 x 14 x 7in (HxWxD), wall mount, polycarbonate, gray, gloss finish, hinged screw cover.	Stock	\$171.00
<u>RJ1614HW</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised hinged screw cover.	Stock	\$271.00
<u>H161407SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 16 x 14 x 7in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate screw cover.	Stock	\$175.00
<u>H161407HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/12/13, 16 x 14 x 7in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$190.00
<u>H161407HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 16 x 14 x 7in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$190.00
<u>RJ1614HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$305.00
<u>RJ1614HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches.	Stock	\$313.00
<u>H161407HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/12/13, 16 x 14 x 7in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$208.00
<u>RJW1614HLL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$569.00
<u>RJW1614HPL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 16 x 14 x 7in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$603.00
<u>DS161408HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$203.00
<u>AH16148HW</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$195.00
<u>AH16148</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$197.00
<u>AH16148SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$211.00
<u>SCE-16148ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$168.00
<u>SCE-16148ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$168.00
<u>AHF16148</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$220.00
<u>AH16148C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$223.00
<u>DS161408W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$246.00
<u>HJ16148HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$189.00
<u>DS161408HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$252.00
<u>AH16148CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$240.00
<u>SCE-16148CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$189.00
<u>B161408CH</u>	Wiegmann enclosure, NEMA 12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$223.00
<u>BN4161408CHQT</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/12, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$233.00
<u>EJ16148</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$216.00
<u>EJ16148LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$227.00
<u>AHF16148C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$246.00

<u>AHWD16148</u>	AttaBox Heartland series enclosure, with shelf, NEMA 1/3R/4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$256.00
<u>DS161408HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$327.00
<u>SCE-16148ELJW</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$239.00
<u>DSCC161408HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clear polycarbonate single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$343.00
<u>SCE-16EL1408LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$270.00
<u>SCE-16EL1408LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$270.00
<u>1414SCO10</u>	Hammond enclosure, NEMA 12/13, 16 x 14 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$331.00
<u>DSW161408HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$578.00
<u>DSW161408HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$615.00
<u>EJ16148AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$447.00
<u>SCE-16148ELJSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$466.00
<u>BN4161408CHQTSS</u>	Wiegmann Ultimate Mini-Max series enclosure, NEMA 4/4X/12, 16 x 14 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$499.00
<u>SCE-16148ELJWSS</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$547.00
<u>SCE-16148CHNFSS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$557.00
<u>SCE-16148ELJSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$559.00
<u>EJ16148SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$547.00
<u>SCE-16148CHNFSS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$623.00
<u>SCE-16148ELJWSS6</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$656.00
<u>EJ16148S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$664.00
<u>SCE-16148ELJSSST</u>	Saginaw Enviroline Junction series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 14 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$815.00
<u>SCE-161410CHNF</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 14 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$198.00
<u>HJ161410HLP</u>	Hammond enclosure, NEMA 3R/4/12/13, 16 x 14 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$213.00
<u>EJ161410</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 14 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$234.00
<u>EJ161410LG</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/12/13, 16 x 14 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$245.00
<u>B161410CH</u>	Wiegmann enclosure, NEMA 12/13, 16 x 14 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$253.00
<u>HJ161410LP</u>	Hammond enclosure, NEMA 3R/4/12/13, 16 x 14 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, lift-off cover, stainless steel clamps.	Stock	\$219.00
<u>EJ161410AL</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 10in (HxWxD), wall mount, 5052-H32 aluminum, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$466.00
<u>1414N4ALO10</u>	Hammond enclosure, NEMA 4/4X/12/13, 16 x 14 x 10in (HxWxD), wall mount, 5052-H32 aluminum, lift-off cover, aluminum clamps.	Stock	\$461.00
<u>EJ161410SS</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$569.00
<u>1414N4PHSSO10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$578.00
<u>EJ161410S16</u>	Hammond Eclipse Junior series enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$685.00

<u>1414N4PHS16O10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 14 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps.	Stock	\$686.00
<u>J161412SSH</u>	Stahlin FatBoy series enclosure, NEMA 1/3/4X/12, 16 x 14 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clamshell single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$459.00
<u>SCE-16N1606LP</u>	Saginaw enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$172.00
<u>C3R16166HCR</u>	Hammond enclosure, NEMA 3R, 16 x 16 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$162.00
<u>RHC161606</u>	Wiegmann enclosure, NEMA 1/3R, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$185.00
<u>N1C161606LP</u>	Wiegmann enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$216.00
<u>SCE-16EL1606LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$269.00
<u>SCE-16EL1606LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$269.00
<u>EN4SD16166GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$273.00
<u>EN4SD16166LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$286.00
<u>N412161606C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$283.00
<u>N412161606CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$283.00
<u>SCE-16H1606LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$304.00
<u>N412161606CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 16 x 16 x 6in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$540.00
<u>N12161606</u>	Wiegmann enclosure, NEMA 12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$375.00
<u>1418G6</u>	Hammond enclosure, NEMA 12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$391.00
<u>N4121616061PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$401.00
<u>N4161606</u>	Wiegmann enclosure, NEMA 4/12/13, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$487.00
<u>1418N4G6</u>	Hammond enclosure, NEMA 3R/4/12, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$474.00
<u>SCE-16EL1606SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$605.00
<u>EN4SD16166SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$568.00
<u>N412161606SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$535.00
<u>SCE-16H1606SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$644.00
<u>SCE-16EL1606SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$719.00
<u>1418N4SSG6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$701.00
<u>SSN4161606</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$661.00
<u>SCE-16H1606SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$744.00
<u>1418N4S16G6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$816.00
<u>N412161606SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$797.00
<u>SSN4161606A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$774.00
<u>EN4SD16166S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$857.00
<u>N412161606SSA1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 16 x 6in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$1,215.00

<u>N1A16167</u>	Hammond enclosure, NEMA 1, 16 x 16 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$212.00
<u>SCE-16N1608LP</u>	Saginaw enclosure, NEMA 1, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$188.00
<u>EN4SD16168GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$288.00
<u>EN4SD16168LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$302.00
<u>N412161608C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$290.00
<u>N412161608CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$290.00
<u>SCE-16EL1608LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$300.00
<u>SCE-16EL1608LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$300.00
<u>SCE-16H1608LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$321.00
<u>N412161608CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 16 x 16 x 8in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$569.00
<u>N412161608CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$364.00
<u>ST16168LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$374.00
<u>N12161608</u>	Wiegmann enclosure, NEMA 12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$395.00
<u>1418G8</u>	Hammond enclosure, NEMA 12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$409.00
<u>N4121616081PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$417.00
<u>SCE-16EL1608SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$636.00
<u>EN4SD16168SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$615.00
<u>N412161608SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$580.00
<u>ST161608SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$702.00
<u>SCE-16EL1608SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$756.00
<u>SCE-16EL1608SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$835.00
<u>N412161608CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$818.00
<u>N412161608SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$852.00
<u>EN4SD16168S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$896.00
<u>EN4SD161610GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$294.00
<u>EN4SD161610LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$309.00
<u>N412161610C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$310.00
<u>N412161610CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$310.00
<u>N412161610SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$615.00
<u>EN4SD161610SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$687.00
<u>EN4SD161610S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 16 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$981.00
<u>SCE-16N2006LP</u>	Saginaw enclosure, NEMA 1, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$191.00

<u>N1C201606LP</u>	Wiegmann enclosure, NEMA 1, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$239.00
<u>EN4SD16206GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$293.00
<u>EN4SD16206LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$307.00
<u>SCE-16EL2006LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$302.00
<u>SCE-16EL2006LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$302.00
<u>N412162006C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$304.00
<u>N412162006CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$304.00
<u>SCE-16H2006LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$327.00
<u>N12162006</u>	Wiegmann enclosure, NEMA 12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$402.00
<u>N4121620061PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$425.00
<u>1418CR6</u>	Hammond enclosure, NEMA 12/13, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$434.00
<u>1418N4CR6</u>	Hammond enclosure, NEMA 3R/4/12, 16 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$525.00
<u>EN4SD16206SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$640.00
<u>SCE-16H2006SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$708.00
<u>1418N4SSCR6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$774.00
<u>SCE-16H2006SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$818.00
<u>1418N4S16CR6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$900.00
<u>N1A16207</u>	Hammond enclosure, NEMA 1, 16 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$236.00
<u>SCE-16EL2008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$303.00
<u>SCE-16EL2008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$303.00
<u>EN4SD16208GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$309.00
<u>EN4SD16208LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$334.00
<u>N412162008C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$329.00
<u>N412162008CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$329.00
<u>SCE-16H2008LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$344.00
<u>N12162008</u>	Wiegmann enclosure, NEMA 12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$424.00
<u>N4121620081PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$441.00
<u>1418CR8</u>	Hammond enclosure, NEMA 12/13, 16 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$456.00
<u>SCE-16EL2008SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$713.00
<u>EN4SD16208SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$687.00
<u>N412162008SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$636.00
<u>SCE-16EL2008SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$847.00

<u>EN4SD16208S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$918.00
<u>N412162008SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$943.00
<u>N412162008SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,132.00
<u>N412162008SSA1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 16 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$1,209.00
<u>EN4SD162010GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$316.00
<u>EN4SD162010LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 16 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$331.00
<u>N412162010C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$340.00
<u>N412162010CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 16 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$340.00
<u>N412162010SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 16 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$715.00
<u>EN4SD162010SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$738.00
<u>EN4SD162010S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,055.00
<u>AH18164</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$214.00
<u>AH18164SS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$230.00
<u>AH18164C</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$251.00
<u>AH18164CSS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$269.00
<u>SCE-18N1606NK-T</u>	Saginaw enclosure, NEMA 1, 18 x 16 x 6in (HxWxD), wall mount, with knockouts, carbon steel, taupe tan, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$203.00
<u>SCE-18N1606NK-B</u>	Saginaw enclosure, NEMA 1, 18 x 16 x 6in (HxWxD), wall mount, with knockouts, carbon steel, precaution blue, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$203.00
<u>J1816W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$237.00
<u>J1816HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$247.00
<u>J1816HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$280.00
<u>J1816HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches.	Stock	\$372.00
<u>WH-J1816HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, white, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$405.00
<u>JW1816HPL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$436.00
<u>JW1816HLL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$444.00
<u>AH181610HW</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/6P/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, hinged screw cover.	Stock	\$230.00
<u>AH181610</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$232.00
<u>DS181610HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$269.00
<u>AH181610SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$250.00
<u>H181610SF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, screw cover.	Stock	\$180.00
<u>AH181610C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$259.00
<u>H181610HF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, hinged screw cover.	Stock	\$195.00

<u>AHF181610</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$260.00
<u>AH181610CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$278.00
<u>DS181610HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$305.00
<u>H181610SCF-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate screw cover.	Stock	\$199.00
<u>DS181610W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$324.00
<u>H181610HCF-6P-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate hinged screw cover.	Stock	\$217.00
<u>H181610HFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/12/13, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$217.00
<u>RJ1816HW</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised hinged screw cover.	Stock	\$352.00
<u>H181610HCFNL-P10</u>	Integra Premium series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/12/13, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$238.00
<u>AHF181610C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$286.00
<u>AHWD181610</u>	AttaBox Heartland series enclosure, with shelf, NEMA 1/3R/4/4X/12, 18 x 16 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$312.00
<u>DS181610HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$394.00
<u>RJ1816HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$396.00
<u>RJ1816HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches.	Stock	\$407.00
<u>DSW181610HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$629.00
<u>DSW181610HLL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$641.00
<u>RJW1816HLL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$699.00
<u>RJW1816HPL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 18 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$713.00
<u>J181617SSH</u>	Stahlin FatBoy series enclosure, NEMA 1/3/4X/12, 18 x 16 x 17in (HxWxD), wall mount, fiberglass reinforced polyester, gray, clamshell single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$574.00
<u>C3R18186HCR</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$242.00
<u>C3R181810HCR</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 10in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$296.00
<u>N1C122006</u>	Wiegmann enclosure, NEMA 1, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$159.00
<u>N1J20126</u>	Hammond enclosure, NEMA 1, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$161.00
<u>SCE-20EL1206LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$267.00
<u>SCE-20EL1206PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$267.00
<u>EN4SD20126GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$291.00
<u>EN4SD20126LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$305.00
<u>SCE-20H1206LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$301.00
<u>N12201206</u>	Wiegmann enclosure, NEMA 12/13, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$370.00

<u>1418CA6</u>	Hammond enclosure, NEMA 12/13, 20 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$395.00
<u>EN4SD20128GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$296.00
<u>EN4SD20128LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$310.00
<u>SCE-20H1208LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$317.00
<u>N12201208</u>	Wiegmann enclosure, NEMA 12/13, 20 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$390.00
<u>1418CA8</u>	Hammond enclosure, NEMA 12/13, 20 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$413.00
<u>AH20164</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$323.00
<u>AH20164C</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$378.00
<u>AH20164SS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$348.00
<u>AH20164CSS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 4in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$404.00
<u>SCE-20N1606LP</u>	Saginaw enclosure, NEMA 1, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$191.00
<u>SCE-20166ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$177.00
<u>SCE-20166ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$177.00
<u>SCE-20R1606LP</u>	Saginaw enclosure, NEMA 3R, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$201.00
<u>C3R20166HCR</u>	Hammond enclosure, NEMA 3R, 20 x 16 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$183.00
<u>RHC201606</u>	Wiegmann enclosure, NEMA 1/3R, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$212.00
<u>N1C162006LP</u>	Wiegmann enclosure, NEMA 1, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$239.00
<u>SCE-20EL1606LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$288.00
<u>SCE-20EL1606LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$288.00
<u>EN4SD20166GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$293.00
<u>EN4SD20166LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$307.00
<u>N412201606C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$307.00
<u>N412201606CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$307.00
<u>SCE-20H1606LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$327.00
<u>N412201606CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 20 x 16 x 6in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$579.00
<u>N412201606CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$381.00
<u>ST20166LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$381.00
<u>N12201606</u>	Wiegmann enclosure, NEMA 12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$391.00
<u>N4122016061PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$426.00
<u>1418C6</u>	Hammond enclosure, NEMA 12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$424.00
<u>EN4SD20166WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$440.00

EN4SD20166WLG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$462.00
N412201606WC	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$478.00
N4201606	Wiegmann enclosure, NEMA 4/12/13, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$522.00
1418N4C6	Hammond enclosure, NEMA 3R/4/12, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$511.00
SCE-20EL1606SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$671.00
1418N4ALC6	Hammond enclosure, NEMA 4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$682.00
EN4SD20166SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$640.00
N412201606SSC	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$604.00
SCE-20H1606SSLP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$708.00
SCE-20EL1606SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$798.00
SSN4201606	Wiegmann enclosure, NEMA 4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$725.00
1418N4SSC6	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$774.00
SCE-20H1606SS6LP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$841.00
EN4SD20166S16	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$876.00
1418N4S16C6	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$846.00
EN4SD20166WSS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$938.00
N412201606SS1PTC	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 20 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$935.00
N1A20167	Hammond enclosure, NEMA 1, 20 x 16 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$236.00
B201607CH	Wiegmann enclosure, NEMA 12, 20 x 16 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$401.00
1418JC7	Hammond enclosure, NEMA 12, 20 x 16 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$415.00
SCE-20N1608LP	Saginaw enclosure, NEMA 1, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$208.00
SCE-20168ELJ	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$185.00
SCE-20168ELJLG	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$185.00
SCE-20R1608LP	Saginaw enclosure, NEMA 3R, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$210.00
N1C162008LP	Wiegmann enclosure, NEMA 1, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$257.00
AH20168	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$340.00
SCE-20EL1608LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$303.00
SCE-20EL1608LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$303.00
AH20168SS	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$366.00
EN4SD20168GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$309.00
EN4SD20168LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$323.00
N412201608C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$332.00

<u>N412201608CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$332.00
<u>AHF20168</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$368.00
<u>J2016W</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$414.00
<u>J2016HW</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, hinged screw cover.	Stock	\$427.00
<u>AH20168C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$398.00
<u>AHWD20168</u>	AttaBox Heartland series enclosure, with shelf, NEMA 1/3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$403.00
<u>SCE-20H1608LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$344.00
<u>J2016HPL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$444.00
<u>AHF20168C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$426.00
<u>AH20168CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$428.00
<u>N412201608CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 20 x 16 x 8in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$611.00
<u>N412201608CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$391.00
<u>ST20168LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$401.00
<u>N12201608</u>	Wiegmann enclosure, NEMA 12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$424.00
<u>N4122016081PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$441.00
<u>1418C8</u>	Hammond enclosure, NEMA 12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$443.00
<u>G201608E-P10</u>	Integra Genesis series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$414.00
<u>J2016HLL</u>	Stahlin J series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches.	Stock	\$621.00
<u>EN4SD20168WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$464.00
<u>EN4SD20168WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$488.00
<u>N412201608WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$504.00
<u>G201608CE-P10</u>	Integra Genesis series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 20 x 16 x 8in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$456.00
<u>N4201608</u>	Wiegmann enclosure, NEMA 4/12/13, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$551.00
<u>1418N4C8</u>	Hammond enclosure, NEMA 3R/4/12, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$537.00
<u>JW2016HLL</u>	Stahlin JW series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, SAR acrylic window.	Stock	\$716.00
<u>SCE-20EL1608SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$713.00
<u>EN4SD20168SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$669.00
<u>N412201608SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$642.00
<u>SCE-20H1608SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$758.00
<u>ST201608SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$776.00
<u>SCE-20EL1608SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$847.00
<u>1418N4SSC8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$827.00

<u>SSN4201608</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$778.00
<u>SCE-20H1608SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$901.00
<u>SCE-20EL1608SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$936.00
<u>1418N4S16C8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$904.00
<u>EN4SD20168S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$918.00
<u>N412201608CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$905.00
<u>N412201608SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$955.00
<u>EN4SD20168WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,000.00
<u>N412201608SSA1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$1,209.00
<u>N1A20169</u>	Hammond enclosure, NEMA 1, 20 x 16 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$256.00
<u>B201609CH</u>	Wiegmann enclosure, NEMA 12, 20 x 16 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$429.00
<u>1418JC9</u>	Hammond enclosure, NEMA 12, 20 x 16 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$442.00
<u>SCE-201610ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$217.00
<u>SCE-201610ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$217.00
<u>SCE-20EL1610LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$322.00
<u>SCE-20EL1610PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$322.00
<u>EN4SD201610GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$316.00
<u>EN4SD201610LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$331.00
<u>N412201610C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$343.00
<u>N412201610CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$343.00
<u>SCE-20H1610LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$361.00
<u>DS201610HW</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned hinged screw cover.	Stock	\$465.00
<u>DS201610HPL</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$484.00
<u>N12201610</u>	Wiegmann enclosure, NEMA 12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$438.00
<u>DS201610W</u>	Stahlin Diamond Shield series enclosure, NEMA 1/3/3S/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$568.00
<u>1418C10</u>	Hammond enclosure, NEMA 12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$464.00
<u>RJ2016HPL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple.	Stock	\$651.00
<u>N412201610WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$525.00
<u>RJ2016HLL</u>	Stahlin RJ series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) twist-lock latches.	Stock	\$703.00
<u>N4201610</u>	Wiegmann enclosure, NEMA 4/12/13, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$579.00
<u>1418N4C10</u>	Hammond enclosure, NEMA 3R/4/12, 20 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$562.00
<u>RJW2016HPL</u>	Stahlin RJW series enclosure, NEMA 1/3R/4X/6P/12, 20 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, raised single-door, (2) quick-release latches, padlock hasp and staple, SAR acrylic window.	Stock	\$1,124.00

<u>1418N4ALC10</u>	Hammond enclosure, NEMA 4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$763.00
<u>SCE-20EL1610SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$760.00
<u>EN4SD201610SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$738.00
<u>N412201610SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$655.00
<u>SCE-20H1610SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$809.00
<u>SCE-20EL1610SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$904.00
<u>NW201610HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 20 x 16 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$1,415.00
<u>1418N4SSC10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$880.00
<u>SSN4201610</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$831.00
<u>SCE-20H1610SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$962.00
<u>1418N4S16C10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,024.00
<u>SSN4201610A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$974.00
<u>EN4SD201610WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,088.00
<u>EN4SD201610S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,055.00
<u>N412201610WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,162.00
<u>SCE-20EL1612LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$336.00
<u>SCE-20EL1612LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 16 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$336.00
<u>SCE-20H1612LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 16 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$381.00
<u>EN4SD201612GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$385.00
<u>EN4SD201612LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 16 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$404.00
<u>N12201612</u>	Wiegmann enclosure, NEMA 12/13, 20 x 16 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$468.00
<u>1418C12</u>	Hammond enclosure, NEMA 12/13, 20 x 16 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$496.00
<u>N201612HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 20 x 16 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$781.00
<u>ST201612SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$871.00
<u>SCE-20EL1612SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,049.00
<u>N412201612CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 20 x 16 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,077.00
<u>SCE-20N2006LP</u>	Saginaw enclosure, NEMA 1, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$209.00
<u>SCE-20206ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$197.00
<u>SCE-20206ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$197.00
<u>N1C202006LP</u>	Wiegmann enclosure, NEMA 1, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$262.00
<u>SCE-20EL2006LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$309.00
<u>SCE-20EL2006LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$309.00

<u>EN4SD20206GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$316.00
<u>EN4SD20206LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$331.00
<u>N412202006C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$337.00
<u>N412202006CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$337.00
<u>SCE-20H2006LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$351.00
<u>N412202006CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$401.00
<u>ST20206LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$412.00
<u>N12202006</u>	Wiegmann enclosure, NEMA 12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$433.00
<u>N4122020061PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$449.00
<u>1418D6</u>	Hammond enclosure, NEMA 12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$464.00
<u>EN4SD20206WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$476.00
<u>EN4SD20206WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$500.00
<u>N412202006WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$516.00
<u>N4202006</u>	Wiegmann enclosure, NEMA 4/12/13, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$563.00
<u>1418N4D6</u>	Hammond enclosure, NEMA 3R/4/12, 20 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$558.00
<u>WA202006FM</u>	Wiegmann enclosure, NEMA 12/13, 20 x 20 x 6in (HxWxD), flush wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$664.00
<u>SCE-20EL2006SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$734.00
<u>EN4SD20206SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$709.00
<u>N412202006SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$667.00
<u>SCE-20H2006SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$780.00
<u>SCE-20EL2006SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$872.00
<u>SSN4202006</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$801.00
<u>1418N4SSD6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$857.00
<u>SCE-20H2006SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$928.00
<u>EN4SD20206S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$854.00
<u>N412202006SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$957.00
<u>EN4SD20206WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,025.00
<u>1418N4S16D6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$995.00
<u>N1A20207</u>	Hammond enclosure, NEMA 1, 20 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$266.00
<u>B202007CH</u>	Wiegmann enclosure, NEMA 12, 20 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$444.00
<u>1418JD7</u>	Hammond enclosure, NEMA 12, 20 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$464.00
<u>SCE-20N2008LP</u>	Saginaw enclosure, NEMA 1, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$229.00

<u>SCE-20208ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$208.00
<u>SCE-20208ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$208.00
<u>N1C202008LP</u>	Wiegmann enclosure, NEMA 1, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$287.00
<u>C3R20208HCR</u>	Hammond enclosure, NEMA 3R, 20 x 20 x 8in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$262.00
<u>RHC202008</u>	Wiegmann enclosure, NEMA 1/3R, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$302.00
<u>SCE-20208ELJW</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$283.00
<u>SCE-20EL2008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$327.00
<u>SCE-20EL2008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$327.00
<u>EN4SD20208GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$334.00
<u>EN4SD20208LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$350.00
<u>N412202008C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$353.00
<u>N412202008CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$353.00
<u>SCE-20H2008LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$371.00
<u>N412202008CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 20 x 20 x 8in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$660.00
<u>N412202008CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$424.00
<u>ST20208LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$434.00
<u>N12202008</u>	Wiegmann enclosure, NEMA 12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$445.00
<u>N4122020081PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$470.00
<u>1418D8</u>	Hammond enclosure, NEMA 12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$486.00
<u>EN4SD20208WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$503.00
<u>EN4SD20208WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$528.00
<u>N412202008WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$545.00
<u>N4202008</u>	Wiegmann enclosure, NEMA 4/12/13, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$595.00
<u>1418N4D8</u>	Hammond enclosure, NEMA 3R/4/12, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$587.00
<u>SCE-20EL2008SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$789.00
<u>EN4SD20208SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$738.00
<u>N412202008SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$696.00
<u>SCE-20EL2008SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$938.00
<u>ST202008SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$887.00
<u>1418N4SSD8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$943.00
<u>SCE-20EL2008SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,036.00
<u>N412202008SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$993.00

<u>1418N4S16D8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,057.00
<u>N412202008CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,033.00
<u>EN4SD20208WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,103.00
<u>SSN4202008A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (4) stainless steel clamps, padlock hasp and staple.	Stock	\$1,000.00
<u>EN4SD20208S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,069.00
<u>N412202008WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,197.00
<u>N412202008SSA1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$1,480.00
<u>N1A20209</u>	Hammond enclosure, NEMA 1, 20 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$288.00
<u>B202009CH</u>	Wiegmann enclosure, NEMA 12, 20 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$476.00
<u>1418JD9</u>	Hammond enclosure, NEMA 12, 20 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$494.00
<u>SCE-20N2010LP</u>	Saginaw enclosure, NEMA 1, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$249.00
<u>SCE-202010ELJ</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$219.00
<u>SCE-202010ELJLG</u>	Saginaw Enviroline Junction series enclosure, NEMA 3R/4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$219.00
<u>SCE-20EL2010LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$345.00
<u>SCE-20EL2010LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$345.00
<u>EN4SD202010GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$343.00
<u>EN4SD202010LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$359.00
<u>N412202010C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$360.00
<u>N412202010CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$360.00
<u>SCE-20H2010LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$391.00
<u>N12202010</u>	Wiegmann enclosure, NEMA 12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$474.00
<u>1418D10</u>	Hammond enclosure, NEMA 12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$507.00
<u>J2020HPL</u>	Stahlin J series enclosure, NEMA 1/3/3R/4/4X/12/13, 20 x 20 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) quick-release latches, padlock hasp and staple.	Stock	\$667.00
<u>N412202010WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$567.00
<u>SCE-20EL2010SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$841.00
<u>N412202010SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$731.00
<u>EN4SD202010SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$800.00
<u>SCE-20EL2010SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$999.00
<u>EN4SD202010WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,177.00
<u>EN4SD202010S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,144.00
<u>SCE-20EL2012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$363.00
<u>SCE-20EL2012LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$363.00

<u>N412202012C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$383.00
<u>N412202012CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$383.00
<u>EN4SD202012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$380.00
<u>EN4SD202012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$399.00
<u>N4122020121PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$510.00
<u>EN4SD202012WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$557.00
<u>EN4SD202012WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$585.00
<u>N412202012WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$603.00
<u>EN4SD202012SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$842.00
<u>N412202012SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$794.00
<u>SCE-20EL2012SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,007.00
<u>ST202012SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,019.00
<u>SCE-20EL2012SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,322.00
<u>N412202012SS1PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1-point 316L padlocking handle.	Stock	\$1,110.00
<u>N412202012CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,259.00
<u>EN4SD202012WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,299.00
<u>EN4SD202012S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 20 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,263.00
<u>EN4SD20246GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$356.00
<u>EN4SD20246LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$374.00
<u>SCE-20H2406LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$378.00
<u>N12202406</u>	Wiegmann enclosure, NEMA 12/13, 20 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$465.00
<u>1418ER6</u>	Hammond enclosure, NEMA 12/13, 20 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$520.00
<u>N1C242008LP</u>	Wiegmann enclosure, NEMA 1, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$317.00
<u>SCE-20EL2408LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$352.00
<u>SCE-20EL2408LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$352.00
<u>EN4SD20248GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$368.00
<u>EN4SD20248LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$386.00
<u>N412202408C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$369.00
<u>N412202408CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$369.00
<u>SCE-20H2408LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$400.00
<u>N12202408</u>	Wiegmann enclosure, NEMA 12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$478.00
<u>N4122024081PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1-point keylocking/padlocking combo handle.	Stock	\$501.00

<u>1418ER8</u>	Hammond enclosure, NEMA 12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$657.00
<u>N4202408</u>	Wiegmann enclosure, NEMA 4/12/13, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (6) stainless steel clamps, padlock hasp and staple.	Stock	\$646.00
<u>1418N4ER8</u>	Hammond enclosure, NEMA 3R/4/12, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$657.00
<u>SCE-20EL2408SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$863.00
<u>EN4SD20248SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$808.00
<u>SCE-20H2408SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$916.00
<u>SCE-20EL2408SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,026.00
<u>SSN4202408</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (6) stainless steel clamps, padlock hasp and staple.	Stock	\$938.00
<u>1418N4SSER8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,177.00
<u>SCE-20H2408SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,089.00
<u>1418N4S16ER8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,358.00
<u>N1A20249</u>	Hammond enclosure, NEMA 1, 20 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$319.00
<u>EN4SD202410GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$367.00
<u>EN4SD202410LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 20 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$385.00
<u>N412202410C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$387.00
<u>N412202410CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 20 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$387.00
<u>EN4SD202410SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$859.00
<u>EN4SD202410S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,223.00
<u>SCE-20H3006LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 20 x 30 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$454.00
<u>SCE-24EL1206LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$280.00
<u>SCE-24EL1206LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$280.00
<u>EN4SD24126GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$294.00
<u>EN4SD24126LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$309.00
<u>SCE-24H1206LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$317.00
<u>N12241206</u>	Wiegmann enclosure, NEMA 12/13, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$392.00
<u>1418AR6</u>	Hammond enclosure, NEMA 12/13, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$424.00
<u>1418N4AR6</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$513.00
<u>EN4SD24128GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$317.00
<u>EN4SD24128LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$333.00
<u>SCE-24H1208LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$337.00
<u>N12241208</u>	Wiegmann enclosure, NEMA 12/13, 24 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$414.00
<u>1418AR8</u>	Hammond enclosure, NEMA 12/13, 24 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$443.00

EN4SD241210GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$337.00
EN4SD241210LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 12 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$354.00
SCE-24H1210LP	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$354.00
N12241210	Wiegmann enclosure, NEMA 12/13, 24 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$436.00
1418AR10	Hammond enclosure, NEMA 12/13, 24 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$465.00
N241210HWT	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 24 x 12 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$839.00
SCE-24N1606LP	Saginaw enclosure, NEMA 1, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$208.00
N1C162406LP	Wiegmann enclosure, NEMA 1, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$261.00
SCE-24EL1606LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$306.00
SCE-24EL1606PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$306.00
EN4SD24166GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$321.00
EN4SD24166LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$337.00
N412241606C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$333.00
N412241606CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$333.00
SCE-24H1606LP	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$347.00
N12241606	Wiegmann enclosure, NEMA 12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$429.00
N4122416063PTC	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$455.00
1418H6	Hammond enclosure, NEMA 12/13, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$468.00
1418N4H6	Hammond enclosure, NEMA 3R/4/12, 24 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$564.00
N1A2416Z	Hammond enclosure, NEMA 1, 24 x 16 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$261.00
SCE-24EL1608LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$324.00
SCE-24EL1608PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$324.00
EN4SD24168GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$330.00
EN4SD24168LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$346.00
N412241608C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$352.00
N412241608CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$352.00
SCE-24H1608LP	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$368.00
N12241608	Wiegmann enclosure, NEMA 12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$440.00
N4122416083PTC	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$466.00
1418H8	Hammond enclosure, NEMA 12/13, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$478.00
HW24168GYHK	Hammond enclosure, NEMA 3R/4/12, 24 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$516.00
SCE-24EL1608SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$777.00

<u>EN4SD24168SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$730.00
<u>N412241608SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$686.00
<u>SCE-24H1608SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$824.00
<u>SCE-24EL1608SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$923.00
<u>1418N4SSH8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,081.00
<u>SCE-24H1608SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$980.00
<u>HW24168SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$933.00
<u>N412241608SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$980.00
<u>EN4SD24168S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,036.00
<u>1418N4S16H8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,247.00
<u>SSN4241608A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (5) stainless steel clamps, padlock hasp and staple.	Stock	\$995.00
<u>HW24168S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,079.00
<u>EN4SD241610GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$338.00
<u>EN4SD241610LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$355.00
<u>N412241610C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$356.00
<u>N412241610CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 16 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$356.00
<u>N412241610SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$721.00
<u>EN4SD241610SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$791.00
<u>EN4SD241610S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 16 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,127.00
<u>SCE-24N2006LP</u>	Saginaw enclosure, NEMA 1, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$232.00
<u>SCE-24N2006NK-T</u>	Saginaw enclosure, NEMA 1, 24 x 20 x 6in (HxWxD), wall mount, with knockouts, carbon steel, taupe tan, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$240.00
<u>SCE-24N2006NK-B</u>	Saginaw enclosure, NEMA 1, 24 x 20 x 6in (HxWxD), wall mount, with knockouts, carbon steel, precaution blue, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$240.00
<u>N1C202406LP</u>	Wiegmann enclosure, NEMA 1, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$290.00
<u>SCE-24R2006LP</u>	Saginaw enclosure, NEMA 3R, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$308.00
<u>SCE-24EL2006LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$333.00
<u>SCE-24EL2006LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$333.00
<u>EN4SD24206GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$347.00
<u>EN4SD24206LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$364.00
<u>N412242006C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$355.00
<u>N412242006CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$355.00
<u>SCE-24H2006LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$378.00
<u>N12242006</u>	Wiegmann enclosure, NEMA 12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$465.00

<u>N4122420063PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$487.00
<u>HW24206GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$530.00
<u>1418E6</u>	Hammond enclosure, NEMA 12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$507.00
<u>EN4SD24206WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$511.00
<u>EN4SD24206WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$537.00
<u>N412242006WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$554.00
<u>1418N4E6</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$626.00
<u>1418N4ALE6</u>	Hammond enclosure, NEMA 4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$816.00
<u>EN4SD24206SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$753.00
<u>SCE-24EL2006SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$846.00
<u>SCE-24H2006SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$854.00
<u>SCE-24EL2006SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$978.00
<u>SSN4242006</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (5) stainless steel clamps, padlock hasp and staple.	Stock	\$878.00
<u>1418N4SSE6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,116.00
<u>HW24206SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$947.00
<u>SCE-24H2006SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,016.00
<u>1418N4S16E6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,289.00
<u>HW24206S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,108.00
<u>N1A24207</u>	Hammond enclosure, NEMA 1, 24 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$294.00
<u>B242007CH</u>	Wiegmann enclosure, NEMA 12, 24 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$487.00
<u>1418JE7</u>	Hammond enclosure, NEMA 12, 24 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$520.00
<u>SCE-24N2008LP</u>	Saginaw enclosure, NEMA 1, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$253.00
<u>N1C202408LP</u>	Wiegmann enclosure, NEMA 1, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$318.00
<u>C3R24208HCR</u>	Hammond enclosure, NEMA 3R, 24 x 20 x 8in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$291.00
<u>SCE-24R2008LP</u>	Saginaw enclosure, NEMA 3R, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$322.00
<u>RHC242008</u>	Wiegmann enclosure, NEMA 1/3R, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$340.00
<u>SCE-24EL2008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$352.00
<u>SCE-24EL2008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$352.00
<u>EN4SD24208GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$358.00
<u>EN4SD24208LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$375.00
<u>N412242008C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$372.00
<u>N412242008CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$372.00

<u>SCE-24H2008LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$401.00
<u>N412242008CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$455.00
<u>ST24208LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$466.00
<u>N12242008</u>	Wiegmann enclosure, NEMA 12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$478.00
<u>N4122420083PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$498.00
<u>B242009CH</u>	Wiegmann enclosure, NEMA 12, 24 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$521.00
<u>HW24208GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$556.00
<u>1418E8</u>	Hammond enclosure, NEMA 12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$533.00
<u>EN4SD24208WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$539.00
<u>EN4SD24208WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$566.00
<u>N412242008WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$586.00
<u>N4242008</u>	Wiegmann enclosure, NEMA 4/12/13, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (5) stainless steel clamps, padlock hasp and staple.	Stock	\$652.00
<u>1418N4E8</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$641.00
<u>N24208HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 24 x 20 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) twist-lock latches, padlock hasp and staple.	Stock	\$954.00
<u>SCE-24EL2008SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$863.00
<u>EN4SD24208SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$808.00
<u>N412242008SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$762.00
<u>SCE-24H2008SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$916.00
<u>ST242008SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$943.00
<u>SCE-24EL2008SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,026.00
<u>1418N4SSE8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,177.00
<u>HW24208SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,017.00
<u>SCE-24H2008SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,089.00
<u>NW24208HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 24 x 20 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$1,710.00
<u>SSN4242008</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (5) stainless steel clamps, padlock hasp and staple.	Stock	\$981.00
<u>SSN42420083PT</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$982.00
<u>SCE-24EL2008SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,134.00
<u>N412242008SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,072.00
<u>SSN4242008A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (5) stainless steel clamps, padlock hasp and staple.	Stock	\$1,116.00
<u>1418N4S16E8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,106.00
<u>EN4SD24208S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,110.00
<u>HW24208S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,118.00

<u>N412242008CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,099.00
<u>EN4SD24208WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,215.00
<u>N412242008SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,245.00
<u>N412242008WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,429.00
<u>N1A24209</u>	Hammond enclosure, NEMA 1, 24 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$318.00
<u>1418JE9</u>	Hammond enclosure, NEMA 12, 24 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$552.00
<u>SCE-24N2010LP</u>	Saginaw enclosure, NEMA 1, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$275.00
<u>N1C202410LP</u>	Wiegmann enclosure, NEMA 1, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$336.00
<u>N412242010C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$391.00
<u>SCE-24EL2010LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$374.00
<u>SCE-24EL2010PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$374.00
<u>EN4SD242010GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$367.00
<u>EN4SD242010LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$385.00
<u>N412242010CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$391.00
<u>SCE-24H2010LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$421.00
<u>N12242010</u>	Wiegmann enclosure, NEMA 12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$505.00
<u>SCE-24EL2010LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$516.00
<u>HW242010GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$583.00
<u>1418E10</u>	Hammond enclosure, NEMA 12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$674.00
<u>N412242010WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$609.00
<u>N4242010</u>	Wiegmann enclosure, NEMA 4/12/13, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (5) stainless steel clamps, padlock hasp and staple.	Stock	\$681.00
<u>1418N4E10</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$673.00
<u>J2420HPL</u>	Stahlin J series enclosure, NEMA 1/3/3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) quick-release latches, padlock hasp and staple.	Stock	\$961.00
<u>1418N4ALE10</u>	Hammond enclosure, NEMA 4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$914.00
<u>N412242010SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$800.00
<u>SCE-24EL2010SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$922.00
<u>EN4SD242010SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$862.00
<u>SCE-24H2010SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$979.00
<u>SCE-24EL2010SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,025.00
<u>SCE-24EL2010SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,096.00
<u>SSN4242010</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (5) stainless steel clamps, padlock hasp and staple.	Stock	\$1,009.00
<u>1418N4SSE10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,078.00

<u>SCE-24H2010SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,163.00
<u>HW242010SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,245.00
<u>EN4SD242010SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,088.00
<u>SCE-24EL2010SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,219.00
<u>EN4SD242010WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,265.00
<u>EN4SD242010S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,229.00
<u>1418N4S16E10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,430.00
<u>HW242010S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,449.00
<u>SCE-24R2012LP</u>	Saginaw enclosure, NEMA 3R, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$346.00
<u>N1A242012</u>	Hammond enclosure, NEMA 1, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$521.00
<u>SCE-24EL2012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$393.00
<u>SCE-24EL2012LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$393.00
<u>EN4SD242012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$407.00
<u>EN4SD242012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$427.00
<u>N412242012C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$417.00
<u>N412242012CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$417.00
<u>SCE-24H2012LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$444.00
<u>N12242012</u>	Wiegmann enclosure, NEMA 12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$546.00
<u>N4122420123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$555.00
<u>1418E12</u>	Hammond enclosure, NEMA 12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$703.00
<u>EN4SD242012WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$601.00
<u>EN4SD242012WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$630.00
<u>N412242012WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$650.00
<u>1418N4E12</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 20 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$803.00
<u>SCE-24EL2012SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,053.00
<u>SCE-24EL2012SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 20 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,163.00
<u>SCE-24EL2012SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 20 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,382.00
<u>SCE-24R2016LP</u>	Saginaw enclosure, NEMA 3R, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$544.00
<u>SCE-24EL2016LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$584.00
<u>SCE-24EL2016LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$584.00
<u>EN4SD242016GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$446.00
<u>EN4SD242016LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$468.00

<u>SCE-24H2016LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$625.00
<u>N12242016</u>	Wiegmann enclosure, NEMA 12/13, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$584.00
<u>1418E16</u>	Hammond enclosure, NEMA 12/13, 24 x 20 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$740.00
<u>SCE-24N2406LP</u>	Saginaw enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$235.00
<u>N1C242406LP</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$319.00
<u>SCE-24EL2406LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$360.00
<u>SCE-24EL2406PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$360.00
<u>AH24246</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$579.00
<u>AH24246C</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$620.00
<u>AH24246SS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$618.00
<u>AH24246CSS</u>	AttaBox Heartland SL series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 6in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$661.00
<u>EN4SD24246GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$376.00
<u>EN4SD24246LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$394.00
<u>N412242406C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$376.00
<u>N412242406CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$376.00
<u>SCE-24H2406LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$408.00
<u>N12242406</u>	Wiegmann enclosure, NEMA 12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$488.00
<u>N4122424063PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$518.00
<u>HW24246GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$571.00
<u>1418J6</u>	Hammond enclosure, NEMA 12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$671.00
<u>EN4SD24246WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$552.00
<u>EN4SD24246WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$579.00
<u>N412242406WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$597.00
<u>1418N4J6</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$762.00
<u>SCE-24H2406SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$878.00
<u>HW24246SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,050.00
<u>1418N4SSJ6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,239.00
<u>1418N4S16J6</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,393.00
<u>HW24246S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 6in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,215.00
<u>N1A24247</u>	Hammond enclosure, NEMA 1, 24 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$329.00
<u>B242407CH</u>	Wiegmann enclosure, NEMA 12, 24 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$536.00

<u>1418JJ7</u>	Hammond enclosure, NEMA 12, 24 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$687.00
<u>SCE-24N2408LP</u>	Saginaw enclosure, NEMA 1, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$259.00
<u>N1C242408LP</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$337.00
<u>SCE-24R2408LP</u>	Saginaw enclosure, NEMA 3R, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$350.00
<u>C3R24248HCR</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 8in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$329.00
<u>RHC242408</u>	Wiegmann enclosure, NEMA 1/3R, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$384.00
<u>SCE-24EL2408LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$380.00
<u>SCE-24EL2408LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$380.00
<u>EN4SD24248GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$387.00
<u>EN4SD24248LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$405.00
<u>N412242408C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$402.00
<u>N412242408CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$402.00
<u>SCE-24H2408LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$431.00
<u>N412242408CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 24 x 24 x 8in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$819.00
<u>N412242408CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$492.00
<u>ST24248LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$503.00
<u>N12242408</u>	Wiegmann enclosure, NEMA 12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$516.00
<u>N4122424083PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$530.00
<u>HW24248GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$705.00
<u>1418J8</u>	Hammond enclosure, NEMA 12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$691.00
<u>EN4SD24248WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$584.00
<u>EN4SD24248WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$613.00
<u>N412242408WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$632.00
<u>N4242408</u>	Wiegmann enclosure, NEMA 4/12/13, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$690.00
<u>1418N4J8</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$774.00
<u>WA242408FM</u>	Wiegmann enclosure, NEMA 12/13, 24 x 24 x 8in (HxWxD), flush wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$814.00
<u>1418N4ALJ8</u>	Hammond enclosure, NEMA 4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$946.00
<u>SCE-24EL2408SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$948.00
<u>EN4SD24248SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$889.00
<u>N412242408SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$839.00
<u>SCE-24H2408SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,007.00
<u>EN4SD24248SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$954.00

<u>ST242408SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,035.00
<u>SCE-24EL2408SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,127.00
<u>SSN4242408</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,037.00
<u>1418N4SSJ8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,268.00
<u>HW24248SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,272.00
<u>SCE-24H2408SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,198.00
<u>SSN42424083PT</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,163.00
<u>SCE-24EL2408SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,246.00
<u>N412242408SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,165.00
<u>SSN4242408A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,229.00
<u>EN4SD24248S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,219.00
<u>1418N4S16J8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,401.00
<u>HW24248S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,411.00
<u>N412242408CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,264.00
<u>EN4SD24248WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,328.00
<u>N412242408WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,486.00
<u>N1A24249</u>	Hammond enclosure, NEMA 1, 24 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$531.00
<u>B242409CH</u>	Wiegmann enclosure, NEMA 12, 24 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$574.00
<u>1418JJ9</u>	Hammond enclosure, NEMA 12, 24 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$713.00
<u>C3R242410HCR</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 10in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$347.00
<u>SCE-24EL2410LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$402.00
<u>SCE-24EL2410PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$402.00
<u>EN4SD242410GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$398.00
<u>EN4SD242410LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$417.00
<u>N412242410C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$422.00
<u>N412242410CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$422.00
<u>SCE-24H2410LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$454.00
<u>N412242410CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 24 x 24 x 10in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$797.00
<u>N412242410CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$506.00
<u>ST242410LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$517.00
<u>AH242410</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$609.00
<u>N12242410</u>	Wiegmann enclosure, NEMA 12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$561.00

<u>SCE-24EL2410LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$544.00
<u>AH242410C</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, polycarbonate quick-release latch.	Stock	\$653.00
<u>AH242410SS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, stainless steel quick-release latch.	Stock	\$655.00
<u>AH242410CSS</u>	AttaBox Heartland series enclosure, NEMA 1/3R/4/4X/12, 24 x 24 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, smoked polycarbonate single-door, stainless steel quick-release latch.	Stock	\$702.00
<u>1418J10</u>	Hammond enclosure, NEMA 12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$710.00
<u>N412242410WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$658.00
<u>G242410E-P10</u>	Integra Genesis series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 24 x 24 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$572.00
<u>N242410RT</u>	Stahlin N series enclosure, NEMA 1/3R, 24 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$935.00
<u>AHWD242410</u>	AttaBox Heartland series enclosure, with shelf, NEMA 1/3R/4/4X/12, 24 x 24 x 10in (HxWxD), wall mount, polycarbonate, Pantone 7541 C light gray, single-door, polycarbonate quick-release latch.	Stock	\$728.00
<u>G242410CE-P10</u>	Integra Genesis series enclosure, NEMA 1/2/3/3R/3S/4/4X/5/6/6P/12/13, 24 x 24 x 10in (HxWxD), wall mount, polycarbonate, gray, gloss finish, clear polycarbonate single-door, glass-filled nylon quick-release latch, padlock hasp and staple.	Stock	\$659.00
<u>N242410HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 24 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) twist-lock latches, padlock hasp and staple.	Stock	\$1,105.00
<u>J2424HPL</u>	Stahlin J series enclosure, NEMA 1/3/3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) quick-release latches, padlock hasp and staple.	Stock	\$1,138.00
<u>EN4SD242410SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$930.00
<u>SCE-24EL2410SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,014.00
<u>N412242410SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$906.00
<u>SCE-24EL2410SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,116.00
<u>SCE-24EL2410SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,205.00
<u>NW242410HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 24 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$1,966.00
<u>SCE-24EL2410SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,327.00
<u>EN4SD242410WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,365.00
<u>EN4SD242410S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,327.00
<u>N412242410SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,430.00
<u>B242411CH</u>	Wiegmann enclosure, NEMA 12, 24 x 24 x 11in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$647.00
<u>1418JJ11</u>	Hammond enclosure, NEMA 12, 24 x 24 x 11in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$760.00
<u>SCE-24N2412LP</u>	Saginaw enclosure, NEMA 1, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$306.00
<u>SCE-24R2412LP</u>	Saginaw enclosure, NEMA 3R, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$374.00
<u>N1C242412LP</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$359.00
<u>N1A242412</u>	Hammond enclosure, NEMA 1, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$568.00
<u>SCE-24EL2412LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$421.00
<u>SCE-24EL2412LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$421.00

<u>EN4SD242412GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$429.00
<u>EN4SD242412LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$450.00
<u>N412242412C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$446.00
<u>N412242412CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$446.00
<u>SCE-24H2412LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$478.00
<u>N412242412CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 24 x 24 x 12in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$851.00
<u>N412242412CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$546.00
<u>ST242412LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$560.00
<u>N12242412</u>	Wiegmann enclosure, NEMA 12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$573.00
<u>N4122424123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$579.00
<u>HW242412GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$746.00
<u>1418J12</u>	Hammond enclosure, NEMA 12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$729.00
<u>EN4SD242412WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$647.00
<u>EN4SD242412WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$679.00
<u>N412242412WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$702.00
<u>N242412HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 24 x 24 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (4) twist-lock latches, padlock hasp and staple.	Stock	\$1,257.00
<u>SCE-24EL2412SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,079.00
<u>EN4SD242412SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,059.00
<u>SCE-24H2412SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,144.00
<u>N412242412SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$935.00
<u>ST242412SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,178.00
<u>SCE-24EL2412SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,283.00
<u>SSN4242412</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,252.00
<u>1418N4SSJ12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,396.00
<u>HW242412SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,406.00
<u>EN4SD242412SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,270.00
<u>SCE-24H2412SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,360.00
<u>SSN42424123PT</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,228.00
<u>SCE-24EL2412SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,417.00
<u>N412242412SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,359.00
<u>N412242412CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,457.00
<u>N412242412WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,385.00

<u>1418N4S16J12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,624.00
<u>EN4SD242412S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,471.00
<u>HW242412S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,648.00
<u>N412242412SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 12in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,699.00
<u>SCE-24R2416LP</u>	Saginaw enclosure, NEMA 3R, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$566.00
<u>SCE-24EL2416LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$607.00
<u>SCE-24EL2416PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$607.00
<u>EN4SD242416GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$622.00
<u>EN4SD242416LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$639.00
<u>N412242416C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$486.00
<u>N412242416CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$486.00
<u>SCE-24H2416LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$651.00
<u>N4122424163PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$628.00
<u>N12242416</u>	Wiegmann enclosure, NEMA 12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$631.00
<u>1418J16</u>	Hammond enclosure, NEMA 12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$780.00
<u>EN4SD242416WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$784.00
<u>EN4SD242416WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$808.00
<u>N412242416WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$772.00
<u>SCE-24EL2416SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,365.00
<u>SCE-24EL2416SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 24 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,619.00
<u>N412242416WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 24 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,567.00
<u>SCE-24EL2416SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 24 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,957.00
<u>EN4SD242420GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$652.00
<u>EN4SD242420LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$671.00
<u>N412242420C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$549.00
<u>N412242420CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$549.00
<u>N4122424203PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$686.00
<u>EN4SD242420WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$830.00
<u>EN4SD242420WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$857.00
<u>SCE-24EL3008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$421.00
<u>SCE-24EL3008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$421.00
<u>EN4SD24308GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$429.00

EN4SD24308LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$450.00
N412243008C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$446.00
N412243008CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$446.00
SCE-24H3008LP	Saginaw enclosure, NEMA 3R/4/12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$618.00
N12243008	Wiegmann enclosure, NEMA 12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$573.00
N4122430083PTC	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$579.00
HW24308GYHK	Hammond enclosure, NEMA 3R/4/12, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$755.00
1418KR8	Hammond enclosure, NEMA 12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$742.00
N4243008	Wiegmann enclosure, NEMA 4/12/13, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$774.00
1418N4KR8	Hammond enclosure, NEMA 3R/4/12, 24 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$848.00
SCE-24EL3008SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,078.00
EN4SD24308SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,011.00
SCE-24H3008SSLP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,295.00
SCE-24EL3008SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,281.00
SSN4243008	Wiegmann enclosure, NEMA 4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,337.00
SCE-24H3008SS6LP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,532.00
1418N4SSKR8	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,407.00
HW24308SSHK	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,522.00
1418N4S16KR8	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,635.00
HW24308S16HK	Hammond enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,647.00
EN4SD243010GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$590.00
EN4SD243010LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$605.00
SCE-24EL3010LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$454.00
SCE-24EL3010PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$454.00
N412243010C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$464.00
N412243010CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 24 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$464.00
J2430HPL	Stahlin J series enclosure, NEMA 1/3/3R/4/4X/12/13, 24 x 30 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, Pantone 428 C glacier gray, single-door, (5) quick-release latches, padlock hasp and staple.	Stock	\$1,255.00
EN4SD243010SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,031.00
SCE-24EL3010SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,159.00
SCE-24EL3010SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,378.00
EN4SD243010S16	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 24 x 30 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,470.00
EN4SD243012GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$610.00

<u>EN4SD243012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 24 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$627.00
<u>SCE-24EL3012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$486.00
<u>SCE-24EL3012LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$486.00
<u>N412D243608C</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 24 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,203.00
<u>SCE-244208WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 24 x 42 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$792.00
<u>EN4TD24428GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 24 x 42 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$799.00
<u>EN4TD24428LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 24 x 42 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$825.00
<u>WA244208WF</u>	Wiegmann enclosure, NEMA 12, 24 x 42 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$953.00
<u>WA244808WF</u>	Wiegmann enclosure, NEMA 12, 24 x 48 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,029.00
<u>1422P8</u>	Hammond enclosure, NEMA 12, 24 x 42 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$997.00
<u>HN4WM24428GY</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 42 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$1,378.00
<u>HN4WM24428SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 24 x 42 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,493.00
<u>N412D244208SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 24 x 42 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,770.00
<u>HN4WM24428S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 24 x 42 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,925.00
<u>EN4TD244210GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 24 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$824.00
<u>EN4TD244210LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 24 x 42 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$852.00
<u>SCE-24EL4210WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,119.00
<u>1422P10</u>	Hammond enclosure, NEMA 12, 24 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,197.00
<u>SCE-24EL4210SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 42 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,764.00
<u>SCE-244212WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 24 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$845.00
<u>SCE-244808WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 24 x 48 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$835.00
<u>EN4TD24488GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 24 x 48 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$843.00
<u>EN4TD24488LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 24 x 48 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$871.00
<u>1422PW8</u>	Hammond enclosure, NEMA 12, 24 x 48 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,091.00
<u>HN4WM24488GY</u>	Hammond enclosure, NEMA 3R/4/12, 24 x 48 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$1,504.00
<u>HN4WM24488SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 24 x 48 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,689.00
<u>N412D244808SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 24 x 48 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,816.00
<u>HN4WM24488S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 24 x 48 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,133.00
<u>SCE-24EL4810WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 24 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,163.00
<u>SCE-24EL4810SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 24 x 48 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,873.00
<u>SCE-244812WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 24 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$874.00
<u>SCE-29VR2412</u>	Saginaw enclosure, vented, NEMA 3R, 29 x 24 x 12in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$1,006.00

<u>SCE-29VR2416</u>	Saginaw enclosure, vented, NEMA 3R, 29 x 24 x 16in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$1,111.00
<u>EN4SD30128GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$385.00
<u>EN4SD30128LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 12 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$404.00
<u>1418KA8</u>	Hammond enclosure, NEMA 12/13, 30 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$563.00
<u>SCE-30EL1606LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$336.00
<u>SCE-30EL1606PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$336.00
<u>SCE-30H1606LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$381.00
<u>EN4SD30166GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$382.00
<u>EN4SD30166LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 16 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$401.00
<u>N12301606</u>	Wiegmann enclosure, NEMA 12/13, 30 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$469.00
<u>1418FG6</u>	Hammond enclosure, NEMA 12/13, 30 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$523.00
<u>SCE-30EL1606SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$903.00
<u>SCE-30EL1606SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 16 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,074.00
<u>EN4SD30168GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$388.00
<u>EN4SD30168LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 16 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$407.00
<u>1418KG8</u>	Hammond enclosure, NEMA 12/13, 30 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$593.00
<u>N1C203006LP</u>	Wiegmann enclosure, NEMA 1, 30 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$324.00
<u>EN4SD30206GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$390.00
<u>EN4SD30206LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 20 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$409.00
<u>SCE-30H2006LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$414.00
<u>N12302006</u>	Wiegmann enclosure, NEMA 12/13, 30 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$499.00
<u>1418F6</u>	Hammond enclosure, NEMA 12/13, 30 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$692.00
<u>1418N4F6</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$774.00
<u>N1A30207</u>	Hammond enclosure, NEMA 1, 30 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$518.00
<u>B302007CH</u>	Wiegmann enclosure, NEMA 12, 30 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$551.00
<u>1418JF7</u>	Hammond enclosure, NEMA 12, 30 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$700.00
<u>SCE-30EL2008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$388.00
<u>SCE-30EL2008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$388.00
<u>EN4SD30208LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$426.00
<u>EN4SD30208GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$406.00
<u>N412302008C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$415.00
<u>N412302008CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$415.00

SCE-30H2008LP	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$441.00
N12302008	Wiegmann enclosure, NEMA 12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$543.00
N4123020083PTC	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$553.00
HW30208GYHK	Hammond enclosure, NEMA 3R/4/12, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$730.00
1418F8	Hammond enclosure, NEMA 12/13, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$713.00
1418N4F8	Hammond enclosure, NEMA 3R/4/12, 30 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$800.00
N30208HWT	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 30 x 20 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,018.00
SCE-30EL2008SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$979.00
EN4SD30208SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$914.00
SCE-30H2008SSLP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,036.00
SCE-30EL2008SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,163.00
1418N4SSF8	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,298.00
SCE-30H2008SS6LP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,232.00
HW30208SSHK	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,315.00
1418N4S16F8	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,504.00
HW30208S16HK	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,521.00
N1A30209	Hammond enclosure, NEMA 1, 30 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$550.00
B302009CH	Wiegmann enclosure, NEMA 12, 30 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$591.00
1418JF9	Hammond enclosure, NEMA 12, 30 x 20 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$726.00
SCE-30EL2010LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$408.00
SCE-30EL2010LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$408.00
EN4SD302010GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$405.00
EN4SD302010LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$425.00
N412302010C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$440.00
N412302010CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$440.00
SCE-30H2010LP	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$464.00
N12302010	Wiegmann enclosure, NEMA 12/13, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$569.00
1418F10	Hammond enclosure, NEMA 12/13, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$733.00
N302010HWT	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 30 x 20 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,234.00
EN4SD302010SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$949.00
SCE-30EL2010SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,060.00
SCE-30EL2010SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,260.00

<u>EN4SD302010S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 20 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,354.00
<u>SCE-30N2406LP</u>	Saginaw enclosure, NEMA 1, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$261.00
<u>N1C243006LP</u>	Wiegmann enclosure, NEMA 1, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$340.00
<u>SCE-30EL2406LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$395.00
<u>SCE-30EL2406PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$395.00
<u>EN4SD30246GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$406.00
<u>EN4SD30246LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$426.00
<u>SCE-30H2406LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$599.00
<u>N12302406</u>	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$557.00
<u>N412302406WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$655.00
<u>1418K6</u>	Hammond enclosure, NEMA 12/13, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$732.00
<u>1418N4K6</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$820.00
<u>N1A30247</u>	Hammond enclosure, NEMA 1, 30 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$550.00
<u>1418JK7</u>	Hammond enclosure, NEMA 12, 30 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$748.00
<u>SCE-30N2408LP</u>	Saginaw enclosure, NEMA 1, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$290.00
<u>N1C243008LP</u>	Wiegmann enclosure, NEMA 1, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$361.00
<u>C3R30248HCR</u>	Hammond enclosure, NEMA 3R, 30 x 24 x 8in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$551.00
<u>SCE-30R2408LP</u>	Saginaw enclosure, NEMA 3R, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$580.00
<u>SCE-30EL2408LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$421.00
<u>SCE-30EL2408PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$421.00
<u>RHC302408</u>	Wiegmann enclosure, NEMA 1/3R, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$449.00
<u>EN4SD30248GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$429.00
<u>EN4SD30248LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$598.00
<u>N412302408C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$446.00
<u>N412302408CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$446.00
<u>SCE-30H2408LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$618.00
<u>N412302408CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 30 x 24 x 8in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$851.00
<u>N412302408CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$546.00
<u>ST30248LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$561.00
<u>N12302408</u>	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$573.00
<u>N4123024083PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$579.00
<u>HW30248GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$755.00

<u>1418K8</u>	Hammond enclosure, NEMA 12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$742.00
<u>EN4SD30248WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$647.00
<u>EN4SD30248WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$679.00
<u>N412302408WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$702.00
<u>N4302408</u>	Wiegmann enclosure, NEMA 4/12/13, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$781.00
<u>1418N4K8</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$835.00
<u>N30247HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 30 x 24 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,142.00
<u>WA302408FM</u>	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 8in (HxWxD), flush wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$948.00
<u>1418N4ALK8</u>	Hammond enclosure, NEMA 4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$1,066.00
<u>SCE-30EL2408SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,079.00
<u>EN4SD30248SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,011.00
<u>N412302408SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$953.00
<u>SCE-30H2408SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,295.00
<u>ST302408SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,068.00
<u>SCE-30EL2408SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,283.00
<u>SSN4302408</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,252.00
<u>HW30248SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,406.00
<u>EN4SD30248SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,270.00
<u>SCE-30H2408SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,532.00
<u>1418N4SSK8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,407.00
<u>N412302408CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,339.00
<u>SCE-30EL2408SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,537.00
<u>N412302408SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,479.00
<u>EN4SD30248S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,385.00
<u>1418N4S16K8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,557.00
<u>HW30248S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,565.00
<u>EN4SD30248WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,516.00
<u>N412302408SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,706.00
<u>N412302408WSSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,751.00
<u>N1A30249</u>	Hammond enclosure, NEMA 1, 30 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$571.00
<u>B302409CH</u>	Wiegmann enclosure, NEMA 12, 30 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$653.00
<u>1418JK9</u>	Hammond enclosure, NEMA 12, 30 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$776.00

<u>N1C243010LP</u>	Wiegmann enclosure, NEMA 1, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$418.00
<u>EN4SD302410GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$590.00
<u>EN4SD302410LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$461.00
<u>SCE-30EL2410LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$454.00
<u>SCE-30EL2410PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$454.00
<u>N412302410C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$464.00
<u>N412302410CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$464.00
<u>SCE-30H2410LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$637.00
<u>N412302410CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 30 x 24 x 10in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$885.00
<u>N412302410CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$561.00
<u>ST302410LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$686.00
<u>N12302410</u>	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$600.00
<u>HW302410GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$778.00
<u>1418K10</u>	Hammond enclosure, NEMA 12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$765.00
<u>C3R302410HCR</u>	Hammond enclosure, NEMA 3R, 30 x 24 x 10in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$753.00
<u>N412302410WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$733.00
<u>N302410RT</u>	Stahlin N series enclosure, NEMA 1/3R, 30 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (2) twist-lock latches, padlock hasp and staple.	Stock	\$1,001.00
<u>N4302410</u>	Wiegmann enclosure, NEMA 4/12/13, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$825.00
<u>1418N4K10</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$862.00
<u>N302410HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 30 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,156.00
<u>J3024HPL</u>	Stahlin J series enclosure, NEMA 1/3/3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, Pantone 428 C glacier gray, single-door, (5) quick-release latches, padlock hasp and staple.	Stock	\$1,151.00
<u>EN4SD302410SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,033.00
<u>SCE-30EL2410SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,160.00
<u>N412302410SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,020.00
<u>NW302410HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 30 x 24 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$2,111.00
<u>SCE-30EL2410SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,380.00
<u>1418N4SSK10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,513.00
<u>SSN4302410</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,316.00
<u>EN4SD302410WSS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,518.00
<u>HW302410SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,546.00
<u>EN4SD302410S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,473.00
<u>SSN4302410A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,551.00

<u>1418N4S16K10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,713.00
<u>HW302410S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,729.00
<u>SCE-30N2412LP</u>	Saginaw enclosure, NEMA 1, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$341.00
<u>N1C243012LP</u>	Wiegmann enclosure, NEMA 1, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$428.00
<u>SCE-30R2412LP</u>	Saginaw enclosure, NEMA 3R, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$598.00
<u>SCE-30EL2412LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$468.00
<u>SCE-30EL2412PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$468.00
<u>N1A302412</u>	Hammond enclosure, NEMA 1, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$612.00
<u>EN4SD302412GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$616.00
<u>EN4SD302412LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$633.00
<u>N412302412C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$495.00
<u>N412302412CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$495.00
<u>SCE-30H2412LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$656.00
<u>N412302412CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 30 x 24 x 12in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$946.00
<u>N412302412CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$606.00
<u>ST302412LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$718.00
<u>SCE-30EL2412LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$712.00
<u>N4123024123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$633.00
<u>N12302412</u>	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$637.00
<u>HW302412GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$801.00
<u>1418K12</u>	Hammond enclosure, NEMA 12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$787.00
<u>EN4SD302412WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$790.00
<u>EN4SD302412WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$756.00
<u>N412302412WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$781.00
<u>N4302412</u>	Wiegmann enclosure, NEMA 4/12/13, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$852.00
<u>1418N4K12</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$889.00
<u>N302412HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 30 x 24 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,216.00
<u>1418N4ALK12</u>	Hammond enclosure, NEMA 4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$1,185.00
<u>SCE-30EL2412SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,229.00
<u>EN4SD302412SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,303.00
<u>N412302412SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,339.00
<u>SCE-30H2412SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,431.00

SCE-30EL2412SSLPL	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,462.00
ST302412SS	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,465.00
SCE-30EL2412SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,462.00
SCE-30EL2412SS6LPPL	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,738.00
1418N4SSK12	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,548.00
HW302412SSHK	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,556.00
SCE-30H2412SS6LP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,700.00
SSN43024123PT	Wiegmann enclosure, NEMA 4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,420.00
SCE-30EL2412SSST	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,713.00
N412302412SS3PTC	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,591.00
1418N4S16K12	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,717.00
EN4SD302412S16	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,723.00
HW302412S16HK	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,736.00
N412302412CSSST	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,556.00
EN4SD302412WSS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch, polycarbonate window.	Stock	\$1,678.00
N412302412WSSC	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$1,827.00
B302413CH	Wiegmann enclosure, NEMA 12, 30 x 24 x 13in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps.	Stock	\$745.00
1418JK13	Hammond enclosure, NEMA 12, 30 x 24 x 13in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$833.00
SCE-30R2416LP	Saginaw enclosure, NEMA 3R, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$621.00
SCE-30EL2416LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$645.00
SCE-30EL2416LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$645.00
EN4SD302416GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$653.00
EN4SD302416LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$671.00
SCE-30H2416LP	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$694.00
N12302416	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$709.00
HW302416GYHK	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$862.00
1418K16	Hammond enclosure, NEMA 12/13, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$843.00
1418N4K16	Hammond enclosure, NEMA 3R/4/12, 30 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,045.00
SCE-30EL2416SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,482.00
EN4SD302416SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,405.00
SCE-30H2416SSLP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,569.00
SCE-30EL2416SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,763.00

<u>1418N4SSK16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,691.00
<u>SCE-30H2416SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,870.00
<u>HW302416SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,772.00
<u>1418N4S16K16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,981.00
<u>HW302416S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 24 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,072.00
<u>SCE-30EL2420LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$679.00
<u>SCE-30EL2420PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$679.00
<u>EN4SD302420GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$696.00
<u>EN4SD302420LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$716.00
<u>N412302420C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$601.00
<u>N412302420CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$601.00
<u>SCE-30H2420LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$732.00
<u>N412302420CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$714.00
<u>ST302420LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$824.00
<u>N4123024203PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$747.00
<u>N12302420</u>	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$788.00
<u>1418K20</u>	Hammond enclosure, NEMA 12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$889.00
<u>EN4SD302420WGY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$894.00
<u>EN4SD302420WLG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch, polycarbonate window.	Stock	\$925.00
<u>N412302420WC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 24 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch, polycarbonate window.	Stock	\$962.00
<u>SCE-30EL2424LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$712.00
<u>SCE-30EL2424PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 24 x 24in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$712.00
<u>EN4SD302424LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 24in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$756.00
<u>EN4SD302424GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 24 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$734.00
<u>SCE-30H2424LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 24 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$770.00
<u>N12302424</u>	Wiegmann enclosure, NEMA 12/13, 30 x 24 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$854.00
<u>1418K24</u>	Hammond enclosure, NEMA 12/13, 30 x 24 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$936.00
<u>SCE-30N3008LP</u>	Saginaw enclosure, NEMA 1, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$327.00
<u>N1C303008LP</u>	Wiegmann enclosure, NEMA 1, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$430.00
<u>SCE-30EL3008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$613.00
<u>SCE-30EL3008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$613.00
<u>EN4SD30308GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$618.00

<u>EN4SD30308LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$634.00
<u>N412303008C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$498.00
<u>N412303008CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$498.00
<u>SCE-30H3008LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$658.00
<u>C3R30308HCR</u>	Hammond enclosure, NEMA 3R, 30 x 30 x 8in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$670.00
<u>N412303008CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$626.00
<u>ST30308LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$723.00
<u>N4123030083PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$636.00
<u>N12303008</u>	Wiegmann enclosure, NEMA 12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$641.00
<u>HW30308GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$811.00
<u>1418KK8</u>	Hammond enclosure, NEMA 12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$817.00
<u>N4303008</u>	Wiegmann enclosure, NEMA 4/12/13, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$857.00
<u>1418N4KK8</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$922.00
<u>SCE-30EL3008SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,376.00
<u>EN4SD30308SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,301.00
<u>N412303008SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,120.00
<u>SCE-30H3008SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,440.00
<u>ST303008SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,470.00
<u>SCE-30EL3008SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,633.00
<u>SSN4303008</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,344.00
<u>HW30308SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,565.00
<u>SCE-30H3008SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,711.00
<u>1418N4SSKK8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,580.00
<u>SSN43030083PT</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,561.00
<u>SCE-30EL3008SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,720.00
<u>N412303008SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,591.00
<u>N412303008CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,563.00
<u>EN4SD30308S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,796.00
<u>HW30308S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,839.00
<u>1418N4S16KK8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,841.00
<u>N1A30309</u>	Hammond enclosure, NEMA 1, 30 x 30 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$615.00
<u>EN4SD303010GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$628.00

<u>EN4SD303010LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$645.00
<u>N412303010C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$523.00
<u>N412303010CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$523.00
<u>SCE-30EL3010LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$651.00
<u>SCE-30EL3010LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$651.00
<u>EN4SD303010SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,332.00
<u>SCE-30EL3010SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,443.00
<u>N412303010SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,177.00
<u>SCE-30EL3010SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,715.00
<u>EN4SD303010S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,827.00
<u>N412303010SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 30 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,992.00
<u>SCE-30EL3012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$662.00
<u>SCE-30EL3012LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$662.00
<u>EN4SD303012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$655.00
<u>EN4SD303012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$674.00
<u>N412303012C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$554.00
<u>N412303012CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$554.00
<u>SCE-30H3012LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$701.00
<u>C3R303012HCR</u>	Hammond enclosure, NEMA 3R, 30 x 30 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$674.00
<u>RHC303012</u>	Wiegmann enclosure, NEMA 1/3R, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$641.00
<u>SCE-30EL3012LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$763.00
<u>N4123030123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$697.00
<u>N12303012</u>	Wiegmann enclosure, NEMA 12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$712.00
<u>1418KK12</u>	Hammond enclosure, NEMA 12/13, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$867.00
<u>EN4SD303012SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,395.00
<u>SCE-30EL3012SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,516.00
<u>SCE-30EL3012SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,606.00
<u>SCE-30EL3012SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,804.00
<u>SCE-30EL3012SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 30 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,915.00
<u>SCE-30EL3012SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 30 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,072.00
<u>RHC303016</u>	Wiegmann enclosure, NEMA 1/3R, 30 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$689.00
<u>C3R303016HCR</u>	Hammond enclosure, NEMA 3R, 30 x 30 x 16in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$735.00

<u>SCE-30EL3608LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$649.00
<u>SCE-30EL3608LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$649.00
<u>EN4SD30368GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$652.00
<u>EN4SD30368LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 30 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$670.00
<u>SCE-30H3608LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 30 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$698.00
<u>N12303608</u>	Wiegmann enclosure, NEMA 12/13, 30 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$782.00
<u>1418MR8</u>	Hammond enclosure, NEMA 12/13, 30 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$891.00
<u>SCE-30EL3608SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,507.00
<u>SCE-30EL3608SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 36 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,793.00
<u>SCE-304210WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 30 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$893.00
<u>EN4TD304210GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$896.00
<u>EN4TD304210LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 42 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$927.00
<u>WA304210WF</u>	Wiegmann enclosure, NEMA 12, 30 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,132.00
<u>SCE-30EL4210WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,180.00
<u>1422R10</u>	Hammond enclosure, NEMA 12, 30 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,203.00
<u>HN4WM304210GY</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 42 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$1,672.00
<u>SCE-30EL4210SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 42 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,928.00
<u>N412D304210SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 30 x 42 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,665.00
<u>HN4WM304210SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 30 x 42 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,922.00
<u>HN4WM304210S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 30 x 42 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,387.00
<u>EN4TD30488GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 48 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$918.00
<u>EN4TD30488LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 48 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$950.00
<u>SCE-304810WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 30 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$946.00
<u>EN4TD304810GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$923.00
<u>EN4TD304810LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 48 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$956.00
<u>WA304810WF</u>	Wiegmann enclosure, NEMA 12, 30 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,231.00
<u>SCE-30EL4810WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,300.00
<u>1422RW10</u>	Hammond enclosure, NEMA 12, 30 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,315.00
<u>HN4WM304810GY</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$1,827.00
<u>N412D304810SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 30 x 48 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,803.00
<u>SCE-30EL4810SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 48 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,094.00
<u>HN4WM304810SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 30 x 48 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,148.00

<u>HN4WM304810S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 30 x 48 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,632.00
<u>SCE-306010WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,088.00
<u>EN4TD306010GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,082.00
<u>EN4TD306010LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,137.00
<u>SCE-30EL6010WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,437.00
<u>WA306010WF</u>	Wiegmann enclosure, NEMA 12, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,472.00
<u>1422RX10</u>	Hammond enclosure, NEMA 12, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,575.00
<u>HN4WM306010GY</u>	Hammond enclosure, NEMA 3R/4/12, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,192.00
<u>N412D306010C</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 30 x 60 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,708.00
<u>N412D306010SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 30 x 60 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,911.00
<u>SCE-30EL6010SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 30 x 60 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,474.00
<u>HN4WM306010SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 30 x 60 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,590.00
<u>HN4WM306010S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 30 x 60 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,144.00
<u>SCE-306012WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 30 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,172.00
<u>EN4TD306012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,160.00
<u>EN4TD306012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 30 x 60 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,218.00
<u>SCE-35VR2412</u>	Saginaw enclosure, vented, NEMA 3R, 35 x 24 x 12in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$1,126.00
<u>SCE-36H1606LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$565.00
<u>SCE-36N2406LP</u>	Saginaw enclosure, NEMA 1, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$494.00
<u>SCE-36N2406NK-T</u>	Saginaw enclosure, NEMA 1, 36 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, taupe tan, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$540.00
<u>SCE-36N2406NK-B</u>	Saginaw enclosure, NEMA 1, 36 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, precaution blue, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$540.00
<u>N1C243606LP</u>	Wiegmann enclosure, NEMA 1, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$548.00
<u>EN4SD36246GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$612.00
<u>EN4SD36246LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$494.00
<u>SCE-36H2406LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$629.00
<u>N12362406</u>	Wiegmann enclosure, NEMA 12/13, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$701.00
<u>1418L6</u>	Hammond enclosure, NEMA 12/13, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$783.00
<u>1418N4L6</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$881.00
<u>N1A36247</u>	Hammond enclosure, NEMA 1, 36 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$584.00
<u>B362407CH</u>	Wiegmann enclosure, NEMA 12, 36 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps.	Stock	\$764.00
<u>1418JL7</u>	Hammond enclosure, NEMA 12, 36 x 24 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$811.00
<u>SCE-36N2408LP</u>	Saginaw enclosure, NEMA 1, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$515.00

<u>N1C243608LP</u>	Wiegmann enclosure, NEMA 1, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$578.00
<u>SCE-36EL2408LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$607.00
<u>SCE-36EL2408LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$607.00
<u>EN4SD36248GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$612.00
<u>EN4SD36248LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$494.00
<u>N412362408C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$626.00
<u>N412362408CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$626.00
<u>SCE-36H2408LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$651.00
<u>N412362408CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 36 x 24 x 8in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$960.00
<u>SCE-36R2408LP</u>	Saginaw enclosure, NEMA 3R, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$721.00
<u>N4123624083PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$724.00
<u>N12362408</u>	Wiegmann enclosure, NEMA 12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$726.00
<u>HW36248GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$802.00
<u>1418L8</u>	Hammond enclosure, NEMA 12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$796.00
<u>N4362408</u>	Wiegmann enclosure, NEMA 4/12/13, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$877.00
<u>1418N4L8</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$897.00
<u>SCE-36EL2408SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,359.00
<u>EN4SD36248SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,311.00
<u>N412362408SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,314.00
<u>SCE-36H2408SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,416.00
<u>SCE-36EL2408SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,612.00
<u>HW36248SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,540.00
<u>SCE-36H2408SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,682.00
<u>1418N4SSL8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,544.00
<u>SCE-36EL2408SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,698.00
<u>N412362408SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,673.00
<u>EN4SD36248S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,783.00
<u>1418N4S16L8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,798.00
<u>HW36248S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,805.00
<u>N1A36249</u>	Hammond enclosure, NEMA 1, 36 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$607.00
<u>B362409CH</u>	Wiegmann enclosure, NEMA 12, 36 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps.	Stock	\$798.00
<u>1418JL9</u>	Hammond enclosure, NEMA 12, 36 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$842.00

EN4SD362410GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$622.00
EN4SD362410LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$639.00
SCE-36EL2410LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$634.00
SCE-36EL2410PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$636.00
N412362410C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$644.00
N412362410CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$644.00
SCE-36H2410LP	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$672.00
N412362410CGP	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 36 x 24 x 10in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$982.00
N12362410	Wiegmann enclosure, NEMA 12/13, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$751.00
HW362410GYHK	Hammond enclosure, NEMA 3R/4/12, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$828.00
1418L10	Hammond enclosure, NEMA 12/13, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$820.00
EN4SD362410SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,286.00
SCE-36EL2410SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,432.00
N412362410SSC	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,303.00
SCE-36H2410SSLP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,493.00
SCE-36EL2410SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,701.00
SSN4362410	Wiegmann enclosure, NEMA 4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,528.00
1418N4SSL10	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,624.00
SCE-36H2410SS6LP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,777.00
HW362410SSHK	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,656.00
EN4SD362410S16	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,618.00
1418N4S16L10	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,896.00
HW362410S16HK	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,934.00
B362411CH	Wiegmann enclosure, NEMA 12, 36 x 24 x 11in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps.	Stock	\$833.00
1418JL11	Hammond enclosure, NEMA 12, 36 x 24 x 11in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$874.00
SCE-36N2412LP	Saginaw enclosure, NEMA 1, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$552.00
SCE-36EL2412LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$645.00
SCE-36EL2412LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$645.00
C3R362412HCR	Hammond enclosure, NEMA 3R, 36 x 24 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$641.00
EN4SD362412GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$660.00
EN4SD362412LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$679.00
N412362412C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$670.00

<u>N412362412CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$670.00
<u>SCE-36H2412LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$694.00
<u>SCE-36R2412LP</u>	Saginaw enclosure, NEMA 3R, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$742.00
<u>SCE-36EL2412LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$746.00
<u>RHC362412</u>	Wiegmann enclosure, NEMA 1/3R, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$766.00
<u>N412362412CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 36 x 24 x 12in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,071.00
<u>N12362412</u>	Wiegmann enclosure, NEMA 12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$782.00
<u>N4123624123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$770.00
<u>1418L12</u>	Hammond enclosure, NEMA 12/13, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$844.00
<u>1418N4L12</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$995.00
<u>EN4SD362412SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,402.00
<u>N412362412SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,340.00
<u>SCE-36EL2412SSLPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,590.00
<u>SCE-36EL2412SS6LPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,896.00
<u>SCE-36EL2412SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,875.00
<u>N412362412SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 36 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,888.00
<u>EN4SD362412S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 24 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,827.00
<u>SCE-36EL2416LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$658.00
<u>SCE-36EL2416LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$658.00
<u>EN4SD362416GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$701.00
<u>EN4SD362416LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$722.00
<u>SCE-36H2416LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$741.00
<u>SCE-36R2416LP</u>	Saginaw enclosure, NEMA 3R, 36 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$762.00
<u>SCE-36N3006LP</u>	Saginaw enclosure, NEMA 1, 36 x 30 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$514.00
<u>N1C303606LP</u>	Wiegmann enclosure, NEMA 1, 36 x 30 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$585.00
<u>EN4SD36306GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$647.00
<u>EN4SD36306LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 6in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$666.00
<u>N12363006</u>	Wiegmann enclosure, NEMA 12/13, 36 x 30 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$767.00
<u>1418M6</u>	Hammond enclosure, NEMA 12/13, 36 x 30 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$864.00
<u>N1A36307</u>	Hammond enclosure, NEMA 1, 36 x 30 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$637.00
<u>SCE-36N3008LP</u>	Saginaw enclosure, NEMA 1, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$537.00
<u>N1C303608LP</u>	Wiegmann enclosure, NEMA 1, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$603.00

<u>SCE-36EL3008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$649.00
<u>SCE-36EL3008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$649.00
<u>EN4SD36308GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$653.00
<u>EN4SD36308LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$671.00
<u>N412363008C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$669.00
<u>N412363008CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$669.00
<u>SCE-36H3008LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$698.00
<u>SCE-36R3008LP</u>	Saginaw enclosure, NEMA 3R, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$749.00
<u>N412363008CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$757.00
<u>ST36308LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$771.00
<u>N4123630083PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$771.00
<u>N12363008</u>	Wiegmann enclosure, NEMA 12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$782.00
<u>HW36308GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$868.00
<u>1418M8</u>	Hammond enclosure, NEMA 12/13, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$878.00
<u>1418N4M8</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,006.00
<u>N36308HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 36 x 30 x 8in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,481.00
<u>1418N4ALM8</u>	Hammond enclosure, NEMA 4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$1,426.00
<u>SCE-36EL3008SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,507.00
<u>EN4SD36308SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,462.00
<u>N412363008SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,466.00
<u>SCE-36H3008SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,584.00
<u>ST363008SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,620.00
<u>SCE-36EL3008SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,793.00
<u>HW36308SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,723.00
<u>SCE-36H3008SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,888.00
<u>1418N4SSM8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,743.00
<u>SSN43630083PT</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,677.00
<u>SCE-36EL3008SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,892.00
<u>N412363008SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$1,966.00
<u>EN4SD36308S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,914.00
<u>1418N4S16M8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,935.00
<u>N412363008CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,053.00

<u>HW36308S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,950.00
<u>N1A36309</u>	Hammond enclosure, NEMA 1, 36 x 30 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$662.00
<u>B363009CH</u>	Wiegmann enclosure, NEMA 12, 36 x 30 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps.	Stock	\$875.00
<u>1418JM9</u>	Hammond enclosure, NEMA 12, 36 x 30 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$941.00
<u>SCE-36EL3010LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$673.00
<u>SCE-36EL3010PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$673.00
<u>EN4SD363010GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$665.00
<u>EN4SD363010LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$684.00
<u>N412363010C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$689.00
<u>N412363010CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$689.00
<u>SCE-36H3010LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$722.00
<u>N412363010CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$771.00
<u>ST363010LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$782.00
<u>N12363010</u>	Wiegmann enclosure, NEMA 12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$809.00
<u>HW363010GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$896.00
<u>1418M10</u>	Hammond enclosure, NEMA 12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$905.00
<u>N4363010</u>	Wiegmann enclosure, NEMA 4/12/13, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$999.00
<u>N363010RT</u>	Stahlin N series enclosure, NEMA 1/3R, 36 x 30 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (3) twist-lock latches, padlock hasp and staple.	Stock	\$1,367.00
<u>1418N4M10</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,050.00
<u>N363010HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 36 x 30 x 10in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,496.00
<u>EN4SD363010SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,486.00
<u>SCE-36EL3010SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,598.00
<u>N412363010SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,612.00
<u>SCE-36H3010SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,667.00
<u>SCE-36EL3010SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,906.00
<u>SSN4363010</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,706.00
<u>HW363010SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,814.00
<u>SCE-36H3010SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,992.00
<u>1418N4SSM10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,828.00
<u>EN4SD363010S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,034.00
<u>SSN4363010A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$2,012.00
<u>HW363010S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,142.00

<u>1418N4S16M10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,140.00
<u>SCE-36N3012LP</u>	Saginaw enclosure, NEMA 1, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$584.00
<u>N1C303612LP</u>	Wiegmann enclosure, NEMA 1, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$662.00
<u>SCE-36EL3012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$689.00
<u>SCE-36EL3012PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$689.00
<u>EN4SD363012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$695.00
<u>EN4SD363012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$715.00
<u>N412363012C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$713.00
<u>N412363012CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$713.00
<u>N1A363012</u>	Hammond enclosure, NEMA 1, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$713.00
<u>SCE-36H3012LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$743.00
<u>SCE-36R3012LP</u>	Saginaw enclosure, NEMA 3R, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$771.00
<u>C3R363012HCR</u>	Hammond enclosure, NEMA 3R, 36 x 30 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$739.00
<u>SCE-36EL3012LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$790.00
<u>N412363012CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 36 x 30 x 12in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,198.00
<u>N412363012CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$809.00
<u>ST363012LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$822.00
<u>N4123630123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$818.00
<u>N12363012</u>	Wiegmann enclosure, NEMA 12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$843.00
<u>HW363012GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$924.00
<u>1418M12</u>	Hammond enclosure, NEMA 12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$931.00
<u>N4363012</u>	Wiegmann enclosure, NEMA 4/12/13, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,051.00
<u>N363012RT</u>	Stahlin N series enclosure, NEMA 1/3R, 36 x 30 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (3) twist-lock latches, padlock hasp and staple.	Stock	\$1,440.00
<u>1418N4M12</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,099.00
<u>N363012HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 36 x 30 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple.	Stock	\$1,604.00
<u>1418N4ALM12</u>	Hammond enclosure, NEMA 4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$1,549.00
<u>SCE-36EL3012SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,677.00
<u>EN4SD363012SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,621.00
<u>N412363012SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,548.00
<u>SCE-36H3012SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,751.00
<u>SCE-36EL3012SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,768.00
<u>ST363012SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,790.00

<u>SCE-36EL3012SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,004.00
<u>NW363012HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 36 x 30 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (5) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$2,999.00
<u>SSN4363012</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (7) stainless steel clamps, padlock hasp and staple.	Stock	\$1,793.00
<u>HW363012SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,908.00
<u>EN4SD363012SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,908.00
<u>SCE-36H3012SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,095.00
<u>1418N4SSM12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,917.00
<u>SCE-36EL3012SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,115.00
<u>SCE-36EL3012SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,116.00
<u>N412363012SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$2,173.00
<u>EN4SD363012S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,121.00
<u>N412363012CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,041.00
<u>1418N4S16M12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,246.00
<u>HW363012S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,255.00
<u>B363013CH</u>	Wiegmann enclosure, NEMA 12, 36 x 30 x 13in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps.	Stock	\$949.00
<u>1418JM13</u>	Hammond enclosure, NEMA 12, 36 x 30 x 13in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$1,029.00
<u>SCE-36EL3016LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$730.00
<u>SCE-36EL3016PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$730.00
<u>EN4SD363016GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$750.00
<u>EN4SD363016LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$774.00
<u>N412363016C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$759.00
<u>N412363016CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$759.00
<u>SCE-36R3016LP</u>	Saginaw enclosure, NEMA 3R, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$791.00
<u>SCE-36H3016LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$791.00
<u>N412363016CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$856.00
<u>N4123630163PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$893.00
<u>ST363016LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$897.00
<u>N12363016</u>	Wiegmann enclosure, NEMA 12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$907.00
<u>HW363016GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,017.00
<u>1418M16</u>	Hammond enclosure, NEMA 12/13, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,021.00
<u>1418N4M16</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,193.00
<u>SCE-36EL3016SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,754.00

EN4SD363016SS	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,725.00
SCE-36H3016SSLP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,917.00
ST363016SS	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,961.00
1418N4SSM16	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,090.00
SCE-36H3016SS6LP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,300.00
SCE-36EL3016SSST	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,226.00
HW363016SSHK	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,145.00
N412363016CSSST	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,240.00
1418N4S16M16	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,458.00
HW363016S16HK	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 30 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,549.00
SCE-36EL3020LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$770.00
SCE-36EL3020PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$770.00
EN4SD363020GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$792.00
EN4SD363020LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$818.00
N412363020C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$805.00
N412363020CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$805.00
SCE-36H3020LP	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$836.00
N4123630203PTC	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$948.00
N12363020	Wiegmann enclosure, NEMA 12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$979.00
1418M20	Hammond enclosure, NEMA 12/13, 36 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,097.00
SCE-36EL3608LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$689.00
SCE-36EL3608LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$689.00
EN4SD36368GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$695.00
EN4SD36368LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$715.00
N412363608C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$713.00
N412363608CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$713.00
SCE-36H3608LP	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$743.00
N4123636083PTC	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$818.00
N12363608	Wiegmann enclosure, NEMA 12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$843.00
1418LL8	Hammond enclosure, NEMA 12/13, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$951.00
SCE-36EL3608SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,694.00
SCE-36EL3608SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,025.00

<u>EN4SD363610GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$706.00
<u>EN4SD363610LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$727.00
<u>SCE-36EL3610LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$722.00
<u>SCE-36EL3610PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$722.00
<u>N412363610C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$734.00
<u>N412363610CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$734.00
<u>C3R363610HCR</u>	Hammond enclosure, NEMA 3R, 36 x 36 x 10in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$792.00
<u>EN4SD363610SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,555.00
<u>N412363610SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,560.00
<u>EN4SD363610S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,173.00
<u>SCE-36EL3612LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$734.00
<u>SCE-36EL3612PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$734.00
<u>N412363612C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$765.00
<u>N412363612CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$765.00
<u>EN4SD363612GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$753.00
<u>EN4SD363612LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$777.00
<u>SCE-36H3612LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$796.00
<u>C3R363612HCR</u>	Hammond enclosure, NEMA 3R, 36 x 36 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$794.00
<u>RHC363612</u>	Wiegmann enclosure, NEMA 1/3R, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch, padlock hasp and staple.	Stock	\$871.00
<u>N412363612CGP</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 36 x 36 x 12in (HxWxD), wall mount, bottom gland plate, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,294.00
<u>N412363612CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$867.00
<u>N4123636123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$915.00
<u>ST363612LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$883.00
<u>N12363612</u>	Wiegmann enclosure, NEMA 12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (2) plated steel clamps, padlock hasp and staple.	Stock	\$910.00
<u>HW363612GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,023.00
<u>1418LL12</u>	Hammond enclosure, NEMA 12/13, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,031.00
<u>SCE-36EL3612SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,850.00
<u>N412363612SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,656.00
<u>EN4SD363612SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,763.00
<u>SCE-36H3612SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,933.00
<u>SCE-36EL3612SSLPLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,955.00
<u>ST363612SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,978.00

<u>SCE-36EL3612SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,217.00
<u>SCE-36EL3612SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,343.00
<u>SSN4363612</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (9) stainless steel clamps, padlock hasp and staple.	Stock	\$2,109.00
<u>HW363612SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,109.00
<u>EN4SD363612SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,109.00
<u>SCE-36H3612SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,319.00
<u>1418N4SSLL12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,123.00
<u>SSN43636123PT</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$2,051.00
<u>N412363612SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$2,190.00
<u>N412363612CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,529.00
<u>1418N4S16LL12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,493.00
<u>HW363612S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,499.00
<u>EN4SD363612S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,523.00
<u>N412363612SSAC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,824.00
<u>SCE-36EL3616LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$778.00
<u>SCE-36EL3616PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$778.00
<u>EN4SD363616GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$791.00
<u>EN4SD363616LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 36 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$816.00
<u>SCE-36H3616LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 36 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$846.00
<u>SCE-364212WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 36 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,007.00
<u>EN4TD364212GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 36 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,037.00
<u>EN4TD364212LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 36 x 42 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,088.00
<u>WA364212WF</u>	Wiegmann enclosure, NEMA 12, 36 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,362.00
<u>1422UV12</u>	Hammond enclosure, NEMA 12, 36 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,443.00
<u>HN4WM364212GY</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,006.00
<u>N412D364212SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 36 x 42 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,827.00
<u>SCE-36EL4212SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 42 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,487.00
<u>HN4WM364212SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 36 x 42 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,385.00
<u>HN4WM364212S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 36 x 42 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,906.00
<u>SCE-364216WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 36 x 42 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,096.00
<u>SCE-36EL4216WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 42 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,425.00
<u>SCE-364810WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 36 x 48 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,082.00

<u>SCE-364812WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,099.00
<u>EN4TD364812GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,112.00
<u>EN4TD364812LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,167.00
<u>WA364812WF</u>	Wiegmann enclosure, NEMA 12, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,444.00
<u>SCE-36EL4812WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,499.00
<u>1422UW12</u>	Hammond enclosure, NEMA 12, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,542.00
<u>HN4WM364812GY</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,146.00
<u>N412D364812C</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 36 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,825.00
<u>N412D364812SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 36 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,954.00
<u>SCE-36EL4812SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,574.00
<u>HN4WM364812SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 36 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,678.00
<u>HN4WM364812S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 36 x 48 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,248.00
<u>SCE-364816WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 36 x 48 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,200.00
<u>SCE-366012WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 36 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,281.00
<u>EN4TD366012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 36 x 60 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,361.00
<u>EN4TD366012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 36 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,297.00
<u>SCE-36EL6012WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 36 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,665.00
<u>WA366012WF</u>	Wiegmann enclosure, NEMA 12, 36 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,682.00
<u>1422UX12</u>	Hammond enclosure, NEMA 12, 36 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,811.00
<u>HN4WM366012GY</u>	Hammond enclosure, NEMA 3R/4/12, 36 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,520.00
<u>SCE-36EL6012SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 36 x 60 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,946.00
<u>HN4WM366012SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 36 x 60 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,210.00
<u>HN4WM366012S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 36 x 60 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,861.00
<u>SCE-366016WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 36 x 60 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,427.00
<u>SCE-40EL2412LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 40 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$667.00
<u>SCE-40EL2412LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 40 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$667.00
<u>N412402412C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 40 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$731.00
<u>N412402412CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 40 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$731.00
<u>N4124024123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 40 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$802.00
<u>SCE-41VR2412</u>	Saginaw enclosure, vented, NEMA 3R, 41 x 24 x 12in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$1,273.00
<u>SCE-42H2408LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$686.00
<u>EN4SD42248GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$702.00

EN4SD42248LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$724.00
N12422408	Wiegmann enclosure, NEMA 12/13, 42 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$776.00
1418N8	Hammond enclosure, NEMA 12/13, 42 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$865.00
N1A42249	Hammond enclosure, NEMA 1, 42 x 24 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$644.00
SCE-42EL2410LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$693.00
SCE-42EL2410PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$693.00
EN4SD422410GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$733.00
EN4SD422410LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$756.00
SCE-42EL2410SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,616.00
SCE-42EL2410SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 24 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,884.00
EN4SD422412LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$791.00
EN4SD422416LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$867.00
EN4SD422412GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$767.00
EN4SD422416GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$839.00
SCE-42EL3008LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$686.00
SCE-42EL3008LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$686.00
SCE-42H3008LP	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$739.00
EN4SD42308GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$742.00
EN4SD42308LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$765.00
N12423008	Wiegmann enclosure, NEMA 12/13, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$841.00
1418O8	Hammond enclosure, NEMA 12/13, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$956.00
1418N4O8	Hammond enclosure, NEMA 3R/4/12, 42 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,134.00
N1C304209	Wiegmann enclosure, NEMA 1, 42 x 30 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$832.00
1418JO9	Hammond enclosure, NEMA 12, 42 x 30 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$1,067.00
SCE-42EL3010LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$706.00
SCE-42EL3010PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$706.00
SCE-42H3010LP	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$762.00
EN4SD423010GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$755.00
EN4SD423010LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$778.00
N12423010	Wiegmann enclosure, NEMA 12/13, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$877.00
HW423010GYHK	Hammond enclosure, NEMA 3R/4/12, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$980.00
1418O10	Hammond enclosure, NEMA 12/13, 42 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$997.00

<u>SCE-42EL3010SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,743.00
<u>EN4SD423010SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,619.00
<u>SCE-42H3010SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,819.00
<u>SCE-42EL3010SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,085.00
<u>HW423010SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$1,956.00
<u>SSN4423010</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (8) stainless steel clamps, padlock hasp and staple.	Stock	\$1,960.00
<u>SCE-42H3010SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,179.00
<u>1418N4SSO10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,001.00
<u>HW423010S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,256.00
<u>1418N4S16O10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,345.00
<u>SCE-42EL3012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$729.00
<u>SCE-42EL3012LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$729.00
<u>SCE-42H3012LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$789.00
<u>SCE-42R3012LP</u>	Saginaw enclosure, NEMA 3R, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$834.00
<u>C3R423012HCR</u>	Hammond enclosure, NEMA 3R, 42 x 30 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$786.00
<u>EN4SD423012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$807.00
<u>EN4SD423012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$833.00
<u>N12423012</u>	Wiegmann enclosure, NEMA 12/13, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$908.00
<u>N1A423012</u>	Hammond enclosure, NEMA 1, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$962.00
<u>1418O12</u>	Hammond enclosure, NEMA 12/13, 42 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,039.00
<u>SCE-42EL3012SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,850.00
<u>N1C304213</u>	Wiegmann enclosure, NEMA 1, 42 x 30 x 13in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$903.00
<u>SCE-42EL3016LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$758.00
<u>SCE-42EL3016LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$758.00
<u>SCE-42H3016LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$841.00
<u>SCE-42R3016LP</u>	Saginaw enclosure, NEMA 3R, 42 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$862.00
<u>EN4SD423016GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$869.00
<u>EN4SD423016LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$899.00
<u>SCE-42EL3608LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$731.00
<u>SCE-42EL3608LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$731.00
<u>EN4SD42368GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$753.00
<u>EN4SD42368LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$776.00

SCE-42H3608LP	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$791.00
N12423608	Wiegmann enclosure, NEMA 12/13, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$906.00
HW42368GYHK	Hammond enclosure, NEMA 3R/4/12, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$943.00
1418P8	Hammond enclosure, NEMA 12/13, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,074.00
1418N4P8	Hammond enclosure, NEMA 3R/4/12, 42 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,278.00
EN4SD42368SSR	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,752.00
SCE-42H3608SSLP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,917.00
SCE-42H3608SS6LP	Saginaw enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,300.00
1418N4SSP8	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,121.00
HW42368SSHK	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,369.00
1418N4S16P8	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,471.00
HW42368S16HK	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,500.00
N1C364209	Wiegmann enclosure, NEMA 1, 42 x 36 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$908.00
B423609CH	Wiegmann enclosure, NEMA 12, 42 x 36 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps.	Stock	\$1,096.00
1418JP9	Hammond enclosure, NEMA 12, 42 x 36 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$1,218.00
SCE-42EL3610LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$754.00
SCE-42EL3610PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$754.00
EN4SD423610GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$765.00
EN4SD423610LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$790.00
N412423610C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$786.00
N412423610CLG	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$786.00
SCE-42H3610LP	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$817.00
N12423610	Wiegmann enclosure, NEMA 12/13, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$944.00
1418P10	Hammond enclosure, NEMA 12/13, 42 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,120.00
EN4SD423610SSR	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,728.00
N412423610SSC	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 42 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,715.00
EN4SD423610S16R	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,428.00
SCE-42EL3612LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$778.00
SCE-42EL3612PLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$778.00
EN4SD423612GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$832.00
EN4SD423612LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$859.00
N412423612C	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$807.00

<u>N412423612CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$807.00
<u>SCE-42H3612LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$846.00
<u>SCE-42EL3612LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$879.00
<u>C3R423612HCR</u>	Hammond enclosure, NEMA 3R, 42 x 36 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$858.00
<u>N4124236123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$952.00
<u>N12423612</u>	Wiegmann enclosure, NEMA 12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$994.00
<u>HW423612GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,123.00
<u>N1A423612</u>	Hammond enclosure, NEMA 1, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,097.00
<u>1418P12</u>	Hammond enclosure, NEMA 12/13, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,138.00
<u>1418N4P12</u>	Hammond enclosure, NEMA 3R/4/12, 42 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,396.00
<u>SCE-42EL3612SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,009.00
<u>N412423612SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,807.00
<u>EN4SD423612SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,925.00
<u>SCE-42EL3612SSLPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,092.00
<u>SCE-42EL3612SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,412.00
<u>HW423612SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,308.00
<u>EN4SD423612SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,308.00
<u>SCE-42EL3612SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,515.00
<u>N412423612SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$2,262.00
<u>EN4SD423612S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,763.00
<u>HW423612S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,840.00
<u>SCE-42EL3616LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$827.00
<u>SCE-42EL3616LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$827.00
<u>EN4SD423616GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$864.00
<u>EN4SD423616LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 42 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$894.00
<u>SCE-42H3616LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 42 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$900.00
<u>N12423616</u>	Wiegmann enclosure, NEMA 12/13, 42 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,081.00
<u>1418P16</u>	Hammond enclosure, NEMA 12/13, 42 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,259.00
<u>SCE-42EL3616SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,116.00
<u>SCE-42EL3616SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 36 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,544.00
<u>SCE-424212WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 42 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,112.00
<u>WA424212WF</u>	Wiegmann enclosure, NEMA 12, 42 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,502.00

<u>SCE-42EL4212WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,588.00
<u>1422VV12</u>	Hammond enclosure, NEMA 12, 42 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,596.00
<u>HN4WM424212GY</u>	Hammond enclosure, NEMA 3R/4/12, 42 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,223.00
<u>N412D424212SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 42 x 42 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,896.00
<u>SCE-42EL4212SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 42 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,535.00
<u>HN4WM424212SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 42 x 42 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,727.00
<u>HN4WM424212S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 42 x 42 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,302.00
<u>SCE-424216WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 42 x 42 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,263.00
<u>SCE-424812WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 42 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,214.00
<u>WA424812WF</u>	Wiegmann enclosure, NEMA 12, 42 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,639.00
<u>SCE-42EL4812WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,733.00
<u>1422VW12</u>	Hammond enclosure, NEMA 12, 42 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,755.00
<u>HN4WM424812GY</u>	Hammond enclosure, NEMA 3R/4/12, 42 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,440.00
<u>N412D424812SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 42 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,143.00
<u>SCE-42EL4812SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,926.00
<u>HN4WM424812SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 42 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,034.00
<u>HN4WM424812S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 42 x 48 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,656.00
<u>SCE-424816WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 42 x 48 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,362.00
<u>SCE-426012WFALP</u>	Saginaw enclosure, NEMA 3R/12/13, 42 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,416.00
<u>WA426012WF</u>	Wiegmann enclosure, NEMA 12, 42 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,861.00
<u>SCE-42EL6012WFALP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 42 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,933.00
<u>1422VX12</u>	Hammond enclosure, NEMA 12, 42 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,037.00
<u>HN4WM426012GY</u>	Hammond enclosure, NEMA 3R/4/12, 42 x 60 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,834.00
<u>N412D426012SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 42 x 60 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,300.00
<u>SCE-42EL6012SSWFALP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 42 x 60 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,123.00
<u>HN4WM426012SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 42 x 60 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,631.00
<u>HN4WM426012S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 42 x 60 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,343.00
<u>SCE-426016WFALP</u>	Saginaw enclosure, NEMA 3R/12/13, 42 x 60 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,624.00
<u>SCE-47VR2414</u>	Saginaw enclosure, vented, NEMA 3R, 47 x 24 x 14in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$1,538.00
<u>SCE-48EL2408LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$668.00
<u>SCE-48EL2408LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$668.00
<u>SCE-48H2408LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$720.00

<u>EN4SD48248GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$787.00
<u>EN4SD48248LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 24 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$812.00
<u>N12482408</u>	Wiegmann enclosure, NEMA 12/13, 48 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$822.00
<u>1418Q8</u>	Hammond enclosure, NEMA 12/13, 48 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$921.00
<u>N412482410C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$731.00
<u>N412482410CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$731.00
<u>EN4SD482410GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$793.00
<u>EN4SD482410LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 24 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$819.00
<u>EN4SD482410SS</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking handle.	Stock	\$1,789.00
<u>EN4SD482410S16</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 24 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point keylocking handle.	Stock	\$2,517.00
<u>SCE-48EL2412LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$711.00
<u>SCE-48EL2412LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$711.00
<u>N412482412C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$739.00
<u>N412482412CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$739.00
<u>EN4SD482412GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$789.00
<u>EN4SD482412LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$814.00
<u>N4124824123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$859.00
<u>SCE-48EL2412SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,956.00
<u>SCE-48EL3008LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$731.00
<u>SCE-48EL3008LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$731.00
<u>SCE-48H3008LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$779.00
<u>EN4SD48308GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$793.00
<u>EN4SD48308LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 30 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$819.00
<u>N12483008</u>	Wiegmann enclosure, NEMA 12/13, 48 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$895.00
<u>1418R8</u>	Hammond enclosure, NEMA 12/13, 48 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,042.00
<u>SCE-48EL3010LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$744.00
<u>SCE-48EL3010LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$744.00
<u>SCE-48H3010LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$805.00
<u>EN4SD483010GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$800.00
<u>EN4SD483010LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$826.00
<u>N12483010</u>	Wiegmann enclosure, NEMA 12/13, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$929.00
<u>1418R10</u>	Hammond enclosure, NEMA 12/13, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,090.00

<u>N4483010</u>	Wiegmann enclosure, NEMA 4/12/13, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (8) stainless steel clamps, padlock hasp and staple.	Stock	\$1,224.00
<u>1418N4R10</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,300.00
<u>SCE-48EL3012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$769.00
<u>SCE-48EL3016LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$799.00
<u>SCE-48EL3016PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$799.00
<u>SCE-48H3016LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$888.00
<u>EN4SD483016GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$887.00
<u>EN4SD483016LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$918.00
<u>EN4SD48368GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$801.00
<u>EN4SD48368LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$827.00
<u>SCE-48H3608LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$836.00
<u>SCE-48EL3608LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$770.00
<u>SCE-48EL3608PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$770.00
<u>N12483608</u>	Wiegmann enclosure, NEMA 12/13, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$979.00
<u>HW48368GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,106.00
<u>1418S8</u>	Hammond enclosure, NEMA 12/13, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,152.00
<u>N4483608</u>	Wiegmann enclosure, NEMA 4/12/13, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (10) stainless steel clamps, padlock hasp and staple.	Stock	\$1,297.00
<u>1418N4S8</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,402.00
<u>1418N4ALS8</u>	Hammond enclosure, NEMA 4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$1,853.00
<u>EN4SD48368SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,905.00
<u>SCE-48H3608SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,084.00
<u>HW48368SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,273.00
<u>SCE-48H3608SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,506.00
<u>1418N4SSS8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,311.00
<u>HW48368S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,699.00
<u>1418N4S16S8</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,715.00
<u>N1C364809</u>	Wiegmann enclosure, NEMA 1, 48 x 36 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$981.00
<u>SCE-48EL3610LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$798.00
<u>SCE-48EL3610PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$798.00
<u>EN4SD483610GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$809.00
<u>EN4SD483610LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$835.00
<u>N412483610C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$831.00

<u>N412483610CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$831.00
<u>SCE-48H3610LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$867.00
<u>N412483610CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$976.00
<u>ST483610LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$978.00
<u>N12483610</u>	Wiegmann enclosure, NEMA 12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,013.00
<u>HW483610GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,157.00
<u>1418S10</u>	Hammond enclosure, NEMA 12/13, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,201.00
<u>1418N4S10</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,463.00
<u>EN4SD483610SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$1,936.00
<u>N412483610SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,987.00
<u>SCE-48H3610SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,283.00
<u>SSN4483610</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (10) stainless steel clamps, padlock hasp and staple.	Stock	\$2,273.00
<u>HW483610SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,503.00
<u>1418N4SSS10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,529.00
<u>EN4SD483610S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,703.00
<u>SSN4483610A</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, (10) stainless steel clamps, padlock hasp and staple.	Stock	\$2,699.00
<u>HW483610S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,878.00
<u>1418N4S16S10</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,883.00
<u>N1C364811</u>	Wiegmann enclosure, NEMA 1, 48 x 36 x 11in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$1,040.00
<u>B483611CH</u>	Wiegmann enclosure, NEMA 12, 48 x 36 x 11in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) plated steel clamps.	Stock	\$1,189.00
<u>1418JS11</u>	Hammond enclosure, NEMA 12, 48 x 36 x 11in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$1,337.00
<u>SCE-48EL3612LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$823.00
<u>SCE-48EL3612LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$823.00
<u>EN4SD483612GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$831.00
<u>EN4SD483612LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$859.00
<u>N412483612C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$854.00
<u>N412483612CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$854.00
<u>SCE-48H3612LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$895.00
<u>SCE-48EL3612LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$924.00
<u>N4124836123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$978.00
<u>C3R483612HCR</u>	Hammond enclosure, NEMA 3R, 48 x 36 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$922.00
<u>N412483612CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,018.00

<u>ST483612LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,021.00
<u>N12483612</u>	Wiegmann enclosure, NEMA 12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,043.00
<u>HW483612GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,209.00
<u>N1A483612</u>	Hammond enclosure, NEMA 1, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,163.00
<u>1418S12</u>	Hammond enclosure, NEMA 12/13, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,250.00
<u>1418N4S12</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,489.00
<u>N483612HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 48 x 36 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (10) twist-lock latches, padlock hasp and staple.	Stock	\$2,675.00
<u>SCE-48EL3612SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,196.00
<u>N412483612SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,992.00
<u>EN4SD483612SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,089.00
<u>SCE-48H3612SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,296.00
<u>SCE-48EL3612SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,279.00
<u>ST483612SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$2,335.00
<u>SCE-48EL3612SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,643.00
<u>SSN4483612</u>	Wiegmann enclosure, NEMA 4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, (10) stainless steel clamps, padlock hasp and staple.	Stock	\$2,354.00
<u>HW483612SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,510.00
<u>EN4SD483612SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,510.00
<u>SCE-48H3612SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,767.00
<u>1418N4SSS12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,538.00
<u>N412483612SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$2,446.00
<u>SCE-48EL3612SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,022.00
<u>HW483612S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,985.00
<u>1418N4S16S12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,984.00
<u>EN4SD483612S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$3,015.00
<u>NW483612HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 48 x 36 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (10) twist-lock latches, padlock hasp and staple, SAR acrylic window.	Stock	\$4,851.00
<u>SCE-48EL3616LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$875.00
<u>SCE-48EL3616PLPG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$875.00
<u>EN4SD483616GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$885.00
<u>EN4SD483616LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$915.00
<u>N412483616C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$909.00
<u>N412483616CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$909.00
<u>SCE-48H3616LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$955.00

<u>SCE-48EL3616LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$982.00
<u>N4124836163PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,063.00
<u>N412483616CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,118.00
<u>ST483616LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,120.00
<u>C3R483616HCR</u>	Hammond enclosure, NEMA 3R, 48 x 36 x 16in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$1,032.00
<u>N12483616</u>	Wiegmann enclosure, NEMA 12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,143.00
<u>HW483616GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,312.00
<u>1418S16</u>	Hammond enclosure, NEMA 12/13, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,348.00
<u>1418N4S16</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,608.00
<u>N483616HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 48 x 36 x 16in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (10) twist-lock latches, padlock hasp and staple.	Stock	\$2,958.00
<u>EN4SD483616SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,117.00
<u>SCE-48EL3616SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,369.00
<u>SCE-48EL3616SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,461.00
<u>SCE-48H3616SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,510.00
<u>ST483616SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,576.00
<u>SCE-48EL3616SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,857.00
<u>HW483616SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,798.00
<u>EN4SD483616SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,773.00
<u>SCE-48H3616SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,030.00
<u>1418N4SSS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,786.00
<u>SCE-48EL3616SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,089.00
<u>EN4SD483616S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,946.00
<u>HW483616S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,143.00
<u>1418N4S16S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,084.00
<u>N412483616CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$3,407.00
<u>N1C364817</u>	Wiegmann enclosure, NEMA 1, 48 x 36 x 17in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$1,216.00
<u>SCE-48EL3620LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$928.00
<u>SCE-48EL3620PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 36 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$928.00
<u>EN4SD483620GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$933.00
<u>EN4SD483620LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 48 x 36 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$967.00
<u>SCE-48H3620LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 48 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,036.00
<u>N12483620</u>	Wiegmann enclosure, NEMA 12/13, 48 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,340.00

<u>1418S20</u>	Hammond enclosure, NEMA 12/13, 48 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,481.00
<u>SCE-484812WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,325.00
<u>EN4TD484812GY</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,399.00
<u>EN4TD484812LG</u>	Hammond Eclipse series enclosure, NEMA 3R/12, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,473.00
<u>WA484812WF</u>	Wiegmann enclosure, NEMA 12, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,743.00
<u>SCE-48EL4812WFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,883.00
<u>1422WW12</u>	Hammond enclosure, NEMA 12, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,904.00
<u>HN4WM484812GY</u>	Hammond enclosure, NEMA 3R/4/12, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$2,648.00
<u>N412D484812C</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/12/13, 48 x 48 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,211.00
<u>N412D484812SSC</u>	Wiegmann Ultimate series enclosure, NEMA 3R/4/4X/12/13, 48 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,997.00
<u>SCE-48EL4812SSWFLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 48 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,029.00
<u>HN4WM484812SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 48 x 48 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,408.00
<u>HN4WM484812S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 48 x 48 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,089.00
<u>SCE-484816WFLP</u>	Saginaw enclosure, NEMA 3R/12/13, 48 x 48 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,550.00
<u>SCE-53VR3616</u>	Saginaw enclosure, vented, NEMA 3R, 53 x 36 x 16in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$2,473.00
<u>SCE-53VR3620</u>	Saginaw enclosure, vented, NEMA 3R, 53 x 36 x 20in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$2,753.00
<u>SCE-60EL2412LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$778.00
<u>SCE-60EL2412LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 24 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$778.00
<u>SCE-60EL3608LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$868.00
<u>SCE-60EL3608LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$868.00
<u>EN4SD60368GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$869.00
<u>EN4SD60368LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$899.00
<u>SCE-60H3608LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$929.00
<u>N12603608</u>	Wiegmann enclosure, NEMA 12/13, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,132.00
<u>1418T8</u>	Hammond enclosure, NEMA 12/13, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,393.00
<u>1418N4T8</u>	Hammond enclosure, NEMA 3R/4/12, 60 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,649.00
<u>SCE-60EL3610LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$884.00
<u>SCE-60EL3610LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$884.00
<u>EN4SD603610GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$896.00
<u>EN4SD603610LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$927.00
<u>N412603610C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$922.00
<u>N412603610CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$922.00

<u>SCE-60H3610LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$966.00
<u>N12603610</u>	Wiegmann enclosure, NEMA 12/13, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,157.00
<u>1418T10</u>	Hammond enclosure, NEMA 12/13, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,415.00
<u>1418N4T10</u>	Hammond enclosure, NEMA 3R/4/12, 60 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,719.00
<u>EN4SD603610SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,115.00
<u>N412603610SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 60 x 36 x 10in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,286.00
<u>EN4SD603610S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 10in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$3,003.00
<u>SCE-60EL3612LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$912.00
<u>SCE-60EL3612LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$912.00
<u>EN4SD603612GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$922.00
<u>EN4SD603612LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$955.00
<u>N412603612C</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$949.00
<u>N412603612CLG</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$950.00
<u>SCE-60H3612LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,012.00
<u>SCE-60EL3612LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,034.00
<u>N4126036123PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,123.00
<u>N412603612CST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,189.00
<u>ST603612LG</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/12, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,191.00
<u>C3R603612HCR</u>	Hammond enclosure, NEMA 3R, 60 x 36 x 12in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, hinged screw cover, padlock hasp and staple.	Stock	\$1,085.00
<u>N12603612</u>	Wiegmann enclosure, NEMA 12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,214.00
<u>HW603612GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,425.00
<u>1418T12</u>	Hammond enclosure, NEMA 12/13, 60 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,472.00
<u>N603612HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 60 x 36 x 12in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (11) twist-lock latches, padlock hasp and staple.	Stock	\$3,465.00
<u>1418N4ALT12</u>	Hammond enclosure, NEMA 4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 5052-H32 aluminum, single-door, aluminum clamps, padlock hasp and staple.	Stock	\$2,398.00
<u>EN4SD603612SSR</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,326.00
<u>N412603612SSC</u>	Wiegmann Ultimate series enclosure, NEMA 4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,438.00
<u>SCE-60EL3612SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,547.00
<u>SCE-60EL3612SSLPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,640.00
<u>SCE-60H3612SSLP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,681.00
<u>SCE-60EL3612SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,070.00
<u>N412603612SS3PTC</u>	Wiegmann Ultimate series enclosure, NEMA 4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$2,742.00
<u>ST603612SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$2,850.00

<u>SCE-60EL3612SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,172.00
<u>HW603612SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,962.00
<u>EN4SD603612SSWH</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, RAL 9003 white, powder coat finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$2,962.00
<u>SCE-60H3612SS6LP</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,217.00
<u>1418N4SST12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,002.00
<u>SCE-60EL3612SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,457.00
<u>HW603612S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,472.00
<u>1418N4S16T12</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,533.00
<u>EN4SD603612S16R</u>	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$3,508.00
<u>SCE-60EL3616LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$977.00
<u>SCE-60EL3616PLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$977.00
<u>EN4SD603616GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$987.00
<u>EN4SD603616LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,036.00
<u>SCE-60H3616LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,106.00
<u>SCE-60EL3616LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,119.00
<u>N12603616</u>	Wiegmann enclosure, NEMA 12/13, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,368.00
<u>HW603616GYHK</u>	Hammond enclosure, NEMA 3R/4/12, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,583.00
<u>1418T16</u>	Hammond enclosure, NEMA 12/13, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,621.00
<u>N4603616</u>	Wiegmann enclosure, NEMA 4/12/13, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (11) stainless steel clamps, padlock hasp and staple.	Stock	\$1,779.00
<u>1418N4T16</u>	Hammond enclosure, NEMA 3R/4/12, 60 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,884.00
<u>N603616HWT</u>	Stahlin N series enclosure, NEMA 1/3/3R/4X/12, 60 x 36 x 16in (HxWxD), wall mount, fiberglass reinforced polyester, gray, single-door, (11) twist-lock latches, padlock hasp and staple.	Stock	\$3,735.00
<u>SCE-60EL3616SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,748.00
<u>SCE-60EL3616SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,848.00
<u>SCE-60EL3616SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,290.00
<u>ST603616SS</u>	Hammond Eclipse series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$3,174.00
<u>SCE-60EL3616SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,609.00
<u>HW603616SSHK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,416.00
<u>1418N4SST16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,433.00
<u>N412603616CSSST</u>	Wiegmann Ultimate series enclosure, slope top, NEMA 4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$4,198.00
<u>1418N4S16T16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,872.00
<u>HW603616S16HK</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,850.00
<u>SCE-60EL3620LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,064.00

<u>SCE-60EL3620LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,064.00
<u>EN4SD603620GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,108.00
<u>EN4SD603620LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 60 x 36 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,164.00
<u>SCE-60H3620LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 60 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,203.00
<u>N12603620</u>	Wiegmann enclosure, NEMA 12/13, 60 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (3) plated steel clamps, padlock hasp and staple.	Stock	\$1,524.00
<u>1418T20</u>	Hammond enclosure, NEMA 12/13, 60 x 36 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,732.00
<u>SCE-60EL3624LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,440.00
<u>SCE-60EL3624LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 24in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,440.00
<u>SCE-60EL3624LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 36 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,582.00
<u>SCE-60EL3624SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 24in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,310.00
<u>SCE-60EL3624SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 24in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,405.00
<u>SCE-65VR3616</u>	Saginaw enclosure, vented, NEMA 3R, 65 x 36 x 16in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$2,798.00
<u>SCE-65VR3620</u>	Saginaw enclosure, vented, NEMA 3R, 65 x 36 x 20in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 1/4-turn padlocking wing handle.	Stock	\$3,068.00
<u>SCE-72EL3012LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$958.00
<u>SCE-72EL3012LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$958.00
<u>EN4SD723012LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$987.00
<u>EN4SD723012GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$946.00
<u>SCE-72H3012LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,082.00
<u>1418U12</u>	Hammond enclosure, NEMA 12/13, 72 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,505.00
<u>EN4SD723016GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,032.00
<u>EN4SD723016LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,084.00
<u>SCE-72EL3016LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,093.00
<u>SCE-72EL3016LPLG</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,093.00
<u>SCE-72H3016LP</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,238.00
<u>N12723016</u>	Wiegmann enclosure, NEMA 12/13, 72 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) plated steel clamps, padlock hasp and staple.	Stock	\$1,502.00
<u>1418U16</u>	Hammond enclosure, NEMA 12/13, 72 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,624.00
<u>SCE-72EL3016SSLP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$2,948.00
<u>SCE-72EL3016SS6LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,510.00
<u>EN4SD723020LG</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 20in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,196.00
<u>EN4SD723020GY</u>	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,138.00
<u>1418U20</u>	Hammond enclosure, NEMA 12/13, 72 x 30 x 20in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,762.00
<u>SCE-72EL3024LP</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,202.00

SCE-72EL3024LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 24in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,202.00
EN4SD723024LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 24in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,277.00
EN4SD723024GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 30 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,215.00
SCE-72H3024LP	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 30 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,360.00
1418U24	Hammond enclosure, NEMA 12/13, 72 x 30 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,862.00
SCE-72EL3612LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,021.00
SCE-72EL3612LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,021.00
EN4SD723612GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,037.00
EN4SD723612LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 36 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,090.00
SCE-72H3612LP	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,156.00
N12723612	Wiegmann enclosure, NEMA 12/13, 72 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, (4) plated steel clamps, padlock hasp and staple.	Stock	\$1,517.00
1418V12	Hammond enclosure, NEMA 12/13, 72 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$1,692.00
SCE-72EL3612SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,030.00
EN4SD723612SSR	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$2,975.00
SCE-72EL3612SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,602.00
EN4SD723612S16R	Hammond Eclipse series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush 316 stainless steel latch.	Stock	\$3,557.00
EN4SD723616GY	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,114.00
EN4SD723616LG	Hammond Eclipse series enclosure, NEMA 3R/4/12, 72 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,171.00
SCE-72EL3616LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,163.00
SCE-72EL3616LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,163.00
SCE-72H3616LP	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, plated steel clamps, padlock hasp and staple.	Stock	\$1,313.00
SCE-72EL3616SSLP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,199.00
SCE-72EL3616SS6LP	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$3,803.00
SCE-72EL3624LP	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,652.00
SCE-72EL3624LPLG	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 24in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,652.00
SCE-72EL3624LPPL	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 24in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,794.00
SCE-72EL3624SSLPPL	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,139.00
Junction Box Enclosures			
J442PVC	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 4 x 4 x 2in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$24.50
CS443	Hammond enclosure, NEMA 1, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$12.50
CSKO443	Hammond enclosure, NEMA 1, 4 x 4 x 3in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$12.50
SC040404	Wiegmann enclosure, NEMA 1, 4 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$11.00

<u>SC040404NK</u>	Wiegmann enclosure, NEMA 1, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$11.00
<u>CS444</u>	Hammond enclosure, NEMA 1, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$11.00
<u>CSKO444</u>	Hammond enclosure, NEMA 1, 4 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$11.00
<u>C3R444SC</u>	Hammond enclosure, NEMA 3R, 4 x 4 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$20.50
<u>RSC040404</u>	Wiegmann enclosure, NEMA 1/3R, 4 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$24.00
<u>RSC040404NK</u>	Wiegmann enclosure, NEMA 1/3R, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$24.00
<u>J444PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 4 x 4 x 4in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$40.50
<u>SCE-4R44</u>	Saginaw enclosure, NEMA 3R, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$65.00
<u>J446PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 4 x 4 x 6in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$45.50
<u>J552PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 5 x 5 x 2in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$47.50
<u>SC040604</u>	Wiegmann enclosure, NEMA 1, 6 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$13.25
<u>SC040604NK</u>	Wiegmann enclosure, NEMA 1, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$13.25
<u>CS644</u>	Hammond enclosure, NEMA 1, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$12.25
<u>CSKO644</u>	Hammond enclosure, NEMA 1, 6 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$12.25
<u>A040604</u>	Wiegmann enclosure, NEMA 1, 6 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$15.25
<u>CHKO644</u>	Hammond enclosure, NEMA 1, 6 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$13.50
<u>C3R644SC</u>	Hammond enclosure, NEMA 3R, 6 x 4 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$24.50
<u>RSC040604</u>	Wiegmann enclosure, NEMA 1/3R, 6 x 4 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.50
<u>RSC040604NK</u>	Wiegmann enclosure, NEMA 1/3R, 6 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.50
<u>CS663</u>	Hammond enclosure, NEMA 1, 6 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$18.00
<u>CSKO663</u>	Hammond enclosure, NEMA 1, 6 x 6 x 3in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$18.00
<u>CHKO663</u>	Hammond enclosure, NEMA 1, 6 x 6 x 3.5in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$14.50
<u>CSG664</u>	Hammond enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$11.75
<u>CSKOG664</u>	Hammond enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$11.75
<u>CS664</u>	Hammond enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$12.50
<u>CSKO664</u>	Hammond enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$12.50
<u>CHKO664</u>	Hammond enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$13.75
<u>SC060604</u>	Wiegmann enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$15.75
<u>SC060604NK</u>	Wiegmann enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$15.75
<u>A060604</u>	Wiegmann enclosure, NEMA 1, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$18.50
<u>C3R664SC</u>	Hammond enclosure, NEMA 3R, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$23.50
<u>C3R664SCNKO</u>	Hammond enclosure, NEMA 3R, 6 x 6 x 4in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$23.50

<u>RSC060604</u>	Wiegmann enclosure, NEMA 1/3R, 6 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$30.00
<u>RSC060604NK</u>	Wiegmann enclosure, NEMA 1/3R, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$30.00
<u>J664PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 6 x 6 x 4in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$49.50
<u>SCE-6R64</u>	Saginaw enclosure, NEMA 3R, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$69.00
<u>C3SC664GY</u>	Hammond enclosure, NEMA 3/4/12, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$56.00
<u>WA060604GSC</u>	Wiegmann enclosure, NEMA 3/4, 6 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$80.00
<u>RSC060604NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$86.00
<u>WA060604GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$121.00
<u>C4XSC664SS</u>	Hammond enclosure, NEMA 3/4X/12, 6 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$116.00
<u>CSG666</u>	Hammond enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$15.25
<u>CSKOG666</u>	Hammond enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$15.25
<u>CS666</u>	Hammond enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$16.00
<u>CSKO666</u>	Hammond enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$16.00
<u>SC060606</u>	Wiegmann enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$19.00
<u>SC060606NK</u>	Wiegmann enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$19.00
<u>CHKO666</u>	Hammond enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$18.50
<u>A060606</u>	Wiegmann enclosure, NEMA 1, 6 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$22.50
<u>RSC060606</u>	Wiegmann enclosure, NEMA 1/3R, 6 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$31.50
<u>RSC060606NK</u>	Wiegmann enclosure, NEMA 1/3R, 6 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$31.50
<u>C3R666SC</u>	Hammond enclosure, NEMA 3R, 6 x 6 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$30.00
<u>J666PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 6 x 6 x 6in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$58.00
<u>C3SC666GY</u>	Hammond enclosure, NEMA 3/4/12, 6 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$57.00
<u>SCE-6R66</u>	Saginaw enclosure, NEMA 3R, 6 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$72.00
<u>WA060606GSC</u>	Wiegmann enclosure, NEMA 3/4, 6 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$81.00
<u>RSC060606NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 6 x 6 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$89.00
<u>WA060606GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 6 x 6 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$173.00
<u>WA060804GSC</u>	Wiegmann enclosure, NEMA 3/4, 6 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$84.00
<u>WA060804GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 6 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$137.00
<u>WA060806GSC</u>	Wiegmann enclosure, NEMA 3/4, 6 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$89.00
<u>C4XSC666SS</u>	Hammond enclosure, NEMA 3/4X/12, 6 x 6 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$134.00
<u>WA060806GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 6 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$145.00
<u>CS863</u>	Hammond enclosure, NEMA 1, 8 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.00

<u>CSKO863</u>	Hammond enclosure, NEMA 1, 8 x 6 x 3in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.00
<u>CS864</u>	Hammond enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$14.75
<u>CSKO864</u>	Hammond enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$14.75
<u>SC060804</u>	Wiegmann enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$18.50
<u>SC060804NK</u>	Wiegmann enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$18.50
<u>CHKO864</u>	Hammond enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$17.00
<u>A060804</u>	Wiegmann enclosure, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$21.50
<u>C3R864SC</u>	Hammond enclosure, NEMA 3R, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$28.50
<u>RSC060804</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$34.50
<u>RSC060804NK</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$34.50
<u>C3SC864GY</u>	Hammond enclosure, NEMA 3/4/12, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$67.00
<u>SCE-8R64</u>	Saginaw enclosure, NEMA 3R, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$78.00
<u>N1WS864</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 8 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$107.00
<u>C4XSC864SS</u>	Hammond enclosure, NEMA 3/4X/12, 8 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$132.00
<u>SC060806</u>	Wiegmann enclosure, NEMA 1, 8 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.50
<u>SC060806NK</u>	Wiegmann enclosure, NEMA 1, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.50
<u>RSC060806</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$40.00
<u>RSC060806NK</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$40.00
<u>SCE-8R66</u>	Saginaw enclosure, NEMA 3R, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$86.00
<u>N1WS866</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 8 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$115.00
<u>N1WS868</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 8 x 6 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$126.00
<u>CSG884</u>	Hammond enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$16.75
<u>CSKOG884</u>	Hammond enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$16.75
<u>CS884</u>	Hammond enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$17.50
<u>CSKO884</u>	Hammond enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$17.50
<u>SC080804</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.50
<u>SC080804NK</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.50
<u>CHKO884</u>	Hammond enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$19.75
<u>A080804</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$25.50
<u>C3R884SC</u>	Hammond enclosure, NEMA 3R, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$33.00
<u>C3R884SCNKO</u>	Hammond enclosure, NEMA 3R, 8 x 8 x 4in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$33.00
<u>RSC080804</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$39.50

<u>RSC080804NK</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$39.50
<u>C3SC884GY</u>	Hammond enclosure, NEMA 3/4/12, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$69.00
<u>J884PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 8 x 8 x 4in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$93.00
<u>WA080804GSC</u>	Wiegmann enclosure, NEMA 3/4, 8 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$98.00
<u>RSC080804NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 8 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$106.00
<u>C4XSC884SS</u>	Hammond enclosure, NEMA 3/4X/12, 8 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$163.00
<u>WA080804GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 8 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$224.00
<u>CSG886</u>	Hammond enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$21.00
<u>CSKOG886</u>	Hammond enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$21.00
<u>CS886</u>	Hammond enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$22.00
<u>CSKOG886</u>	Hammond enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$22.00
<u>SC080806</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$26.00
<u>SC080806NK</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$26.00
<u>A080806</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$30.50
<u>CHKO886</u>	Hammond enclosure, NEMA 1, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$28.00
<u>C3R886SC</u>	Hammond enclosure, NEMA 3R, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$37.00
<u>C3R886SCNKO</u>	Hammond enclosure, NEMA 3R, 8 x 8 x 6in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$37.00
<u>RSC080806</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$46.50
<u>RSC080806NK</u>	Wiegmann enclosure, NEMA 1/3R, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$46.50
<u>C3SC886GY</u>	Hammond enclosure, NEMA 3/4/12, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$80.00
<u>WA080806GSC</u>	Wiegmann enclosure, NEMA 3/4, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$102.00
<u>RSC080806NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 8 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$113.00
<u>WA080806GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 8 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$180.00
<u>C4XSC886SS</u>	Hammond enclosure, NEMA 3/4X/12, 8 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$172.00
<u>J887PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 8 x 8 x 7in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$129.00
<u>SC080808</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$29.50
<u>SC080808NK</u>	Wiegmann enclosure, NEMA 1, 8 x 8 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$29.50
<u>C3R888SC</u>	Hammond enclosure, NEMA 3R, 8 x 8 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$48.50
<u>C3SC888GY</u>	Hammond enclosure, NEMA 3/4/12, 8 x 8 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$83.00
<u>WA081004GSC</u>	Wiegmann enclosure, NEMA 3/4, 8 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$106.00
<u>WA081004GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 8 x 10 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$195.00
<u>CS1084</u>	Hammond enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.50

<u>CSKO1084</u>	Hammond enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$21.50
<u>SC081004</u>	Wiegmann enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$25.00
<u>SC081004NK</u>	Wiegmann enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$25.00
<u>CHKO1084</u>	Hammond enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$24.50
<u>A081004</u>	Wiegmann enclosure, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$29.00
<u>C3R1084SC</u>	Hammond enclosure, NEMA 3R, 10 x 8 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$39.50
<u>RSC081004</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$44.50
<u>RSC081004NK</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$44.50
<u>C3SC1084GY</u>	Hammond enclosure, NEMA 3/4/12, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$82.00
<u>SCE-10R84</u>	Saginaw enclosure, NEMA 3R, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$96.00
<u>N1WS1084</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 10 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$125.00
<u>RSC081004NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$117.00
<u>C4XSC1084SS</u>	Hammond enclosure, NEMA 3/4X/12, 10 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$186.00
<u>SC081006</u>	Wiegmann enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$29.50
<u>SC081006NK</u>	Wiegmann enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$29.50
<u>CS1086</u>	Hammond enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$26.50
<u>CSKO1086</u>	Hammond enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$26.50
<u>CHKO1086</u>	Hammond enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$29.00
<u>A081006</u>	Wiegmann enclosure, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$34.50
<u>RSC081006</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$53.00
<u>RSC081006NK</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$53.00
<u>C3R1086SC</u>	Hammond enclosure, NEMA 3R, 10 x 8 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$47.00
<u>SCE-10R86</u>	Saginaw enclosure, NEMA 3R, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$102.00
<u>N1WS1086</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$118.00
<u>RSC081006NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 10 x 8 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$128.00
<u>N1WS1088</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 10 x 8 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$140.00
<u>CSG10104</u>	Hammond enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$23.00
<u>CSKOG10104</u>	Hammond enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$23.00
<u>CS10104</u>	Hammond enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$24.00
<u>CSKO10104</u>	Hammond enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$24.00
<u>SC101004</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.50
<u>SC101004NK</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.50

<u>CHKO10104</u>	Hammond enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$27.00
<u>A101004</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$33.50
<u>C3R10104SC</u>	Hammond enclosure, NEMA 3R, 10 x 10 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$40.50
<u>C3R10104SCNKO</u>	Hammond enclosure, NEMA 3R, 10 x 10 x 4in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$40.50
<u>RSC101004</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$51.00
<u>RSC101004NK</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$51.00
<u>C3SC10104GY</u>	Hammond enclosure, NEMA 3/4/12, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$85.00
<u>SCE-10R104</u>	Saginaw enclosure, NEMA 3R, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$116.00
<u>WA101004GSC</u>	Wiegmann enclosure, NEMA 3/4, 10 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$116.00
<u>RSC101004NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 10 x 10 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$139.00
<u>WA101004GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 10 x 10 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$209.00
<u>C4XSC10104SS</u>	Hammond enclosure, NEMA 3/4X/12, 10 x 10 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$200.00
<u>CSG10106</u>	Hammond enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$27.00
<u>CSKOG10106</u>	Hammond enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$27.00
<u>CS10106</u>	Hammond enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.00
<u>CSKO10106</u>	Hammond enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.00
<u>SC101006</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$34.00
<u>SC101006NK</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$34.00
<u>CHKO10106</u>	Hammond enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$33.00
<u>A101006</u>	Wiegmann enclosure, NEMA 1, 10 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$39.50
<u>C3R10106SCNKO</u>	Hammond enclosure, NEMA 3R, 10 x 10 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$47.00
<u>C3R10106SC</u>	Hammond enclosure, NEMA 3R, 10 x 10 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$47.00
<u>RSC101006</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$59.00
<u>RSC101006NK</u>	Wiegmann enclosure, NEMA 1/3R, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$59.00
<u>C3SC10106GY</u>	Hammond enclosure, NEMA 3/4/12, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$88.00
<u>SCE-10R106</u>	Saginaw enclosure, NEMA 3R, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$136.00
<u>WA101006GSC</u>	Wiegmann enclosure, NEMA 3/4, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$129.00
<u>RSC101006NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 10 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$145.00
<u>WA101006GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 10 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$235.00
<u>C4XSC10106SS</u>	Hammond enclosure, NEMA 3/4X/12, 10 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$224.00
<u>WA101206GSC</u>	Wiegmann enclosure, NEMA 3/4, 10 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$147.00
<u>WA101206GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 10 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$260.00

<u>C3R1244SC</u>	Hammond enclosure, NEMA 3R, 12 x 4 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$35.50
<u>SC061204</u>	Wiegmann enclosure, NEMA 1, 12 x 6 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$25.00
<u>SC061204NK</u>	Wiegmann enclosure, NEMA 1, 12 x 6 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$25.00
<u>SC061206</u>	Wiegmann enclosure, NEMA 1, 12 x 6 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$26.50
<u>SC061206NK</u>	Wiegmann enclosure, NEMA 1, 12 x 6 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$26.50
<u>CS1284</u>	Hammond enclosure, NEMA 1, 12 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$24.50
<u>CSKO1284</u>	Hammond enclosure, NEMA 1, 12 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$24.50
<u>SC081204</u>	Wiegmann enclosure, NEMA 1, 12 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.00
<u>SC081204NK</u>	Wiegmann enclosure, NEMA 1, 12 x 8 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$28.00
<u>CHKO1284</u>	Hammond enclosure, NEMA 1, 12 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$28.00
<u>A081204</u>	Wiegmann enclosure, NEMA 1, 12 x 8 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$33.00
<u>C3R1284SC</u>	Hammond enclosure, NEMA 3R, 12 x 8 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$46.50
<u>SC081206</u>	Wiegmann enclosure, NEMA 1, 12 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$32.00
<u>SC081206NK</u>	Wiegmann enclosure, NEMA 1, 12 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$32.00
<u>RSC081206</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 8 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$58.00
<u>RSC081206NK</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$58.00
<u>C3R1286SC</u>	Hammond enclosure, NEMA 3R, 12 x 8 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$53.00
<u>SC101204</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$32.50
<u>SC101204NK</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$32.50
<u>CS12104</u>	Hammond enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$31.00
<u>CSKO12104</u>	Hammond enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$31.00
<u>A101204</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$37.50
<u>CHKO12104</u>	Hammond enclosure, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$34.00
<u>C3R12104SC</u>	Hammond enclosure, NEMA 3R, 12 x 10 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$52.00
<u>RSC101204NK</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$58.00
<u>RSC101204</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 10 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$58.00
<u>SCE-12R104</u>	Saginaw enclosure, NEMA 3R, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$145.00
<u>N1WS12104</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 12 x 10 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$128.00
<u>SC101206</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$38.50
<u>SC101206NK</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$38.50
<u>CSG12106</u>	Hammond enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$35.00
<u>A101206</u>	Wiegmann enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$44.50

<u>CS12106</u>	Hammond enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$38.50
<u>CSKO12106</u>	Hammond enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$38.50
<u>CHKO12106</u>	Hammond enclosure, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$42.50
<u>RSC101206</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$66.00
<u>RSC101206NK</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$66.00
<u>C3R12106SC</u>	Hammond enclosure, NEMA 3R, 12 x 10 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$60.00
<u>C3SC12106GY</u>	Hammond enclosure, NEMA 3/4/12, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$95.00
<u>SCE-12R106</u>	Saginaw enclosure, NEMA 3R, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$151.00
<u>N1WS12106</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$137.00
<u>N1WS12108</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 12 x 10 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$152.00
<u>CSG12124</u>	Hammond enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$28.00
<u>CSKOG12124</u>	Hammond enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$28.00
<u>CS12124</u>	Hammond enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$29.00
<u>CSKO12124</u>	Hammond enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$29.00
<u>CHKO12124</u>	Hammond enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$32.50
<u>SC121204</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$36.50
<u>SC121204NK</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$36.50
<u>A121204</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$43.00
<u>C3R12124SC</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$51.00
<u>C3R12124SCNKO</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 4in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$51.00
<u>RSC121204</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$64.00
<u>RSC121204NK</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$64.00
<u>C3SC12124GY</u>	Hammond enclosure, NEMA 3/4/12, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$98.00
<u>J12124PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 12 x 12 x 4in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$141.00
<u>SCE-12R124</u>	Saginaw enclosure, NEMA 3R, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$159.00
<u>WA121204GSC</u>	Wiegmann enclosure, NEMA 3/4, 12 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$154.00
<u>RSC121204NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 12 x 12 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$156.00
<u>WA121204GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 12 x 12 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$285.00
<u>C4XSC12124SS</u>	Hammond enclosure, NEMA 3/4X/12, 12 x 12 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$272.00
<u>CSG12126</u>	Hammond enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$34.50
<u>CSKOG12126</u>	Hammond enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$34.50
<u>CS12126</u>	Hammond enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$36.00

<u>CSKO12126</u>	Hammond enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$36.00
<u>SC121206</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$43.00
<u>SC121206NK</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$43.00
<u>CHKO12126</u>	Hammond enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$40.50
<u>A121206</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$50.00
<u>C3R12126SCNKO</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$61.00
<u>C3R12126SC</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$61.00
<u>RSC121206</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$74.00
<u>RSC121206NK</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$74.00
<u>C3SC12126GY</u>	Hammond enclosure, NEMA 3/4/12, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$107.00
<u>J12126PVC</u>	Stahlin NewSentry series enclosure, NEMA 1/2/3/4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, PVC, gray, screw cover.	Stock	\$144.00
<u>SCE-12R126</u>	Saginaw enclosure, NEMA 3R, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$169.00
<u>WA121206GSC</u>	Wiegmann enclosure, NEMA 3/4, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$162.00
<u>RSC121206NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$181.00
<u>WA121206GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$304.00
<u>C4XSC12126SS</u>	Hammond enclosure, NEMA 3/4X/12, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$291.00
<u>SC121208</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$45.50
<u>SC121208NK</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$45.50
<u>CSG12128</u>	Hammond enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$43.00
<u>CSKOG12128</u>	Hammond enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$43.00
<u>CS12128</u>	Hammond enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$45.50
<u>CSKO12128</u>	Hammond enclosure, NEMA 1, 12 x 12 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$45.50
<u>RSC121208</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$90.00
<u>C3R12128SC</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$77.00
<u>C3R12128SCNKO</u>	Hammond enclosure, NEMA 3R, 12 x 12 x 8in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$77.00
<u>C3SC12128GY</u>	Hammond enclosure, NEMA 3/4/12, 12 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$110.00
<u>RSC121208NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 12 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$209.00
<u>C4XSC12128SS</u>	Hammond enclosure, NEMA 3/4X/12, 12 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$302.00
<u>SC121210</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$48.50
<u>SC121210NK</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$48.50
<u>RSC121210</u>	Wiegmann enclosure, NEMA 1/3R, 12 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$94.00
<u>SC121212</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 12in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$75.00

<u>SC121212NK</u>	Wiegmann enclosure, NEMA 1, 12 x 12 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$75.00
<u>WA121606GSC</u>	Wiegmann enclosure, NEMA 3/4, 12 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$169.00
<u>WA121606GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 12 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$330.00
<u>WA121608GSC</u>	Wiegmann enclosure, NEMA 3/4, 12 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$174.00
<u>WA121608GSCSS</u>	Wiegmann enclosure, NEMA 3/4/4X, 12 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$340.00
<u>SC121504</u>	Wiegmann enclosure, NEMA 1, 15 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$42.00
<u>SC121504NK</u>	Wiegmann enclosure, NEMA 1, 15 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$42.00
<u>A121504</u>	Wiegmann enclosure, NEMA 1, 15 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$50.00
<u>RSC121504</u>	Wiegmann enclosure, NEMA 1/3R, 15 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$73.00
<u>RSC121504NK</u>	Wiegmann enclosure, NEMA 1/3R, 15 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$73.00
<u>SC121506</u>	Wiegmann enclosure, NEMA 1, 15 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.00
<u>SC121506NK</u>	Wiegmann enclosure, NEMA 1, 15 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.00
<u>RSC121506</u>	Wiegmann enclosure, NEMA 1/3R, 15 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$85.00
<u>RSC121506NK</u>	Wiegmann enclosure, NEMA 1/3R, 15 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$85.00
<u>C3R15126SC</u>	Hammond enclosure, NEMA 3R, 15 x 12 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$84.00
<u>C3R15128SC</u>	Hammond enclosure, NEMA 3R, 15 x 12 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$88.00
<u>SC151504</u>	Wiegmann enclosure, NEMA 1, 15 x 15 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$51.00
<u>SC151504NK</u>	Wiegmann enclosure, NEMA 1, 15 x 15 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$51.00
<u>SC151506</u>	Wiegmann enclosure, NEMA 1, 15 x 15 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$58.00
<u>SC151506NK</u>	Wiegmann enclosure, NEMA 1, 15 x 15 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$58.00
<u>A151506</u>	Wiegmann enclosure, NEMA 1, 15 x 15 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$77.00
<u>CSKO16124</u>	Hammond enclosure, NEMA 1, 16 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$35.00
<u>CS16124</u>	Hammond enclosure, NEMA 1, 16 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$37.00
<u>CHKO16124</u>	Hammond enclosure, NEMA 1, 16 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$40.50
<u>A121604</u>	Wiegmann enclosure, NEMA 1, 16 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$52.00
<u>N1WS16124</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 16 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$148.00
<u>CSKO16126</u>	Hammond enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$44.50
<u>CS16126</u>	Hammond enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$46.50
<u>CHKO16126</u>	Hammond enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$51.00
<u>A121606</u>	Wiegmann enclosure, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$60.00
<u>C3R16126SC</u>	Hammond enclosure, NEMA 3R, 16 x 12 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$88.00
<u>C3R16126SCNKO</u>	Hammond enclosure, NEMA 3R, 16 x 12 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$88.00

<u>C3SC16126GY</u>	Hammond enclosure, NEMA 3/4/12, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$141.00
<u>N1WS16126</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 16 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$165.00
<u>N1WS16128</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 16 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$181.00
<u>CS16143</u>	Hammond enclosure, NEMA 1, 16 x 14 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$52.00
<u>CSKO16143</u>	Hammond enclosure, NEMA 1, 16 x 14 x 3in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$52.00
<u>CS16166</u>	Hammond enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$51.00
<u>CHKO16166</u>	Hammond enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$57.00
<u>A161606</u>	Wiegmann enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$70.00
<u>CSG16166</u>	Hammond enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$60.00
<u>C3SC18186GY</u>	Hammond enclosure, NEMA 3/4/12, 18 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$160.00
<u>CSKO16166</u>	Hammond enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$60.00
<u>CSKOG16166</u>	Hammond enclosure, NEMA 1, 16 x 16 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$60.00
<u>C3SC16166GY</u>	Hammond enclosure, NEMA 3/4/12, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$144.00
<u>WA161606GSC</u>	Wiegmann enclosure, NEMA 3/4, 16 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$181.00
<u>C4XSC16166SS</u>	Hammond enclosure, NEMA 3/4X/12, 16 x 16 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$334.00
<u>CS16168</u>	Hammond enclosure, NEMA 1, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$75.00
<u>CSKO16168</u>	Hammond enclosure, NEMA 1, 16 x 16 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$75.00
<u>CSKOG16168</u>	Hammond enclosure, NEMA 1, 16 x 16 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$75.00
<u>C3SC16168GY</u>	Hammond enclosure, NEMA 3/4/12, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$149.00
<u>WA161608GSC</u>	Wiegmann enclosure, NEMA 3/4, 16 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$189.00
<u>C4XSC16168SS</u>	Hammond enclosure, NEMA 3/4X/12, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$370.00
<u>RSC161610</u>	Wiegmann enclosure, NEMA 1/3R, 16 x 16 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$124.00
<u>C3R1866SC</u>	Hammond enclosure, NEMA 3R, 18 x 6 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$79.00
<u>SC121804</u>	Wiegmann enclosure, NEMA 1, 18 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.50
<u>SC121804NK</u>	Wiegmann enclosure, NEMA 1, 18 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.50
<u>CS18124</u>	Hammond enclosure, NEMA 1, 18 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$44.50
<u>CSKO18124</u>	Hammond enclosure, NEMA 1, 18 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$44.50
<u>CSKOG18124</u>	Hammond enclosure, NEMA 1, 18 x 12 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, screw cover.	Stock	\$44.50
<u>CHKO18124</u>	Hammond enclosure, NEMA 1, 18 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$49.00
<u>A121804</u>	Wiegmann enclosure, NEMA 1, 18 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$58.00
<u>C3R18124SC</u>	Hammond enclosure, NEMA 3R, 18 x 12 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$82.00
<u>CSG18126</u>	Hammond enclosure, NEMA 1, 18 x 12 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$47.00

<u>CS18126</u>	Hammond enclosure, NEMA 1, 18 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.50
<u>CSKO18126</u>	Hammond enclosure, NEMA 1, 18 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$49.50
<u>SC121806</u>	Wiegmann enclosure, NEMA 1, 18 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$57.00
<u>SC121806NK</u>	Wiegmann enclosure, NEMA 1, 18 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$57.00
<u>CHKO18126</u>	Hammond enclosure, NEMA 1, 18 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$57.00
<u>A121806</u>	Wiegmann enclosure, NEMA 1, 18 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$67.00
<u>C3R18126SC</u>	Hammond enclosure, NEMA 3R, 18 x 12 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$83.00
<u>RSC121806</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$106.00
<u>RSC121806NK</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$106.00
<u>RSC121808</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$111.00
<u>C3R18128SC</u>	Hammond enclosure, NEMA 3R, 18 x 12 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$100.00
<u>CSKO18143</u>	Hammond enclosure, NEMA 1, 18 x 14 x 3in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$57.00
<u>CS18143</u>	Hammond enclosure, NEMA 1, 18 x 14 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$72.00
<u>SC151804</u>	Wiegmann enclosure, NEMA 1, 18 x 15 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$63.00
<u>SC151804NK</u>	Wiegmann enclosure, NEMA 1, 18 x 15 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$63.00
<u>A151804</u>	Wiegmann enclosure, NEMA 1, 18 x 15 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$83.00
<u>SC151806</u>	Wiegmann enclosure, NEMA 1, 18 x 15 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>SC151806NK</u>	Wiegmann enclosure, NEMA 1, 18 x 15 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>RSC151806</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 15 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$124.00
<u>RSC151806NK</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 15 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$124.00
<u>RSC151808</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 15 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$134.00
<u>SC181804</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>SC181804NK</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>CS18184</u>	Hammond enclosure, NEMA 1, 18 x 18 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$64.00
<u>CSG18184</u>	Hammond enclosure, NEMA 1, 18 x 18 x 4in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$63.00
<u>CSKO18184</u>	Hammond enclosure, NEMA 1, 18 x 18 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$64.00
<u>RSC181804</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 18 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$130.00
<u>RSC181804NK</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 18 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$130.00
<u>C3R18184SC</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 4in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$117.00
<u>RSC181804NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 18 x 18 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$318.00
<u>CSG18186</u>	Hammond enclosure, NEMA 1, 18 x 18 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$63.00
<u>CS18186</u>	Hammond enclosure, NEMA 1, 18 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00

<u>CSKO18186</u>	Hammond enclosure, NEMA 1, 18 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>SC181806</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$77.00
<u>SC181806NK</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$77.00
<u>CHKO18186</u>	Hammond enclosure, NEMA 1, 18 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$73.00
<u>A181806</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$90.00
<u>C3R18186SCNKO</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 6in (HxWxD), wall mount, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$128.00
<u>C3R18186SC</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$128.00
<u>RSC181806</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$149.00
<u>RSC181806NK</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$149.00
<u>WA181806GSC</u>	Wiegmann enclosure, NEMA 3/4, 18 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$190.00
<u>C4XSC18186SS</u>	Hammond enclosure, NEMA 3/4X/12, 18 x 18 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$406.00
<u>SC181808</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>SC181808NK</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>CSG18188</u>	Hammond enclosure, NEMA 1, 18 x 18 x 8in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$82.00
<u>CS18188</u>	Hammond enclosure, NEMA 1, 18 x 18 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>RSC181808</u>	Wiegmann enclosure, NEMA 1/3R, 18 x 18 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$167.00
<u>C3R18188SC</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$162.00
<u>C3R18188SCNKO</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 8in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$162.00
<u>RSC181808NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 18 x 18 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$407.00
<u>SC181810</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$111.00
<u>SC181810NK</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$111.00
<u>C3R181810SC</u>	Hammond enclosure, NEMA 3R, 18 x 18 x 10in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$163.00
<u>SC181812</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 12in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$96.00
<u>SC181812NK</u>	Wiegmann enclosure, NEMA 1, 18 x 18 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$96.00
<u>CSG181812</u>	Hammond enclosure, NEMA 1, 18 x 18 x 12in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$118.00
<u>CS20143</u>	Hammond enclosure, NEMA 1, 20 x 14 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$57.00
<u>CSKO20143</u>	Hammond enclosure, NEMA 1, 20 x 14 x 3in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$60.00
<u>N1WS20164</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 20 x 16 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$229.00
<u>N1WS20166</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 20 x 16 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$232.00
<u>N1WS20168</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 20 x 16 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$252.00
<u>C3SC20208GY</u>	Hammond enclosure, NEMA 3/4/12, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$257.00
<u>WA202008GSC</u>	Wiegmann enclosure, NEMA 3/4, 20 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$294.00

<u>CS202010</u>	Hammond enclosure, NEMA 1, 20 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$210.00
<u>CSKO202010</u>	Hammond enclosure, NEMA 1, 20 x 20 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$210.00
<u>WA202408GSC</u>	Wiegmann enclosure, NEMA 3/4, 20 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$333.00
<u>C3R2488SC</u>	Hammond enclosure, NEMA 3R, 24 x 8 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$113.00
<u>SC122404</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$63.00
<u>SC122404NK</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$63.00
<u>SC122406</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$73.00
<u>SC122406NK</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$73.00
<u>C3R24126SC</u>	Hammond enclosure, NEMA 3R, 24 x 12 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$134.00
<u>SC122408</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>SC122408NK</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>SC122410</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$73.00
<u>SC122410NK</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$73.00
<u>SC122412</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 12in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$76.00
<u>SC122412NK</u>	Wiegmann enclosure, NEMA 1, 24 x 12 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$76.00
<u>C3R24168SC</u>	Hammond enclosure, NEMA 3R, 24 x 16 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$175.00
<u>SC182404NK</u>	Wiegmann enclosure, NEMA 1, 24 x 18 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$102.00
<u>SC182404</u>	Wiegmann enclosure, NEMA 1, 24 x 18 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$102.00
<u>CS24186</u>	Hammond enclosure, NEMA 1, 24 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$101.00
<u>CSKO24186</u>	Hammond enclosure, NEMA 1, 24 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$101.00
<u>SC182406</u>	Wiegmann enclosure, NEMA 1, 24 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$121.00
<u>SC182406NK</u>	Wiegmann enclosure, NEMA 1, 24 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$121.00
<u>A182406</u>	Wiegmann enclosure, NEMA 1, 24 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$146.00
<u>CHKO24186</u>	Hammond enclosure, NEMA 1, 24 x 18 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$133.00
<u>C3R24186SC</u>	Hammond enclosure, NEMA 3R, 24 x 18 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$170.00
<u>RSC182406NK</u>	Wiegmann enclosure, NEMA 1/3R, 24 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$189.00
<u>C3R24188SC</u>	Hammond enclosure, NEMA 3R, 24 x 18 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$192.00
<u>C3R241810SC</u>	Hammond enclosure, NEMA 3R, 24 x 18 x 10in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$202.00
<u>N1WS24204</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 24 x 20 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$254.00
<u>N1WS24206</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 24 x 20 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$262.00
<u>C3R24208SC</u>	Hammond enclosure, NEMA 3R, 24 x 20 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$200.00
<u>N1WS24208</u>	Hammond enclosure, 3-piece assembly, NEMA 1, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$281.00

<u>C3SC24208GY</u>	Hammond enclosure, NEMA 3/4/12, 24 x 20 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$281.00
<u>SC242404</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$134.00
<u>SC242404NK</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$134.00
<u>CS24244</u>	Hammond enclosure, NEMA 1, 24 x 24 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$129.00
<u>CSG24244</u>	Hammond enclosure, NEMA 1, 24 x 24 x 4in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$121.00
<u>CSG24246</u>	Hammond enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$122.00
<u>CS24246</u>	Hammond enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$128.00
<u>CSKO24246</u>	Hammond enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$128.00
<u>CSKO24244</u>	Hammond enclosure, NEMA 1, 24 x 24 x 4in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$129.00
<u>SC242406</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$155.00
<u>SC242406NK</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$155.00
<u>A242406</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, integral snap-tight latch.	Stock	\$181.00
<u>CHKO24246</u>	Hammond enclosure, NEMA 1, 24 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$166.00
<u>RSC242406</u>	Wiegmann enclosure, NEMA 1/3R, 24 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$224.00
<u>RSC242406NK</u>	Wiegmann enclosure, NEMA 1/3R, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$224.00
<u>C3R24246SC</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 6in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$204.00
<u>C3R24246SCNKO</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 6in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$204.00
<u>C3SC24246GY</u>	Hammond enclosure, NEMA 3/4/12, 24 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$262.00
<u>C4XSC24246SS</u>	Hammond enclosure, NEMA 3/4X/12, 24 x 24 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$447.00
<u>RSC242406NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 24 x 24 x 6in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$546.00
<u>CSG24248</u>	Hammond enclosure, NEMA 1, 24 x 24 x 8in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$151.00
<u>SC242408</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$172.00
<u>SC242408NK</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$172.00
<u>CS24248</u>	Hammond enclosure, NEMA 1, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$159.00
<u>CSKO24248</u>	Hammond enclosure, NEMA 1, 24 x 24 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$159.00
<u>C3R24248SC</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$223.00
<u>C3R24248SCNKO</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 8in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$223.00
<u>RSC242408</u>	Wiegmann enclosure, NEMA 1/3R, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$252.00
<u>C3SC24248GY</u>	Hammond enclosure, NEMA 3/4/12, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$308.00
<u>WA242408GSC</u>	Wiegmann enclosure, NEMA 3/4, 24 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$378.00
<u>C4XSC24248SS</u>	Hammond enclosure, NEMA 3/4X/12, 24 x 24 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$533.00
<u>CS242410</u>	Hammond enclosure, NEMA 1, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$182.00
<u>CSKO242410</u>	Hammond enclosure, NEMA 1, 24 x 24 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$182.00

<u>SC242410</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$244.00
<u>SC242410NK</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$244.00
<u>C3R242410SC</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 10in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$292.00
<u>C3R242410SCNKO</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 10in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$292.00
<u>C3SC242410GY</u>	Hammond enclosure, NEMA 3/4/12, 24 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$335.00
<u>C4XSC242410SS</u>	Hammond enclosure, NEMA 3/4X/12, 24 x 24 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$687.00
<u>CSG242412</u>	Hammond enclosure, NEMA 1, 24 x 24 x 12in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$225.00
<u>SC242412</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 12in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$264.00
<u>SC242412NK</u>	Wiegmann enclosure, NEMA 1, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$264.00
<u>C3R242412SC</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 12in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$269.00
<u>C3R242412SCNKO</u>	Hammond enclosure, NEMA 3R, 24 x 24 x 12in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$269.00
<u>C3SC242412GY</u>	Hammond enclosure, NEMA 3/4/12, 24 x 24 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$352.00
<u>RSC242412NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$730.00
<u>C4XSC242412SS</u>	Hammond enclosure, NEMA 3/4X/12, 24 x 24 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$825.00
<u>RSC242416</u>	Wiegmann enclosure, NEMA 1/3R, 24 x 24 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$354.00
<u>CTDD362412</u>	Wiegmann enclosure, NEMA 3R, 24 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point 1/4-turn T-handle, padlock hasp and staple.	Stock	\$751.00
<u>CS302010</u>	Hammond enclosure, NEMA 1, 30 x 20 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$278.00
<u>CSKO302010</u>	Hammond enclosure, NEMA 1, 30 x 20 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$278.00
<u>CS30246</u>	Hammond enclosure, NEMA 1, 30 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$166.00
<u>CSKO30246</u>	Hammond enclosure, NEMA 1, 30 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$166.00
<u>CHKO30246</u>	Hammond enclosure, NEMA 1, 30 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$199.00
<u>C3R30248SC</u>	Hammond enclosure, NEMA 3R, 30 x 24 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$269.00
<u>C3R302410SC</u>	Hammond enclosure, NEMA 3R, 30 x 24 x 10in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$287.00
<u>CSG30306</u>	Hammond enclosure, NEMA 1, 30 x 30 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$482.00
<u>CSG30308</u>	Hammond enclosure, NEMA 1, 30 x 30 x 8in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$486.00
<u>SC303008NK</u>	Wiegmann enclosure, NEMA 1, 30 x 30 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$318.00
<u>SC303010NK</u>	Wiegmann enclosure, NEMA 1, 30 x 30 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$375.00
<u>CSG303012</u>	Hammond enclosure, NEMA 1, 30 x 30 x 12in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$550.00
<u>WCT303012</u>	Wiegmann enclosure, NEMA 1/3R, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$403.00
<u>SC303012NK</u>	Wiegmann enclosure, NEMA 1, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$571.00
<u>RSC303012</u>	Wiegmann enclosure, NEMA 1/3R, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$543.00
<u>C3R303012SC</u>	Hammond enclosure, NEMA 3R, 30 x 30 x 12in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$625.00
<u>C3R303012SCNKO</u>	Hammond enclosure, NEMA 3R, 30 x 30 x 12in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$625.00

<u>C3SC303012GY</u>	Hammond enclosure, NEMA 3/4/12, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$702.00
<u>WA303012GSC</u>	Wiegmann enclosure, NEMA 3/4, 30 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$914.00
<u>C4XSC303012SS</u>	Hammond enclosure, NEMA 3/4X/12, 30 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$1,208.00
<u>RSC303012NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 30 x 30 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$1,326.00
<u>C3R303016SC</u>	Hammond enclosure, NEMA 3R, 30 x 30 x 16in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$636.00
<u>RSC303016</u>	Wiegmann enclosure, NEMA 1/3R, 30 x 30 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$560.00
<u>CS36246</u>	Hammond enclosure, NEMA 1, 36 x 24 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$215.00
<u>CHKO36246</u>	Hammond enclosure, NEMA 1, 36 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$231.00
<u>CSKO36246</u>	Hammond enclosure, NEMA 1, 36 x 24 x 6in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$249.00
<u>CS36248</u>	Hammond enclosure, NEMA 1, 36 x 24 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$241.00
<u>CHKO36248</u>	Hammond enclosure, NEMA 1, 36 x 24 x 8in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn flush-mounted latch.	Stock	\$249.00
<u>CS362410</u>	Hammond enclosure, NEMA 1, 36 x 24 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$282.00
<u>CSKO362410</u>	Hammond enclosure, NEMA 1, 36 x 24 x 10in (HxWxD), wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$546.00
<u>WCT363012</u>	Wiegmann enclosure, NEMA 1/3R, 36 x 30 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$663.00
<u>C3R363012SC</u>	Hammond enclosure, NEMA 3R, 36 x 30 x 12in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$638.00
<u>CS36366</u>	Hammond enclosure, NEMA 1, 36 x 36 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$552.00
<u>CSG36366</u>	Hammond enclosure, NEMA 1, 36 x 36 x 6in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$552.00
<u>CSG36368</u>	Hammond enclosure, NEMA 1, 36 x 36 x 8in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$590.00
<u>SC363608NK</u>	Wiegmann enclosure, NEMA 1, 36 x 36 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$523.00
<u>SC363610NK</u>	Wiegmann enclosure, NEMA 1, 36 x 36 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$549.00
<u>CSG363612</u>	Hammond enclosure, NEMA 1, 36 x 36 x 12in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$627.00
<u>SC363612NK</u>	Wiegmann enclosure, NEMA 1, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$627.00
<u>CS363612</u>	Hammond enclosure, NEMA 1, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$637.00
<u>WCT363612</u>	Wiegmann enclosure, NEMA 1/3R, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$698.00
<u>C3R363612SC</u>	Hammond enclosure, NEMA 3R, 36 x 36 x 12in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$735.00
<u>C3R363612SCNKO</u>	Hammond enclosure, NEMA 3R, 36 x 36 x 12in (HxWxD), wall mount, galvanized steel, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$735.00
<u>C3SC363612GY</u>	Hammond enclosure, NEMA 3/4/12, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$749.00
<u>RSC363612</u>	Wiegmann enclosure, NEMA 1/3R, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$786.00
<u>WA363612GSC</u>	Wiegmann enclosure, NEMA 3/4, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$934.00
<u>CTDD363612</u>	Wiegmann enclosure, NEMA 3R, 36 x 36 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point 1/4-turn T-handle, padlock hasp and staple.	Stock	\$926.00
<u>C4XSC363612SS</u>	Hammond enclosure, NEMA 3/4X/12, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$1,409.00
<u>RSC363612NKSS</u>	Wiegmann enclosure, NEMA 1/3R/3RX, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover, padlock hasp and staple.	Stock	\$1,983.00
<u>CSG363616</u>	Hammond enclosure, NEMA 1, 36 x 36 x 16in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$655.00

<u>RSC363616</u>	Wiegmann enclosure, NEMA 1/3R, 36 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, padlock hasp and staple.	Stock	\$792.00
<u>CTDD424212</u>	Wiegmann enclosure, NEMA 3R, 42 x 42 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point 1/4-turn T-handle, padlock hasp and staple.	Stock	\$1,116.00
<u>C3R48368SC</u>	Hammond enclosure, NEMA 3R, 48 x 36 x 8in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$578.00
<u>C3R483616SC</u>	Hammond enclosure, NEMA 3R, 48 x 36 x 16in (HxWxD), wall mount, with knockouts, galvanized steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$878.00
<u>WCT483616</u>	Wiegmann enclosure, NEMA 1/3R, 48 x 36 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover with handles, padlock hasp and staple.	Stock	\$955.00
<u>CSG484812</u>	Hammond enclosure, NEMA 1, 48 x 48 x 12in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$883.00
<u>CSG484816</u>	Hammond enclosure, NEMA 1, 48 x 48 x 16in (HxWxD), wall mount, galvanized steel, screw cover.	Stock	\$944.00
<u>CTDD484816</u>	Wiegmann enclosure, NEMA 3R, 48 x 48 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point 1/4-turn T-handle, padlock hasp and staple.	Stock	\$1,316.00
Sanitary Enclosures			
<u>SCE-7KJ0604SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 7 x 6 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$587.00
<u>HYJ854SS</u>	Hammond sanitary enclosure, slope top, NEMA 3R/4/4X/12, 8 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$532.00
<u>SCE-9KJ0804SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 9 x 8 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$650.00
<u>HYJ1074SS</u>	Hammond sanitary enclosure, slope top, NEMA 3R/4/4X/12, 10 x 7 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$588.00
<u>SCE-11KJ1004SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 11 x 10 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$713.00
<u>HYJ1294SS</u>	Hammond sanitary enclosure, slope top, NEMA 3R/4/4X/12, 12 x 9 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$646.00
<u>SCE-13KJ1206SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 13 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$853.00
<u>HYJ14116SS</u>	Hammond sanitary enclosure, slope top, NEMA 3R/4/4X/12, 14 x 11 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$772.00
<u>SCE-15KJ1408SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 15 x 14 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$999.00
<u>HWST16128SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$675.00
<u>HWST16128S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 12 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$750.00
<u>SCE-16K1208SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 16 x 12 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$1,191.00
<u>HYJ16138SS</u>	Hammond sanitary enclosure, slope top, NEMA 3R/4/4X/12, 16 x 13 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$903.00
<u>HWST16168SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$743.00
<u>HWST16168S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 16 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$825.00
<u>SCE-16K1608SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 16 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$1,295.00
<u>HWST20168SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$822.00
<u>HWST20168S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$912.00
<u>SCE-20K1608SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 20 x 16 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$1,445.00
<u>HWST201612SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$921.00
<u>HWST201612S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 16 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$1,022.00
<u>HWST20208SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$938.00
<u>HWST20208S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 20 x 20 x 8in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$1,041.00
<u>SCE-20K2008SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 20 x 20 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$1,596.00

[illegible]

<u>SCE-36K3016SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 36 x 30 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$3,348.00
<u>HWST363612SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$2,070.00
<u>HWST363612S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 36 x 36 x 12in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$2,348.00
<u>SCE-42K3612SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 42 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$3,507.00
<u>SCE-42K3616SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 42 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$3,724.00
<u>HWST483612SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$2,450.00
<u>SCE-48K3612SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 48 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$4,601.00
<u>HWST483616SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$2,715.00
<u>HWST483616S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 48 x 36 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$3,066.00
<u>SCE-48K3616SSST</u>	Saginaw sanitary enclosure, slope top, NEMA 3R/4/4X/12, 48 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn sanitary stainless steel latch.	Stock	\$4,702.00
<u>HWST603612SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 36 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$3,011.00
<u>HWST603616SS</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$3,342.00
<u>HWST603616S16</u>	Hammond Waterfall series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 36 x 16in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush stainless steel.	Stock	\$3,725.00
Miniature Case Enclosures			
<u>1550Z101</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 50 x 45 x 30mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$6.75
<u>1550Z101BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 50 x 45 x 30mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$10.50
<u>1590Z060</u>	Hammond enclosure, NEMA 4/4X/6/6P, 50 x 45 x 30mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$13.25
<u>1590Z060BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 50 x 45 x 30mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$19.00
<u>1590Z060GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 50 x 45 x 30mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover.	Stock	\$19.00
<u>1550Z104</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 64 x 58 x 35mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$7.25
<u>1550Z104BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 64 x 58 x 35mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$11.50
<u>1590Z061</u>	Hammond enclosure, NEMA 4/4X/6/6P, 64 x 58 x 35mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$21.00
<u>1590Z061BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 64 x 58 x 35mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$26.50
<u>1590Z061GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 64 x 58 x 35mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover.	Stock	\$26.50
<u>BB060555W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 65 x 50 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$34.50
<u>BBCC060555W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 65 x 50 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover.	Stock	\$35.00
<u>1554BGY</u>	Hammond enclosure, 65 x 65 x 41mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$9.25
<u>1555BGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 65 x 65 x 41mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$9.00
<u>1554B2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 65 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$10.50
<u>1555B2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 65 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$10.25
<u>1554B2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 65 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$11.25
<u>1554B2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 65 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$11.25
<u>1555BF22GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 65 x 65 x 43mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$12.00

<u>1555B2F22GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 65 x 65 x 43mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$13.75
<u>1590Z100</u>	Hammond enclosure, NEMA 4/4X/6/6P, 80 x 75 x 52mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$23.50
<u>1590Z110</u>	Hammond enclosure, NEMA 4/4X/6/6P, 80 x 75 x 52mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$23.50
<u>1590Z100BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 80 x 75 x 52mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$29.50
<u>1590Z100GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 80 x 75 x 52mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$29.50
<u>1590Z110BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 80 x 75 x 52mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$29.50
<u>1590Z110GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 80 x 75 x 52mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover.	Stock	\$29.50
<u>1590ZGRP081</u>	Hammond enclosure, NEMA 4/4X, 80 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$30.00
<u>1590ZGRP081BK</u>	Hammond enclosure, NEMA 4/4X, 80 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$30.00
<u>1590ZGRP084</u>	Hammond enclosure, NEMA 4/4X, 81 x 76 x 75mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$32.50
<u>1590ZGRP084BK</u>	Hammond enclosure, NEMA 4/4X, 81 x 76 x 75mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$32.50
<u>1557BBK</u>	Hammond enclosure, 80 x 80 x 45mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$11.75
<u>1557BGY</u>	Hammond enclosure, 80 x 80 x 45mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$11.75
<u>1557B2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 80 x 80 x 45mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$15.50
<u>1557B2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 80 x 80 x 45mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$15.50
<u>1557BABK</u>	Hammond enclosure, 80 x 80 x 60mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$12.00
<u>1557BAGY</u>	Hammond enclosure, 80 x 80 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$12.00
<u>1557BA2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 80 x 80 x 60mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$16.00
<u>1557BA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 80 x 80 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$16.00
<u>BB080805W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 82 x 80 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$40.00
<u>BBCC080805W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 82 x 80 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$42.50
<u>BB080809W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 82 x 80 x 85mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$45.50
<u>BB080810W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 82 x 80 x 95mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$46.00
<u>1550Z102</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 90 x 36 x 30mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$7.00
<u>1550Z102BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 90 x 36 x 30mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$11.50
<u>1555EF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 38mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.00
<u>1555E2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 38mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$16.00
<u>1554EGY</u>	Hammond enclosure, 90 x 90 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$11.50
<u>1555EGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$11.25
<u>1554E2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$16.00
<u>1555E2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$16.00
<u>1554E2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$19.50
<u>1554E2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$19.50
<u>1555EF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 63mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.75

<u>1555E2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 63mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.00
<u>1555EEGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$14.00
<u>1554EEGY</u>	Hammond enclosure, 90 x 90 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.25
<u>1555EE2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$18.25
<u>1554EE2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.50
<u>1554EE2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$20.00
<u>1554EE2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 90 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$20.00
<u>1550Z103</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 98 x 64 x 34mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$9.75
<u>1550Z103BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 98 x 64 x 34mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$14.25
<u>1590Z062</u>	Hammond enclosure, NEMA 4/4X/6/6P, 98 x 64 x 34mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$19.00
<u>1590Z062BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 98 x 64 x 34mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$24.50
<u>1590Z062GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 98 x 64 x 34mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover.	Stock	\$24.50
<u>BB090603W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 98 x 64 x 37mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$38.50
<u>BBCC090603W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 98 x 64 x 37mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover.	Stock	\$42.00
<u>1555LF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 37mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$12.50
<u>1555L2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 37mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.75
<u>1555LGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$13.75
<u>1554LGY</u>	Hammond enclosure, 105 x 105 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.00
<u>1555L2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$18.00
<u>1554L2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.25
<u>1554L2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$20.00
<u>1554L2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$20.00
<u>1555LF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 62mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$13.25
<u>1555L2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 62mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$15.50
<u>1555LAGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$17.50
<u>1554LAGY</u>	Hammond enclosure, 105 x 105 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.00
<u>1555LA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$20.50
<u>1554LA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$21.00
<u>1554LA2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$25.50
<u>1554LA2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 105 x 105 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$25.50
<u>1590ZGRP082</u>	Hammond enclosure, NEMA 4/4X, 110 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$37.00
<u>1590ZGRP082BK</u>	Hammond enclosure, NEMA 4/4X, 110 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$37.00
<u>1550Z106</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 115 x 65 x 30mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$9.50

<u>1550Z106BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 115 x 65 x 30mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$15.75
<u>1550Z111</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 115 x 65 x 55mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$12.00
<u>1550Z111BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 115 x 65 x 55mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$19.00
<u>1550Z113</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 115 x 90 x 55mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$14.75
<u>1550Z113BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 115 x 90 x 55mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$24.00
<u>1555CGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 41mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$10.00
<u>1554CGY</u>	Hammond enclosure, 120 x 65 x 41mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$10.25
<u>1555C2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$14.50
<u>1554C2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.50
<u>1554C2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$15.75
<u>1554C2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 41mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$15.75
<u>1555DGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$11.25
<u>1554DGY</u>	Hammond enclosure, 120 x 65 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$11.50
<u>1555D2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$15.50
<u>1554D2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$15.75
<u>1554D2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$19.00
<u>1554D2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 65 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$19.00
<u>1555CF22GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 66 x 43mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$13.50
<u>1555C2F22GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 66 x 43mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$15.50
<u>1555CF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 66 x 63mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.00
<u>1555C2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 66 x 63mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$16.25
<u>BB128055W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 120 x 80 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$44.00
<u>BBCC128055W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 120 x 80 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$47.00
<u>BBR128080W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 120 x 80 x 80mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$48.00
<u>BB128010W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 120 x 80 x 100mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$51.00
<u>1555FGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$13.75
<u>1554FGY</u>	Hammond enclosure, 120 x 90 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.00
<u>1555F2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$18.00
<u>1554F2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.25
<u>1554F2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$19.75
<u>1554F2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$19.75
<u>1555GGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 81mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$14.25

<u>1554GGY</u>	Hammond enclosure, 120 x 90 x 81mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.50
<u>1555G2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 81mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$21.00
<u>1554G2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 81mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$21.00
<u>1554G2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 81mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$22.00
<u>1554G2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 90 x 81mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$22.00
<u>1555FF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 91 x 38mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.00
<u>1555F2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 91 x 38mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$16.50
<u>1555FF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 91 x 63mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.50
<u>1555F2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 91 x 63mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.50
<u>1557DBK</u>	Hammond enclosure, 120 x 120 x 45mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$13.75
<u>1557DGY</u>	Hammond enclosure, 120 x 120 x 45mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$13.75
<u>1557D2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 45mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$18.00
<u>1557D2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 45mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$18.00
<u>1555NGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$17.25
<u>1554NGY</u>	Hammond enclosure, 120 x 120 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.50
<u>1555N2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$20.00
<u>1554N2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$20.50
<u>1554N2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$25.00
<u>1554N2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$25.00
<u>1557DABK</u>	Hammond enclosure, 120 x 120 x 70mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$18.00
<u>1557DAGY</u>	Hammond enclosure, 120 x 120 x 70mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$18.00
<u>1557DA2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 70mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$20.50
<u>1557DA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 70mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$20.50
<u>1555PGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 80mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$18.25
<u>1554PGY</u>	Hammond enclosure, 120 x 120 x 80mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.75
<u>1555P2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 80mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$26.00
<u>1554P2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 80mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$26.00
<u>1554P2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 80mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$27.00
<u>1554P2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 120 x 120 x 80mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$27.00
<u>1555NF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 121 x 120 x 38mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.75
<u>1555N2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 121 x 120 x 38mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$19.50
<u>1555NF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 121 x 120 x 63mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$15.50
<u>1555N2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 121 x 120 x 63mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$21.00

<u>1550Z137</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 121 x 121 x 102mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$29.50
<u>1550Z137BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 121 x 121 x 102mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$40.00
<u>BB121255W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 122 x 120 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$51.00
<u>BB121275W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 122 x 120 x 75mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$55.00
<u>BBCC121275W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 122 x 120 x 75mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$59.00
<u>1590Z119</u>	Hammond enclosure, NEMA 4/4X/6/6P, 122 x 120 x 82mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$51.00
<u>1590Z119BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 122 x 120 x 82mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$57.00
<u>1590Z119GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 122 x 120 x 82mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$57.00
<u>1590ZGRP121</u>	Hammond enclosure, NEMA 4/4X, 122 x 120 x 90mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$47.00
<u>1590ZGRP121BK</u>	Hammond enclosure, NEMA 4/4X, 122 x 120 x 90mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$47.00
<u>D554W</u>	Stahlin DuraBoxx series enclosure, NEMA 1/3/3S/4X/6/6P/12, 122 x 120 x 91mm (HxWxD), fiberglass reinforced polyester, Pantone 428 C glacier gray, screw cover.	from vendor up to business day	\$77.00
<u>BB121211W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 122 x 120 x 105mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$64.00
<u>BBCC121211W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 122 x 120 x 105mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$68.00
<u>1550Z107</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 125 x 80 x 41mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$13.25
<u>1550Z107BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 125 x 80 x 41mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$19.00
<u>1550Z108</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 125 x 80 x 59mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$15.75
<u>1550Z108BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 125 x 80 x 59mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$23.00
<u>1590Z120</u>	Hammond enclosure, NEMA 4/4X/6/6P, 125 x 80 x 59mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$28.50
<u>1590Z120BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 125 x 80 x 59mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$34.00
<u>1590Z120GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 125 x 80 x 59mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$34.00
<u>1555QF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 37mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$14.25
<u>1555Q2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 37mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$16.75
<u>1555QGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$18.00
<u>1554QGY</u>	Hammond enclosure, 140 x 140 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.25
<u>1555Q2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$21.50
<u>1554Q2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$22.00
<u>1554Q2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$26.50
<u>1554Q2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$26.50
<u>1555Q2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 62mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.75
<u>1555QF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 62mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$15.25
<u>1555QAGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$25.00
<u>1554QAGY</u>	Hammond enclosure, 140 x 140 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$25.50

<u>1555QA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$33.00
<u>1554QA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$33.50
<u>1554QA2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.00
<u>1554QA2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 140 x 140 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.00
<u>1550Z115</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 148 x 108 x 75mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$25.00
<u>1550Z115BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 148 x 108 x 75mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$35.50
<u>1550Z109</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 150 x 64 x 36mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$14.75
<u>1550Z109BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 150 x 64 x 36mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$22.00
<u>1590Z063</u>	Hammond enclosure, NEMA 4/4X/6/6P, 150 x 64 x 36mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$28.00
<u>1590Z063BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 150 x 64 x 36mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$33.50
<u>1590Z063GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 150 x 64 x 36mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover.	Stock	\$33.50
<u>1550Z139</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 159 x 159 x 102mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$33.50
<u>1550Z139BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 159 x 159 x 102mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$48.00
<u>1590ZGRP083</u>	Hammond enclosure, NEMA 4/4X, 160 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$41.50
<u>1590ZGRP083BK</u>	Hammond enclosure, NEMA 4/4X, 160 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$41.50
<u>BB168055W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 80 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$53.00
<u>BB168090W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 80 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$58.00
<u>BBCC168090W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 80 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$61.00
<u>1555JLGY</u>	Hammond enclosure, 160 x 90 x 46mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$16.50
<u>1554JLGY</u>	Hammond enclosure, 160 x 90 x 46mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.00
<u>1554JL2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 46mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$20.00
<u>1554JL2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 46mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$22.00
<u>1555JL2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 46mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$21.50
<u>1555JGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$16.50
<u>1554JGY</u>	Hammond enclosure, 160 x 90 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.00
<u>1555J2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$21.50
<u>1554J2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$22.00
<u>1554J2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$23.50
<u>1554J2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$23.50
<u>1555KGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$18.25
<u>1554KGY</u>	Hammond enclosure, 160 x 90 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.75
<u>1555K2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$23.50

<u>1554K2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$23.50
<u>1554K2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$27.00
<u>1554K2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 90 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$27.00
<u>1555JF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 91 x 38mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$15.25
<u>1555J2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 91 x 38mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.00
<u>1555JF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 91 x 63mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$16.00
<u>1555J2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 91 x 63mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$19.50
<u>1550Z116</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 160 x 100 x 60mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$25.00
<u>1550Z116BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 160 x 100 x 60mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$34.50
<u>1550Z117</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 160 x 100 x 81mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$28.00
<u>1550Z117BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 160 x 100 x 81mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$39.00
<u>BB161255W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 120 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$69.00
<u>BBCC161255W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 120 x 55mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$73.00
<u>BB161290W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 120 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$71.00
<u>BBCC161290W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 120 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$75.00
<u>BB161214W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 120 x 140mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$84.00
<u>BBCC161214W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 160 x 120 x 140mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$88.00
<u>1557FBK</u>	Hammond enclosure, 160 x 160 x 45mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$19.00
<u>1557FGY</u>	Hammond enclosure, 160 x 160 x 45mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$19.00
<u>1557F2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 45mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$25.50
<u>1557F2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 45mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$25.50
<u>1555RGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$25.00
<u>1554RGY</u>	Hammond enclosure, 160 x 160 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$25.50
<u>1555R2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$33.00
<u>1554R2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$33.50
<u>1554R2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.00
<u>1554R2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.00
<u>1555RF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 63mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$19.50
<u>1555R2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 63mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$23.00
<u>1557FABK</u>	Hammond enclosure, 160 x 160 x 70mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$25.50
<u>1557FAGY</u>	Hammond enclosure, 160 x 160 x 70mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$25.50
<u>1557FA2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 70mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$32.00
<u>1557FA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 70mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$32.00

<u>1590ZGRP161</u>	Hammond enclosure, NEMA 4/4X, 160 x 160 x 90mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$66.00
<u>1590ZGRP161BK</u>	Hammond enclosure, NEMA 4/4X, 160 x 160 x 90mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$66.00
<u>1590Z160</u>	Hammond enclosure, NEMA 4/4X/6/6P, 160 x 160 x 90mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$69.00
<u>1590Z160BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 160 x 160 x 90mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$77.00
<u>1590Z160GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 160 x 160 x 90mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$77.00
<u>1555SGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$26.50
<u>1554SGY</u>	Hammond enclosure, 160 x 160 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$27.00
<u>1555S2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$30.00
<u>1554S2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$30.50
<u>1554S2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$37.50
<u>1554S2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 160 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$37.50
<u>D774W</u>	Stahlin DuraBoxx series enclosure, NEMA 1/3/3S/4X/6/6P/12, 160 x 160 x 91mmmm (HxWxD), fiberglass reinforced polyester, Pantone 428 C glacier gray, screw cover.	from vendor up to business day	\$109.00
<u>1555RF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 161 x 160 x 38mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$18.50
<u>1555R2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 161 x 160 x 38mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$22.00
<u>1550Z120</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 171 x 121 x 55mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$26.00
<u>1550Z120BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 171 x 121 x 55mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$33.50
<u>1590Z130</u>	Hammond enclosure, NEMA 4/4X/6/6P, 175 x 80 x 52mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$34.00
<u>1590Z130BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 175 x 80 x 52mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$40.00
<u>1590Z130GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 175 x 80 x 52mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover.	Stock	\$40.00
<u>1590Z135</u>	Hammond enclosure, NEMA 4/4X/6/6P, 175 x 80 x 60mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$34.00
<u>1590Z135BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 175 x 80 x 60mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$40.00
<u>1590Z135GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 175 x 80 x 60mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover.	Stock	\$40.00
<u>1555HLGY</u>	Hammond enclosure, 180 x 120 x 46mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$18.50
<u>1554HLGY</u>	Hammond enclosure, 180 x 120 x 46mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$19.00
<u>1554HL2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 46mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$23.50
<u>1554HL2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 46mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$25.00
<u>1555HL2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 46mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$25.00
<u>1555HGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$19.00
<u>1554HGY</u>	Hammond enclosure, 180 x 120 x 61mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$19.25
<u>1555H2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$25.50
<u>1554H2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$25.50
<u>1554H2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$27.50

<u>1554H2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 61mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$27.50
<u>1555TGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$25.00
<u>1554TGY</u>	Hammond enclosure, 180 x 120 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$25.50
<u>1555T2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$33.00
<u>1554T2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$33.50
<u>1554T2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.00
<u>1554T2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.00
<u>1555HF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 121 x 38mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$16.50
<u>1555H2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 121 x 38mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$23.00
<u>1555HF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 121 x 62mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.25
<u>1555H2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 121 x 62mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$24.50
<u>1555WF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 40mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$17.75
<u>1555W2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 40mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$20.50
<u>1555WGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$23.50
<u>1554WAGY</u>	Hammond enclosure, 180 x 180 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$29.50
<u>1555W2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$30.50
<u>1554W2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$31.00
<u>1554W2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$32.50
<u>1554W2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$32.50
<u>1555WF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 65mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$19.00
<u>1555W2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 65mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$21.50
<u>1554WGY</u>	Hammond enclosure, 180 x 180 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$24.00
<u>1555WAGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$29.00
<u>1555WA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$33.00
<u>1554WA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$33.00
<u>1554WA2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$39.00
<u>1554WA2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 180 x 180 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$39.00
<u>1590ZGRP131</u>	Hammond enclosure, NEMA 4/4X, 190 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$83.00
<u>1590ZGRP131BK</u>	Hammond enclosure, NEMA 4/4X, 190 x 75 x 55mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$83.00
<u>BB201275W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 200 x 120 x 75mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$74.00
<u>BBCC201275W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 200 x 120 x 75mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$77.00
<u>BB201290W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 200 x 120 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$75.00

<u>1555UGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 120 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$27.00
<u>1554UGY</u>	Hammond enclosure, 200 x 120 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$27.50
<u>1555U2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$30.00
<u>1554U2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$30.00
<u>1554U2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.50
<u>1554U2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 120 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$35.50
<u>BB201510W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 200 x 150 x 100mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$86.00
<u>BBCC201510W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 200 x 150 x 100mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$92.00
<u>BB201513W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 200 x 150 x 125mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$89.00
<u>BBCC201513W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 200 x 150 x 125mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$96.00
<u>1557HBK</u>	Hammond enclosure, 200 x 200 x 45mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$25.50
<u>1557HGY</u>	Hammond enclosure, 200 x 200 x 45mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$25.50
<u>1557H2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 200 x 45mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$32.00
<u>1557H2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 200 x 45mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$32.00
<u>1557HABK</u>	Hammond enclosure, 200 x 200 x 70mm (HxWxD), ABS plastic, black, screw cover.	Stock	\$26.50
<u>1557HAGY</u>	Hammond enclosure, 200 x 200 x 70mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover.	Stock	\$26.50
<u>1557HA2BK</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 200 x 70mm (HxWxD), polycarbonate, black, screw cover.	Stock	\$36.00
<u>1557HA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 200 x 200 x 70mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover.	Stock	\$36.00
<u>1590ZGRP123</u>	Hammond enclosure, NEMA 4/4X, 220 x 120 x 91mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$48.00
<u>1590ZGRP123BK</u>	Hammond enclosure, NEMA 4/4X, 220 x 120 x 91mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$48.00
<u>1590Z150</u>	Hammond enclosure, NEMA 4/4X/6/6P, 221 x 121 x 81mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$63.00
<u>1590Z150BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 221 x 121 x 81mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$70.00
<u>1590Z150GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 221 x 121 x 81mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$70.00
<u>1590Z155</u>	Hammond enclosure, NEMA 4/4X/6/6P, 221 x 121 x 90mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$66.00
<u>1590Z155BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 221 x 121 x 90mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$74.00
<u>1590Z155GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 221 x 121 x 90mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$74.00
<u>1550Z124</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 223 x 147 x 55mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$27.50
<u>1550Z124BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 223 x 147 x 55mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$39.50
<u>1550Z220BK</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 223 x 147 x 83mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover.	Stock	\$48.00
<u>1550Z220</u>	Hammond enclosure, NEMA 1/4/4X/12/13, 223 x 147 x 83mm (HxWxD), die-cast aluminum alloy, screw cover.	Stock	\$33.50
<u>1590Z231</u>	Hammond enclosure, NEMA 4/4X/6/6P, 230 x 200 x 110mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$152.00
<u>1590Z231BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 230 x 200 x 110mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$161.00
<u>1590Z231GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 230 x 200 x 110mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$161.00

<u>1555VAF17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 37mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$20.00
<u>1555VA2F17GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 37mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$22.50
<u>1555VALGY</u>	Hammond enclosure, 240 x 160 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$32.00
<u>1554VALGY</u>	Hammond enclosure, 240 x 160 x 60mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$33.00
<u>1554VAL2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$37.50
<u>1554VAL2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$39.00
<u>1555VAL2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 60mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$40.00
<u>1555VA2F42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 62mm (HxWxD), integral mounting flange, polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$24.00
<u>1555VAF42GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 62mm (HxWxD), integral mounting flange, ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$21.00
<u>1555VAGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$34.00
<u>1554VAGY</u>	Hammond enclosure, 240 x 160 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$34.50
<u>1555VA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$42.50
<u>1554VA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$42.50
<u>1554VA2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$44.50
<u>1554VA2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$44.50
<u>1555VGY</u>	Hammond enclosure, NEMA 4/4X, 240 x 160 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$34.00
<u>1554VGY</u>	Hammond enclosure, 240 x 160 x 91mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$34.50
<u>1555V2GY</u>	Hammond enclosure, NEMA 4/4X, 240 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$42.50
<u>1554V2GY</u>	Hammond enclosure, NEMA 4/4X, 240 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$42.50
<u>1554V2GYCL</u>	Hammond enclosure, NEMA 4/4X, 240 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$44.50
<u>1554V2GYSL</u>	Hammond enclosure, NEMA 4/4X, 240 x 160 x 91mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$44.50
<u>1555VBGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 120mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$34.00
<u>1554VBGY</u>	Hammond enclosure, 240 x 160 x 120mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$34.50
<u>1555VB2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$42.50
<u>1554VB2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$42.50
<u>1554VB2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$44.50
<u>1554VB2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 240 x 160 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$44.50
<u>1590Z140BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 250 x 80 x 57mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$61.00
<u>1590Z140</u>	Hammond enclosure, NEMA 4/4X/6/6P, 250 x 80 x 57mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$53.00
<u>1590Z140GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 250 x 80 x 57mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$61.00
<u>BB251690W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 250 x 160 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$89.00
<u>BB251611W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 250 x 160 x 115mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$106.00

<u>BB251612W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 250 x 160 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$108.00
<u>BBCC251612W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 250 x 160 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$114.00
<u>BB251615W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 250 x 160 x 150mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$110.00
<u>BBCC251615W</u>	AttaBox BantamBox series enclosure, NEMA 1/3R/4/4X/12, 250 x 160 x 150mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$118.00
<u>1590ZGRP233</u>	Hammond enclosure, NEMA 4/4X, 250 x 200 x 120mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$97.00
<u>1590ZGRP234</u>	Hammond enclosure, NEMA 4/4X, 255 x 250 x 120mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$114.00
<u>1590ZGRP234BK</u>	Hammond enclosure, NEMA 4/4X, 255 x 250 x 120mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$114.00
<u>D10105W</u>	Stahlin DuraBoxx series enclosure, NEMA 1/3/3S/4X/6/6P/12, 255 x 250 x 121mm (HxWxD), fiberglass reinforced polyester, Pantone 428 C glacier gray, screw cover.	from vendor up to business day	\$183.00
<u>1590ZGRP235</u>	Hammond enclosure, NEMA 4/4X, 255 x 250 x 161mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$144.00
<u>1590ZGRP235BK</u>	Hammond enclosure, NEMA 4/4X, 255 x 250 x 161mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$144.00
<u>1590ZGRP162</u>	Hammond enclosure, NEMA 4/4X, 260 x 160 x 90mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$90.00
<u>1590ZGRP162BK</u>	Hammond enclosure, NEMA 4/4X, 260 x 160 x 90mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$90.00
<u>1590Z162</u>	Hammond enclosure, NEMA 4/4X/6/6P, 260 x 160 x 90mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$94.00
<u>1590Z162BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 260 x 160 x 90mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$101.00
<u>1590Z162GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 260 x 160 x 90mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$101.00
<u>D7114W</u>	Stahlin DuraBoxx series enclosure, NEMA 1/3/3S/4X/6/6P/12, 160 x 260 x 91mm (HxWxD), fiberglass reinforced polyester, Pantone 428 C glacier gray, screw cover.	from vendor up to business day	\$145.00
<u>1555XGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$34.50
<u>1554XGY</u>	Hammond enclosure, 299 x 200 x 90mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$35.50
<u>1555X2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$53.00
<u>1554X2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$53.00
<u>1554X2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$56.00
<u>1554X2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 90mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$56.00
<u>1555XAGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 120mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$35.50
<u>1554XAGY</u>	Hammond enclosure, 299 x 200 x 120mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$36.00
<u>1555XA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$59.00
<u>1554XA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$59.00
<u>1554XA2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$64.00
<u>1554XA2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 200 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$64.00
<u>1555YGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 95mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$35.50
<u>1554YGY</u>	Hammond enclosure, 299 x 240 x 95mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$36.50
<u>1555Y2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 95mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$59.00

<u>1554Y2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 95mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$60.00
<u>1554Y2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 95mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$67.00
<u>1554Y2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 95mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$67.00
<u>1555YAGY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 120mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$38.00
<u>1554YAGY</u>	Hammond enclosure, 299 x 240 x 120mm (HxWxD), ABS plastic, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$38.50
<u>1555YA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover with smooth recess, purchase subpanel separately.	Stock	\$65.00
<u>1554YA2GY</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, screw cover, purchase subpanel separately.	Stock	\$65.00
<u>1554YA2GYCL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, clear polycarbonate screw cover, purchase subpanel separately.	Stock	\$71.00
<u>1554YA2GYSL</u>	Hammond enclosure, NEMA 4/4X/6/6P/12/13, 299 x 240 x 120mm (HxWxD), polycarbonate, RAL 7035 light gray, smoke polycarbonate screw cover, purchase subpanel separately.	Stock	\$71.00
<u>1590Z235</u>	Hammond enclosure, NEMA 4/4X/6/6P, 331 x 231 x 112mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$203.00
<u>1590Z235BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 331 x 231 x 112mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$212.00
<u>1590Z235GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 331 x 231 x 112mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$212.00
<u>1590Z164</u>	Hammond enclosure, NEMA 4/4X/6/6P, 360 x 122 x 80mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$85.00
<u>1590Z164BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 360 x 122 x 80mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$93.00
<u>1590Z164GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 360 x 122 x 80mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$93.00
<u>1590Z166</u>	Hammond enclosure, NEMA 4/4X/6/6P, 360 x 160 x 90mm (HxWxD), die-cast aluminum alloy, screw cover, purchase subpanel separately.	Stock	\$135.00
<u>1590Z166BK</u>	Hammond enclosure, NEMA 4/4X/6/6P, 360 x 160 x 90mm (HxWxD), die-cast aluminum alloy, black, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$144.00
<u>1590Z166GY</u>	Hammond enclosure, NEMA 4/4X/6/6P, 360 x 160 x 90mm (HxWxD), die-cast aluminum alloy, RAL 7001 light gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$144.00
<u>1590ZGRP163</u>	Hammond enclosure, NEMA 4/4X, 360 x 160 x 90mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$104.00
<u>1590ZGRP163BK</u>	Hammond enclosure, NEMA 4/4X, 360 x 160 x 90mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$104.00
<u>1590ZGRP243</u>	Hammond enclosure, NEMA 4/4X, 400 x 250 x 120mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$157.00
<u>1590ZGRP243BK</u>	Hammond enclosure, NEMA 4/4X, 400 x 250 x 120mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$157.00
<u>D10165W</u>	Stahlin DuraBoxx series enclosure, NEMA 1/3/3S/4X/6/6P/12, 400 x 250 x 121mm (HxWxD), fiberglass reinforced polyester, Pantone 428 C glacier gray, screw cover.	from vendor up to business day	\$284.00
<u>1590ZGRP244</u>	Hammond enclosure, NEMA 4/4X, 400 x 250 x 160mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$157.00
<u>1590ZGRP244BK</u>	Hammond enclosure, NEMA 4/4X, 400 x 250 x 160mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$157.00
<u>1590ZGRP253</u>	Hammond enclosure, NEMA 4/4X, 405 x 400 x 120mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$211.00
<u>1590ZGRP253BK</u>	Hammond enclosure, NEMA 4/4X, 405 x 400 x 120mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$211.00
<u>D16165W</u>	Stahlin DuraBoxx series enclosure, NEMA 1/3/3S/4X/6/6P/12, 405 x 400 x 121mm (HxWxD), fiberglass reinforced polyester, Pantone 428 C glacier gray, screw cover.	from vendor up to business day	\$384.00
<u>1590ZGRP263</u>	Hammond enclosure, NEMA 4/4X, 600 x 250 x 120mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$224.00
<u>1590ZGRP263BK</u>	Hammond enclosure, NEMA 4/4X, 600 x 250 x 120mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$224.00
<u>1590ZGRP264</u>	Hammond enclosure, NEMA 4/4X, 600 x 250 x 160mm (HxWxD), fiberglass reinforced polyester, RAL 7000 light gray, screw cover, purchase subpanel separately.	Stock	\$228.00

<u>1590ZGRP264BK</u>	Hammond enclosure, NEMA 4/4X, 600 x 250 x 160mm (HxWxD), fiberglass reinforced polyester, black, screw cover, purchase subpanel separately.	Stock	\$228.00
Pushbutton Enclosures			
<u>1435MS16B</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 3R/4/4X, 6 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$189.00
<u>SCE-1PBXI</u>	Saginaw pushbutton enclosure, 1 hole, 22mm, NEMA 4/12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$74.00
<u>MPB6</u>	Hammond pushbutton enclosure, 6 holes, 22mm, NEMA 12/13, 9 x 5 x 4.5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$135.00
<u>1490MG10</u>	Hammond pushbutton console, 10 holes, 22mm, NEMA 12/13, 7 x 13 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$208.00
<u>SCE-3PBXI</u>	Saginaw pushbutton enclosure, 3 holes, 22mm, NEMA 4/12/13, 8 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$97.00
<u>MPB4LG</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 12/13, 9 x 3 x 4in (HxWxD), 9 x 3 x 4inmm (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, screw cover.	Stock	\$106.00
<u>CF2PB22</u>	Stahlin CF series pushbutton enclosure, 2 holes, 22mm, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$63.00
<u>1437F</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 12/13, 8 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$126.00
<u>SCE-12PBH</u>	Saginaw pushbutton enclosure, 12 holes, 30mm, NEMA 4/12/13, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$214.00
<u>PB10BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 25 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$167.00
<u>MPB1LG</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 12/13, 4 x 3 x 4in (HxWxD), 4 x 3 x 4inmm (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, screw cover.	Stock	\$76.00
<u>PBYX20</u>	Wiegmann pushbutton enclosure, 20 holes, 30mm, NEMA 12/13, 16 x 13 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$341.00
<u>SCE-9PBSS6</u>	Saginaw pushbutton enclosure, 9 holes, 30mm, NEMA 4/4X/12/13, 10 x 9 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$339.00
<u>HYMPB3SS</u>	Hammond sanitary pushbutton enclosure, 3 holes, 22mm, slope top, NEMA 3R/4/4X/12, 10 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$778.00
<u>PBGX4SS</u>	Wiegmann pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 9 x 3 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$364.00
<u>MPB4</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 12/13, 9 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$106.00
<u>PBSS9</u>	Wiegmann pushbutton enclosure, 9 holes, 30mm, NEMA 4/4X/12/13, 10 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$291.00
<u>PBXD20</u>	Wiegmann pushbutton enclosure, 20 holes, 30mm, NEMA 12, 14 x 11 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$256.00
<u>SCE-16PBHSS6</u>	Saginaw pushbutton enclosure, 16 holes, 30mm, NEMA 4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, hinged screw cover.	Stock	\$540.00
<u>SCE-1PBGX</u>	Saginaw pushbutton enclosure, 1 hole, 22mm, NEMA 4/12/13, 4 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>1490G4</u>	Hammond pushbutton console, 4 holes, 30mm, NEMA 12/13, 7 x 7 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$148.00
<u>PBGX6SS</u>	Wiegmann pushbutton enclosure, 6 holes, 22mm, NEMA 4/4X/12/13, 9 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$459.00
<u>SCE-4SPBSSI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 8 x 7 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$209.00
<u>SCE-16PBHSS</u>	Saginaw pushbutton enclosure, 16 holes, 30mm, NEMA 4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$450.00
<u>PBYX4S</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 12/13, 9 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$172.00
<u>SCE-1PBI</u>	Saginaw pushbutton enclosure, 1 hole, 22mm, NEMA 4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$58.00
<u>1435MS</u>	Hammond pushbutton enclosure, 16 holes, 22mm, NEMA 12/13, 12 x 11 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$184.00
<u>1437S16B</u>	Hammond pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X, 6 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$231.00
<u>PBYX42</u>	Wiegmann pushbutton enclosure, 42 holes, 30mm, NEMA 12/13, 21 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$518.00
<u>SCE-6PBXVLI</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/12/13, 15 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$126.00

<u>PB12</u>	Wiegmann pushbutton enclosure, 12 holes, 30mm, NEMA 4/12/13, 12 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$183.00
<u>SCE-9PB</u>	Saginaw pushbutton enclosure, 9 holes, 30mm, NEMA 4/12/13, 10 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$122.00
<u>1437V</u>	Hammond pushbutton enclosure, 20 holes, 30mm, NEMA 12/13, 14 x 11 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$237.00
<u>YW-COPC2PB</u>	AttaBox Commander series pushbutton enclosure, 2 holes, 30mm, NEMA 1/3R/4X/6P/12, 5 x 3 x 3in (HxWxD), polycarbonate, yellow cover/black body, screw cover.	Stock	\$86.00
<u>PB6BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 10 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$139.00
<u>SCE-2PBSSI</u>	Saginaw pushbutton enclosure, 2 holes, 22mm, NEMA 4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$154.00
<u>SCE-16PBA</u>	Saginaw pushbutton console, 16 holes, 30mm, NEMA 4/12/13, 11 x 11 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$241.00
<u>PBGX20</u>	Wiegmann pushbutton enclosure, 20 holes, 22mm, NEMA 12/13, 13 x 8 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$190.00
<u>SCE-6PBSS</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/4X/12/13, 10 x 7 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$250.00
<u>1490K30</u>	Hammond pushbutton console, 30 holes, 30mm, NEMA 12/13, 13 x 16 x 10in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$357.00
<u>1490G10</u>	Hammond pushbutton console, 10 holes, 30mm, NEMA 12/13, 7 x 13 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$213.00
<u>1435S16D</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 3R/4/4X, 11 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$244.00
<u>1490J16</u>	Hammond pushbutton console, 16 holes, 30mm, NEMA 12/13, 11 x 11 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$249.00
<u>SCE-1PB-RAL1018</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$71.00
<u>PBSS3</u>	Wiegmann pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X/12/13, 8 x 3 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$159.00
<u>SCE-9PBGX</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/12/13, 9 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$126.00
<u>HYMPB4VSS</u>	Hammond sanitary pushbutton enclosure, 4 holes, 22mm, slope top, NEMA 3R/4/4X/12, 12 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$843.00
<u>SCE-3PB</u>	Saginaw pushbutton enclosure, 3 holes, 30mm, NEMA 4/12/13, 8 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$74.00
<u>SCE-12PBA</u>	Saginaw pushbutton console, 12 holes, 30mm, NEMA 4/12/13, 7 x 16 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$226.00
<u>SCE-2PBAI</u>	Saginaw pushbutton console, 2 holes, 22mm, NEMA 4/12/13, 4 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$99.00
<u>SCE-1PBSS</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$123.00
<u>PB6</u>	Wiegmann pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 10 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$147.00
<u>1435MB</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$74.00
<u>1490G8</u>	Hammond pushbutton console, 8 holes, 30mm, NEMA 12/13, 7 x 11 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$194.00
<u>PB1BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 4 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$75.00
<u>MPB3</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 12/13, 7 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$96.00
<u>SCE-2PBX-RAL1018</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/12/13, 6 x 4 x 5in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$101.00
<u>1437S16A</u>	Hammond pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X, 4 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$188.00
<u>1489P9</u>	Hammond pushbutton enclosure, 9 holes, 30mm, NEMA 12, 11 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$220.00
<u>HYMPB2SS</u>	Hammond sanitary pushbutton enclosure, 2 holes, 22mm, slope top, NEMA 3R/4/4X/12, 8 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$738.00
<u>PBXD16</u>	Wiegmann pushbutton enclosure, 16 holes, 30mm, NEMA 12, 12 x 11 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$229.00
<u>SCE-6PBHI</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$162.00

<u>1435SSH</u>	Hammond pushbutton enclosure, 6 holes, 30mm, NEMA 3R/4/4X, 10 x 7 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$270.00
<u>1435F</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 12/13, 8 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$111.00
<u>SCE-8PB</u>	Saginaw pushbutton enclosure, 8 holes, 30mm, NEMA 4/12/13, 21 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$119.00
<u>PBYX9</u>	Wiegmann pushbutton enclosure, 9 holes, 30mm, NEMA 12/13, 11 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$236.00
<u>WPBA12S</u>	Wiegmann pushbutton console, 12 holes, 30mm, NEMA 12/13, 12 x 9 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$254.00
<u>YW-COPC1PB22</u>	AttaBox Commander series pushbutton enclosure, 1 hole, 22mm, NEMA 1/3R/4X/6P/12, 4 x 3 x 2in (HxWxD), polycarbonate, yellow cover/black body, screw cover.	Stock	\$79.00
<u>HYPB4VSS</u>	Hammond sanitary pushbutton enclosure, 4 holes, 30mm, slope top, NEMA 3R/4/4X/12, 12 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$843.00
<u>1437MSSB</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 4/4X, 6 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$199.00
<u>CF6PB</u>	Stahlin CF series pushbutton enclosure, 6 holes, 30mm, NEMA 1/3R/4X/6P/12, 17 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$94.00
<u>1437MSSA</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X, 4 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$162.00
<u>1435SSB</u>	Hammond pushbutton enclosure, 2 holes, 30mm, NEMA 3R/4/4X, 6 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$153.00
<u>CF5PB</u>	Stahlin CF series pushbutton enclosure, 5 holes, 30mm, NEMA 1/3R/4X/6P/12, 14 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$81.00
<u>SCE-4PBX-RAL1018</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 10 x 4 x 5in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$126.00
<u>SCE-9PBA</u>	Saginaw pushbutton console, 9 holes, 30mm, NEMA 4/12/13, 9 x 9 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$195.00
<u>SCE-4PBGX</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/12/13, 9 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$89.00
<u>SCE-9PBI</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/12/13, 10 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$122.00
<u>PBXD12</u>	Wiegmann pushbutton enclosure, 12 holes, 30mm, NEMA 4/12/13, 12 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$204.00
<u>PB25</u>	Wiegmann pushbutton enclosure, 25 holes, 30mm, NEMA 12, 14 x 13 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$260.00
<u>1489MP9</u>	Hammond pushbutton enclosure, 9 holes, 22mm, NEMA 12, 11 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$213.00
<u>1437S16S</u>	Hammond pushbutton enclosure, 16 holes, 30mm, NEMA 4/4X, 12 x 11 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$570.00
<u>CF2PB</u>	Stahlin CF series pushbutton enclosure, 2 holes, 30mm, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$63.00
<u>SCE-2PBXSS6</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X/12/13, 6 x 4 x 5in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$246.00
<u>SCE-2PBX</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/12/13, 6 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>1435MS16C</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 3R/4/4X, 8 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$218.00
<u>PB6VL</u>	Wiegmann pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 15 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$132.00
<u>PB2</u>	Wiegmann pushbutton enclosure, 2 holes, 30mm, NEMA 4/12/13, 6 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>SCE-2PB-RAL1018</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$81.00
<u>1435SSO</u>	Hammond pushbutton enclosure, 12 holes, 30mm, NEMA 3R/4/4X, 12 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$365.00
<u>1490J20</u>	Hammond pushbutton console, 20 holes, 30mm, NEMA 12/13, 11 x 13 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$288.00
<u>MPB9</u>	Hammond pushbutton enclosure, 9 holes, 22mm, NEMA 12/13, 9 x 7 x 4.5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$149.00
<u>SA100SL</u>	AutomationDirect pushbutton enclosure, 1 hole, 22mm, 70 x 70 x 51mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$8.25
<u>SCE-3PBSSI</u>	Saginaw pushbutton enclosure, 3 holes, 22mm, NEMA 4/4X/12/13, 8 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$168.00

<u>1490MG6</u>	Hammond pushbutton console, 6 holes, 22mm, NEMA 12/13, 7 x 9 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$165.00
<u>1435MSSH</u>	Hammond pushbutton enclosure, 6 holes, 22mm, NEMA 3R/4/4X, 10 x 7 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$273.00
<u>1489P12</u>	Hammond pushbutton enclosure, 12 holes, 30mm, NEMA 12, 13 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$248.00
<u>PBGX3</u>	Wiegmann pushbutton enclosure, 3 holes, 22mm, NEMA 12/13, 7 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$100.00
<u>PB6VLBC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 15 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$132.00
<u>F6PBW</u>	Stahlin F series pushbutton enclosure, 6 holes, 30mm, NEMA 1/3R/4X/6P/12, 9 x 7 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover, purchase subpanel separately.	Stock	\$98.00
<u>F963</u>	Stahlin F series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 9 x 6 x 3in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$86.00
<u>1435S16C</u>	Hammond pushbutton enclosure, 3 holes, 30mm, NEMA 3R/4/4X, 8 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$215.00
<u>SCE-6PB</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 10 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$106.00
<u>SCE-4SPB</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 8 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$92.00
<u>SCE-3PB-RAL1018</u>	Saginaw pushbutton enclosure, 3 holes, 30mm, NEMA 4/12/13, 8 x 4 x 3in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$91.00
<u>SCE-8PBAI</u>	Saginaw pushbutton console, 8 holes, 22mm, NEMA 4/12/13, 7 x 11 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$187.00
<u>PBSS1A</u>	Wiegmann pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X/12/13, 4 x 3 x 3in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$143.00
<u>1437MB</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 12/13, 6 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$95.00
<u>1437D</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 12/13, 10 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$123.00
<u>WPBA4S</u>	Wiegmann pushbutton console, 4 holes, 30mm, NEMA 12/13, 7 x 6 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$167.00
<u>SCE-6PBH</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 10 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$162.00
<u>SCE-6PBVLI</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/12/13, 15 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$99.00
<u>SCE-9PBSSI</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/4X/12/13, 10 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$282.00
<u>HYMPB4SS</u>	Hammond sanitary pushbutton enclosure, 4 holes, 22mm, slope top, NEMA 3R/4/4X/12, 10 x 7 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$883.00
<u>1435D</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 12/13, 11 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$99.00
<u>SCE-6PBXVL</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 15 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$126.00
<u>1437O</u>	Hammond pushbutton enclosure, 12 holes, 30mm, NEMA 12/13, 12 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$186.00
<u>1435MA</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$65.00
<u>1437MF</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 12/13, 8 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$122.00
<u>SCE-5PBX-RAL1018</u>	Saginaw pushbutton enclosure, 5 holes, 30mm, NEMA 12/13/4, 12 x 4 x 5in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$139.00
<u>PBXD10</u>	Wiegmann pushbutton enclosure, 10 holes, 30mm, NEMA 4/12/13, 14 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$195.00
<u>PBXD6</u>	Wiegmann pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 10 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$156.00
<u>PBGX6SSA</u>	Wiegmann pushbutton enclosure, 6 holes, 22mm, NEMA 4/4X/12/13, 9 x 5 x 4in (HxWxD), wall mount, 316 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$885.00
<u>SCE-6PBA</u>	Saginaw pushbutton console, 6 holes, 30mm, NEMA 4/12/13, 7 x 9 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$165.00
<u>1490MH9</u>	Hammond pushbutton console, 9 holes, 22mm, NEMA 12/13, 9 x 9 x 8in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$196.00
<u>SCE-4SPBXI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/12/13, 8 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$109.00

<u>1490D1</u>	Hammond pushbutton console, 1 hole, 30mm, NEMA 12/13, 4 x 4 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$88.00
<u>1489P20</u>	Hammond pushbutton enclosure, 20 holes, 30mm, NEMA 12, 15 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$317.00
<u>1435MD</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 12/13, 11 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$93.00
<u>PBSS6</u>	Wiegmann pushbutton enclosure, 6 holes, 30mm, NEMA 4/4X/12/13, 10 x 6 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$245.00
<u>1437H</u>	Hammond pushbutton enclosure, 6 holes, 30mm, NEMA 12/13, 10 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$143.00
<u>PBSS4A</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 10 x 3 x 3in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$222.00
<u>1435SSC</u>	Hammond pushbutton enclosure, 3 holes, 30mm, NEMA 3R/4/4X, 8 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$177.00
<u>PBXD2SS</u>	Wiegmann pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X/12/13, 6 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$172.00
<u>COPC2PB22</u>	AttaBox Commander series pushbutton enclosure, 2 holes, 22mm, NEMA 1/3R/4X/6P/12, 5 x 3 x 3in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$70.00
<u>SA112</u>	AutomationDirect pushbutton enclosure, 6 holes, 22mm, 225 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$16.00
<u>SCE-4PBI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/12/13, 11 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$83.00
<u>SCE-4PBXSS6</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 10 x 4 x 5in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$271.00
<u>SCE-12PBHI</u>	Saginaw pushbutton enclosure, 12 holes, 22mm, NEMA 4/12/13, 12 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$214.00
<u>SCE-6PBVL</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 15 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$99.00
<u>WPBA2</u>	Wiegmann pushbutton console, 2 holes, 30mm, NEMA 12/13, 4 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$116.00
<u>SA111-00</u>	AutomationDirect pushbutton enclosure, blank cover, 225 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$15.50
<u>PB9</u>	Wiegmann pushbutton enclosure, 9 holes, 30mm, NEMA 4/12/13, 10 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$163.00
<u>SCE-10PBXI</u>	Saginaw pushbutton enclosure, 10 holes, 22mm, NEMA 4/12/13, 14 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$155.00
<u>SCE-1PBXSS</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X/12/13, 4 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$164.00
<u>1490D2</u>	Hammond pushbutton console, 2 holes, 30mm, NEMA 12/13, 4 x 6 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$104.00
<u>WPBA1</u>	Wiegmann pushbutton console, 1 hole, 30mm, NEMA 12/13, 4 x 3 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$100.00
<u>SCE-3PBAI</u>	Saginaw pushbutton console, 3 holes, 22mm, NEMA 4/12/13, 4 x 8 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$112.00
<u>PBXD3</u>	Wiegmann pushbutton enclosure, 3 holes, 30mm, NEMA 4/12/13, 8 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$120.00
<u>SCE-1PBXSSI</u>	Saginaw pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X/12/13, 4 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$164.00
<u>PBYX36</u>	Wiegmann pushbutton enclosure, 36 holes, 30mm, NEMA 12/13, 19 x 18 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$473.00
<u>SCE-4PBA</u>	Saginaw pushbutton console, 4 holes, 30mm, NEMA 4/12/13, 4 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$127.00
<u>1437MD</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 12/13, 10 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$121.00
<u>1490G16</u>	Hammond pushbutton console, 16 holes, 30mm, NEMA 12/13, 7 x 20 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$272.00
<u>1489MP6</u>	Hammond pushbutton enclosure, 6 holes, 22mm, NEMA 12, 11 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$184.00
<u>PBGX4SSA</u>	Wiegmann pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 9 x 3 x 4in (HxWxD), wall mount, 316 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$702.00
<u>PBGX3SSA</u>	Wiegmann pushbutton enclosure, 3 holes, 22mm, NEMA 4/4X/12/13, 7 x 3 x 4in (HxWxD), wall mount, 316 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$531.00
<u>SCE-2PBXI</u>	Saginaw pushbutton enclosure, 2 holes, 22mm, NEMA 4/12/13, 6 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00

<u>PBGX1SSA</u>	Wiegmann pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X/12/13, 3 x 3 x 4in (HxWxD), wall mount, 316 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$414.00
<u>PBXD3SS</u>	Wiegmann pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X/12/13, 8 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$288.00
<u>CF4PB</u>	Stahlin CF series pushbutton enclosure, 4 holes, 30mm, NEMA 1/3R/4X/6P/12, 11 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$71.00
<u>CF1144</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 11 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$71.00
<u>SCE-4SPBH</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$141.00
<u>PBGX25</u>	Wiegmann pushbutton enclosure, 25 holes, 22mm, NEMA 12/13, 13 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$206.00
<u>PBGX1SS</u>	Wiegmann pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X/12/13, 3 x 3 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$215.00
<u>1489MP12</u>	Hammond pushbutton enclosure, 12 holes, 22mm, NEMA 12, 13 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$242.00
<u>PBSS9A</u>	Wiegmann pushbutton enclosure, 9 holes, 30mm, NEMA 4/4X/12/13, 10 x 9 x 3in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$394.00
<u>1489P6</u>	Hammond pushbutton enclosure, 6 holes, 30mm, NEMA 12, 11 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$189.00
<u>SCE-12PBSS6</u>	Saginaw pushbutton enclosure, 12 holes, 30mm, NEMA 4/4X/12/13, 12 x 9 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$386.00
<u>PBYX30</u>	Wiegmann pushbutton enclosure, 30 holes, 30mm, NEMA 12/13, 19 x 15 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$418.00
<u>SCE-4SPBSS</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 8 x 7 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$209.00
<u>1490MG16</u>	Hammond pushbutton console, 16 holes, 22mm, NEMA 12/13, 7 x 20 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$264.00
<u>SCE-9PBHSS</u>	Saginaw pushbutton enclosure, 9 holes, 30mm, NEMA 4/4X/12/13, 10 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$263.00
<u>CF3PB</u>	Stahlin CF series pushbutton enclosure, 3 holes, 30mm, NEMA 1/3R/4X/6P/12, 8 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$69.00
<u>F9PBW</u>	Stahlin F series pushbutton enclosure, 9 holes, 30mm, NEMA 1/3R/4X/6P/12, 11 x 9 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover, purchase subpanel separately.	Stock	\$124.00
<u>WPBA12</u>	Wiegmann pushbutton console, 12 holes, 30mm, NEMA 12/13, 7 x 15 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$265.00
<u>1435A</u>	Hammond pushbutton enclosure, 1 hole, 30mm, NEMA 12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$67.00
<u>MPB12LG</u>	Hammond pushbutton enclosure, 12 holes, 22mm, NEMA 12/13, 11 x 7 x 4in (HxWxD), 11 x 7 x 4inmm (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, screw cover.	Stock	\$165.00
<u>PBXD2</u>	Wiegmann pushbutton enclosure, 2 holes, 30mm, NEMA 4/12/13, 6 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$135.00
<u>1437MA</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$82.00
<u>WPBA6</u>	Wiegmann pushbutton console, 6 holes, 30mm, NEMA 12/13, 7 x 9 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$193.00
<u>1489MP20</u>	Hammond pushbutton enclosure, 20 holes, 22mm, NEMA 12, 15 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$308.00
<u>PSL4</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 12/13, 11 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$96.00
<u>MPB9LG</u>	Hammond pushbutton enclosure, 9 holes, 22mm, NEMA 12/13, 9 x 7 x 4in (HxWxD), 9 x 7 x 4inmm (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, screw cover.	Stock	\$149.00
<u>SCE-3PBSS</u>	Saginaw pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X/12/13, 8 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$168.00
<u>SCE-9PBHSS6</u>	Saginaw pushbutton enclosure, 9 holes, 30mm, NEMA 4/4X/12/13, 10 x 10 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, hinged screw cover.	Stock	\$316.00
<u>1490D4</u>	Hammond pushbutton console, 4 holes, 30mm, NEMA 12/13, 4 x 10 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$132.00
<u>1435S16B</u>	Hammond pushbutton enclosure, 2 holes, 30mm, NEMA 3R/4/4X, 6 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$187.00
<u>PBGX3SS</u>	Wiegmann pushbutton enclosure, 3 holes, 22mm, NEMA 4/4X/12/13, 7 x 3 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$275.00
<u>PBGX1</u>	Wiegmann pushbutton enclosure, 1 hole, 22mm, NEMA 12/13, 3 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$80.00

<u>PBYX6</u>	Wiegmann pushbutton enclosure, 6 holes, 30mm, NEMA 12/13, 11 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$202.00
<u>SCE-4SPBX</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 8 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$109.00
<u>SCE-1PBXSS6I</u>	Saginaw pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X/12/13, 4 x 4 x 5in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$197.00
<u>SCE-16PBHSS6I</u>	Saginaw pushbutton enclosure, 16 holes, 22mm, NEMA 4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, hinged screw cover.	Stock	\$540.00
<u>SCE-3PBI</u>	Saginaw pushbutton enclosure, 3 holes, 22mm, NEMA 4/12/13, 8 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$74.00
<u>1437MSSD</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X, 10 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$259.00
<u>HYMPB6SS</u>	Hammond sanitary pushbutton enclosure, 6 holes, 22mm, slope top, NEMA 3R/4/4X/12, 12 x 9 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$1,028.00
<u>HYPB3SS</u>	Hammond sanitary pushbutton enclosure, 3 holes, 30mm, slope top, NEMA 3R/4/4X/12, 10 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$778.00
<u>SCE-12PBI</u>	Saginaw pushbutton enclosure, 12 holes, 22mm, NEMA 4/12/13, 12 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$137.00
<u>1437SSB</u>	Hammond pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X, 6 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$194.00
<u>1490MD1</u>	Hammond pushbutton console, 1 hole, 22mm, NEMA 12/13, 4 x 4 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>1437K</u>	Hammond pushbutton enclosure, 9 holes, 30mm, NEMA 12/13, 10 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$162.00
<u>CF6PB22</u>	Stahlin CF series pushbutton enclosure, 6 holes, 22mm, NEMA 1/3R/4X/6P/12, 11 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$94.00
<u>PB5</u>	Wiegmann pushbutton enclosure, 5 holes, 30mm, NEMA 4/12/13, 13 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$118.00
<u>PB8BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 20 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$155.00
<u>MPB2LG</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 12/13, 5 x 3 x 4in (HxWxD), 5 x 3 x 4inmm (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, screw cover.	Stock	\$87.00
<u>SCE-8PBI</u>	Saginaw pushbutton enclosure, 8 holes, 22mm, NEMA 4/12/13, 21 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$119.00
<u>1489P16</u>	Hammond pushbutton enclosure, 16 holes, 30mm, NEMA 12, 13 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$284.00
<u>SCE-1PBX</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$74.00
<u>1435S16H</u>	Hammond pushbutton enclosure, 6 holes, 30mm, NEMA 3R/4/4X, 10 x 7 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$322.00
<u>SCE-9PBSS</u>	Saginaw pushbutton enclosure, 9 holes, 30mm, NEMA 4/4X/12/13, 10 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$282.00
<u>SCE-6PBI</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/12/13, 10 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$106.00
<u>SCE-9PBH</u>	Saginaw pushbutton enclosure, 9 holes, 30mm, NEMA 4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$188.00
<u>SCE-3PBSS6I</u>	Saginaw pushbutton enclosure, 3 holes, 22mm, NEMA 4/4X/12/13, 8 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$201.00
<u>SCE-3PBX</u>	Saginaw pushbutton enclosure, 3 holes, 30mm, NEMA 4/12/13, 8 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$97.00
<u>CF844</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 8 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$62.00
<u>SCE-4SPBSS6</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 8 x 7 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$251.00
<u>SCE-4SPBA</u>	Saginaw pushbutton console, 4 holes, 30mm, NEMA 4/12/13, 7 x 7 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$142.00
<u>1490K25</u>	Hammond pushbutton console, 25 holes, 30mm, NEMA 12/13, 13 x 13 x 10in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$327.00
<u>PB10</u>	Wiegmann pushbutton enclosure, 10 holes, 30mm, NEMA 4/12/13, 25 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$180.00
<u>SCE-4PBSS</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 11 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$190.00
<u>1435S16A</u>	Hammond pushbutton enclosure, 1 hole, 30mm, NEMA 3R/4/4X, 4 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$158.00

<u>1437SSA</u>	Hammond pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X, 4 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$159.00
<u>SA105-40SL</u>	AutomationDirect pushbutton enclosure, 2 holes, 22mm, 105 x 70 x 51mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$10.00
<u>1490D3</u>	Hammond pushbutton console, 3 holes, 30mm, NEMA 12/13, 4 x 8 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$118.00
<u>SA104SL</u>	AutomationDirect pushbutton enclosure, 1 hole, 22mm, 70 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray body / yellow cover, screw cover.	Stock	\$9.75
<u>1435MSSC</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 3R/4/4X, 8 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$180.00
<u>PB1</u>	Wiegmann pushbutton enclosure, 1 hole, 30mm, NEMA 4/12/13, 4 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$75.00
<u>CF5PB22</u>	Stahlin CF series pushbutton enclosure, 5 holes, 22mm, NEMA 1/3R/4X/6P/12, 11 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$81.00
<u>WPBA16</u>	Wiegmann pushbutton console, 16 holes, 30mm, NEMA 12/13, 7 x 20 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$284.00
<u>SCE-12SPBAI</u>	Saginaw pushbutton console, 12 holes, 22mm, NEMA 4/12/13, 11 x 9 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$216.00
<u>SCE-4PBSSI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 11 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$190.00
<u>SCE-1PB</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/12/13, 4 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$58.00
<u>F763</u>	Stahlin F series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 7 x 6 x 3in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$75.00
<u>1437A</u>	Hammond pushbutton enclosure, 1 hole, 30mm, NEMA 12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>PB4BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 10 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$109.00
<u>WPBA10</u>	Wiegmann pushbutton console, 10 holes, 30mm, NEMA 12/13, 7 x 13 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$243.00
<u>HYPB4SS</u>	Hammond sanitary pushbutton enclosure, 4 holes, 30mm, slope top, NEMA 3R/4/4X/12, 10 x 7 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$883.00
<u>1437MX</u>	Hammond pushbutton enclosure, 25 holes, 22mm, NEMA 12/13, 14 x 13 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$259.00
<u>CF1732</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 17 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$109.00
<u>SCE-6PBX-RAL1018</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 10 x 7 x 5in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$150.00
<u>SCE-2PBGX</u>	Saginaw pushbutton enclosure, 2 holes, 22mm, NEMA 4/12/13, 5 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$73.00
<u>SCE-3PBXSS</u>	Saginaw pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X/12/13, 8 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$218.00
<u>1489MP30</u>	Hammond pushbutton enclosure, 30 holes, 22mm, NEMA 12, 18 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$384.00
<u>SCE-3PBSS6</u>	Saginaw pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X/12/13, 8 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$201.00
<u>SCE-4PBXI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/12/13, 10 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$107.00
<u>WPBA8</u>	Wiegmann pushbutton console, 8 holes, 30mm, NEMA 12/13, 7 x 11 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$219.00
<u>PB3</u>	Wiegmann pushbutton enclosure, 3 holes, 30mm, NEMA 4/12/13, 8 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$96.00
<u>1435MS16D</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 3R/4/4X, 11 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$247.00
<u>SCE-1PBX-RAL1018</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$88.00
<u>COPC1PB22</u>	AttaBox Commander series pushbutton enclosure, 1 hole, 22mm, NEMA 1/3R/4X/6P/12, 4 x 3 x 2in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$64.00
<u>1435MS16K</u>	Hammond pushbutton enclosure, 9 holes, 22mm, NEMA 3R/4/4X, 10 x 9 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$386.00
<u>PB12BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 12 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$183.00
<u>SCE-4PBXSSI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 10 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$226.00

<u>SCE-8PBA</u>	Saginaw pushbutton console, 8 holes, 30mm, NEMA 4/12/13, 7 x 11 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$187.00
<u>PB25BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 12, 14 x 13 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$259.00
<u>PBGX2</u>	Wiegmann pushbutton enclosure, 2 holes, 22mm, NEMA 12/13, 5 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$83.00
<u>SCE-9PBHSSI</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/4X/12/13, 10 x 10 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$263.00
<u>1435MS16O</u>	Hammond pushbutton enclosure, 12 holes, 22mm, NEMA 3R/4/4X, 12 x 9 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$442.00
<u>SCE-9PBHSS6I</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/4X/12/13, 10 x 10 x 6in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, hinged screw cover.	Stock	\$316.00
<u>COPC432</u>	AttaBox Commander series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 4 x 3 x 2in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$59.00
<u>SCE-9PBXI</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/12/13, 10 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$142.00
<u>1490G12</u>	Hammond pushbutton console, 12 holes, 30mm, NEMA 12/13, 7 x 16 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$234.00
<u>1489MP25</u>	Hammond pushbutton enclosure, 25 holes, 22mm, NEMA 12, 15 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$345.00
<u>COPC533</u>	AttaBox Commander series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 5 x 3 x 3in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$61.00
<u>1437S</u>	Hammond pushbutton enclosure, 16 holes, 30mm, NEMA 12/13, 12 x 11 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$213.00
<u>SCE-10PBA</u>	Saginaw pushbutton console, 10 holes, 30mm, NEMA 4/12/13, 7 x 13 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$208.00
<u>1490MK30</u>	Hammond pushbutton console, 30 holes, 22mm, NEMA 12/13, 13 x 16 x 10in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$345.00
<u>SCE-9PBSS6I</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/4X/12/13, 10 x 9 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$339.00
<u>1490MJ20</u>	Hammond pushbutton console, 20 holes, 22mm, NEMA 12/13, 11 x 13 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$280.00
<u>1489P30</u>	Hammond pushbutton enclosure, 30 holes, 30mm, NEMA 12, 18 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$395.00
<u>SCE-3PBX-RAL1018</u>	Saginaw pushbutton enclosure, 3 holes, 30mm, NEMA 4/12/13, 8 x 4 x 5in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$114.00
<u>PB4S</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 7 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$122.00
<u>COPC2PB</u>	AttaBox Commander series pushbutton enclosure, 2 holes, 30mm, NEMA 1/3R/4X/6P/12, 5 x 3 x 3in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$70.00
<u>PB4SBC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 7 x 6 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$105.00
<u>SCE-12SPBA</u>	Saginaw pushbutton console, 12 holes, 30mm, NEMA 4/12/13, 11 x 9 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$216.00
<u>PBXD25</u>	Wiegmann pushbutton enclosure, 25 holes, 30mm, NEMA 12, 14 x 13 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$289.00
<u>1437B</u>	Hammond pushbutton enclosure, 2 holes, 30mm, NEMA 12/13, 6 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$98.00
<u>PBXD16V</u>	Wiegmann pushbutton enclosure, 16 holes, 30mm, NEMA 12, 21 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$253.00
<u>PBGX2SS</u>	Wiegmann pushbutton enclosure, 2 holes, 22mm, NEMA 4/4X/12/13, 5 x 3 x 4in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$244.00
<u>1489MP42</u>	Hammond pushbutton enclosure, 42 holes, 22mm, NEMA 12, 20 x 17 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$464.00
<u>1490MD4</u>	Hammond pushbutton console, 4 holes, 22mm, NEMA 12/13, 4 x 10 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$128.00
<u>PSL1</u>	Wiegmann pushbutton enclosure, 1 hole, 30mm, NEMA 12/13, 4 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$69.00
<u>SCE-4PBAI</u>	Saginaw pushbutton console, 4 holes, 22mm, NEMA 4/12/13, 4 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$127.00
<u>MPB3LG</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 12/13, 7 x 3 x 4in (HxWxD), 7 x 3 x 4inmm (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, screw cover.	Stock	\$96.00
<u>CF3PB22</u>	Stahlin CF series pushbutton enclosure, 3 holes, 22mm, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$69.00

<u>SA108-40SL</u>	AutomationDirect pushbutton enclosure, 3 holes, 22mm, 140 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$14.50
<u>MPB2</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 12/13, 6 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$87.00
<u>SCE-16PBHSSI</u>	Saginaw pushbutton enclosure, 16 holes, 22mm, NEMA 4/4X/12/13, 12 x 12 x 6in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$450.00
<u>SA106-40SL</u>	AutomationDirect pushbutton enclosure, 2 holes, 22mm, 105 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$11.00
<u>1437MS</u>	Hammond pushbutton enclosure, 16 holes, 22mm, NEMA 12/13, 12 x 11 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$207.00
<u>SCE-12PBSSI</u>	Saginaw pushbutton enclosure, 12 holes, 22mm, NEMA 4/4X/12/13, 12 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$322.00
<u>SCE-12PBAI</u>	Saginaw pushbutton console, 12 holes, 22mm, NEMA 4/12/13, 7 x 16 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$226.00
<u>WPBA30</u>	Wiegmann pushbutton console, 30 holes, 30mm, NEMA 12/13, 14 x 15 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$406.00
<u>PBSS4</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 10 x 3 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$186.00
<u>SCE-2PBXSS</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X/12/13, 6 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$205.00
<u>SCE-1PBA</u>	Saginaw pushbutton console, 1 hole, 30mm, NEMA 4/12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>1435MS16A</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 3R/4/4X, 4 x 4 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$159.00
<u>HYMPB1SS</u>	Hammond sanitary pushbutton enclosure, 1 hole, 22mm, slope top, NEMA 3R/4/4X/12, 8 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$701.00
<u>SCE-4PBSS6</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 11 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$228.00
<u>PBSS6A</u>	Wiegmann pushbutton enclosure, 6 holes, 30mm, NEMA 4/4X/12/13, 10 x 6 x 3in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$292.00
<u>SCE-4SPBHI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/12/13, 8 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$141.00
<u>PBSS2</u>	Wiegmann pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X/12/13, 6 x 3 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$138.00
<u>1489MP36</u>	Hammond pushbutton enclosure, 36 holes, 22mm, NEMA 12, 18 x 17 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$425.00
<u>SA111</u>	AutomationDirect pushbutton enclosure, 5 holes, 22mm, 225 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$15.50
<u>1490MD2</u>	Hammond pushbutton console, 2 holes, 22mm, NEMA 12/13, 4 x 6 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$100.00
<u>1435SSK</u>	Hammond pushbutton enclosure, 9 holes, 30mm, NEMA 3R/4/4X, 10 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$319.00
<u>WPBA20</u>	Wiegmann pushbutton console, 20 holes, 30mm, NEMA 12/13, 12 x 13 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$327.00
<u>SCE-3PBGX</u>	Saginaw pushbutton enclosure, 3 holes, 22mm, NEMA 4/12/13, 7 x 4 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$81.00
<u>SCE-10PBX</u>	Saginaw pushbutton enclosure, 10 holes, 30mm, NEMA 4/12/13, 14 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$155.00
<u>PBGX2SSA</u>	Wiegmann pushbutton enclosure, 2 holes, 22mm, NEMA 4/4X/12/13, 5 x 3 x 4in (HxWxD), wall mount, 316 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$470.00
<u>WPBA3</u>	Wiegmann pushbutton console, 3 holes, 30mm, NEMA 12/13, 4 x 8 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$132.00
<u>SA110-40SL</u>	AutomationDirect pushbutton enclosure, 4 holes, 22mm, 185 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$17.00
<u>1490MJ12</u>	Hammond pushbutton console, 12 holes, 22mm, NEMA 12/13, 11 x 9 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$218.00
<u>CF532</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 5 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$55.00
<u>MPB1</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 12/13, 4 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$76.00
<u>PB16BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 12, 12 x 11 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$206.00
<u>1489P36</u>	Hammond pushbutton enclosure, 36 holes, 30mm, NEMA 12, 18 x 17 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$438.00

<u>WPBA25</u>	Wiegmann pushbutton console, 25 holes, 30mm, NEMA 12/13, 14 x 13 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$372.00
<u>SCE-12PBGX</u>	Saginaw pushbutton enclosure, 12 holes, 22mm, NEMA 4/12/13, 11 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$140.00
<u>CF1PB22</u>	Stahlin CF series pushbutton enclosure, 1 hole, 22mm, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$62.00
<u>COPC1PB</u>	AttaBox Commander series pushbutton enclosure, 1 hole, 30mm, NEMA 1/3R/4X/6P/12, 4 x 3 x 2in (HxWxD), wall mount, polycarbonate, light gray, gloss finish, screw cover.	Stock	\$64.00
<u>CF932</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 9 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$66.00
<u>PBGX9</u>	Wiegmann pushbutton enclosure, 9 holes, 22mm, NEMA 12/13, 9 x 7 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$186.00
<u>PBSS3A</u>	Wiegmann pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X/12/13, 8 x 3 x 3in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$196.00
<u>SA103SL</u>	AutomationDirect pushbutton enclosure, 1 hole, 22mm, 70 x 70 x 74mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$9.25
<u>1437MK</u>	Hammond pushbutton enclosure, 9 holes, 22mm, NEMA 12/13, 10 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$159.00
<u>SCE-12PBX</u>	Saginaw pushbutton enclosure, 12 holes, 30mm, NEMA 4/12/13, 12 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$164.00
<u>PBSS12</u>	Wiegmann pushbutton enclosure, 12 holes, 30mm, NEMA 4/4X/12/13, 12 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$333.00
<u>PBXD1</u>	Wiegmann pushbutton enclosure, 1 hole, 30mm, NEMA 4/12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$93.00
<u>PBGX4</u>	Wiegmann pushbutton enclosure, 4 holes, 22mm, NEMA 12/13, 9 x 3 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$110.00
<u>1435MS16H</u>	Hammond pushbutton enclosure, 6 holes, 22mm, NEMA 3R/4/4X, 10 x 7 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$326.00
<u>WPBA4</u>	Wiegmann pushbutton console, 4 holes, 30mm, NEMA 12/13, 4 x 10 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$148.00
<u>1435MSSB</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 3R/4/4X, 6 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$155.00
<u>PB3BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 8 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$99.00
<u>1437MS16D</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X, 10 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$326.00
<u>SCE-6PBGX</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/12/13, 9 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$114.00
<u>SCE-2PBSS6I</u>	Saginaw pushbutton enclosure, 2 holes, 22mm, NEMA 4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$185.00
<u>1435MF</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 12/13, 8 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$108.00
<u>1435MO</u>	Hammond pushbutton enclosure, 12 holes, 22mm, NEMA 12/13, 12 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$161.00
<u>SCE-6PBSSI</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/4X/12/13, 10 x 7 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$250.00
<u>HYPB6SS</u>	Hammond sanitary pushbutton enclosure, 6 holes, 30mm, slope top, NEMA 3R/4/4X/12, 12 x 9 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$1,028.00
<u>SCE-1PBSS6I</u>	Saginaw pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$148.00
<u>F4PBW</u>	Stahlin F series pushbutton enclosure, 4 holes, 30mm, NEMA 1/3R/4X/6P/12, 7 x 7 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover, purchase subpanel separately.	Stock	\$88.00
<u>1437MH</u>	Hammond pushbutton enclosure, 6 holes, 22mm, NEMA 12/13, 10 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$139.00
<u>1490MG8</u>	Hammond pushbutton console, 8 holes, 22mm, NEMA 12/13, 7 x 11 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$187.00
<u>1435B</u>	Hammond pushbutton enclosure, 2 holes, 30mm, NEMA 12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$76.00
<u>SCE-12PBXI</u>	Saginaw pushbutton enclosure, 12 holes, 22mm, NEMA 4/12/13, 12 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$164.00
<u>SCE-4PBSS6I</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 11 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$228.00
<u>1435S16O</u>	Hammond pushbutton enclosure, 12 holes, 30mm, NEMA 3R/4/4X, 12 x 9 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$436.00

<u>SCE-4SPBAI</u>	Saginaw pushbutton console, 4 holes, 22mm, NEMA 4/12/13, 7 x 7 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$142.00
<u>PBYX16</u>	Wiegmann pushbutton enclosure, 16 holes, 30mm, NEMA 12/13, 14 x 13 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$304.00
<u>SCE-2PBSS</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$154.00
<u>SCE-12PB</u>	Saginaw pushbutton enclosure, 12 holes, 30mm, NEMA 4/12/13, 12 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$137.00
<u>1435MK</u>	Hammond pushbutton enclosure, 9 holes, 22mm, NEMA 12/13, 10 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$167.00
<u>YW-COPC1PB</u>	AttaBox Commander series pushbutton enclosure, 1 hole, 30mm, NEMA 1/3R/4X/6P/12, 4 x 3 x 2in (HxWxD), polycarbonate, yellow cover/black body, screw cover.	Stock	\$79.00
<u>SCE-5PB</u>	Saginaw pushbutton enclosure, 5 holes, 30mm, NEMA 4/12/13, 13 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$91.00
<u>SCE-16PBH</u>	Saginaw pushbutton enclosure, 16 holes, 30mm, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$243.00
<u>1490MG4</u>	Hammond pushbutton console, 4 holes, 22mm, NEMA 12/13, 7 x 7 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$144.00
<u>1435SSA</u>	Hammond pushbutton enclosure, 1 hole, 30mm, NEMA 3R/4/4X, 4 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$130.00
<u>CF1432</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 14 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$75.00
<u>1435O</u>	Hammond pushbutton enclosure, 12 holes, 30mm, NEMA 12/13, 12 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$165.00
<u>PBXD9</u>	Wiegmann pushbutton enclosure, 9 holes, 30mm, NEMA 4/12/13, 10 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$178.00
<u>1437SSS</u>	Hammond pushbutton enclosure, 16 holes, 30mm, NEMA 4/4X, 12 x 11 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$495.00
<u>SA101SL</u>	AutomationDirect pushbutton enclosure, 1 hole, 22mm, 70 x 70 x 51mm (HxWxD), wall mount, thermoplastic ABS, gray body / yellow cover, screw cover.	Stock	\$8.75
<u>PB8</u>	Wiegmann pushbutton enclosure, 8 holes, 30mm, NEMA 4/12/13, 20 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$159.00
<u>SCE-16PBHI</u>	Saginaw pushbutton enclosure, 16 holes, 22mm, NEMA 4/12/13, 12 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$243.00
<u>PBSS1</u>	Wiegmann pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X/12/13, 4 x 3 x 3in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$117.00
<u>1490MK25</u>	Hammond pushbutton console, 25 holes, 22mm, NEMA 12/13, 13 x 13 x 10in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$315.00
<u>1437MSSC</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 4/4X, 8 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$231.00
<u>1435MSSK</u>	Hammond pushbutton enclosure, 9 holes, 22mm, NEMA 3R/4/4X, 10 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$323.00
<u>1490MD3</u>	Hammond pushbutton console, 3 holes, 22mm, NEMA 12/13, 4 x 8 x 5in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$115.00
<u>1437MS16B</u>	Hammond pushbutton enclosure, 2 holes, 22mm, NEMA 4/4X, 6 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$250.00
<u>SCE-4SPBX-RAL1018</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 8 x 7 x 5in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$122.00
<u>PBYX12</u>	Wiegmann pushbutton enclosure, 12 holes, 30mm, NEMA 12/13, 14 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$267.00
<u>1437MV</u>	Hammond pushbutton enclosure, 20 holes, 22mm, NEMA 12/13, 14 x 11 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$231.00
<u>1437MC</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 12/13, 8 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$108.00
<u>SCE-1PBXSS6</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X/12/13, 4 x 4 x 5in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$197.00
<u>SCE-9PBX</u>	Saginaw pushbutton enclosure, 9 holes, 30mm, NEMA 4/12/13, 10 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$142.00
<u>CF1PB</u>	Stahlin CF series pushbutton enclosure, 1 hole, 30mm, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$62.00
<u>1435K</u>	Hammond pushbutton enclosure, 9 holes, 30mm, NEMA 12/13, 10 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$147.00
<u>SCE-12PBSS6I</u>	Saginaw pushbutton enclosure, 12 holes, 22mm, NEMA 4/4X/12/13, 12 x 9 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$386.00

<u>1435MC</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 12/13, 8 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$84.00
<u>SCE-5PBI</u>	Saginaw pushbutton enclosure, 5 holes, 22mm, NEMA 4/12/13, 13 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$91.00
<u>SCE-2PB</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>SCE-1PBAI</u>	Saginaw pushbutton console, 1 hole, 22mm, NEMA 4/12/13, 4 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>1490J12</u>	Hammond pushbutton console, 12 holes, 30mm, NEMA 12/13, 11 x 9 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$223.00
<u>SCE-4PB</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 11 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$83.00
<u>1437S16C</u>	Hammond pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X, 8 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$268.00
<u>1435H</u>	Hammond pushbutton enclosure, 6 holes, 30mm, NEMA 12/13, 10 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$126.00
<u>SCE-4PB-RAL1018</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 11 x 4 x 3in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$101.00
<u>1490H9</u>	Hammond pushbutton console, 9 holes, 30mm, NEMA 12/13, 9 x 9 x 8in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$202.00
<u>1435S</u>	Hammond pushbutton enclosure, 16 holes, 30mm, NEMA 12/13, 12 x 11 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$189.00
<u>1489P4</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 12, 9 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$164.00
<u>SCE-6PBXI</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/12/13, 10 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$126.00
<u>1437SSC</u>	Hammond pushbutton enclosure, 3 holes, 30mm, NEMA 4/4X, 8 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$224.00
<u>PB5BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 13 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$118.00
<u>PBSS12A</u>	Wiegmann pushbutton enclosure, 12 holes, 30mm, NEMA 4/4X/12/13, 12 x 9 x 3in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$451.00
<u>SCE-16PBAI</u>	Saginaw pushbutton console, 16 holes, 22mm, NEMA 4/12/13, 11 x 11 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$241.00
<u>1489P42</u>	Hammond pushbutton enclosure, 42 holes, 30mm, NEMA 12, 20 x 17 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$480.00
<u>SCE-5PB-RAL1018</u>	Saginaw pushbutton enclosure, 5 holes, 30mm, NEMA 4/12/13, 13 x 4 x 3in (HxWxD), wall mount, carbon steel, RAL 1018 yellow, powder coat finish, screw cover.	Stock	\$111.00
<u>1490G6</u>	Hammond pushbutton console, 6 holes, 30mm, NEMA 12/13, 7 x 9 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$171.00
<u>SCE-2PBA</u>	Saginaw pushbutton console, 2 holes, 30mm, NEMA 4/12/13, 4 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$99.00
<u>CF4PB22</u>	Stahlin CF series pushbutton enclosure, 4 holes, 22mm, NEMA 1/3R/4X/6P/12, 8 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$71.00
<u>PSL2</u>	Wiegmann pushbutton enclosure, 2 holes, 30mm, NEMA 12/13, 6 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$77.00
<u>PBXD4SS</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 10 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$224.00
<u>YW-COPC2PB22</u>	AttaBox Commander series pushbutton enclosure, 2 holes, 22mm, NEMA 1/3R/4X/6P/12, 5 x 3 x 3in (HxWxD), polycarbonate, yellow cover/black body, screw cover.	Stock	\$86.00
<u>SCE-2PBSS6</u>	Saginaw pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X/12/13, 6 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$185.00
<u>PBYX25</u>	Wiegmann pushbutton enclosure, 25 holes, 30mm, NEMA 12/13, 16 x 15 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover, subpanel included.	Stock	\$384.00
<u>PB4</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 10 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$108.00
<u>SCE-6PBX</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/12/13, 10 x 7 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$126.00
<u>PB2BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 6 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$88.00
<u>SCE-10PBAI</u>	Saginaw pushbutton console, 10 holes, 22mm, NEMA 4/12/13, 7 x 13 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$208.00
<u>SCE-1PBSSI</u>	Saginaw pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$123.00

<u>SCE-6PBAI</u>	Saginaw pushbutton console, 6 holes, 22mm, NEMA 4/12/13, 7 x 9 x 7in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$165.00
<u>SCE-9PBAI</u>	Saginaw pushbutton console, 9 holes, 22mm, NEMA 4/12/13, 9 x 9 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover, purchase subpanel separately.	Stock	\$195.00
<u>1437MO</u>	Hammond pushbutton enclosure, 12 holes, 22mm, NEMA 12/13, 12 x 9 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$181.00
<u>1489MP16</u>	Hammond pushbutton enclosure, 16 holes, 22mm, NEMA 12, 13 x 12 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$276.00
<u>1437C</u>	Hammond pushbutton enclosure, 3 holes, 30mm, NEMA 12/13, 8 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$111.00
<u>PBXD4S</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 7 x 6 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$136.00
<u>1437S16D</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X, 10 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$301.00
<u>MPB6LG</u>	Hammond pushbutton enclosure, 6 holes, 22mm, NEMA 12/13, 9 x 5 x 4in (HxWxD), 9 x 5 x 4inmm (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, screw cover.	Stock	\$135.00
<u>SCE-12PBSS</u>	Saginaw pushbutton enclosure, 12 holes, 30mm, NEMA 4/4X/12/13, 12 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$322.00
<u>CF832</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 8 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$60.00
<u>PB9BC</u>	Wiegmann pushbutton enclosure, blank cover, NEMA 4/12/13, 10 x 9 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$144.00
<u>PBXD16SS</u>	Wiegmann pushbutton enclosure, 16 holes, 30mm, NEMA 4/4X/12/13, 12 x 11 x 5in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$512.00
<u>1435S16K</u>	Hammond pushbutton enclosure, 9 holes, 30mm, NEMA 3R/4/4X, 10 x 9 x 3in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$381.00
<u>PBGX12</u>	Wiegmann pushbutton enclosure, 12 holes, 22mm, NEMA 12/13, 10 x 7 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$172.00
<u>SA107-40SL</u>	AutomationDirect pushbutton enclosure, 3 holes, 22mm, 140 x 70 x 51mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$12.50
<u>1435SSD</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 3R/4/4X, 11 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$206.00
<u>1490MJ16</u>	Hammond pushbutton console, 16 holes, 22mm, NEMA 12/13, 11 x 11 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$242.00
<u>HYPB2SS</u>	Hammond sanitary pushbutton enclosure, 2 holes, 30mm, slope top, NEMA 3R/4/4X/12, 8 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$738.00
<u>1490MG12</u>	Hammond pushbutton console, 12 holes, 22mm, NEMA 12/13, 7 x 16 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$229.00
<u>1435MSSO</u>	Hammond pushbutton enclosure, 12 holes, 22mm, NEMA 3R/4/4X, 12 x 9 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$370.00
<u>SCE-2PBI</u>	Saginaw pushbutton enclosure, 2 holes, 22mm, NEMA 4/12/13, 6 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$66.00
<u>1435MSSD</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 3R/4/4X, 11 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$204.00
<u>1435MH</u>	Hammond pushbutton enclosure, 6 holes, 22mm, NEMA 12/13, 10 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$123.00
<u>1489MP4</u>	Hammond pushbutton enclosure, 4 holes, 22mm, NEMA 12, 9 x 8 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$160.00
<u>CF332</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 3 x 3 x 2in (HxWxD), wall mount, fiberglass reinforced polyester, gray, screw cover.	Stock	\$53.00
<u>CF644</u>	Stahlin CF series pushbutton enclosure, blank cover, NEMA 1/3R/4X/6P/12, 6 x 4 x 4in (HxWxD), wall mount, fiberglass reinforced polyester, gray, crowned screw cover.	Stock	\$58.00
<u>1437MS16C</u>	Hammond pushbutton enclosure, 3 holes, 22mm, NEMA 4/4X, 8 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$289.00
<u>WPBA9</u>	Wiegmann pushbutton console, 9 holes, 30mm, NEMA 12/13, 10 x 9 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$229.00
<u>SCE-4PBX</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 10 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$107.00
<u>1435C</u>	Hammond pushbutton enclosure, 3 holes, 30mm, NEMA 12/13, 8 x 4 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$88.00
<u>SCE-6PBSS6I</u>	Saginaw pushbutton enclosure, 6 holes, 22mm, NEMA 4/4X/12/13, 10 x 7 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$300.00
<u>PBXD4</u>	Wiegmann pushbutton enclosure, 4 holes, 30mm, NEMA 4/12/13, 10 x 4 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$145.00

<u>WPBA16S</u>	Wiegmann pushbutton console, 16 holes, 30mm, NEMA 12/13, 12 x 9 x 9in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$328.00
<u>SCE-4PBXSS</u>	Saginaw pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X/12/13, 10 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$226.00
<u>SA109-40SL</u>	AutomationDirect pushbutton enclosure, 4 holes, 22mm, 185 x 70 x 51mm (HxWxD), wall mount, thermoplastic ABS, gray, screw cover.	Stock	\$14.50
<u>SCE-4SPBI</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/12/13, 8 x 7 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$92.00
<u>PBGX6</u>	Wiegmann pushbutton enclosure, 6 holes, 22mm, NEMA 12/13, 9 x 5 x 4in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$139.00
<u>SCE-6PBSS6</u>	Saginaw pushbutton enclosure, 6 holes, 30mm, NEMA 4/4X/12/13, 10 x 7 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$300.00
<u>MPB12</u>	Hammond pushbutton enclosure, 12 holes, 22mm, NEMA 12/13, 11 x 7 x 4.5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$165.00
<u>HYPB1SS</u>	Hammond sanitary pushbutton enclosure, 1 hole, 30mm, slope top, NEMA 3R/4/4X/12, 8 x 5 x 4in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$701.00
<u>SCE-4PBXSS6I</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 10 x 4 x 5in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$271.00
<u>SCE-4SPBSS6I</u>	Saginaw pushbutton enclosure, 4 holes, 22mm, NEMA 4/4X/12/13, 8 x 7 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$251.00
<u>1437SSD</u>	Hammond pushbutton enclosure, 4 holes, 30mm, NEMA 4/4X, 10 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, hinged screw cover.	Stock	\$252.00
<u>1435MSSA</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 3R/4/4X, 4 x 4 x 3in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, screw cover.	Stock	\$132.00
<u>1437X</u>	Hammond pushbutton enclosure, 25 holes, 30mm, NEMA 12/13, 14 x 13 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$268.00
<u>PBXD1SS</u>	Wiegmann pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X/12/13, 4 x 4 x 5in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$143.00
<u>SCE-9PBHI</u>	Saginaw pushbutton enclosure, 9 holes, 22mm, NEMA 4/12/13, 10 x 10 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$188.00
<u>PBSS2A</u>	Wiegmann pushbutton enclosure, 2 holes, 30mm, NEMA 4/4X/12/13, 6 x 3 x 3in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, screw cover.	Stock	\$169.00
<u>SCE-3PBA</u>	Saginaw pushbutton console, 3 holes, 30mm, NEMA 4/12/13, 4 x 8 x 5in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$112.00
<u>1489P25</u>	Hammond pushbutton enclosure, 25 holes, 30mm, NEMA 12, 15 x 14 x 6in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, hinged screw cover.	Stock	\$357.00
<u>1437MS16A</u>	Hammond pushbutton enclosure, 1 hole, 22mm, NEMA 4/4X, 4 x 4 x 5in (HxWxD), wall mount, 316 stainless steel, #4 brush finish, screw cover.	Stock	\$203.00
<u>PB16</u>	Wiegmann pushbutton enclosure, 16 holes, 30mm, NEMA 12, 12 x 11 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$210.00
<u>SCE-1PBSS6</u>	Saginaw pushbutton enclosure, 1 hole, 30mm, NEMA 4/4X/12/13, 4 x 4 x 3in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, screw cover.	Stock	\$148.00
<u>PSL3</u>	Wiegmann pushbutton enclosure, 3 holes, 30mm, NEMA 12/13, 9 x 3 x 3in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$86.00
<u>SB114</u>	Comepi SB series pushbutton enclosure, 1 hole, 22mm, 83 x 72 x 53mm (HxWxD), wall mount, with knockouts, fiberglass-reinforced polycarbonate, black body / gray cover, screw cover.	Stock	\$13.00
<u>SB115</u>	Comepi SB series pushbutton enclosure, 1 hole, 22mm, 83 x 72 x 53mm (HxWxD), wall mount, with knockouts, fiberglass-reinforced polycarbonate, black body / yellow cover, screw cover.	Stock	\$13.00
<u>SB214</u>	Comepi SB series pushbutton enclosure, 2 holes, 22mm, 123 x 72 x 53mm (HxWxD), wall mount, with knockouts, fiberglass-reinforced polycarbonate, black body / gray cover, screw cover.	Stock	\$16.00
<u>SB314</u>	Comepi SB series pushbutton enclosure, 3 holes, 22mm, 156 x 72 x 53mm (HxWxD), wall mount, with knockouts, fiberglass-reinforced polycarbonate, black body / gray cover, screw cover.	Stock	\$17.00
<u>SB414</u>	Comepi SB series pushbutton enclosure, 4 holes, 22mm, 189 x 72 x 53mm (HxWxD), wall mount, with knockouts, fiberglass-reinforced polycarbonate, black body / gray cover, screw cover.	Stock	\$20.00
Floor-Mount Enclosures			
<u>N12544208</u>	Wiegmann enclosure, NEMA 12, 54 x 42 x 8in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,769.00
<u>1422A8F</u>	Hammond enclosure, NEMA 12, 54 x 42 x 8in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$1,922.00
<u>SCE-604808LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 48 x 8in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,131.00
<u>1422B8F</u>	Hammond enclosure, NEMA 12, 60 x 48 x 8in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,586.00

<u>SCE-604810LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 48 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,199.00
<u>N12604810</u>	Wiegmann enclosure, NEMA 12, 60 x 48 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,416.00
<u>1422B10F</u>	Hammond enclosure, NEMA 12, 60 x 48 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,592.00
<u>WRD624810N4D3PT</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 62 x 48 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,868.00
<u>HN4FM604810</u>	Hammond enclosure, NEMA 3R/4/12/13, 60 x 48 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$3,532.00
<u>1422N4B10F</u>	Hammond enclosure, NEMA 3R/4/12/13, 60 x 48 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,630.00
<u>SCE-604812LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 48 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,268.00
<u>N12604812</u>	Wiegmann enclosure, NEMA 12, 60 x 48 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,492.00
<u>SCE-60EL4812LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 48 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,771.00
<u>1422B12F</u>	Hammond enclosure, NEMA 12, 60 x 48 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,661.00
<u>SCE-60EL4812SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,432.00
<u>HN4FM604812SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 48 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,030.00
<u>1422N4SSB12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$6,369.00
<u>SCE-60EL4812SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,576.00
<u>HN4FM604812S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 48 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,950.00
<u>1422N4S16B12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$7,329.00
<u>SCE-604816LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 48 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,402.00
<u>N12604816</u>	Wiegmann enclosure, NEMA 12, 60 x 48 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,640.00
<u>1422B16F</u>	Hammond enclosure, NEMA 12, 60 x 48 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,793.00
<u>SCE-60EL4818LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 48 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,825.00
<u>HN4FM604818</u>	Hammond enclosure, NEMA 3R/4/12/13, 60 x 48 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$3,873.00
<u>SCE-60EL4818SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,822.00
<u>HN4FM604818SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 48 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,650.00
<u>SCE-60EL4818SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,035.00
<u>HN4FM604818S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 48 x 18in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,665.00
<u>SCE-604824LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 48 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,677.00
<u>1422B20F</u>	Hammond enclosure, NEMA 12, 60 x 48 x 20in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,998.00
<u>1422B24F</u>	Hammond enclosure, NEMA 12, 60 x 48 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,139.00
<u>SCE-606010LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 60 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,463.00
<u>N12606010</u>	Wiegmann enclosure, NEMA 12, 60 x 60 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,785.00
<u>1422D10F</u>	Hammond enclosure, NEMA 12, 60 x 60 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,023.00
<u>SCE-606012LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,539.00

<u>N12606012</u>	Wiegmann enclosure, NEMA 12, 60 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,874.00
<u>SCE-60EL6012LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,037.00
<u>1422D12F</u>	Hammond enclosure, NEMA 12, 60 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,027.00
<u>WRD626012N4D3PT</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 62 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,316.00
<u>HN4FM606012</u>	Hammond enclosure, NEMA 3R/4/12/13, 60 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$4,025.00
<u>1422N4D12F</u>	Hammond enclosure, NEMA 3R/4/12/13, 60 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$4,173.00
<u>SCE-60EL6012SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 60 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,219.00
<u>HN4FM606012SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 60 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,806.00
<u>1422N4SSD12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 60 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$7,188.00
<u>SCE-60EL6012SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 60 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,503.00
<u>HN4FM606012S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 60 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,815.00
<u>1422N4S16D12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 60 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$8,246.00
<u>SCE-606016LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 60 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,691.00
<u>N12606016</u>	Wiegmann enclosure, NEMA 12, 60 x 60 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,987.00
<u>1422D16F</u>	Hammond enclosure, NEMA 12, 60 x 60 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,176.00
<u>SCE-60EL6018LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 60 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,092.00
<u>HN4FM606018</u>	Hammond enclosure, NEMA 3R/4/12/13, 60 x 60 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$4,356.00
<u>SCE-60EL6018SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 60 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,560.00
<u>HN4FM606018SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 60 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,440.00
<u>SCE-60EL6018SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 60 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,905.00
<u>HN4FM606018S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 60 x 18in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,396.00
<u>SCE-606024LP</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 60 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,995.00
<u>1422D24F</u>	Hammond enclosure, NEMA 12, 60 x 60 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,556.00
<u>SCE-726010ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,818.00
<u>N12726010</u>	Wiegmann enclosure, NEMA 12, 72 x 60 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,187.00
<u>1422E10F</u>	Hammond enclosure, NEMA 12, 72 x 60 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,482.00
<u>SCE-726012ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,905.00
<u>N12726012</u>	Wiegmann enclosure, NEMA 12, 72 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,191.00
<u>SCE-72EL6012LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,395.00
<u>1422E12F</u>	Hammond enclosure, NEMA 12, 72 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,484.00
<u>HN4FM726012</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$4,477.00
<u>1422N4E12F</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 60 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$4,582.00

<u>SCE-72EL6012SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,233.00
<u>HN4FM726012SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,166.00
<u>1422N4SSE12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$8,614.00
<u>SCE-72EL6012SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,697.00
<u>HN4FM726012S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,389.00
<u>1422N4S16E12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$9,909.00
<u>SCE-726016ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,075.00
<u>1422E16F</u>	Hammond enclosure, NEMA 12, 72 x 60 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,654.00
<u>SCE-72EL6018LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 60 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,438.00
<u>HN4FM726018</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 60 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$4,755.00
<u>SCE-72EL6018SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,408.00
<u>SCE-72EL6018SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,904.00
<u>HN4FM726018SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,763.00
<u>HN4FM726018S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 18in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,463.00
<u>1422E20F</u>	Hammond enclosure, NEMA 12, 72 x 60 x 20in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,910.00
<u>SCE-726024ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,422.00
<u>N12726024</u>	Wiegmann enclosure, NEMA 12, 72 x 60 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,864.00
<u>1422E24F</u>	Hammond enclosure, NEMA 12, 72 x 60 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,049.00
<u>SCE-727210ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,140.00
<u>1422F10F</u>	Hammond enclosure, NEMA 12, 72 x 72 x 10in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,918.00
<u>SCE-727212ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,234.00
<u>N12727212</u>	Wiegmann enclosure, NEMA 12, 72 x 72 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,553.00
<u>SCE-72EL7212LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 72 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,805.00
<u>WRD747212N4D3PT</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 74 x 72 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,184.00
<u>1422F12F</u>	Hammond enclosure, NEMA 12, 72 x 72 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,922.00
<u>HN4FM727212</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 72 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$4,942.00
<u>1422N4F12F</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 72 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$5,057.00
<u>SCE-72EL7212SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,890.00
<u>HN4FM727212SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,441.00
<u>1422N4SSF12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$8,896.00
<u>SCE-72EL7212SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$10,471.00
<u>HN4FM727212S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,689.00

<u>1422N4S16F12F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 12in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$10,207.00
<u>SCE-727216ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,422.00
<u>N12727216</u>	Wiegmann enclosure, NEMA 12, 72 x 72 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,867.00
<u>1422F16F</u>	Hammond enclosure, NEMA 12, 72 x 72 x 16in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,072.00
<u>SCE-72EL7218LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 72 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,904.00
<u>HN4FM727218</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 72 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$5,217.00
<u>SCE-72EL7218SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,555.00
<u>HN4FM727218SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,184.00
<u>HN4FM727218S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 18in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$10,138.00
<u>SCE-72EL7218SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,255.00
<u>1422F20F</u>	Hammond enclosure, NEMA 12, 72 x 72 x 20in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,307.00
<u>SCE-727224ULP</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,798.00
<u>SCE-72EL7224LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 72 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,321.00
<u>1422F24F</u>	Hammond enclosure, NEMA 12, 72 x 72 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,456.00
<u>HN4FM727224</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 72 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle.	Stock	\$5,557.00
<u>1422N4F24F</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 72 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$5,695.00
<u>SCE-72EL7224SSLPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,895.00
<u>HN4FM727224SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 24in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$10,638.00
<u>SCE-72EL7224SS6LPPL</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,655.00
<u>1422N4SSF24F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$11,224.00
<u>HN4FM727224S16</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 24in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, 3-point 316 stainless steel padlocking handle.	Stock	\$12,219.00
<u>1422N4S16F24F</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), floor mount, 316 stainless steel, #4 brush finish, 2-door, stainless steel clamps, padlock hasp and staple.	Stock	\$12,890.00

Freestanding Enclosures

<u>SCE-60EL2418FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,463.00
<u>WRD602418FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 60 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,622.00
<u>1418TW18</u>	Hammond enclosure, NEMA 12, 60 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,540.00
<u>SCE-60EL2418SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 24 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,920.00
<u>HN4FS602418SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 24 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$3,774.00
<u>WA602418SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 60 x 24 x 18in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$3,661.00
<u>SCE-60EL2418SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 24 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,658.00
<u>HN4FS602418S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 24 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,741.00
<u>SCE-603624FS</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,939.00

<u>WRD603624FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 60 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,159.00
<u>1418TY24</u>	Hammond enclosure, NEMA 12, 60 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,094.00
<u>SCE-60EL3624SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,723.00
<u>HN4FS603624SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,013.00
<u>WA603624SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 60 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$5,254.00
<u>SCE-60EL3624SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,563.00
<u>WRD603624SSFSN4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/4X/12, 60 x 36 x 24in (HxWxD), freestanding mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,125.00
<u>HN4FS603624S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 60 x 36 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,299.00
<u>SCE-60EL4812SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 48 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$8,444.00
<u>SCE-60EL4812SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 48 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$10,038.00
<u>SCE-604818FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,454.00
<u>WRD604818FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 60 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,709.00
<u>1418AW18</u>	Hammond enclosure, NEMA 12, 60 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,784.00
<u>WA604818FSD</u>	Wiegmann enclosure, NEMA 12, 60 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,081.00
<u>SCE-60EL4818FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 60 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,153.00
<u>SCE-604818SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 60 x 48 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,858.00
<u>SCE-60EL4818SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,415.00
<u>HN4FS604818SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 60 x 48 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,700.00
<u>SCE-60EL4818SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 60 x 48 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,733.00
<u>SCE-60EL4818SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 48 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$8,956.00
<u>SCE-60EL4818SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 48 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$10,647.00
<u>SCE-60EL6012SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 60 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$9,477.00
<u>SCE-60EL6012SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 60 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$11,266.00
<u>SCE-60EL6018SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 60 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$9,925.00
<u>SCE-60EL6018SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 60 x 60 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$11,799.00
<u>SCE-72EL2418FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,622.00
<u>WRD722418FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,850.00
<u>1418W18</u>	Hammond enclosure, NEMA 12, 72 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,753.00
<u>HN4FS722518</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 25 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$2,025.00
<u>1418N4W18</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,457.00
<u>SCE-72EL2418SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,163.00
<u>HN4FS722418SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,189.00

<u>SCE-72EL2418SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,904.00
<u>1418N4SSW18</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$4,828.00
<u>WRD722418SSFSN4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/4X/12, 72 x 24 x 18in (HxWxD), freestanding mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,123.00
<u>HN4FS722418S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,263.00
<u>1418N4S16W18</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$6,080.00
<u>SCE-72EL2424FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 24 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,802.00
<u>SCE-72EL2424FSDA</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 24 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,109.00
<u>1418W24</u>	Hammond enclosure, NEMA 12, 72 x 24 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,945.00
<u>1418WD24</u>	Hammond enclosure, NEMA 12, 72 x 24 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,169.00
<u>SCE-72EL2424SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,484.00
<u>HN4FS722424SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,652.00
<u>WA722424SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 72 x 24 x 24in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$5,119.00
<u>SCE-72EL2424SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,281.00
<u>HN4FS722424DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,444.00
<u>HN4FS722424S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,845.00
<u>HN4FS722424DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 24in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,828.00
<u>SCE-72EL2430FSDA</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 24 x 30in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,319.00
<u>1418W30</u>	Hammond enclosure, NEMA 12, 72 x 24 x 30in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,114.00
<u>1418WD30</u>	Hammond enclosure, NEMA 12, 72 x 24 x 30in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,384.00
<u>HN4FS722430DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 30in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,996.00
<u>HN4FS722430DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 30in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,521.00
<u>SCE-72EL2436FSDA</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 24 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,532.00
<u>1418W36</u>	Hammond enclosure, NEMA 12, 72 x 24 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,313.00
<u>1418WD36</u>	Hammond enclosure, NEMA 12, 72 x 24 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,597.00
<u>HN4FS722436DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 36in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,555.00
<u>HN4FS722436DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 24 x 36in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,530.00
<u>SCE-72EL3018FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,787.00
<u>WRD723018FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 30 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,987.00
<u>1418X18</u>	Hammond enclosure, NEMA 12, 72 x 30 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,880.00
<u>SCE-72EL3018SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,469.00
<u>HN4FS723018SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,627.00
<u>WA723018SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 72 x 30 x 18in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$5,087.00

<u>SCE-72EL3018SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,264.00
<u>HN4FS723018S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,814.00
<u>SCE-72EL3024FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,983.00
<u>SCE-72EL3024FSDA</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 30 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,320.00
<u>1418X24</u>	Hammond enclosure, NEMA 12, 72 x 30 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,080.00
<u>1418XD24</u>	Hammond enclosure, NEMA 12, 72 x 30 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,384.00
<u>WA723024FSDA</u>	Wiegmann enclosure, NEMA 12, 72 x 30 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,636.00
<u>HN4FS723124</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 31 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$2,898.00
<u>1418N4X24</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 30 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$2,995.00
<u>SCE-72EL3024SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,962.00
<u>HN4FS723024SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,135.00
<u>SCE-72EL3024SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,845.00
<u>1418N4SSX24</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$5,906.00
<u>WRD723024SSFSN4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/4X/12, 72 x 30 x 24in (HxWxD), freestanding mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,272.00
<u>HN4FS723024DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,996.00
<u>HN4FS723024S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,452.00
<u>1418N4S16X24</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$7,433.00
<u>HN4FS723024DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 30 x 24in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,521.00
<u>SCE-723618FS</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 36 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,961.00
<u>WRD723618FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 36 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,175.00
<u>1418Y18</u>	Hammond enclosure, NEMA 12, 72 x 36 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,058.00
<u>SCE-72EL3618SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,943.00
<u>HN4FS723618SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,069.00
<u>WA723618SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 72 x 36 x 18in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$5,317.00
<u>SCE-72EL3618SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,822.00
<u>WRD723618SSFSN4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/4X/12, 72 x 36 x 18in (HxWxD), freestanding mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,198.00
<u>HN4FS723618S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,371.00
<u>SCE-723624FS</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,163.00
<u>SCE-72EL3624FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,228.00
<u>SCE-723624FSDA</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 36 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,532.00
<u>1418Y24</u>	Hammond enclosure, NEMA 12, 72 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,271.00
<u>1418YD24</u>	Hammond enclosure, NEMA 12, 72 x 36 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,597.00

<u>WA723624FSDA</u>	Wiegmann enclosure, NEMA 12, 72 x 36 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,877.00
<u>HN4FS723724</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 37 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$3,157.00
<u>1418N4Y24</u>	Hammond enclosure, NEMA 3R/4/12/13, 72 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$3,263.00
<u>SCE-72EL3624SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,530.00
<u>HN4FS723624SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$5,598.00
<u>WA723624SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 72 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$5,423.00
<u>SCE-72EL3624SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,514.00
<u>1418N4SSY24</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$6,442.00
<u>HN4FS723624DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,555.00
<u>HN4FS723624S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,034.00
<u>1418N4S16Y24</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, stainless steel clamps, padlock hasp and staple.	Stock	\$8,113.00
<u>HN4FS723624DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 24in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,222.00
<u>SCE-723630FS</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 36 x 30in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,370.00
<u>WRD723630FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 36 x 30in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,703.00
<u>1418Y30</u>	Hammond enclosure, NEMA 12, 72 x 36 x 30in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,554.00
<u>SCE-72EL3630SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 30in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,118.00
<u>HN4FS723630SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 30in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,132.00
<u>SCE-72EL3630SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 30in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,206.00
<u>WRD723630SSFSN4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/4X/12, 72 x 36 x 30in (HxWxD), freestanding mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,490.00
<u>HN4FS723630S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 30in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,703.00
<u>SCE-723636FS</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 36 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,572.00
<u>WRD723636FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 36 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,012.00
<u>SCE-723636FSDA</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 36 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,006.00
<u>1418Y36</u>	Hammond enclosure, NEMA 12, 72 x 36 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,774.00
<u>1418YD36</u>	Hammond enclosure, NEMA 12, 72 x 36 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$3,090.00
<u>SCE-72EL3636SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,705.00
<u>HN4FS723636SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,670.00
<u>WA723636SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 72 x 36 x 36in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$7,319.00
<u>SCE-72EL3636SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 36in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,898.00
<u>HN4FS723636DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 36in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,787.00
<u>HN4FS723636S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 36in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,366.00
<u>HN4FS723636DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 72 x 36 x 36in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,768.00

<u>SCE-724818FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,703.00
<u>WRD724818FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,901.00
<u>1418ZW18</u>	Hammond enclosure, NEMA 12, 72 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$2,979.00
<u>WA724818FSD</u>	Wiegmann enclosure, NEMA 12, 72 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,298.00
<u>SCE-72EL4818FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 48 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,490.00
<u>SCE-724818SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 48 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,554.00
<u>HN4FS724818SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 48 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,364.00
<u>SCE-72EL4818SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 48 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,174.00
<u>SCE-72EL4818SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 48 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,628.00
<u>SCE-724824FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 48 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,928.00
<u>WRD724824FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 48 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,232.00
<u>SCE-724824FSDAD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 48 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, overlapping double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,638.00
<u>SCE-72EL4824FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 48 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,717.00
<u>1418ZW24</u>	Hammond enclosure, NEMA 12, 72 x 48 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,322.00
<u>1418ZWD24</u>	Hammond enclosure, NEMA 12, 72 x 48 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,592.00
<u>SCE-724824SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 48 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,184.00
<u>SCE-72EL4824SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 48 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,803.00
<u>HN4FS724824SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 48 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,993.00
<u>WA724824SSFSDN43P I</u>	Wiegmann enclosure, NEMA 4/4X/12, 72 x 48 x 24in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, 2-door, 3-point 316L padlocking handle.	Stock	\$7,737.00
<u>HN4FS724824DASS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 48 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,049.00
<u>SCE-72EL4824SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 48 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$10,369.00
<u>SCE-72EL6012SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 60 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$10,808.00
<u>SCE-72EL6012SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 60 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$12,848.00
<u>SCE-726018FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,040.00
<u>WRD726018FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 60 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,264.00
<u>1418ZX18</u>	Hammond enclosure, NEMA 12, 72 x 60 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,351.00
<u>SCE-72EL6018FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 60 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,829.00
<u>SCE-726018SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,498.00
<u>SCE-72EL6018SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,118.00
<u>HN4FS726018SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,300.00
<u>SCE-72EL6018SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$10,740.00
<u>SCE-72EL6018SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 60 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$11,039.00

<u>SCE-72EL6018SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 60 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$13,123.00
<u>SCE-726024FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,290.00
<u>SCE-72EL6024FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 60 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,044.00
<u>SCE-726024FSDAD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, overlapping double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,057.00
<u>1418ZX24</u>	Hammond enclosure, NEMA 12, 72 x 60 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,727.00
<u>1418ZXD24</u>	Hammond enclosure, NEMA 12, 72 x 60 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,006.00
<u>SCE-726024SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,194.00
<u>SCE-72EL6024SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,814.00
<u>HN4FS726024SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,965.00
<u>HN4FS726024DASS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$10,190.00
<u>SCE-72EL6024SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,560.00
<u>SCE-726036FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,784.00
<u>SCE-72EL6036FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 60 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,446.00
<u>WRD726036FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 60 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,126.00
<u>SCE-726036FSDAD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, overlapping double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,559.00
<u>1418ZX36</u>	Hammond enclosure, NEMA 12, 72 x 60 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,215.00
<u>1418ZXD36</u>	Hammond enclosure, NEMA 12, 72 x 60 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,499.00
<u>SCE-726036SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 60 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$10,577.00
<u>SCE-72EL6036SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,197.00
<u>HN4FS726036SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$10,335.00
<u>HN4FS726036DASS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 60 x 36in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$11,713.00
<u>SCE-72EL6036SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 60 x 36in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$13,189.00
<u>SCE-72EL7212SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 72 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$11,672.00
<u>SCE-72EL7212SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 72 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$13,875.00
<u>SCE-727218FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,378.00
<u>1418ZY18</u>	Hammond enclosure, NEMA 12, 72 x 72 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,721.00
<u>SCE-72EL7218FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 72 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,141.00
<u>WA727218FSD</u>	Wiegmann enclosure, NEMA 12, 72 x 72 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,169.00
<u>SCE-727218SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,443.00
<u>SCE-72EL7218SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$10,083.00
<u>HN4FS727218SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,218.00
<u>SCE-72EL7218SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,877.00

<u>SCE-72EL7218SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 72 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$12,545.00
<u>SCE-72EL7218SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 72 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$14,913.00
<u>SCE-727224FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,651.00
<u>WRD727224FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 72 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,995.00
<u>SCE-72EL7224FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 72 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,363.00
<u>1418ZY24</u>	Hammond enclosure, NEMA 12, 72 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,994.00
<u>SCE-727224FSDAD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, overlapping double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,424.00
<u>WA727224FSD</u>	Wiegmann enclosure, NEMA 12, 72 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,443.00
<u>1418ZYD24</u>	Hammond enclosure, NEMA 12, 72 x 72 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,364.00
<u>SCE-727224SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 72 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$10,206.00
<u>SCE-72EL7224SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$10,846.00
<u>HN4FS727224SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,967.00
<u>HN4FS727224DASS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 72 x 72 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$11,296.00
<u>SCE-72EL7224SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$12,775.00
<u>SCE-72EL7224SSST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$12,990.00
<u>SCE-72EL7224SS6ST</u>	Saginaw Enviroline series enclosure, slope top, NEMA 3R/4/4X/12/13, 72 x 72 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle.	Stock	\$15,442.00
<u>2STFS747512SS</u>	Hammond enclosure, slope top, NEMA 3R/4/4X/12/13, 74 x 75 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$11,438.00
<u>2STFS747512S16</u>	Hammond enclosure, slope top, NEMA 3R/4/4X/12/13, 74 x 75 x 12in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$13,185.00
<u>2STFS747518SS</u>	Hammond enclosure, slope top, NEMA 3R/4/4X/12/13, 74 x 75 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$12,467.00
<u>2STFS747518S16</u>	Hammond enclosure, slope top, NEMA 3R/4/4X/12/13, 74 x 75 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$14,377.00
<u>2STFS747524SS</u>	Hammond enclosure, slope top, NEMA 3R/4/4X/12/13, 74 x 75 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$13,426.00
<u>2STFS747524S16</u>	Hammond enclosure, slope top, NEMA 3R/4/4X/12/13, 74 x 75 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$15,488.00
<u>SCE-86M3E</u>	Saginaw enclosure, NEMA 3R/12/13, 86 x 112 x 14in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle.	Stock	\$6,723.00
<u>SCE-86M3E20</u>	Saginaw enclosure, NEMA 3R/12/13, 86 x 112 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle.	Stock	\$7,318.00
<u>1422MD3</u>	Hammond enclosure, NEMA 12, 86 x 112 x 14in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point keylocking handle.	Stock	\$8,782.00
<u>1422MD320</u>	Hammond enclosure, NEMA 12, 86 x 112 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point keylocking handle.	Stock	\$9,034.00
<u>1422MD4</u>	Hammond enclosure, NEMA 12, 86 x 149 x 14in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 4-door, 3-point keylocking handle.	Stock	\$10,799.00
<u>1422MD420</u>	Hammond enclosure, NEMA 12, 86 x 149 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 4-door, 3-point keylocking handle.	Stock	\$11,128.00
<u>1418YW20</u>	Hammond enclosure, NEMA 12, 90 x 24 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,082.00
<u>SCE-90EL2420FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 90 x 24 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,133.00
<u>SCE-90EL2420SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 24 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,057.00
<u>HN4FS902420SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 24 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$4,998.00

<u>SCE-90EL2420SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 24 x 20in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,928.00
<u>WRD902420SSFSN4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/4X/12, 90 x 24 x 20in (HxWxD), freestanding mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,104.00
<u>HN4FS902420S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 24 x 20in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,279.00
<u>SCE-903620FS</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 36 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,546.00
<u>WRD903620FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 90 x 36 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,601.00
<u>1418YY20</u>	Hammond enclosure, NEMA 12, 90 x 36 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,460.00
<u>SCE-90EL3620SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,253.00
<u>HN4FS903620SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,078.00
<u>WA903620SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 90 x 36 x 20in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$6,673.00
<u>SCE-90EL3620SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 20in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,336.00
<u>HN4FS903620S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 20in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,631.00
<u>SCE-903624FS</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,708.00
<u>SCE-90EL3624FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 90 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,784.00
<u>SCE-903624FSDA</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 36 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,130.00
<u>1418YY24</u>	Hammond enclosure, NEMA 12, 90 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,626.00
<u>1418YYD24</u>	Hammond enclosure, NEMA 12, 90 x 36 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$3,007.00
<u>SCE-90EL3624SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$6,780.00
<u>HN4FS903624SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$6,500.00
<u>WA903624SSFSN43PT</u>	Wiegmann enclosure, NEMA 3/4/4X/12, 90 x 36 x 24in (HxWxD), freestanding, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point 316L padlocking handle.	Stock	\$7,131.00
<u>SCE-90EL3624SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,957.00
<u>HN4FS903624DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,594.00
<u>HN4FS903624S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,157.00
<u>HN4FS903624DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 24in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,525.00
<u>SCE-903636FS</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 36 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,184.00
<u>WRD903636FS4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 90 x 36 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,491.00
<u>SCE-903636FSDA</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 36 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,686.00
<u>1418YY36</u>	Hammond enclosure, NEMA 12, 90 x 36 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$3,215.00
<u>1418YYD36</u>	Hammond enclosure, NEMA 12, 90 x 36 x 36in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$3,576.00
<u>SCE-90EL3636SSFS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$7,888.00
<u>HN4FS903636SS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$7,727.00
<u>SCE-90EL3636SS6FS</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 36in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,262.00
<u>WRD903636SSFSN4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/4X/12, 90 x 36 x 36in (HxWxD), freestanding mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,439.00

<u>HN4FS903636DASS</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 36in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,025.00
<u>HN4FS903636S16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 36in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$9,699.00
<u>HN4FS903636DS16</u>	Hammond enclosure, NEMA 3R/4/4X/12/13, 90 x 36 x 36in (HxWxD), freestanding, dual access, 316 stainless steel, #4 brush finish, single-door, 3-point 316 stainless steel padlocking handle.	Stock	\$11,321.00
<u>SCE-904820FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 48 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,366.00
<u>WRD904820FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 90 x 48 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,393.00
<u>1418BW20</u>	Hammond enclosure, NEMA 12, 90 x 48 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,483.00
<u>SCE-90EL4820FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 90 x 48 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,179.00
<u>SCE-904820SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 48 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$8,975.00
<u>SCE-90EL4820SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 48 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$9,677.00
<u>HN4FS904820SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 90 x 48 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$8,626.00
<u>SCE-90EL4820SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 48 x 20in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,369.00
<u>SCE-904824FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 48 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,492.00
<u>SCE-906020FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 60 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,736.00
<u>SCE-907220FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 72 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,136.00
<u>WRD907220FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 90 x 72 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,299.00
<u>SCE-90EL7220FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 90 x 72 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,872.00
<u>1418BY20</u>	Hammond enclosure, NEMA 12, 90 x 72 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,297.00
<u>SCE-907220SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 72 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,283.00
<u>SCE-90EL7220SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 72 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,987.00
<u>HN4FS907220SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 90 x 72 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$10,885.00
<u>SCE-90EL7220SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 72 x 20in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$14,091.00
<u>SCE-907224FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,300.00
<u>WRD907224FSD4</u>	Wiegmann KwikHinge series enclosure, NEMA 3R/4/12, 90 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,481.00
<u>SCE-90EL7224FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 90 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,034.00
<u>1418BY24</u>	Hammond enclosure, NEMA 12, 90 x 72 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,480.00
<u>SCE-907224FSDAD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 72 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, overlapping double-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,131.00
<u>1418BYD24</u>	Hammond enclosure, NEMA 12, 90 x 72 x 24in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$4,899.00
<u>SCE-907224SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 72 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$11,846.00
<u>SCE-90EL7224SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 72 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$12,550.00
<u>HN4FS907224SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 90 x 72 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$11,441.00
<u>HN4FS907224DASS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 90 x 72 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$12,969.00
<u>SCE-90EL7224SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 72 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$14,753.00

<u>SCE-907236FSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 72 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,794.00
<u>SCE-90EL7236FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/12/13, 90 x 72 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$5,523.00
<u>1418BY36</u>	Hammond enclosure, NEMA 12, 90 x 72 x 36in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$5,143.00
<u>SCE-907236SSFSD</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 72 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$13,553.00
<u>SCE-90EL7236SSFSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 72 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$14,257.00
<u>HN4FS907236SS</u>	Hammond enclosure, NEMA 3R/4X/12/13, 90 x 72 x 36in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$13,095.00
<u>SCE-90EL7236SS6FSD</u>	Saginaw Enviroline series enclosure, NEMA 3R/4/4X/12/13, 90 x 72 x 36in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking/padlocking combo handle.	Stock	\$16,764.00
Modular Enclosure Bays			
<u>SCE-N68L4018</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/12/13, 68 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$2,144.00
<u>SCE-N68C4018</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/12/13, 68 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$2,093.00
<u>SCE-N68L4018SS</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 68 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$5,548.00
<u>SCE-N68C4018SS</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 68 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$5,418.00
<u>SCE-N68L4018SS6</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 68 x 40 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$6,684.00
<u>SCE-N68C4018SS6</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 68 x 40 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$6,528.00
<u>SCE-N68L5418</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/12/13, 68 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$3,180.00
<u>SCE-N68C5418</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/12/13, 68 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$3,180.00
<u>SCE-N68L7818</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/12/13, 68 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$3,777.00
<u>SCE-N68LU7818</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/12/13, 68 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$3,777.00
<u>SCE-N68C7818</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/12/13, 68 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$3,692.00
<u>SCE-N68CU7818</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/12/13, 68 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$3,777.00
<u>SCE-N68RU7818</u>	Saginaw NextGen series right enclosure bay, NEMA 3R/12/13, 68 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$3,777.00
<u>SCE-N68L7818SS</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 68 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$9,775.00
<u>SCE-N68C7818SS</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 68 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$9,556.00
<u>SCE-N68L7818SS6</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 68 x 78 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$11,778.00
<u>SCE-N68C7818SS6</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 68 x 78 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$11,513.00
<u>SCE-N80L4018</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/12/13, 80 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$2,288.00
<u>SCE-N80C4018</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/12/13, 80 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$2,288.00
<u>SCE-N80L4018SS</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 80 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$5,922.00
<u>SCE-N80C4018SS</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 80 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$5,922.00
<u>SCE-N80L4018SS6</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 80 x 40 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$7,135.00
<u>SCE-N80C4018SS6</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 80 x 40 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$7,135.00
<u>SCE-N80L4024</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/12/13, 80 x 40 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$2,555.00

[illegible]

<u>SCE-N86C4024SS</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 86 x 40 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$6,694.00
<u>SCE-N86L4024SS6</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 86 x 40 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$8,065.00
<u>SCE-N86C4024SS6</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 86 x 40 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$8,065.00
<u>SCE-N86L7818</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/12/13, 86 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$4,100.00
<u>SCE-N86LU7818</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/12/13, 86 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$4,205.00
<u>SCE-N86C7818</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/12/13, 86 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$4,100.00
<u>SCE-N86CU7818</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/12/13, 86 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$4,205.00
<u>SCE-N86RU7818</u>	Saginaw NextGen series right enclosure bay, NEMA 3R/12/13, 86 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$4,205.00
<u>SCE-N86L7818SS</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$10,734.00
<u>SCE-N86C7818SS</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$10,734.00
<u>SCE-N86L7818SS6</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$12,933.00
<u>SCE-N86C7818SS6</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$12,933.00
<u>SCE-N86L7824</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/12/13, 86 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$4,325.00
<u>SCE-N86LU7824</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/12/13, 86 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$4,436.00
<u>SCE-N86C7824</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/12/13, 86 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$4,325.00
<u>SCE-N86CU7824</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/12/13, 86 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$4,436.00
<u>SCE-N86RU7824</u>	Saginaw NextGen series right enclosure bay, NEMA 3R/12/13, 86 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, overlapping double-door, 3-point padlocking combo handle.	Stock	\$4,436.00
<u>SCE-N86L7824SS</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$11,448.00
<u>SCE-N86C7824SS</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$11,448.00
<u>SCE-N86L7824SS6</u>	Saginaw NextGen series left enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$13,793.00
<u>SCE-N86C7824SS6</u>	Saginaw NextGen series center enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$13,793.00
Modular Enclosure Components			
<u>MTK180-4</u>	Quadritalia OKK series vertical frame rail, 1800mm, galvanized steel. Package of 4.	Stock	\$236.00
<u>MTK200-4</u>	Quadritalia OKK series vertical frame rail, 2000mm, galvanized steel. Package of 4.	Stock	\$258.00
<u>OKKTB6040</u>	Quadritalia OKK series roof/base set, 600 x 400mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$305.00
<u>OKKTB6060</u>	Quadritalia OKK series roof/base set, 600 x 600mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$399.00
<u>OKKTB6080</u>	Quadritalia OKK series roof/base set, 600 x 800mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$515.00
<u>OKKTB8040</u>	Quadritalia OKK series roof/base set, 800 x 400mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$356.00
<u>OKKTB8060</u>	Quadritalia OKK series roof/base set, 800 x 600mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$402.00
<u>OKKTB8080</u>	Quadritalia OKK series roof/base set, 800 x 800mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$525.00
<u>OKKTB1040</u>	Quadritalia OKK series roof/base set, 1000 x 400mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$380.00
<u>OKKTB1060</u>	Quadritalia OKK series roof/base set, 1000 x 600mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$437.00

<u>OKKTB1080</u>	Quadritalia OKK series roof/base set, 1000 x 800mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$574.00
<u>OKKTB1240</u>	Quadritalia OKK series roof/base set, 1200 x 400mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$539.00
<u>OKKTB1260</u>	Quadritalia OKK series roof/base set, 1200 x 600mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$597.00
<u>OKKTB1280</u>	Quadritalia OKK series roof/base set, 1200 x 800mm (WxD), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$768.00
<u>DBE186</u>	Quadritalia OKK series door, 1800 x 600mm, carbon steel, RAL 7035 light gray.	Stock	\$219.00
<u>DBE188</u>	Quadritalia OKK series door, 1800 x 800mm, carbon steel, RAL 7035 light gray.	Stock	\$263.00
<u>DBE18A</u>	Quadritalia OKK series door, 1800 x 1000mm, carbon steel, RAL 7035 light gray.	Stock	\$282.00
<u>DBE18C</u>	Quadritalia OKK series double door, 1800 x 1200mm, carbon steel, RAL 7035 light gray.	Stock	\$360.00
<u>DBE206</u>	Quadritalia OKK series door, 2000 x 600mm, carbon steel, RAL 7035 light gray.	Stock	\$235.00
<u>DBE208</u>	Quadritalia OKK series door, 2000 x 800mm, carbon steel, RAL 7035 light gray.	Stock	\$279.00
<u>DBE20A</u>	Quadritalia OKK series door, 2000 x 1000mm, carbon steel, RAL 7035 light gray.	Stock	\$319.00
<u>DBE20C</u>	Quadritalia OKK series double door, 2000 x 1200mm, carbon steel, RAL 7035 light gray.	Stock	\$386.00
<u>DTE188</u>	Quadritalia OKK series door, 1800 x 800mm, carbon steel, RAL 7035 light gray, acrylic window.	Stock	\$494.00
<u>DTE18A</u>	Quadritalia OKK series door, 1800 x 1000mm, carbon steel, RAL 7035 light gray, acrylic window.	Stock	\$580.00
<u>DTE208</u>	Quadritalia OKK series door, 2000 x 800mm, carbon steel, RAL 7035 light gray, acrylic window.	Stock	\$559.00
<u>DTE20A</u>	Quadritalia OKK series door, 2000 x 1000mm, carbon steel, RAL 7035 light gray, acrylic window.	Stock	\$653.00
<u>RPE186</u>	Quadritalia OKK series rear exterior panel, 1800 x 600mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$94.00
<u>RPE188</u>	Quadritalia OKK series rear exterior panel, 1800 x 800mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$117.00
<u>RPE18A</u>	Quadritalia OKK series rear exterior panel, 1800 x 1000mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$140.00
<u>RPE18C</u>	Quadritalia OKK series rear exterior panel, 1800 x 1200mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$161.00
<u>RPE206</u>	Quadritalia OKK series rear exterior panel, 2000 x 600mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$114.00
<u>RPE208</u>	Quadritalia OKK series rear exterior panel, 2000 x 800mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$131.00
<u>RPE20A</u>	Quadritalia OKK series rear exterior panel, 2000 x 1000mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$147.00
<u>RPE20C</u>	Quadritalia OKK series rear exterior panel, 2000 x 1200mm (HxW), carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$172.00
<u>DLK184</u>	Quadritalia OKK series side exterior panel, 1800 x 400mm (HxD), carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$86.00
<u>DLK186</u>	Quadritalia OKK series side exterior panel, 1800 x 600mm (HxD), carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$124.00
<u>DLK188</u>	Quadritalia OKK series side exterior panel, 1800 x 800mm (HxD), carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$166.00
<u>DLK204</u>	Quadritalia OKK series side exterior panel, 2000 x 400mm (HxD), carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$94.00
<u>DLK206</u>	Quadritalia OKK series side exterior panel, 2000 x 600mm (HxD), carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$135.00
<u>DLK208</u>	Quadritalia OKK series side exterior panel, 2000 x 800mm (HxD), carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$175.00
<u>SCE-NEP6818</u>	Saginaw NextGen series side exterior panel, 68 x 18in (HxD), carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$346.00
<u>SCE-NEP6818SS</u>	Saginaw NextGen series side exterior panel, 68 x 18in (HxD), 304 stainless steel, #4 brush finish.	Stock	\$1,055.00
<u>SCE-NEP6818SS6</u>	Saginaw NextGen series side exterior panel, 68 x 18in (HxD), 316 stainless steel, #4 brush finish.	Stock	\$1,155.00
<u>SCE-NEP8018</u>	Saginaw NextGen series side exterior panel, 80 x 18in (HxD), carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$367.00
<u>SCE-NEP8018SS</u>	Saginaw NextGen series side exterior panel, 80 x 18in (HxD), 304 stainless steel, #4 brush finish.	Stock	\$1,117.00
<u>SCE-NEP8018SS6</u>	Saginaw NextGen series side exterior panel, 80 x 18in (HxD), 316 stainless steel, #4 brush finish.	Stock	\$1,224.00

<u>SCE-NEP8024</u>	Saginaw NextGen series side exterior panel, 80 x 24in (HxD), carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$407.00
<u>SCE-NEP8024SS</u>	Saginaw NextGen series side exterior panel, 80 x 24in (HxD), 304 stainless steel, #4 brush finish.	Stock	\$1,240.00
<u>SCE-NEP8024SS6</u>	Saginaw NextGen series side exterior panel, 80 x 24in (HxD), 316 stainless steel, #4 brush finish.	Stock	\$1,358.00
<u>SCE-NEP8618</u>	Saginaw NextGen series side exterior panel, 86 x 18in (HxD), carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$506.00
<u>SCE-NEP8618SS</u>	Saginaw NextGen series side exterior panel, 86 x 18in (HxD), 304 stainless steel, #4 brush finish.	Stock	\$1,544.00
<u>SCE-NEP8618SS6</u>	Saginaw NextGen series side exterior panel, 86 x 18in (HxD), 316 stainless steel, #4 brush finish.	Stock	\$1,691.00
<u>SCE-NEP8624</u>	Saginaw NextGen series side exterior panel, 86 x 24in (HxD), carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$538.00
<u>SCE-NEP8624SS</u>	Saginaw NextGen series side exterior panel, 86 x 24in (HxD), 304 stainless steel, #4 brush finish.	Stock	\$1,639.00
<u>SCE-NEP8624SS6</u>	Saginaw NextGen series side exterior panel, 86 x 24in (HxD), 316 stainless steel, #4 brush finish.	Stock	\$1,795.00
Disconnect Enclosures			
<u>WA60X4924U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 60 x 49 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,001.00
<u>1UHD844124FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 84 x 41 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$3,957.00
<u>SCE-60XEL6118LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 61 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,619.00
<u>SCE-60XEL6112LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 61 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,323.00
<u>N412483812CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 48 x 38 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,284.00
<u>SCE-84XM3EW18SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 118 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$20,467.00
<u>1447SF8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 36 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$896.00
<u>SCE-72XD2818G</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 28 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$3,748.00
<u>2UD605012FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 60 x 50 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$3,897.00
<u>WRD72XM7724FSD4</u>	Wiegmann KwikHinge series disconnect enclosure, NEMA 3R/4/12, right flange, 72 x 77 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle, subpanel included.	Stock	\$6,127.00
<u>SCE-60XEL4912SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$8,817.00
<u>SCE-36XEL3110SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 31 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$2,005.00
<u>SDN12423108PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 42 x 31 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,047.00
<u>SCE-36XEL3108LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$782.00
<u>SCE-72XEL7324SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 24in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$13,176.00
<u>SCE-90XM3EW24G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 118 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) galvanized subpanels included.	Stock	\$7,980.00
<u>SCE-72XEL7324SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 24in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$11,187.00
<u>3UHD7211918FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 119 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle.	Stock	\$7,842.00
<u>1UHD844124N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 41 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$8,045.00

<u>2UHD725518FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 55 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$4,718.00
<u>SCE-72XEL7318SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$12,569.00
<u>SCE-90XM7818G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$5,639.00
<u>SCE-42XEL3112LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 31 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$892.00
<u>SDN12202108PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 20 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$652.00
<u>SCE-24XEL2108SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 21 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,079.00
<u>1447SA10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 20 x 21 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$656.00
<u>WA72XM3918U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 72 x 39 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel included.	Stock	\$3,408.00
<u>SCE-84XM4018G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$2,994.00
<u>1447SL10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 60 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,626.00
<u>N412242608CSSSTD</u>	Wiegmann Ultimate series disconnect enclosure, slope top, NEMA 4/4X/12/13, right flange, 24 x 26 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,434.00
<u>SDN12242108PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 24 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$692.00
<u>SCE-48XEL3712SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,023.00
<u>SCE-72XD7818</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$6,079.00
<u>SCE-72XD6618</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 66 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$5,487.00
<u>WA90XM3924U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 90 x 39 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel included.	Stock	\$4,457.00
<u>SCE-72XR3EQ18</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 100 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$7,166.00
<u>2UHD907924N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 79 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$16,005.00
<u>1447SH10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 31 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,154.00
<u>SCE-72XD3EQ18</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 100 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$7,166.00
<u>EN4DSC20228GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 20 x 22 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$585.00
<u>SCE-72XD3EQ18SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 100 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$19,140.00
<u>1447SH16HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 31 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,238.00
<u>SCE-48X2D7812</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 48 x 78 x 12in (HxWxD), freestanding/wall-mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,642.00
<u>SCE-24XEL2510SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 24 x 25 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,349.00
<u>1UHD722918FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 29 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$2,801.00
<u>SCE-72XM2818</u>	Saginaw disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 28 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$2,172.00
<u>SCE-84XD3EW18SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 84 x 118 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$19,780.00

<u>SCE-60XEL3712SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 37 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,795.00
<u>EN4DSC30268GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 30 x 26 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$712.00
<u>SCE-36XEL3110SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 31 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,678.00
<u>N412202208CDSSA</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/4X/12/13, right flange, 20 x 22 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,764.00
<u>SCE-36XEL3110LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$811.00
<u>1447SD8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 30 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$810.00
<u>SCE-72XR5418G</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$5,148.00
<u>SCE-48XEL3716SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,491.00
<u>EN4DSC423212GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 32 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,000.00
<u>SCE-72XM3EQ18SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 100 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$13,920.00
<u>SCE-84XM3EW24SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 118 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$17,997.00
<u>1447SL16HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 60 x 37 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,805.00
<u>SCE-EXD12</u>	Saginaw add-on disconnect enclosure, NEMA 3R/12/13, left flange, 35 x 15 x 12in (HxWxD), external mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush, galvanized subpanel included.	Stock	\$803.00
<u>SCE-60XEL6112SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$8,371.00
<u>1447SL8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 60 x 37 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,564.00
<u>1447SG10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 36 x 31 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$1,056.00
<u>SCE-90XM7818SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$13,717.00
<u>3UHD8411918FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 84 x 119 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle.	Stock	\$8,391.00
<u>SCE-60XEL3716LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 37 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,329.00
<u>SCE-36XEL3110LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$811.00
<u>N412242208CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 24 x 22 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$694.00
<u>SCE-84XR4018G</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$4,439.00
<u>SCE-84XD4018SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 84 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$9,413.00
<u>SCE-72XR6618G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 66 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$5,624.00
<u>SCE-84XM7818</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$5,035.00

<u>SCE-84XM4018SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 40 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$8,299.00
<u>N412363208CSSSTD</u>	Wiegmann Ultimate series disconnect enclosure, slope top, NEMA 4/4X/12/13, right flange, 36 x 32 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$2,495.00
<u>1447SG16HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 36 x 31 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$1,182.00
<u>SCE-42XEL3110SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 31 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,872.00
<u>SCE-20XEL2108LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 20 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$446.00
<u>SCE-72XM3EQ18SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 100 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$16,352.00
<u>SCE-72XM7818SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 78 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$13,500.00
<u>SCE-36XEL2508PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 25 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$729.00
<u>SCE-60XEL3712LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,218.00
<u>SDN12603710PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 60 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,480.00
<u>SCE-60X2D7818</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 60 x 78 x 18in (HxWxD), freestanding/wall-mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,998.00
<u>SCE-60AFSD</u>	Saginaw add-on disconnect enclosure, NEMA 1, left or right flange, 14 x 12 x 7in (HxWxD), internal mount, carbon steel, orange, powder coat finish, single-door, spring-loaded 1/4-turn.	Stock	\$233.00
<u>SCE-72XD3418</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$3,961.00
<u>SCE-72XR5418</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$5,099.00
<u>SCE-72XEL7318SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$13,544.00
<u>SCE-84XD4018G</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$4,439.00
<u>SCE-42XEL3116LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 31 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$946.00
<u>2UDCP727318FFTC</u>	Hammond disconnect enclosure, NEMA 12, center post, 72 x 73 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$5,552.00
<u>SCE-72XM7824G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$5,019.00
<u>1447SC10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 24 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$821.00
<u>SCE-84XM4018SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$7,046.00
<u>SCE-84XM7824SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 78 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$12,880.00
<u>SCE-72XR3418G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$4,025.00
<u>SCE-60XEL3710PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 37 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,159.00
<u>SCE-90XD4018</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$4,726.00

<u>SCE-72XEL6118SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$11,864.00
<u>SCE-90XD7818SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 90 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$16,305.00
<u>SCE-72XD7818SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$13,828.00
<u>SCE-72XD3418SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 34 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$9,589.00
<u>SCE-72XEL6112SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$13,953.00
<u>SCE-72XEL7312LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 73 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,152.00
<u>SCE-36X2D5412</u>	Saginaw disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 54 x 12in (HxWxD), freestanding/wall-mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,030.00
<u>SCE-72XEL6112SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$9,272.00
<u>SDN12242510PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 24 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$771.00
<u>SCE-72XR7818G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$6,208.00
<u>EN4DSC36268GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 26 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$772.00
<u>SCE-84XR3EW18G</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$8,593.00
<u>SCE-20XEL2110PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 20 x 21 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$470.00
<u>SCE-84XM3EW18</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$7,071.00
<u>SCE-30XEL2508SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 30 x 25 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,557.00
<u>SCE-84XR3EW18</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$8,386.00
<u>EN4DSC20228SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 20 x 22 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle.	Stock	\$1,167.00
<u>SCE-72XM2818SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 28 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$6,137.00
<u>2STFSD747512S16</u>	Hammond disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 79 x 75 x 13in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$14,354.00
<u>SCE-90XM7824SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 78 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$16,919.00
<u>2UHD847924N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 79 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$14,714.00
<u>SCE-72XM3418SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 34 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$6,801.00
<u>SCE-60XEL6118SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$10,737.00
<u>WA72XM2718U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 72 x 27 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel included.	Stock	\$2,801.00
<u>1UHD904118FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 41 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$3,814.00
<u>SCE-72XM2818G</u>	Saginaw disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 28 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$2,208.00

<u>SCE-72XM4018</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$2,642.00
<u>N412603812CDSSA</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/4X/12/13, right flange, 60 x 38 x 12in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,849.00
<u>SCE-84XM7824SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 78 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$15,171.00
<u>SCE-72XD3EW18SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 118 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$21,167.00
<u>SCE-72X7312LP</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 73 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,052.00
<u>SCE-72XR3EW18</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$7,768.00
<u>SCE-48XEL3712LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 48 x 37 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,048.00
<u>4UHD8415718N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 157 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 4-door, 3-point padlocking handle.	Stock	\$22,598.00
<u>2UD605018FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 60 x 50 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$4,241.00
<u>SCE-84XM3EW24G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 118 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) galvanized subpanels included.	Stock	\$7,349.00
<u>SCE-47XVR2514</u>	Saginaw disconnect enclosure, vented, NEMA 3R, right flange, 47 x 25 x 14in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,823.00
<u>3UHD9011924FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 119 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle.	Stock	\$9,557.00
<u>SCE-72XR3418</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$3,961.00
<u>SCE-48XEL3710SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,162.00
<u>1447SJ8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 37 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,232.00
<u>SCE-60XEL4912SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$11,266.00
<u>SCE-20XEL2110LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 20 x 21 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$470.00
<u>SCE-30XEL2510SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 30 x 25 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,634.00
<u>SCE-EXD18SS</u>	Saginaw add-on disconnect enclosure, NEMA 3R/4/4X/12/13, left flange, 35 x 15 x 18in (HxWxD), external mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush, galvanized subpanel included.	Stock	\$1,934.00
<u>WA72X7312U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 72 x 73 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,827.00
<u>SCE-72XR4018G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$4,187.00
<u>2UHD907920N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 79 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$15,325.00
<u>SCE-42XEL3712SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 37 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,107.00
<u>2UDCP606112FFTC</u>	Hammond disconnect enclosure, NEMA 12, center post, 60 x 61 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$4,319.00
<u>SCE-42XEL3710LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$913.00
<u>SCE-60XEL4918SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$12,272.00
<u>SCE-90XM3EW24SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 118 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$19,404.00

<u>SCE-72XEL7312SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$13,037.00
<u>1447SG8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 36 x 31 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$1,012.00
<u>SCE-72XM7818SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$11,461.00
<u>1447SK8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 48 x 37 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,343.00
<u>2UHD847918FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 84 x 79 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,250.00
<u>SCE-72XD5418SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 54 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$13,559.00
<u>SCE-36XEL2508SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 25 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,468.00
<u>2UHD727918FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 79 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$5,711.00
<u>SCE-60XEL3710LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,159.00
<u>N412242608CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 24 x 26 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$716.00
<u>SCE-36XEL3110SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 36 x 31 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,795.00
<u>SCE-72XM7824SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 78 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$12,284.00
<u>SCE-60XEL6118SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$11,541.00
<u>SCE-60XEL3716SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 37 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,873.00
<u>SCE-90XM7824SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 78 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$14,389.00
<u>SCE-84XM3EW24</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 118 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$7,142.00
<u>SDN12483816PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 48 x 37 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,490.00
<u>SCE-90XM4020SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 40 x 20in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$9,331.00
<u>SCE-72XD5418SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 54 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$11,511.00
<u>SCE-72XM5418SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 54 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$10,771.00
<u>SCE-36XEL3108LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$782.00
<u>N412423812CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 42 x 38 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,190.00
<u>1447SK12HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 48 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,452.00
<u>SCE-72XD5418G</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$5,148.00
<u>SCE-72XEL7312SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$10,298.00
<u>SCE-90XM4018SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 40 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$9,018.00

<u>SCE-72XD4018SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 40 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$10,254.00
<u>SCE-72XM3EQ18</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 100 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$5,844.00
<u>1447SN4G8</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 36 x 31 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$1,098.00
<u>SCE-72XR6618</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 66 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$5,487.00
<u>1447SK16HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 48 x 37 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,557.00
<u>1447SL12HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 60 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,683.00
<u>SCE-72XEL6118LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 61 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,979.00
<u>1447SN4L12</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 60 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$1,910.00
<u>SCE-72XEL7324SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$16,835.00
<u>SCE-90XM4024SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 40 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$8,213.00
<u>SCE-90XM7824G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$5,862.00
<u>SCE-48XEL3712SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,733.00
<u>SCE-72XM3EW18</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$6,449.00
<u>SCE-84XD7818SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 84 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$15,309.00
<u>SCE-72XM3EW18G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) galvanized subpanels included.	Stock	\$6,621.00
<u>SCE-60XEL4918LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 49 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,237.00
<u>2UD606212FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 60 x 62 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$4,316.00
<u>2UHD726718FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 67 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$5,217.00
<u>SCE-42XEL3112SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 31 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,962.00
<u>SCE-36XEL3116LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$891.00
<u>SCE-42X2D5412</u>	Saginaw disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 54 x 12in (HxWxD), freestanding/wall-mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,123.00
<u>2UHD907924FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 79 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, (2) subpanels included.	Stock	\$7,080.00
<u>SCE-84XD3EW18SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 84 x 118 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$23,255.00
<u>1UHD904120FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 41 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$4,155.00
<u>SCE-84XM7824G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$5,241.00
<u>SDN12302612PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 30 x 25 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$882.00
<u>SCE-72XM3EW18SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 118 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$18,871.00

<u>SCE-90XM3EW24SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 118 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$22,812.00
<u>4UHD8415718FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 84 x 157 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 4-door, 3-point padlocking handle.	Stock	\$10,658.00
<u>SCE-42XEL3716SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 37 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,802.00
<u>1447SN4112</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 42 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$1,485.00
<u>2UHD907920FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 79 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,816.00
<u>SCE-72XD3EW18G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$7,938.00
<u>SCE-72XEL6112SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$11,738.00
<u>SCE-90XM7818SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 78 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$16,128.00
<u>SCE-36XEL2508SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 25 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,745.00
<u>SDN12362510PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 36 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$929.00
<u>2UHD847918N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 79 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$14,258.00
<u>SCE-72XM2818SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 28 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$5,210.00
<u>SCE-90XR7818</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$6,943.00
<u>SCE-72XR4018</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$4,153.00
<u>SCE-53XVR3720</u>	Saginaw disconnect enclosure, vented, NEMA 3R, right flange, 53 x 37 x 20in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,053.00
<u>SCE-72XM7818</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$4,612.00
<u>2UHD725518N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 55 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$10,287.00
<u>EN4DSC603812GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 38 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,348.00
<u>SCE-72XM6618SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 66 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$10,305.00
<u>SCE-84XM3EW18SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 118 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$17,413.00
<u>SCE-72XD3EW18</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$7,768.00
<u>3UHD8411924FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 84 x 119 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle.	Stock	\$8,645.00
<u>2UHD726718N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 67 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$11,577.00
<u>N412483816CSSSTD</u>	Wiegmann Ultimate series disconnect enclosure, slope top, NEMA 4/4X/12/13, right flange, 48 x 38 x 16in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,429.00
<u>SCE-72XR2818G</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 28 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$3,748.00
<u>SCE-90XR4018G</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$4,777.00
<u>N412302608CSSSTD</u>	Wiegmann Ultimate series disconnect enclosure, slope top, NEMA 4/4X/12/13, right flange, 30 x 26 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,693.00

<u>1447SB10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 24 x 21 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$782.00
<u>SCE-48X3D11818</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 48 x 118 x 18in (HxWxD), freestanding/wall-mount, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,397.00
<u>1447SJ10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,283.00
<u>SCE-24XEL2508LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$518.00
<u>2UHD727924N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 79 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$13,794.00
<u>SCE-72XEL6118SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$15,158.00
<u>1447SK10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 48 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,397.00
<u>SCE-90XR4018</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$4,726.00
<u>EN4DSC423212SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 32 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$2,200.00
<u>SCE-72XR2818</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 28 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$3,718.00
<u>SCE-90XM7818</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$5,486.00
<u>1447SE12HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 30 x 25 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$902.00
<u>1447SH12HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 31 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,200.00
<u>SCE-48XEL3716SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,008.00
<u>1UHD904120N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 41 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$8,559.00
<u>1447SN4E8</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 30 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$888.00
<u>WA90XM3920U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 90 x 39 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel included.	Stock	\$4,249.00
<u>SCE-EXR18-400</u>	Saginaw add-on rotary disconnect enclosure, NEMA 3R/12/13, door, 48 x 17 x 18in (HxWxD), external mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush, galvanized subpanel included.	Stock	\$1,051.00
<u>3UHD8411924N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 119 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle.	Stock	\$20,393.00
<u>SCE-24XEL2510LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$544.00
<u>N412242208CDSS</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/4X/12/13, right flange, 24 x 22 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,579.00
<u>SCE-72XD7818G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$6,208.00
<u>SCE-72XD6618SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 66 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$14,925.00
<u>WA60CPX4912U</u>	Wiegmann disconnect enclosure, NEMA 12, center post, 60 x 49 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,657.00
<u>1UHD844118FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 84 x 41 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$3,785.00
<u>SCE-20XEL2108SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 20 x 21 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$841.00
<u>2UDCP727312FFTC</u>	Hammond disconnect enclosure, NEMA 12, center post, 72 x 73 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$5,221.00
<u>SCE-60XEL6118SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$9,116.00

<u>3UHD7211918N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 119 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle.	Stock	\$17,770.00
<u>SCE-30XEL2108LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 30 x 21 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$551.00
<u>1UHD724118N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 41 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$7,136.00
<u>SCE-36XEL2510LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$751.00
<u>N412423212CDSSA</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/4X/12/13, right flange, 42 x 32 x 12in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,242.00
<u>3UHD7210118FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 101 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle.	Stock	\$7,057.00
<u>SCE-24XEL2508LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 25 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$518.00
<u>SCE-72XD5418</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$5,099.00
<u>SCE-72XD6618SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 66 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$12,672.00
<u>SCE-65XVR3716</u>	Saginaw disconnect enclosure, vented, NEMA 3R, right flange, 65 x 37 x 16in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,104.00
<u>SCE-72XM3EW18SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 118 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$15,641.00
<u>SCE-90XM4024G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 40 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$3,634.00
<u>SCE-72XEL7318SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$10,699.00
<u>SCE-60XEL4912SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$9,477.00
<u>1447SD10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 30 x 21 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$834.00
<u>3UHD9011924N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 119 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle.	Stock	\$22,084.00
<u>1447SG12HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 36 x 31 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$1,097.00
<u>SDN12363108PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 36 x 31 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$966.00
<u>SCE-30XEL2508SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 30 x 25 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,315.00
<u>SCE-84XM3EW18G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) galvanized subpanels included.	Stock	\$7,278.00
<u>SCE-36XEL3112LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$840.00
<u>SCE-42XEL3112LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 31 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$892.00
<u>SCE-72XD2818SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 28 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$8,925.00
<u>SCE-84XD3EW18</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$8,386.00
<u>SCE-72X7324LP</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 73 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,627.00
<u>2UHD847924FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 84 x 79 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,387.00
<u>SDN12483710PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 48 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,307.00

<u>SCE-60XEL3716SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 37 x 16in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,636.00
<u>N412603816CSSSTD</u>	Wiegmann Ultimate series disconnect enclosure, slope top, NEMA 4/4X/12/13, right flange, 60 x 38 x 16in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$5,637.00
<u>WRD72XM5318FSD4</u>	Wiegmann KwikHinge series disconnect enclosure, NEMA 3R/4/12, right flange, 72 x 53 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking/padlocking combo handle, subpanel included.	Stock	\$4,551.00
<u>SCE-84XM7818SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$12,721.00
<u>SCE-48XEL3716LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 48 x 37 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,136.00
<u>SCE-72XM7818G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$4,743.00
<u>SCE-42XEL3116LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 31 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$946.00
<u>SCE-72XD2818SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 28 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$7,577.00
<u>SCE-90XD4018SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 90 x 40 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$11,806.00
<u>SCE-24XEL2510LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 25 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$544.00
<u>SCE-30XEL2510LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 30 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$708.00
<u>SCE-42XEL3110LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 31 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$861.00
<u>N412423212CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 42 x 32 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,089.00
<u>SCE-72X7318LP</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 73 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,339.00
<u>SCE-48XEL3716SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,154.00
<u>SCE-36XEL3112SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 31 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$2,104.00
<u>N412302608CDSSA</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/4X/12/13, right flange, 30 x 26 x 8in (HxWxD), wall mount, 316L stainless steel, No. 3 intermediate polished finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$2,151.00
<u>1447SA8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 20 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$631.00
<u>SCE-24XEL2108LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$481.00
<u>N412202208CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 20 x 22 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$639.00
<u>SCE-42XEL3716LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 37 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,056.00
<u>1UHD904118N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 41 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$8,362.00
<u>SDN12603808PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 60 x 37 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,435.00
<u>SCE-65XVR3720</u>	Saginaw disconnect enclosure, vented, NEMA 3R, right flange, 65 x 37 x 20in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,375.00
<u>SCE-42XEL3716SSSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 37 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,324.00

<u>SCE-48XEL3710LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 48 x 37 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$994.00
<u>SDN12603812PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 60 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,572.00
<u>2UDCP726112FFTC</u>	Hammond disconnect enclosure, NEMA 12, center post, 72 x 61 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$4,819.00
<u>SCE-84XM7824</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$5,088.00
<u>EN4DSC36328SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 32 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle.	Stock	\$1,656.00
<u>SCE-72XM5418G</u>	Saginaw disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$3,873.00
<u>SCE-72XD3EQ18SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 100 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$16,287.00
<u>SCE-24XEL2108PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 21 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$481.00
<u>EN4DSC423812SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 38 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$2,240.00
<u>SCE-72XEL6112SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$10,921.00
<u>SCE-90XM4018G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$3,412.00
<u>1UHD904124N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 41 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$9,080.00
<u>SCE-24XEL2510SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 25 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,065.00
<u>SCE-72XM3418</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$2,407.00
<u>SDN12363212PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 36 x 31 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,060.00
<u>EN4DSC36328GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 32 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$879.00
<u>SCE-72XM4018G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$2,684.00
<u>2UHD727924FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 79 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,213.00
<u>SCE-48XEL3712LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 48 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,048.00
<u>1447SN4H12</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 42 x 31 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$1,324.00
<u>1447SN4B8</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 24 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$704.00
<u>2UD726218FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 62 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$5,144.00
<u>SCE-72XD3418SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 34 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$8,141.00
<u>SCE-24XEL2510SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 25 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,266.00
<u>WA84XM7718U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 84 x 77 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,263.00
<u>SCE-90XM7824</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$5,709.00
<u>SCE-36XEL3116PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 16in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$891.00

<u>N412362608CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 36 x 26 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$876.00
<u>2UHD907918FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 79 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,300.00
<u>SCE-30XEL2510SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 30 x 25 x 10in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,408.00
<u>SDN12302510PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 30 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$843.00
<u>2STFSD747518SS</u>	Hammond disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 81 x 75 x 19in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$13,573.00
<u>SCE-72XD3EW18SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 118 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$18,008.00
<u>SCE-42XEL3112SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 31 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,355.00
<u>SCE-90XD4018SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 90 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$10,047.00
<u>SCE-72XM3418SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 34 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$5,774.00
<u>SCE-42XEL3110LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 31 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$861.00
<u>SCE-30XEL2108LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 30 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$551.00
<u>2UD606218FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 60 x 62 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$4,697.00
<u>2UD727418FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 74 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$5,544.00
<u>SCE-72XR7818</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$6,079.00
<u>SCE-60XEL3712SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 37 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,342.00
<u>SDN12483812PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 48 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,369.00
<u>1UHD844118N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 41 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$7,905.00
<u>SCE-48X2D7818</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 48 x 78 x 18in (HxWxD), freestanding/wall-mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,948.00
<u>SCE-400AFSD</u>	Saginaw add-on disconnect enclosure, NEMA 1, left or right flange, 32 x 15 x 10in (HxWxD), internal mount, carbon steel, orange, powder coat finish, single-door, spring-loaded 1/4-turn.	Stock	\$480.00
<u>2UHD907918N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 79 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$15,064.00
<u>SCE-42XEL3712SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 37 x 12in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,533.00
<u>4UHD9015718FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 157 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 4-door, 3-point padlocking handle.	Stock	\$11,006.00
<u>EN4DSC483812SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 48 x 38 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$2,393.00
<u>SCE-72XD4018</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$4,153.00
<u>SCE-72XM6618SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 66 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$12,138.00
<u>SCE-60XEL4912SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 12in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$7,486.00
<u>SCE-72XM5418SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 54 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$9,144.00

<u>SCE-72XD3418G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$4,025.00
<u>4UHD9015718N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 157 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 4-door, 3-point padlocking handle.	Stock	\$27,310.00
<u>SCE-36XEL3112SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 31 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,759.00
<u>N412363208CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 36 x 32 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,011.00
<u>SCE-48XEL3710SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,602.00
<u>WA60CPX6112U</u>	Wiegmann disconnect enclosure, NEMA 12, center post, 60 x 61 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,069.00
<u>EN4DSC483812GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 48 x 38 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,180.00
<u>SCE-72XEL7318LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 73 x 18in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,447.00
<u>EN4DSC603812SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 38 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$2,797.00
<u>SCE-90XM4018</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$3,348.00
<u>WA90XM7720U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 90 x 77 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,991.00
<u>SCE-48XEL3712SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 48 x 37 x 12in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,268.00
<u>SCE-72XD4018G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$4,187.00
<u>SCE-60XEL4924LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 49 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,502.00
<u>SCE-60XEL3712LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 37 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,218.00
<u>SCE-90XD7818G</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$7,095.00
<u>SCE-84XM3EW24SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 118 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$22,110.00
<u>SCE-24XEL2508SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 25 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$996.00
<u>EN4DSC24268GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 26 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$654.00
<u>SCE-90XM3EW24</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 118 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) powder coated subpanels included.	Stock	\$7,767.00
<u>SCE-30XEL2508LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 30 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$687.00
<u>SCE-72XD2818</u>	Saginaw enclosure, NEMA 3R/4/12/13, 72 x 28 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$3,718.00
<u>1447SN4K12</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 48 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$1,625.00
<u>2UD726212FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 62 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$4,735.00
<u>SCE-EXR12-30T200</u>	Saginaw add-on rotary disconnect enclosure, NEMA 3R/12/13, door, 24 x 17 x 12in (HxWxD), external mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush, galvanized subpanel included.	Stock	\$825.00

<u>SCE-30XEL2510PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 30 x 25 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$708.00
<u>2STFSD747512SS</u>	Hammond disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 79 x 75 x 13in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$12,449.00
<u>SCE-72XM4018SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 40 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$7,466.00
<u>EN4DSC30268SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 30 x 26 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle.	Stock	\$1,420.00
<u>3UHD7210118N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 101 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle.	Stock	\$15,782.00
<u>N412302608CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 30 x 26 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$779.00
<u>SCE-100AFSD</u>	Saginaw add-on disconnect enclosure, NEMA 1, left or right flange, 22 x 12 x 7in (HxWxD), internal mount, carbon steel, orange, powder coat finish, single-door, spring-loaded 1/4-turn.	Stock	\$249.00
<u>SCE-90XM4024</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 90 x 40 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$3,570.00
<u>SCE-60XEL4918SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 18in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$9,605.00
<u>SCE-42XEL3712LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$961.00
<u>SCE-60XEL4918SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$8,155.00
<u>SCE-60XEL6124LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 61 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,911.00
<u>SCE-72XD3EQ18G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 100 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$7,314.00
<u>SCE-72XEL6118SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 18in (HxWxD), floor mount, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$10,073.00
<u>WA84XM3918U</u>	Wiegmann disconnect enclosure, NEMA 12, right flange, 84 x 39 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel included.	Stock	\$3,790.00
<u>1447SN4F8</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 36 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$956.00
<u>SCE-42XEL3710PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 37 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$913.00
<u>SCE-90XD7818SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 90 x 78 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$19,133.00
<u>SCE-72XR3EW18G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$7,938.00
<u>N412603812CD</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/12/13, right flange, 60 x 38 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,472.00
<u>SCE-72XEL6112LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 61 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,681.00
<u>SDN12423110PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 42 x 31 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,096.00
<u>SCE-84XM4024</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 40 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$3,020.00
<u>2UD727424FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 74 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$6,004.00
<u>SCE-84XM4024SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 40 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$8,533.00

<u>SDN12423812PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 42 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,265.00
<u>1447SJ12HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 37 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,334.00
<u>2UD727412FFTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 74 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$5,215.00
<u>SCE-72XEL7312SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$12,130.00
<u>SCE-72XD4018SS</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 72 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$8,706.00
<u>1447SC8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 24 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$799.00
<u>SCE-42XEL3110SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 42 x 31 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,245.00
<u>SCE-72XM7824</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 78 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$4,889.00
<u>SCE-53XVR3716</u>	Saginaw disconnect enclosure, vented, NEMA 3R, right flange, 53 x 37 x 16in (HxWxD), wall mount, carbon steel, white, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,773.00
<u>SCE-24XEL2108SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 21 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$916.00
<u>SCE-72XM4018SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$6,339.00
<u>SCE-60XEL6112SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$12,597.00
<u>1447SB8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 24 x 21 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$762.00
<u>2UDCP604912FFTC</u>	Hammond disconnect enclosure, NEMA 12, center post, 60 x 49 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$3,897.00
<u>SCE-72XEL6118SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 61 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$12,751.00
<u>2STFSD747524S16</u>	Hammond disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 83 x 75 x 25in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$16,878.00
<u>SCE-84XD7818SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 84 x 78 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$17,989.00
<u>SCE-60XEL3716SSLP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 37 x 16in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$3,059.00
<u>SCE-20XEL2108LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 20 x 21 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$446.00
<u>1447SQ10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 48 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,240.00
<u>SCE-90XM4024SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 40 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$9,645.00
<u>SCE-36XEL2510LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 25 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$751.00
<u>WRD72XM3918FS4</u>	Wiegmann KwikHinge series disconnect enclosure, NEMA 3R/4/12, right flange, 72 x 39 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle, subpanel included.	Stock	\$3,344.00
<u>SCE-72XEL7312SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 12in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$15,498.00
<u>SCE-30XEL2510SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 30 x 25 x 10in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,672.00
<u>SCE-90XD4018G</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$4,772.00

<u>SCE-72XEL7318SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$16,101.00
<u>SCE-84XM4024SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 40 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$7,245.00
<u>EN4DSC423812GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 38 x 12in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,093.00
<u>1UHD723518N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 35 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$6,488.00
<u>SCE-84XD7818</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$6,497.00
<u>SCE-60XEL6118SS6ST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$13,719.00
<u>SCE-72XM6618</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 66 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$4,221.00
<u>SCE-84XD3EW18G</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 118 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$8,593.00
<u>SCE-48X4D15818</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 48 x 158 x 18in (HxWxD), freestanding/wall-mount, carbon steel, ANSI 61 gray, powder coat finish, 4-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$5,648.00
<u>SDN12362508PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 36 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$881.00
<u>SCE-72XEL7324LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 73 x 24in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$4,743.00
<u>SCE-90XD7818</u>	Saginaw enclosure, NEMA 3R/12/13, 90 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$6,943.00
<u>SCE-90XM4018SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$7,680.00
<u>SCE-60XEL4918SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 49 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$10,324.00
<u>SCE-36XEL3112LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 31 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$840.00
<u>1UHD904124FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 90 x 41 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$4,356.00
<u>EN4DSC36268SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 36 x 26 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle.	Stock	\$1,465.00
<u>SCE-72XM5418</u>	Saginaw disconnect enclosure, NEMA 3R/4/12/13, right flange, 72 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$3,812.00
<u>SCE-24XEL2508SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 25 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,184.00
<u>1UHD722918N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 29 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle.	Stock	\$5,846.00
<u>SCE-72XEL7324SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 72 x 73 x 24in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$14,162.00
<u>N412423812CDSS</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/4X/12/13, right flange, 42 x 38 x 12in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,777.00
<u>SCE-84XD4018</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$4,393.00
<u>SCE-84XD4018SS6</u>	Saginaw enclosure, NEMA 3R/4/4X/12/13, 84 x 40 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point padlocking handle, external disconnect enclosure included.	Stock	\$11,087.00
<u>SCE-72XD6618G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 66 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$5,624.00
<u>SCE-60XEL6112SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 12in (HxWxD), floor mount, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$9,859.00
<u>2STFSD747524SS</u>	Hammond disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 83 x 75 x 25in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$14,627.00

<u>1447SN4C8</u>	Hammond disconnect enclosure, NEMA 3R/4/12, right flange, 24 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, stainless steel clamps.	Stock	\$822.00
<u>1447SE8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 30 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$854.00
<u>SCE-48XEL3716LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 48 x 37 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,136.00
<u>SCE-48XEL3710PLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 48 x 37 x 10in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$994.00
<u>SCE-72XM3EQ18G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 100 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, (2) galvanized subpanels included.	Stock	\$5,993.00
<u>SCE-84XM7818G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$5,160.00
<u>2STFSD747518S16</u>	Hammond disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 81 x 75 x 19in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, double-door, 3-point 316 stainless steel padlocking handle.	Stock	\$15,657.00
<u>EN4DSC24228SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 22 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle.	Stock	\$1,232.00
<u>N412362608CDSS</u>	Wiegmann Ultimate series disconnect enclosure, NEMA 4/4X/12/13, right flange, 36 x 26 x 8in (HxWxD), wall mount, 304 stainless steel, No. 3 intermediate polished finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$1,750.00
<u>1UHD723518FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 35 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$3,105.00
<u>SCE-60XEL6112SSST</u>	Saginaw Enviroline series disconnect enclosure, slope top, NEMA 3R/4/4X/12/13, right flange, 60 x 61 x 12in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point 304 stainless steel padlocking handle, purchase subpanel separately.	Stock	\$10,597.00
<u>SCE-84XR4018</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$4,393.00
<u>1447SJ16HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 37 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,352.00
<u>SCE-84XD7818G</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, subpanel and external disconnect enclosure included.	Stock	\$6,620.00
<u>SCE-84XM7818SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 78 x 18in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$14,984.00
<u>3UHD8411918N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 84 x 119 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 3-door, 3-point padlocking handle.	Stock	\$19,785.00
<u>SCE-84XM4024G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 40 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$3,077.00
<u>SCE-42XEL3712LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 37 x 12in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$961.00
<u>SCE-72XM3418G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$2,446.00
<u>1447SF10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 36 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$938.00
<u>SCE-20XEL2108SS6LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 20 x 21 x 8in (HxWxD), wall mount, 316L stainless steel, #4 brush finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$999.00
<u>SDN12423708PL</u>	Wiegmann disconnect enclosure, NEMA 12/13, right flange, 42 x 37 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,107.00
<u>SCE-60XEL4912LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 49 x 12in (HxWxD), floor mount, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$2,972.00
<u>SCE-EXD18</u>	Saginaw add-on disconnect enclosure, NEMA 3R/12/13, left flange, 35 x 15 x 18in (HxWxD), external mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush, galvanized subpanel included.	Stock	\$864.00
<u>1447SE10HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 30 x 25 x 10in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$880.00
<u>SCE-72XM6618G</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 72 x 66 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, galvanized subpanel included.	Stock	\$4,361.00
<u>SCE-84XR7818</u>	Saginaw enclosure, NEMA 3R/12/13, 84 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point padlocking handle, external rotary disconnect enclosure included.	Stock	\$6,497.00
<u>SCE-30XEL2508LPLG</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 30 x 25 x 8in (HxWxD), wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$687.00

<u>1447SH8HK</u>	Hammond disconnect enclosure, NEMA 4/12/13, right flange, 42 x 31 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$1,107.00
<u>SCE-84XM4018</u>	Saginaw disconnect enclosure, NEMA 3R/12/13, right flange, 84 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$2,937.00
<u>SCE-36XEL2508LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 36 x 25 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle, purchase subpanel separately.	Stock	\$729.00
<u>SCE-72XR3EQ18G</u>	Saginaw enclosure, NEMA 3R/12/13, 72 x 100 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, 3-door, 3-point padlocking handle, subpanel and external rotary disconnect enclosure included.	Stock	\$7,314.00
<u>SCE-60XEL3716LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 60 x 37 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,329.00
<u>EN4DSC24228GY</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/12/13, right flange, 24 x 22 x 8in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 2-point padlocking handle.	Stock	\$620.00
<u>2UHD727918N4SS</u>	Hammond disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 79 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, subpanel included.	Stock	\$12,892.00
<u>1UHD724118FTC</u>	Hammond disconnect enclosure, NEMA 12, right flange, 72 x 41 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle.	Stock	\$3,406.00
<u>SCE-42XEL3716LP</u>	Saginaw Enviroline series disconnect enclosure, NEMA 3R/4/12/13, right flange, 42 x 37 x 16in (HxWxD), wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point padlocking handle, purchase subpanel separately.	Stock	\$1,056.00
<u>EN4DSC24268SS</u>	Hammond Eclipse series disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 24 x 26 x 8in (HxWxD), wall mount, 304 stainless steel, #4 brush finish, single-door, 2-point padlocking handle.	Stock	\$1,306.00
<u>SCE-90XM4020SS</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 90 x 40 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$7,947.00
<u>SCE-72XM7824SS6</u>	Saginaw disconnect enclosure, NEMA 3R/4/4X/12/13, right flange, 72 x 78 x 24in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, 2-door, 3-point padlocking handle, powder coated subpanel included.	Stock	\$14,469.00
Freestanding Disconnect Enclosures			
<u>SCE-N68XM2818</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/12/13, 68 x 28 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$1,845.00
<u>SCE-N68XM2818SS</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 28 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$4,775.00
<u>SCE-N68XM2818SS6</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 28 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$5,753.00
<u>SCE-N68XM3418</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/12/13, 68 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$1,994.00
<u>SCE-N68XM3418SS</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 34 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$5,161.00
<u>SCE-N68XM3418SS6</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 34 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$6,219.00
<u>SCE-N68XM4018</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/12/13, 68 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$2,144.00
<u>SCE-N68XM4018SS</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 40 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$5,548.00
<u>SCE-N68XM4018SS6</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 40 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, single-door, 3-point padlocking combo handle.	Stock	\$6,684.00
<u>SCE-N68XM5418</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/12/13, 68 x 54 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$3,180.00
<u>SCE-N68XM5418SS</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 54 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$8,229.00
<u>SCE-N68XM5418SS6</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 54 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$9,915.00
<u>SCE-N68XM6618</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/12/13, 68 x 66 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$3,478.00
<u>SCE-N68XM6618SS</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 66 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$9,002.00
<u>SCE-N68XM6618SS6</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 66 x 18in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$10,846.00
<u>SCE-N68XM7818</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/12/13, 68 x 78 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, 2-door, 3-point padlocking combo handle.	Stock	\$3,777.00
<u>SCE-N68XM7818SS</u>	Saginaw NextGen series disconnect enclosure, NEMA 3R/4/4X/12/13, 68 x 78 x 18in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$9,775.00

[illegible]

Modular Disconnect Enclosure Bays

<u>SCE-N68RX3418</u>	Saginaw NextGen series right disconnect enclosure bay, NEMA 3R/4/12/13, 68 x 34 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$1,994.00
<u>SCE-N68RX4018</u>	Saginaw NextGen series right disconnect enclosure bay, NEMA 3R/4/12/13, 68 x 40 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, polyester powder coat finish, single-door, 3-point padlocking combo handle.	Stock	\$2,093.00

[illegible]

SCE-N86RX7824SS6	Saginaw NextGen series right disconnect enclosure bay, NEMA 3R/4/4X/12/13, 86 x 78 x 24in (HxWxD), freestanding, 316 stainless steel, #4 brush finish, 2-door, 3-point padlocking combo handle.	Stock	\$13,793.00
Operator Consoles and Workstations			
SCE-464919SDCSS	Saginaw desk console, NEMA 3R/12/13, 46 x 49 x 19in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$6,132.00
SCE-924B	Saginaw operator console, NEMA 3R/12/13, 48 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$1,706.00
SCE-466019DCSS6	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 60 x 19in (HxWxD), freestanding, dual access, 316L stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$8,751.00
SCE-463719DC	Saginaw desk console, NEMA 3R/12/13, 46 x 37 x 19in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking flush swing handle.	Stock	\$2,147.00
SCE-1472BD	Saginaw operator console, NEMA 3R/12/13, 50 x 72 x 23in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$4,203.00
SCE-936B	Saginaw operator console, NEMA 3R/12/13, 48 x 36 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,096.00
SCE-642432WS	Saginaw workstation, NEMA 12/13, 64 x 24 x 32in (HxWxD), freestanding, dual access, carbon steel, RAL 7035 light gray, powder coat finish, 2-door, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$3,476.00
2CSC2036	Hammond operator console, NEMA 3R/4/4X/12, 38 x 36 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush oil-tight stainless steel latch.	Stock	\$2,364.00
W1C48	Wiegmann operator console, NEMA 12/13, 40 x 48 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,286.00
SCE-462519DCSS	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 25 x 19in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$5,089.00
SCE-462519DC	Saginaw desk console, NEMA 3R/4/12/13, 46 x 25 x 19in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking flush swing handle.	Stock	\$1,951.00
SCE-342424SSWS	Saginaw workstation, NEMA 4/4X/12/13, 34 x 24 x 24in (HxWxD), desktop or pedestal mount, dual access, 304 stainless steel, #4 brush finish, single-door with keyboard drawer, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$5,332.00
SCE-403716SDC	Saginaw desk console, NEMA 3R/12/13, 40 x 37 x 16in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking flush swing handle.	Stock	\$1,511.00
SCE-642432SSWS	Saginaw workstation, NEMA 12/13, 64 x 24 x 32in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$6,085.00
SCE-1460BD	Saginaw operator console, NEMA 3R/12/13, 50 x 60 x 23in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,849.00
2CLC2024	Hammond operator console, NEMA 3R/4/12, 38 x 24 x 20in (HxWxD), freestanding, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$1,828.00
SCE-463719SDC	Saginaw desk console, NEMA 3R/12/13, 46 x 37 x 19in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking flush swing handle.	Stock	\$2,032.00
SCE-402516SDC	Saginaw desk console, NEMA 3R/4/12/13, 40 x 25 x 16in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking flush swing handle.	Stock	\$1,329.00
SCE-464919DCCSS6	Saginaw desk console, NEMA 3R/12/13, 46 x 49 x 19in (HxWxD), freestanding, dual access, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking flush swing handle.	Stock	\$7,353.00
SCE-463719SDCSS6	Saginaw desk console, NEMA 3R/12/13, 46 x 37 x 19in (HxWxD), freestanding, dual access, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$5,412.00
W1C36	Wiegmann operator console, NEMA 12/13, 40 x 36 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,512.00
SCE-463719DCSS	Saginaw desk console, NEMA 3R/12/13, 46 x 37 x 19in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$5,600.00
SCE-463719DCSS6	Saginaw desk console, NEMA 3R/12/13, 46 x 37 x 19in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$5,716.00
SCE-464919DCCSS	Saginaw desk console, NEMA 3R/12/13, 46 x 49 x 19in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking flush swing handle.	Stock	\$7,203.00
SCE-403716SDCSS	Saginaw desk console, NEMA 3R/12/13/4/4X, 40 x 37 x 16in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$3,941.00
2CLC2060	Hammond operator console, NEMA 3R/4/12, 38 x 60 x 20in (HxWxD), freestanding, carbon steel, RAL 7035 light gray, powder coat finish, 2-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$3,435.00
W1C42	Wiegmann operator console, NEMA 12/13, 40 x 42 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking handle.	Stock	\$3,073.00
SCE-462519SDCSS6	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 25 x 19in (HxWxD), freestanding, dual access, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$4,876.00
WC1248BD	Wiegmann operator console, NEMA 12/13, 36 x 48 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, flush double-door, 3-point keylocking handle.	Stock	\$3,780.00
W1C30	Wiegmann operator console, NEMA 12/13, 40 x 30 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,227.00

<u>SCE-466019SDCSS6</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 60 x 19in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$8,104.00
<u>SCE-466019DC</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 60 x 19in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking flush swing handle.	Stock	\$3,286.00
<u>SCE-466019DCSS</u>	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 60 x 19in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$8,572.00
<u>2CSC2048</u>	Hammond operator console, NEMA 3R/4/4X/12, 38 x 48 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 1/4-turn semi-flush oil-tight stainless steel latch.	Stock	\$3,238.00
<u>SCE-466019DCCSS</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 60 x 19in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking flush swing handle.	Stock	\$9,254.00
<u>1471C24</u>	Hammond operator console, NEMA 12, 48 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,918.00
<u>SCE-464919SDCSS6</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 49 x 19in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$6,260.00
<u>SCE-342424WS</u>	Saginaw workstation, NEMA 12/13, 34 x 24 x 24in (HxWxD), desktop or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, single-door with keyboard drawer, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$2,372.00
<u>2CSC2024</u>	Hammond operator console, NEMA 3R/4/4X/12, 38 x 24 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush oil-tight stainless steel latch.	Stock	\$2,068.00
<u>WC12B</u>	Wiegmann operator console, NEMA 12/13, 36 x 36 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, flush single-door, 3-point keylocking handle.	Stock	\$3,149.00
<u>SCE-14B</u>	Saginaw operator console, NEMA 3R/12/13, 50 x 24 x 23in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,506.00
<u>2CLC2036</u>	Hammond operator console, NEMA 3R/4/12, 38 x 36 x 20in (HxWxD), freestanding, carbon steel, RAL 7035 light gray, powder coat finish, single-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,126.00
<u>SCE-466019SDCSS</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 60 x 19in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$7,939.00
<u>WC924B</u>	Wiegmann operator console, NEMA 12/13, 48 x 24 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$2,826.00
<u>SCE-1448BD</u>	Saginaw operator console, NEMA 3R/12/13, 50 x 48 x 23in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking/padlocking combo handle.	Stock	\$3,741.00
<u>SCE-462519SDCSS</u>	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 25 x 19in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$4,777.00
<u>SCE-464919DCSS6</u>	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 49 x 19in (HxWxD), freestanding, dual access, 316L stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$6,583.00
<u>SCE-464919DCC</u>	Saginaw desk console, NEMA 3R/4/12/13, 46 x 49 x 19in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking flush swing handle.	Stock	\$2,907.00
<u>SCE-402516SDCSS6</u>	Saginaw desk console, NEMA 3R/4/4X/12/13, 40 x 25 x 16in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$3,542.00
<u>SCE-464919SDC</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 49 x 19in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking flush swing handle.	Stock	\$2,351.00
<u>SCE-463719SDCSS</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 37 x 19in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$5,302.00
<u>SCE-462519DCSS6</u>	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 25 x 19in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$5,195.00
<u>SCE-464919DC</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 49 x 19in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking flush swing handle.	Stock	\$2,472.00
<u>2CSC2060</u>	Hammond operator console, NEMA 3R/4/4X/12, 38 x 60 x 20in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, 2-door, 1/4-turn semi-flush oil-tight stainless steel latch.	Stock	\$3,789.00
<u>1471C36</u>	Hammond operator console, NEMA 12, 48 x 36 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$3,592.00
<u>SCE-1436B</u>	Saginaw operator console, NEMA 3R/12/13, 50 x 36 x 23in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking/padlocking combo handle.	Stock	\$2,931.00
<u>WC1224B</u>	Wiegmann operator console, NEMA 12/13, 36 x 24 x 24in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, flush single-door, 3-point keylocking handle.	Stock	\$2,735.00
<u>2CLC2048</u>	Hammond operator console, NEMA 3R/4/12, 38 x 48 x 20in (HxWxD), freestanding, carbon steel, RAL 7035 light gray, powder coat finish, 2-door, 1/4-turn semi-flush oil-tight latch.	Stock	\$2,934.00
<u>SCE-402516SDCSS</u>	Saginaw desk console, NEMA 3R/4/4X/12/13, 40 x 25 x 16in (HxWxD), freestanding, 304 stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$3,467.00
<u>WC936B</u>	Wiegmann operator console, NEMA 12/13, 48 x 36 x 18in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$3,464.00
<u>SCE-642424SSWS</u>	Saginaw workstation, NEMA 12/13, 64 x 24 x 24in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$5,896.00
<u>SCE-466019DCC</u>	Saginaw desk console, NEMA 3R/4/12/13, 46 x 60 x 19in (HxWxD), freestanding, dual access, carbon steel, ANSI 61 gray, powder coat finish, 2-door, 3-point keylocking flush swing handle.	Stock	\$3,712.00

<u>SCE-403716SDCSS6</u>	Saginaw desk console, NEMA 3R/12/13, 40 x 37 x 16in (HxWxD), freestanding, 316L stainless steel, #4 brush finish, single-door, 3-point keylocking flush swing handle.	Stock	\$4,023.00
<u>SCE-466019DCCSS6</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 60 x 19in (HxWxD), freestanding, dual access, 316L stainless steel, #4 brush finish, 2-door, 3-point keylocking flush swing handle.	Stock	\$9,447.00
<u>SCE-642424WS</u>	Saginaw workstation, NEMA 12/13, 64 x 24 x 24in (HxWxD), freestanding, dual access, carbon steel, RAL 7035 light gray, powder coat finish, 2-door, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$3,279.00
<u>SCE-466019SDC</u>	Saginaw desk console, NEMA 3R/12/13, 46 x 60 x 19in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, double-door, 3-point keylocking flush swing handle.	Stock	\$3,043.00
<u>SCE-66ST2626SSWS</u>	Saginaw workstation, slope top, NEMA 12/13, 66 x 26 x 26in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, 2-door, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$6,798.00
<u>SCE-66ST2626WS</u>	Saginaw workstation, slope top, NEMA 12/13, 66 x 26 x 26in (HxWxD), freestanding, dual access, carbon steel, white, powder coat finish, 2-door, 3-point keylocking flush swing handle, polycarbonate window.	Stock	\$3,299.00
<u>SCE-464919DCSS</u>	Saginaw desk console, NEMA 3R/4/4X/12/13, 46 x 49 x 19in (HxWxD), freestanding, dual access, 304 stainless steel, #4 brush finish, double-door, 3-point keylocking flush swing handle.	Stock	\$6,449.00
<u>SCE-462519SDC</u>	Saginaw desk console, NEMA 3R/4/12/13, 46 x 25 x 19in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking flush swing handle.	Stock	\$1,831.00
<u>W1C24</u>	Wiegmann operator console, NEMA 12/13, 40 x 24 x 20in (HxWxD), freestanding, carbon steel, ANSI 61 gray, powder coat finish, single-door, 3-point keylocking handle.	Stock	\$1,927.00
Operator Consoles			
<u>1488HN9</u>	Hammond operator console, NEMA 12/13, 11 x 24 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$280.00
<u>WC12C12SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 12 x 12 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$314.00
<u>WC20C20</u>	Wiegmann operator console, NEMA 12/13, 20 x 20 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$391.00
<u>WC16C20SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 16 x 20 x 11in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$453.00
<u>WC08C16</u>	Wiegmann operator console, NEMA 12/13, 8 x 16 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$215.00
<u>SCE-20C20ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 20 x 20 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$287.00
<u>SCE-16C16ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 16 x 16 x 11in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$749.00
<u>SCE-12C12ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 12 x 12 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$707.00
<u>WC12C24SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 12 x 24 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$421.00
<u>WC12C16</u>	Wiegmann operator console, NEMA 12/13, 12 x 16 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$254.00
<u>1488LQ13</u>	Hammond operator console, NEMA 12/13, 18 x 30 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$426.00
<u>1488EL7</u>	Hammond operator console, NEMA 12/13, 7 x 20 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$213.00
<u>SCE-8C12ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 8 x 12 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$574.00
<u>SCE-16C24ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 16 x 24 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$274.00
<u>SCE-12C12ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 12 x 12 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$175.00
<u>SCE-12C24ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 12 x 24 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$814.00
<u>SCE-8C20ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 8 x 20 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$178.00
<u>SCE-20C24ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 20 x 24 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$320.00
<u>WC20C30SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 20 x 30 x 13in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$665.00
<u>SCE-8C8ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 8 x 8 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$537.00
<u>SCE-20C24ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 20 x 24 x 13in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,008.00
<u>SCE-16C24ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 16 x 24 x 11in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$877.00

<u>WC12C24</u>	Wiegmann operator console, NEMA 12/13, 12 x 24 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$315.00
<u>WC16C36SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 16 x 36 x 11in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$921.00
<u>WC16C16</u>	Wiegmann operator console, NEMA 12/13, 16 x 16 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$295.00
<u>SCE-12C16ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 12 x 16 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$195.00
<u>WC12C20SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 12 x 20 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$386.00
<u>1488LL13</u>	Hammond operator console, NEMA 12/13, 18 x 20 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$345.00
<u>WC08C20SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 8 x 20 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$322.00
<u>WC08C12</u>	Wiegmann operator console, NEMA 12/13, 8 x 12 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$196.00
<u>SCE-20C20ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 20 x 20 x 13in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$877.00
<u>SCE-8C16ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 8 x 16 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$649.00
<u>WC08C08SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 8 x 8 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$244.00
<u>1488HL9</u>	Hammond operator console, NEMA 12/13, 11 x 20 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$257.00
<u>1488JQ11</u>	Hammond operator console, NEMA 12/13, 14 x 30 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$376.00
<u>1488JJ11</u>	Hammond operator console, NEMA 12/13, 14 x 16 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$262.00
<u>WC12C12</u>	Wiegmann operator console, NEMA 12/13, 12 x 12 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$228.00
<u>SCE-8C8ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 8 x 8 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$135.00
<u>WC08C08</u>	Wiegmann operator console, NEMA 12/13, 8 x 8 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$177.00
<u>1488EH7</u>	Hammond operator console, NEMA 12/13, 7 x 12 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$175.00
<u>WC16C36</u>	Wiegmann operator console, NEMA 12/13, 16 x 36 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$617.00
<u>WC12C16SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 12 x 16 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$350.00
<u>SCE-12C20ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 12 x 20 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$215.00
<u>WC08C16SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 8 x 16 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$296.00
<u>SCE-8C12ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 8 x 12 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$149.00
<u>WC16C16SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 16 x 16 x 11in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$407.00
<u>WC20C24SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 20 x 24 x 13in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$578.00
<u>SCE-8C16ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 8 x 16 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$165.00
<u>1488JN11</u>	Hammond operator console, NEMA 12/13, 14 x 24 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$321.00
<u>SCE-16C16ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 16 x 16 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$228.00
<u>WC16C20</u>	Wiegmann operator console, NEMA 12/13, 16 x 20 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$329.00
<u>WC12C20</u>	Wiegmann operator console, NEMA 12/13, 12 x 20 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$289.00
<u>SCE-20C30ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 20 x 30 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$367.00
<u>WC16C24</u>	Wiegmann operator console, NEMA 12/13, 16 x 24 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$362.00

<u>1488LN13</u>	Hammond operator console, NEMA 12/13, 18 x 24 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$384.00
<u>SCE-12C24ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 12 x 24 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$231.00
<u>SCE-12C20ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 12 x 20 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$749.00
<u>WC20C24</u>	Wiegmann operator console, NEMA 12/13, 20 x 24 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$432.00
<u>1488EJ7</u>	Hammond operator console, NEMA 12/13, 7 x 16 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$193.00
<u>WC20C20SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 20 x 20 x 13in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$523.00
<u>WC16C30</u>	Wiegmann operator console, NEMA 12/13, 16 x 30 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$423.00
<u>1488HJ9</u>	Hammond operator console, NEMA 12/13, 11 x 16 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$226.00
<u>SCE-16C30ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 16 x 30 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$314.00
<u>SCE-8C20ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 8 x 20 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$721.00
<u>WC08C12SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 8 x 12 x 7in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$270.00
<u>1488HH9</u>	Hammond operator console, NEMA 12/13, 11 x 12 x 9in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$205.00
<u>SCE-20C30ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 20 x 30 x 13in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$1,209.00
<u>WC16C24SS</u>	Wiegmann operator console, NEMA 4/4X/12/13, 16 x 24 x 11in (HxWxD), desktop or pedestal mount, 304 stainless steel, No. 3 intermediate polished finish.	Stock	\$499.00
<u>WC20C30</u>	Wiegmann operator console, NEMA 12/13, 20 x 30 x 13in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$482.00
<u>SCE-16C20ELJ</u>	Saginaw operator console, NEMA 3R/4/12/13, 16 x 20 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, 1/4-turn semi-flush latch.	Stock	\$251.00
<u>SCE-12C16ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 12 x 16 x 9in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$730.00
<u>SCE-16C20ELJSS</u>	Saginaw operator console, NEMA 3R/4/4X/12/13, 16 x 20 x 11in (HxWxD), desktop or pedestal mount, 304 stainless steel, #4 brush finish, single-door, 1/4-turn semi-flush latch.	Stock	\$814.00
<u>1488EE7</u>	Hammond operator console, NEMA 12/13, 7 x 8 x 7in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$159.00
<u>1488JL11</u>	Hammond operator console, NEMA 12/13, 14 x 20 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$292.00
<u>1488JS11</u>	Hammond operator console, NEMA 12/13, 14 x 36 x 11in (HxWxD), desktop or pedestal mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$422.00
HMI Enclosures			
<u>SCE-12HMI1606LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 12 x 16 x 6in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$507.00
<u>SCE-12HMI1610LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 12 x 16 x 10in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$538.00
<u>SCE-12HMI1606SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 12 x 16 x 6in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$770.00
<u>SCE-12HMI1610SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 12 x 16 x 10in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$834.00
<u>SCE-14HMI1806LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 14 x 18 x 6in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$551.00
<u>SCE-14HMI1810LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 14 x 18 x 10in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$584.00
<u>SCE-14HMI1806SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 14 x 18 x 6in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$856.00
<u>SCE-14HMI1810SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 14 x 18 x 10in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$907.00

<u>ECO1500.0008</u>	Teknokol Eco series HMI Enclosure, 16 x 16 x 6in (HxWxD), suspension mount, aluminum, natural finish, single-door, 1/4-turn semi-flush.	Stock	\$349.00
<u>ECO1290.0009</u>	Teknokol Eco series HMI Enclosure, 16 x 16 x 8in (HxWxD), suspension mount, aluminum, natural finish, clamshell single-door, 1/4-turn semi-flush.	Stock	\$473.00
<u>ECO1590.0009</u>	Teknokol Eco series HMI Enclosure, 16 x 16 x 9in (HxWxD), suspension mount, aluminum, natural finish, clamshell single-door, 1/4-turn semi-flush.	Stock	\$492.00
<u>SCE-16HMI2006LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 16 x 20 x 6in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$597.00
<u>SCE-16HMI2006SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 6in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$919.00
<u>SCE-16HMI2010LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 16 x 20 x 10in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$631.00
<u>SCE-16HMI2010SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 16 x 20 x 10in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$1,010.00
<u>ECO1500.0014</u>	Teknokol Eco series HMI Enclosure, 20 x 24 x 6in (HxWxD), suspension mount, aluminum, natural finish, single-door, 1/4-turn semi-flush.	Stock	\$457.00
<u>SCE-20HMI2406LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 20 x 24 x 6in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$652.00
<u>SCE-20HMI2406SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 6in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$1,077.00
<u>ECO1290.0015</u>	Teknokol Eco series HMI Enclosure, 20 x 24 x 8in (HxWxD), suspension mount, aluminum, natural finish, clamshell single-door, 1/4-turn semi-flush.	Stock	\$615.00
<u>ECO1590.0015</u>	Teknokol Eco series HMI Enclosure, 20 x 24 x 9in (HxWxD), suspension mount, aluminum, natural finish, clamshell single-door, 1/4-turn semi-flush.	Stock	\$640.00
<u>SCE-20HMI2410LP</u>	Saginaw HMI Enclosure, NEMA 3R/4/12/13, 20 x 24 x 10in (HxWxD), suspension or pedestal mount, dual access, carbon steel, RAL 7035 light gray, powder coat finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$703.00
<u>SCE-20HMI2410SSLP</u>	Saginaw HMI Enclosure, NEMA 3R/4/4X/12/13, 20 x 24 x 10in (HxWxD), suspension or pedestal mount, dual access, 304 stainless steel, #4 brush finish, screw cover front, single door rear, 1/4-turn semi-flush latch.	Stock	\$1,176.00

Rack/Desktop-mount Instrument Enclosures

<u>RM1U0804SBK</u>	Hammond enclosure, 1U, 2 x 8 x 4in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$114.00
<u>RM1U0804VBK</u>	Hammond enclosure, 1U, vented, 2 x 8 x 4in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$117.00
<u>RM1U0808SBK</u>	Hammond enclosure, 1U, 2 x 8 x 8in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$122.00
<u>RM1U0808VBK</u>	Hammond enclosure, 1U, vented, 2 x 8 x 8in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$131.00
<u>RM1U1908SBK</u>	Hammond enclosure, 1U, 2 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$144.00
<u>RM1U1908VBK</u>	Hammond enclosure, 1U, vented, 2 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$151.00
<u>RM1U1913SBK</u>	Hammond enclosure, 1U, 2 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$173.00
<u>RM1U1913VBK</u>	Hammond enclosure, 1U, vented, 2 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$183.00
<u>RM1U1918SBK</u>	Hammond enclosure, 1U, 2 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$219.00
<u>RM1U1918VBK</u>	Hammond enclosure, 1U, vented, 2 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$233.00
<u>RM1U1922SBK</u>	Hammond enclosure, 1U, 2 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$256.00
<u>RM1U1922VBK</u>	Hammond enclosure, 1U, vented, 2 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$273.00
<u>RM1U1928SBK</u>	Hammond enclosure, 1U, 2 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$293.00
<u>RM1U1928VBK</u>	Hammond enclosure, 1U, vented, 2 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$313.00
<u>RM2U0804SBK</u>	Hammond enclosure, 2U, 4 x 8 x 4in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$122.00

<u>RM2U0804VBK</u>	Hammond enclosure, 2U, vented, 4 x 8 x 4in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$125.00
<u>RM2U0808SBK</u>	Hammond enclosure, 2U, 4 x 8 x 8in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$132.00
<u>RM2U0808VBK</u>	Hammond enclosure, 2U, vented, 4 x 8 x 8in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$140.00
<u>RM2U1908SBK</u>	Hammond enclosure, 2U, 4 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$172.00
<u>RM2U1908VBK</u>	Hammond enclosure, 2U, vented, 4 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$181.00
<u>RM2U1913SBK</u>	Hammond enclosure, 2U, 4 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$207.00
<u>RM2U1913VBK</u>	Hammond enclosure, 2U, vented, 4 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$221.00
<u>RM2U1918SBK</u>	Hammond enclosure, 2U, 4 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$262.00
<u>RM2U1918VBK</u>	Hammond enclosure, 2U, vented, 4 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$276.00
<u>RM2U1922SBK</u>	Hammond enclosure, 2U, 4 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$307.00
<u>RM2U1922VBK</u>	Hammond enclosure, 2U, vented, 4 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$319.00
<u>RM2U1928SBK</u>	Hammond enclosure, 2U, 4 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$350.00
<u>RM2U1928VBK</u>	Hammond enclosure, 2U, vented, 4 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$363.00
<u>RM3U0804SBK</u>	Hammond enclosure, 3U, 5 x 8 x 4in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$129.00
<u>RM3U0804VBK</u>	Hammond enclosure, 3U, vented, 5 x 8 x 4in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$132.00
<u>RM3U0808SBK</u>	Hammond enclosure, 3U, 5 x 8 x 8in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$141.00
<u>RM3U0808VBK</u>	Hammond enclosure, 3U, vented, 5 x 8 x 8in (HxWxD), desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$149.00
<u>RM3U1908SBK</u>	Hammond enclosure, 3U, 5 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$205.00
<u>RM3U1908VBK</u>	Hammond enclosure, 3U, vented, 5 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$214.00
<u>RM3U1913SBK</u>	Hammond enclosure, 3U, 5 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$246.00
<u>RM3U1913VBK</u>	Hammond enclosure, 3U, vented, 5 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$259.00
<u>RM3U1918SBK</u>	Hammond enclosure, 3U, 5 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$311.00
<u>RM3U1918VBK</u>	Hammond enclosure, 3U, vented, 5 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$327.00
<u>RM3U1922SBK</u>	Hammond enclosure, 3U, 5 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$363.00
<u>RM3U1922VBK</u>	Hammond enclosure, 3U, vented, 5 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$380.00
<u>RM3U1928SBK</u>	Hammond enclosure, 3U, 5 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$416.00
<u>RM3U1928VBK</u>	Hammond enclosure, 3U, vented, 5 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$434.00
<u>RM4U1908SBK</u>	Hammond enclosure, 4U, 7 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$226.00
<u>RM4U1908VBK</u>	Hammond enclosure, 4U, vented, 7 x 17 x 8in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$236.00
<u>RM4U1913SBK</u>	Hammond enclosure, 4U, 7 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$270.00
<u>RM4U1913VBK</u>	Hammond enclosure, 4U, vented, 7 x 17 x 13in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$285.00
<u>RM4U1918SBK</u>	Hammond enclosure, 4U, 7 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$342.00

<u>RM4U1918VBK</u>	Hammond enclosure, 4U, vented, 7 x 17 x 18in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$359.00
<u>RM4U1922SBK</u>	Hammond enclosure, 4U, 7 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$413.00
<u>RM4U1922VBK</u>	Hammond enclosure, 4U, vented, 7 x 17 x 22in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$432.00
<u>RM4U1928SBK</u>	Hammond enclosure, 4U, 7 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$483.00
<u>RM4U1928VBK</u>	Hammond enclosure, 4U, vented, 7 x 17 x 28in (HxWxD), rack or desktop mount, aluminum, black, powder coat finish, screw cover.	Stock	\$505.00
Wiring Trough			
<u>1486B12</u>	Hammond wiring trough, 2.5 x 2.5 x 12in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$125.00
<u>T2212CH</u>	Wiegmann wiring trough, 2.5 x 2.5 x 12in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$195.00
<u>1486B12SS</u>	Hammond wiring trough, 2.5 x 2.5 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$249.00
<u>T2212CHSS</u>	Wiegmann wiring trough, 2.5 x 2.5 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$267.00
<u>1486B18</u>	Hammond wiring trough, 2.5 x 2.5 x 18in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$135.00
<u>1486B18SS</u>	Hammond wiring trough, 2.5 x 2.5 x 18in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$268.00
<u>1486B24</u>	Hammond wiring trough, 2.5 x 2.5 x 24in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$144.00
<u>T2224CH</u>	Wiegmann wiring trough, 2.5 x 2.5 x 24in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$225.00
<u>1486B24SS</u>	Hammond wiring trough, 2.5 x 2.5 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$289.00
<u>T2224CHSS</u>	Wiegmann wiring trough, 2.5 x 2.5 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$309.00
<u>1486B30</u>	Hammond wiring trough, 2.5 x 2.5 x 30in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$154.00
<u>1486B36</u>	Hammond wiring trough, 2.5 x 2.5 x 36in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$164.00
<u>T2236CH</u>	Wiegmann wiring trough, 2.5 x 2.5 x 36in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$255.00
<u>1486B36SS</u>	Hammond wiring trough, 2.5 x 2.5 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$327.00
<u>T2236CHSS</u>	Wiegmann wiring trough, 2.5 x 2.5 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$344.00
<u>1486B48</u>	Hammond wiring trough, 2.5 x 2.5 x 48in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$183.00
<u>T2248CH</u>	Wiegmann wiring trough, 2.5 x 2.5 x 48in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$275.00
<u>1486B48SS</u>	Hammond wiring trough, 2.5 x 2.5 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$367.00
<u>T2248CHSS</u>	Wiegmann wiring trough, 2.5 x 2.5 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$416.00
<u>1486B60</u>	Hammond wiring trough, 2.5 x 2.5 x 60in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$202.00
<u>1486B60SS</u>	Hammond wiring trough, 2.5 x 2.5 x 60in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$404.00
<u>1486B72</u>	Hammond wiring trough, 2.5 x 2.5 x 72in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$220.00
<u>1486B72SS</u>	Hammond wiring trough, 2.5 x 2.5 x 72in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$440.00
<u>T2272CHSS</u>	Wiegmann wiring trough, 2.5 x 2.5 x 72in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$503.00
<u>CGT1244</u>	Hammond wiring trough, 4 x 4 x 12in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$24.00
<u>C3RWT412</u>	Hammond wiring trough, 4 x 4 x 12in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$31.00

<u>RSCG040412</u>	Wiegmann wiring trough, 4 x 4 x 12in (HxDxL), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$70.00
<u>1486C12</u>	Hammond wiring trough, 4 x 4 x 12in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$145.00
<u>T4412CH</u>	Wiegmann wiring trough, 4 x 4 x 12in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$226.00
<u>1486C12SS</u>	Hammond wiring trough, 4 x 4 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$291.00
<u>T4412CHSS</u>	Wiegmann wiring trough, 4 x 4 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$310.00
<u>CGT1844</u>	Hammond wiring trough, 4 x 4 x 18in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$36.00
<u>C3RWT418</u>	Hammond wiring trough, 4 x 4 x 18in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$47.50
<u>1486C18</u>	Hammond wiring trough, 4 x 4 x 18in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$164.00
<u>1486C18SS</u>	Hammond wiring trough, 4 x 4 x 18in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$327.00
<u>CGT2444</u>	Hammond wiring trough, 4 x 4 x 24in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$38.00
<u>C3RWT424</u>	Hammond wiring trough, 4 x 4 x 24in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$57.00
<u>RSCG040424</u>	Wiegmann wiring trough, 4 x 4 x 24in (HxDxL), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$93.00
<u>1486C24</u>	Hammond wiring trough, 4 x 4 x 24in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$182.00
<u>T4424CH</u>	Wiegmann wiring trough, 4 x 4 x 24in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$285.00
<u>1486C24SS</u>	Hammond wiring trough, 4 x 4 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$364.00
<u>T4424CHSS</u>	Wiegmann wiring trough, 4 x 4 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$421.00
<u>1486C30</u>	Hammond wiring trough, 4 x 4 x 30in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$200.00
<u>1486C30SS</u>	Hammond wiring trough, 4 x 4 x 30in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$402.00
<u>CGT3644</u>	Hammond wiring trough, 4 x 4 x 36in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$52.00
<u>C3RWT436</u>	Hammond wiring trough, 4 x 4 x 36in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$83.00
<u>RSCG040436</u>	Wiegmann wiring trough, 4 x 4 x 36in (HxDxL), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$130.00
<u>1486C36</u>	Hammond wiring trough, 4 x 4 x 36in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$218.00
<u>T4436CH</u>	Wiegmann wiring trough, 4 x 4 x 36in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$343.00
<u>1486C36SS</u>	Hammond wiring trough, 4 x 4 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$435.00
<u>T4436CHSS</u>	Wiegmann wiring trough, 4 x 4 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$506.00
<u>CGT4844</u>	Hammond wiring trough, 4 x 4 x 48in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$65.00
<u>C3RWT448</u>	Hammond wiring trough, 4 x 4 x 48in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$105.00
<u>RSCG040448</u>	Wiegmann wiring trough, 4 x 4 x 48in (HxDxL), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$153.00
<u>1486C48</u>	Hammond wiring trough, 4 x 4 x 48in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$263.00
<u>T4448CH</u>	Wiegmann wiring trough, 4 x 4 x 48in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$413.00
<u>1486C48SS</u>	Hammond wiring trough, 4 x 4 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$528.00
<u>T4448CHSS</u>	Wiegmann wiring trough, 4 x 4 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$567.00

<u>C3RWT460</u>	Hammond wiring trough, 4 x 4 x 60in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$131.00
<u>1486C60</u>	Hammond wiring trough, 4 x 4 x 60in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$299.00
<u>1486C60SS</u>	Hammond wiring trough, 4 x 4 x 60in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$601.00
<u>C3RWT472</u>	Hammond wiring trough, 4 x 4 x 72in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$157.00
<u>1486C72</u>	Hammond wiring trough, 4 x 4 x 72in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$327.00
<u>1486C72SS</u>	Hammond wiring trough, 4 x 4 x 72in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$657.00
<u>T4472CHSS</u>	Wiegmann wiring trough, 4 x 4 x 72in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$712.00
<u>CGT1266</u>	Hammond wiring trough, 6 x 6 x 12in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$36.50
<u>C3RWT612</u>	Hammond wiring trough, 6 x 6 x 12in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$50.00
<u>RSCG060612</u>	Wiegmann wiring trough, 6 x 6 x 12in (HxDxL), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$92.00
<u>1486D12</u>	Hammond wiring trough, 6 x 6 x 12in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$172.00
<u>T6612CH</u>	Wiegmann wiring trough, 6 x 6 x 12in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$268.00
<u>1486D12SS</u>	Hammond wiring trough, 6 x 6 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$343.00
<u>T6612CHSS</u>	Wiegmann wiring trough, 6 x 6 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$368.00
<u>CGT1866</u>	Hammond wiring trough, 6 x 6 x 18in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$43.00
<u>C3RWT618</u>	Hammond wiring trough, 6 x 6 x 18in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$80.00
<u>1486D18</u>	Hammond wiring trough, 6 x 6 x 18in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$198.00
<u>1486D18SS</u>	Hammond wiring trough, 6 x 6 x 18in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$398.00
<u>S6624ATNK</u>	Wiegmann wiring trough, 6 x 6 x 24in (HxDxL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$188.00
<u>S6624AT</u>	Wiegmann wiring trough, 6 x 6 x 24in (HxDxL), NEMA 1, corner mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$190.00
<u>CGT2466</u>	Hammond wiring trough, 6 x 6 x 24in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$53.00
<u>C3RWT624</u>	Hammond wiring trough, 6 x 6 x 24in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$78.00
<u>RSCG060624</u>	Wiegmann wiring trough, 6 x 6 x 24in (HxDxL), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$127.00
<u>1486D24</u>	Hammond wiring trough, 6 x 6 x 24in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$226.00
<u>T6624CH</u>	Wiegmann wiring trough, 6 x 6 x 24in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$355.00
<u>1486D24SS</u>	Hammond wiring trough, 6 x 6 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$453.00
<u>T6624CHSS</u>	Wiegmann wiring trough, 6 x 6 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$511.00
<u>1486D30</u>	Hammond wiring trough, 6 x 6 x 30in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$252.00
<u>1486D30SS</u>	Hammond wiring trough, 6 x 6 x 30in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$506.00
<u>S6636ATNK</u>	Wiegmann wiring trough, 6 x 6 x 36in (HxDxL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$231.00
<u>S6636AT</u>	Wiegmann wiring trough, 6 x 6 x 36in (HxDxL), NEMA 1, corner mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$235.00
<u>CGT3666</u>	Hammond wiring trough, 6 x 6 x 36in (HxDxL), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$74.00

<u>C3RWT636</u>	Hammond wiring trough, 6 x 6 x 36in (HxDxD), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$106.00
<u>RSCG060636</u>	Wiegmann wiring trough, 6 x 6 x 36in (HxDxD), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$168.00
<u>1486D36</u>	Hammond wiring trough, 6 x 6 x 36in (HxDxD), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$280.00
<u>T6636CH</u>	Wiegmann wiring trough, 6 x 6 x 36in (HxDxD), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$443.00
<u>1486D36SS</u>	Hammond wiring trough, 6 x 6 x 36in (HxDxD), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$563.00
<u>T6636CHSS</u>	Wiegmann wiring trough, 6 x 6 x 36in (HxDxD), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$601.00
<u>S6648ATNK</u>	Wiegmann wiring trough, 6 x 6 x 48in (HxDxD), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$283.00
<u>S6648AT</u>	Wiegmann wiring trough, 6 x 6 x 48in (HxDxD), NEMA 1, corner mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$285.00
<u>CGT4866</u>	Hammond wiring trough, 6 x 6 x 48in (HxDxD), NEMA 1, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$96.00
<u>C3RWT648</u>	Hammond wiring trough, 6 x 6 x 48in (HxDxD), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$142.00
<u>RSCG060648</u>	Wiegmann wiring trough, 6 x 6 x 48in (HxDxD), NEMA 1/3R, wall mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$210.00
<u>1486D48</u>	Hammond wiring trough, 6 x 6 x 48in (HxDxD), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$334.00
<u>T6648CH</u>	Wiegmann wiring trough, 6 x 6 x 48in (HxDxD), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$531.00
<u>1486D48SS</u>	Hammond wiring trough, 6 x 6 x 48in (HxDxD), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$672.00
<u>T6648CHSS</u>	Wiegmann wiring trough, 6 x 6 x 48in (HxDxD), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$728.00
<u>C3RWT660</u>	Hammond wiring trough, 6 x 6 x 60in (HxDxD), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$169.00
<u>1486D60</u>	Hammond wiring trough, 6 x 6 x 60in (HxDxD), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$401.00
<u>1486D60SS</u>	Hammond wiring trough, 6 x 6 x 60in (HxDxD), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$807.00
<u>C3RWT672</u>	Hammond wiring trough, 6 x 6 x 72in (HxDxD), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$203.00
<u>1486D72</u>	Hammond wiring trough, 6 x 6 x 72in (HxDxD), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$457.00
<u>1486D72SS</u>	Hammond wiring trough, 6 x 6 x 72in (HxDxD), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$921.00
<u>T6672CHSS</u>	Wiegmann wiring trough, 6 x 6 x 72in (HxDxD), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$996.00
<u>SCE-L9N126LP</u>	Saginaw wiring trough, 6 x 9 x 12in (HxDxD), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$211.00
<u>SCE-L9126ELJ</u>	Saginaw wiring trough, 6 x 9 x 12in (HxDxD), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$209.00
<u>SCE-L9126ELJLG</u>	Saginaw wiring trough, 6 x 9 x 12in (HxDxD), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$209.00
<u>SCE-L9126ELJW</u>	Saginaw wiring trough, 6 x 9 x 12in (HxDxD), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$322.00
<u>SCE-L9126ELJSS</u>	Saginaw wiring trough, 6 x 9 x 12in (HxDxD), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$592.00
<u>SCE-L9126ELJWSS</u>	Saginaw wiring trough, 6 x 9 x 12in (HxDxD), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$855.00
<u>SCE-L9N186LP</u>	Saginaw wiring trough, 6 x 9 x 18in (HxDxD), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$213.00
<u>SCE-L9186ELJ</u>	Saginaw wiring trough, 6 x 9 x 18in (HxDxD), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$211.00
<u>SCE-L9186ELJLG</u>	Saginaw wiring trough, 6 x 9 x 18in (HxDxD), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$211.00
<u>SCE-L9186ELJW</u>	Saginaw wiring trough, 6 x 9 x 18in (HxDxD), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$326.00

<u>SCE-L9186ELJSS</u>	Saginaw wiring trough, 6 x 9 x 18in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$658.00
<u>SCE-L9186ELJWSS</u>	Saginaw wiring trough, 6 x 9 x 18in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$863.00
<u>SCE-L9N246LP</u>	Saginaw wiring trough, 6 x 9 x 24in (HxDxL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$220.00
<u>SCE-L9246ELJ</u>	Saginaw wiring trough, 6 x 9 x 24in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$217.00
<u>SCE-L9246ELJLG</u>	Saginaw wiring trough, 6 x 9 x 24in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$217.00
<u>SCE-L9246ELJW</u>	Saginaw wiring trough, 6 x 9 x 24in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$355.00
<u>SCE-L9246ELJSS</u>	Saginaw wiring trough, 6 x 9 x 24in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$664.00
<u>SCE-L9246ELJWSS</u>	Saginaw wiring trough, 6 x 9 x 24in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$942.00
<u>SCE-L9N306LP</u>	Saginaw wiring trough, 6 x 9 x 30in (HxDxL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$221.00
<u>SCE-L9306ELJ</u>	Saginaw wiring trough, 6 x 9 x 30in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$219.00
<u>SCE-L9306ELJLG</u>	Saginaw wiring trough, 6 x 9 x 30in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$219.00
<u>SCE-L9306ELJW</u>	Saginaw wiring trough, 6 x 9 x 30in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$359.00
<u>SCE-L9306ELJSS</u>	Saginaw wiring trough, 6 x 9 x 30in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$720.00
<u>SCE-L9306ELJWSS</u>	Saginaw wiring trough, 6 x 9 x 30in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$951.00
<u>SCE-L9N366LP</u>	Saginaw wiring trough, 6 x 9 x 36in (HxDxL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$224.00
<u>SCE-L9366ELJ</u>	Saginaw wiring trough, 6 x 9 x 36in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$224.00
<u>SCE-L9366ELJLG</u>	Saginaw wiring trough, 6 x 9 x 36in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$224.00
<u>SCE-L9366ELJW</u>	Saginaw wiring trough, 6 x 9 x 36in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$362.00
<u>SCE-L9366ELJSS</u>	Saginaw wiring trough, 6 x 9 x 36in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$773.00
<u>SCE-L9366ELJWSS</u>	Saginaw wiring trough, 6 x 9 x 36in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$961.00
<u>C3RWT812</u>	Hammond wiring trough, 8 x 8 x 12in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$84.00
<u>1486E12</u>	Hammond wiring trough, 8 x 8 x 12in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$206.00
<u>T8812CH</u>	Wiegmann wiring trough, 8 x 8 x 12in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$323.00
<u>1486E12SS</u>	Hammond wiring trough, 8 x 8 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$423.00
<u>T8812CHSS</u>	Wiegmann wiring trough, 8 x 8 x 12in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$495.00
<u>C3RWT824</u>	Hammond wiring trough, 8 x 8 x 24in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$129.00
<u>S8824ATNK</u>	Wiegmann wiring trough, 8 x 8 x 24in (HxDxL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$204.00
<u>S8824AT</u>	Wiegmann wiring trough, 8 x 8 x 24in (HxDxL), NEMA 1, corner mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$209.00
<u>1486E24</u>	Hammond wiring trough, 8 x 8 x 24in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$272.00
<u>T8824CH</u>	Wiegmann wiring trough, 8 x 8 x 24in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$430.00
<u>1486E24SS</u>	Hammond wiring trough, 8 x 8 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$558.00
<u>T8824CHSS</u>	Wiegmann wiring trough, 8 x 8 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$591.00

<u>C3RWT836</u>	Hammond wiring trough, 8 x 8 x 36in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$157.00
<u>S8836ATNK</u>	Wiegmann wiring trough, 8 x 8 x 36in (HxDxL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$235.00
<u>S8836AT</u>	Wiegmann wiring trough, 8 x 8 x 36in (HxDxL), NEMA 1, corner mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$238.00
<u>1486E36</u>	Hammond wiring trough, 8 x 8 x 36in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$346.00
<u>T8836CH</u>	Wiegmann wiring trough, 8 x 8 x 36in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$667.00
<u>1486E36SS</u>	Hammond wiring trough, 8 x 8 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$711.00
<u>T8836CHSS</u>	Wiegmann wiring trough, 8 x 8 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$945.00
<u>C3RWT848</u>	Hammond wiring trough, 8 x 8 x 48in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$202.00
<u>S8848ATNK</u>	Wiegmann wiring trough, 8 x 8 x 48in (HxDxL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$298.00
<u>S8848AT</u>	Wiegmann wiring trough, 8 x 8 x 48in (HxDxL), NEMA 1, corner mount, with knockouts, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$312.00
<u>1486E48</u>	Hammond wiring trough, 8 x 8 x 48in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$430.00
<u>T8848CH</u>	Wiegmann wiring trough, 8 x 8 x 48in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$764.00
<u>1486E48SS</u>	Hammond wiring trough, 8 x 8 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$886.00
<u>T8848CHSS</u>	Wiegmann wiring trough, 8 x 8 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$1,111.00
<u>C3RWT860</u>	Hammond wiring trough, 8 x 8 x 60in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$236.00
<u>1486E60</u>	Hammond wiring trough, 8 x 8 x 60in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$506.00
<u>1486E60SS</u>	Hammond wiring trough, 8 x 8 x 60in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$1,041.00
<u>C3RWT872</u>	Hammond wiring trough, 8 x 8 x 72in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$269.00
<u>C3RWT896</u>	Hammond wiring trough, 8 x 8 x 96in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$538.00
<u>C3RWT8116</u>	Hammond wiring trough, 8 x 8 x 116in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$606.00
<u>SCE-L9N128LP</u>	Saginaw wiring trough, 8 x 9 x 12in (HxDxL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$224.00
<u>SCE-L9128ELJ</u>	Saginaw wiring trough, 8 x 9 x 12in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$222.00
<u>SCE-L9128ELJLG</u>	Saginaw wiring trough, 8 x 9 x 12in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$222.00
<u>SCE-L9128ELJW</u>	Saginaw wiring trough, 8 x 9 x 12in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$342.00
<u>SCE-L9128ELJSS</u>	Saginaw wiring trough, 8 x 9 x 12in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$628.00
<u>SCE-L9128ELJWSS</u>	Saginaw wiring trough, 8 x 9 x 12in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$906.00
<u>SCE-L9N188LP</u>	Saginaw wiring trough, 8 x 9 x 18in (HxDxL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$226.00
<u>SCE-L9188ELJ</u>	Saginaw wiring trough, 8 x 9 x 18in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$224.00
<u>SCE-L9188ELJLG</u>	Saginaw wiring trough, 8 x 9 x 18in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$224.00
<u>SCE-L9188ELJW</u>	Saginaw wiring trough, 8 x 9 x 18in (HxDxL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$346.00
<u>SCE-L9188ELJSS</u>	Saginaw wiring trough, 8 x 9 x 18in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$698.00
<u>SCE-L9188ELJWSS</u>	Saginaw wiring trough, 8 x 9 x 18in (HxDxL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$915.00

<u>SCE-L9N248LP</u>	Saginaw wiring trough, 8 x 9 x 24in (HxDxDL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$232.00
<u>SCE-L9248ELJ</u>	Saginaw wiring trough, 8 x 9 x 24in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$230.00
<u>SCE-L9248ELJLG</u>	Saginaw wiring trough, 8 x 9 x 24in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$230.00
<u>SCE-L9248ELJW</u>	Saginaw wiring trough, 8 x 9 x 24in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$377.00
<u>SCE-L9248ELJSS</u>	Saginaw wiring trough, 8 x 9 x 24in (HxDxDL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$703.00
<u>SCE-L9248ELJWSS</u>	Saginaw wiring trough, 8 x 9 x 24in (HxDxDL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$999.00
<u>SCE-L9N308LP</u>	Saginaw wiring trough, 8 x 9 x 30in (HxDxDL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$234.00
<u>SCE-L9308ELJ</u>	Saginaw wiring trough, 8 x 9 x 30in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$232.00
<u>SCE-L9308ELJLG</u>	Saginaw wiring trough, 8 x 9 x 30in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$232.00
<u>SCE-L9308ELJW</u>	Saginaw wiring trough, 8 x 9 x 30in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$381.00
<u>SCE-L9308ELJSS</u>	Saginaw wiring trough, 8 x 9 x 30in (HxDxDL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$763.00
<u>SCE-L9308ELJWSS</u>	Saginaw wiring trough, 8 x 9 x 30in (HxDxDL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$1,009.00
<u>SCE-L9N368LP</u>	Saginaw wiring trough, 8 x 9 x 36in (HxDxDL), NEMA 1, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$226.00
<u>SCE-L9368ELJ</u>	Saginaw wiring trough, 8 x 9 x 36in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$237.00
<u>SCE-L9368ELJLG</u>	Saginaw wiring trough, 8 x 9 x 36in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, RAL 7035 light gray, powder coat finish, single-door.	Stock	\$237.00
<u>SCE-L9368ELJW</u>	Saginaw wiring trough, 8 x 9 x 36in (HxDxDL), NEMA 3R/4/12/13, wall mount, carbon steel, ANSI 61 gray, powder coat finish, single-door, polycarbonate window.	Stock	\$384.00
<u>SCE-L9368ELJSS</u>	Saginaw wiring trough, 8 x 9 x 36in (HxDxDL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door.	Stock	\$820.00
<u>SCE-L9368ELJWSS</u>	Saginaw wiring trough, 8 x 9 x 36in (HxDxDL), NEMA 3R/4/4X/12/13, wall mount, 304 stainless steel, #4 brush finish, single-door, polycarbonate window.	Stock	\$1,019.00
<u>C3RWT1024</u>	Hammond wiring trough, 10 x 10 x 24in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$207.00
<u>S101024ATNK</u>	Wiegmann wiring trough, 10 x 10 x 24in (HxDxDL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$377.00
<u>C3RWT1036</u>	Hammond wiring trough, 10 x 10 x 36in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$234.00
<u>S101036ATNK</u>	Wiegmann wiring trough, 10 x 10 x 36in (HxDxDL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$428.00
<u>C3RWT1048</u>	Hammond wiring trough, 10 x 10 x 48in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$264.00
<u>S101048ATNK</u>	Wiegmann wiring trough, 10 x 10 x 48in (HxDxDL), NEMA 1, corner mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$426.00
<u>C3RWT1060</u>	Hammond wiring trough, 10 x 10 x 60in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$331.00
<u>C3RWT1072</u>	Hammond wiring trough, 10 x 10 x 72in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$375.00
<u>C3RWT1096</u>	Hammond wiring trough, 10 x 10 x 96in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$633.00
<u>C3RWT10116</u>	Hammond wiring trough, 10 x 10 x 116in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$721.00
<u>C3RWT1224</u>	Hammond wiring trough, 12 x 12 x 24in (HxDxDL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$286.00
<u>1486G24</u>	Hammond wiring trough, 12 x 12 x 24in (HxDxDL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$376.00
<u>T121224CH</u>	Wiegmann wiring trough, 12 x 12 x 24in (HxDxDL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$596.00
<u>1486G24SS</u>	Hammond wiring trough, 12 x 12 x 24in (HxDxDL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$774.00

<u>T121224CHSS</u>	Wiegmann wiring trough, 12 x 12 x 24in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$818.00
<u>C3RWT1236</u>	Hammond wiring trough, 12 x 12 x 36in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$304.00
<u>1486G36</u>	Hammond wiring trough, 12 x 12 x 36in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$484.00
<u>T121236CH</u>	Wiegmann wiring trough, 12 x 12 x 36in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$771.00
<u>1486G36SS</u>	Hammond wiring trough, 12 x 12 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$997.00
<u>T121236CHSS</u>	Wiegmann wiring trough, 12 x 12 x 36in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$1,201.00
<u>C3RWT1248</u>	Hammond wiring trough, 12 x 12 x 48in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$324.00
<u>1486G48</u>	Hammond wiring trough, 12 x 12 x 48in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$611.00
<u>T121248CH</u>	Wiegmann wiring trough, 12 x 12 x 48in (HxDxL), NEMA 4, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$974.00
<u>1486G48SS</u>	Hammond wiring trough, 12 x 12 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$1,258.00
<u>T121248CHSS</u>	Wiegmann wiring trough, 12 x 12 x 48in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, No. 3 intermediate polished finish, single-door.	Stock	\$1,516.00
<u>C3RWT1260</u>	Hammond wiring trough, 12 x 12 x 60in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$372.00
<u>1486G60</u>	Hammond wiring trough, 12 x 12 x 60in (HxDxL), NEMA 1/4/12, carbon steel, ANSI 61 gray, powder coat finish, single-door.	Stock	\$706.00
<u>1486G60SS</u>	Hammond wiring trough, 12 x 12 x 60in (HxDxL), NEMA 1/4/4X/12, 304 stainless steel, #4 brush finish, single-door.	Stock	\$1,452.00
<u>C3RWT1272</u>	Hammond wiring trough, 12 x 12 x 72in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$434.00
<u>C3RWT1284</u>	Hammond wiring trough, 12 x 12 x 84in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$638.00
<u>C3RWT1296</u>	Hammond wiring trough, 12 x 12 x 96in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$689.00
<u>C3RWT12116</u>	Hammond wiring trough, 12 x 12 x 116in (HxDxL), NEMA 3R, wall mount, carbon steel, ANSI 61 gray, powder coat finish, screw cover.	Stock	\$797.00
Wireways			
<u>1485B12</u>	Hammond 1485 series lay-in wireway, 2.5 x 2.5 x 12in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$113.00
<u>1485B120</u>	Hammond 1485 series lay-in wireway, 2.5 x 2.5 x 120in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$403.00
<u>1485B24</u>	Hammond 1485 series lay-in wireway, 2.5 x 2.5 x 24in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$147.00
<u>1485B36</u>	Hammond 1485 series lay-in wireway, 2.5 x 2.5 x 36in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$178.00
<u>1485B48</u>	Hammond 1485 series lay-in wireway, 2.5 x 2.5 x 48in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$211.00
<u>1485B6</u>	Hammond 1485 series lay-in wireway, 2.5 x 2.5 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$96.00
<u>1485B60</u>	Hammond 1485 series lay-in wireway, 2.5 x 2.5 x 60in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$243.00
<u>1485C12</u>	Hammond 1485 series lay-in wireway, 4 x 4 x 12in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$135.00
<u>1485C120</u>	Hammond 1485 series lay-in wireway, 4 x 4 x 120in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$465.00
<u>1485C24</u>	Hammond 1485 series lay-in wireway, 4 x 4 x 24in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$172.00
<u>1485C36</u>	Hammond 1485 series lay-in wireway, 4 x 4 x 36in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$209.00
<u>1485C48</u>	Hammond 1485 series lay-in wireway, 4 x 4 x 48in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$246.00
<u>1485C6</u>	Hammond 1485 series lay-in wireway, 4 x 4 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$117.00

<u>1485C60</u>	Hammond 1485 series lay-in wireway, 4 x 4 x 60in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$283.00
<u>1485D12</u>	Hammond 1485 series lay-in wireway, 6 x 6 x 12in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$172.00
<u>1485D120</u>	Hammond 1485 series lay-in wireway, 6 x 6 x 120in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$694.00
<u>1485D24</u>	Hammond 1485 series lay-in wireway, 6 x 6 x 24in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$230.00
<u>1485D36</u>	Hammond 1485 series lay-in wireway, 6 x 6 x 36in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$288.00
<u>1485D48</u>	Hammond 1485 series lay-in wireway, 6 x 6 x 48in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$346.00
<u>1485D6</u>	Hammond 1485 series lay-in wireway, 6 x 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$143.00
<u>1485D60</u>	Hammond 1485 series lay-in wireway, 6 x 6 x 60in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$405.00
<u>1485E12</u>	Hammond 1485 series lay-in wireway, 8 x 8 x 12in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$254.00
<u>1485E120</u>	Hammond 1485 series lay-in wireway, 8 x 8 x 120in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$933.00
<u>1485E24</u>	Hammond 1485 series lay-in wireway, 8 x 8 x 24in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$330.00
<u>1485E36</u>	Hammond 1485 series lay-in wireway, 8 x 8 x 36in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$405.00
<u>1485E48</u>	Hammond 1485 series lay-in wireway, 8 x 8 x 48in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$479.00
<u>1485E6</u>	Hammond 1485 series lay-in wireway, 8 x 8 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$217.00
<u>1485E60</u>	Hammond 1485 series lay-in wireway, 8 x 8 x 60in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$554.00
<u>1485F12</u>	Hammond 1485 series lay-in wireway, 12 x 6 x 12in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$286.00
<u>1485F120</u>	Hammond 1485 series lay-in wireway, 12 x 6 x 120in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$1,346.00
<u>1485F24</u>	Hammond 1485 series lay-in wireway, 12 x 6 x 24in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$403.00
<u>1485F36</u>	Hammond 1485 series lay-in wireway, 12 x 6 x 36in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$521.00
<u>1485F48</u>	Hammond 1485 series lay-in wireway, 12 x 6 x 48in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$637.00
<u>1485F6</u>	Hammond 1485 series lay-in wireway, 12 x 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$228.00
<u>1485F60</u>	Hammond 1485 series lay-in wireway, 12 x 6 x 60in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12.	Stock	\$754.00
<u>1487B12</u>	Hammond 1487 series pull-through wireway, 2.5 x 2.5 x 12in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$111.00
<u>1487B120</u>	Hammond 1487 series pull-through wireway, 2.5 x 2.5 x 120in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$395.00
<u>1487B24</u>	Hammond 1487 series pull-through wireway, 2.5 x 2.5 x 24in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$144.00
<u>1487B36</u>	Hammond 1487 series pull-through wireway, 2.5 x 2.5 x 36in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$176.00
<u>1487B48</u>	Hammond 1487 series pull-through wireway, 2.5 x 2.5 x 48in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$207.00
<u>1487B60</u>	Hammond 1487 series pull-through wireway, 2.5 x 2.5 x 60in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$237.00
<u>1487C12</u>	Hammond 1487 series pull-through wireway, 4 x 4 x 12in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$133.00
<u>1487C120</u>	Hammond 1487 series pull-through wireway, 4 x 4 x 120in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$454.00
<u>1487C120SS</u>	Hammond 1487SS series pull-through wireway, 4 x 4 x 120in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$1,209.00
<u>1487C12SS</u>	Hammond 1487SS series pull-through wireway, 4 x 4 x 12in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$357.00

<u>1487C24</u>	Hammond 1487 series pull-through wireway, 4 x 4 x 24in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$169.00
<u>1487C24SS</u>	Hammond 1487SS series pull-through wireway, 4 x 4 x 24in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$441.00
<u>1487C36</u>	Hammond 1487 series pull-through wireway, 4 x 4 x 36in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$205.00
<u>1487C36SS</u>	Hammond 1487SS series pull-through wireway, 4 x 4 x 36in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$536.00
<u>1487C48</u>	Hammond 1487 series pull-through wireway, 4 x 4 x 48in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$241.00
<u>1487C48SS</u>	Hammond 1487SS series pull-through wireway, 4 x 4 x 48in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$632.00
<u>1487C60</u>	Hammond 1487 series pull-through wireway, 4 x 4 x 60in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$278.00
<u>1487C60SS</u>	Hammond 1487SS series pull-through wireway, 4 x 4 x 60in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$728.00
<u>1487D12</u>	Hammond 1487 series pull-through wireway, 6 x 6 x 12in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$173.00
<u>1487D120</u>	Hammond 1487 series pull-through wireway, 6 x 6 x 120in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$678.00
<u>1487D120SS</u>	Hammond 1487SS series pull-through wireway, 6 x 6 x 120in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$1,810.00
<u>1487D12SS</u>	Hammond 1487SS series pull-through wireway, 6 x 6 x 12in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$453.00
<u>1487D24</u>	Hammond 1487 series pull-through wireway, 6 x 6 x 24in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$225.00
<u>1487D24SS</u>	Hammond 1487SS series pull-through wireway, 6 x 6 x 24in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$592.00
<u>1487D36</u>	Hammond 1487 series pull-through wireway, 6 x 6 x 36in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$283.00
<u>1487D36SS</u>	Hammond 1487SS series pull-through wireway, 6 x 6 x 36in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$743.00
<u>1487D48</u>	Hammond 1487 series pull-through wireway, 6 x 6 x 48in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$338.00
<u>1487D48SS</u>	Hammond 1487SS series pull-through wireway, 6 x 6 x 48in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$896.00
<u>1487D60</u>	Hammond 1487 series pull-through wireway, 6 x 6 x 60in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$396.00
<u>1487D60SS</u>	Hammond 1487SS series pull-through wireway, 6 x 6 x 60in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$1,048.00
<u>1487E12</u>	Hammond 1487 series pull-through wireway, 8 x 8 x 12in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$256.00
<u>1487E120</u>	Hammond 1487 series pull-through wireway, 8 x 8 x 120in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$910.00
<u>1487E120SS</u>	Hammond 1487SS series pull-through wireway, 8 x 8 x 120in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$2,000.00
<u>1487E12SS</u>	Hammond 1487SS series pull-through wireway, 8 x 8 x 12in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$499.00
<u>1487E24</u>	Hammond 1487 series pull-through wireway, 8 x 8 x 24in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$323.00
<u>1487E24SS</u>	Hammond 1487SS series pull-through wireway, 8 x 8 x 24in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$652.00
<u>1487E36</u>	Hammond 1487 series pull-through wireway, 8 x 8 x 36in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$396.00
<u>1487E36SS</u>	Hammond 1487SS series pull-through wireway, 8 x 8 x 36in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$821.00
<u>1487E48</u>	Hammond 1487 series pull-through wireway, 8 x 8 x 48in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$469.00
<u>1487E48SS</u>	Hammond 1487SS series pull-through wireway, 8 x 8 x 48in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$988.00
<u>1487E60</u>	Hammond 1487 series pull-through wireway, 8 x 8 x 60in, carbon steel, ANSI 61 gray, powder coat finish, screw clamps, NEMA 12.	Stock	\$542.00
<u>1487E60SS</u>	Hammond 1487SS series pull-through wireway, 8 x 8 x 60in, 304 stainless steel, #4 brush finish, screw clamps, NEMA 4/4X/12.	Stock	\$1,155.00

<u>CWSC10120NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 120in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$480.00
<u>CWSC1012NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$75.00
<u>CWSC1024NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 24in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$133.00
<u>CWSC1036NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 36in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$166.00
<u>CWSC1048NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 48in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$200.00
<u>CWSC1060NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$233.00
<u>CWSC1072NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 72in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$331.00
<u>CWSC1096NK</u>	Hammond CW series lay-in wireway, 10 x 10 x 96in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$418.00
<u>CWSC1212</u>	Hammond CW series lay-in wireway, 12 x 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$84.00
<u>CWSC12120NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 120in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$563.00
<u>CWSC1212NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$84.00
<u>CWSC1224</u>	Hammond CW series lay-in wireway, 12 x 12 x 24in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$146.00
<u>CWSC1224NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 24in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$146.00
<u>CWSC1236</u>	Hammond CW series lay-in wireway, 12 x 12 x 36in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$194.00
<u>CWSC1236NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 36in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$194.00
<u>CWSC1248</u>	Hammond CW series lay-in wireway, 12 x 12 x 48in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$243.00
<u>CWSC1248NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 48in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$243.00
<u>CWSC1260</u>	Hammond CW series lay-in wireway, 12 x 12 x 60in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$270.00
<u>CWSC1260NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$270.00
<u>CWSC1272NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 72in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$385.00
<u>CWSC1296NK</u>	Hammond CW series lay-in wireway, 12 x 12 x 96in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$486.00
<u>CWSC212</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 12in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$19.00
<u>CWSC2120</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 120in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$106.00
<u>CWSC2120NK</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 120in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$106.00
<u>CWSC212NK</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$19.00
<u>CWSC224</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 24in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$25.00
<u>CWSC224NK</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 24in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$25.00
<u>CWSC236</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 36in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$35.00
<u>CWSC236NK</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 36in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$35.00
<u>CWSC248</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 48in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$45.00
<u>CWSC248NK</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 48in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$45.00
<u>CWSC260</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 60in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$54.00
<u>CWSC260NK</u>	Hammond CW series lay-in wireway, 2.5 x 2.5 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$54.00
<u>CWSC412</u>	Hammond CW series lay-in wireway, 4 x 4 x 12in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$18.50
<u>CWSC4120</u>	Hammond CW series lay-in wireway, 4 x 4 x 120in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$108.00

[illegible]

<u>CWSC848</u>	Hammond CW series lay-in wireway, 8 x 8 x 48in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$137.00
<u>CWSC848NK</u>	Hammond CW series lay-in wireway, 8 x 8 x 48in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$137.00
<u>CWSC860</u>	Hammond CW series lay-in wireway, 8 x 8 x 60in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1.	Stock	\$157.00
<u>CWSC860NK</u>	Hammond CW series lay-in wireway, 8 x 8 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$157.00
<u>CWSC872NK</u>	Hammond CW series lay-in wireway, 8 x 8 x 72in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1.	Stock	\$212.00
Wireway Fittings			
<u>1485B4N</u>	Hammond lay-in wireway fitting, 45-degree elbow, 2.5 x 2.5in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$178.00
<u>1485B4P</u>	Hammond lay-in wireway fitting, 45-degree elbow, 2.5 x 2.5in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$178.00
<u>1485B4Q</u>	Hammond lay-in wireway fitting, 45-degree elbow, 2.5 x 2.5in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$178.00
<u>1485B9N</u>	Hammond lay-in wireway fitting, 90-degree elbow, 2.5 x 2.5in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$178.00
<u>1485B9P</u>	Hammond lay-in wireway fitting, 90-degree elbow, 2.5 x 2.5in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$178.00
<u>1485B9Q</u>	Hammond lay-in wireway fitting, 90-degree elbow, 2.5 x 2.5in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$178.00
<u>1485BFF</u>	Hammond pull-through wireway fitting, flexible fitting, 2.5 x 2.5 x 3 to 10in, Gortiflex™ bellows with carbon steel flanges, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 and 1487 series wireway.	Stock	\$230.00
<u>1485BH</u>	Hammond wireway fitting, cover plate, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$33.50
<u>1485BJ</u>	Hammond lay-in wireway fitting, junction box, 12 x 10.25 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$265.00
<u>1485BK</u>	Hammond wireway fitting, box connector, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$37.00
<u>1485BM1</u>	Hammond lay-in wireway fitting, nipple, 2.5 x 2.5 x 1in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$80.00
<u>1485BM2</u>	Hammond lay-in wireway fitting, nipple, 2.5 x 2.5 x 2in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$87.00
<u>1485BM3</u>	Hammond lay-in wireway fitting, nipple, 2.5 x 2.5 x 3in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$94.00
<u>1485BS9</u>	Hammond wireway fitting, angle sealing plate, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$20.00
<u>1485BSM</u>	Hammond wireway fitting, snap-on flat sealing plate, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$16.00
<u>1485BTN</u>	Hammond lay-in wireway fitting, tee, 2.5 x 2.5in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$212.00
<u>1485BTQ</u>	Hammond lay-in wireway fitting, tee, 2.5 x 2.5in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$243.00
<u>1485BV1</u>	Hammond pull-through wireway fitting, box entry swivel nipple, 2.5 x 2.5 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$132.00
<u>1485BV2</u>	Hammond pull-through wireway fitting, standard swivel nipple, 2.5 x 2.5 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$132.00
<u>1485BW1</u>	Hammond lay-in wireway fitting, cut-off fitting, 2.5 x 2.5 x 9 to 15in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$171.00
<u>1485BW2</u>	Hammond pull-through wireway fitting, cut-off fitting, 2.5 x 2.5 x up to 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$90.00
<u>1485BX</u>	Hammond lay-in wireway fitting, adjustable fitting, 2.5 x 2.5 x 2 to 7in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$160.00
<u>1485BY</u>	Hammond lay-in wireway fitting, cross fitting, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$290.00
<u>1485BZ12</u>	Hammond lay-in wireway fitting, clockwise transposition, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$179.00
<u>1485BZC12</u>	Hammond lay-in wireway fitting, counter-clockwise transposition, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$179.00
<u>1485C4N</u>	Hammond lay-in wireway fitting, 45-degree elbow, 4 x 4in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$226.00
<u>1485C4P</u>	Hammond lay-in wireway fitting, 45-degree elbow, 4 x 4in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$226.00

<u>1485C4Q</u>	Hammond lay-in wireway fitting, 45-degree elbow, 4 x 4in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$226.00
<u>1485C9N</u>	Hammond lay-in wireway fitting, 90-degree elbow, 4 x 4in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$226.00
<u>1485C9P</u>	Hammond lay-in wireway fitting, 90-degree elbow, 4 x 4in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$226.00
<u>1485C9Q</u>	Hammond lay-in wireway fitting, 90-degree elbow, 4 x 4in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$226.00
<u>1485CFF</u>	Hammond pull-through wireway fitting, flexible fitting, 4 x 4 x 3 to 10in, Gortiflex™ bellows with carbon steel flanges, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 and 1487 series wireway.	Stock	\$258.00
<u>1485CH</u>	Hammond wireway fitting, cover plate, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$41.50
<u>1485CJ</u>	Hammond lay-in wireway fitting, junction box, 14 x 13.87 x 4in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$309.00
<u>1485CK</u>	Hammond wireway fitting, box connector, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$45.50
<u>1485CM1</u>	Hammond lay-in wireway fitting, nipple, 4 x 4 x 1in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$104.00
<u>1485CM2</u>	Hammond lay-in wireway fitting, nipple, 4 x 4 x 2in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$113.00
<u>1485CM3</u>	Hammond lay-in wireway fitting, nipple, 4 x 4 x 3in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$123.00
<u>1485CRE</u>	Hammond lay-in wireway fitting, reducer, 4 x 4in to 2.5 x 2.5in, edge-aligned opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$140.00
<u>1485CS9</u>	Hammond wireway fitting, angle sealing plate, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$23.00
<u>1485CSM</u>	Hammond wireway fitting, snap-on flat sealing plate, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$18.75
<u>1485CTN</u>	Hammond lay-in wireway fitting, tee, 4 x 4in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$274.00
<u>1485CTQ</u>	Hammond lay-in wireway fitting, tee, 4 x 4in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$313.00
<u>1485CV1</u>	Hammond pull-through wireway fitting, box entry swivel nipple, 4 x 4 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$165.00
<u>1485CV2</u>	Hammond pull-through wireway fitting, standard swivel nipple, 4 x 4 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$165.00
<u>1485CW1</u>	Hammond lay-in wireway fitting, cut-off fitting, 4 x 4 x 9 to 15in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$192.00
<u>1485CW2</u>	Hammond pull-through wireway fitting, cut-off fitting, 4 x 4 x up to 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$107.00
<u>1485CX</u>	Hammond lay-in wireway fitting, adjustable fitting, 4 x 4 x 2 to 7in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$196.00
<u>1485CY</u>	Hammond lay-in wireway fitting, cross fitting, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$368.00
<u>1485CZ12</u>	Hammond lay-in wireway fitting, clockwise transposition, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$228.00
<u>1485CZC12</u>	Hammond lay-in wireway fitting, counter-clockwise transposition, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$228.00
<u>1485D4N</u>	Hammond lay-in wireway fitting, 45-degree elbow, 6 x 6in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485D4P</u>	Hammond lay-in wireway fitting, 45-degree elbow, 6 x 6in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485D4Q</u>	Hammond lay-in wireway fitting, 45-degree elbow, 6 x 6in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485D9N</u>	Hammond lay-in wireway fitting, 90-degree elbow, 6 x 6in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485D9P</u>	Hammond lay-in wireway fitting, 90-degree elbow, 6 x 6in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485D9Q</u>	Hammond lay-in wireway fitting, 90-degree elbow, 6 x 6in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485DFF</u>	Hammond pull-through wireway fitting, flexible fitting, 6 x 6 x 3 to 10in, Gortiflex™ bellows with carbon steel flanges, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 and 1487 series wireway.	Stock	\$327.00
<u>1485DH</u>	Hammond wireway fitting, cover plate, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$50.00

<u>1485DJ</u>	Hammond lay-in wireway fitting, junction box, 16 x 17.87 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$374.00
<u>1485DK</u>	Hammond wireway fitting, box connector, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$55.00
<u>1485DM1</u>	Hammond lay-in wireway fitting, nipple, 6 x 6 x 1in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$123.00
<u>1485DM2</u>	Hammond lay-in wireway fitting, nipple, 6 x 6 x 2in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$133.00
<u>1485DM3</u>	Hammond lay-in wireway fitting, nipple, 6 x 6 x 3in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$143.00
<u>1485DRE</u>	Hammond lay-in wireway fitting, reducer, 6 x 6in to 4 x 4in, edge-aligned opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$172.00
<u>1485DS9</u>	Hammond wireway fitting, angle sealing plate, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$28.50
<u>1485DSM</u>	Hammond wireway fitting, snap-on flat sealing plate, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$24.00
<u>1485DTN</u>	Hammond lay-in wireway fitting, tee, 6 x 6in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$327.00
<u>1485DTQ</u>	Hammond lay-in wireway fitting, tee, 6 x 6in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$375.00
<u>1485DV1</u>	Hammond pull-through wireway fitting, box entry swivel nipple, 6 x 6 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$206.00
<u>1485DV2</u>	Hammond pull-through wireway fitting, standard swivel nipple, 6 x 6 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$206.00
<u>1485DW1</u>	Hammond lay-in wireway fitting, cut-off fitting, 6 x 6 x 9 to 15in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$220.00
<u>1485DW2</u>	Hammond pull-through wireway fitting, cut-off fitting, 6 x 6 x up to 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$135.00
<u>1485DX</u>	Hammond lay-in wireway fitting, adjustable fitting, 6 x 6 x 2 to 7in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$223.00
<u>1485DY</u>	Hammond lay-in wireway fitting, cross fitting, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$439.00
<u>1485DZ12</u>	Hammond lay-in wireway fitting, clockwise transposition, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485DZC12</u>	Hammond lay-in wireway fitting, counter-clockwise transposition, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$268.00
<u>1485E4N</u>	Hammond lay-in wireway fitting, 45-degree elbow, 8 x 8in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$365.00
<u>1485E4P</u>	Hammond lay-in wireway fitting, 45-degree elbow, 8 x 8in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$365.00
<u>1485E4Q</u>	Hammond lay-in wireway fitting, 45-degree elbow, 8 x 8in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$365.00
<u>1485E9N</u>	Hammond lay-in wireway fitting, 90-degree elbow, 8 x 8in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$365.00
<u>1485E9P</u>	Hammond lay-in wireway fitting, 90-degree elbow, 8 x 8in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$365.00
<u>1485E9Q</u>	Hammond lay-in wireway fitting, 90-degree elbow, 8 x 8in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$365.00
<u>1485EFF</u>	Hammond pull-through wireway fitting, flexible fitting, 8 x 8 x 3 to 10in, Gortiflex™ bellows with carbon steel flanges, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 and 1487 series wireway.	Stock	\$450.00
<u>1485EH</u>	Hammond wireway fitting, cover plate, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$66.00
<u>1485EJ</u>	Hammond lay-in wireway fitting, junction box, 18 x 21.87 x 8in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$456.00
<u>1485EK</u>	Hammond wireway fitting, box connector, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$73.00
<u>1485ERE</u>	Hammond lay-in wireway fitting, reducer, 8 x 8in to 6 x 6in, edge-aligned opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$215.00
<u>1485ES9</u>	Hammond wireway fitting, angle sealing plate, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$37.00
<u>1485ESM</u>	Hammond wireway fitting, snap-on flat sealing plate, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$31.50
<u>1485ETN</u>	Hammond lay-in wireway fitting, tee, 8 x 8in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$392.00

<u>1485ETQ</u>	Hammond lay-in wireway fitting, tee, 8 x 8in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$450.00
<u>1485EV1</u>	Hammond pull-through wireway fitting, box entry swivel nipple, 8 x 8 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$297.00
<u>1485EV2</u>	Hammond pull-through wireway fitting, standard swivel nipple, 8 x 8 x 2.25in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$297.00
<u>1485EW1</u>	Hammond lay-in wireway fitting, cut-off fitting, 8 x 8 x 9 to 15in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$286.00
<u>1485EW2</u>	Hammond pull-through wireway fitting, cut-off fitting, 8 x 8 x up to 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$197.00
<u>1485EX</u>	Hammond lay-in wireway fitting, adjustable fitting, 8 x 8 x 2 to 7in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$320.00
<u>1485EY</u>	Hammond lay-in wireway fitting, cross fitting, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$567.00
<u>1485EZ12</u>	Hammond lay-in wireway fitting, clockwise transposition, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$468.00
<u>1485EZC12</u>	Hammond lay-in wireway fitting, counter-clockwise transposition, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$468.00
<u>1485F4N</u>	Hammond lay-in wireway fitting, 45-degree elbow, 12 x 6in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$399.00
<u>1485F9N</u>	Hammond lay-in wireway fitting, 90-degree elbow, 12 x 6in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$399.00
<u>1485F9P</u>	Hammond lay-in wireway fitting, 90-degree elbow, 12 x 6in, inside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$399.00
<u>1485F9Q</u>	Hammond lay-in wireway fitting, 90-degree elbow, 12 x 6in, outside opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$399.00
<u>1485FH</u>	Hammond wireway fitting, cover plate, 12 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$73.00
<u>1485FK</u>	Hammond wireway fitting, box connector, 12 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$148.00
<u>1485FREC</u>	Hammond lay-in wireway fitting, reducer, 12 x 6in to 4 x 4in, edge-aligned opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$258.00
<u>1485FRED</u>	Hammond lay-in wireway fitting, reducer, 12 x 6in to 6 x 6in, edge-aligned opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$258.00
<u>1485FS9</u>	Hammond wireway fitting, angle sealing plate, 12 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$46.50
<u>1485FSM</u>	Hammond wireway fitting, snap-on flat sealing plate, 12 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$39.00
<u>1485FTN</u>	Hammond lay-in wireway fitting, tee, 12 x 6in, top opening, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$440.00
<u>1485FW1</u>	Hammond lay-in wireway fitting, cut-off fitting, 12 x 6 x 9 to 15in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$398.00
<u>1485FW2</u>	Hammond pull-through wireway fitting, cut-off fitting, 12 x 6 x up to 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$229.00
<u>1485FX</u>	Hammond lay-in wireway fitting, adjustable fitting, 12 x 6 x 2 to 7in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1485 series wireway.	Stock	\$425.00
<u>1485FY</u>	Hammond lay-in wireway fitting, cross fitting, 12 x 6in, carbon steel, ANSI 61 gray, powder coat finish, quick-release clamps, NEMA 12. For use with 1485 series wireway.	Stock	\$573.00
<u>1487B2P</u>	Hammond 1487 series pull-through wireway fitting, 22.5-degree elbow, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$121.00
<u>1487B4P</u>	Hammond 1487 series pull-through wireway fitting, 45-degree elbow, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$121.00
<u>1487B9P</u>	Hammond 1487 series pull-through wireway fitting, 90-degree elbow, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$118.00
<u>1487BH</u>	Hammond 1487 series pull-through wireway fitting, cover plate, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$19.50
<u>1487BK</u>	Hammond 1487 series pull-through wireway fitting, box connector, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$25.50
<u>1487BM1</u>	Hammond 1487 series pull-through wireway fitting, nipple, 2.5 x 2.5 x 1in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$80.00
<u>1487BM2</u>	Hammond 1487 series pull-through wireway fitting, nipple, 2.5 x 2.5 x 2in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$87.00
<u>1487BM3</u>	Hammond 1487 series pull-through wireway fitting, nipple, 2.5 x 2.5 x 3in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$96.00

<u>1487BM6</u>	Hammond 1487 series pull-through wireway fitting, nipple, 2.5 x 2.5 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$99.00
<u>1487BT</u>	Hammond 1487 series pull-through wireway fitting, tee, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$163.00
<u>1487BV1</u>	Hammond 1487 series pull-through wireway fitting, box entry swivel nipple, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$140.00
<u>1487BV2</u>	Hammond 1487 series pull-through wireway fitting, standard swivel nipple, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$140.00
<u>1487BW</u>	Hammond 1487 series pull-through wireway fitting, cut-off fitting, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$80.00
<u>1487BX</u>	Hammond 1487 series pull-through wireway fitting, adjustable fitting, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$144.00
<u>1487BY</u>	Hammond 1487 series pull-through wireway fitting, cross fitting, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$198.00
<u>1487C2P</u>	Hammond 1487 series pull-through wireway fitting, 22.5-degree elbow, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$154.00
<u>1487C4P</u>	Hammond 1487 series pull-through wireway fitting, 45-degree elbow, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$154.00
<u>1487C4PSS</u>	Hammond pull-through wireway fitting, 45-degree elbow, 4 x 4in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$334.00
<u>1487C9P</u>	Hammond 1487 series pull-through wireway fitting, 90-degree elbow, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$149.00
<u>1487C9PSS</u>	Hammond pull-through wireway fitting, 90-degree elbow, 4 x 4in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$326.00
<u>1487CB60</u>	Hammond wireway fitting, partition, 4 x 4 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$56.00
<u>1487CFFSS</u>	Hammond pull-through wireway fitting, flexible fitting, 4 x 4in, Gortiflex™ bellows with 304 stainless steel flanges, #4 brush finish, NEMA 4/4X/12. For use with 1485 and 1487 series wireway.	Stock	\$570.00
<u>1487CH</u>	Hammond 1487 series pull-through wireway fitting, cover plate, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$29.00
<u>1487CHSS</u>	Hammond wireway fitting, cover plate, 4 x 4in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$63.00
<u>1487CK</u>	Hammond 1487 series pull-through wireway fitting, box connector, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$31.50
<u>1487CKSS</u>	Hammond pull-through wireway fitting, box connector, 4 x 4in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$69.00
<u>1487CM1</u>	Hammond 1487 series pull-through wireway fitting, nipple, 4 x 4 x 1in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$101.00
<u>1487CM2</u>	Hammond 1487 series pull-through wireway fitting, nipple, 4 x 4 x 2in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$111.00
<u>1487CM3</u>	Hammond 1487 series pull-through wireway fitting, nipple, 4 x 4 x 3in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$120.00
<u>1487CM6</u>	Hammond 1487 series pull-through wireway fitting, nipple, 4 x 4 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$127.00
<u>1487CM6SS</u>	Hammond pull-through wireway fitting, nipple, 4 x 4 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$245.00
<u>1487CRC</u>	Hammond 1487 series pull-through wireway fitting, center hole reducer, 4 x 4in to 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$59.00
<u>1487CRE</u>	Hammond 1487 series pull-through wireway fitting, edge hole reducer, 4 x 4in to 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$59.00
<u>1487CT</u>	Hammond 1487 series pull-through wireway fitting, tee, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$186.00
<u>1487CTSS</u>	Hammond pull-through wireway fitting, tee, 4 x 4in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$390.00
<u>1487CV1</u>	Hammond 1487 series pull-through wireway fitting, box entry swivel nipple, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$175.00
<u>1487CV2</u>	Hammond 1487 series pull-through wireway fitting, standard swivel nipple, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$175.00
<u>1487CV2SS</u>	Hammond pull-through wireway fitting, standard swivel nipple, 4 x 4 x 2.25in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$359.00
<u>1487CW</u>	Hammond 1487 series pull-through wireway fitting, cut-off fitting, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$112.00
<u>1487CX</u>	Hammond 1487 series pull-through wireway fitting, adjustable fitting, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$163.00

<u>1487CXSS</u>	Hammond pull-through wireway fitting, adjustable fitting, 4 x 4in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$363.00
<u>1487CY</u>	Hammond 1487 series pull-through wireway fitting, cross fitting, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$257.00
<u>1487D2P</u>	Hammond 1487 series pull-through wireway fitting, 22.5-degree elbow, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$191.00
<u>1487D4P</u>	Hammond 1487 series pull-through wireway fitting, 45-degree elbow, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$191.00
<u>1487D4PSS</u>	Hammond pull-through wireway fitting, 45-degree elbow, 6 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$412.00
<u>1487D9P</u>	Hammond 1487 series pull-through wireway fitting, 90-degree elbow, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$186.00
<u>1487D9PSS</u>	Hammond pull-through wireway fitting, 90-degree elbow, 6 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$400.00
<u>1487DB60</u>	Hammond wireway fitting, partition, 6 x 6 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$69.00
<u>1487DFFSS</u>	Hammond pull-through wireway fitting, flexible fitting, 6 x 6in, Gortiflex™ bellows with 304 stainless steel flanges, #4 brush finish, NEMA 4/4X/12. For use with 1485 and 1487 series wireway.	Stock	\$717.00
<u>1487DH</u>	Hammond 1487 series pull-through wireway fitting, cover plate, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$34.50
<u>1487DHSS</u>	Hammond wireway fitting, cover plate, 6 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$76.00
<u>1487DK</u>	Hammond 1487 series pull-through wireway fitting, box connector, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$40.50
<u>1487DKSS</u>	Hammond pull-through wireway fitting, box connector, 6 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$88.00
<u>1487DM1</u>	Hammond 1487 series pull-through wireway fitting, nipple, 6 x 6 x 1in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$124.00
<u>1487DM2</u>	Hammond 1487 series pull-through wireway fitting, nipple, 6 x 6 x 2in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$133.00
<u>1487DM3</u>	Hammond 1487 series pull-through wireway fitting, nipple, 6 x 6 x 3in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$146.00
<u>1487DM6</u>	Hammond 1487 series pull-through wireway fitting, nipple, 6 x 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$155.00
<u>1487DM6SS</u>	Hammond pull-through wireway fitting, nipple, 6 x 6 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$313.00
<u>1487DRC</u>	Hammond 1487 series pull-through wireway fitting, center hole reducer, 6 x 6in to 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$71.00
<u>1487DRCSS</u>	Hammond pull-through wireway fitting, reducer, 6 x 6in to 4 x 4in, center-aligned opening, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$157.00
<u>1487DRE</u>	Hammond 1487 series pull-through wireway fitting, edge hole reducer, 6 x 6in to 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$71.00
<u>1487DRESS</u>	Hammond pull-through wireway fitting, reducer, 6 x 6in to 4 x 4in, edge-aligned opening, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$157.00
<u>1487DT</u>	Hammond 1487 series pull-through wireway fitting, tee, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$249.00
<u>1487DTSS</u>	Hammond pull-through wireway fitting, tee, 6 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$556.00
<u>1487DV1</u>	Hammond 1487 series pull-through wireway fitting, box entry swivel nipple, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$206.00
<u>1487DV2</u>	Hammond 1487 series pull-through wireway fitting, standard swivel nipple, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$206.00
<u>1487DV2SS</u>	Hammond pull-through wireway fitting, standard swivel nipple, 6 x 6 x 2.25in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$476.00
<u>1487DW</u>	Hammond 1487 series pull-through wireway fitting, cut-off fitting, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$142.00
<u>1487DX</u>	Hammond 1487 series pull-through wireway fitting, adjustable fitting, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$198.00
<u>1487DXSS</u>	Hammond pull-through wireway fitting, adjustable fitting, 6 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$442.00
<u>1487DY</u>	Hammond 1487 series pull-through wireway fitting, cross fitting, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$334.00
<u>1487E2P</u>	Hammond 1487 series pull-through wireway fitting, 22.5-degree elbow, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$279.00

<u>1487E4P</u>	Hammond 1487 series pull-through wireway fitting, 45-degree elbow, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$279.00
<u>1487E4PSS</u>	Hammond pull-through wireway fitting, 45-degree elbow, 8 x 8in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$453.00
<u>1487E9P</u>	Hammond 1487 series pull-through wireway fitting, 90-degree elbow, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$271.00
<u>1487E9PSS</u>	Hammond pull-through wireway fitting, 90-degree elbow, 8 x 8in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$440.00
<u>1487EB60</u>	Hammond wireway fitting, partition, 8 x 8 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$93.00
<u>1487EFFSS</u>	Hammond pull-through wireway fitting, flexible fitting, 8 x 8in, Gortiflex™ bellows with 304 stainless steel flanges, #4 brush finish, NEMA 4/4X/12. For use with 1485 and 1487 series wireway.	Stock	\$792.00
<u>1487EH</u>	Hammond 1487 series pull-through wireway fitting, cover plate, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$45.50
<u>1487EHSS</u>	Hammond wireway fitting, cover plate, 8 x 8in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$84.00
<u>1487EK</u>	Hammond 1487 series pull-through wireway fitting, box connector, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$50.00
<u>1487EKSS</u>	Hammond pull-through wireway fitting, box connector, 8 x 8in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$95.00
<u>1487EM1</u>	Hammond 1487 series pull-through wireway fitting, nipple, 8 x 8 x 1in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$175.00
<u>1487EM2</u>	Hammond 1487 series pull-through wireway fitting, nipple, 8 x 8 x 2in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$191.00
<u>1487EM3</u>	Hammond 1487 series pull-through wireway fitting, nipple, 8 x 8 x 3in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$206.00
<u>1487EM6</u>	Hammond 1487 series pull-through wireway fitting, nipple, 8 x 8 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$220.00
<u>1487EM6SS</u>	Hammond pull-through wireway fitting, nipple, 8 x 8 x 6in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$344.00
<u>1487ERCC</u>	Hammond 1487 series pull-through wireway fitting, center hole reducer, 8 x 8in to 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$95.00
<u>1487ERCCSS</u>	Hammond pull-through wireway fitting, reducer, 8 x 8in to 4 x 4in, center-aligned opening, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$172.00
<u>1487ERCD</u>	Hammond 1487 series pull-through wireway fitting, reducer, 8 x 8in to 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$95.00
<u>1487ERCDSS</u>	Hammond pull-through wireway fitting, reducer, 8 x 8in to 6 x 6in, center-aligned opening, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$172.00
<u>1487EREC</u>	Hammond 1487 series pull-through wireway fitting, edge hole reducer, 8 x 8in to 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$95.00
<u>1487ERECSS</u>	Hammond pull-through wireway fitting, reducer, 8 x 8in to 4 x 4in, edge-aligned opening, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$172.00
<u>1487ERED</u>	Hammond 1487 series pull-through wireway fitting, reducer, 8x 8in to 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$95.00
<u>1487EREDSS</u>	Hammond pull-through wireway fitting, reducer, 8 x 8in to 6 x 6in, edge-aligned opening, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$172.00
<u>1487ET</u>	Hammond 1487 series pull-through wireway fitting, tee, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$356.00
<u>1487ETSS</u>	Hammond pull-through wireway fitting, tee, 8 x 8in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$611.00
<u>1487EV1</u>	Hammond 1487 series pull-through wireway fitting, box entry swivel nipple, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$338.00
<u>1487EV2</u>	Hammond 1487 series pull-through wireway fitting, standard swivel nipple, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$338.00
<u>1487EV2SS</u>	Hammond pull-through wireway fitting, standard swivel nipple, 8 x 8 x 2.25in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$526.00
<u>1487EW</u>	Hammond 1487 series pull-through wireway fitting, cut-off fitting, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$207.00
<u>1487EX</u>	Hammond 1487 series pull-through wireway fitting, adjustable fitting, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$293.00
<u>1487EXSS</u>	Hammond pull-through wireway fitting, adjustable fitting, 8 x 8in, 304 stainless steel, #4 brush finish, NEMA 4/4X/12. For use with 1487SS series wireway.	Stock	\$489.00
<u>1487EY</u>	Hammond 1487 series pull-through wireway fitting, cross fitting, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 12. For use with 1487 series wireway.	Stock	\$440.00

<u>CWAD10</u>	Hammond CW series lay-in wireway fitting, box connector, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$46.50
<u>CWAD12</u>	Hammond CW series lay-in wireway fitting, box connector, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$59.00
<u>CWAD2</u>	Hammond CW series lay-in wireway fitting, box connector, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$13.00
<u>CWAD4</u>	Hammond CW series lay-in wireway fitting, box connector, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$13.00
<u>CWAD6</u>	Hammond CW series lay-in wireway fitting, box connector, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$19.50
<u>CWAD8</u>	Hammond CW series lay-in wireway fitting, box connector, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$27.00
<u>CWBA260</u>	Hammond CW series lay-in wireway fitting, partition, 2.5 x 2.5 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$36.00
<u>CWBA460</u>	Hammond CW series lay-in wireway fitting, partition, 4 x 4 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$50.00
<u>CWBA660</u>	Hammond CW series lay-in wireway fitting, partition, 6 x 6 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$61.00
<u>CWBA860</u>	Hammond CW series lay-in wireway fitting, partition, 8 x 8 x 60in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$82.00
<u>CWCF10</u>	Hammond CW series lay-in wireway fitting, cross fitting, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$175.00
<u>CWCF12</u>	Hammond CW series lay-in wireway fitting, cross fitting, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$195.00
<u>CWCF2</u>	Hammond CW series lay-in wireway fitting, cross fitting, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$52.00
<u>CWCF4</u>	Hammond CW series lay-in wireway fitting, cross fitting, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$55.00
<u>CWCF6</u>	Hammond CW series lay-in wireway fitting, cross fitting, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$70.00
<u>CWCF8</u>	Hammond CW series lay-in wireway fitting, cross fitting, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$123.00
<u>CWCP10</u>	Hammond CW series lay-in wireway fitting, cover plate, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1. For use with CW series wireway.	Stock	\$17.00
<u>CWCP10NK</u>	Hammond CW series lay-in wireway fitting, cover plate, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$17.00
<u>CWCP12</u>	Hammond CW series lay-in wireway fitting, cover plate, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1. For use with CW series wireway.	Stock	\$20.00
<u>CWCP12NK</u>	Hammond CW series lay-in wireway fitting, cover plate, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$20.00
<u>CWCP2</u>	Hammond CW series lay-in wireway fitting, cover plate, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1. For use with CW series wireway.	Stock	\$4.25
<u>CWCP2NK</u>	Hammond CW series lay-in wireway fitting, cover plate, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$4.25
<u>CWCP4</u>	Hammond CW series lay-in wireway fitting, cover plate, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1. For use with CW series wireway.	Stock	\$4.50
<u>CWCP4NK</u>	Hammond CW series lay-in wireway fitting, cover plate, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$4.50
<u>CWCP6</u>	Hammond CW series lay-in wireway fitting, cover plate, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1. For use with CW series wireway.	Stock	\$7.00
<u>CWCP6NK</u>	Hammond CW series lay-in wireway fitting, cover plate, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$7.00
<u>CWCP8</u>	Hammond CW series lay-in wireway fitting, cover plate, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, with knockouts, NEMA 1. For use with CW series wireway.	Stock	\$9.50
<u>CWCP8NK</u>	Hammond CW series lay-in wireway fitting, cover plate, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$9.50
<u>CWCRD42</u>	Hammond CW series lay-in wireway fitting, corner reducer, 4 x 4in to 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$35.50
<u>CWCRD64</u>	Hammond CW series lay-in wireway fitting, corner reducer, 6 x 6in to 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$68.00
<u>CWCRD86</u>	Hammond CW series lay-in wireway fitting, corner reducer, 8 x 8in to 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$78.00
<u>CWEL1045</u>	Hammond CW series lay-in wireway fitting, 45-degree elbow, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$116.00

<u>CWEL1090</u>	Hammond CW series lay-in wireway fitting, 90-degree elbow, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$116.00
<u>CWEL1245</u>	Hammond CW series lay-in wireway fitting, 45-degree elbow, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$139.00
<u>CWEL1290</u>	Hammond CW series lay-in wireway fitting, 90-degree elbow, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$139.00
<u>CWEL222</u>	Hammond CW series lay-in wireway fitting, 22.5-degree elbow, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$38.00
<u>CWEL245</u>	Hammond CW series lay-in wireway fitting, 45-degree elbow, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$34.50
<u>CWEL290</u>	Hammond CW series lay-in wireway fitting, 90-degree elbow, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$35.50
<u>CWEL422</u>	Hammond CW series lay-in wireway fitting, 22.5-degree elbow, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$40.00
<u>CWEL445</u>	Hammond CW series lay-in wireway fitting, 45-degree elbow, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$38.50
<u>CWEL490</u>	Hammond CW series lay-in wireway fitting, 90-degree elbow, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$39.00
<u>CWEL622</u>	Hammond CW series lay-in wireway fitting, 22.5-degree elbow, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$46.00
<u>CWEL645</u>	Hammond CW series lay-in wireway fitting, 45-degree elbow, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$46.50
<u>CWEL690</u>	Hammond CW series lay-in wireway fitting, 90-degree elbow, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$46.00
<u>CWEL822</u>	Hammond CW series lay-in wireway fitting, 22.5-degree elbow, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$78.00
<u>CWEL845</u>	Hammond CW series lay-in wireway fitting, 45-degree elbow, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$75.00
<u>CWEL890</u>	Hammond CW series lay-in wireway fitting, 90-degree elbow, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$78.00
<u>CWJO10</u>	Hammond CW series lay-in wireway fitting, coupling, 10 x 10in, carbon steel, galvanized finish. For use with CW series wireway.	Stock	\$18.00
<u>CWJO12</u>	Hammond CW series lay-in wireway fitting, coupling, 12 x 12in, carbon steel, galvanized finish. For use with CW series wireway.	Stock	\$21.00
<u>CWJO2</u>	Hammond CW series lay-in wireway fitting, coupling, 2.5 x 2.5in, carbon steel, galvanized finish. For use with CW series wireway.	Stock	\$4.75
<u>CWJO4</u>	Hammond CW series lay-in wireway fitting, coupling, 4 x 4in, carbon steel, galvanized finish. For use with CW series wireway.	Stock	\$4.75
<u>CWJO6</u>	Hammond CW series lay-in wireway fitting, coupling, 6 x 6in, carbon steel, galvanized finish. For use with CW series wireway.	Stock	\$7.25
<u>CWJO8</u>	Hammond CW series lay-in wireway fitting, coupling, 8 x 8in, carbon steel, galvanized finish. For use with CW series wireway.	Stock	\$9.25
<u>CWRD108</u>	Hammond CW series lay-in wireway fitting, reducer, 10 x 10in to 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$110.00
<u>CWRD1210</u>	Hammond CW series lay-in wireway fitting, reducer, 12 x 12in to 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$101.00
<u>CWRD128</u>	Hammond CW series lay-in wireway fitting, reducer, 12 x 12in to 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$119.00
<u>CWRD42</u>	Hammond CW series lay-in wireway fitting, reducer, 4 x 4in to 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$24.00
<u>CWRD64</u>	Hammond CW series lay-in wireway fitting, reducer, 6 x 6in to 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$55.00
<u>CWRD86</u>	Hammond CW series lay-in wireway fitting, reducer, 8 x 8in to 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$67.00
<u>CWTF10</u>	Hammond CW series lay-in wireway fitting, tee, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$158.00
<u>CWTF12</u>	Hammond CW series lay-in wireway fitting, tee, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$197.00
<u>CWTF2</u>	Hammond CW series lay-in wireway fitting, tee, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$45.00
<u>CWTF4</u>	Hammond CW series lay-in wireway fitting, tee, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$49.00
<u>CWTF6</u>	Hammond CW series lay-in wireway fitting, tee, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$57.00

<u>CWTF8</u>	Hammond CW series lay-in wireway fitting, tee, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$98.00
<u>CWTL10</u>	Hammond CW series lay-in wireway fitting, telescope, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$245.00
<u>CWTL12</u>	Hammond CW series lay-in wireway fitting, telescope, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$304.00
<u>CWTL2</u>	Hammond CW series lay-in wireway fitting, telescope, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$55.00
<u>CWTL4</u>	Hammond CW series lay-in wireway fitting, telescope, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$121.00
<u>CWTL6</u>	Hammond CW series lay-in wireway fitting, telescope, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$151.00
<u>CWTL8</u>	Hammond CW series lay-in wireway fitting, telescope, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish, NEMA 1. For use with CW series wireway.	Stock	\$181.00
Accessories for Wireways			
<u>1485BL1</u>	Hammond ceiling hanger, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$25.00
<u>1485BL2</u>	Hammond wall hanger, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$17.25
<u>1485CL1</u>	Hammond ceiling hanger, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$32.00
<u>1485CL2</u>	Hammond wall hanger, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$22.00
<u>1485DL1</u>	Hammond ceiling hanger, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$43.50
<u>1485DL2</u>	Hammond wall hanger, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$30.50
<u>1485EL1</u>	Hammond ceiling hanger, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$87.00
<u>1485EL2</u>	Hammond wall hanger, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish. For use with 1485 and 1487 series wireway.	Stock	\$79.00
<u>1487BS</u>	Hammond wireway gasket kit, 2.5 x 2.5in, rubber, black. For use with 1487 series wireway.	Stock	\$6.00
<u>1487CL1SS</u>	Hammond ceiling hanger, 4 x 4in, 304 stainless steel, #4 brush finish. For use with 1487SS series wireway.	Stock	\$71.00
<u>1487CL2SS</u>	Hammond wall hanger, 4 x 4in, 304 stainless steel, #4 brush finish. For use with 1487SS series wireway.	Stock	\$45.50
<u>1487CS</u>	Hammond wireway gasket kit, 4 x 4in, rubber, black. For use with 1487 series wireway.	Stock	\$8.25
<u>1487CSSS</u>	Hammond wireway gasket kit, 4 x 4in, rubber, black. For use with 1487SS series wireway.	Stock	\$18.25
<u>1487DL1SS</u>	Hammond ceiling hanger, 6 x 6in, 304 stainless steel, #4 brush finish. For use with 1487SS series wireway.	Stock	\$98.00
<u>1487DL2SS</u>	Hammond wall hanger, 6 x 6in, 304 stainless steel, #4 brush finish. For use with 1487SS series wireway.	Stock	\$64.00
<u>1487DS</u>	Hammond wireway gasket kit, 6 x 6in, rubber, black. For use with 1487 series wireway.	Stock	\$11.00
<u>1487DSSS</u>	Hammond wireway gasket kit, 6 x 6in, rubber, black. For use with 1487SS series wireway.	Stock	\$24.00
<u>1487EL1SS</u>	Hammond ceiling hanger, 8 x 8in, 304 stainless steel, #4 brush finish. For use with 1487SS series wireway.	Stock	\$105.00
<u>1487EL2SS</u>	Hammond wall hanger, 8 x 8in, 304 stainless steel, #4 brush finish. For use with 1487SS series wireway.	Stock	\$71.00
<u>1487ES</u>	Hammond wireway gasket kit, 8 x 8in, rubber, black. For use with 1487 series wireway.	Stock	\$14.50
<u>1487ESSS</u>	Hammond wireway gasket kit, 8 x 8in, rubber, black. For use with 1487SS series wireway.	Stock	\$26.50
<u>CWHD10</u>	Hammond ceiling hanger, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$43.50
<u>CWHD12</u>	Hammond ceiling hanger, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$61.00
<u>CWHD2</u>	Hammond ceiling hanger, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$12.00
<u>CWHD4</u>	Hammond ceiling hanger, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$13.50
<u>CWHD6</u>	Hammond ceiling hanger, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$22.50
<u>CWHD8</u>	Hammond ceiling hanger, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$30.00

<u>CWHW10</u>	Hammond wall hanger, 10 x 10in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$41.50
<u>CWHW12</u>	Hammond wall hanger, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$52.00
<u>CWHW2</u>	Hammond wall hanger, 2.5 x 2.5in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$9.00
<u>CWHW4</u>	Hammond wall hanger, 4 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$12.50
<u>CWHW6</u>	Hammond wall hanger, 6 x 6in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$22.00
<u>CWHW8</u>	Hammond wall hanger, 8 x 8in, carbon steel, ANSI 61 gray, powder coat finish. For use with CW series wireway.	Stock	\$30.50
Data Communication Rack Cabinets			
<u>SDC243U17BK</u>	Hammond rack cabinet, 3U, 19in rack width, 6.25x24.00x17.50in, carbon steel, black, powder coat finish.	Stock	\$266.00
<u>SDC243U24BK</u>	Hammond rack cabinet, 3U, 19in rack width, 6.25x24.00x24.50in, carbon steel, black, powder coat finish.	Stock	\$316.00
<u>SDC243U31BK</u>	Hammond rack cabinet, 3U, 19in rack width, 6.25x24.00x31.50in, carbon steel, black, powder coat finish.	Stock	\$357.00
<u>SDC243U36BK</u>	Hammond rack cabinet, 3U, 19in rack width, 6.25x24.00x36.00in, carbon steel, black, powder coat finish.	Stock	\$382.00
<u>SDC246U17BK</u>	Hammond rack cabinet, 6U, 19in rack width, 11.50x24.00x17.50in, carbon steel, black, powder coat finish.	Stock	\$316.00
<u>SDC246U24BK</u>	Hammond rack cabinet, 6U, 19in rack width, 11.50x24.00x24.50in, carbon steel, black, powder coat finish.	Stock	\$366.00
<u>SDC246U31BK</u>	Hammond rack cabinet, 6U, 19in rack width, 11.50x24.00x31.50in, carbon steel, black, powder coat finish.	Stock	\$416.00
<u>SDC246U36BK</u>	Hammond rack cabinet, 6U, 19in rack width, 11.50x24.00x36.00in, carbon steel, black, powder coat finish.	Stock	\$432.00
<u>SDC249U17BK</u>	Hammond rack cabinet, 9U, 19in rack width, 16.75x24.00x17.50in, carbon steel, black, powder coat finish.	Stock	\$357.00
<u>SDC249U24BK</u>	Hammond rack cabinet, 9U, 19in rack width, 16.75x24.00x24.50in, carbon steel, black, powder coat finish.	Stock	\$407.00
<u>SDC249U31BK</u>	Hammond rack cabinet, 9U, 19in rack width, 16.75x24.00x31.50in, carbon steel, black, powder coat finish.	Stock	\$603.00
<u>SDC249U36BK</u>	Hammond rack cabinet, 9U, 19in rack width, 16.75x24.00x36.00in, carbon steel, black, powder coat finish.	Stock	\$621.00
Wall-mount Data Communication Racks			
<u>APB19007BK1</u>	Hammond hinged wall-mount rack, 4U, 19in rack width, 12 to 18in depth, 100lb capacity, carbon steel, black, powder coat finish.	Stock	\$105.00
<u>APBS194UBK</u>	Hammond wall-mount rack, 4U, 19in rack width, 12 to 18in depth, 100lb capacity, carbon steel, black, powder coat finish.	Stock	\$137.00
<u>APB19010BK1</u>	Hammond hinged wall-mount rack, 6U, 19in rack width, 12 to 18in depth, 100lb capacity, carbon steel, black, powder coat finish.	Stock	\$124.00
<u>APB19014BK1</u>	Hammond hinged wall-mount rack, 8U, 19in rack width, 12 to 18in depth, 100lb capacity, carbon steel, black, powder coat finish.	Stock	\$151.00
<u>APBS198UBK</u>	Hammond wall-mount rack, 8U, 19in rack width, 12 to 18in depth, 100lb capacity, carbon steel, black, powder coat finish.	Stock	\$199.00
<u>APB19021BK1</u>	Hammond hinged wall-mount rack, 12U, 19in rack width, 12 to 18in depth, 100lb capacity, carbon steel, black, powder coat finish.	Stock	\$195.00
Open-frame Data Communication Racks			
<u>DNRR63HDW</u>	Hammond 2-post rack, 36U, 19in rack width, 1500lb capacity, carbon steel, black, powder coat finish.	Stock	\$603.00
<u>DNRR70HDW</u>	Hammond 2-post rack, 40U, 19in rack width, 1500lb capacity, carbon steel, black, powder coat finish.	Stock	\$573.00
<u>DNRR77HDW</u>	Hammond 2-post rack, 44U, 19in rack width, 1500lb capacity, carbon steel, black, powder coat finish.	Stock	\$632.00
<u>DNRR84HDW</u>	Hammond 2-post rack, 48U, 19in rack width, 1500lb capacity, carbon steel, black, powder coat finish.	Stock	\$662.00
<u>DNRR1942LDK</u>	Hammond 2-post knockdown rack, 24U, 19in rack width, 800lb capacity, carbon steel, black, powder coat finish.	Stock	\$231.00
<u>DNRR1963LDK</u>	Hammond 2-post knockdown rack, 36U, 19in rack width, 800lb capacity, carbon steel, black, powder coat finish.	Stock	\$264.00
<u>DNRR1970LDK</u>	Hammond 2-post knockdown rack, 40U, 19in rack width, 800lb capacity, carbon steel, black, powder coat finish.	Stock	\$280.00
<u>DNRR1977LDK</u>	Hammond 2-post knockdown rack, 44U, 19in rack width, 800lb capacity, carbon steel, black, powder coat finish.	Stock	\$295.00
<u>DNRR2377HDWB</u>	Hammond 2-post rack, 44U, 23in rack width, 1500lb capacity, carbon steel, black, powder coat finish.	Stock	\$632.00
<u>DNRR2384HDWB</u>	Hammond 2-post rack, 48U, 23in rack width, 1500lb capacity, carbon steel, black, powder coat finish.	Stock	\$656.00

DRZ477	Hammond 2-post seismic rack, 44U, 19in rack width, 2000lb capacity, carbon steel, black, powder coat finish.	Stock	\$809.00
DRZ42377	Hammond 2-post seismic rack, 44U, 23in rack width, 2000lb capacity, carbon steel, black, powder coat finish.	Stock	\$868.00
HDR6UBK	Hammond 2-post desktop rack, 6U, 19in rack width, 195lb capacity, carbon steel, black, powder coat finish.	Stock	\$72.00
HDR8UBK	Hammond 2-post desktop rack, 8U, 19in rack width, 195lb capacity, carbon steel, black, powder coat finish.	Stock	\$75.00
HDR12UBK	Hammond 2-post desktop rack, 12U, 19in rack width, 195lb capacity, carbon steel, black, powder coat finish.	Stock	\$83.00
HDR16UBK	Hammond 2-post desktop rack, 16U, 19in rack width, 195lb capacity, carbon steel, black, powder coat finish.	Stock	\$96.00
Rack Rails / Frame / Angles / Channels for Data Communication Racks			
URR2U	Hammond rack rail, 2U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$12.50
URR3U	Hammond rack rail, 3U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$15.75
URR4U	Hammond rack rail, 4U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$16.75
URR6U	Hammond rack rail, 6U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$22.50
URR8U	Hammond rack rail, 8U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$25.00
URR10U	Hammond rack rail, 10U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$30.00
URR12U	Hammond rack rail, 12U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$34.00
URR14U	Hammond rack rail, 14U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$37.50
URR16U	Hammond rack rail, 16U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$44.00
URR18U	Hammond rack rail, 18U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$46.50
URR21U	Hammond rack rail, 21U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$67.00
URR24U	Hammond rack rail, 24U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$82.00
URR27U	Hammond rack rail, 27U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$92.00
URR36U	Hammond rack rail, 36U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$113.00
URR45U	Hammond rack rail, 45U, carbon steel, black, powder coat finish. Package of 2.	Stock	\$131.00
ESF2424	Hammond rack mounting swing frame, carbon steel, black, powder coat finish. For use with 24x24in (HxW) wall-mount enclosures. Mounting hardware included.	Stock	\$287.00
ESF3024	Hammond rack mounting swing frame, carbon steel, black, powder coat finish. For use with 30x24in (HxW) wall-mount enclosures. Mounting hardware included.	Stock	\$371.00
ESF3624	Hammond rack mounting swing frame, carbon steel, black, powder coat finish. For use with 36x24in (HxW) wall-mount enclosures. Mounting hardware included.	Stock	\$426.00
SCE-7230SOF19	Saginaw rack mounting swing frame, carbon steel, white, powder coat finish. For use with 72x30in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$565.00
1418SFX	Hammond rack mounting swing frame, carbon steel, black, powder coat finish. For use with 72x30in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$916.00
SCE-7236SOF19	Saginaw rack mounting swing frame, carbon steel, white, powder coat finish. For use with 72x36in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$608.00
1418SFY	Hammond rack mounting swing frame, carbon steel, black, powder coat finish. For use with 72x36in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$988.00
SCE-9036SOF19	Saginaw rack mounting swing frame, carbon steel, white, powder coat finish. For use with 90x36in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$640.00
1418SFYY	Hammond rack mounting swing frame, carbon steel, black, powder coat finish. For use with 90x36in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$1,042.00
SCE-60RP24F5	Saginaw enclosure rack mounting angle, carbon steel, full-height mount, white, powder coat finish. Package of 2. For use with 60x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$155.00
1418TFHP	Hammond enclosure rack mounting angle, carbon steel, full-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 60x24in (HxW) freestanding enclosures. For mounting 19in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$256.00
SCE-60RP24F6	Saginaw enclosure rack mounting angle, carbon steel, half-height mount, white, powder coat finish. Package of 2. For use with 60x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$90.00
1418THHP	Hammond enclosure rack mounting angle, carbon steel, half-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 60x24in (HxW) freestanding enclosures. For mounting 19in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$151.00
SCE-72RP24F5	Saginaw enclosure rack mounting angle, carbon steel, full-height mount, white, powder coat finish. Package of 2. For use with 72x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$180.00

<u>1418WFHP</u>	Hammond enclosure rack mounting angle, carbon steel, full-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 72x24in (HxW) freestanding enclosures. For mounting 19in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$294.00
<u>SCE-72RP24F6</u>	Saginaw enclosure rack mounting angle, carbon steel, half-height mount, white, powder coat finish. Package of 2. For use with 72x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$111.00
<u>1418WHHP</u>	Hammond enclosure rack mounting angle, carbon steel, half-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 72x24in (HxW) freestanding enclosures. For mounting 19in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$186.00
<u>SCE-72RP30F5</u>	Saginaw enclosure rack mounting angle, carbon steel, full-height mount, white, powder coat finish. Package of 2. For use with 72x30in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$180.00
<u>1418XFHP</u>	Hammond enclosure rack mounting angle, carbon steel, full-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 72x30in (HxW) freestanding enclosures. For mounting 24in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$294.00
<u>SCE-72RP30F6</u>	Saginaw enclosure rack mounting angle, carbon steel, half-height mount, white, powder coat finish. Package of 2. For use with 72x30in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$111.00
<u>1418XHHP</u>	Hammond enclosure rack mounting angle, carbon steel, half-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 72x30in (HxW) freestanding enclosures. For mounting 24in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$186.00
<u>SCE-90RP24F5</u>	Saginaw enclosure rack mounting angle, carbon steel, full-height mount, white, powder coat finish. Package of 2. For use with 90x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$241.00
<u>1418YYFHP</u>	Hammond enclosure rack mounting angle, carbon steel, full-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 90x24in (HxW) freestanding enclosures. For mounting 19in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$391.00
<u>SCE-90RP24F6</u>	Saginaw enclosure rack mounting angle, carbon steel, half-height mount, white, powder coat finish. Package of 2. For use with 90x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$137.00
<u>1418YYHHP</u>	Hammond enclosure rack mounting angle, carbon steel, half-height mount, RAL 9003 white, powder coat finish. Package of 2. For use with 90x24in (HxW) freestanding enclosures. For mounting 19in rack equipment. Drilled and tapped 10-32 to EIA spacing.	Stock	\$224.00
<u>SCE-60RA19TH</u>	Saginaw enclosure rack mounting channel, carbon steel, white, powder coat finish. For use with 60x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$155.00
<u>SCE-72RA19TH</u>	Saginaw enclosure rack mounting channel, carbon steel, white, powder coat finish. For use with 19in racks in 72x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$165.00
<u>SCE-72RA24TH</u>	Saginaw enclosure rack mounting channel, carbon steel, white, powder coat finish. For use with 24in racks in 72x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$165.00
<u>SCE-90RA19TH</u>	Saginaw enclosure rack mounting channel, carbon steel, white, powder coat finish. For use with 90x24in (HxW) freestanding enclosures. Mounting hardware included.	Stock	\$180.00
Cabinet Doors for Data Communication Racks			
<u>SDC3USD</u>	Hammond rack cabinet door, solid, 3U, 19in rack width, carbon steel, black, textured powder coat finish, 1/4-turn semi-flush keylocking latch, continuous hinge.	Stock	\$71.00
<u>SDC3UVD</u>	Hammond rack cabinet door, vented, 3U, 19in rack width, carbon steel, black, textured powder coat finish, 1/4-turn semi-flush keylocking latch, continuous hinge.	Stock	\$71.00
<u>SDC6USD</u>	Hammond rack cabinet door, solid, 6U, 19in rack width, carbon steel, black, textured powder coat finish, 1/4-turn semi-flush keylocking latch, continuous hinge.	Stock	\$92.00
<u>SDC6UVD</u>	Hammond rack cabinet door, vented, 6U, 19in rack width, carbon steel, black, textured powder coat finish, 1/4-turn semi-flush keylocking latch, continuous hinge.	Stock	\$95.00
<u>SDC9USD</u>	Hammond rack cabinet door, solid, 9U, 19in rack width, carbon steel, black, textured powder coat finish, 1/4-turn semi-flush keylocking latch, continuous hinge.	Stock	\$101.00
<u>SDC9UVD</u>	Hammond rack cabinet door, vented, 9U, 19in rack width, carbon steel, black, textured powder coat finish, 1/4-turn semi-flush keylocking latch, continuous hinge.	Stock	\$105.00
Panels for Data Communication Racks and Instrument Enclosures			
<u>PBFS19000BK</u>	Hammond rack panel, 1/2U, 19in rack width, flanged, carbon steel, matte black, powder coat finish.	Stock	\$9.25
<u>PBPS19001GY2</u>	Hammond rack panel, 1U, 19in rack width, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$10.00
<u>PBPS19001BK</u>	Hammond rack panel, 1U, 19in rack width, carbon steel, matte black, powder coat finish.	Stock	\$10.00
<u>PBPS19001LG2</u>	Hammond rack panel, 1U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$10.00
<u>SCE-19-1U</u>	Saginaw rack panel, 1U, 19in rack width, carbon steel, black, powder coat finish.	Stock	\$13.50
<u>PBPA19001GY2</u>	Hammond rack panel, 1U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$11.50
<u>PBPA19001BK</u>	Hammond rack panel, 1U, 19in rack width, 5052-H32 aluminum, matte black, powder coat finish.	Stock	\$11.50
<u>PBPA19001UNE</u>	Hammond rack panel, 1U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$11.50
<u>PBPA19001LG2</u>	Hammond rack panel, 1U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$11.50

<u>PPFS19001LG2</u>	Hammond rack panel, 1U, 19in rack width, flanged, perforated, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$14.25
<u>PBFS19001GY2</u>	Hammond rack panel, 1U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$12.50
<u>PBFS19001BK</u>	Hammond rack panel, 1U, 19in rack width, flanged, carbon steel, matte black, powder coat finish.	Stock	\$12.50
<u>PBFS19001LG2</u>	Hammond rack panel, 1U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$12.50
<u>PBPS19003GY2</u>	Hammond rack panel, 2U, 19in rack width, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$11.75
<u>PBPS19003BK</u>	Hammond rack panel, 2U, 19in rack width, carbon steel, matte black, powder coat finish.	Stock	\$11.75
<u>PBPS19003LG2</u>	Hammond rack panel, 2U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$11.75
<u>PPFS19003LG2</u>	Hammond rack panel, 2U, 19in rack width, flanged, perforated, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$19.25
<u>PBFS19003GY2</u>	Hammond rack panel, 2U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$17.50
<u>PBFS19003BK</u>	Hammond rack panel, 2U, 19in rack width, flanged, carbon steel, matte black, powder coat finish.	Stock	\$17.50
<u>PBFS19003LG2</u>	Hammond rack panel, 2U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$17.50
<u>PBPA19003GY2</u>	Hammond rack panel, 2U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$17.00
<u>PBPA19003BK</u>	Hammond rack panel, 2U, 19in rack width, 5052-H32 aluminum, matte black, powder coat finish.	Stock	\$17.00
<u>PBPA19003UNE</u>	Hammond rack panel, 2U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$17.00
<u>PBPA19003LG2</u>	Hammond rack panel, 2U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$17.00
<u>SCE-19-2U</u>	Saginaw rack panel, 2U, 19in rack width, carbon steel, black, powder coat finish.	Stock	\$22.50
<u>PBPS19005GY2</u>	Hammond rack panel, 3U, 19in rack width, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$16.75
<u>PBPS19005BK</u>	Hammond rack panel, 3U, 19in rack width, carbon steel, matte black, powder coat finish.	Stock	\$16.75
<u>PBPS19005LG2</u>	Hammond rack panel, 3U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$16.75
<u>PPFS19005LG2</u>	Hammond rack panel, 3U, 19in rack width, flanged, perforated, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$21.00
<u>PBFS19005GY2</u>	Hammond rack panel, 3U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$19.25
<u>PBFS19005BK</u>	Hammond rack panel, 3U, 19in rack width, flanged, carbon steel, matte black, powder coat finish.	Stock	\$19.25
<u>PBFS19005LG2</u>	Hammond rack panel, 3U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$19.25
<u>PBPA19005GY2</u>	Hammond rack panel, 3U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$25.50
<u>PBPA19005BK</u>	Hammond rack panel, 3U, 19in rack width, 5052-H32 aluminum, matte black, powder coat finish.	Stock	\$25.50
<u>PBPA19005UNE</u>	Hammond rack panel, 3U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$25.50
<u>PBPA19005LG2</u>	Hammond rack panel, 3U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$25.50
<u>SCE-19-3U</u>	Saginaw rack panel, 3U, 19in rack width, carbon steel, black, powder coat finish.	Stock	\$31.50
<u>SDC3UCFP</u>	Hammond fan cover panel, 3U, 19in rack width, flanged, with knockouts, carbon steel, black, textured powder coat finish.	Stock	\$65.00
<u>PBPS19007GY2</u>	Hammond rack panel, 4U, 19in rack width, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$20.00
<u>PBPS19007BK</u>	Hammond rack panel, 4U, 19in rack width, carbon steel, matte black, powder coat finish.	Stock	\$20.00
<u>PBPS19007LG2</u>	Hammond rack panel, 4U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$20.00
<u>PPFS19007LG2</u>	Hammond rack panel, 4U, 19in rack width, flanged, perforated, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$23.50
<u>PBFS19007GY2</u>	Hammond rack panel, 4U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$24.00
<u>PBFS19007LG2</u>	Hammond rack panel, 4U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$24.00
<u>PBFS19007BK</u>	Hammond rack panel, 4U, 19in rack width, flanged, carbon steel, matte black, powder coat finish.	Stock	\$24.00
<u>PBPA19007GY2</u>	Hammond rack panel, 4U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$30.00
<u>PBPA19007BK</u>	Hammond rack panel, 4U, 19in rack width, 5052-H32 aluminum, matte black, powder coat finish.	Stock	\$30.00
<u>PBPA19007UNE</u>	Hammond rack panel, 4U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$30.00
<u>PBPA19007LG2</u>	Hammond rack panel, 4U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$30.00

<u>PBPS19008GY2</u>	Hammond rack panel, 5U, 19in rack width, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$22.50
<u>PBPS19008LG2</u>	Hammond rack panel, 5U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$22.50
<u>PPFS19008LG2</u>	Hammond rack panel, 5U, 19in rack width, flanged, perforated, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$28.50
<u>PBFS19008GY2</u>	Hammond rack panel, 5U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$30.00
<u>PBFS19008LG2</u>	Hammond rack panel, 5U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$30.00
<u>PBPA19008GY2</u>	Hammond rack panel, 5U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$35.50
<u>PBPA19008UNE</u>	Hammond rack panel, 5U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$35.50
<u>PBPA19008LG2</u>	Hammond rack panel, 5U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$35.50
<u>PBPS19010GY2</u>	Hammond rack panel, 6U, 19in rack width, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$25.00
<u>PBPS19010LG2</u>	Hammond rack panel, 6U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$25.00
<u>PPFS19010LG2</u>	Hammond rack panel, 6U, 19in rack width, flanged, perforated, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$32.50
<u>PBFS19010GY2</u>	Hammond rack panel, 6U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$33.50
<u>PBFS19010LG2</u>	Hammond rack panel, 6U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$33.50
<u>PBPA19010GY2</u>	Hammond rack panel, 6U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$41.50
<u>PBPA19010UNE</u>	Hammond rack panel, 6U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$41.50
<u>PBPA19010LG2</u>	Hammond rack panel, 6U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$41.50
<u>SDC6UCFP</u>	Hammond fan cover panel, 6U, 19in rack width, flanged, with knockouts, carbon steel, black, textured powder coat finish.	Stock	\$65.00
<u>PBPS19012GY2</u>	Hammond rack panel, 7U, 19in rack width, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$30.00
<u>PBPS19012LG2</u>	Hammond rack panel, 7U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$30.00
<u>PBFS19012GY2</u>	Hammond rack panel, 7U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$35.00
<u>PBFS19012LG2</u>	Hammond rack panel, 7U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$35.00
<u>PBPA19012GY2</u>	Hammond rack panel, 7U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$50.00
<u>PBPA19012UNE</u>	Hammond rack panel, 7U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$50.00
<u>PBPA19012LG2</u>	Hammond rack panel, 7U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$50.00
<u>PBFS19014GY2</u>	Hammond rack panel, 8U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$39.00
<u>PBFS19014LG2</u>	Hammond rack panel, 8U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$38.50
<u>PBPS19014LG2</u>	Hammond rack panel, 8U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$38.50
<u>PBPA19014GY2</u>	Hammond rack panel, 8U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$56.00
<u>PBPA19014UNE</u>	Hammond rack panel, 8U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$56.00
<u>PBPA19014LG2</u>	Hammond rack panel, 8U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$56.00
<u>PBFS19015GY2</u>	Hammond rack panel, 9U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$41.00
<u>PBFS19015LG2</u>	Hammond rack panel, 9U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$40.00
<u>PBPS19015LG2</u>	Hammond rack panel, 9U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$42.50
<u>PBPA19015GY2</u>	Hammond rack panel, 9U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$61.00
<u>PBPA19015UNE</u>	Hammond rack panel, 9U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$61.00
<u>PBPA19015LG2</u>	Hammond rack panel, 9U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$61.00
<u>SDC9UCFP</u>	Hammond fan cover panel, 9U, 19in rack width, flanged, with knockouts, carbon steel, black, textured powder coat finish.	Stock	\$75.00
<u>PBFS19017GY2</u>	Hammond rack panel, 10U, 19in rack width, flanged, carbon steel, ANSI 61 gray, powder coat finish.	Stock	\$46.50
<u>PBFS19017LG2</u>	Hammond rack panel, 10U, 19in rack width, flanged, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$46.50
<u>PBPS19017LG2</u>	Hammond rack panel, 10U, 19in rack width, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$46.50

<u>PBPA19017GY2</u>	Hammond rack panel, 10U, 19in rack width, 5052-H32 aluminum, ANSI 61 gray, powder coat finish.	Stock	\$68.00
<u>PBPA19017UNE</u>	Hammond rack panel, 10U, 19in rack width, 5052-H32 aluminum, natural finish.	Stock	\$68.00
<u>PBPA19017LG2</u>	Hammond rack panel, 10U, 19in rack width, 5052-H32 aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$68.00
<u>RM0804BKSP</u>	Hammond top/bottom panel, replacement, 8 x 4in, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU0804xBK enclosures.	Stock	\$9.25
<u>RM0804BKVP</u>	Hammond top/bottom panel, replacement, 8 x 4in, vented, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU0804xBK enclosures.	Stock	\$15.25
<u>RM0808BKSP</u>	Hammond top/bottom panel, replacement, 8 x 8in, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU0808xBK enclosures.	Stock	\$12.50
<u>RM0808BKVP</u>	Hammond top/bottom panel, replacement, 8 x 8in, vented, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU0808xBK enclosures.	Stock	\$20.50
<u>RM1908BKSP</u>	Hammond top/bottom panel, replacement, 17 x 8in, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1908xBK enclosures.	Stock	\$21.00
<u>RM1908BKVP</u>	Hammond top/bottom panel, replacement, 17 x 8in, vented, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1908xBK enclosures.	Stock	\$25.00
<u>RM1913BKSP</u>	Hammond top/bottom panel, replacement, 17 x 13in, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1913xBK enclosures.	Stock	\$28.00
<u>RM1913BKVP</u>	Hammond top/bottom panel, replacement, 17 x 13in, vented, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1913xBK enclosures.	Stock	\$30.50
<u>RM1918BKSP</u>	Hammond top/bottom panel, replacement, 17 x 18in, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1918xBK enclosures.	Stock	\$31.50
<u>RM1918BKVP</u>	Hammond top/bottom panel, replacement, 17 x 18in, vented, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1918xBK enclosures.	Stock	\$36.50
<u>RM1922BKSP</u>	Hammond top/bottom panel, replacement, 17 x 22in, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1922xBK enclosures.	Stock	\$34.00
<u>RM1922BKVP</u>	Hammond top/bottom panel, replacement, 17 x 22in, vented, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1922xBK enclosures.	Stock	\$41.50
<u>RM1928BKSP</u>	Hammond top/bottom panel, replacement, 17 x 28in, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1928xBK enclosures.	Stock	\$37.50
<u>RM1928BKVP</u>	Hammond top/bottom panel, replacement, 17 x 28in, vented, 5052-H32 aluminum, black, powder coat finish. For use with Hammond RMxU1928xBK enclosures.	Stock	\$46.00

Shelves for Data Communication Racks

<u>RASU190107DBK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 7in depth, 42lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$44.00
<u>RASU190107UBK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 7in depth, 42lb capacity, stiffener folded up, carbon steel, black, textured powder coat finish.	Stock	\$44.00
<u>RASU190110BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 10in depth, 42lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$49.00
<u>RASV190107DBK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 7in depth, 42lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$50.00
<u>RASV190107UBK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 7in depth, 42lb capacity, vented, stiffener folded up, carbon steel, black, textured powder coat finish.	Stock	\$50.00
<u>RASU190112BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 12in depth, 42lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$52.00
<u>RASV190110BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 10in depth, 42lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$57.00
<u>RASU190115BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 15in depth, 42lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$61.00
<u>RASV190112BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 12in depth, 42lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$61.00
<u>RASU190120BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 20in depth, 42lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$64.00
<u>RASV190115BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 15in depth, 42lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$64.00
<u>RASV190120BK1</u>	Hammond universal rack shelf, 1U, 19in rack width, 20in depth, 42lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$67.00
<u>RASU190312BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 12in depth, 100lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$57.00
<u>RASU190315BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 15in depth, 100lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$62.00
<u>RASV190312BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 12in depth, 100lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$66.00

<u>RASU190318BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 18in depth, 100lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$67.00
<u>RASV190315BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 15in depth, 100lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$70.00
<u>RASU190320BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 20in depth, 100lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$72.00
<u>RASV190318BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 18in depth, 100lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$72.00
<u>RASV190320BK1</u>	Hammond universal rack shelf, 2U, 19in rack width, 20in depth, 100lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$74.00
<u>DNDMS1916BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 16in depth, 200lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$99.00
<u>DNDMS19BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 19.5in depth, 200lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$99.00
<u>RACSV190315BK1</u>	Hammond two-post clamping rack shelf, 2U, 19in rack width, 15in depth, 200lb capacity, vented, carbon steel, black, textured powder coat finish.	Stock	\$111.00
<u>DNDMS1918BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 18in depth, 200lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$102.00
<u>DNDMV1918BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 18in depth, 200lb capacity, vented, carbon steel, black, textured powder coat finish.	Stock	\$102.00
<u>DNDMS1920BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 20in depth, 200lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$105.00
<u>DNDMV19BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 19.5in depth, 200lb capacity, vented, carbon steel, black, textured powder coat finish.	Stock	\$105.00
<u>DNDMS1922BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 22in depth, 200lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$107.00
<u>DNDMS1924BK1</u>	Hammond two-post centered rack shelf, 2U, 19in rack width, 24in depth, 200lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$110.00
<u>DNDMS23BK1</u>	Hammond two-post centered rack shelf, 2U, 23in rack width, 19.5in depth, 200lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$110.00
<u>RASU190515BK1</u>	Hammond universal rack shelf, 3U, 19in rack width, 15in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$64.00
<u>RASV190515BK1</u>	Hammond universal rack shelf, 3U, 19in rack width, 15in depth, 200lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$67.00
<u>RASU230515BK1</u>	Hammond universal rack shelf, 3U, 23in rack width, 15in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$74.00
<u>RASV190520BK1</u>	Hammond universal rack shelf, 3U, 19in rack width, 20in depth, 200lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$74.00
<u>RASU190520BK1</u>	Hammond universal rack shelf, 3U, 19in rack width, 20in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$78.00
<u>RASU190522BK1</u>	Hammond universal rack shelf, 3U, 19in rack width, 22in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$84.00
<u>RASU190524BK1</u>	Hammond universal rack shelf, 3U, 19in rack width, 24in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$88.00
<u>RASU230520BK1</u>	Hammond universal rack shelf, 3U, 23in rack width, 20in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$90.00
<u>RASV230515BK1</u>	Hammond universal rack shelf, 3U, 23in rack width, 15in depth, 200lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$90.00
<u>RASV230520BK1</u>	Hammond universal rack shelf, 3U, 23in rack width, 20in depth, 200lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$99.00
<u>RACSV190515BK1</u>	Hammond two-post clamping rack shelf, 3U, 19in rack width, 15in depth, 200lb capacity, vented, carbon steel, black, textured powder coat finish.	Stock	\$121.00
<u>BRS2P1919BK</u>	Hammond heavy duty rack shelf, 3U, 19in rack width, 19in depth, 550lb capacity, carbon steel, black, powder coat finish.	Stock	\$129.00
<u>BRS2P1924BK</u>	Hammond heavy duty rack shelf, 3U, 19in rack width, 24in depth, 550lb capacity, carbon steel, black, powder coat finish.	Stock	\$146.00
<u>BRS2P2319BK</u>	Hammond heavy duty rack shelf, 3U, 23in rack width, 19in depth, 550lb capacity, carbon steel, black, powder coat finish.	Stock	\$137.00
<u>BRS2P2324BK</u>	Hammond heavy duty rack shelf, 3U, 23in rack width, 24in depth, 550lb capacity, carbon steel, black, powder coat finish.	Stock	\$155.00
<u>RASV190715BK1</u>	Hammond universal rack shelf, 4U, 19in rack width, 15in depth, 200lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$74.00
<u>RASV190720BK1</u>	Hammond universal rack shelf, 4U, 19in rack width, 20in depth, 200lb capacity, vented, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$77.00

<u>RASU190715BK1</u>	Hammond universal rack shelf, 4U, 19in rack width, 15in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$82.00
<u>RASU190720BK1</u>	Hammond universal rack shelf, 4U, 19in rack width, 20in depth, 200lb capacity, stiffener folded down, carbon steel, black, textured powder coat finish.	Stock	\$93.00
<u>RACSV190715BK1</u>	Hammond two-post clamping rack shelf, 4U, 19in rack width, 15in depth, 200lb capacity, vented, carbon steel, black, textured powder coat finish.	Stock	\$117.00
Drawers for Data Communication Racks			
<u>RDRW1900312BK1</u>	Hammond locking rack drawer, 2U, 19in rack width, 12.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$239.00
<u>RDRW1900312LG1</u>	Hammond locking rack drawer, 2U, 19in rack width, 12.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$239.00
<u>RDRW1900316BK1</u>	Hammond locking rack drawer, 2U, 19in rack width, 16.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$254.00
<u>RDRW1900316LG1</u>	Hammond locking rack drawer, 2U, 19in rack width, 16.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$254.00
<u>RDRW1900322BK1</u>	Hammond locking rack drawer, 2U, 19in rack width, 22.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$262.00
<u>RDRW1900322LG1</u>	Hammond locking rack drawer, 2U, 19in rack width, 22.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$262.00
<u>RDRW1900512BK1</u>	Hammond locking rack drawer, 3U, 19in rack width, 12.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$290.00
<u>RDRW1900512LG1</u>	Hammond locking rack drawer, 3U, 19in rack width, 12.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$290.00
<u>RDRW1900516BK1</u>	Hammond locking rack drawer, 3U, 19in rack width, 16.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$295.00
<u>RDRW1900516LG1</u>	Hammond locking rack drawer, 3U, 19in rack width, 16.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$295.00
<u>RDRW1900522BK1</u>	Hammond locking rack drawer, 3U, 19in rack width, 22.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$310.00
<u>RDRW1900522LG1</u>	Hammond locking rack drawer, 3U, 19in rack width, 22.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$310.00
<u>RDRW1900712BK1</u>	Hammond locking rack drawer, 4U, 19in rack width, 12.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$290.00
<u>RDRW1900712LG1</u>	Hammond locking rack drawer, 4U, 19in rack width, 12.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$290.00
<u>RDRW1900716BK1</u>	Hammond locking rack drawer, 4U, 19in rack width, 16.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$302.00
<u>RDRW1900716LG1</u>	Hammond locking rack drawer, 4U, 19in rack width, 16.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$302.00
<u>RDRW1900722BK1</u>	Hammond locking rack drawer, 4U, 19in rack width, 22.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$336.00
<u>RDRW1900722LG1</u>	Hammond locking rack drawer, 4U, 19in rack width, 22.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$336.00
<u>RDRW1900822BK1</u>	Hammond locking rack drawer, 5U, 19in rack width, 22.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$363.00
<u>RDRW1900822LG1</u>	Hammond locking rack drawer, 5U, 19in rack width, 22.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$363.00
<u>RDRW1901222BK1</u>	Hammond locking rack drawer, 7U, 19in rack width, 22.25in depth, carbon steel, black, textured powder coat finish.	Stock	\$414.00
<u>RDRW1901222LG1</u>	Hammond locking rack drawer, 7U, 19in rack width, 22.25in depth, carbon steel, RAL 7035 light gray, textured powder coat finish.	Stock	\$414.00
Rail Reducer Panels for Data Communication Racks			
<u>PA2319001BK1</u>	Hammond rack rail reducer panel, 1U, 23in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$21.50
<u>PBAS19001BK2</u>	Hammond rack rail reducer panel, 1U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$23.50
<u>PBAS19001LG2</u>	Hammond rack rail reducer panel, 1U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$23.50
<u>PA2319003BK1</u>	Hammond rack rail reducer panel, 2U, 23in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$23.50
<u>PBAS19003BK2</u>	Hammond rack rail reducer panel, 2U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$28.50
<u>PBAS19003LG2</u>	Hammond rack rail reducer panel, 2U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$28.50
<u>PA2319005BK1</u>	Hammond rack rail reducer panel, 3U, 23in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$28.50

<u>PBAS19005BK2</u>	Hammond rack rail reducer panel, 3U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$31.50
<u>PBAS19005LG2</u>	Hammond rack rail reducer panel, 3U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$31.50
<u>PBAS19007BK2</u>	Hammond rack rail reducer panel, 4U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$35.00
<u>PBAS19007LG2</u>	Hammond rack rail reducer panel, 4U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$35.00
<u>PBAS19008BK2</u>	Hammond rack rail reducer panel, 5U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$39.00
<u>PBAS19008LG2</u>	Hammond rack rail reducer panel, 5U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$39.00
<u>PA2319008BK1</u>	Hammond rack rail reducer panel, 5U, 23in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$62.00
<u>PBAS19010BK2</u>	Hammond rack rail reducer panel, 6U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$42.50
<u>PBAS19010LG2</u>	Hammond rack rail reducer panel, 6U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$42.50
<u>PBAS19012BK2</u>	Hammond rack rail reducer panel, 7U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$77.00
<u>PBAS19012LG2</u>	Hammond rack rail reducer panel, 7U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$77.00
<u>PBAS19014BK2</u>	Hammond rack rail reducer panel, 8U, 24in to 19in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$81.00
<u>PBAS19014LG2</u>	Hammond rack rail reducer panel, 8U, 24in to 19in, carbon steel, RAL 7035 light gray, powder coat finish. Package of 2.	Stock	\$81.00
Rail Depth Adapters for Data Communication Racks			
<u>RDA1U4</u>	Hammond rack rail depth adapter, 1U, 1.75x4in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$19.25
<u>RDA2U4</u>	Hammond rack rail depth adapter, 2U, 3.50x4in, carbon steel, black, powder coat finish. Package of 2.	Stock	\$24.00
Support Brackets for Data Communication Racks and Instrument Enclosures			
<u>RDAB2U15</u>	Hammond two-post extension support bracket, 2U, 3.50x6in, carbon steel, black, powder coat finish. Package of 4.	Stock	\$54.00
<u>RDAB2U20</u>	Hammond two-post extension support bracket, 2U, 3.50x8.5in, carbon steel, black, powder coat finish. Package of 4.	Stock	\$59.00
<u>RDAB2U26</u>	Hammond two-post extension support bracket, 2U, 3.50x11.5in, carbon steel, black, powder coat finish. Package of 4.	Stock	\$62.00
<u>RDAB2U31</u>	Hammond two-post extension support bracket, 2U, 3.50x14in, carbon steel, black, powder coat finish. Package of 4.	Stock	\$66.00
<u>RAAB2436BK</u>	Hammond rackmount adjustable angle bracket, 1U, 24 to 36in depth, carbon steel, black, powder coat finish. Package of 2.	Stock	\$83.00
<u>RAAB3648BK</u>	Hammond rackmount adjustable angle bracket, 1U, 36 to 48in depth, carbon steel, black, powder coat finish. Package of 2.	Stock	\$100.00
<u>SCE-SB18</u>	Saginaw rack equipment support bracket, carbon steel, white, powder coat finish. For use with SCE-xxRAxxTH channels. Mounting hardware included.	from vendor up to 0 business day	\$67.00
<u>RM1U18BRKT</u>	Hammond adjustable rear bracket, 1U, 18 to 28in depth, carbon steel, black, powder coat finish. Package of 2.	Stock	\$63.00
<u>RM2U18BRKT</u>	Hammond adjustable rear bracket, 2U, 19 to 28in depth, carbon steel, black, powder coat finish. Package of 2.	Stock	\$70.00
<u>RM3U18BRKT</u>	Hammond adjustable rear bracket, 3U or 4U, 20 to 28in depth, carbon steel, black, powder coat finish. Package of 2.	Stock	\$76.00
Cable Management for Data Communication Racks			
<u>CMRB</u>	Hammond vertical cable tie-down bracket, 1U, 1.75in, carbon steel, black, powder coat finish. Package of 1.	Stock	\$13.25
<u>RDCM2136BK</u>	Hammond adjustable depth cable manager, 2U, 21.5 to 36.5in depth, carbon steel, black, powder coat finish. Package of 1.	Stock	\$75.00
<u>RDCM3348BK</u>	Hammond adjustable depth cable manager, 2U, 33.5 to 48.5in depth, carbon steel, black, powder coat finish. Package of 1.	Stock	\$83.00
<u>CLB190BK</u>	Hammond cable lacing bar, 19in rack width, round, carbon steel, black, powder coat finish. Package of 10.	Stock	\$67.00
<u>CLB192BK</u>	Hammond cable lacing bar, 19in rack width, round, 2.00in offset, 75 degrees offset angle, carbon steel, black, powder coat finish. Package of 10.	Stock	\$79.00
<u>CLB194BK</u>	Hammond cable lacing bar, 19in rack width, round, 4.00in offset, 75 degrees offset angle, carbon steel, black, powder coat finish. Package of 10.	Stock	\$87.00
<u>HCM190BK</u>	Hammond cable lacing strip, 19in, formed, carbon steel, black, powder coat finish. Package of 10.	Stock	\$87.00

<u>HCM192BK</u>	Hammond cable lacing strip, 19in, formed, 2.00in offset, 90 degrees offset angle, carbon steel, black, powder coat finish. Package of 10.	Stock	\$116.00
<u>HCM194BK</u>	Hammond cable lacing strip, 19in, formed, 4.00in offset, 90 degrees offset angle, carbon steel, black, powder coat finish. Package of 10.	Stock	\$125.00
<u>HCM196BK</u>	Hammond cable lacing strip, 19in, formed, 6.00in offset, 90 degrees offset angle, carbon steel, black, powder coat finish. Package of 10.	Stock	\$133.00
<u>HCM198BK</u>	Hammond cable lacing strip, 19in, formed, 8.00in offset, 90 degrees offset angle, carbon steel, black, powder coat finish. Package of 10.	Stock	\$145.00
<u>HCM190UBK1</u>	Hammond cable lacing strip, 19in, flat, 2.50in offset, 45 degrees offset angle, carbon steel, black, powder coat finish. Package of 1.	Stock	\$30.00
<u>HCM230UBK1</u>	Hammond cable lacing strip, 23in, flat, 2.50in offset, 45 degrees offset angle, carbon steel, black, powder coat finish. Package of 1.	Stock	\$30.00
<u>CMRBK1</u>	Hammond rail mounting cable ring, 1U, 1.75x1.25x3.50in, carbon steel, black, powder coat finish.	Stock	\$11.75
<u>CMR3BK1</u>	Hammond rail mounting cable ring, 1U, 1.75x3.00x3.50in, carbon steel, black, powder coat finish.	Stock	\$15.75
<u>CMRC34BK1</u>	Hammond vertical cable ring, 1U, 1.50x3.00x4.00in, carbon steel, black, powder coat finish.	Stock	\$25.00
Din Rail for Data Communication Racks			
<u>RMAD19003BK</u>	Hammond adjustable rack mount DIN rail kit, 2U, 19in rack width, 3.50x11.25in, 8.38in depth, 26lb capacity, carbon steel, black, textured powder coat finish.	Stock	\$97.00
<u>RMHD19003BK</u>	Hammond adjustable rack mount DIN rail kit, 2U, 19in rack width, 3.50x9.25in, 8in depth, 100lb capacity, carbon steel, black, powder coat finish.	Stock	\$116.00
Saginaw Aluminum Suspension Arm Systems for HMI Enclosures			
<u>SCE-SA08TC</u>	Saginaw suspension arm profile, closed tube, 3.54 x 2.56in, 7.9in length, 6060T66 aluminum.	Stock	\$147.00
<u>SCE-SA20TC</u>	Saginaw suspension arm profile, closed tube, 3.54 x 2.56in, 19.7in length, 6060T66 aluminum.	Stock	\$131.00
<u>SCE-SA30TC</u>	Saginaw suspension arm profile, closed tube, 3.54 x 2.56in, 29.5in length, 6060T66 aluminum.	Stock	\$397.00
<u>SCE-SA39TC</u>	Saginaw suspension arm profile, closed tube, 3.54 x 2.56in, 39.4in length, 6060T66 aluminum.	Stock	\$212.00
<u>SCE-SA79TC</u>	Saginaw suspension arm profile, closed tube, 3.54 x 2.56in, 78.7in length, 6060T66 aluminum.	Stock	\$377.00
<u>SCE-SA20T</u>	Saginaw suspension arm profile, open tube, 3.54 x 2.56in, 19.7in length, 6060T66 aluminum.	Stock	\$203.00
<u>SCE-SA39T</u>	Saginaw suspension arm profile, open tube, 3.54 x 2.56in, 39.4in length, 6060T66 aluminum.	Stock	\$313.00
<u>SCE-SA79T</u>	Saginaw suspension arm profile, open tube, 3.54 x 2.56in, 78.7in length, 6060T66 aluminum.	Stock	\$508.00
<u>SCE-SA230WH</u>	Saginaw suspension arm fitting, wall-mount base, 230 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$480.00
<u>SCE-SA310IJ</u>	Saginaw suspension arm fitting, intermediate joint, 310 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$581.00
<u>SCE-SA310IJD</u>	Saginaw suspension arm fitting, drop-down intermediate joint, 310 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$581.00
<u>SCE-SA310TMJ</u>	Saginaw suspension arm fitting, top-mount base, 310 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$408.00
<u>SCE-SA320AC</u>	Saginaw suspension arm fitting, right-angle swivel coupling, 320 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$285.00
<u>SCE-SA360C</u>	Saginaw suspension arm fitting, swivel coupling, 360 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$180.00
<u>SCE-SA45IA</u>	Saginaw suspension arm fitting, inclining adapter, 45 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$640.00
<u>SCE-SA90A</u>	Saginaw suspension arm fitting, 90 degree elbow, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$170.00
<u>SCE-SAFC</u>	Saginaw suspension arm fitting, fixed coupling, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$93.00
<u>SCE-SAFFS</u>	Saginaw suspension arm fitting, fixed floor stand, aluminum, RAL 7035 light gray, powder coat finish. For use with 3.54 x 2.56in suspension arm profile.	Stock	\$90.00
<u>SCE-SAMM</u>	Saginaw suspension arm fitting, monitor mounting bracket, steel, black, powder coat finish. For use with SCE-SA320AC.	Stock	\$41.00
Saginaw Vertically Adjustable Aluminum Suspension Arm Systems for HMI Enclosures			
<u>SCE-SACB11T31</u>	Saginaw counter balance suspension arm, 11-31lb.	Stock	\$1,545.00
<u>SCE-SACB31T55</u>	Saginaw counter balance suspension arm, 31-55lb.	Stock	\$1,573.00
<u>SCE-SAHCB44T70</u>	Saginaw counter balance suspension arm, 44-70lb. Requires SCE-SAH06TC suspension arm on mounting end.	Stock	\$3,462.00

<u>SCE-SAHCB70T97</u>	Saginaw counter balance suspension arm, 70-97lb. Requires SCE-SAH06TC suspension arm on mounting end.	Stock	\$3,572.00
<u>SCE-SAHCB97T132</u>	Saginaw counter balance suspension arm, 97-132lb. Requires SCE-SAH06TC suspension arm on mounting end.	Stock	\$3,655.00
<u>SCE-SAH06TC</u>	Saginaw suspension arm profile, closed tube, 5.00 x 3.00in, 6in length, 6060T66 aluminum. For use with Saginaw counter balance arms.	Stock	\$158.00
<u>SCE-SAH230WH</u>	Saginaw suspension arm fitting, wall-mount base, 230 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 5 x 3in suspension arm profile.	Stock	\$1,165.00
<u>SCE-SAH310TMJ</u>	Saginaw suspension arm fitting, top-mount base, 310 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish. For use with 5 x 3in suspension arm profile.	Stock	\$1,147.00

Saginaw Stainless Steel Suspension Arm Systems for HMI Enclosures

<u>SCE-SAS20I</u>	Saginaw suspension arm profile, round tube, 2.38in OD, 19.7in length, 304 stainless steel, #4 brush finish.	Stock	\$441.00
<u>SCE-SAS39I</u>	Saginaw suspension arm profile, round tube, 2.38in OD, 39.4in length, 304 stainless steel, #4 brush finish.	Stock	\$628.00
<u>SCE-SAS59I</u>	Saginaw suspension arm profile, round tube, 2.38in OD, 78.7in length, 304 stainless steel, #4 brush finish.	Stock	\$1,065.00
<u>SCE-SAS20J</u>	Saginaw suspension arm profile, round U-bend, 2.38in OD, 19.69in offset, 304 stainless steel, #4 brush finish.	Stock	\$1,707.00
<u>SCE-SAS30J</u>	Saginaw suspension arm profile, round J-bend, 2.38in OD, 29.53 x 17.72in offset, 304 stainless steel, #4 brush finish.	Stock	\$1,933.00
<u>SCE-SAS39J</u>	Saginaw suspension arm profile, round S-bend, 2.38in OD, 39.37 x 17.72in offset, 304 stainless steel, #4 brush finish.	Stock	\$2,052.00
<u>SCE-SAS20S</u>	Saginaw suspension arm profile, round S-bend, 2.38in OD, 19.69 x 23.62in offset, 304 stainless steel, #4 brush finish.	Stock	\$1,707.00
<u>SCE-SAS39S</u>	Saginaw suspension arm profile, round J-bend, 2.38in OD, 39.37 x 23.62in offset, 304 stainless steel, #4 brush finish.	Stock	\$1,984.00
<u>SCE-SAS14A</u>	Saginaw suspension arm fitting, 14 degree angle adaptor, 304 stainless steel, #4 brush finish. For use with 2.38in round tube suspension arm profile.	Stock	\$760.00
<u>SCE-SAS310TM</u>	Saginaw suspension arm fitting, top-mount base, 350 degrees movement range, 304 stainless steel, #4 brush finish. For use with 2.38in round tube suspension arm profile.	Stock	\$1,045.00
<u>SCE-SAS360C</u>	Saginaw suspension arm fitting, swivel coupling, 350 degrees movement range, 304 stainless steel, #4 brush finish. For use with 2.38in round tube suspension arm profile.	Stock	\$975.00
<u>SCE-SASFSCO</u>	Saginaw suspension arm fitting, floor stand with cable outlet, 304 stainless steel, #4 brush finish. For use with 2.38in round tube suspension arm profile.	Stock	\$1,046.00
<u>SCE-SASWMA</u>	Saginaw suspension arm fitting, wall-mount adapter, 304 stainless steel, #4 brush finish. For use with 2.38in round tube suspension arm profile.	Stock	\$1,169.00
<u>SCE-SATFS</u>	Saginaw suspension arm fitting, turnable floor stand, 360 degrees movement range, aluminum, RAL 7035 light gray, powder coat finish.	Stock	\$260.00

Teknokol TK060 Aluminum Suspension Arm Systems for HMI Enclosures

<u>TK060CTL</u>	Teknokol TK060 series suspension arm profile, closed tube, 85 x 53mm profile, cut to length, 6063-T6 aluminum.	Stock	\$1.01
<u>TK060.310</u>	Teknokol suspension arm fitting, fixed coupling, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$62.00
<u>TK060.320</u>	Teknokol suspension arm fitting, straight swivel coupling, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$107.00
<u>TK060.400</u>	Teknokol suspension arm fitting, right-angle swivel coupling, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$180.00
<u>TK060.420</u>	Teknokol suspension arm fitting, 90 degree elbow, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$84.00
<u>TK060.500</u>	Teknokol suspension arm fitting, intermediate swivel joint, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$280.00
<u>TK060.505</u>	Teknokol suspension arm fitting, intermediate swing joint, plus or minus 90 degrees horizontal movement range, carbon steel, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$237.00
<u>TK060.600</u>	Teknokol suspension arm fitting, right-angle top-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$292.00
<u>TK060.610</u>	Teknokol suspension arm fitting, straight top-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$292.00
<u>TK060.700</u>	Teknokol suspension arm fitting, straight wall-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$236.00
<u>TK060.705</u>	Teknokol suspension arm fitting, straight wall-mount swing base, plus or minus 90 degrees horizontal movement range, carbon steel, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$216.00
<u>TK060.710</u>	Teknokol suspension arm fitting, right-angle wall-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$236.00

<u>TK060.800</u>	Teknokol suspension arm fitting, fixed base, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$62.00
<u>TK060.840</u>	Teknokol suspension arm fitting, inclining adapter, plus or minus 45 degrees movement range, aluminum, RAL 7035 light gray. For use with TK060 suspension arm profile.	Stock	\$250.00
Teknokol TK120 Aluminum Suspension Arm Systems for HMI Enclosures			
<u>TK120CTL</u>	Teknokol TK120 series suspension arm profile, closed tube, 120 x 75mm profile, cut to length, 6063-T6 aluminum.	Stock	\$1.29
<u>TK120.310</u>	Teknokol suspension arm fitting, fixed coupling, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$27.00
<u>TK120.320</u>	Teknokol suspension arm fitting, straight swivel coupling, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$131.00
<u>TK120.400</u>	Teknokol suspension arm fitting, right-angle swivel coupling, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$220.00
<u>TK120.420</u>	Teknokol suspension arm fitting, 90 degree elbow, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$105.00
<u>TK120.500</u>	Teknokol suspension arm fitting, intermediate swivel joint, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$321.00
<u>TK120.505</u>	Teknokol suspension arm fitting, intermediate swing joint, plus or minus 90 degrees horizontal movement range, carbon steel, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$308.00
<u>TK120.600</u>	Teknokol suspension arm fitting, right-angle top-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$348.00
<u>TK120.610</u>	Teknokol suspension arm fitting, straight top-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$348.00
<u>TK120.700</u>	Teknokol suspension arm fitting, straight wall-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$282.00
<u>TK120.705</u>	Teknokol suspension arm fitting, straight wall-mount swing base, plus or minus 90 degrees horizontal movement range, carbon steel, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$271.00
<u>TK120.710</u>	Teknokol suspension arm fitting, right-angle wall-mount swivel base, 310 degrees movement range, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$282.00
<u>TK120.800</u>	Teknokol suspension arm fitting, fixed base, aluminum, RAL 7035 light gray. For use with TK120 suspension arm profile.	Stock	\$76.00
<u>TK120.820</u>	Teknokol suspension arm fitting, reducer, aluminum, RAL 7035 light gray. For use with TK060 and TK120 suspension arm profiles.	Stock	\$51.00
Subpanels for Enclosures			
<u>SCE-64P64</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72XM6618xx, SCE-72XM3EQ18xx, SCE-72XD6618xx, SCE-72XD3EQ18xx and SCE-72XR6618 enclosures.	Stock	\$563.00
<u>SCE-8P8C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-8C8ELJ and SCE-8C8ELJSS enclosures.	Stock	\$8.25
<u>SCE-60P36</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-60EL36xxxx, SCE-36EL60xxxx, SCE-3660xxWFLP, SCE-60XEL37xxxx, SCE-60SA38xxLPPL, SCE-65VR36xx, SCE-65XVR37xx and SCE-60H36xxxx enclosures.	Stock	\$295.00
<u>EPG2012</u>	Hammond subpanel, galvanized steel. For use with 20x12 (HxW) EN4SD2012xxx Eclipse series enclosures.	Stock	\$49.50
<u>SCE-90P72F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 90 x 72in (HxW) Saginaw freestanding enclosures.	Stock	\$1,012.00
<u>BP108FG</u>	Stahlin subpanel, fiberglass, gray. For use with 10x8/11x9 (HxW) DSx100806xx Diamond Shield series, Jx1008xx & WH-J1008HPL J/JW series, RJx1008xx RJ/RJW series, CL1109xx Classic series and F9PBW pushbutton enclosures.	Stock	\$24.50
<u>PVCBP88-P10</u>	Integra subpanel, PVC, gray. For use with 8x8 (HxW) H8084xxxxx-P10 Premium series enclosures.	Stock	\$22.00
<u>N1JP1010PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 10x10 (HxW) N1J1010x enclosures.	Stock	\$10.50
<u>P0808</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 8x8 (HxW) B080804xx enclosures.	Stock	\$8.50
<u>BP2424A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AH24246xxx and AH242410xxx Heartland series enclosures.	Stock	\$92.00
<u>18G3333</u>	Hammond subpanel, galvanized steel. For use with 36x36 (HxW) 1418xxxx, C3R3636xxHCR and HW363612xxHK enclosures.	Stock	\$197.00
<u>18P1713PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 20x16 (HxW) 1418xxxx and C3R20166HCR enclosures.	Stock	\$45.00
<u>18A2121</u>	Hammond subpanel, 5052-H32 aluminum. For use with 24x24 (HxW) 1418xxxx, 1447SCxxHK, C3R2424xxHCR and HW2424xxxxHK enclosures.	Stock	\$154.00
<u>SCE-24N20MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-24N2006LP, 24N2008LP and SCE-24N2010LP enclosures.	Stock	\$61.00

<u>SCE-90P36F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 90 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$286.00
<u>1554NPL</u>	Hammond subpanel, galvanized steel. For use with 1554Nxx, 1554Pxx, 1555Nxx and 1555Pxx enclosures.	Stock	\$7.75
<u>WA72P36F1G</u>	Wiegmann subpanel, galvanized steel. For use with 72x36 (HxW) WA7236xxxxxx and WRD7236xxFS4 freestanding enclosures.	Stock	\$533.00
<u>SCE-1448P2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with SCE-1448BD consoles.	Stock	\$331.00
<u>14R1105</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x6 (HxW) EJ126xx Eclipse Junior series and HJ1264HLP enclosures.	Stock	\$8.75
<u>PVCBP66-IMP-P10</u>	Integra subpanel, PVC, gray. For use with 6x6 (HxW) P6063-P10 & P6063C-P10 Impact series enclosures.	Stock	\$17.25
<u>14A0705</u>	Hammond subpanel, 5052-H32 aluminum. For use with 6x8/8x6 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJ86xxx enclosures.	Stock	\$7.75
<u>WA90P24F1G</u>	Wiegmann subpanel, galvanized steel. For use with 90x24 (HxW) WA902420xxx and WRD902420FS4 freestanding enclosures.	Stock	\$468.00
<u>18G2721</u>	Hammond subpanel, galvanized steel. For use with 24x30/30x24 (HxW) 1418xxxx, 1447Sxxxx, C3R3024xxHCR and HWxxxxxxHK enclosures.	Stock	\$105.00
<u>WA60P36F1G</u>	Wiegmann subpanel, galvanized steel. For use with 60x36 (HxW) WA603624xxx and WRD603624FS4 freestanding enclosures.	Stock	\$463.00
<u>SCE-16P12</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16EL120xxxx, SCE-16H12xxxxLP and SCE-16R120xLP enclosures.	Stock	\$23.00
<u>N1JP1412</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 14x12 (HxW) N1J1412x enclosures.	Stock	\$15.00
<u>SCE-N68P54GALV</u>	Saginaw subpanel, galvanized steel. For use with 68 x 54in (HxW) Saginaw NextGen enclosures.	Stock	\$618.00
<u>18G6933</u>	Hammond subpanel, galvanized steel. For use with 72x36 (HxW) 1418V12 enclosures.	Stock	\$367.00
<u>72YFWG</u>	Hammond subpanel, galvanized steel. For use with 72x36/72x37 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$594.00
<u>SCE-24N16MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-24N1606LP enclosures.	Stock	\$51.00
<u>SCE-16P24C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16C24ELJ and SCE-16C24ELJSS enclosures.	Stock	\$59.00
<u>14R0505</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 6x6 (HxW) EJ664xxx Eclipse Junior series, 1414xxxx and HJ664xxx enclosures.	Stock	\$6.25
<u>ABP-2016-P10</u>	Integra subpanel, 3003 aluminum. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures.	Stock	\$78.00
<u>SCE-60P36F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 60 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$351.00
<u>18P3333S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 36x36 (HxW) 1418xxxx, C3R3636xxHCR, and HW363612xxHK enclosures.	Stock	\$474.00
<u>NP4824</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x48/48x24 (HxW) N12482408, SSN4244808WF3PT and WA244808WF enclosures.	Stock	\$171.00
<u>SCE-24P16SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-24EL16xxxx and SCE-24H16xxLP enclosures.	Stock	\$111.00
<u>NP4230</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x42/42x30/42x31 (HxW) N124230xx, N1C3042xx, SDN124231xxPL, SN4423112, SSN4xxxxxx, SSN4X423112x and WA304210WF enclosures.	Stock	\$201.00
<u>18G3927</u>	Hammond subpanel, galvanized steel. For use with 30x42/42x30 (HxW) 1418xxxx, 1422R10, 1447Sxxxx, C3R423012HCR, HW423010xxHK and HN4WM304210xx enclosures.	Stock	\$192.00
<u>NP1612SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 16x12 (HxW) N4121612xxxx Ultimate series enclosures.	Stock	\$80.00
<u>72ZWFWG</u>	Hammond subpanel, galvanized steel. For use with 72x48 (HxW) 1418ZWxx freestanding enclosures.	Stock	\$935.00
<u>1555EFPL</u>	Hammond subpanel, galvanized steel. For use with 1555EFxxGY and 1555E2FxxGY enclosures.	Stock	\$7.75
<u>1554VPL</u>	Hammond subpanel, galvanized steel. For use with 1554Vxx and 1555Vxx enclosures.	Stock	\$12.00
<u>SCE-24P20SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-20EL24xxxx, SCE-24EL20xxxx, SCE-24XEL21xxxx, SCE-24SA22xxxx, SCE-20H24xxxx and SCE-24H20xxxx enclosures.	Stock	\$150.00
<u>60AWFWG</u>	Hammond subpanel, galvanized steel. For use with 60x48 (HxW) 1418AW18 freestanding enclosures.	Stock	\$828.00
<u>NPDD4242</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 42x42 (HxW) SSN4424212WF3PT and WA424212WF enclosures.	Stock	\$273.00
<u>EP7230</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x30 (HxW) EN4SD7230xxx Eclipse series enclosures.	Stock	\$332.00
<u>BP2420CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with N24208HWT and NW24208HWT enclosures.	Stock	\$164.00

<u>PVCBP86-IMP-P10</u>	Integra subpanel, PVC, gray. For use with 8x6 (HxW) P8063-P10 & P8063C-P10 Impact series enclosures.	Stock	\$19.50
<u>SCE-60BFP42</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-42EL6012xxWFALP and SCE-4260xxWFALP enclosures.	Stock	\$358.00
<u>14G1513</u>	Hammond subpanel, galvanized steel. For use with 14x16/16x14 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$21.50
<u>NP3030C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x30 (HxW) N4123030xxxx Ultimate series enclosures.	Stock	\$155.00
<u>NP6030</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x60 (HxW) SSN4306010WF3PT and WA306010WF enclosures.	Stock	\$276.00
<u>EP4830</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 48x30 (HxW) EN4SD4830xxx Eclipse series enclosures.	Stock	\$212.00
<u>AP2420</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x20 (HxW) N1A2420xx enclosures.	Stock	\$39.00
<u>AP2416PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 24x16 (HxW) N1A24167 enclosures.	Stock	\$34.00
<u>18P1313</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x16 (HxW) 1418xxxx and C3R16166HCR enclosures.	Stock	\$40.00
<u>NP3030SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 30x30 (HxW) N4123030xxxx Ultimate series enclosures.	Stock	\$382.00
<u>EPG1616</u>	Hammond subpanel, galvanized steel. For use with 16x16 (HxW) EN4SD1616xxx & ST1616xxx Eclipse series enclosures.	Stock	\$43.00
<u>SCE-60P48</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-60EL48xxxx, SCE-6048xxLP and SCE-60XEL49xxxx enclosures.	Stock	\$417.00
<u>EP3030</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x30 (HxW) EN4SD3030xxx & ST3030xxx Eclipse series enclosures.	Stock	\$144.00
<u>NP2020SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 20x20/20x22 (HxW) N4122020xxxx & N41220208Cxxx Ultimate series enclosures.	Stock	\$151.00
<u>N1JP88PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 8x8 (HxW) N1J88x and C3R886HCR enclosures.	Stock	\$7.75
<u>SCE-20P12GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-20EL1206LPxx and SCE-20H120xLP enclosures.	Stock	\$36.00
<u>1554XPL</u>	Hammond subpanel, galvanized steel. For use with 1554Xxx, 1554XAxx, 1555Xxx and 1555XAxx enclosures.	Stock	\$11.25
<u>BP4836AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N483612HWT, N483616HWT and NW483612HWT enclosures.	Stock	\$584.00
<u>14G0907</u>	Hammond subpanel, galvanized steel. For use with 8x10/10x8 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$9.50
<u>SCE-48P37</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-48X3D11818 enclosures.	Stock	\$231.00
<u>SCE-64P76</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72XM78XXxx, SCE-72XM3EW18xx, SCE-72XD7818xx, SCE-72XD3EW18xx, SCE-72XR3EW18xx and SCE-72XR7818 enclosures.	Stock	\$661.00
<u>SCE-20P16J</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-2016xxELJxx enclosures.	Stock	\$47.50
<u>SCE-48P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-48EL24xxxx, SCE-2448xxWFLP, SCE-24EL4810xxWFLP, SCE-48SA2610LPPL and SCE-48H2408LP enclosures.	Stock	\$154.00
<u>SCE-60P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-60EL2412LPxx enclosures.	Stock	\$201.00
<u>AP2424PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 24x24 (HxW) N1A2424xx enclosures.	Stock	\$80.00
<u>SCE-10P8</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-6PBHx, SCE-1008xELJxx, SCE-1008xCHNFxx, SCE-1008xSC, SCE-11KJxxSSST and SCE-12PBAX enclosures.	Stock	\$8.75
<u>NP2416C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x16 (HxW) N4122416xxxx Ultimate series enclosures.	Stock	\$59.00
<u>18G1709</u>	Hammond subpanel, galvanized steel. For use with 20x12 (HxW) 1418CA6 & 1418CA8 enclosures.	Stock	\$38.00
<u>N1P0810</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 10x8 (HxW) N1C08100x, RHC081006 and WA10080xGIE enclosures.	Stock	\$8.50
<u>SCE-20P16SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-16EL20xxxx, SCE-20EL16xxxx, SCE-16H20xxxx and SCE-20H16xxxx enclosures.	Stock	\$103.00
<u>EPG3030</u>	Hammond subpanel, galvanized steel. For use with 30x30 (HxW) EN4SD3030xxx & ST3030xxx Eclipse series enclosures.	Stock	\$144.00
<u>NP2424</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x24/24x25 (HxW) B2424xxCH, N122424xx, N4242408, RHC242408, SDN122425xxPL, SN4242508, SSN42424xxx, SSN4X242508x and WA242408FM enclosures.	Stock	\$91.00
<u>SCE-16P14</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1614xELJxxx, SCE-1614xxCHxNFxx, SCE-1614SC and SCE-16C16ELJxxenclosures.	Stock	\$31.00

<u>N1P1214</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 14x12 (HxW) N1C12140x and WA141206GIE enclosures.	Stock	\$15.50
<u>90BYHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 90x72 (HxW) 1418BYxx freestanding enclosures.	Stock	\$834.00
<u>SCE-12N12MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12N1204LP, 12N1206LP and SCE-12N1208LP enclosures.	Stock	\$12.00
<u>NP6036SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 60x36/60x38 (HxW) N41260361xxx & N41260381xCxxx Ultimate series enclosures.	Stock	\$883.00
<u>SCE-64P25GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72XM2818xx, SCE-72XD2818xx and SCE-72XR2818 enclosures.	Stock	\$285.00
<u>14G0505</u>	Hammond subpanel, galvanized steel. For use with 6x6 (HxW) EJ664xxx Eclipse Junior series, 1414xxxx and HJ664xxx enclosures.	Stock	\$6.25
<u>SCE-12P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-12EL2406xxLPxx, SCE-12EL2408LPxx, SCE-24EL1206LPxx, SCE-12H240xLP and SCE-24H12xxLP enclosures.	Stock	\$43.50
<u>90BWFV</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 90x48 (HxW) 1418BW20 freestanding enclosures.	Stock	\$1,048.00
<u>EP3630</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x30/36x32 (HxW) EN4SD3630xxx, EN4DSC36328xx & ST3630xxx Eclipse series enclosures.	Stock	\$167.00
<u>SCE-90P24F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 90 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$355.00
<u>PVCBP-1412-P10</u>	Integra subpanel, PVC, gray. For use with 14x12 (HxW) H141206xxxxx-P10 Premium series enclosures.	Stock	\$40.50
<u>18G1313</u>	Hammond subpanel, galvanized steel. For use with 16x16 (HxW) 1418xxxx and C3R16166HCR enclosures.	Stock	\$40.00
<u>SCE-N86P40</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 86 x 40in (HxW) Saginaw NextGen enclosures.	Stock	\$412.00
<u>WA72P30F1G</u>	Wiegmann subpanel, galvanized steel. For use with 72x30 (HxW) WA7230xxxxxx and WRD7230xxFS4 freestanding enclosures.	Stock	\$506.00
<u>EP2442</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x42 (HxW) EN4TD2442xxx Eclipse series enclosures.	Stock	\$150.00
<u>1554EPL</u>	Hammond subpanel, galvanized steel. For use with 1554Exx, 1554EEEx, 1555Exx and 1555EEEx enclosures.	Stock	\$7.25
<u>NP3024SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 24x30/30x24/30x25 (HxW) B3024xxCH, N12xxxxxx, N4243008, N4302408, RHC302408, SDN12302xxxPL, SN4302508, SSN4xxxxxxx, SSN4X302508x and WA302408FM enclosures.	Stock	\$258.00
<u>NP3636SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x36 (HxW) N4123636xxxx Ultimate series enclosures.	Stock	\$489.00
<u>WA72P30F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x30 (HxW) WA7230xxxxxx and WRD7230xxFS4 freestanding enclosures.	Stock	\$468.00
<u>18P4533</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x48 and 48x36 (HxW) 1418xxxx, 1422UW12, 1447Sxxxx, C3R4836xxHCR, HW4836xxxxHK, and HN4WM364812xx enclosures.	Stock	\$253.00
<u>SCE-10P10GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-10106ELJxx, SCE-10106CHNF, SCE-1010xSC, SCE-9PBHxxx and SCE-16PBAX enclosures.	Stock	\$10.00
<u>SCE-90SMP14</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with 90in (H) x min. 18in (D) Saginaw freestanding enclosures.	Stock	\$352.00
<u>AP3024PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 30x24 (HxW) N1A3024xx enclosures.	Stock	\$106.00
<u>SSP-2016-P10</u>	Integra subpanel, side mount, carbon steel, white, powder coat finish. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures. Requires GSR2016-P10 frame stiffener ring and KIT-GMMR8-P10 internal mounting rail kit.	Stock	\$84.00
<u>14G1111</u>	Hammond subpanel, galvanized steel. For use with 12x12 (HxW) EJ1212xxxx Eclipse Junior series, 1414N4PHxxxL6 and HJ12126HLP enclosures.	Stock	\$14.75
<u>EPG2412</u>	Hammond subpanel, galvanized steel. For use with 24x12 (HxW) EN4SD2412xxx Eclipse series enclosures.	Stock	\$54.00
<u>WA72P24F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x24 (HxW) WA7224xxxxxx and WRD7224xxFS4 freestanding enclosures.	Stock	\$402.00
<u>ABP1210-P10</u>	Integra subpanel, 3003 aluminum. For use with 12x10 (HxW) H1210xxxxxx-P10 Premium series enclosures.	Stock	\$27.00
<u>SCE-60P60GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-60EL60xxxx, SCE-6060xxLP and SCE-60XEL61xxxx enclosures.	Stock	\$593.00
<u>BP1816AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 18x16 (HxW) DSx181610xx Diamond Shield series, Jx1816xx and WH-J1816HPL J/JW/Fatboy series and RJx1816xx RJ/RJW series enclosures.	Stock	\$50.00
<u>BP1816A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AH18164xxx and AHxx181610xxx Heartland series enclosures.	Stock	\$50.00
<u>SCE-14P3</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-14B consoles.	Stock	\$323.00
<u>P1614SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 16x14 (HxW) B1614xxxx and BN416140xxx enclosures.	Stock	\$80.00

<u>SBP-66-IMP-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 6x6 (HxW) P6063-P10 & P6063C-P10 Impact series enclosures.	Stock	\$28.00
<u>P1210SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 12x10 (HxW) B12100xxx and BN41210xxxx enclosures.	Stock	\$45.50
<u>N1P0808</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 8x8 (HxW) N1C08080x, RHC08080x and WA08080xGIE enclosures.	Stock	\$7.25
<u>90YFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 90x36 (HxW) 1418YYxx and HN4FS9036xxxx freestanding enclosures.	Stock	\$676.00
<u>AP2416</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x16 (HxW) N1A24167 enclosures.	Stock	\$31.00
<u>18P3927</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x42 and 42x30 (HxW) 1418xxxx, 1422R10, 1447Sxxxx, C3R423012HCR, HW423010xxHK, and HN4WM304210xx enclosures.	Stock	\$192.00
<u>N1P1616</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x16 (HxW) N1C161606LP enclosures.	Stock	\$22.00
<u>1590Z166PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z166xx enclosures.	Stock	\$9.50
<u>1555CFPL</u>	Hammond subpanel, galvanized steel. For use with 1555CFx2GY and 1555C2Fx2GY enclosures.	Stock	\$6.75
<u>NP2424SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 24x24/24x26 (HxW) N4122424xxxx & N412242608Cxxx Ultimate series enclosures.	Stock	\$213.00
<u>SCE-20P16</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16EL20xxxx, SCE-20EL16xxxx, SCE-16H20xxxx and SCE-20H16xxxx enclosures.	Stock	\$47.00
<u>NP1612SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 16x12 (HxW) N121612xx, N4161208, RHC161206, SSN416120xxx and WA161206FM enclosures.	Stock	\$80.00
<u>BP1412CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 14x12/15x13 (HxW) DSx14120xxx Diamond Shield series, Jx1412xx & WH-J1412HPL J/JW series, RJx1412xx RJ/RJW series and CL1513xx Classic series enclosures.	Stock	\$30.00
<u>SCE-64P64GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72XM6618xx, SCE-72XM3EQ18xx, SCE-72XD6618xx, SCE-72XD3EQ18xx and SCE-72XR6618 enclosures.	Stock	\$704.00
<u>SCE-1460P3</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1460BD consoles.	Stock	\$626.00
<u>AP2424</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x24 (HxW) N1A2424xx enclosures.	Stock	\$73.00
<u>P1210</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12x10 (HxW) B12100xxx and BN41210xxxx enclosures.	Stock	\$13.25
<u>18P2109</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x12 (HxW) 1418xxxx enclosures.	Stock	\$48.00
<u>NP3030SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 30x30 (HxW) N123030xx, N4303008, RHC30300x, SSN4303008xxx and WC936B enclosures.	Stock	\$414.00
<u>P1610</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x10 (HxW) B161006CH enclosures.	Stock	\$17.00
<u>SCE-24P20</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-20EL24xxxx, SCE-24EL20xxxx, SCE-24XEL21xxxx, SCE-24SA22xxxx, SCE-20H24xxxx and SCE-24H20xxxx enclosures.	Stock	\$71.00
<u>BP86FG</u>	Stahlin subpanel, fiberglass, gray. For use with 8x6/9x7 (HxW) DSx80604xx Diamond Shield series, Jx806xx J/JW series, RJx806xx RJ/RJW series, CL907xx Classic series and F6PBW pushbutton enclosures.	Stock	\$20.50
<u>14A0907</u>	Hammond subpanel, 5052-H32 aluminum. For use with 8x10/10x8 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$10.50
<u>SCE-14P12SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-1412xELJxx, SCE-1412xCHNF, SCE-1412SC and SCE-15KJxxSSST enclosures.	Stock	\$34.50
<u>NP4836SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x48/48x36/48x37 (HxW) B483611CH, N124836xx, N1C3648xx, N4483608, SDN12483xxxPL, SN4483712, SSN4xxxxxx, SSN4X483712x and WA364812WF enclosures.	Stock	\$669.00
<u>18G4527</u>	Hammond subpanel, galvanized steel. For use with 30x48/48x30 (HxW) 1418xxxx, 1422RW10 and HN4WM304810xx enclosures.	Stock	\$215.00
<u>SCE-30N24MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-30N2406LP, 30N2408LP and SCE-30N2412LP enclosures.	Stock	\$114.00
<u>SP14</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH14126xxx and AHF14126x Heartland series enclosures.	Stock	\$64.00
<u>EPG3042</u>	Hammond subpanel, galvanized steel. For use with 30x42 (HxW) EN4TD304210xx Eclipse series enclosures.	Stock	\$195.00
<u>ABP108-P10</u>	Integra subpanel, 3003 aluminum. For use with 10x8 (HxW) H1008xxxxxx-P10 Premium series enclosures.	Stock	\$23.00
<u>SCE-36P36SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-463719xxxx, SCE-36EL36xxxx and SCE-36H36xxxx enclosures.	Stock	\$403.00
<u>SCE-64P76GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72XM78XXxx, SCE-72XM3EW18xx, SCE-72XD7818xx, SCE-72XD3EW18xx, SCE-72XR3EW18xx and SCE-72XR7818 enclosures.	Stock	\$827.00

<u>N1P2020</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x20 (HxW) N1C20200xLP enclosures.	Stock	\$35.50
<u>72ZXHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 72x60 (HxW) 1418ZXxx freestanding enclosures.	Stock	\$674.00
<u>SBP-1614-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 16x14 (HxW) H161407xxxx-P10 Premium series enclosures.	Stock	\$63.00
<u>EP1210</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x10 (HxW) EN4SD12106xx Eclipse series enclosures.	Stock	\$17.25
<u>NPDD4842</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 42x48 (HxW) SSN4424812WF3PT and WA424812WF enclosures.	Stock	\$309.00
<u>60TYHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 60x36 (HxW) 1418TY24 and HN4FS603624SS freestanding enclosures.	Stock	\$312.00
<u>SCE-20P30C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-20C30ELJ and SCE-20C30ELJSS enclosures.	Stock	\$74.00
<u>SCE-10N8MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-10N804LP and SCE-10N806LP enclosures.	Stock	\$7.50
<u>N1P2016</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x20 (HxW) N1C201606LP enclosures.	Stock	\$27.00
<u>WA60P24F2</u>	Wiegmann subpanel, half-height, carbon steel, white, powder coat finish. For use with 60x24 (HxW) WA602418xxx and WRD602418FS4 freestanding enclosures.	Stock	\$259.00
<u>SCE-12P12GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-1212ELJxx, SCE-1212CHNF, SCE-1212SC and SCE-16PBHxxx enclosures.	Stock	\$13.50
<u>N1JP1212PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 12x12 (HxW) N1J1212x and C3R1212xxHCR enclosures.	Stock	\$14.75
<u>WA72P48F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x48 (HxW) WA7248xxxxx and WRD7248xxFSD4 freestanding enclosures.	Stock	\$841.00
<u>14R0707SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 8x8 (HxW) EJ884xxx Eclipse Junior series and HJ884HLP enclosures.	Stock	\$27.00
<u>EPG3012</u>	Hammond subpanel, galvanized steel. For use with 30x12 (HxW) EN4SD30128xx Eclipse series enclosures.	Stock	\$67.00
<u>AP1616PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 16x16 (HxW) N1A16167 enclosures.	Stock	\$22.50
<u>72WHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 72x24/72x25 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$277.00
<u>BPJ2016AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 20x16 (HxW) DSx201610xx Diamond Shield series, Jx2016xx and WH-J2016HPL J/JW series and RJx2016xx RJ/RJW series enclosures.	Stock	\$64.00
<u>1554BPL</u>	Hammond subpanel, galvanized steel. For use with 1554Bxx and 1555Bxx enclosures.	Stock	\$5.75
<u>SCE-72SMP14</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with 72in (H) x min. 18in (D) Saginaw freestanding enclosures.	Stock	\$242.00
<u>SCE-16N16MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16N1606LP and SCE-16N1608LP enclosures.	Stock	\$32.00
<u>SCE-48P76</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-48X2D7812, SCE-48X2D7818, SCE-48X3D11818 and SCE-48X4D15818 enclosures.	Stock	\$546.00
<u>EPG3648</u>	Hammond subpanel, galvanized steel. For use with 36x48 (HxW) EN4TD364812xx Eclipse series enclosures.	Stock	\$250.00
<u>NP4024C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 40x24 (HxW) N412402412xx Ultimate series enclosures.	Stock	\$158.00
<u>14G0705</u>	Hammond subpanel, galvanized steel. For use with 6x8/8x6 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJ86xxx enclosures.	Stock	\$7.00
<u>EPG7236</u>	Hammond subpanel, galvanized steel. For use with 72x36 (HxW) EN4SD7236xxx Eclipse series enclosures.	Stock	\$368.00
<u>SCE-36P24SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-36EL24xxxx, SCE-36XEL25xxxx, SCE-36SA26xxxx, SCE41VR2412, SCE-36R24xxLP and SCE-36H24xxxx enclosures.	Stock	\$257.00
<u>PNA20C</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 2000 x 1200mm Quadritalia OKK series modular enclosures.	Stock	\$196.00
<u>1554JPL</u>	Hammond subpanel, galvanized steel. For use with 1554Jxx, 1554Kxx, 1555Jxx and 1555Kxx enclosures.	Stock	\$8.00
<u>EPG1212</u>	Hammond subpanel, galvanized steel. For use with 12x12 (HxW) EN4SD12126xx & ST12126LG Eclipse series enclosures.	Stock	\$13.25
<u>N1P2436</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x24 (HxW) N1C24360xLP enclosures.	Stock	\$103.00
<u>AP3030</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x30 (HxW) N1A30309 enclosures.	Stock	\$98.00
<u>SCE-30P30</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-30EL30xxxx and SCE-30H30xxxx enclosures.	Stock	\$130.00

<u>18P3327S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 36x30 (HxW) 1418xxxx, 1447Sxxxx, C3R363012HCR, and HW3630xxxxHK enclosures.	Stock	\$392.00
<u>EPG3048</u>	Hammond subpanel, galvanized steel. For use with 30x48 (HxW) EN4SD3048xxx Eclipse series enclosures.	Stock	\$219.00
<u>EP2416</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x16 (HxW) EN4SD2416xxx Eclipse series enclosures.	Stock	\$59.00
<u>SCE-60P24F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 60 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$181.00
<u>SCE-30P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-402516Sxxxx, SCE-24EL30xxxx, SCE-30EL24xxxx, SCE-30XEL25xxxx, SCE-30SA26xxxx, SCE-35VR2412, SCE-30R24xxxx, SCE-24H30xxxx and SCE-30H24xxxx enclosures.	Stock	\$98.00
<u>18G1717</u>	Hammond subpanel, galvanized steel. For use with 20x20 (HxW) 1418xxxx, 1447SAxxHK and C3R20208HCR enclosures.	Stock	\$58.00
<u>SCE-48P36</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-464919xxxx, SCE-48EL36xxxx, SCE-36EL48xxxx, SCE-3648xxWFLP, SCE-48XEL37xxxx, SCE-48SA38xxLPPL, SCE-53VR36xx, SCE-53XVR37xx and SCE-48H36xxxx enclosures.	Stock	\$240.00
<u>72ZYHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 72x72 (HxW) 1418ZYxx freestanding enclosures.	Stock	\$753.00
<u>NP3020SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 30x20/30x21 (HxW) B30200xCH, N123020xx,N430200x, SDN123021xxPL, SSN43020x andWC924B enclosures.	Stock	\$245.00
<u>BP1412ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AH14124xxx and AHxx14126xxx Heartland series enclosures.	Stock	\$25.50
<u>SCE-90P36F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 90 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$483.00
<u>14G0909</u>	Hammond subpanel, galvanized steel. For use with 10x10 (HxW) EJ10106xxx Eclipse Junior series and HJ10106HLP enclosures.	Stock	\$11.00
<u>1555NFPL</u>	Hammond subpanel, galvanized steel. For use with 1555NFxxGY and 1555N2FxxGY enclosures.	Stock	\$5.50
<u>18G3933</u>	Hammond subpanel, galvanized steel. For use with 36x42/42x36 (HxW) 1418xxxx, 1422UV12, 1447Sxxxx, C3R423612HCR, HW423610xxHK and HN4WM364210xx enclosures.	Stock	\$225.00
<u>EPG6036</u>	Hammond subpanel, galvanized steel. For use with 60x36/60x38 (HxW) EN4SD6036xxx, EN4DSC603812xx & ST6036xxxx Eclipse series enclosures.	Stock	\$306.00
<u>14A0505</u>	Hammond subpanel, 5052-H32 aluminum. For use with 6x6 (HxW) EJ664xxx Eclipse Junior series, 1414xxxx and HJ664xxx enclosures.	Stock	\$6.75
<u>SCE-72P36</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72EL36xxxx and SCE-72H36xxLP enclosures.	Stock	\$350.00
<u>P0806SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 8x6 (HxW) B08060xxx and BN408060xxx enclosures.	Stock	\$22.50
<u>NP2020SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 20x20 (HxW) B20200xCH, N122020xx, N420200x, RHC202008, SDN122021xxPL, SSN420200xx and WA202006FM enclosures.	Stock	\$151.00
<u>NP3636SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x36 (HxW) N123636xx, RHC363612 and SSN4363612xxx enclosures.	Stock	\$489.00
<u>NP4024</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 40x24in (HxW) NEMA 1, 3R, 4, 4X and/or 12 wall mount enclosures.	Stock	\$158.00
<u>SCE-48P42</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-42EL4812xxWFLP and SCE-4248xxWFLP enclosures.	Stock	\$276.00
<u>BPB1212P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 5x5 (HxW) BB1212xxW & BBCC1212xxW BantamBox series enclosures.	Stock	\$8.00
<u>SCE-36P30SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-403716xxxx, SCE-30EL36xxxx, SCE-36EL30xxxx, SCE-36XEL31xxxx, SCE-36SA32xxLPPL, SCE-36R30xxLP, SCE-30H36xxxx and SCE-36H30xxxx enclosures.	Stock	\$343.00
<u>PVCBP66-P10</u>	Integra subpanel, PVC, gray. For use with 6x6 (HxW) H6064xxxxx-P10 Premium series enclosures.	Stock	\$17.25
<u>1590Z162PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z162xx enclosures.	Stock	\$9.00
<u>SCE-72P36GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72EL36xxxx and SCE-72H36xxLP enclosures.	Stock	\$403.00
<u>ABP-1614-P10</u>	Integra subpanel, 3003 aluminum. For use with 16x14 (HxW) H161407xxxxx-P10 Premium series enclosures.	Stock	\$42.50
<u>WA90P24F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 90x24 (HxW) WA902420xxx and WRD902420FS4 freestanding enclosures.	Stock	\$468.00
<u>EPG2430</u>	Hammond subpanel, galvanized steel. For use with 24x30 (HxW) EN4SD2430xxx Eclipse series enclosures.	Stock	\$110.00
<u>18A1717</u>	Hammond subpanel, 5052-H32 aluminum. For use with 20x20 (HxW) 1418xxxx, 1447SAxxHK and C3R20208HCR enclosures.	Stock	\$80.00
<u>NP2020C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x20/20x22 (HxW) N4122020xxxx & N41220208Cxxx Ultimate series enclosures.	Stock	\$61.00

<u>NP6036SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x60/60x36/60x37 (HxW) N126036xx, N4603616, SDN12603xxxPL, SN4603712, SSN4xxxxxx, SSN4X603712x and WA366012WF enclosures.	Stock	\$883.00
<u>NP3024SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 24x30/30x24 (HxW) N4122430xxxx, N4123024xxxx & N412302608Cxxx Ultimate series enclosures.	Stock	\$280.00
<u>WA90P48F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 90x48 (HxW) WA904820xxx and WRD904820FSD4 freestanding enclosures.	Stock	\$989.00
<u>1590ZGRP123PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP123 enclosures.	Stock	\$10.50
<u>NPDD5442</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 54x42 (HxW) N12544208 enclosures.	Stock	\$330.00
<u>N1P1216</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x12 (HxW) N1C121606S enclosure.	Stock	\$17.50
<u>P1412</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 14x12 (HxW) B14120xxx and BN414120xxxx enclosures.	Stock	\$17.50
<u>EP4236</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 42x36/42x38 (HxW) EN4SD4236xxx & EN4DSC423812xx Eclipse series enclosures.	Stock	\$227.00
<u>NP7230G</u>	Wiegmann subpanel, galvanized steel. For use with 72x30 (HxW) N1272301x enclosures.	Stock	\$344.00
<u>72ZWHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 72x48 (HxW) 1418ZWxx freestanding enclosures.	Stock	\$598.00
<u>SCE-12DLP12GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-12EL1206xxLPxx and SCE-12R120xLP enclosures.	Stock	\$21.50
<u>18P2727S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 30x30 (HxW) 1418xxxx, C3R3030xxHCR, and HW30308xxHK enclosures.	Stock	\$331.00
<u>SCE-72P72GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72EL72xxxx, SCE-7272xxULP, SCE-72X73xxLP and SCE-72XEL73xxxx enclosures.	Stock	\$915.00
<u>SBP-98-IMP-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 9x8 (HxW) P9082-P10 & P9082C-P10 Impact series enclosures.	Stock	\$32.00
<u>N1P1212</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12x12 (HxW) N1C12120x, RHC121206 and WA121206GIE enclosures.	Stock	\$13.75
<u>14A1513</u>	Hammond subpanel, 5052-H32 aluminum. For use with 14x16/16x14 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$24.50
<u>1554YPL</u>	Hammond subpanel, galvanized steel. For use with 1554Yxx, 1554YAx, 1555Yxx and 1555YAx enclosures.	Stock	\$12.75
<u>BP108ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AH1083xxx, AH1084xxx, and AHx1086xxx Heartland series enclosures.	Stock	\$18.75
<u>14R1111</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x12 (HxW) EJ1212xxxx Eclipse Junior series, 1414N4PHxxxL6 and HJ12126HLP enclosures.	Stock	\$14.75
<u>18P1713</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x16 (HxW) 1418xxxx and C3R20166HCR enclosures.	Stock	\$48.00
<u>EPG4848</u>	Hammond subpanel, galvanized steel. For use with 48x48 (HxW) EN4TD484812xx Eclipse series enclosures.	Stock	\$302.00
<u>EPG4236</u>	Hammond subpanel, galvanized steel. For use with 42x36/42x38 (HxW) EN4SD4236xxx & EN4DSC423812xx Eclipse series enclosures.	Stock	\$227.00
<u>SCE-N68P34GALV</u>	Saginaw subpanel, galvanized steel. For use with 68 x 34in (HxW) Saginaw NextGen enclosures.	Stock	\$309.00
<u>NP2416SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 24x16 (HxW) N1224160x, SSN4241608 and SSN4241608A enclosures.	Stock	\$145.00
<u>BPJ2016CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 20x16 (HxW) DSx201610xx Diamond Shield series and Jx808xx and WH-J2016Hxx J/JW series enclosures.	Stock	\$64.00
<u>SCE-36N24MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-36N2406LP, 36N2408LP and SCE-36N2412LP enclosures.	Stock	\$89.00
<u>BP2424AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N24241410HWT, NW242410RT, N24241412HWT and NW242410HWT enclosures.	Stock	\$202.00
<u>NP4242C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 42x42 (HxW) N412D424212SSC Ultimate series enclosures.	Stock	\$439.00
<u>1590ZGRP263PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP263 and 1590ZGRP264 enclosures.	Stock	\$27.50
<u>N1JP2012PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 20x12 (HxW) N1JP20126 enclosures.	Stock	\$22.50
<u>18P4521</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x48 and 48x24 (HxW) 1418Q8, 1422PW8, 1447SQ10HK, and HN4WM24488xx enclosures.	Stock	\$174.00
<u>SBP-86-IMP-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 8x6 (HxW) P8063-P10 & P8063C-P10 Impact series enclosures.	Stock	\$31.50
<u>SCE-12N10MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12N1004LP and SCE-12N1006LP enclosures.	Stock	\$10.00
<u>SCE-64P37GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72XM4018xx, SCE-72XM3EW18xx, SCE-72XD4018xx, SCE-72XD3EW18xx and SCE-72XR4018 enclosures.	Stock	\$326.00

<u>72ZWHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 72x48 (HxW) 1418ZWxx freestanding enclosures.	Stock	\$573.00
<u>SCE-36P30</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-403716xxxx, SCE-30EL36xxxx, SCE-36EL30xxxx, SCE-36XEL31xxxx, SCE-36SA32xxLPPL, SCE-36R30xxLP, SCE-30H36xxxx and SCE-36H30xxxx enclosures.	Stock	\$157.00
<u>SCE-1448P3</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1448BD consoles.	Stock	\$524.00
<u>18A2721</u>	Hammond subpanel, 5052-H32 aluminum. For use with 24x30/30x24 (HxW) 1418xxxx, 1447Sxxxx, C3R3024xxHCR and HWxxxxxxHK enclosures.	Stock	\$184.00
<u>14R0909SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 10x10 (HxW) EJ10106xxx Eclipse Junior series and HJ10106HLP enclosures.	Stock	\$38.50
<u>18G1309</u>	Hammond subpanel, galvanized steel. For use with 16x12 (HxW) 1418xxxx and C3R16126HCR enclosures.	Stock	\$32.50
<u>18P1313S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 16x16 (HxW) 1418xxxx and C3R16166HCR enclosures.	Stock	\$96.00
<u>SCE-16P20C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16C20ELJ and SCE-16C20ELJSS enclosures.	Stock	\$49.00
<u>SCE-30P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-402516Sxxxx, SCE-24EL30xxxx, SCE-30EL24xxxx, SCE-30XEL25xxxx, SCE-30SA26xxxx, SCE-35VR2412, SCE-30R24xxxx, SCE-24H30xxxx and SCE-30H24xxxx enclosures.	Stock	\$103.00
<u>SCE-72P36F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 72 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$247.00
<u>SCE-60P30GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-30EL6010xxWFLP and SCE-3060xxWFLP enclosures.	Stock	\$285.00
<u>18P3927S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 30x42 and 42x30 (HxW) 1418xxxx, 1422R10, 1447Sxxxx, C3R423012HCR, HW423010xxHK, and HN4WM304210xx enclosures.	Stock	\$462.00
<u>14G0503</u>	Hammond subpanel, galvanized steel. For use with 6x4 (HxW) EJ64xxx Eclipse Junior series, 1414xxxx and HJ64xxx enclosures.	Stock	\$5.00
<u>SCE-30N24MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-30N2406LP, 30N2408LP and SCE-30N2412LP enclosures.	Stock	\$74.00
<u>BPB0808P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 3x3 (HxW) BB0808xxW & BBCC080805W BantamBox series enclosures.	Stock	\$5.25
<u>90FD26</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 90in (H) x 36in (D) 1418xxx36 and HN4FS90xx36xx freestanding enclosures.	Stock	\$579.00
<u>NP6030C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x60 (HxW) N412D306010xxC Ultimate series enclosures.	Stock	\$468.00
<u>NP7230</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x30 (HxW) N1272301x enclosures.	Stock	\$318.00
<u>14A1307</u>	Hammond subpanel, 5052-H32 aluminum. For use with 14x8 (HxW) EJ1486xx Eclipse Junior series and HJ1486HLP enclosures.	Stock	\$14.00
<u>SCE-82P37</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-86M3Exx, SCE-90XM3EWxxxx, SCE-90XD4018xx, and SCE-90XR4018 enclosures.	Stock	\$433.00
<u>1590ZGRP253PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP253 enclosures.	Stock	\$20.50
<u>EPG1620</u>	Hammond subpanel, galvanized steel. For use with 16x20 (HxW) EN45D1620xxx Eclipse series enclosures.	Stock	\$49.50
<u>BP66AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 6x6/7x7 (HxW) DSx60604xx Diamond Shield series, Jx606xx J/JW series, RJ606xx RJ series, CL707xx Classic series and F4PBW pushbutton enclosures.	Stock	\$11.25
<u>BP66A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AHx664xxx Heartland series enclosures.	Stock	\$11.25
<u>SCE-20N16MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-16N2006LP, 20N1606LP and SCE-20N1608LP enclosures.	Stock	\$44.50
<u>1554UPL</u>	Hammond subpanel, galvanized steel. For use with 1554Uxx and 1555Uxx enclosures.	Stock	\$9.25
<u>EPG3016</u>	Hammond subpanel, galvanized steel. For use with 30x16 (HxW) EN45D3016xxx Eclipse series enclosures.	Stock	\$81.00
<u>AP3624PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 36x24 (HxW) N1A3624x enclosures.	Stock	\$109.00
<u>SCE-8P6SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-6PBx, SCE-806xELJxx, SCE-806xCHNFxx, SCE-806xSC and SCE-9KxxSSST enclosures.	Stock	\$14.25
<u>18A1309</u>	Hammond subpanel, 5052-H32 aluminum. For use with 16x12 (HxW) 1418xxxx and C3R16126HCR enclosures.	Stock	\$44.00
<u>NP3024C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x30/30x24 (HxW) N4122430xxxx, N4123024xxxx & N412302608Cxxx Ultimate series enclosures.	Stock	\$110.00
<u>SCE-48P30GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-48EL30xxxx, SCE-304810WFLP, SCE-30EL4810xxWFLP and SCE-48H30xxLP enclosures.	Stock	\$221.00
<u>18P1717</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x20 (HxW) 1418xxxx, 1447SAxxHK, and C3R20208HCR enclosures.	Stock	\$58.00

<u>SBP108-IMP-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 10x8 (HxW) P10086-P10 & P10086C-P10 Impact series enclosures.	Stock	\$35.50
<u>SCE-N68P40</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 68 x 40in (HxW) Saginaw NextGen enclosures.	Stock	\$270.00
<u>NP4830</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x48/48x30 (HxW) N124830xx, N4483010, SSN4304810WF3PT and WA304810WF enclosures.	Stock	\$225.00
<u>ABP-2424-XXL-P10</u>	Integra subpanel, XXL, 3003 aluminum. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures.	Stock	\$203.00
<u>BPJ2420AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with J2420HPL enclosures.	Stock	\$216.00
<u>SCE-20P16JGALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-2016xxELJxx enclosures.	Stock	\$45.50
<u>EPG2448</u>	Hammond subpanel, galvanized steel. For use with 24x48 (HxW) EN4TD24488xx Eclipse series enclosures.	Stock	\$169.00
<u>18G5733</u>	Hammond subpanel, galvanized steel. For use with 36x60/60x36 (HxW) 1418xxxx, 1422UX12, 1447Sxxxx, C3R603612HCR, HW6036xxxxHK and HN4WM366012xx enclosures.	Stock	\$262.00
<u>SCE-90P24F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 90 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$220.00
<u>SCE-36N30MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-36N3006LP, 36N3008LP and SCE-36N3012LP enclosures.	Stock	\$168.00
<u>14A0503</u>	Hammond subpanel, 5052-H32 aluminum. For use with 6x4 (HxW) EJ64xxx Eclipse Junior series, 1414xxxx and HJ64xxx enclosures.	Stock	\$6.25
<u>SCE-20N16MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16N2006LP, 20N1606LP and SCE-20N1608LP enclosures.	Stock	\$36.50
<u>N1JP1010</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 10x10 (HxW) N1J1010x enclosures.	Stock	\$9.75
<u>SCE-60P48GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-60EL48xxxx, SCE-6048xxLP and SCE-60XEL49xxxx enclosures.	Stock	\$480.00
<u>N1P1620</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x16 (HxW) N1C16200xLP enclosures.	Stock	\$26.50
<u>SCE-10P10SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-10106ELJxx, SCE-10106CHNF, SCE-1010xSC, SCE-9PBHxxx and SCE-16PBAX enclosures.	Stock	\$23.00
<u>SCE-60PC36</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-466019xxxx enclosures.	Stock	\$282.00
<u>N1JP108PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 10x8 (HxW) N1J108x and C3R1086HCR enclosures.	Stock	\$9.25
<u>18G1515</u>	Hammond subpanel, galvanized steel. For use with 18x18 (HxW) C3R1818xxHCR enclosures.	Stock	\$44.00
<u>EP4824</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 48x24 (HxW) EN4SD4824xxx Eclipse series enclosures.	Stock	\$169.00
<u>BP2412AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N241210HWT enclosures.	Stock	\$81.00
<u>EP7236</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x36 (HxW) EN4SD7236xxx Eclipse series enclosures.	Stock	\$366.00
<u>ABP-2016-XXL-P10</u>	Integra subpanel, XXL, 3003 aluminum. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures.	Stock	\$122.00
<u>SCE-60P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-60EL2412LPxx enclosures.	Stock	\$221.00
<u>SSP-2424-P10</u>	Integra subpanel, side mount, carbon steel, white, powder coat finish. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures. Requires GSR2424-P10 frame stiffener ring and KIT-GMMR10-P10 internal mounting rail kit.	Stock	\$132.00
<u>NP4224C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x42 (HxW) N412D244208SSC Ultimate series enclosures.	Stock	\$256.00
<u>60TWFWG</u>	Hammond subpanel, galvanized steel. For use with 60x24 (HxW) 1418TW18 and HN4FS602418xx freestanding enclosures.	Stock	\$402.00
<u>EPG2442</u>	Hammond subpanel, galvanized steel. For use with 24x42 (HxW) EN4TD2442xxx Eclipse series enclosures.	Stock	\$150.00
<u>AP3624</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x24 (HxW) N1A3624x enclosures.	Stock	\$100.00
<u>BPB1280P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 5x3 (HxW) BB1280xxW, BBR128080W & BBCC128055W BantamBox series enclosures.	Stock	\$5.25
<u>SBP1210-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 12x10 (HxW) H12104xxxxx-P10 and H12106xxxxx-P10 Premium series enclosures.	Stock	\$43.00
<u>EPG3060</u>	Hammond subpanel, galvanized steel. For use with 30x60 (HxW) EN4SD3060xxx Eclipse series enclosures.	Stock	\$265.00
<u>NP4836C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 48x36/48x38 (HxW) N41248361xxx & N41248381xCxxx Ultimate series enclosures.	Stock	\$267.00
<u>SCE-42P30</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-42EL30xxxx, SCE-30EL4210xxWFLP, SCE-42XEL31xxxx, SCE-42SA32xxLPPL, SCE-42R30xxLP and SCE-42H30xxxx enclosures.	Stock	\$181.00

<u>SCE-16P16SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-16EL16xxxx enclosures.	Stock	\$93.00
<u>18P2727</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x30 (HxW) 1418xxxx, C3R3030xxHCR, and HW30308xxHK enclosures.	Stock	\$148.00
<u>72WFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x24/72x25 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$428.00
<u>18P2713</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x16 (HxW) 1418FG6 and 1418KG8 enclosures.	Stock	\$74.00
<u>AP2016PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 20x16 (HxW) N1A2016x enclosures.	Stock	\$27.50
<u>SCE-6P4</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-604ELJxx, SCE-604xCHNFxx, SCE-604xSC and SCE-7KJxxSSST enclosures.	Stock	\$4.75
<u>SCE-16P12GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-16EL120xxxx, SCE-16H12xxxxLP and SCE-16R120xLP enclosures.	Stock	\$23.00
<u>18P2717S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 30x20 (HxW) 1418xxxx, 1447SDxxHK, and HW30208xxHK enclosures.	Stock	\$221.00
<u>N1P1220</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x12 (HxW) N1C122006 enclosures.	Stock	\$24.00
<u>14A0909</u>	Hammond subpanel, 5052-H32 aluminum. For use with 10x10 (HxW) EJ10106xxx Eclipse Junior series and HJ10106HLP enclosures.	Stock	\$12.25
<u>18P2721</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x30 and 30x24 (HxW) 1418xxxx, 1447Sxxxx, C3R3024xxHCR, and HWxxxxxxHK enclosures.	Stock	\$105.00
<u>18P3933</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x42 and 42x36 (HxW) 1418xxxx, 1422UV12, 1447Sxxxx, C3R423612HCR, HW423010xxHK, and HN4WM304210xx enclosures.	Stock	\$225.00
<u>SCE-16P14SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-1614xELJxxx, SCE-1614xxCHxNFxx, SCE-1614SC and SCE-16C16ELJxxenclosures.	Stock	\$68.00
<u>18P1309S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 16x12 (HxW) 1418xxxx and C3R16126HCR enclosures.	Stock	\$78.00
<u>18P2121</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x24 (HxW) 1418xxxx, 1447SCxxHK, C3R2424xxHCR, and HW2424xxxxHK enclosures.	Stock	\$86.00
<u>60TYFWG</u>	Hammond subpanel, galvanized steel. For use with 60x36 (HxW) 1418TY24 and HN4FS603624SS freestanding enclosures.	Stock	\$518.00
<u>SCE-60P30</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-30EL6010xxWFLP and SCE-3060xxWFLP enclosures.	Stock	\$248.00
<u>1590ZGRP163PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP163 enclosures.	Stock	\$12.25
<u>SCE-64P52</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72XM5418xx, SCE-72XD5418xx and SCE-72XR5418 enclosures.	Stock	\$520.00
<u>1590Z231PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z231xx enclosures.	Stock	\$9.25
<u>SCE-72P30GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72EL30xxxx and SCE-72H30xxLP enclosures.	Stock	\$376.00
<u>SCE-82P76GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-86M3Exx, SCE-90XM78xxxx, SCE-90XD7818xxxx, SCE-90XR7818, SCE-90XM3EWxxxx, SCE-90XD3EW18x and SCE-90XR3EW18x enclosures.	Stock	\$974.00
<u>SCE-24N24MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-24N2406LP, 24N2408LP and SCE-24N2412LP enclosures.	Stock	\$62.00
<u>SCE-30P30SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-30EL30xxxx and SCE-30H30xxxx enclosures.	Stock	\$283.00
<u>14R1311SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 12x14/14x12 (HxW) 1414xxxx, HJxxxx, and EJxxxx enclosures.	Stock	\$60.00
<u>EPG1224</u>	Hammond subpanel, galvanized steel. For use with 12x24 (HxW) EN4SD1224xxx Eclipse series enclosures.	Stock	\$54.00
<u>18P2113</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x16 (HxW) 1418xxxx and HW24168xxHK enclosures.	Stock	\$55.00
<u>18G2121</u>	Hammond subpanel, galvanized steel. For use with 24x24 (HxW) 1418xxxx, 1447SCxxHK, C3R2424xxHCR and HW2424xxxxHK enclosures.	Stock	\$86.00
<u>SBP108-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 10x8 (HxW) H10084xxxxx-P10 and H10086xxxxx-P10 Premium series enclosures.	Stock	\$35.50
<u>14G1307</u>	Hammond subpanel, galvanized steel. For use with 14x8 (HxW) EJ1486xx Eclipse Junior series and HJ1486HLP enclosures.	Stock	\$12.00
<u>WA72P72F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x72 (HxW) WA7272xxxxx and WRD7272xxFSD4 freestanding enclosures.	Stock	\$1,108.00
<u>NP2012</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x12 (HxW) N1220120x enclosures.	Stock	\$40.00
<u>18P2117S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 24x20 (HxW) 1418xxxx, 1447SBxxHK, C3R24208HCR, and HW2420xxxxHK enclosures.	Stock	\$179.00

<u>SCE-36P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-36EL24xxxx, SCE-36XEL25xxxx, SCE-36SA26xxxx, SCE41VR2412, SCE-36R24xxLP and SCE-36H24xxxx enclosures.	Stock	\$124.00
<u>AP3030PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 30x30 (HxW) N1A30309 enclosures.	Stock	\$129.00
<u>BPJ2020CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with J2020HPL enclosures.	Stock	\$187.00
<u>18P3321S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 36x24 (HxW) 1418xxxx, 1447Sxxxx, C3R362412HCR, and HW3624xxxxHK enclosures.	Stock	\$318.00
<u>AP2024PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 20x24 (HxW) N1A20249 enclosures.	Stock	\$42.50
<u>SCE-6P6</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-606ELJxx, SCE-606CHNFxx, SCE-606SC and SCE-4SPBAx enclosures.	Stock	\$5.50
<u>NP3624SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x24/36x25 (HxW) B3624xxCH, N123624xx, N4362408, RHC362412, SDN123625xxPL, SSN43624xxx and SSN4X362508x enclosures.	Stock	\$353.00
<u>1590Z140PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z140xx enclosures.	Stock	\$9.00
<u>SCE-12N10MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-12N1004LP and SCE-12N1006LP enclosures.	Stock	\$25.50
<u>SCE-72P36F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 72 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$402.00
<u>N1P3036</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x30 (HxW) N1C3036xxLP enclosures.	Stock	\$148.00
<u>EP3024</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x24/30x26 (HxW) EN4SD3024xxx, EN4DSC30268xx & ST3024xxx Eclipse series enclosures.	Stock	\$110.00
<u>PNA18A</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 1800 x 1000mm Quadritalia OKK series modular enclosures.	Stock	\$138.00
<u>NP4836SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 48x36/48x38 (HxW) N41248361xxx & N41248381xCxxx Ultimate series enclosures.	Stock	\$618.00
<u>N1P2030</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x20 (HxW) N1C203006LP enclosures.	Stock	\$87.00
<u>P1008</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 10x8 (HxW) B10080xxx and BN410080xxx enclosures.	Stock	\$9.25
<u>SCE-14P8GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-14086CHNF enclosures.	Stock	\$11.00
<u>EPG3642</u>	Hammond subpanel, galvanized steel. For use with 36x42 (HxW) EN4TD364212xx Eclipse series enclosures.	Stock	\$227.00
<u>N1JP1212</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x12 (HxW) N1J1212x and C3R1212xxHCR enclosures.	Stock	\$13.50
<u>SCE-1436P3</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1436B consoles.	Stock	\$425.00
<u>14A1311</u>	Hammond subpanel, 5052-H32 aluminum. For use with 12x14/14x12 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$18.50
<u>SCE-14P12GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-1412xELJxx, SCE-1412xCHNF, SCE-1412SC and SCE-15KJxxSSST enclosures.	Stock	\$15.00
<u>SCE-60SMP14</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with 60in (H) x min. 18in (D) Saginaw freestanding enclosures.	Stock	\$216.00
<u>PVCBP-1614-P10</u>	Integra subpanel, PVC, gray. For use with 16x14 (HxW) H161407xxxxx-P10 Premium series enclosures.	Stock	\$55.00
<u>AP1612PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 16x12 (HxW) N1A1612x enclosures.	Stock	\$17.50
<u>P1206</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12x6 (HxW) B120604CH enclosures.	Stock	\$9.25
<u>SBP-2424-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures.	Stock	\$256.00
<u>SCE-12P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12EL2406xxLPxx, SCE-12EL2408LPxx, SCE-24EL1206LPxx, SCE-12H240xLP and SCE-24H12xxLP enclosures.	Stock	\$43.50
<u>NP4236</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x42/42x36/42x37 (HxW) B423609CH, N124236xx, N1C364209, SDN12423xxxPL, SN4423712, SSN4xxxxxx, SSN4X423712x and WA364212FM enclosures.	Stock	\$236.00
<u>1590ZGRP234PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP234 and 1590ZGRP235 enclosures.	Stock	\$14.50
<u>1590ZGRP161PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP161 enclosures.	Stock	\$10.50
<u>EPG4836</u>	Hammond subpanel, galvanized steel. For use with 48x36/48x38 (HxW) EN4SD4836xxx, EN4DSC483812xx & ST4836xxxx Eclipse series enclosures.	Stock	\$250.00
<u>18P2121PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 24x24 (HxW) 1418xxxx, 1447SCxxHK, C3R2424xxHCR, and HW2424xxxxHK enclosures.	Stock	\$81.00
<u>BP1010ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AHxx10106xxx Heartland series enclosures.	Stock	\$20.50

<u>SCE-82P37GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-86M3Exx, SCE-90XM3EWxxxx, SCE-90XD4018xx, and SCE-90XR4018 enclosures.	Stock	\$498.00
<u>SCE-42P42</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-42EL4212xxWFLP and SCE-4242xxWFLP enclosures.	Stock	\$244.00
<u>EPG2024</u>	Hammond subpanel, galvanized steel. For use with 20x24 (HxW) EN4SD2024xxx Eclipse series enclosures.	Stock	\$76.00
<u>NP2420SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 20x24/24x20/24x21 (HxW) B24200xCH, N12xxxxx, N4202408, N4242008, RHC242008, SDN122421xxPL, SN4242108, SSN4xxxxxxx and SSN4X242108x enclosures.	Stock	\$183.00
<u>BP3024CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 30x24 (HxW) N3024xxxxT and NW302410HWT N series enclosures.	Stock	\$258.00
<u>P1212</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12x12 (HxW) B121206xx and BN41212xxxx enclosures.	Stock	\$15.50
<u>72ZXFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x60 (HxW) 1418ZXxx freestanding enclosures.	Stock	\$1,035.00
<u>P0604</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 6x4 (HxW) B06040xxx and BN406040xxx enclosures.	Stock	\$5.25
<u>P0606</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 6x6 (HxW) B060604xx and BN4060604xx enclosures.	Stock	\$6.25
<u>BP4836CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with N483612HWT, N483616HWT and NW483612HWT enclosures.	Stock	\$584.00
<u>BP64AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 6x4 (HxW) Jx604xx J/JW series and RJ604xx RJ series enclosures.	Stock	\$11.00
<u>SCE-16DLP14GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-16EL161408LPxx enclosures.	Stock	\$27.50
<u>18G2709</u>	Hammond subpanel, galvanized steel. For use with 30x12 (HxW) 1418KA8 enclosures.	Stock	\$69.00
<u>SCE-36P16SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-36H1606LP enclosures.	Stock	\$180.00
<u>NPDD7272</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x72/72x73/74x72/74x74 (HxW) N127272xx, SSN4D7472xxxx, WA72CPX721xxx and WA72X73xxxx enclosures.	Stock	\$787.00
<u>WA72P60F1G</u>	Wiegmann subpanel, galvanized steel. For use with 72x60 (HxW) WA7260xxxxx and WRD7260xxFSD4 freestanding enclosures.	Stock	\$975.00
<u>AP4224PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 42x24 (HxW) N1A42249 enclosures.	Stock	\$184.00
<u>SBP44-IMP-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 4x4 (HxW) P4043-P10 & P4043C-P10 Impact series enclosures.	Stock	\$27.00
<u>BPJ2420CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with J2420HPL enclosures.	Stock	\$226.00
<u>18A2117</u>	Hammond subpanel, 5052-H32 aluminum. For use with 24x20 (HxW) 1418xxxx, 1447SBxxHK, C3R24208HCR and HW2420xxxxHK enclosures.	Stock	\$133.00
<u>72FD20</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 72in (H) x min. 24in (D) 1418xxxx and HN4FS72xxxx freestanding enclosures.	Stock	\$324.00
<u>NP1212</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12 x 12 inch (HxW) NEMA 1, 3R, 4, 4X and/or 12 wall mount enclosures.	Stock	\$19.50
<u>90FD20</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 90in (H) x min. 24in (D) 1418xxxx and HN4FS90xxxx freestanding enclosures.	Stock	\$394.00
<u>SCE-N68P66</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 68 x 66in (HxW) Saginaw NextGen enclosures.	Stock	\$536.00
<u>SCE-10P6</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-8PBAX enclosures.	Stock	\$7.50
<u>BPJ2424CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with J2424HPL enclosures.	Stock	\$277.00
<u>72ZYFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x72 (HxW) 1418ZYxx freestanding enclosures.	Stock	\$1,175.00
<u>SCE-14P8</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-14086CHNF enclosures.	Stock	\$11.50
<u>BP1614AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 16x14 (HxW) DSx161408xx Diamond Shield series, Jx1614xx and WH-J1614HPL J/JW/Fatboy series and RJx1614xx RJ/RJW series enclosures.	Stock	\$39.00
<u>BP1614A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AH16144xxx and AHxx16148xxx Heartland series enclosures.	Stock	\$39.00
<u>SCE-9P36L</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-L936xELJxxx wire trough.	Stock	\$54.00
<u>EP2020</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x20/20x22 (HxW) EN4SD2020xxx, EN4DSC20228xx & ST2020xxx Eclipse series enclosures.	Stock	\$59.00
<u>SCE-16N12MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-16N1206LP and SCE-16N1208LP enclosures.	Stock	\$32.50
<u>SCE-N68P28</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 68 x 28in (HxW) Saginaw NextGen enclosures.	Stock	\$236.00

<u>SCE-72P60F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 72 x 60in (HxW) Saginaw freestanding enclosures.	Stock	\$737.00
<u>EPG2016</u>	Hammond subpanel, galvanized steel. For use with 20x16 (HxW) EN4SD2016xxx & ST2016xxx Eclipse series enclosures.	Stock	\$49.50
<u>EP4836</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 48x36/48x38 (HxW) EN4SD4836xxx, EN4DSC483812xx & ST4836xxx Eclipse series enclosures.	Stock	\$250.00
<u>NP4224</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x42/42x24 (HxW) N12422408, SSN4244208WF3PT and WA244208WF enclosures.	Stock	\$151.00
<u>SBP-2016-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures.	Stock	\$199.00
<u>1554VAPL</u>	Hammond subpanel, galvanized steel. For use with 1554VAxx, 1554VBxx, 1555VAxx and 1555VBxx enclosures.	Stock	\$9.00
<u>18G2717</u>	Hammond subpanel, galvanized steel. For use with 30x20 (HxW) 1418xxxx, 1447SDxxHK and HW30208xxHK enclosures.	Stock	\$91.00
<u>EP2412</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x12 (HxW) EN4SD2412xxx Eclipse series enclosures.	Stock	\$54.00
<u>18P6927</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x30 (HxW) 1418Uxx enclosures.	Stock	\$329.00
<u>60TYHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 60x36 (HxW) 1418TY24 and HN4FS603624SS freestanding enclosures.	Stock	\$327.00
<u>BP86AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 8x6/9x7 (HxW) DSx80604xx Diamond Shield series, Jx806xx J/JW series, RJx806xx RJ/RJW series, CL907xx Classic series and F6PBW pushbutton enclosures.	Stock	\$13.50
<u>BP86A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AHx864xxx Heartland series enclosures.	Stock	\$13.50
<u>PVCBP98-IMP-P10</u>	Integra subpanel, PVC, gray. For use with 9x8 (HxW) P9082-P10 & P9082C-P10 Impact series enclosures.	Stock	\$22.00
<u>18P1713S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 20x16 (HxW) 1418xxxx and C3R20166HCR enclosures.	Stock	\$115.00
<u>EP3042</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x42 (HxW) EN4TD304210xx Eclipse series enclosures.	Stock	\$195.00
<u>SCE-16N12MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16N1206LP and SCE-16N1208LP enclosures.	Stock	\$19.50
<u>72ZWFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x48 (HxW) 1418ZWxx freestanding enclosures.	Stock	\$892.00
<u>1590ZGRP162PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP162 enclosures.	Stock	\$12.25
<u>SCE-8P6</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-6PBAX, SCE-806xELJxx, SCE-806xCHNFxx, SCE-806xSC and SCE-9KxxSSST enclosures.	Stock	\$6.50
<u>WA90P36F1G</u>	Wiegmann subpanel, galvanized steel. For use with 90x36 (HxW) WA9036xxxxx and WRD9036xxFS4 freestanding enclosures.	Stock	\$637.00
<u>SCE-72P24F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 72 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$197.00
<u>72ZXFVG</u>	Hammond subpanel, galvanized steel. For use with 72x60 (HxW) 1418ZXxx freestanding enclosures.	Stock	\$1,087.00
<u>N1JP1612</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x12 (HxW) N1JP16126 enclosures.	Stock	\$17.00
<u>90YWFVG</u>	Hammond subpanel, galvanized steel. For use with 90x24 (HxW) 1418YW20 and HN4FS902420xx freestanding enclosures.	Stock	\$520.00
<u>1554CPL</u>	Hammond subpanel, galvanized steel. For use with 1554Cxx, 1554Dxx, 1555Cxx and 1555Dxx enclosures.	Stock	\$6.75
<u>SCE-N68P34</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 68 x 34in (HxW) Saginaw NextGen enclosures.	Stock	\$247.00
<u>90BYFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 90x72 (HxW) 1418BYxx freestanding enclosures.	Stock	\$1,417.00
<u>18G4521</u>	Hammond subpanel, galvanized steel. For use with 24x48/48x24 (HxW) 1418Q8, 1422PW8, 1447SQ10HK and HN4WM24488xx enclosures.	Stock	\$174.00
<u>14G1109</u>	Hammond subpanel, galvanized steel. For use with 10x12/12x10 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$12.75
<u>SCE-72P60GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72EL60xxxx, SCE-7260xxULP and SCE-72XEL61xxxx enclosures.	Stock	\$706.00
<u>BP86ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AHx864xxx Heartland series enclosures.	Stock	\$15.50
<u>1590Z235PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z235xx enclosures.	Stock	\$9.25
<u>NPDD4848</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 48x48 (HxW) SSN4484812WF3PT and WA484812WF enclosures.	Stock	\$370.00
<u>SCE-24P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-24EL24xxxx, SCE-24XEL25xxxx, SCE-24SA26xxxx, SCE29VR24xx, SCE-24R24xxxx and SCE-24H24xxxx enclosures.	Stock	\$83.00

<u>SCE-40P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-40EL2412LPxx enclosures.	Stock	\$147.00
<u>90YHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 90x36 (HxW) 1418YYxx and HN4FS9036xxxx freestanding enclosures.	Stock	\$402.00
<u>SCE-42P36</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-42EL36xxxx, SCE-36EL4216xxWFLP, SCE-364216WFLP, SCE-42XEL37xxxx, SCE-42SA38xxLPPL, and SCE-42H36xxxx enclosures.	Stock	\$213.00
<u>18P3333</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x36 (HxW) 1418xxxx, C3R3636xxHCR, and HW363612xxHK enclosures.	Stock	\$197.00
<u>P0604SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 6x4 (HxW) B06040xxx and BN406040xxx enclosures.	Stock	\$15.25
<u>N1JP66</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 6x6 (HxW) N1J664 and C3R664HCR enclosures.	Stock	\$5.25
<u>SCE-64P25</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72XM2818xx, SCE-72XD2818xx and SCE-72XR2818 enclosures.	Stock	\$248.00
<u>NP3024</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x30/30x24/30x25 (HxW) B3024xxCH, N12xxxxxx, N4243008, N4302408, RHC302408, SDN12302xxxPL, SN4302508, SSN4xxxxxxx, SSN4X302508x and WA302408FM enclosures.	Stock	\$110.00
<u>14R1509</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x10 (HxW) EJ16106xx Eclipse Junior series and HJ16106HLP enclosures.	Stock	\$16.00
<u>SCE-36N24MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-36N2406LP, 36N2408LP and SCE-36N2412LP enclosures.	Stock	\$143.00
<u>SCE-6P6GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-606ELJxx, SCE-606CHNFxx, SCE-606SC and SCE-4SPBAx enclosures.	Stock	\$5.50
<u>SCE-72P72F1GALV</u>	Saginaw subpanel, galvanized steel. For use with 72 x 72in (HxW) Saginaw freestanding enclosures.	Stock	\$952.00
<u>WA60P36F2G</u>	Wiegmann subpanel, half-height, galvanized steel. For use with 60x36 (HxW) WA603624xxx and WRD603624FS4 freestanding enclosures.	Stock	\$292.00
<u>18G3921</u>	Hammond subpanel, galvanized steel. For use with 24x42/42x24 (HxW) 1418N8, 1422Pxx and HN4WM24428xx enclosures.	Stock	\$152.00
<u>SCE-60P36GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-60EL36xxxx, SCE-36EL60xxxx, SCE-3660xxWFLP, SCE-60XEL37xxxx, SCE-60SA38xxLPPL, SCE-65VR36xx, SCE-65XVR37xx and SCE-60H36xxxx enclosures.	Stock	\$340.00
<u>NP3624</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x24/36x25 (HxW) B3624xxCH, N123624xx, N4362408, RHC362412, SDN123625xxPL, SSN43624xxx and SSN4X362508x enclosures.	Stock	\$132.00
<u>SCE-72P36F1GALV</u>	Saginaw subpanel, galvanized steel. For use with 72 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$472.00
<u>EP4848</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 48x48 (HxW) EN4TD484812xx Eclipse series enclosures.	Stock	\$302.00
<u>60FD14</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 60in (H) 1418xxxx and HN4FS60xxxx freestanding enclosures.	Stock	\$233.00
<u>SCE-12N12MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-12N1204LP, 12N1206LP and SCE-12N1208LP enclosures.	Stock	\$26.50
<u>WA60P48F1G</u>	Wiegmann subpanel, galvanized steel. For use with 60x48 (HxW) WA604818xxx and WRD604818FSD4 freestanding enclosures.	Stock	\$744.00
<u>EPG4824</u>	Hammond subpanel, galvanized steel. For use with 48x24 (HxW) EN4SD4824xxx Eclipse series enclosures.	Stock	\$169.00
<u>NP4236C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x42/42x36/42x38 (HxW) N41242361xxx, N412423812CDxx, and N412D364212SSC Ultimate series enclosures.	Stock	\$236.00
<u>SCE-8N6MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-8N604LP enclosures.	Stock	\$5.50
<u>SCE-30P20GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-924B, SCE-936B, SCE-30EL20xxxx, SCE-30XEL21xxxx, SCE-30SA22xxxx and SCE-30H20xxxx enclosures.	Stock	\$91.00
<u>NP2424C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x24/24x26 (HxW) N4122424xxxx & N412242608Cxxx Ultimate series enclosures.	Stock	\$91.00
<u>NP3630SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x30 (HxW) N4123630xxxx & N4123632xxCxxx Ultimate series enclosures.	Stock	\$405.00
<u>18G6927</u>	Hammond subpanel, galvanized steel. For use with 72x30 (HxW) 1418Uxx enclosures.	Stock	\$329.00
<u>1590ZGRP083PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP083 enclosures.	Stock	\$8.75
<u>N1P0606</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 6x6 (HxW) N1C060604, RHC060604 and WA060604GIE enclosures.	Stock	\$5.25
<u>1590ZGRP081PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP081 and 1590ZGRP084 enclosures.	Stock	\$8.00
<u>BP2016A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AH20164xxx and AHxx20168xxx Heartland series enclosures.	Stock	\$84.00
<u>BP2016CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with N201612HWT and NW201610HWT enclosures.	Stock	\$84.00

<u>ASP-2016-P10</u>	Integra subpanel, side mount, 3003 aluminum. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures. Requires GSR2016-P10 frame stiffener ring and KIT-GMMR8-P10 internal mounting rail kit.	Stock	\$60.00
<u>WA60P48F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 60x48 (HxW) WA604818xxx and WRD604818FSD4 freestanding enclosures.	Stock	\$744.00
<u>SCE-60P36F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 60 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$220.00
<u>ABP-2424-P10</u>	Integra subpanel, 3003 aluminum. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures.	Stock	\$135.00
<u>SBP-2016-XXL-P10</u>	Integra subpanel, XXL, carbon steel, white, powder coat finish. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures.	Stock	\$244.00
<u>WA60P36F2</u>	Wiegmann subpanel, half-height, carbon steel, white, powder coat finish. For use with 60x36 (HxW) WA603624xxx and WRD603624FS4 freestanding enclosures.	Stock	\$292.00
<u>EPG1210</u>	Hammond subpanel, galvanized steel. For use with 12x10 (HxW) EN4SD12106xx Eclipse series enclosures.	Stock	\$17.75
<u>14R0907</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 8x10/10x8 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$9.50
<u>SCE-90P48F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 90 x 48in (HxW) Saginaw freestanding enclosures.	Stock	\$463.00
<u>14A0707</u>	Hammond subpanel, 5052-H32 aluminum. For use with 8x8 (HxW) EJ884xxx Eclipse Junior series and HJ884HLP enclosures.	Stock	\$9.00
<u>BP3024AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 30x24 (HxW) N3024xxxxT and NW302410HWT N series enclosures.	Stock	\$258.00
<u>PVCBP86-P10</u>	Integra subpanel, PVC, gray. For use with 8x6 (HxW) H8064xxxxx-P10 Premium series enclosures.	Stock	\$19.50
<u>SCE-N68P54</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 68 x 54in (HxW) Saginaw NextGen enclosures.	Stock	\$494.00
<u>90YWFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 90x24 (HxW) 1418YW20 and HN4FS902420xx freestanding enclosures.	Stock	\$498.00
<u>18P1309PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 16x12 (HxW) 1418xxxx and C3R16126HCR enclosures.	Stock	\$31.00
<u>SCE-N68P40GALV</u>	Saginaw subpanel, galvanized steel. For use with 68 x 40in (HxW) Saginaw NextGen enclosures.	Stock	\$337.00
<u>AP1620</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x20 (HxW) N1A16207 enclosures.	Stock	\$25.50
<u>SP12</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH12106xxx and AHF12106x Heartland series enclosures.	Stock	\$61.00
<u>AP1620PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 16x20 (HxW) N1A16207 enclosures.	Stock	\$27.50
<u>NP4230SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 30x42/42x30/42x31 (HxW) N124230xx, N1C3042xx, SDN124231xxPL, SN4423112, SSN4xxxxxx, SSN4X423112x and WA304210WF enclosures.	Stock	\$515.00
<u>90BWHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 90x48 (HxW) 1418BW20 freestanding enclosures.	Stock	\$649.00
<u>EPG3024</u>	Hammond subpanel, galvanized steel. For use with 30x24/30x26 (HxW) EN4SD3024xxx, EN4DSC30268xx & ST3024xxx Eclipse series enclosures.	Stock	\$110.00
<u>2CWCP24</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 2CLC2024 and 2CSC2024 consoles.	Stock	\$162.00
<u>EP3012</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x12 (HxW) EN4SD30128xx Eclipse series enclosures.	Stock	\$67.00
<u>60AWFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 60x48 (HxW) 1418AW18 freestanding enclosures.	Stock	\$787.00
<u>18G1713</u>	Hammond subpanel, galvanized steel. For use with 20x16 (HxW) 1418xxxx and C3R20166HCR enclosures.	Stock	\$48.00
<u>18P2117</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x20 (HxW) 1418xxxx, 1447SBxxHK, C3R24208HCR, and HW2420xxxxHK enclosures.	Stock	\$75.00
<u>WA72SMP14</u>	Wiegmann subpanel, side mount, carbon steel, white, powder coat finish. For use with 72in (H) WA72xxxxx and WRD72xxxxx freestanding enclosures.	Stock	\$248.00
<u>NP3020C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x20 (HxW) N4123020xxxx Ultimate series enclosures.	Stock	\$95.00
<u>EP2430</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x30 (HxW) EN4SD2430xxx Eclipse series enclosures.	Stock	\$110.00
<u>PNA20A</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 2000 x 1000mm Quadritalia OKK series modular enclosures.	Stock	\$169.00
<u>SCE-90P48F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 90 x 48in (HxW) Saginaw freestanding enclosures.	Stock	\$749.00

<u>BP2016ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AH20164xxx and AHxx20168xxx Heartland series enclosures.	Stock	\$52.00
<u>SCE-90SMP30</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with 90in (H) x min. 36in (D) Saginaw freestanding enclosures.	Stock	\$396.00
<u>SCE-6P4SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-604ELJxx, SCE-604xCHNFxx, SCE-604xSC and SCE-7KJxxSSST enclosures.	Stock	\$10.25
<u>SCE-42P52</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-42X2D5412 enclosures.	Stock	\$326.00
<u>18P2121S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 24x24 (HxW) 1418xxxx, 1447SCxxHK, C3R2424xxHCR, and HW2424xxxxHK enclosures.	Stock	\$209.00
<u>SCE-40P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-40EL2412LPxx enclosures.	Stock	\$134.00
<u>NP3020</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x20/30x21 (HxW) B30200xCH, N123020xx,N430200x, SDN123021xxPL, SSN43020x andWC924B enclosures.	Stock	\$95.00
<u>SCE-12P6</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12064CHNF and SCE-10PBAX enclosures.	Stock	\$8.25
<u>SCE-30P20</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-924B, SCE-936B, SCE-30EL20xxxx, SCE-30XEL21xxxx, SCE-30SA22xxxx and SCE-30H20xxxx enclosures.	Stock	\$87.00
<u>14R0705SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 6x8/8x6 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJ86xxx enclosures.	Stock	\$22.00
<u>SCE-36N30MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-36N3006LP, 36N3008LP and SCE-36N3012LP enclosures.	Stock	\$118.00
<u>SCE-10P8SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-6PBHx, SCE-1008xELJxx, SCE-1008xCHNFxx, SCE-1008xSC, SCE-11KJxxSSST and SCE-12PBAX enclosures.	Stock	\$19.25
<u>SCE-72P60F1GALV</u>	Saginaw subpanel, galvanized steel. For use with 72 x 60in (HxW) Saginaw freestanding enclosures.	Stock	\$827.00
<u>SCE-9P12L</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-L912xELJxxx wire trough.	Stock	\$29.50
<u>14R0909</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 10x10 (HxW) EJ10106xxx Eclipse Junior series and HJ10106HLP enclosures.	Stock	\$11.00
<u>EP1224</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x24 (HxW) EN4SD1224xxx Eclipse series enclosures.	Stock	\$54.00
<u>SCE-64P37</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72XM4018xx, SCE-72XM3EW18xx, SCE-72XD4018xx, SCE-72XD3EW18xx and SCE-72XR4018 enclosures.	Stock	\$283.00
<u>N1P1624</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x16 (HxW) N1C162406LP enclosures.	Stock	\$32.50
<u>SP8</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH864xxx, AHF864x, AH884xxx, and AHF884x Heartland series enclosures.	Stock	\$54.00
<u>AP3024</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x24 (HxW) N1A3024xx enclosures.	Stock	\$98.00
<u>NPDD6048</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 60x48/62x48 (HxW) N126048xx, SSN4D62481xxxx, WA60CPX4xxxx and WA60X49xxx enclosures.	Stock	\$449.00
<u>BP2424CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with N24241410HWT, NW242410RT, N24241412HWT and NW242410HWT enclosures.	Stock	\$277.00
<u>SCE-8P6GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-6PBAX, SCE-806xELJxx, SCE-806xCHNFxx, SCE-806xSC and SCE-9KxxSSST enclosures.	Stock	\$6.25
<u>18P2721PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 24x30 and 30x24 (HxW) 1418xxxx, 1447Sxxxx, C3R3024xxHCR, and HWxxxxxxHK enclosures.	Stock	\$98.00
<u>14R0503SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 6x4 (HxW) EJ64xxx Eclipse Junior series, 1414xxxx and HJ64xxx enclosures.	Stock	\$15.00
<u>SCE-24P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-24EL24xxxx, SCE-24XEL25xxxx, SCE-24SA26xxxx, SCE29VR24xx, SCE-24R24xxxx and SCE-24H24xxxx enclosures.	Stock	\$87.00
<u>90YWHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 90x24 (HxW) 1418YW20 and HN4FS902420xx freestanding enclosures.	Stock	\$312.00
<u>SCE-8P16C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-8C16ELJ and SCE-8C16ELJSS enclosures.	Stock	\$18.00
<u>18G2713</u>	Hammond subpanel, galvanized steel. For use with 30x16 (HxW) 1418FG6 & 1418KG8 enclosures.	Stock	\$74.00
<u>1590Z119PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z119xx enclosures.	Stock	\$8.50
<u>SCE-72P60</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72EL60xxxx, SCE-7260xxULP and SCE-72XEL61xxxx enclosures.	Stock	\$614.00
<u>NP7236</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x36 (HxW) N12723612 enclosures.	Stock	\$389.00
<u>P1412SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 14x12 (HxW) B14120xxx and BN414120xxxx enclosures.	Stock	\$61.00

<u>NP2420SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 20x24/24x20/24x22 (HxW) N4122024xxxx, N4122420xxxx & N412242208Cxxx Ultimate series enclosures.	Stock	\$183.00
<u>SCE-20P20C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-20C20ELJ and SCE-20C20ELJSS enclosures.	Stock	\$61.00
<u>1555FFPL</u>	Hammond subpanel, galvanized steel. For use with 1555FFxxGY and 1555F2FxxGY enclosures.	Stock	\$7.00
<u>SCE-14P12</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1412xELJxx, SCE-1412xCHNF, SCE-1412SC and SCE-15KJxxSSST enclosures.	Stock	\$15.75
<u>1554RPL</u>	Hammond subpanel, galvanized steel. For use with 1554Rxx, 1554Sxx, 1555Rxx and 1555Sxx enclosures.	Stock	\$10.00
<u>N1JP86</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 8x6 (HxW) N1J864 and C3R864HCR enclosures.	Stock	\$6.25
<u>SCE-N86P78</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 86 x 78in (HxW) Saginaw NextGen enclosures.	Stock	\$742.00
<u>SCE-60P30SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-30EL6010xxWFLP and SCE-3060xxWFLP enclosures.	Stock	\$540.00
<u>SCE-20P20</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-20EL20xxxx, SCE-20XEL21xxxx, SCE-20SA22xxxx and SCE-20H20xxxx enclosures.	Stock	\$55.00
<u>18P3921</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x42 and 42x24 (HxW) 1418N8, 1422Pxx, and HN4WM24428xx enclosures.	Stock	\$152.00
<u>NP1612</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x12 (HxW) N121612xx, N4161208, RHC161206, SSN416120xxx and WA161206FM enclosures.	Stock	\$34.50
<u>BP88CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 8x8 (HxW) DS80804xxx Diamond Shield series, Jx808xx J series and RJx808xx RJ series enclosures.	Stock	\$21.00
<u>WA90P48F1G</u>	Wiegmann subpanel, galvanized steel. For use with 90x48 (HxW) WA904820xxx and WRD904820FSD4 freestanding enclosures.	Stock	\$1,071.00
<u>BP1610AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N16107HWT enclosures.	Stock	\$75.00
<u>18P2727PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 30x30 (HxW) 1418xxxx, C3R3030xxHCR, and HW30308xxHK enclosures.	Stock	\$139.00
<u>BP1816ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AH18164xxx and AHxx181610xxx Heartland series enclosures.	Stock	\$39.00
<u>SCE-12P10SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-1210xELJxx, SCE-1210xCHNF, SCE-1210xSC, SCE-12PBHx and SCE-13KJxxSSST enclosures.	Stock	\$26.00
<u>N1JP2012</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x12 (HxW) N1J20126 enclosures.	Stock	\$21.00
<u>EP3048</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x48 (HxW) EN4SD3048xxx Eclipse series enclosures.	Stock	\$219.00
<u>SBP-1412-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 14x12 (HxW) H141206xxxxx-P10 Premium series enclosures.	Stock	\$51.00
<u>EPG4224</u>	Hammond subpanel, galvanized steel. For use with 42x24 (HxW) EN4SD4224xxx Eclipse series enclosures.	Stock	\$147.00
<u>BP2016AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N201612HWT and NW201610HWT enclosures.	Stock	\$84.00
<u>EP4230</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 42x30/42x32 (HxW) EN4SD4230xxx & EN4DSC423212xx Eclipse series enclosures.	Stock	\$195.00
<u>1590Z150PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z150xx and 1590Z155xx enclosures.	Stock	\$8.50
<u>NP6036</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x60/60x36/60x37 (HxW) N126036xx, N4603616, SDN12603xxxPL, SN4603712, SSN4xxxxxx, SSN4X603712x and WA366012WF enclosures.	Stock	\$328.00
<u>EPG3020</u>	Hammond subpanel, galvanized steel. For use with 30x20 (HxW) EN4SD3020xxx Eclipse series enclosures.	Stock	\$95.00
<u>N1P1010</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 10x10 (HxW) N1C10100x and WA101006GIE enclosures.	Stock	\$10.00
<u>SCE-36P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-36EL24xxxx, SCE-36XEL25xxxx, SCE-36SA26xxxx, SCE41VR2412, SCE-36R24xxLP and SCE-36H24xxxx enclosures.	Stock	\$118.00
<u>SCE-20P12</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-20EL1206LPxx and SCE-20H120xLP enclosures.	Stock	\$36.00
<u>18P5733</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x60 and 60x36 (HxW) 1418xxxx, 1422UX12, 1447Sxxxx, C3R603612HCR, HW6036xxxxHK, and HN4WM366012xx enclosures.	Stock	\$312.00
<u>14R0705</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 6x8/8x6 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJ86xxx enclosures.	Stock	\$7.00
<u>18G3327</u>	Hammond subpanel, galvanized steel. For use with 36x30 (HxW) 1418xxxx, 1447Sxxxx, C3R363012HCR and HW3630xxxxHK enclosures.	Stock	\$168.00
<u>NPDD7260</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x60/72x61/74x60 (HxW) N127260xx, SSN4D746012xx and WA72X611xxx enclosures.	Stock	\$659.00

<u>SCE-12P10GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-1210xELJxx, SCE-1210xCHNF, SCE-1210xSC, SCE-12PBHx and SCE-13KJxxSSST enclosures.	Stock	\$11.50
<u>SCE-9P24L</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-L924xELJxxx wire trough.	Stock	\$45.50
<u>72XFWG</u>	Hammond subpanel, galvanized steel. For use with 72x30/72x31 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$520.00
<u>ABP88-P10</u>	Integra subpanel, 3003 aluminum. For use with 8x8 (HxW) H8084xxxxx-P10 Premium series enclosures.	Stock	\$19.00
<u>EP3648</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x48 (HxW) EN4TD364812xx Eclipse series enclosures.	Stock	\$250.00
<u>SCE-N80P78</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 80 x 78in (HxW) Saginaw NextGen enclosures.	Stock	\$738.00
<u>SCE-24N16MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-24N1606LP enclosures.	Stock	\$38.50
<u>18A3321</u>	Hammond subpanel, 5052-H32 aluminum. For use with 36x24 (HxW) 1418xxxx, 1447Sxxxx, C3R362412HCR and HW3624xxxxHK enclosures.	Stock	\$216.00
<u>SCE-48P48</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-48EL4812xxWFLP and SCE-4848xxWFLP enclosures.	Stock	\$331.00
<u>BP2424ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AH24246xxx and AH242410xxx Heartland series enclosures.	Stock	\$62.00
<u>SCE-76P76</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-84XM78xxxx, SCE-84XD78xxxx, SCE-84XR7818, SCE-84XM3EWxxxx, SCE-84XD3EW18xxx, and SCE-84XR3EW18x enclosures.	Stock	\$775.00
<u>SCE-30P24SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-402516Sxxxx, SCE-24EL30xxxx, SCE-30EL24xxxx, SCE-30XEL25xxxx, SCE-30SA26xxxx, SCE-35VR2412, SCE-30R24xxxx, SCE-24H30xxxx and SCE-30H24xxxx enclosures.	Stock	\$214.00
<u>NP1616</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x16 (HxW) N1216160x, N4161606, RHC161606, SSN4161606 and SSN4161606A enclosures.	Stock	\$42.50
<u>EP1212</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x12 (HxW) EN4SD12126xx & ST12126LG Eclipse series enclosures.	Stock	\$17.25
<u>SCE-16P10</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16106CHNF enclosures.	Stock	\$15.25
<u>AP3020</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x20 (HxW) N1A3020x enclosures.	Stock	\$77.00
<u>EPG4230</u>	Hammond subpanel, galvanized steel. For use with 42x30/42x32 (HxW) EN4SD4230xxx & EN4DSC423212xx Eclipse series enclosures.	Stock	\$195.00
<u>AP4236</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 42x36 (HxW) N1A423612 enclosures.	Stock	\$155.00
<u>18G2109</u>	Hammond subpanel, galvanized steel. For use with 24x12 (HxW) 1418xxxx enclosures.	Stock	\$48.00
<u>SCE-72P30</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72EL30xxxx and SCE-72H30xxLP enclosures.	Stock	\$327.00
<u>SCE-76P37GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-84XM40xxxx, SCE-84XM3EWxxxx, SCE-84XD4018xx, SCE-84XD3EW18xx, and SCE-84XR4018 enclosures.	Stock	\$448.00
<u>1555JFPL</u>	Hammond subpanel, galvanized steel. For use with 1555JFxxGY and 1555J2FxxGY enclosures.	Stock	\$7.75
<u>18P1309</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x12 (HxW) 1418xxxx and C3R16126HCR enclosures.	Stock	\$32.50
<u>SCE-30P16</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-30EL1606xxx and SCE-30H1606LP enclosures.	Stock	\$71.00
<u>SCE-N68P78GALV</u>	Saginaw subpanel, galvanized steel. For use with 68 x 78in (HxW) Saginaw NextGen enclosures.	Stock	\$787.00
<u>SCE-72P30F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 72 x 30in (HxW) Saginaw freestanding enclosures.	Stock	\$220.00
<u>1590Z160PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z160xx enclosures.	Stock	\$8.75
<u>NP4836</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x48/48x36/48x37 (HxW) B483611CH, N124836xx, N1C3648xx, N4483608, SDN12483xxxPL, SN4483712, SSN4xxxxxx, SSN4X483712x and WA364812WF enclosures.	Stock	\$267.00
<u>EP3016</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x16 (HxW) EN4SD3016xxxx Eclipse series enclosures.	Stock	\$81.00
<u>SCE-76P37</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-84XM40xxxx, SCE-84XM3EWxxxx, SCE-84XD4018xx, SCE-84XD3EW18xx, and SCE-84XR4018 enclosures.	Stock	\$390.00
<u>ABP66-P10</u>	Integra subpanel, 3003 aluminum. For use with 6x6 (HxW) H6064xxxxx-P10 Premium series enclosures.	Stock	\$14.00
<u>18P4527</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x48 and 48x30 (HxW) 1418xxxx, 1422RW10, and HN4WM304810xx enclosures.	Stock	\$215.00
<u>P0806</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 8x6 (HxW) B08060xxx and BN408060xxx enclosures.	Stock	\$7.25

<u>NP2420C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x24/24x20/24x22 (HxW) N4122024xxxx, N4122420xxxx & N412242208Cxxx Ultimate series enclosures.	Stock	\$79.00
<u>NP6036C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 60x36/60x38 (HxW) N41260361xxx & N41260381xCxxx Ultimate series enclosures.	Stock	\$328.00
<u>NP3624SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 24x36/36x24/36x26 (HxW) N4123624xxxx, N412362608CDxxx, and N412D243608C Ultimate series enclosures.	Stock	\$326.00
<u>SBP66-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 6x6 (HxW) H6064xxxxx-P10 Premium series enclosures.	Stock	\$28.00
<u>PNA186</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 1800 x 600mm Quadritalia OKK series modular enclosures.	Stock	\$105.00
<u>72WFWG</u>	Hammond subpanel, galvanized steel. For use with 72x24/72x25 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$451.00
<u>BP108CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 10x8/11x9 (HxW) DSx100806xx Diamond Shield series, Jx1008xx & WH-J1008HPL J/JW series, RJx1008xx RJ/RJW series, CL1109xx Classic series and F9PBW pushbutton enclosures.	Stock	\$20.50
<u>WA72P24F1G</u>	Wiegmann subpanel, galvanized steel. For use with 72x24 (HxW) WA7224xxxxxx and WRD7224xxFS4 freestanding enclosures.	Stock	\$402.00
<u>SCE-64P31GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72XM3418xx, SCE-72XM3EQ18xx, SCE-72XD3418xx, SCE-72XD3EQ18xx, SCE-72XR3418, SCE-72XR3EQ18 and SCE-72XR3EW18 enclosures.	Stock	\$299.00
<u>90BYHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 90x72 (HxW) 1418BYxx freestanding enclosures.	Stock	\$878.00
<u>SCE-48P24SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-48EL24xxxx, SCE-2448xxWFLP, SCE-24EL4810xxWFLP, SCE-48SA2610LPPL and SCE-48H2408LP enclosures.	Stock	\$334.00
<u>14R1109</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 10x12/12x10 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$12.75
<u>PVCBP44-IMP-P10</u>	Integra subpanel, PVC, gray. For use with 4x4 (HxW) P4043-P10 & P4043C-P10 Impact series enclosures.	Stock	\$10.75
<u>SCE-10N10MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-10N1004LP and SCE-10N1006LP enclosures.	Stock	\$22.50
<u>EP2016</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x16 (HxW) EN4SD2016xxx & ST2016xxx Eclipse series enclosures.	Stock	\$49.50
<u>72YHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 72x36/72x37 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$365.00
<u>SCE-76P76GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-84XM78xxxx, SCE-84XD78xxxx, SCE-84XR7818, SCE-84XM3EWxxxx, SCE-84XD3EW18xxx, and SCE-84XR3EW18x enclosures.	Stock	\$969.00
<u>BP66CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 6x6/7x7 (HxW) DSx60604xx Diamond Shield series, Jx606xx J/JW series, RJx606xx RJ/RJW series, CL707xx Classic series and F4PBW pushbutton enclosures.	Stock	\$11.25
<u>N1P1216L</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x12 (HxW) N1C12160xLP enclosures.	Stock	\$18.00
<u>18P1515</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 18x18 (HxW) C3R18186HCR and C3R181810HCR enclosures.	Stock	\$44.00
<u>SCE-16P12SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-16EL120xxxx, SCE-16H12xxxxLP and SCE-16R120xLP enclosures.	Stock	\$50.00
<u>EP1616</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x16 (HxW) EN4SD1616xxx & ST1616xxx Eclipse series enclosures.	Stock	\$43.00
<u>SCE-16P14GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-1614xELJxxx, SCE-1614xxCHxNFxx, SCE-1614SC and SCE-16C16ELJxxenclosures.	Stock	\$30.00
<u>90BWHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 90x48 (HxW) 1418BW20 freestanding enclosures.	Stock	\$681.00
<u>14R1109SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 10x12/12x10 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$44.50
<u>NP3630SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 30x36/36x30/36x31 (HxW) B3630xxCH, N123xxxxx, N436301x, SDN12363xxxPL, SN4363108, SSN43630xxx, SSN4X363108x and WA363008FM enclosures.	Stock	\$405.00
<u>SCE-20P16GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-16EL20xxxx, SCE-20EL16xxxx, SCE-16H20xxxx and SCE-20H16xxxx enclosures.	Stock	\$47.00
<u>SCE-36P16GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-36H1606LP enclosures.	Stock	\$87.00
<u>SCE-6P6SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-606ELJxx, SCE-606CHNFxx, SCE-606SC and SCE-4SPBAX enclosures.	Stock	\$12.25
<u>SCE-30N30MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-30N3008LP enclosures.	Stock	\$143.00
<u>EP1612</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x12 (HxW) EN4SD1612xxx & ST1612xxx Eclipse series enclosures.	Stock	\$22.50
<u>SCE-60P48F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 60 x 48in (HxW) Saginaw freestanding enclosures.	Stock	\$564.00

<u>EPG4830</u>	Hammond subpanel, galvanized steel. For use with 48x30 (HxW) EN4SD4830xxx Eclipse series enclosures.	Stock	\$212.00
<u>SP24</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH242410xxx Heartland series enclosures.	Stock	\$92.00
<u>SCE-16DLP14</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16EL161408LPxx enclosures.	Stock	\$27.50
<u>SCE-8N8MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-8N804LP and SCE-8N806LP enclosures.	Stock	\$16.50
<u>SCE-20P20SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-20EL20xxxx, SCE-20XEL21xxxx, SCE-20SA22xxxx and SCE-20H20xxxx enclosures.	Stock	\$120.00
<u>BP2420AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N24208HWT and NW24208HWT enclosures.	Stock	\$164.00
<u>SCE-12P20C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12C20ELJ and SCE-12C20ELJSS enclosures.	Stock	\$36.00
<u>18P2113S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 24x16 (HxW) 1418xxxx and HW24168xxHK enclosures.	Stock	\$142.00
<u>AP1612</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x12 (HxW) N1A1612x enclosures.	Stock	\$16.25
<u>90BYFWG</u>	Hammond subpanel, galvanized steel. For use with 90x72 (HxW) 1418BYxx freestanding enclosures.	Stock	\$1,560.00
<u>SCE-24P20GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-20EL24xxxx, SCE-24EL20xxxx, SCE-24XEL21xxxx, SCE-24SA22xxxx, SCE-20H24xxxx and SCE-24H20xxxx enclosures.	Stock	\$74.00
<u>SCE-20N20MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-20N2006LP, 20N2008LP and SCE-20N2010LP enclosures.	Stock	\$46.50
<u>72XFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x30/72x31 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$498.00
<u>SCE-8P8</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-808xELJxx, SCE-808xCHNFxx, SCE-808SC, SCE-4SPBHx and SCE-9PBAX enclosures.	Stock	\$7.50
<u>SCE-10P10</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-10106ELJxx, SCE-10106CHNF, SCE-1010xSC, SCE-9PBHxxx and SCE-16PBAX enclosures.	Stock	\$10.50
<u>1590Z100PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z100xx enclosures.	Stock	\$8.25
<u>SCE-8P12C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-8C12ELJ and SCE-8C12ELJSS enclosures.	Stock	\$13.00
<u>1590Z120PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z120xx enclosures.	Stock	\$8.50
<u>EP2424</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x24/24x26 (HxW) EN4SD2424xxx, EN4DSC24268xx & ST2424xxx Eclipse series enclosures.	Stock	\$88.00
<u>14R070Z</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 8x8 (HxW) EJ884xxx Eclipse Junior series and HJ884HLP enclosures.	Stock	\$8.25
<u>72XHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 72x30/72x31 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$312.00
<u>NP2016SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 16x20/20x16 (HxW) N4121620xxxx & N4122016xxxx Ultimate series enclosures.	Stock	\$117.00
<u>SCE-64P31</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72XM3418xx, SCE-72XM3EQ18xx, SCE-72XD3418xx, SCE-72XD3EQ18xx, SCE-72XR3418, SCE-72XR3EQ18 and SCE-72XR3EW18 enclosures.	Stock	\$260.00
<u>BP86CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 8x6/9x7 (HxW) DSx80604xx Diamond Shield series, Jx806xx J/JW series, RJx806xx RJ/RJW series, CL907xx Classic series and F6PBW pushbutton enclosures.	Stock	\$13.50
<u>ABP-66-IMP-P10</u>	Integra subpanel, 3003 aluminum. For use with 6x6 (HxW) P6063-P10 & P6063C-P10 Impact series enclosures.	Stock	\$14.00
<u>EP3642</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x42 (HxW) EN4TD364212xx Eclipse series enclosures.	Stock	\$227.00
<u>SCE-20P20GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-20EL20xxxx, SCE-20XEL21xxxx, SCE-20SA22xxxx and SCE-20H20xxxx enclosures.	Stock	\$55.00
<u>EPG2424</u>	Hammond subpanel, galvanized steel. For use with 24x24/24x26 (HxW) EN4SD2424xxx, EN4DSC24268xx & ST2424xxx Eclipse series enclosures.	Stock	\$88.00
<u>18A5733</u>	Hammond subpanel, 5052-H32 aluminum. For use with 36x60/60x36 (HxW) 1418xxxx, 1422UX12, 1447Sxxxx, C3R603612HCR, HW6036xxxxHK and HN4WM366012xx enclosures.	Stock	\$512.00
<u>P1212SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 12x12 (HxW) B121206xx and BN41212xxxx enclosures.	Stock	\$53.00
<u>SCE-42P30GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-42EL30xxxx, SCE-30EL4210xxWFLP, SCE-42XEL31xxxx, SCE-42SA32xxLPPL, SCE-42R30xxLP and SCE-42H30xxxx enclosures.	Stock	\$199.00
<u>18P271Z</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x20 (HxW) 1418xxxx, 1447SDxxHK, and HW30208xxHK enclosures.	Stock	\$91.00
<u>ABP-1816-P10</u>	Integra subpanel, 3003 aluminum. For use with 18x16 (HxW) H181610xxxxx-P10 Premium series enclosures.	Stock	\$59.00

<u>NP4236SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x42/42x36/42x38 (HxW) N41242361xxx, N412423812CDxx, and N412D364212SSC Ultimate series enclosures.	Stock	\$618.00
<u>SCE-N86P78GALV</u>	Saginaw subpanel, galvanized steel. For use with 86 x 78in (HxW) Saginaw NextGen enclosures.	Stock	\$927.00
<u>SCE-6P4GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-604ELJxx, SCE-604xCHNFxx, SCE-604xSC and SCE-7KJxxSSST enclosures.	Stock	\$4.50
<u>NP7236G</u>	Wiegmann subpanel, galvanized steel. For use with 72x36 (HxW) N12723612 enclosures.	Stock	\$422.00
<u>18P2721S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 24x30 and 30x24 (HxW) 1418xxxx, 1447Sxxxx, C3R3024xxHCR, and HWxxxxxxHK enclosures.	Stock	\$252.00
<u>SCE-64P52GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-72XM5418xx, SCE-72XD5418xx and SCE-72XR5418 enclosures.	Stock	\$598.00
<u>18P5733S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 36x60 and 60x36 (HxW) 1418xxxx, 1422UX12, 1447Sxxxx, C3R603612HCR, HW6036xxxxHK, and HN4WM366012xx enclosures.	Stock	\$791.00
<u>SCE-72P30F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 72 x 30in (HxW) Saginaw freestanding enclosures.	Stock	\$355.00
<u>BP1412AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 14x12/15x13 (HxW) DSx14120xxx Diamond Shield series, Jx1412xx and WH-J1412HPL J/JW/Fatboy series, RJx1412xx RJ/RJW series and CL1513xx Classic series enclosures.	Stock	\$30.00
<u>BP1412A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AH14124xxx and AHxx14126xxx Heartland series enclosures.	Stock	\$30.00
<u>NP4830C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x48 (HxW) N412D304810SSC Ultimate series enclosures.	Stock	\$352.00
<u>N1JP1412PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 14x12 (HxW) N1J1412x enclosures.	Stock	\$16.25
<u>14R1513SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 14x16/16x14 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$80.00
<u>SP10</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH1084xxx, AHF1084x, AH10xx6xxx, and AHF10xx6x Heartland series enclosures.	Stock	\$57.00
<u>ABP-98-IMP-P10</u>	Integra subpanel, 3003 aluminum. For use with 9x8 (HxW) P9082-P10 & P9082C-P10 Impact series enclosures.	Stock	\$19.00
<u>SCE-N80P78GALV</u>	Saginaw subpanel, galvanized steel. For use with 80 x 78in (HxW) Saginaw NextGen enclosures.	Stock	\$922.00
<u>N1JP1612PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 16x12 (HxW) N1J16126 enclosures.	Stock	\$18.50
<u>EP3636</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x36 (HxW) EN4SD3636xxx & ST363612xx Eclipse series enclosures.	Stock	\$195.00
<u>P0606SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 6x6 (HxW) B060604xx and BN4060604xx enclosures.	Stock	\$19.00
<u>2CWCP48</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 2CLC2048 and 2CSC2048 consoles.	Stock	\$249.00
<u>ABP-86-IMP-P10</u>	Integra subpanel, 3003 aluminum. For use with 8x6 (HxW) P8063-P10 & P8063C-P10 Impact series enclosures.	Stock	\$16.25
<u>SCE-42P24</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-42EL24xxxx, SCE-2442xxxxWFLP, SCE-24EL4210xxWFLP, SCE-47XVR2514 and SCE-47VR2514 enclosures.	Stock	\$142.00
<u>18A4533</u>	Hammond subpanel, 5052-H32 aluminum. For use with 36x48/48x36 (HxW) 1418xxxx, 1422UW12, 1447Sxxxx, C3R4836xxHCR, HW4836xxxxHK and HN4WM364812xx enclosures.	Stock	\$414.00
<u>BPB1680P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 6x3 (HxW) BB1680xxW & BBCC168090W BantamBox series enclosures.	Stock	\$6.25
<u>EPG2420</u>	Hammond subpanel, galvanized steel. For use with 24x20/24x22 (HxW) EN4SD2420xxx, EN4DSC24228xx & ST2420xxx Eclipse series enclosures.	Stock	\$76.00
<u>WA72SMP20</u>	Wiegmann subpanel, side mount, carbon steel, white, powder coat finish. For use with 72in (H) x min. 24in (D) WA72xxxxx and WRD72xxxxx freestanding enclosures.	Stock	\$303.00
<u>EP2012</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x12 (HxW) EN4SD2012xxx Eclipse series enclosures.	Stock	\$40.00
<u>N1P1012</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12x10 (HxW) N1C10120x, RHC101206 and WA1210xxGIE enclosures.	Stock	\$11.50
<u>SCE-60P60</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-60EL60xxxx, SCE-6060xxLP and SCE-60XEL61xxxx enclosures.	Stock	\$516.00
<u>SCE-48P36SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-464919xxxx, SCE-48EL36xxxx, SCE-36EL48xxxx, SCE-3648xxWFLP, SCE-48XEL37xxxx, SCE-48SA38xxLPPL, SCE-53VR36xx, SCE-53XVR37xx and SCE-48H36xxxx enclosures.	Stock	\$523.00
<u>18P3321</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x24 (HxW) 1418xxxx, 1447Sxxxx, C3R362412HCR, and HW3624xxxxHK enclosures.	Stock	\$126.00
<u>SCE-36P30GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-403716xxxx, SCE-30EL36xxxx, SCE-36EL30xxxx, SCE-36XEL31xxxx, SCE-36SA32xxLPPL, SCE-36R30xxLP, SCE-30H36xxxx and SCE-36H30xxxx enclosures.	Stock	\$173.00

<u>AP4224</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 42x24 (HxW) N1A42249 enclosures.	Stock	\$128.00
<u>PVCBP-1816-P10</u>	Integra subpanel, PVC, gray. For use with 18x16 (HxW) H181610xxxx-P10 Premium series enclosures.	Stock	\$81.00
<u>18P3327</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x30 (HxW) 1418xxxx, 1447Sxxxx, C3R363012HCR, and HW3630xxxxHK enclosures.	Stock	\$168.00
<u>SCE-42P36SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-42EL36xxxx, SCE-36EL4216xxWFLP, SCE-364216WFLP, SCE-42XEL37xxxx, SCE-42SA38xxLPPL, and SCE-42H36xxxx enclosures.	Stock	\$463.00
<u>SCE-72P48F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 72 x 48in (HxW) Saginaw freestanding enclosures.	Stock	\$405.00
<u>NP4230C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x42/42x32 (HxW) N412423212Cxxx and N412D304210SSC Ultimate series enclosures.	Stock	\$193.00
<u>60AWHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 60x48 (HxW) 1418AW18 freestanding enclosures.	Stock	\$491.00
<u>18G4533</u>	Hammond subpanel, galvanized steel. For use with 36x48/48x36 (HxW) 1418xxxx, 1422UW12, 1447Sxxxx, C3R4836xxHCR, HW4836xxxxHK and HN4WM364812xx enclosures.	Stock	\$253.00
<u>SCE-14N12MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-14N1204LP, 14N1206LP and SCE-14N1208LP enclosures.	Stock	\$29.00
<u>EPG3630</u>	Hammond subpanel, galvanized steel. For use with 36x30/36x32 (HxW) EN4SD3630xxx, EN4DSC36328xx & ST3630xxx Eclipse series enclosures.	Stock	\$167.00
<u>NP1612C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x12 (HxW) N4121612xxxx Ultimate series enclosures.	Stock	\$17.75
<u>WA90P72F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 90x72 (HxW) WA9072xxxxx and WRD9072xxFSD4 freestanding enclosures.	Stock	\$1,335.00
<u>14G1509</u>	Hammond subpanel, galvanized steel. For use with 16x10 (HxW) EJ16106xx Eclipse Junior series and HJ16106HLP enclosures.	Stock	\$16.00
<u>BP1412FG</u>	Stahlin subpanel, fiberglass, gray. For use with 14x12/15x13 (HxW) DSx14120xxx Diamond Shield series, Jx1412xx & WH-J1412HPL J/JW series, RJx1412xx RJ/RJW series and CL1513xx Classic series enclosures.	Stock	\$39.50
<u>N1J1P108</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 10x8 (HxW) N1J108x and C3R1086HCR enclosures.	Stock	\$8.50
<u>ABP-1412-P10</u>	Integra subpanel, 3003 aluminum. For use with 14x12 (HxW) H141206xxxxx-P10 Premium series enclosures.	Stock	\$36.00
<u>PVCBP1210-P10</u>	Integra subpanel, PVC, gray. For use with 12x10 (HxW) H12104xxxxx-P10 and H12106xxxxx-P10 Premium series enclosures.	Stock	\$31.00
<u>NPDD6060</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 60x60/60x61/62x60 (HxW) N126060xx, SSN4D626012xx, WA60CPX6xxxx and WA60X61xxx enclosures.	Stock	\$553.00
<u>SCE-36P36</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-463719xxxx, SCE-36EL36xxxx and SCE-36H36xxxx enclosures.	Stock	\$185.00
<u>EP3060</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x60 (HxW) EN4SD3060xxx Eclipse series enclosures.	Stock	\$265.00
<u>SCE-36P36GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-463719xxxx, SCE-36EL36xxxx and SCE-36H36xxxx enclosures.	Stock	\$203.00
<u>AP2024</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x24 (HxW) N1A20249 enclosures.	Stock	\$39.00
<u>SCE-24N20MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-24N2006LP, 24N2008LP and SCE-24N2010LP enclosures.	Stock	\$53.00
<u>SCE-1436P2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with SCE-1436B consoles.	Stock	\$276.00
<u>SCE-20P24C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-20C24ELJ and SCE-20C24ELJSS enclosures.	Stock	\$66.00
<u>SCE-8N6MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-8N604LP enclosures.	Stock	\$14.50
<u>PVCBP-2016-P10</u>	Integra subpanel, PVC, gray. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures.	Stock	\$114.00
<u>SCE-60BFP42GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-42EL6012xxWFALP and SCE-4260xxWFALP enclosures.	Stock	\$412.00
<u>SP6</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH664xxx and AHF664x Heartland series enclosures.	Stock	\$53.00
<u>EP2420</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x20/24x22 (HxW) EN4SD2420xxx, EN4DSC24228xx & ST2420xxx Eclipse series enclosures.	Stock	\$76.00
<u>14R0505SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 6x6 (HxW) EJ664xxx Eclipse Junior series, 1414xxxx and HJ664xxx enclosures.	Stock	\$18.75
<u>SCE-42P30SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-42EL30xxxx, SCE-30EL4210xxWFLP, SCE-42XEL31xxxx, SCE-42SA32xxLPPL, SCE-42R30xxLP and SCE-42H30xxxx enclosures.	Stock	\$394.00
<u>14R1307</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 14x8 (HxW) EJ1486xx Eclipse Junior series and HJ1486HLP enclosures.	Stock	\$12.00

<u>PVCBP108-P10</u>	Integra subpanel, PVC, gray. For use with 10x8 (HxW) H10084xxxx-P10 and H10086xxxx-P10 Premium series enclosures.	Stock	\$27.00
<u>SBP86-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 8x6 (HxW) H8064xxxx-P10 Premium series enclosures.	Stock	\$31.50
<u>SCE-8P8GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-808xELJxx, SCE-808xCHNFxx, SCE-808SC, SCE-4SPBHx and SCE-9PBAX enclosures.	Stock	\$7.25
<u>SCE-48P48GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-48EL4812xxWFLP and SCE-4848xxWFLP enclosures.	Stock	\$380.00
<u>90YFWG</u>	Hammond subpanel, galvanized steel. For use with 90x36 (HxW) 1418YYxx and HN4FS9036xxxx freestanding enclosures.	Stock	\$709.00
<u>EP3660</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x60 (HxW) EN4TD366012xx Eclipse series enclosures.	Stock	\$306.00
<u>NP3030</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x30 (HxW) N123030xx, N4303008, RHC30300x, SSN4303008xxx and WC936B enclosures.	Stock	\$155.00
<u>N1JP88</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 8x8 (HxW) N1J88x and C3R886HCR enclosures.	Stock	\$7.25
<u>SCE-48P42GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-42EL4812xxWFLP and SCE-4248xxWFLP enclosures.	Stock	\$317.00
<u>SCE-48P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-48EL24xxxx, SCE-2448xxWFLP, SCE-24EL4810xxWFLP, SCE-48SA2610LPPL and SCE-48H2408LP enclosures.	Stock	\$169.00
<u>SCE-14P6</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12PBAX enclosures.	Stock	\$9.25
<u>BP1614FG</u>	Stahlin subpanel, fiberglass, gray. For use with 16x14 (HxW) DSx161408xx Diamond Shield series, Jx1614xx & WH-J1614HPL J/JW series and RJx1614xx RJ/RJW series enclosures.	Stock	\$49.00
<u>SCE-90SMP20</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with 90in (H) x min. 24in (D) Saginaw freestanding enclosures.	Stock	\$365.00
<u>14A1509</u>	Hammond subpanel, 5052-H32 aluminum. For use with 16x10 (HxW) EJ16106xx Eclipse Junior series and HJ16106HLP enclosures.	Stock	\$14.00
<u>EPG1612</u>	Hammond subpanel, galvanized steel. For use with 16x12 (HxW) EN4SD1612xxx & ST1612xxx Eclipse series enclosures.	Stock	\$17.00
<u>72FD26</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 72in (H) x 36in (D) 1418xxx36 and HN4FS72xx36xx freestanding enclosures.	Stock	\$498.00
<u>N1P2430</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x24 (HxW) N1C2430xxLP enclosures.	Stock	\$100.00
<u>SCE-16P16GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-16EL16xxxx enclosures.	Stock	\$38.00
<u>NP3630</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x36/36x30/36x31 (HxW) B3630xxCH, N123xxxxx, N436301x, SDN12363xxxPL, SN4363108, SSN43630xxx, SSN4X363108x and WA363008FM enclosures.	Stock	\$175.00
<u>NP4848C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 48x48 (HxW) N412D484812xxx Ultimate series enclosures.	Stock	\$656.00
<u>SCE-60P76</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-60X2D7818 enclosures.	Stock	\$639.00
<u>ABP44-IMP-P10</u>	Integra subpanel, 3003 aluminum. For use with 4x4 (HxW) P4043-P10 & P4043C-P10 Impact series enclosures.	Stock	\$11.25
<u>N1P0608</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 8x6 (HxW) N1C06080x, RHC060804 and WA080604GIE enclosures.	Stock	\$6.25
<u>14R1311</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x14/14x12 (HxW) 1414xxxx, HJxxxx, and EJxxxx enclosures.	Stock	\$16.50
<u>90BWWFG</u>	Hammond subpanel, galvanized steel. For use with 90x48 (HxW) 1418BW20 freestanding enclosures.	Stock	\$1,100.00
<u>60TYFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 60x36 (HxW) 1418TY24 and HN4FS603624SS freestanding enclosures.	Stock	\$491.00
<u>BPB2015P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 8x6 (HxW) BB20151xW & BBCC20151xW BantamBox series enclosures.	Stock	\$10.50
<u>SCE-12P12</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1212ELJxx, SCE-1212CHNF, SCE-1212SC and SCE-16PBHxxx enclosures.	Stock	\$14.25
<u>18P2709</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x12 (HxW) 1418KA8 enclosures.	Stock	\$69.00
<u>WA72P48F1G</u>	Wiegmann subpanel, galvanized steel. For use with 72x48 (HxW) WA7248xxxx and WRD7248xxFSD4 freestanding enclosures.	Stock	\$841.00
<u>ASP-2424-P10</u>	Integra subpanel, side mount, 3003 aluminum. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures. Requires GSR2424-P10 frame stiffener ring and KIT-GMMR10-P10 internal mounting rail kit.	Stock	\$84.00
<u>SP18</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH181610xxx and AHF181610x Heartland series enclosures.	Stock	\$82.00

<u>18P3321PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 36x24 (HxW) 1418xxxx, 1447Sxxxx, C3R362412HCR, and HW3624xxxxHK enclosures.	Stock	\$119.00
<u>ABP108-IMP-P10</u>	Integra subpanel, 3003 aluminum. For use with 10x8 (HxW) P10086-P10 & P10086C-P10 Impact series enclosures.	Stock	\$23.00
<u>SCE-60P24F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 60 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$270.00
<u>1590ZGRP243PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP243 and 1590ZGRP244 enclosures.	Stock	\$17.00
<u>2CWCP36</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 2CLC2036 and 2CSC2036 consoles.	Stock	\$201.00
<u>BPB1612P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 6x5 (HxW) BB1612xxW & BBCC1612xxW BantamBox series enclosures.	Stock	\$8.25
<u>1555RFPL</u>	Hammond subpanel, galvanized steel. For use with 1555RFxxGY and 1555R2FxxGY enclosures.	Stock	\$9.75
<u>60TWFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 60x24 (HxW) 1418TW18 and HN4FS602418xx freestanding enclosures.	Stock	\$383.00
<u>14A1109</u>	Hammond subpanel, 5052-H32 aluminum. For use with 10x12/12x10 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$14.00
<u>NP3636C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x36 (HxW) N4123636xxxx Ultimate series enclosures.	Stock	\$206.00
<u>18P1709</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x12 (HxW) 1418CA6 and 1418CA8 enclosures.	Stock	\$38.00
<u>SCE-20N20MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-20N2006LP, 20N2008LP and SCE-20N2010LP enclosures.	Stock	\$51.00
<u>18A3327</u>	Hammond subpanel, 5052-H32 aluminum. For use with 36x30 (HxW) 1418xxxx, 1447Sxxxx, C3R363012HCR and HW3630xxxxHK enclosures.	Stock	\$265.00
<u>SCE-30N30MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-30N3008LP enclosures.	Stock	\$97.00
<u>1554HPL</u>	Hammond subpanel, galvanized steel. For use with 1554Hxx, 1554Txx, 1555Hxx and 1555Txx enclosures.	Stock	\$8.75
<u>BP88A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AHx884xxx Heartland series enclosures.	Stock	\$19.00
<u>SCE-12P12SS</u>	Saginaw subpanel, 316L stainless steel, #4 brush finish. For use with SCE-1212ELJxx, SCE-1212CHNF, SCE-1212SC and SCE-16PBHxxx enclosures.	Stock	\$31.00
<u>14G1105</u>	Hammond subpanel, galvanized steel. For use with 12x6 (HxW) EJ126xx Eclipse Junior series and HJ1264HLP enclosures.	Stock	\$8.75
<u>18G2727</u>	Hammond subpanel, galvanized steel. For use with 30x30 (HxW) 1418xxxx, C3R3030xxHCR and HW30308xxHK enclosures.	Stock	\$148.00
<u>WA60P24F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 60x24 (HxW) WA602418xxx and WRD602418FS4 freestanding enclosures.	Stock	\$359.00
<u>SCE-N86P40GALV</u>	Saginaw subpanel, galvanized steel. For use with 86 x 40in (HxW) Saginaw NextGen enclosures.	Stock	\$515.00
<u>SCE-12P10</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1210xELJxx, SCE-1210xCHNF, SCE-1210xSC, SCE-12PBHx and SCE-13KJxxSSST enclosures.	Stock	\$12.00
<u>60AWHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 60x48 (HxW) 1418AW18 freestanding enclosures.	Stock	\$554.00
<u>WA72P36F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x36 (HxW) WA7236xxxxxx and WRD7236xxFS4 freestanding enclosures.	Stock	\$533.00
<u>BPB2516P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 10x6 (HxW) BB2516xxW & BBCC25161xW BantamBox series enclosures.	Stock	\$12.50
<u>SCE-48P30</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-48EL30xxxx, SCE-304810WFLP, SCE-30EL4810xxWFLP and SCE-48H30xxLP enclosures.	Stock	\$201.00
<u>72ZXHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 72x60 (HxW) 1418ZXxx freestanding enclosures.	Stock	\$642.00
<u>AP2020PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 20x20 (HxW) N1A2020x enclosures.	Stock	\$37.50
<u>72WHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 72x24/72x25 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$291.00
<u>NP2020</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x20 (HxW) B20200xCH, N122020xx, N420200x, RHC202008, SDN122021xxPL, SSN420200xx and WA202006FM enclosures.	Stock	\$61.00
<u>14A1111</u>	Hammond subpanel, 5052-H32 aluminum. For use with 12x12 (HxW) EJ1212xxxx Eclipse Junior series, 1414N4PHxxxL6 and HJ12126HLP enclosures.	Stock	\$14.25
<u>SCE-60P36SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-60EL36xxxx, SCE-36EL60xxxx, SCE-3660xxWFLP, SCE-60XEL37xxxx, SCE-60SA38xxLPPL, SCE-65VR36xx, SCE-65XVR37xx and SCE-60H36xxxx enclosures.	Stock	\$643.00
<u>18P2117PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 24x20 (HxW) 1418xxxx, 1447SBxxHK, C3R24208HCR, and HW2420xxxxHK enclosures.	Stock	\$71.00

<u>EPG2020</u>	Hammond subpanel, galvanized steel. For use with 20x20/20x22 (HxW) EN4SD2020xxx, EN4DSC20228xx & ST2020xxx Eclipse series enclosures.	Stock	\$59.00
<u>SCE-42P36GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-42EL36xxxx, SCE-36EL4216xxWFLP, SCE-364216WFLP, SCE-42XEL37xxxx, SCE-42SA38xxLPPL, and SCE-42H36xxxx enclosures.	Stock	\$244.00
<u>18P3327PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 36x30 (HxW) 1418xxxx, 1447Sxxxx, C3R363012HCR, and HW3630xxxxHK enclosures.	Stock	\$157.00
<u>EP3020</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x20 (HxW) EN4SD3020xxx Eclipse series enclosures.	Stock	\$95.00
<u>EPG3636</u>	Hammond subpanel, galvanized steel. For use with 36x36 (HxW) EN4SD3636xxx & ST363612xx Eclipse series enclosures.	Stock	\$195.00
<u>EPG2416</u>	Hammond subpanel, galvanized steel. For use with 24x16 (HxW) EN4SD2416xxx Eclipse series enclosures.	Stock	\$59.00
<u>N1P3030</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x30 (HxW) N1C303008LP enclosures.	Stock	\$122.00
<u>SCE-N80P40GALV</u>	Saginaw subpanel, galvanized steel. For use with 80 x 40in (HxW) Saginaw NextGen enclosures.	Stock	\$464.00
<u>NP2416</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x16 (HxW) N1224160x, SSN4241608 and SSN4241608A enclosures.	Stock	\$59.00
<u>AP2016</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x16 (HxW) N1A2016x enclosures.	Stock	\$25.50
<u>EP1620</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x20 (HxW) EN4SD1620xxx Eclipse series enclosures.	Stock	\$49.50
<u>NP3016</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 30x16 (HxW) N12301606 enclosures.	Stock	\$78.00
<u>NP1224</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12x24/24x12 (HxW) N1212240x and N122412xx enclosures.	Stock	\$48.00
<u>18P1717S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 20x20 (HxW) 1418xxxx, 1447SAxxHK, and C3R20208HCR enclosures.	Stock	\$148.00
<u>EP3624</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x24/36x26 (HxW) EN4SD3624xxx & EN4DSC36268xx Eclipse series enclosures.	Stock	\$128.00
<u>SCE-24P16GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-24EL16xxxx and SCE-24H16xxLP enclosures.	Stock	\$51.00
<u>SCE-10N8MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-10N804LP and SCE-10N806LP enclosures.	Stock	\$19.50
<u>NP2016C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x20/20x16 (HxW) N4121620xxxx & N4122016xxxx Ultimate series enclosures.	Stock	\$51.00
<u>18A1313</u>	Hammond subpanel, 5052-H32 aluminum. For use with 16x16 (HxW) 1418xxxx and C3R16166HCR enclosures.	Stock	\$54.00
<u>SCE-30P16GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-30EL1606xxxx and SCE-30H1606LP enclosures.	Stock	\$74.00
<u>1590ZGRP233PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP233 enclosures.	Stock	\$13.00
<u>SCE-8P20C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-8C20ELJ and SCE-8C20ELJSS enclosures.	Stock	\$23.00
<u>SCE-24P24SS</u>	Saginaw subpanel, 304 stainless steel, #4 brush finish. For use with SCE-24EL24xxxx, SCE-24XEL25xxxx, SCE-24SA26xxxx, SCE29VR24xx, SCE-24R24xxxx and SCE-24H24xxxx enclosures.	Stock	\$180.00
<u>N1P2024</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x20 (HxW) N1C2024xxLP enclosures.	Stock	\$40.50
<u>BP64CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 6x4 (HxW) Jx604xx J/JW series and RJx604xx RJ/RJW series enclosures.	Stock	\$17.25
<u>1555HFPL</u>	Hammond subpanel, galvanized steel. For use with 1555HFxxGY and 1555H2FxxGY enclosures.	Stock	\$8.00
<u>SCE-12P24C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12C24ELJ and SCE-12C24ELJSS enclosures.	Stock	\$43.50
<u>14G1311</u>	Hammond subpanel, galvanized steel. For use with 12x14/14x12 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$16.50
<u>BP1614CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 16x14 (HxW) DSx161408xx Diamond Shield series, Jx1614xx & WH-J1614HPL J/JW series and RJx1614xx RJ/RJW series enclosures.	Stock	\$39.00
<u>NP3624C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x36/36x24/36x26 (HxW) N4123624xxxx, N412362608CDxxx, and N412D243608C Ultimate series enclosures.	Stock	\$132.00
<u>90YWHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 90x24 (HxW) 1418YW20 and HN4FS902420xx freestanding enclosures.	Stock	\$327.00
<u>18P3333PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 36x36 (HxW) 1418xxxx, C3R3636xxHCR, and HW363612xxHK enclosures.	Stock	\$185.00
<u>1555BFPL</u>	Hammond subpanel, galvanized steel. For use with 1555BF22GY and 1555B2F22GY enclosures.	Stock	\$5.25
<u>18P1313PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 16x16 (HxW) 1418xxxx and C3R16166HCR enclosures.	Stock	\$38.00

<u>14G0707</u>	Hammond subpanel, galvanized steel. For use with 8x8 (HxW) EJ884xxx Eclipse Junior series and HJ884HLP enclosures.	Stock	\$8.25
<u>SCE-72P72F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 72 x 72in (HxW) Saginaw freestanding enclosures.	Stock	\$842.00
<u>SCE-16N16MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-16N1606LP and SCE-16N1608LP enclosures.	Stock	\$38.00
<u>18P6933</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x36 (HxW) 1418V12 enclosures.	Stock	\$367.00
<u>EP2024</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x24 (HxW) EN4SD2024xxx Eclipse series enclosures.	Stock	\$76.00
<u>BP3630AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 36x30 (HxW) N3630xxxT and NW363012HWT N series enclosures.	Stock	\$403.00
<u>SCE-82P76</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-86M3Exx, SCE-90XM78xxxx, SCE-90XD7818xxx, SCE-90XR7818, SCE-90XM3EWxxxx, SCE-90XD3EW18x and SCE-90XR3EW18x enclosures.	Stock	\$779.00
<u>60TWHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 60x24 (HxW) 1418TW18 and HN4FS602418xx freestanding enclosures.	Stock	\$257.00
<u>P1010</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 10x10 (HxW) B10100xxx enclosures.	Stock	\$11.50
<u>SP20</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH20168xxx and AHF20168x Heartland series enclosures.	Stock	\$84.00
<u>N1P2420</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x24 (HxW) N1C242008LP enclosures.	Stock	\$41.00
<u>EPG3660</u>	Hammond subpanel, galvanized steel. For use with 36x60 (HxW) EN4TD366012xx Eclipse series enclosures.	Stock	\$306.00
<u>BPJ2424AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with J2424HPL enclosures.	Stock	\$265.00
<u>SCE-N68P66GALV</u>	Saginaw subpanel, galvanized steel. For use with 68 x 66in (HxW) Saginaw NextGen enclosures.	Stock	\$670.00
<u>SCE-16P30C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16C30ELJ enclosures.	Stock	\$70.00
<u>72XHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 72x30/72x31 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$327.00
<u>1590Z164PL</u>	Hammond subpanel, galvanized steel. For use with 1590Z164xx enclosures.	Stock	\$12.25
<u>N1JP1210PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 12x10 (HxW) N1J1210x and C3R12106HCR enclosures.	Stock	\$12.25
<u>N1JP86PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 8x6 (HxW) N1J864 and C3R864HCR enclosures.	Stock	\$6.75
<u>14R1111SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 12x12 (HxW) EJ1212xxxx Eclipse Junior series, 1414N4PHxxxL6 and HJ12126HLP enclosures.	Stock	\$52.00
<u>SCE-36P52</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-35VR2412 enclosures.	Stock	\$251.00
<u>BP1816CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 18x16 (HxW) DSx181610xx Diamond Shield series, Jx1816xx & WH-J1816HPL J/JW series and RJx1816xx RJ/RJW series enclosures.	Stock	\$50.00
<u>BP6036AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N603612HWT and N603616HWT enclosures.	Stock	\$723.00
<u>NP2416SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 24x16 (HxW) N4122416xxxx Ultimate series enclosures.	Stock	\$145.00
<u>14R1513</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 14x16/16x14 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$21.50
<u>1554LPL</u>	Hammond subpanel, galvanized steel. For use with 1554Lxx, 1554LAXx, 1555Lxx and 1555LAXx enclosures.	Stock	\$6.75
<u>14A1105</u>	Hammond subpanel, 5052-H32 aluminum. For use with 12x6 (HxW) EJ126xx Eclipse Junior series and HJ1264HLP enclosures.	Stock	\$9.75
<u>18G2117</u>	Hammond subpanel, galvanized steel. For use with 24x20 (HxW) 1418xxxx, 1447SBxxHK, C3R24208HCR and HW2420xxxxHK enclosures.	Stock	\$75.00
<u>SCE-12P6GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-12064CHNF and SCE-10PBAX enclosures.	Stock	\$8.00
<u>SCE-72P48F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 72 x 48in (HxW) Saginaw freestanding enclosures.	Stock	\$637.00
<u>SCE-12P12C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12C12ELJ and SCE-12C12ELJSS enclosures.	Stock	\$20.50
<u>NP1616SSC</u>	Wiegmann subpanel, 304 stainless steel. For use with 16x16 (HxW) N4121616xxxx Ultimate series enclosures.	Stock	\$97.00
<u>NP2016SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 16x20/20x16 (HxW) B20160xCH, N12xxxxx, N42016xx, RHC201606 and SSN42016xxx enclosures.	Stock	\$117.00
<u>EP3036</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x36 (HxW) EN4SD3036xxx Eclipse series enclosures.	Stock	\$167.00

<u>WA60P36F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 60x36 (HxW) WA603624xxx and WRD603624FS4 freestanding enclosures.	Stock	\$463.00
<u>SCE-24P16</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-24EL16xxxx and SCE-24H16xxLP enclosures.	Stock	\$51.00
<u>SCE-6N6MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-6N604LP enclosures.	Stock	\$12.25
<u>SCE-14N12MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-14N1204LP, 14N1206LP and SCE-14N1208LP enclosures.	Stock	\$13.25
<u>SCE-72P30F1GALV</u>	Saginaw subpanel, galvanized steel. For use with 72 x 30in (HxW) Saginaw freestanding enclosures.	Stock	\$404.00
<u>72ZYHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 72x72 (HxW) 1418ZYxx freestanding enclosures.	Stock	\$716.00
<u>SCE-36P16</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-36H1606LP enclosures.	Stock	\$83.00
<u>NP4824C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x48/48x24 (HxW) N41248241xxx and N412244808SSC Ultimate series enclosures.	Stock	\$171.00
<u>NP2424SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 24x24/24x25 (HxW) B2424xxCH, N122424xx, N4242408, RHC242408, SDN122425xxPL, SN4242508, SSN42424xxx, SSN4X242508x and WA242408FM enclosures.	Stock	\$213.00
<u>BP1210AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 12x10/13x11 (HxW) DSx121006xx Diamond Shield series, Jx1210xx and WH-J1210HPL J/JW/Fatboy series, RJx1210xx RJ/RJW series and CL1311xx Classic series enclosures.	Stock	\$25.00
<u>BP1210A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AH12104xxx and AHxx12106xxx Heartland series enclosures.	Stock	\$25.00
<u>SCE-42P42GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-42EL4212xxWFLP and SCE-4242xxWFLP enclosures.	Stock	\$281.00
<u>AP3630PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 36x30 (HxW) N1A3630xx enclosures.	Stock	\$157.00
<u>SCE-9P30L</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-L930xELJxxx wire trough.	Stock	\$49.50
<u>NP2016</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x20/20x16 (HxW) B20160xCH, N12xxxxx, N42016xx, RHC201606 and SSN42016xxx enclosures.	Stock	\$51.00
<u>18P1515PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 18x18 (HxW) C3R18186HCR and C3R181810HCR enclosures.	Stock	\$41.50
<u>90YHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 90x36 (HxW) 1418YYxx and HN4FS9036xxxx freestanding enclosures.	Stock	\$423.00
<u>1590ZGRP131PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP131 enclosures.	Stock	\$9.25
<u>SCE-1472P3</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-1472BD consoles.	Stock	\$724.00
<u>SCE-24N24MPP</u>	Saginaw subpanel, perforated, carbon steel, white, powder coat finish. For use with SCE-24N2406LP, 24N2408LP and SCE-24N2412LP enclosures.	Stock	\$90.00
<u>P1408</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 14x8 (HxW) B140806CH enclosures.	Stock	\$12.75
<u>SCE-90P72F1GALV</u>	Saginaw subpanel, galvanized steel. For use with 90 x 72in (HxW) Saginaw freestanding enclosures.	Stock	\$1,229.00
<u>NP1212C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 12x12 (HxW) N41212120xxx Ultimate series enclosures.	Stock	\$16.50
<u>1554WPL</u>	Hammond subpanel, galvanized steel. For use with 1554Wxx, 1554WAxx, 1555Wxx and 1555WAxx enclosures.	Stock	\$11.00
<u>SCE-16P10GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-16106CHNF enclosures.	Stock	\$14.75
<u>NP1616C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x16 (HxW) N4121616xxxx Ultimate series enclosures.	Stock	\$42.50
<u>NP2420</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 20x24/24x20/24x21 (HxW) B24200xCH, N12xxxxx, N4202408, N4242008, RHC242008, SDN122421xxPL, SN4242108, SSN4xxxxxxx and SSN4X242108x enclosures.	Stock	\$79.00
<u>PNA206</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 2000 x 600mm Quadritalia OKK series modular enclosures.	Stock	\$119.00
<u>BP1010A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AHxx10106xxx Heartland series enclosures.	Stock	\$24.00
<u>N1JP66PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 6x6 (HxW) N1JP664 and C3R664HCR enclosures.	Stock	\$5.75
<u>SCE-8N8MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-8N804LP and SCE-8N806LP enclosures.	Stock	\$6.50
<u>BPB2012P</u>	AttaBox subpanel, phenolic resin hard paper. For use with 8x5 (HxW) BB2012xxW & BBCC201275W BantamBox series enclosures.	Stock	\$7.50
<u>2CWCP60</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 2CLC2060 and 2CSC2060 consoles.	Stock	\$303.00

<u>WA72P60F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 72x60 (HxW) WA7260xxxxx and WRD7260xxFSD4 freestanding enclosures.	Stock	\$975.00
<u>BP1816FG</u>	Stahlin subpanel, fiberglass, gray. For use with 18x16 (HxW) DSx181610xx Diamond Shield series, Jx1816xx & WH-J1816HPL J/JW series and RJx1816xx RJ/RJW series enclosures.	Stock	\$54.00
<u>BPJ2020AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with J2020HPL enclosures.	Stock	\$179.00
<u>SCE-16P16</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-16EL16xxxx enclosures.	Stock	\$38.00
<u>BP1210ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AH12104xxx and AHxx12106xxx Heartland series enclosures.	Stock	\$22.00
<u>60TWHWG</u>	Hammond subpanel, half-height, galvanized steel. For use with 60x24 (HxW) 1418TW18 and HN4FS602418xx freestanding enclosures.	Stock	\$268.00
<u>SCE-12DLP12</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12EL1206xxLPxx and SCE-12R120xLP enclosures.	Stock	\$21.50
<u>72YFW</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 72x36/72x37 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$567.00
<u>90FD14</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 90in (H) x min. 18in (D) 1418xxxx and HN4FS90xxxx freestanding enclosures.	Stock	\$380.00
<u>BP1210CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 12x10/13x11 (HxW) DSx121006xx Diamond Shield series, Jx1210xx & WH-J1210HPL J/JW series, RJx1210xx RJ/RJW series and CL1311xx Classic series enclosures.	Stock	\$25.00
<u>EP6036</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 60x36/60x38 (HxW) EN4SD6036xxx, EN4DSC603812xx & ST6036xxxx Eclipse series enclosures.	Stock	\$306.00
<u>SCE-20P20J</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-2020xxELJxx enclosures.	Stock	\$55.00
<u>NP3630C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x30 (HxW) N4123630xxxx & N4123632xxCxxx Ultimate series enclosures.	Stock	\$175.00
<u>18G2113</u>	Hammond subpanel, galvanized steel. For use with 24x16 (HxW) 1418xxxx and HW24168xxHK enclosures.	Stock	\$55.00
<u>SCE-N68P28GALV</u>	Saginaw subpanel, galvanized steel. For use with 68 x 28in (HxW) Saginaw NextGen enclosures.	Stock	\$295.00
<u>1554FPL</u>	Hammond subpanel, galvanized steel. For use with 1554Fxx, 1554Gxx, 1555Fxx and 1555Gxx enclosures.	Stock	\$7.25
<u>BP66ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AHx664xxx Heartland series enclosures.	Stock	\$14.75
<u>PNA188</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 1800 x 800mm Quadritalia OKK series modular enclosures.	Stock	\$121.00
<u>72ZYFWG</u>	Hammond subpanel, galvanized steel. For use with 72x72 (HxW) 1418ZYxx freestanding enclosures.	Stock	\$1,293.00
<u>SCE-1460P2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with SCE-1460BD consoles.	Stock	\$382.00
<u>EP4224</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 42x24 (HxW) EN4SD4224xxx Eclipse series enclosures.	Stock	\$148.00
<u>72FD14</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 72in (H) x min. 18in (D) 1418xxxx and HN4FS72xxxx freestanding enclosures.	Stock	\$264.00
<u>72FD9</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 72in (H) 1418xxxx and HN4FS72xxxx freestanding enclosures.	Stock	\$244.00
<u>18P4533S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 36x48 and 48x36 (HxW) 1418xxxx, 1422UW12, 1447Sxxxx, C3R4836xxHCR, HW4836xxxxHK, and HN4WM364812xx enclosures.	Stock	\$599.00
<u>PNA18C</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 1800 x 1200mm Quadritalia OKK series modular enclosures.	Stock	\$159.00
<u>AP2020</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x20 (HxW) N1A2020x enclosures.	Stock	\$34.50
<u>SCE-12P16C</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-12C16ELJ and SCE-12C16ELJSS enclosures.	Stock	\$28.50
<u>SCE-10P8GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-6PBHx, SCE-1008xELJxx, SCE-1008xCHNFxx, SCE-1008xSC, SCE-11KJxxSSST and SCE-12PBAX enclosures.	Stock	\$8.50
<u>AP1616</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x16 (HxW) N1A16167 enclosures.	Stock	\$21.00
<u>N1JP1210</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x10 (HxW) N1J1210x and C3R12106HCR enclosures.	Stock	\$11.50
<u>AP2420PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 24x20 (HxW) N1A2420xx enclosures.	Stock	\$42.50
<u>BP1210FG</u>	Stahlin subpanel, fiberglass, gray. For use with 12x10/13x11 (HxW) DSx121006xx Diamond Shield series, Jx1210xx & WH-J1210HPL J/JW series, RJx1210xx RJ/RJW series and CL1311xx Classic series enclosures.	Stock	\$31.50
<u>SBP-1816-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 18x16 (HxW) H181610xxxxx-P10 Premium series enclosures.	Stock	\$74.00
<u>NP4842C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 42x48 (HxW) N412D424812SSC Ultimate series enclosures.	Stock	\$590.00

<u>90FD9</u>	Hammond subpanel, side mount, carbon steel, RAL 9003 white, powder coat finish. For use with 90in (H) 1418xxxx and HN4FS90xxxx freestanding enclosures.	Stock	\$359.00
<u>18G3321</u>	Hammond subpanel, galvanized steel. For use with 36x24 (HxW) 1418xxxx, 1447Sxxxx, C3R362412HCR and HW3624xxxxHK enclosures.	Stock	\$126.00
<u>SCE-72P72</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-72EL72xxxx, SCE-7272xxULP, SCE-72X73xxLP and SCE-72XEL73xxxx enclosures.	Stock	\$732.00
<u>SCE-N68P78</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 68 x 78in (HxW) Saginaw NextGen enclosures.	Stock	\$629.00
<u>NP4236SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 36x42/42x36/42x37 (HxW) B423609CH, N124236xx, N1C364209, SDN12423xxxPL, SN4423712, SSN4xxxxxx, SSN4X423712x and WA364212FM enclosures.	Stock	\$618.00
<u>SCE-72P60F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 72 x 60in (HxW) Saginaw freestanding enclosures.	Stock	\$460.00
<u>AP3020PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 30x20 (HxW) N1A3020x enclosures.	Stock	\$93.00
<u>1590ZGRP121PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP121 enclosures.	Stock	\$9.00
<u>BP3020AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with N30208HWT and N302010HWT enclosures.	Stock	\$210.00
<u>SCE-72SMP20</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with 72in (H) x min. 24in (D) Saginaw freestanding enclosures.	Stock	\$299.00
<u>AP4836</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 48x36 (HxW) N1A483612 enclosures.	Stock	\$174.00
<u>P1614</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 16x14 (HxW) B1614xxxx and BN416140xxx enclosures.	Stock	\$23.00
<u>SP16</u>	AttaBox subpanel, side mount, 3003-H14 aluminum. For use with AH16148xxx and AHF16148x Heartland series enclosures.	Stock	\$71.00
<u>WA90P36F1</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 90x36 (HxW) WA9036xxxxx and WRD9036xxFS4 freestanding enclosures.	Stock	\$637.00
<u>EPG3624</u>	Hammond subpanel, galvanized steel. For use with 36x24/36x26 (HxW) EN4SD3624xxx & EN4DSC36268xx Eclipse series enclosures.	Stock	\$128.00
<u>EPG7230</u>	Hammond subpanel, galvanized steel. For use with 72x30 (HxW) EN4SD7230xxx Eclipse series enclosures.	Stock	\$332.00
<u>14R0503</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 6x4 (HxW) EJ64xxx Eclipse Junior series, 1414xxxx and HJ64xxx enclosures.	Stock	\$5.00
<u>BP108AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 10x8/11x9 (HxW) DSx100806xx Diamond Shield series, Jx1008xx and WH-J1008HPL J/JW/Fatboy series, RJx1008xx RJ/RJW series, CL1109xx Classic series and F9PBW pushbutton enclosures.	Stock	\$20.50
<u>BP88AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with 8x8 (HxW) DSx80804Hxx Diamond Shield series, J808xx J series, J808SSH Fatboy series, and RJ808HPL RJ series enclosures.	Stock	\$19.50
<u>BP108A</u>	AttaBox subpanel, 3003-H14 aluminum. For use with AH1083xxx, AH1084xxx, and AHx1086xxx Heartland series enclosures.	Stock	\$20.50
<u>SCE-90P72F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 90 x 72in (HxW) Saginaw freestanding enclosures.	Stock	\$599.00
<u>18P1717PP</u>	Hammond subpanel, perforated, carbon steel, ANSI 61 gray, powder coat finish. For use with 20x20 (HxW) 1418xxxx, 1447SAxxHK, and C3R20208HCR enclosures.	Stock	\$54.00
<u>SCE-72P24F1</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 72 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$305.00
<u>P1008SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 10x8 (HxW) B10080xxx and BN410080xxx enclosures.	Stock	\$32.50
<u>BPJ3024AL</u>	Stahlin subpanel, 3003-H14 aluminum. For use with J2430HPL and J3024HPL enclosures.	Stock	\$313.00
<u>BP3630CS</u>	Stahlin subpanel, carbon steel, white, powder coat finish. For use with 36x30 (HxW) N3630xxxxT and NW363012HWT N series enclosures.	Stock	\$403.00
<u>SCE-14P2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with SCE-14B consoles.	Stock	\$224.00
<u>SCE-72P72F2</u>	Saginaw subpanel, half-height, carbon steel, white, powder coat finish. For use with 72 x 72in (HxW) Saginaw freestanding enclosures.	Stock	\$510.00
<u>18P3933S16</u>	Hammond subpanel, 316 stainless steel, #4 brush finish. For use with 36x42 and 42x36 (HxW) 1418xxxx, 1422UV12, 1447Sxxxx, C3R423612HCR, HW423010xxHK, and HN4WM304210xx enclosures.	Stock	\$553.00
<u>72YHW</u>	Hammond subpanel, half-height, carbon steel, RAL 9003 white, powder coat finish. For use with 72x36/72x37 (HxW) 1418xxxx and HN4FS72xxxxxx freestanding enclosures.	Stock	\$348.00
<u>AP3630</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x30 (HxW) N1A3630xx enclosures.	Stock	\$146.00
<u>PVCBP-2424-P10</u>	Integra subpanel, PVC, gray. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures.	Stock	\$155.00
<u>N1JP64</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 6x4 (HxW) C3R644HCR enclosures.	Stock	\$5.25

<u>SCE-10N10MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-10N1004LP and SCE-10N1006LP enclosures.	Stock	\$8.75
<u>SBP88-P10</u>	Integra subpanel, carbon steel, white, powder coat finish. For use with 8x8 (HxW) H8084xxxxx-P10 Premium series enclosures.	Stock	\$32.00
<u>1590ZGRP082PL</u>	Hammond subpanel, galvanized steel. For use with 1590ZGRP082 enclosures.	Stock	\$8.00
<u>NP3636</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 36x36 (HxW) N123636xx, RHC363612 and SSN4363612xxx enclosures.	Stock	\$206.00
<u>NP6042C</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 42x60 (HxW) N412D426012SSC Ultimate series enclosures.	Stock	\$659.00
<u>1554QPL</u>	Hammond subpanel, galvanized steel. For use with 1554Qxx, 1554QAxx, 1555Qxx and 1555QAxx enclosures.	Stock	\$9.00
<u>AP4230</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 42x30 (HxW) N1A423012 enclosures.	Stock	\$138.00
<u>PVCBP108-IMP-P10</u>	Integra subpanel, PVC, gray. For use with 10x8 (HxW) P10086-P10 & P10086C-P10 Impact series enclosures.	Stock	\$27.00
<u>SCE-9P18L</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-L918xELJxxx wire trough.	Stock	\$41.50
<u>ABP86-P10</u>	Integra subpanel, 3003 aluminum. For use with 8x6 (HxW) H8064xxxxx-P10 Premium series enclosures.	Stock	\$16.25
<u>SCE-48P36GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-464919xxxx, SCE-48EL36xxxx, SCE-36EL48xxxx, SCE-3648xxWFLP, SCE-48XEL37xxxx, SCE-48SA38xxLPPL, SCE-53VR36xx, SCE-53XVR37xx and SCE-48H36xxxx enclosures.	Stock	\$276.00
<u>N1P2424</u>	Wiegmann subpanel, carbon steel, white, powder coat finish. For use with 24x24 (HxW) N1C2424xxLP enclosures.	Stock	\$76.00
<u>BP1614ABS</u>	AttaBox subpanel, ABS plastic, black. For use with AH16144xxx and AHxx16148xxx Heartland series enclosures.	Stock	\$29.50
<u>SBP-2424-XXL-P10</u>	Integra subpanel, XXL, carbon steel, white, powder coat finish. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures.	Stock	\$337.00
<u>SCE-42P24GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-42EL24xxxx, SCE-2442xxxxWFLP, SCE-24EL4210xxWFLP, SCE-47XVR2514 and SCE-47VR2514 enclosures.	Stock	\$156.00
<u>SCE-6N6MP</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with SCE-6N604LP enclosures.	Stock	\$4.75
<u>SCE-30P30GALV</u>	Saginaw subpanel, galvanized steel. For use with SCE-30EL30xxxx and SCE-30H30xxxx enclosures.	Stock	\$136.00
<u>NP1616SS</u>	Wiegmann subpanel, 304 stainless steel. For use with 16x16 (HxW) N1216160x, N4161606, RHC161606, SSN4161606 and SSN4161606A enclosures.	Stock	\$97.00
<u>PNA208</u>	Quadritalia OKK series subpanel, galvanized steel. For use with 2000 x 800mm Quadritalia OKK series modular enclosures.	Stock	\$146.00
<u>EP2448</u>	Hammond subpanel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x48 (HxW) EN4TD24488xx Eclipse series enclosures.	Stock	\$169.00
<u>SCE-N80P40</u>	Saginaw subpanel, carbon steel, white, powder coat finish. For use with 80 x 40in (HxW) Saginaw NextGen enclosures.	Stock	\$371.00
<u>14R0907SS</u>	Hammond subpanel, 304 stainless steel, #4 brush finish. For use with 8x10/10x8 (HxW) EJxxxx Eclipse Junior series, 1414xxxx and HJxxxx enclosures.	Stock	\$31.50
<u>EPG3036</u>	Hammond subpanel, galvanized steel. For use with 30x36 (HxW) EN4SD3036xxx Eclipse series enclosures.	Stock	\$167.00
<u>FUP188</u>	Quadritalia OKK series subpanel filler plate, 1800mm, galvanized steel.	Stock	\$87.00
<u>FUP208</u>	Quadritalia OKK series subpanel filler plate, 2000mm, galvanized steel.	Stock	\$96.00
Floor Stand Kits and Floor-Mounting Legs for Enclosures			
<u>SCE-FK0418</u>	Saginaw floor stand kit, 4in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 18in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$214.00
<u>SCE-FK0418LG</u>	Saginaw floor stand kit, 4in height, carbon steel, RAL 7035 light gray, powder coat finish. For use with 18in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$214.00
<u>SCE-FK0608</u>	Saginaw floor stand kit, 6in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 8in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$162.00
<u>SCE-FK0608LG</u>	Saginaw floor stand kit, 6in height, carbon steel, RAL 7035 light gray, powder coat finish. For use with 8in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$162.00
<u>1481FA8K</u>	Hammond floor stand kit, 6in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 8in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$175.00
<u>SCE-FK0610</u>	Saginaw floor stand kit, 6in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 10in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$169.00
<u>SCE-FK0610LG</u>	Saginaw floor stand kit, 6in height, carbon steel, RAL 7035 light gray, powder coat finish. For use with 10in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$169.00
<u>1481FA10K</u>	Hammond floor stand kit, 6in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 10in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$192.00

[illegible]

[illegible]

[illegible]

<u>SCE-FK1812LG</u>	Saginaw floor stand kit, 18in height, carbon steel, RAL 7035 light gray, powder coat finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$270.00
<u>1481FG12K</u>	Hammond floor stand kit, 18in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$311.00
<u>FK1812</u>	Wiegmann floor stand kit, 18in height, carbon steel, ANSI 61 gray, polyester powder finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$309.00
<u>SCE-FK1812SS</u>	Saginaw floor stand kit, 18in height, 304 stainless steel, #4 brush finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$707.00
<u>SCE-FK1816</u>	Saginaw floor stand kit, 18in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 16in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$299.00
<u>SCE-FK1816LG</u>	Saginaw floor stand kit, 18in height, carbon steel, RAL 7035 light gray, powder coat finish. For use with 16in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$299.00
<u>1481FG16K</u>	Hammond floor stand kit, 18in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 16in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$344.00
<u>SCE-FK1818</u>	Saginaw floor stand kit, 18in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 18in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$422.00
<u>SCE-FK1818SS</u>	Saginaw floor stand kit, 18in height, 304 stainless steel, #4 brush finish. For use with 18in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$757.00
<u>SCE-FK1818SS6</u>	Saginaw floor stand kit, 18in height, 316L stainless steel, #4 brush finish. For use with 18in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$871.00
<u>SCE-FK1824</u>	Saginaw floor stand kit, 18in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 24in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$378.00
<u>SCE-FK1824LG</u>	Saginaw floor stand kit, 18in height, carbon steel, RAL 7035 light gray, powder coat finish. For use with 24in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$378.00
<u>1481FK6K</u>	Hammond floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 6in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$319.00
<u>SCE-FK2408</u>	Saginaw floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 8in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$256.00
<u>1481FK8K</u>	Hammond floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 8in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$326.00
<u>SCE-FK2410</u>	Saginaw floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 10in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$280.00
<u>1481FK10K</u>	Hammond floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 10in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$344.00
<u>SCE-FK2410SS</u>	Saginaw floor stand kit, 24in height, 304 stainless steel, #4 brush finish. For use with 10in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$733.00
<u>1481FK10KSS</u>	Hammond floor stand kit, 24in height, 304 stainless steel, #4 brush finish. For use with 10in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$757.00
<u>SCE-FK2412</u>	Saginaw floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$285.00
<u>SCE-FK2412LG</u>	Saginaw floor stand kit, 24in height, carbon steel, RAL 7035 light gray, powder coat finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$285.00
<u>1481FK12K</u>	Hammond floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$360.00
<u>FK2412</u>	Wiegmann floor stand kit, 24in height, carbon steel, ANSI 61 gray, polyester powder finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$359.00
<u>SCE-FK2412SS</u>	Saginaw floor stand kit, 24in height, 304 stainless steel, #4 brush finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$767.00
<u>1481FK12KSS</u>	Hammond floor stand kit, 24in height, 304 stainless steel, #4 brush finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$824.00
<u>SSFK2412</u>	Wiegmann floor stand kit, 24in height, 304 stainless steel. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$1,039.00
<u>SCE-FK2416</u>	Saginaw floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 16in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$341.00
<u>1481FK16K</u>	Hammond floor stand kit, 24in height, carbon steel, ANSI 61 gray, powder coat finish. For use with 16in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$393.00
<u>SCE-FK2416SS</u>	Saginaw floor stand kit, 24in height, 304 stainless steel, #4 brush finish. For use with 16in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$893.00
<u>SCE-FK2412SS6</u>	Saginaw floor stand kit, 24in height, 316L stainless steel, #4 brush finish. For use with 12in deep enclosures. Includes (2) floor stands and mounting hardware.	Stock	\$883.00
<u>1481ES</u>	Hammond enclosure stabilizer kit, carbon steel, ANSI 61 gray, powder coat finish, use to prevent tipping of a floor mounted enclosure which is not bolted to floor, includes (2) stabilizers and mounting hardware.	Stock	\$241.00
<u>AKIT316ST</u>	Hammond adjustable floor-mounting legs, 316L stainless steel, #4 brush finish. For use with Hammond wall-mount enclosures. Includes (2) legs and mounting hardware. 1.00in height adjustment range.	Stock	\$525.00

<u>FKIT316ST12</u>	Hammond fixed-height floor-mounting legs, 316L stainless steel, #4 brush finish. For use with Hammond wall-mount enclosures. Includes (2) legs and mounting hardware.	Stock	\$393.00
Skirt Kits for Enclosures			
<u>SCE-SK123644</u>	Saginaw skirt kit, 11.94 x 35.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 36-44in wide floor-mount enclosures on 12in floor stands.	Stock	\$258.00
<u>SCE-SK123644SS</u>	Saginaw skirt kit, 11.94 x 35.75in, 304 stainless steel, #4 brush finish. For use with 36-44in wide floor-mount enclosures on 12in floor stands.	Stock	\$419.00
<u>SCE-SK124856</u>	Saginaw skirt kit, 11.94 x 47.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 48-56in wide floor-mount enclosures on 12in floor stands.	Stock	\$308.00
<u>SCE-SK124856SS</u>	Saginaw skirt kit, 11.94 x 47.75in, 304 stainless steel, #4 brush finish. For use with 48-56in wide floor-mount enclosures on 12in floor stands.	Stock	\$528.00
<u>SCE-SK126068</u>	Saginaw skirt kit, 11.94 x 59.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 60-68in wide floor-mount enclosures on 12in floor stands.	Stock	\$358.00
<u>SCE-SK126068SS</u>	Saginaw skirt kit, 11.94 x 59.75in, 304 stainless steel, #4 brush finish. For use with 60-68in wide floor-mount enclosures on 12in floor stands.	Stock	\$637.00
<u>SCE-SK127280</u>	Saginaw skirt kit, 11.94 x 71.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 72-80in wide floor-mount enclosures on 12in floor stands.	Stock	\$408.00
<u>SCE-SK127280SS</u>	Saginaw skirt kit, 11.94 x 71.75in, 304 stainless steel, #4 brush finish. For use with 72-80in wide floor-mount enclosures on 12in floor stands.	Stock	\$746.00
<u>SCE-SK153644</u>	Saginaw skirt kit, 14.94 x 35.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 36-44in wide floor-mount enclosures on 15in floor stands.	Stock	\$295.00
<u>SCE-SK153644SS</u>	Saginaw skirt kit, 14.94 x 35.75in, 304 stainless steel, #4 brush finish. For use with 36-44in wide floor-mount enclosures on 15in floor stands.	Stock	\$500.00
<u>SCE-SK154856</u>	Saginaw skirt kit, 14.94 x 47.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 48-56in wide floor-mount enclosures on 15in floor stands.	Stock	\$358.00
<u>SCE-SK154856SS</u>	Saginaw skirt kit, 14.94 x 47.75in, 304 stainless steel, #4 brush finish. For use with 48-56in wide floor-mount enclosures on 15in floor stands.	Stock	\$637.00
<u>SCE-SK156068</u>	Saginaw skirt kit, 14.94 x 59.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 60-68in wide floor-mount enclosures on 15in floor stands.	Stock	\$420.00
<u>SCE-SK156068SS</u>	Saginaw skirt kit, 14.94 x 59.75in, 304 stainless steel, #4 brush finish. For use with 60-68in wide floor-mount enclosures on 15in floor stands.	Stock	\$773.00
<u>SCE-SK157280</u>	Saginaw skirt kit, 14.94 x 71.75in, carbon steel, ANSI 61 gray, powder coat finish. For use with 72-80in wide floor-mount enclosures on 15in floor stands.	Stock	\$483.00
<u>SCE-SK157280SS</u>	Saginaw skirt kit, 14.94 x 71.75in, 304 stainless steel, #4 brush finish. For use with 72-80in wide floor-mount enclosures on 15in floor stands.	Stock	\$972.00
<u>SCE-SKL123644</u>	Saginaw skirt kit, 11.94 x 35.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 36-44in wide floor-mount enclosures on 12in floor stands.	Stock	\$330.00
<u>SCE-SKL123644SS</u>	Saginaw skirt kit, 11.94 x 35.75in, 304 stainless steel, #4 brush finish, vented. For use with 36-44in wide floor-mount enclosures on 12in floor stands.	Stock	\$482.00
<u>SCE-SKL124856</u>	Saginaw skirt kit, 11.94 x 47.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 48-56in wide floor-mount enclosures on 12in floor stands.	Stock	\$380.00
<u>SCE-SKL124856SS</u>	Saginaw skirt kit, 11.94 x 47.75in, 304 stainless steel, #4 brush finish, vented. For use with 48-56in wide floor-mount enclosures on 12in floor stands.	Stock	\$591.00
<u>SCE-SKL126068</u>	Saginaw skirt kit, 11.94 x 59.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 60-68in wide floor-mount enclosures on 12in floor stands.	Stock	\$430.00
<u>SCE-SKL126068SS</u>	Saginaw skirt kit, 11.94 x 59.75in, 304 stainless steel, #4 brush finish, vented. For use with 60-68in wide floor-mount enclosures on 12in floor stands.	Stock	\$700.00
<u>SCE-SKL127280</u>	Saginaw skirt kit, 11.94 x 71.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 72-80in wide floor-mount enclosures on 12in floor stands.	Stock	\$480.00
<u>SCE-SKL127280SS</u>	Saginaw skirt kit, 11.94 x 71.75in, 304 stainless steel, #4 brush finish, vented. For use with 72-80in wide floor-mount enclosures on 12in floor stands.	Stock	\$809.00
<u>SCE-SKL153644</u>	Saginaw skirt kit, 14.94 x 35.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 36-44in wide floor-mount enclosures on 15in floor stands.	Stock	\$367.00
<u>SCE-SKL153644SS</u>	Saginaw skirt kit, 14.94 x 35.75in, 304 stainless steel, #4 brush finish, vented. For use with 36-44in wide floor-mount enclosures on 15in floor stands.	Stock	\$563.00
<u>SCE-SKL154856</u>	Saginaw skirt kit, 14.94 x 47.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 48-56in wide floor-mount enclosures on 15in floor stands.	Stock	\$430.00
<u>SCE-SKL154856SS</u>	Saginaw skirt kit, 14.94 x 47.75in, 304 stainless steel, #4 brush finish, vented. For use with 48-56in wide floor-mount enclosures on 15in floor stands.	Stock	\$700.00
<u>SCE-SKL156068</u>	Saginaw skirt kit, 14.94 x 59.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 60-68in wide floor-mount enclosures on 15in floor stands.	Stock	\$492.00
<u>SCE-SKL156068SS</u>	Saginaw skirt kit, 14.94 x 59.75in, 304 stainless steel, #4 brush finish, vented. For use with 60-68in wide floor-mount enclosures on 15in floor stands.	Stock	\$836.00

<u>SCE-SKL157280</u>	Saginaw skirt kit, 14.94 x 71.75in, carbon steel, ANSI 61 gray, powder coat finish, vented. For use with 72-80in wide floor-mount enclosures on 15in floor stands.	Stock	\$555.00
<u>SCE-SKL157280SS</u>	Saginaw skirt kit, 14.94 x 71.75in, 304 stainless steel, #4 brush finish, vented. For use with 72-80in wide floor-mount enclosures on 15in floor stands.	Stock	\$972.00
Plinths for Modular Enclosures			
<u>ZAK061</u>	Quadritalia OKK series plinth front/rear plate set, 100 x 600mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$68.00
<u>ZAK081</u>	Quadritalia OKK series plinth front/rear plate set, 100 x 800mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$87.00
<u>ZAK0A1</u>	Quadritalia OKK series plinth front/rear plate set, 100 x 1000mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$99.00
<u>ZAK0C1</u>	Quadritalia OKK series plinth front/rear plate set, 100 x 1200mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$101.00
<u>ZAK062</u>	Quadritalia OKK series plinth front/rear plate set, 200 x 600mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$135.00
<u>ZAK082</u>	Quadritalia OKK series plinth front/rear plate set, 200 x 800mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$174.00
<u>ZAK0A2</u>	Quadritalia OKK series plinth front/rear plate set, 200 x 1000mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$199.00
<u>ZAK0C2</u>	Quadritalia OKK series plinth front/rear plate set, 200 x 1200mm (HxW), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$203.00
<u>FLK14</u>	Quadritalia OKK series plinth side flange set, 100 x 400mm (HxD), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$5.25
<u>FLK16</u>	Quadritalia OKK series plinth side flange set, 100 x 600mm (HxD), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$7.00
<u>FLK18</u>	Quadritalia OKK series plinth side flange set, 100 x 800mm (HxD), carbon steel, RAL 7024 graphite gray, powder coat finish.	Stock	\$8.00
Pedestals and Bases for Enclosures			
<u>SCE-44CCOL</u>	Saginaw straight pedestal column, carbon steel, 35.00 x 4.00 x 4.00in, ANSI 61 gray, powder coat finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$266.00
<u>1495C35</u>	Hammond straight pedestal column, carbon steel, 35.00 x 4.00 x 4.00in, ANSI 61 gray, powder coat finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$314.00
<u>WA44CCOL</u>	Wiegmann straight pedestal column, carbon steel, 4 x 4 x 35in, ANSI 61 gray, light-textured polyester powder finish. For use with operator consoles and consoles.	Stock	\$324.00
<u>SCE-44CCOLSS</u>	Saginaw straight pedestal column, 304 stainless steel, 35.00 x 4.00 x 4.00in, #4 brush finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$661.00
<u>WA44CCOLSS</u>	Wiegmann straight pedestal column, 304 stainless steel, 4 x 4 x 35in, No. 3 intermediate polished finish. For use with operator consoles and consoles.	Stock	\$1,037.00
<u>SCE-44PBCOL</u>	Saginaw angled pedestal column, carbon steel, 41.00 x 4.00 x 4.00in, ANSI 61 gray, powder coat finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$316.00
<u>WA44PBCOL</u>	Wiegmann angled pedestal column, carbon steel, 4 x 4 x 41in, ANSI 61 gray, light-textured polyester powder finish. For use with operator consoles and consoles.	Stock	\$382.00
<u>SCE-44PBCOLSS</u>	Saginaw angled pedestal column, 304 stainless steel, 41.00 x 4.00 x 4.00in, #4 brush finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$787.00
<u>WA44PBCOLSS</u>	Wiegmann angled pedestal column, 304 stainless steel, 4 x 4 x 41in, No. 3 intermediate polished finish. For use with operator consoles and consoles.	Stock	\$1,226.00
<u>SCE-66CCOL</u>	Saginaw straight pedestal column, carbon steel, 35.00 x 6.00 x 6.00in, ANSI 61 gray, powder coat finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$399.00
<u>1495D35</u>	Hammond straight pedestal column, carbon steel, 35.00 x 6.00 x 6.00in, ANSI 61 gray, powder coat finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$470.00
<u>WA66CCOL</u>	Wiegmann straight pedestal column, carbon steel, 6 x 6 x 35in, ANSI 61 gray, light-textured polyester powder finish. For use with operator consoles and consoles.	Stock	\$485.00
<u>SCE-66CCOLSS</u>	Saginaw straight pedestal column, 304 stainless steel, 35.00 x 6.00 x 6.00in, #4 brush finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$699.00
<u>WA66CCOLSS</u>	Wiegmann straight pedestal column, 304 stainless steel, 6 x 6 x 35in, No. 3 intermediate polished finish. For use with operator consoles and consoles.	Stock	\$1,511.00
<u>SCE-66PBCOL</u>	Saginaw angled pedestal column, carbon steel, 41.00 x 6.00 x 6.00in, ANSI 61 gray, powder coat finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$475.00
<u>WA66PBCOL</u>	Wiegmann angled pedestal column, carbon steel, 6 x 6 x 41in, ANSI 61 gray, light-textured polyester powder finish. For use with operator consoles and consoles.	Stock	\$573.00
<u>SCE-66PBCOLSS</u>	Saginaw angled pedestal column, 304 stainless steel, 41.00 x 6.00 x 6.00in, #4 brush finish. For use with operator consoles. Flange gaskets, box connector and mounting hardware included.	Stock	\$825.00

<u>WA66PBCOLSS</u>	Wiegmann angled pedestal column, 304 stainless steel, 6 x 6 x 41in, No. 3 intermediate polished finish. For use with operator consoles and consolets.	Stock	\$1,728.00
<u>SCE-18SBASE</u>	Saginaw pedestal base, carbon steel, 18.00 x 18.00in, ANSI 61 gray, powder coat finish. For use with console pedestal columns.	Stock	\$162.00
<u>1495XK</u>	Hammond pedestal base, carbon steel, 18.00 x 18.00in, ANSI 61 gray, powder coat finish. For use with pedestal columns. Leveling screws included.	Stock	\$195.00
<u>WA18SBASE</u>	Wiegmann pedestal base, carbon steel, 18.00 x 18.00 x 1.13in, ANSI 61 gray, light-textured polyester powder finish. For use with pedestal columns.	Stock	\$198.00
<u>SCE-18SBASESS</u>	Saginaw pedestal base, 304 stainless steel, 18.00 x 18.00in, #4 brush finish. For use with console pedestal columns.	Stock	\$536.00
<u>SCE-24SBASE</u>	Saginaw pedestal base, carbon steel, 24.00 x 24.00in, ANSI 61 gray, powder coat finish. For use with console pedestal columns.	Stock	\$367.00
<u>1495XN</u>	Hammond pedestal base, carbon steel, 24.00 x 24.00in, ANSI 61 gray, powder coat finish. For use with pedestal columns. Leveling screws included.	Stock	\$433.00
<u>WA24SBASE</u>	Wiegmann pedestal base, carbon steel, 24.00 x 24.00 x 1.31in, ANSI 61 gray, light-textured polyester powder finish. For use with pedestal columns.	Stock	\$446.00
<u>SCE-24SBASESS</u>	Saginaw pedestal base, 304 stainless steel, 24.00 x 24.00in, #4 brush finish. For use with console pedestal columns.	Stock	\$569.00

Mounting Feet and Mounting Flanges for Enclosures

<u>SCE-NMST6</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 6 in wide NEMA 1 enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$23.00
<u>MFKG-P10</u>	Integra mounting feet kit, polycarbonate. For use with Premium series polycarbonate enclosures. Includes (4) mounting feet and mounting hardware.	Stock	\$13.50
<u>SCE-XMAIMF24</u>	Saginaw mounting feet, carbon steel, ANSI 61 gray, powder coat finish. For use with 24in (D) freestanding enclosures. (2) angle iron mounting feet and mounting hardware included.	Stock	\$74.00
<u>1557FOOT2BK-24</u>	Hammond mounting feet kit, polycarbonate, black. For use with 1557xx2BK enclosures. Includes (24) mounting feet and mounting hardware.	Stock	\$12.00
<u>SCE-NMST16</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 16 in wide NEMA 1 enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$31.00
<u>SCE-ELMFK4SS6-OS</u>	Saginaw mounting feet, 316L stainless steel, #4 brush finish. For use with Enviroline series enclosures and double-door wall-mount enclosures. (4) mounting feet and mounting hardware included.	Stock	\$65.00
<u>SCE-NMST24</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 24 in wide NEMA 1 enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$37.00
<u>MFKSS-P10</u>	Integra mounting feet kit, 304 stainless steel. For use with Premium series polycarbonate enclosures. Includes (4) mounting feet and mounting hardware.	Stock	\$17.75
<u>1557FOOT2GY-24</u>	Hammond mounting feet kit, polycarbonate, light gray. For use with 1557xx2GY enclosures. Includes (24) mounting feet and mounting hardware.	Stock	\$12.50
<u>SCE-ELMFK4-25</u>	Saginaw mounting feet, polyamide. For use with Enviroline series enclosures and double-door wall-mount enclosures. (100) mounting feet and mounting hardware included.	Stock	\$494.00
<u>SCE-HDWMKSS</u>	Saginaw mounting feet, 304 stainless steel, black, powder coat finish. For use with multi-door freestanding and wall-mount enclosures. (4) mounting feet and mounting hardware included.	Stock	\$129.00
<u>SCE-NMST8</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 8 in wide NEMA 1 enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$24.50
<u>SCE-NMST20</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 20 in wide NEMA 1 enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$34.00
<u>SCE-ELJMFKSS-OS</u>	Saginaw mounting feet, 304 stainless steel, #4 brush finish. For use with Enviroline Junction series enclosures. (4) mounting feet and mounting hardware included.	Stock	\$62.00
<u>SCE-VRMS36</u>	Saginaw mounting flanges, carbon steel, white, powder coat finish. For use with 36 in wide NEMA 3R vented enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$77.00
<u>SCE-MST20</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 20 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$37.00
<u>ES16MFHD</u>	Hammond mounting feet, 316 stainless steel, #4 brush finish. Package of 4. For use with Eclipse series enclosures.	Stock	\$52.00
<u>SCE-MST8</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 8 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$28.00
<u>SCE-XMAIMF20</u>	Saginaw mounting feet, carbon steel, ANSI 61 gray, powder coat finish. For use with 20in (D) freestanding enclosures. (2) angle iron mounting feet and mounting hardware included.	Stock	\$62.00
<u>1554FT</u>	Hammond mounting feet kit, polycarbonate. For use with 1554Bxxx through 1554Vxxx enclosures. Includes (4) mounting feet and mounting hardware.	Stock	\$8.00
<u>MFK16</u>	AttaBox mounting flanges, replacement, polycarbonate. For use with 16in wide Heartland series enclosures. Includes (2) mounting flanges and mounting hardware.	Stock	\$43.00
<u>SCE-MST10</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 10 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$29.50

<u>SCE-N3RMFK4</u>	Saginaw mounting feet, carbon steel, ANSI 61 gray, powder coat finish. For use with NEMA 3R wall-mount enclosures. (4) mounting feet and mounting hardware included.	Stock	\$37.50
<u>SCE-NMST12</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 12 in wide NEMA 1 enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$28.00
<u>MFK10</u>	AttaBox mounting flanges, replacement, polycarbonate. For use with 10in wide Heartland series enclosures. Includes (2) mounting flanges and mounting hardware.	Stock	\$31.50
<u>SCE-XMAIMF16</u>	Saginaw mounting feet, carbon steel, ANSI 61 gray, powder coat finish. For use with 16in (D) freestanding enclosures. (2) angle iron mounting feet and mounting hardware included.	Stock	\$51.00
<u>ESSMFHD</u>	Hammond mounting feet, 304 stainless steel, #4 brush finish. Package of 4. For use with Eclipse series enclosures.	Stock	\$41.00
<u>SCE-NMST10</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 10 in wide NEMA 1 enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$26.00
<u>DSMGFTKIT</u>	Stahlin mounting feet kit, fiberglass-reinforced plastic (FRP). For use with Diamond Shield series enclosures. Includes (4) mounting feet and mounting hardware.	Stock	\$23.00
<u>SCE-MST4</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 4 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$24.50
<u>AHAK</u>	AttaBox mounting feet kit, polycarbonate. For use with Heartland series enclosures. Includes (4) mounting feet and mounting hardware.	Stock	\$14.00
<u>SCE-MST16</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 16 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$34.00
<u>SCE-HDWMK</u>	Saginaw mounting feet, carbon steel, black, powder coat finish. For use with multi-door freestanding and wall-mount enclosures. (4) mounting feet and mounting hardware included.	Stock	\$114.00
<u>1557FOOTGY-24</u>	Hammond mounting feet kit, ABS plastic, light gray. For use with 1557xxGY enclosures. Includes (24) mounting feet and mounting hardware.	Stock	\$11.25
<u>CLMTGFTKIT</u>	Stahlin mounting feet kit, fiberglass-reinforced plastic (FRP). For use with Classic series enclosures. Includes (4) mounting feet and mounting hardware.	Stock	\$48.00
<u>1421T6CL</u>	Hammond mounting feet, rubber, clear. Package of 24.	Stock	\$8.00
<u>1557FOOTBK-24</u>	Hammond mounting feet kit, ABS plastic, black. For use with 1557xxBK enclosures. Includes (24) mounting feet and mounting hardware.	Stock	\$11.25
<u>1554FT-XY</u>	Hammond mounting feet kit, polycarbonate. For use with 1554Xxxx and 1554Yxxx enclosures. Includes (4) mounting feet and mounting hardware.	Stock	\$8.00
<u>SCE-MST12</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 12 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$31.00
<u>MFK6</u>	AttaBox mounting flanges, replacement, polycarbonate. For use with 6in wide Heartland series enclosures. Includes (2) mounting flanges and mounting hardware.	Stock	\$23.50
<u>GMFLK24-SET-P10</u>	Integra mounting flange kit, replacement. For use with 24 x 24 x 10in Genesis series enclosures. Includes (2) mounting flanges with mounting screws.	Stock	\$64.00
<u>SCE-MST6</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 6 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$26.00
<u>SCE-ELJMFK</u>	Saginaw mounting feet, polyamide. For use with Enviroline Junction series enclosures. (4) mounting feet and mounting hardware included.	Stock	\$34.00
<u>N412MFK</u>	Wiegmann mounting feet kit, carbon steel, plated finish. For use with N412 Ultimate series enclosures. Includes (4) mounting feet, mounting hardware and sealing washers.	Stock	\$28.00
<u>EZPMFHD</u>	Hammond mounting feet, carbon steel, clear zinc-plated finish. Package of 4. For use with Eclipse series enclosures.	Stock	\$17.75
<u>MFK12</u>	AttaBox mounting flanges, replacement, polycarbonate. For use with 12in wide Heartland series enclosures. Includes (2) mounting flanges and mounting hardware.	Stock	\$35.50
<u>C3MTGFOOT</u>	Hammond mounting feet, carbon steel, clear zinc-plated finish. Package of 4. For use with C3SC junction boxes. Mounting hardware included.	Stock	\$19.50
<u>MFK8</u>	AttaBox mounting flanges, replacement, polycarbonate. For use with 8in wide Heartland series enclosures. Includes (2) mounting flanges and mounting hardware.	Stock	\$28.00
<u>C4XMTGFOOT</u>	Hammond mounting feet, 304 stainless steel, #4 brush finish. Package of 4. For use with C4XSC junction boxes. Mounting hardware included.	Stock	\$45.50
<u>MFK14</u>	AttaBox mounting flanges, replacement, polycarbonate. For use with 14in wide Heartland series enclosures. Includes (2) mounting flanges and mounting hardware.	Stock	\$39.00
<u>SCE-ELMFK6</u>	Saginaw mounting feet, polyamide. For use with Enviroline series enclosures and double-door wall-mount enclosures. (6) mounting feet and mounting hardware included.	Stock	\$34.50
<u>SCE-MST24</u>	Saginaw mounting flanges, carbon steel, ANSI 61 gray, powder coat finish. For use with 24 in wide NEMA 3R enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$40.00
<u>SCE-VRMS24</u>	Saginaw mounting flanges, carbon steel, white, powder coat finish. For use with 24 in wide NEMA 3R vented enclosures. (2) mounting flanges and mounting hardware included.	Stock	\$62.00
<u>SCE-XMAIMF18</u>	Saginaw mounting feet, carbon steel, ANSI 61 gray, powder coat finish. For use with 18in (D) freestanding enclosures. (2) angle iron mounting feet and mounting hardware included.	Stock	\$56.00

<u>SCE-ELMFK4</u>	Saginaw mounting feet, polyamide. For use with Enviroline series enclosures and double-door wall-mount enclosures. (4) mounting feet and mounting hardware included.	Stock	\$25.50
<u>N412MFKSS</u>	Wiegmann mounting feet kit, 304 stainless steel. For use with N412 Ultimate series enclosures. Includes (4) mounting feet, mounting hardware and sealing washers.	Stock	\$71.00
Flush Mounting Frames for Enclosures			
<u>SCE-ELFM12H</u>	Saginaw vertical flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 12in (H) Enviroline series wall-mount enclosures.	Stock	\$74.00
<u>SCE-ELFM12HSS</u>	Saginaw vertical flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 12in (H) Enviroline series wall-mount enclosures.	Stock	\$155.00
<u>SCE-ELFM16H</u>	Saginaw vertical flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 16in (H) Enviroline series wall-mount enclosures.	Stock	\$79.00
<u>SCE-ELFM16HSS</u>	Saginaw vertical flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 16in (H) Enviroline series wall-mount enclosures.	Stock	\$165.00
<u>SCE-ELFM20H</u>	Saginaw vertical flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 20in (H) Enviroline series wall-mount enclosures.	Stock	\$82.00
<u>SCE-ELFM20HSS</u>	Saginaw vertical flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 20in (H) Enviroline series wall-mount enclosures.	Stock	\$172.00
<u>SCE-ELFM24H</u>	Saginaw vertical flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 24in (H) Enviroline series wall-mount enclosures.	Stock	\$88.00
<u>SCE-ELFM24HSS</u>	Saginaw vertical flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 24in (H) Enviroline series wall-mount enclosures.	Stock	\$184.00
<u>SCE-ELFM30H</u>	Saginaw vertical flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 30in (H) Enviroline series wall-mount enclosures.	Stock	\$94.00
<u>SCE-ELFM30HSS</u>	Saginaw vertical flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 30in (H) Enviroline series wall-mount enclosures.	Stock	\$197.00
<u>SCE-ELFM36H</u>	Saginaw vertical flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 36in (H) Enviroline series wall-mount enclosures.	Stock	\$102.00
<u>SCE-ELFM36HSS</u>	Saginaw vertical flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 36in (H) Enviroline series wall-mount enclosures.	Stock	\$212.00
<u>SCE-ELFM12W</u>	Saginaw horizontal flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 12in (W) Enviroline series wall-mount enclosures.	Stock	\$68.00
<u>SCE-ELFM12WSS</u>	Saginaw horizontal flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 12in (W) Enviroline series wall-mount enclosures.	Stock	\$143.00
<u>SCE-ELFM16W</u>	Saginaw horizontal flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 16in (W) Enviroline series wall-mount enclosures.	Stock	\$73.00
<u>SCE-ELFM16WSS</u>	Saginaw horizontal flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 16in (W) Enviroline series wall-mount enclosures.	Stock	\$152.00
<u>SCE-ELFM20W</u>	Saginaw horizontal flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 20in (W) Enviroline series wall-mount enclosures.	Stock	\$76.00
<u>SCE-ELFM20WSS</u>	Saginaw horizontal flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 20in (W) Enviroline series wall-mount enclosures.	Stock	\$160.00
<u>SCE-ELFM24W</u>	Saginaw horizontal flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 24in (W) Enviroline series wall-mount enclosures.	Stock	\$82.00
<u>SCE-ELFM24WSS</u>	Saginaw horizontal flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 24in (W) Enviroline series wall-mount enclosures.	Stock	\$172.00
<u>SCE-ELFM30W</u>	Saginaw horizontal flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 30in (W) Enviroline series wall-mount enclosures.	Stock	\$88.00
<u>SCE-ELFM30WSS</u>	Saginaw horizontal flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 30in (W) Enviroline series wall-mount enclosures.	Stock	\$184.00
<u>SCE-ELFM36W</u>	Saginaw horizontal flush-mounting frame flange, carbon steel, ANSI 61 gray, powder coat finish. Package of 2. For use with 36in (W) Enviroline series wall-mount enclosures.	Stock	\$96.00
<u>SCE-ELFM36WSS</u>	Saginaw horizontal flush-mounting frame flange, 316L stainless steel, #4 brush finish. Package of 2. For use with 36in (W) Enviroline series wall-mount enclosures.	Stock	\$200.00
Wall-Mount Standoffs for Enclosures			
<u>ST1MFSS316</u>	Hammond wall-mounting standoff, 1in length, 316L stainless steel. Package of 4.	Stock	\$83.00
<u>SCE-WMS1SS</u>	Saginaw wall-mount standoff, 1in length, 304 stainless steel. Package of 4. Silicone seals included.	Stock	\$134.00
<u>ST2MFSS316</u>	Hammond wall-mounting standoff, 2in length, 316L stainless steel. Package of 4.	Stock	\$101.00
<u>SCE-WMS2SS</u>	Saginaw wall-mount standoff, 2in length, 304 stainless steel. Package of 4. Silicone seals included.	Stock	\$145.00
<u>ST4MFSS316</u>	Hammond wall-mounting standoff, 4in length, 316L stainless steel. Package of 4.	Stock	\$134.00
<u>SCE-WMS3SS</u>	Saginaw wall-mount standoff, 3in length, 304 stainless steel. Package of 4. Silicone seals included.	Stock	\$165.00

ST6MFSS316	Hammond wall-mounting standoff, 6in length, 316L stainless steel. Package of 4.	Stock	\$166.00
SCE-WMS4SS	Saginaw wall-mount standoff, 4in length, 304 stainless steel. Package of 4. Silicone seals included.	Stock	\$199.00
Pole Mounting Kits for Enclosures			
PMKG-324-P10	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 24in wide Genesis series polycarbonate enclosures.	Stock	\$58.00
PM18-24	AttaBox pole mounting kit, for use with Heartland series enclosures 18-24in width.	Stock	\$98.00
PMKG-46-P10	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Premium series polycarbonate enclosures.	Stock	\$58.00
PMB4045KIT1	Hammond pole mounting kit, accommodates 7in or less. For use with 1555BF, 1555CF, 1590ZGRP08x and 1590ZGRP131 enclosures of all materials and colors.	Stock	\$24.00
PMV1216GY	Hammond pole mounting vertical channel, accommodates 4in or greater pole diameter. For use with 12-16in height Eclipse series, Eclipse Junior series, 1414N4 and 1418N4 enclosures.	Stock	\$38.00
PMKG-310-P10	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 10in wide Premium series polycarbonate enclosures.	Stock	\$57.00
PMC9-11	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with CL1109xx and CL1311xx Classic series enclosures.	Stock	\$77.00
PMJ10-12	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with 10in or 12in wide J/JW/RJ/RJW series and Fatboy series enclosures.	Stock	\$78.00
PMKG-1214-P10	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 14in wide Premium series polycarbonate enclosures.	Stock	\$79.00
PMKG-312-P10	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 12in wide Premium series polycarbonate enclosures.	Stock	\$58.00
PM10-12	AttaBox pole mounting kit, for use with Heartland series enclosures 10-12in width.	Stock	\$78.00
PMKG-1224-P10	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 24in wide Genesis series polycarbonate enclosures.	Stock	\$78.00
PMSTRAP40	Hammond pole mounting strap, accommodates 10in or less pole diameter.	Stock	\$64.00
PMB5057WKIT1	Hammond pole mounting kit, accommodates 7in or less. For use with 1557B and 1557BA enclosures of all materials and colors.	Stock	\$25.00
PMB5057WKIT2	Hammond pole mounting kit, accommodates 15in or less. For use with 1557B and 1557BA enclosures of all materials and colors.	Stock	\$29.50
PMKG-216-GEN-P10	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Genesis series polycarbonate enclosures.	Stock	\$58.00
PMB5057KIT1	Hammond pole mounting kit, accommodates 7in or less. For use with 1554E, 1554EE, 1555E, 1555EE, 1554F, 1555F, 1555FF, 1554G, 1555G, 1554J, 1555J, 1555JF, 1554K and 1555K enclosures of all materials and colors.	Stock	\$25.00
PMH25GY	Hammond pole mounting horizontal channel, for use with 24-30in width 1418N4 enclosures and 24in width Eclipse series enclosures.	Stock	\$64.00
PMD14-16	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with 14in or 16in wide Diamond Shield series enclosures.	Stock	\$83.00
PMKG-316-P10	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Premium series polycarbonate enclosures.	Stock	\$64.00
PMKG-414-P10	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 14in wide Premium series polycarbonate enclosures.	Stock	\$65.00
PMC-7	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with CL707xx and CL907xx Classic series enclosures.	Stock	\$71.00
PMB180200KIT1	Hammond pole mounting kit, accommodates 7in or less. For use with 1554, 1555, 1554A, 1555A, 1554Y, 1555Y, 1554Y, 1555YA, 1590Z23x and 1590ZGRP23x enclosures of all materials and colors.	Stock	\$36.50
PMKG-410-P10	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 10in wide Premium series polycarbonate enclosures.	Stock	\$60.00
PMKG-28-IMP-P10	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Impact series polycarbonate enclosures.	Stock	\$50.00
PMKG-126-P10	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Premium series polycarbonate enclosures.	Stock	\$72.00
PMKG-416-P10	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Premium series polycarbonate enclosures.	Stock	\$71.00
PMB127155KIT1	Hammond pole mounting kit, accommodates 7in or less. For use with 1554W, 1555W, 1554WA and 1555WA enclosures of all materials and colors.	Stock	\$36.50
PMKG-38-P10	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Premium series polycarbonate enclosures.	Stock	\$57.00
PMKSMLSS	Wiegmann pole mounting kit, accommodates 14in or less, 304 stainless steel components. For use with Hubbell-Wiegmann enclosures 12-20in width.	Stock	\$464.00

<u>PMKG-26-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Premium series polycarbonate enclosures.	Stock	\$46.50
<u>PMKG-314-P10</u>	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 14in wide Premium series polycarbonate enclosures.	Stock	\$60.00
<u>PMKG-46-IMP-P10</u>	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Impact series polycarbonate enclosures.	Stock	\$58.00
<u>PMKG-1210-P10</u>	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 10in wide Premium series polycarbonate enclosures.	Stock	\$76.00
<u>PMJ6-8</u>	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with 6in or 8in wide J/JW/RJ/RJW series and Fatboy series enclosures.	Stock	\$72.00
<u>PMKLRG</u>	Wiegmann pole mounting kit, accommodates 14in or less, ANSI 61 gray powder coated components. For use with Hubbell-Wiegmann enclosures 24-36in width.	Stock	\$323.00
<u>PMB5057KIT2</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1554E, 1554EE, 1555E, 1555EE, 1554F, 1555F, 1555FF, 1554G, 1555G, 1554J, 1555J, 1555JF, 1554K and 1555K enclosures of all materials and colors.	Stock	\$29.50
<u>PMV4248GY</u>	Hammond pole mounting vertical channel, accommodates 4in or greater pole diameter. For use with 42-48in height Eclipse series and 1418N4 enclosures.	Stock	\$55.00
<u>PMB5057KIT3</u>	Hammond pole mounting kit, accommodates 7in or less. For use with 1557D and 1557DA enclosures of all materials and colors.	Stock	\$25.00
<u>PMKSML</u>	Wiegmann pole mounting kit, accommodates 14in or less, ANSI 61 gray powder coated components. For use with Hubbell-Wiegmann enclosures 12-20in width.	Stock	\$266.00
<u>PM6-8</u>	AttaBox pole mounting kit, for use with Heartland series enclosures 6-8in width.	Stock	\$72.00
<u>PMKG-210-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 10in wide Premium series polycarbonate enclosures.	Stock	\$50.00
<u>PMD10-12</u>	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with 10in or 12in wide Diamond Shield series enclosures.	Stock	\$77.00
<u>PMKG-128-IMP-P10</u>	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Impact series polycarbonate enclosures.	Stock	\$73.00
<u>PMB6687KIT1</u>	Hammond pole mounting kit, accommodates 7in or less.	Stock	\$29.00
<u>PMJ18-24</u>	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with J2020HPL, J2420HPL, J2424HPL, and J3024HPL J series enclosures.	Stock	\$97.00
<u>PMKG-36-P10</u>	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Premium series polycarbonate enclosures.	Stock	\$57.00
<u>PMKG-1216-P10</u>	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Premium series polycarbonate enclosures.	Stock	\$81.00
<u>PMB6687KIT3</u>	Hammond pole mounting kit, accommodates 7in or less. For use with 1557F and 1557FA enclosures of all materials and colors.	Stock	\$29.00
<u>PMH35GY</u>	Hammond pole mounting horizontal channel, for use with 36in width 1418N4 enclosures and 30-36in width Eclipse series enclosures.	Stock	\$73.00
<u>PMKG-36-IMP-P10</u>	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Impact series polycarbonate enclosures.	Stock	\$57.00
<u>PMKG-128-P10</u>	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Premium series polycarbonate enclosures.	Stock	\$73.00
<u>PMKLRGSS</u>	Wiegmann pole mounting kit, accommodates 14in or less, 304 stainless steel components. For use with Hubbell-Wiegmann enclosures 24-36in width.	Stock	\$563.00
<u>PMKG-224-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 24in wide Genesis series polycarbonate enclosures.	Stock	\$53.00
<u>PMKG-212-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 12in wide Premium series polycarbonate enclosures.	Stock	\$52.00
<u>PMKG-316-GEN-P10</u>	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Genesis series polycarbonate enclosures.	Stock	\$65.00
<u>PMD6-8</u>	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with 6in or 8in wide Diamond Shield series enclosures.	Stock	\$71.00
<u>PMKG-214-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 14in wide Premium series polycarbonate enclosures.	Stock	\$53.00
<u>PMKG-26-IMP-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Impact series polycarbonate enclosures.	Stock	\$46.50
<u>PMKG-416-GEN-P10</u>	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Genesis series polycarbonate enclosures.	Stock	\$75.00
<u>PMV2024GY</u>	Hammond pole mounting vertical channel, accommodates 4in or greater pole diameter. For use with 20-24in height Eclipse series and 1418N4 enclosures.	Stock	\$41.50
<u>PMKG-38-IMP-P10</u>	Integra pole mounting kit, accommodates 3in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Impact series polycarbonate enclosures.	Stock	\$57.00

<u>PMH15GY</u>	Hammond pole mounting horizontal channel, for use with 12-16in width Eclipse Junior series and 1414N4 enclosures; 12-20in width Eclipse series and 1418N4 enclosures.	Stock	\$58.00
<u>PMKG-1216-GEN-P10</u>	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Genesis series polycarbonate enclosures.	Stock	\$82.00
<u>PMKG-12-IMP-P10</u>	Integra light-duty pole mounting kit, accommodates up to 12in pole diameter, plastic components and zinc-plated steel fasteners. For use with 4in wide Impact series polycarbonate enclosures.	Stock	\$31.00
<u>PMB127155KIT2</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1554W, 1555W, 1554WA and 1555WA enclosures of all materials and colors.	Stock	\$41.50
<u>PMB180200KIT2</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1554, 1555, 1554A, 1555A, 1554Y, 1555Y, 1554Y, 1555YA, 1590Z23x and 1590ZGRP23x enclosures of all materials and colors.	Stock	\$41.50
<u>PMB110127KIT3</u>	Hammond pole mounting kit, accommodates 7in or less. For use with 1557H and 1557HA enclosures of all materials and colors.	Stock	\$32.00
<u>PMKG-424-P10</u>	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 24in wide Genesis series polycarbonate enclosures.	Stock	\$64.00
<u>PM14-16</u>	AttaBox pole mounting kit, for use with Heartland series enclosures 14-16in width.	Stock	\$84.00
<u>PMB6687KIT2</u>	Hammond pole mounting kit, accommodates 15in or less.	Stock	\$34.00
<u>PMB6687KIT4</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1557F and 1557FA enclosures of all materials and colors.	Stock	\$34.00
<u>PMB110127KIT4</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1557H and 1557HA enclosures of all materials and colors.	Stock	\$36.50
<u>PMKG-1212-P10</u>	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 12in wide Premium series polycarbonate enclosures.	Stock	\$78.00
<u>PMKG-126-IMP-P10</u>	Integra pole mounting kit, accommodates 9-1/2 to 12in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 6in wide Impact series polycarbonate enclosures.	Stock	\$72.00
<u>PMKG-216-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 16in wide Premium series polycarbonate enclosures.	Stock	\$58.00
<u>PMC-13</u>	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with CL1513xx Classic series enclosures.	Stock	\$83.00
<u>PMSTRAP55</u>	Hammond pole mounting strap, accommodates 15in or less pole diameter.	Stock	\$60.00
<u>PMB4045KIT2</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1555BF, 1555CF, 1590ZGRP08x and 1590ZGRP131 enclosures of all materials and colors.	Stock	\$29.00
<u>PMV3036GY</u>	Hammond pole mounting vertical channel, accommodates 4in or greater pole diameter. For use with 30-36in height Eclipse series and 1418N4 enclosures.	Stock	\$47.00
<u>PMKG-48-P10</u>	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Premium series polycarbonate enclosures.	Stock	\$58.00
<u>PMKG-48-IMP-P10</u>	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Impact series polycarbonate enclosures.	Stock	\$58.00
<u>PMB110127KIT2</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1554Q, 1555Q, 1554QA, 1555QA, 1554R, 1555R, 1555RF, 1554S, 1555S, 1554V, 1555VA, 1554V, 1555VB, 1590Z160, 1590Z162, 1590Z166 and 1590ZGRP16x enclosures of all materials and colors.	Stock	\$36.50
<u>PMKG-412-P10</u>	Integra pole mounting kit, accommodates 4in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 12in wide Premium series polycarbonate enclosures.	Stock	\$60.00
<u>PMB110127KIT1</u>	Hammond pole mounting kit, accommodates 7in or less. For use with 1554Q, 1555Q, 1554QA, 1555QA, 1554R, 1555R, 1555RF, 1554S, 1555S, 1554V, 1555VA, 1554V, 1555VB, 1590Z160, 1590Z162, 1590Z166 and 1590ZGRP16x enclosures of all materials and colors.	Stock	\$32.00
<u>PMB5057KIT4</u>	Hammond pole mounting kit, accommodates 15in or less. For use with 1557D and 1557DA enclosures of all materials and colors.	Stock	\$29.50
<u>PMJ14-16</u>	Stahlin pole mounting kit, accommodates 5 to 12in pole diameter. For use with 14in or 16in wide J/JW/RJ/RJW series and Fatboy series enclosures.	Stock	\$84.00
<u>PMKG-28-P10</u>	Integra pole mounting kit, accommodates 2in pole diameter, galvanized steel components and zinc-plated steel fasteners. For use with 8in wide Premium series polycarbonate enclosures.	Stock	\$50.00
Lifting Lug Kits for Enclosures			
<u>SCE-LLB5</u>	Saginaw bolt-on lifting lugs, carbon steel, zinc plated finish. (2) lifting lugs and mounting hardware included.	Stock	\$38.50
<u>SCE-LLB5-25</u>	Saginaw bolt-on lifting lugs, carbon steel, zinc plated finish. Package of 25. (2) lifting lugs and mounting hardware included.	Stock	\$714.00
<u>SCE-LLB5SS</u>	Saginaw bolt-on lifting lugs, 316 stainless steel, #4 brush finish. (2) lifting lugs and mounting hardware included.	Stock	\$58.00
<u>SCE-LLB7</u>	Saginaw bolt-on lifting lugs, carbon steel, white, powder coat finish. (2) lifting lugs and mounting hardware included.	Stock	\$44.00
<u>GLF812-K4</u>	Quadritalia eye bolt, M12 x 1.5mm x 22mm, galvanized steel. Package of 4.	Stock	\$32.00
<u>GLP830</u>	Quadritalia bolt-on lifting lug, carbon steel.	Stock	\$38.00

Casters for Enclosures			
<u>1425BM</u>	Hammond caster set, 700lb capacity. (4) zinc-plated swivel casters and mounting hardware included.	Stock	\$73.00
<u>1425BH</u>	Hammond caster set, 1050lb capacity. (4) zinc-plated swivel casters and mounting hardware included.	Stock	\$146.00
<u>SCE-CAKR</u>	Saginaw caster set, 1000lb capacity. (2) 3in swivel casters, (2) 3in fixed casters and mounting hardware included.	Stock	\$158.00
<u>SCE-CAKS</u>	Saginaw caster set, 1000lb capacity. (4) 3in swivel casters and mounting hardware included.	Stock	\$198.00
<u>SCE-CAKR4</u>	Saginaw caster set, 1000lb capacity. (2) 4in swivel casters, (2) 4in fixed casters and mounting hardware included.	Stock	\$237.00
<u>SCE-CAKS4</u>	Saginaw caster set, 1000lb capacity. (4) 4in swivel casters and mounting hardware included.	Stock	\$277.00
Console Tops for Enclosures			
<u>WC12T</u>	Wiegmann optional top console, carbon steel, ANSI 61 gray. For use with WC12B operator console.	Stock	\$981.00
<u>SCE-14T</u>	Saginaw optional top console, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-14B operator console.	Stock	\$680.00
<u>SCE-1436T</u>	Saginaw optional top console, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1436B operator console.	Stock	\$844.00
<u>SCE-1448T</u>	Saginaw optional top console, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1448BD operator console.	Stock	\$1,007.00
<u>SCE-1460T</u>	Saginaw optional top console, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1460BD operator console.	Stock	\$1,167.00
<u>SCE-1472T</u>	Saginaw optional top console, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1472BD operator console.	Stock	\$1,331.00
Console Writing Desks for Enclosures			
<u>WC12W</u>	Wiegmann optional writing desk, carbon steel, ANSI 61 gray. For use with WC12B operator console.	Stock	\$343.00
<u>SCE-14W</u>	Saginaw optional writing desk, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-14B operator console.	Stock	\$196.00
<u>SCE-1436W</u>	Saginaw optional writing desk, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1436B operator console.	Stock	\$251.00
<u>SCE-1448W</u>	Saginaw optional writing desk, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1448BD operator console.	Stock	\$311.00
<u>SCE-1460W</u>	Saginaw optional writing desk, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1460BD operator console.	Stock	\$382.00
<u>SCE-1472W</u>	Saginaw optional writing desk, carbon steel, ANSI 61 gray, powder coat finish. For use with SCE-1472BD operator console.	Stock	\$423.00
Workstation Accessories for Enclosures			
<u>SCE-20POS</u>	Saginaw workstation shelf, 19.5 x 20in, carbon steel, white, powder coat finish, designed to support monitors, PCs, printers or other equipment.	Stock	\$373.00
<u>SCE-22POS</u>	Saginaw workstation shelf, 21.25 x 22in, carbon steel, white, powder coat finish, designed to support monitors, PCs, printers or other equipment.	Stock	\$379.00
<u>SCE-26POS</u>	Saginaw workstation shelf, 19.5 x 28in, carbon steel, white, powder coat finish, designed to support monitors, PCs, printers or other equipment.	Stock	\$383.00
<u>SCE-22VEPOS</u>	Saginaw workstation shelf, 21.25 x 22in, carbon steel, white, powder coat finish, vented, designed to support monitors, PCs, printers or other equipment.	Stock	\$479.00
<u>SCE-20STS</u>	Saginaw workstation shelf, 22 x 20in, carbon steel, white, powder coat finish, designed to support monitors, PCs, printers or other equipment.	Stock	\$106.00
<u>SCE-22STS</u>	Saginaw workstation shelf, 23.75 x 22in, carbon steel, white, powder coat finish, designed to support monitors, PCs, printers or other equipment.	Stock	\$111.00
<u>SCE-26STS</u>	Saginaw workstation shelf, 22 x 28in, carbon steel, white, powder coat finish, designed to support monitors, PCs, printers or other equipment.	Stock	\$116.00
<u>SCE-20VESTS</u>	Saginaw workstation shelf, 22 x 20in, carbon steel, white, powder coat finish, vented, designed to support monitors, PCs, printers or other equipment.	Stock	\$255.00
<u>SCE-22VESTS</u>	Saginaw workstation shelf, 23.75 x 22in, carbon steel, white, powder coat finish, vented, designed to support monitors, PCs, printers or other equipment.	Stock	\$264.00
<u>SCE-26VESTS</u>	Saginaw workstation shelf, 22 x 28in, carbon steel, white, powder coat finish, vented, designed to support monitors, PCs, printers or other equipment.	Stock	\$275.00
<u>SCE-8STS</u>	Saginaw workstation monitor shelf, 23.75 x 8in, carbon steel, white, powder coat finish, designed to support monitors or other equipment in the upper section of a workstation.	Stock	\$80.00
<u>SCE-8VESTS</u>	Saginaw workstation monitor shelf, 23.75 x 8in, carbon steel, white, powder coat finish, vented, designed to support monitors or other equipment in the upper section of a workstation.	Stock	\$91.00

<u>SCE-STMMK</u>	Saginaw monitor mounting kit, carbon steel, black, powder coat finish. For use with SCE-642424WS, SCE-642424SSWS, SCE-642432WS, SCE-642432SSWS, SCE-66ST2626WS and SCE-66ST2626SSWS workstations.	Stock	\$77.00
<u>SCE-STWSPL</u>	Saginaw pencil lip, carbon steel, white, powder coat finish. For use with SCE-66ST2626WS workstations.	Stock	\$49.50
<u>SCE-STWSPLSS</u>	Saginaw pencil lip, 304 stainless steel, #4 brush finish. For use with SCE-66ST2626SSWS workstations.	Stock	\$150.00
<u>SCE-60P24WS</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with SCE-642424WS, SCE-342424WS, SCE-66ST2626WS, SCE-642424SSWS, SCE-342424WS & SCE-66ST2626WS workstations.	Stock	\$92.00
<u>SCE-60P32WS</u>	Saginaw subpanel, side mount, carbon steel, white, powder coat finish. For use with SCE-642432WS & SCE-642432SSWS workstations.	Stock	\$106.00
<u>SCE-STWBTD</u>	Saginaw workstation door, carbon steel, white. For use with SCE-66ST2626WS workstations.	Stock	\$234.00
<u>SCE-STWSSBTD</u>	Saginaw workstation door, 304 stainless steel. For use with SCE-66ST2626SSWS workstations.	Stock	\$607.00
<u>SCE-WSBTD</u>	Saginaw workstation door, carbon steel, RAL 7035 light gray. For use with SCE-642424WS, SCE-642432WS and SCE-342424WS workstations.	Stock	\$373.00
<u>SCE-WSSBTD</u>	Saginaw workstation door, 304 stainless steel. For use with SCE-642424SSWS, SCE-642432SSWS and SCE-342424SSWS workstations.	Stock	\$550.00
<u>SCE-PE22</u>	Saginaw straight pedestal column, carbon steel, 21.38 x 8.00 x 8.00in, RAL 7035 light gray, powder coat finish. For use with SCE-3424WS workstations. Flange gaskets, box connector and mounting hardware included.	Stock	\$550.00
<u>SCE-PE22SS</u>	Saginaw straight pedestal column, 304 stainless steel, 21.38 x 8.00 x 8.00in, #4 brush finish. For use with SCE-3424SSWS workstations. Flange gaskets, box connector and mounting hardware included.	Stock	\$1,198.00
<u>SCE-24PEBASE</u>	Saginaw pedestal base, carbon steel, 10.00 x 24.00 x 24.00in, RAL 7035 light gray, powder coat finish. For use with SCE-PE22 pedestal columns.	Stock	\$821.00
<u>SCE-24PEBASESS</u>	Saginaw pedestal base, 304 stainless steel, 10.00 x 24.00 x 24.00in, #4 brush finish. For use with SCE-PE22SS pedestal columns.	Stock	\$1,790.00
<u>SCE-P2424WS</u>	Saginaw workstation plinth, 4in height, carbon steel, black, powder coat finish. For use with SCE-642424WS and SCE-342424WS workstation enclosures. Field assembly required.	Stock	\$246.00
<u>SCE-P2424SSWS</u>	Saginaw workstation plinth, 4in height, 304 stainless steel, #4 brush finish. For use with SCE-642424SSWS and SCE-342424SSWS workstation enclosures. Field assembly required.	Stock	\$650.00
<u>SCE-P2432WS</u>	Saginaw workstation plinth, 4in height, carbon steel, black, powder coat finish. For use with SCE-642432WS workstation enclosures. Field assembly required.	Stock	\$287.00
<u>SCE-P2432SSWS</u>	Saginaw workstation plinth, 4in height, 304 stainless steel, #4 brush finish. For use with SCE-642432SSWS workstation enclosures. Field assembly required.	Stock	\$743.00
<u>SCE-KBH</u>	Saginaw keyboard housing, carbon steel, white, powder coat finish. For use with SCE-642424WS, SCE-642424SSWS, SCE-642432WS, SCE-642432SSWS, SCE-342424WS and SCE-342424SSWS workstations.	Stock	\$373.00
<u>SCE-KBS</u>	Saginaw keyboard drawer, carbon steel, white, powder coat finish. For use with SCE-642424WS, SCE-642424SSWS, SCE-342424WS and SCE-342424SSWS workstations.	Stock	\$539.00
<u>SCE-KBS32</u>	Saginaw keyboard drawer, carbon steel, white, powder coat finish. For use with SCE-642432WS and SCE-642432SSWS workstations.	Stock	\$539.00
<u>2CLP42418</u>	Hammond console plinth, 4 x 24 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2024 consoles. Field assembly required.	Stock	\$447.00
<u>2CLP43618</u>	Hammond console plinth, 4 x 36 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2036 consoles. Field assembly required.	Stock	\$485.00
<u>2CLP44818</u>	Hammond console plinth, 4 x 48 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2048 consoles. Field assembly required.	Stock	\$597.00
<u>2CLP46018</u>	Hammond console plinth, 4 x 60 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2060 consoles. Field assembly required.	Stock	\$709.00
<u>2CLP82418</u>	Hammond console plinth, 8 x 24 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2024 consoles. Field assembly required.	Stock	\$746.00
<u>2CLP83618</u>	Hammond console plinth, 8 x 36 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2036 consoles. Field assembly required.	Stock	\$858.00
<u>2CLP84818</u>	Hammond console plinth, 8 x 48 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2048 consoles. Field assembly required.	Stock	\$1,007.00
<u>2CLP86018</u>	Hammond console plinth, 8 x 60 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2CLC2060 consoles. Field assembly required.	Stock	\$1,156.00
<u>2CSP42418</u>	Hammond console plinth, 4 x 24 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2024 consoles. Field assembly required.	Stock	\$576.00
<u>2CSP43618</u>	Hammond console plinth, 4 x 36 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2036 consoles. Field assembly required.	Stock	\$624.00
<u>2CSP44818</u>	Hammond console plinth, 4 x 48 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2048 consoles. Field assembly required.	Stock	\$768.00
<u>2CSP46018</u>	Hammond console plinth, 4 x 60 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2060 consoles. Field assembly required.	Stock	\$912.00

<u>2CSP82418</u>	Hammond console plinth, 8 x 24 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2024 consoles. Field assembly required.	Stock	\$960.00
<u>2CSP83618</u>	Hammond console plinth, 8 x 36 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2036 consoles. Field assembly required.	Stock	\$1,105.00
<u>2CSP84818</u>	Hammond console plinth, 8 x 48 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2048 consoles. Field assembly required.	Stock	\$1,297.00
<u>2CSP86018</u>	Hammond console plinth, 8 x 60 x 18in, 304 stainless steel, #4 brush finish. For use with 2CSC2060 consoles. Field assembly required.	Stock	\$1,489.00
<u>SCE-WSCC</u>	Saginaw control compartment, carbon steel, RAL 7035 light gray, powder coat finish. For use with SCE-642424WS, SCE-642432WS and SCE-342424WS workstations.	Stock	\$432.00
<u>SCE-WSCCSS</u>	Saginaw control compartment, 304 stainless steel, #4 brush finish. For use with SCE-642424SSWS, SCE-642432SSWS and SCE-342424SSWS workstations.	Stock	\$873.00
Accessories for HMI Enclosures			
<u>SCE-HMIPH5</u>	Saginaw pull handle, 5.28in, steel. For use with Saginaw HMI enclosures. Mounting hardware included.	Stock	\$36.50
<u>SCE-AUHK</u>	Saginaw pull handle, 12in, steel. For use with Saginaw HMI enclosures. Mounting hardware included.	Stock	\$52.00
<u>SCE-HMIKBS</u>	Saginaw HMI keyboard shelf, 18in width, carbon steel, black, powder coat finish. Mounting hardware included.	Stock	\$243.00
<u>SCE-HMIKBSSS</u>	Saginaw HMI keyboard shelf, 18in width, stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$477.00
<u>LVH3.00.4040</u>	Teknokol front panel, 16 x 16in, aluminum, natural finish. For use with Teknokol Eco series HMI enclosures.	Stock	\$83.00
<u>LVH3.00.5060</u>	Teknokol front panel, 20 x 24in, aluminum, natural finish. For use with Teknokol Eco series HMI enclosures.	Stock	\$151.00
Drip Shields for Enclosures			
<u>SCE-DS12N4</u>	Saginaw enclosure drip shield, 12in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$52.00
<u>SCE-DS12N4LG</u>	Saginaw enclosure drip shield, 12in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$52.00
<u>DK12GY</u>	Hammond enclosure drip shield, 12in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$62.00
<u>DK12LG</u>	Hammond enclosure drip shield, 12in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$62.00
<u>SCE-DS12SS</u>	Saginaw enclosure drip shield, 12in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$103.00
<u>DK12S16</u>	Hammond enclosure drip shield, 12in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$113.00
<u>SCE-DS12SS6</u>	Saginaw enclosure drip shield, 12in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$119.00
<u>SCE-DS16N4</u>	Saginaw enclosure drip shield, 16in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$59.00
<u>SCE-DS16N4LG</u>	Saginaw enclosure drip shield, 16in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$59.00
<u>DK16GY</u>	Hammond enclosure drip shield, 16in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$68.00
<u>DK16LG</u>	Hammond enclosure drip shield, 16in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$68.00
<u>SCE-DS16SS</u>	Saginaw enclosure drip shield, 16in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$113.00
<u>DK16S16</u>	Hammond enclosure drip shield, 16in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$123.00
<u>SCE-DS16SS6</u>	Saginaw enclosure drip shield, 16in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$130.00
<u>SCE-DS20N4</u>	Saginaw enclosure drip shield, 20in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$63.00
<u>SCE-DS20N4LG</u>	Saginaw enclosure drip shield, 20in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$63.00
<u>DK20GY</u>	Hammond enclosure drip shield, 20in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$74.00
<u>DK20LG</u>	Hammond enclosure drip shield, 20in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$74.00
<u>SCE-DS20SS</u>	Saginaw enclosure drip shield, 20in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$122.00
<u>DK20S16</u>	Hammond enclosure drip shield, 20in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$134.00

<u>SCE-DS20SS6</u>	Saginaw enclosure drip shield, 20in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$141.00
<u>SCE-DS24N4</u>	Saginaw enclosure drip shield, 24in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$73.00
<u>SCE-DS24N4LG</u>	Saginaw enclosure drip shield, 24in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$73.00
<u>DK24GY</u>	Hammond enclosure drip shield, 24in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$81.00
<u>DK24LG</u>	Hammond enclosure drip shield, 24in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$81.00
<u>SCE-DS24SS</u>	Saginaw enclosure drip shield, 24in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$132.00
<u>DK24S16</u>	Hammond enclosure drip shield, 24in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$144.00
<u>SCE-DS24SS6</u>	Saginaw enclosure drip shield, 24in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$151.00
<u>PFR060</u>	Quadritalia enclosure drip shield, 600mm length, carbon steel, RAL 7035 light gray, textured powder coat finish. Gasket and mounting hardware included.	Stock	\$89.00
<u>SCE-DS30N4</u>	Saginaw enclosure drip shield, 30in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$77.00
<u>SCE-DS30N4LG</u>	Saginaw enclosure drip shield, 30in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$77.00
<u>DK30GY</u>	Hammond enclosure drip shield, 30in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$91.00
<u>DK30LG</u>	Hammond enclosure drip shield, 30in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$91.00
<u>SCE-DS30SS</u>	Saginaw enclosure drip shield, 30in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$147.00
<u>DK30S16</u>	Hammond enclosure drip shield, 30in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$161.00
<u>SCE-DS30SS6</u>	Saginaw enclosure drip shield, 30in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$169.00
<u>PFR080</u>	Quadritalia enclosure drip shield, 800mm length, carbon steel, RAL 7035 light gray, textured powder coat finish. Gasket and mounting hardware included.	Stock	\$93.00
<u>SCE-DS36N4</u>	Saginaw enclosure drip shield, 36in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$82.00
<u>SCE-DS36N4LG</u>	Saginaw enclosure drip shield, 36in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$82.00
<u>DK36GY</u>	Hammond enclosure drip shield, 36in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$99.00
<u>DK36LG</u>	Hammond enclosure drip shield, 36in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$99.00
<u>SCE-DS36SS</u>	Saginaw enclosure drip shield, 36in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$163.00
<u>DK36S16</u>	Hammond enclosure drip shield, 36in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$176.00
<u>SCE-DS36SS6</u>	Saginaw enclosure drip shield, 36in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$187.00
<u>PFR100</u>	Quadritalia enclosure drip shield, 1000mm length, carbon steel, RAL 7035 light gray, textured powder coat finish. Gasket and mounting hardware included.	Stock	\$97.00
<u>SCE-DS42N4</u>	Saginaw enclosure drip shield, 42in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$87.00
<u>DK42GY</u>	Hammond enclosure drip shield, 42in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$110.00
<u>DK42LG</u>	Hammond enclosure drip shield, 42in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$110.00
<u>SCE-DS42SS</u>	Saginaw enclosure drip shield, 42in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$179.00
<u>DK42S16</u>	Hammond enclosure drip shield, 42in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$187.00
<u>SCE-DS42SS6</u>	Saginaw enclosure drip shield, 42in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$205.00
<u>SCE-DS48N4</u>	Saginaw enclosure drip shield, 48in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$100.00
<u>DK48GY</u>	Hammond enclosure drip shield, 48in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$118.00

<u>DK48LG</u>	Hammond enclosure drip shield, 48in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$118.00
<u>SCE-DS48SS</u>	Saginaw enclosure drip shield, 48in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$200.00
<u>DK48S16</u>	Hammond enclosure drip shield, 48in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$197.00
<u>SCE-DS48SS6</u>	Saginaw enclosure drip shield, 48in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$231.00
<u>PFR120</u>	Quadritalia enclosure drip shield, 1200mm length, carbon steel, RAL 7035 light gray, textured powder coat finish. Gasket and mounting hardware included.	Stock	\$101.00
<u>SCE-DS60N4</u>	Saginaw enclosure drip shield, 60in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$116.00
<u>DK60GY</u>	Hammond enclosure drip shield, 60in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$136.00
<u>DK60LG</u>	Hammond enclosure drip shield, 60in length, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included.	Stock	\$136.00
<u>SCE-DS60SS</u>	Saginaw enclosure drip shield, 60in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$229.00
<u>DK60S16</u>	Hammond enclosure drip shield, 60in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$230.00
<u>SCE-DS60SS6</u>	Saginaw enclosure drip shield, 60in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$263.00
<u>SCE-DS72N4</u>	Saginaw enclosure drip shield, 72in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$131.00
<u>DK72GY</u>	Hammond enclosure drip shield, 72in length, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included.	Stock	\$153.00
<u>SCE-DS72SS</u>	Saginaw enclosure drip shield, 72in length, 304 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$273.00
<u>DK72S16</u>	Hammond enclosure drip shield, 72in length, 316 stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$256.00
<u>SCE-DS72SS6</u>	Saginaw enclosure drip shield, 72in length, 316L stainless steel, #4 brush finish. Mounting hardware included.	Stock	\$313.00

Flush Covers for Enclosures

<u>CSFC66</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 6 x 6in (HxW) CS and CSKO screw cover enclosures.	Stock	\$3.00
<u>CSFC86</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 8 x 6in (HxW) CS and CSKO screw cover enclosures.	Stock	\$3.75
<u>CSFC88</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 8 x 8in (HxW) CS and CSKO screw cover enclosures.	Stock	\$4.50
<u>CSFC108</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 10 x 8in (HxW) CS and CSKO screw cover enclosures.	Stock	\$5.50
<u>CSFC1010</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 10 x 10in (HxW) CS and CSKO screw cover enclosures.	Stock	\$6.25
<u>CSFC128</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 12 x 8in (HxW) CS and CSKO screw cover enclosures.	Stock	\$6.00
<u>CSFC1212</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 12 x 12in (HxW) CS and CSKO screw cover enclosures.	Stock	\$8.50
<u>CSFC1616</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 16 x 16in (HxW) CS and CSKO screw cover enclosures.	Stock	\$10.25
<u>CSFC1812</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 18 x 12in (HxW) CS and CSKO screw cover enclosures.	Stock	\$11.00
<u>CSFC1818</u>	Hammond flush cover, carbon steel, 16 gauge, ANSI 61 gray, powder coat finish. For use with 18 x 18in (HxW) CS and CSKO screw cover enclosures.	Stock	\$15.25
<u>CSFC2418</u>	Hammond flush cover, carbon steel, 14 gauge, ANSI 61 gray, powder coat finish. For use with 24 x 18in (HxW) CS and CSKO screw cover enclosures.	Stock	\$19.75
<u>CSFC2424</u>	Hammond flush cover, carbon steel, 14 gauge, ANSI 61 gray, powder coat finish. For use with 24 x 24in (HxW) CS and CSKO screw cover enclosures.	Stock	\$25.00

HMI Covers for Enclosures

<u>HMICVR1008</u>	Stahlin SolarShield series HMI cover, NEMA 4/4X, 10.38 x 13.13 x 2.50in, polycarbonate, Pantone 428 C glacier gray. For use with HMI up to 8x10in (HxW).	Stock	\$168.00
<u>HMICVR1008C</u>	Stahlin SolarShield series HMI cover, NEMA 4/4X, 10.38 x 13.13 x 2.50in, polycarbonate, Pantone 428 C glacier gray, polycarbonate window. For use with HMIs up to 8x10in (HxW).	Stock	\$152.00
<u>SCE-HA1216</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 12.00 x 16.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$325.00

<u>1481WDH3624</u>	Hammond universal deep-hinged door, NEMA 4/12, 34.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,104.00
<u>1481WDH1612</u>	Hammond universal deep-hinged door, NEMA 4/12, 14.19 x 8.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$577.00
<u>HMICVR1611</u>	Stahlin SolarShield series HMI cover, NEMA 4/4X, 14.36 x 19.10 x 2.59in, polycarbonate, Pantone 428 C glacier gray. For use with HMIs up to 11x16in (HxW).	Stock	\$287.00
<u>HMICVR1611C</u>	Stahlin SolarShield series HMI cover, NEMA 4/4X, 14.36 x 19.10 x 2.59in, polycarbonate, Pantone 428 C glacier gray, polycarbonate window. For use with HMIs up to 11x16in (HxW).	Stock	\$259.00
<u>1481SSDH1418</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 12.19 x 14.56 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$870.00
<u>SCE-HWK2218</u>	Saginaw universal deep-hinged door, NEMA 3R/12/13, 22.00 x 18.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$499.00
<u>SCE-HA1010</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 10.00 x 10.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$284.00
<u>1481WDH2420</u>	Hammond universal deep-hinged door, NEMA 4/12, 22.19 x 16.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$794.00
<u>1481SSDH1612</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 14.19 x 8.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$916.00
<u>SCE-HA1418SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 14.00 x 18.00 x 2.63in, 304 stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$811.00
<u>SCE-HA1010LG</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 10.00 x 10.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$284.00
<u>1481WDH1620</u>	Hammond universal deep-hinged door, NEMA 4/12, 14.19 x 16.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$690.00
<u>1481WDH2016</u>	Hammond universal deep-hinged door, NEMA 4/12, 18.19 x 12.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$690.00
<u>HMICVR2014</u>	Stahlin SolarShield series HMI cover, NEMA 4/4X, 17.33 x 23.07 x 2.59in, polycarbonate, Pantone 428 C glacier gray. For use with HMIs up to 14x20in (HxW).	Stock	\$395.00
<u>HMICVR2014C</u>	Stahlin SolarShield series HMI cover, NEMA 4/4X, 17.33 x 23.07 x 2.59in, polycarbonate, Pantone 428 C glacier gray, polycarbonate window. For use with HMIs up to 14x20in (HxW).	Stock	\$357.00
<u>SCE-HWK1814SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 18.00 x 14.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$868.00
<u>1481WSSDH2420</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 22.19 x 16.14 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,572.00
<u>SCE-HA1010-05</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 10.00 x 10.00 x 2.63in, carbon steel, white, concealed hinges. For use with wall-mount enclosures.	Stock	\$284.00
<u>1481SSDH3024</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 28.19 x 20.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,500.00
<u>SCE-HWK2218LG</u>	Saginaw universal deep-hinged door, NEMA 3R/12/13, 22.00 x 18.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$499.00
<u>SCE-HWK1814LG</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 18.00 x 14.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$413.00
<u>1481WSSDH3024</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 28.19 x 20.14 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,876.00
<u>1481SSDH2016</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 18.19 x 12.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,095.00
<u>SCE-HWK2228</u>	Saginaw universal deep-hinged door, NEMA 3R/12/13, 22.00 x 18.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$570.00
<u>1481WDH2024</u>	Hammond universal deep-hinged door, NEMA 4/12, 18.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$794.00
<u>SCE-HWK2228LG</u>	Saginaw universal deep-hinged door, NEMA 3R/12/13, 22.00 x 18.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$570.00
<u>SCE-HWK1216SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 12.00 x 16.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$752.00
<u>1481SSDH2420</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 22.19 x 16.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,258.00
<u>1481SDH1620</u>	Hammond universal deep-hinged door, NEMA 4/12, 14.19 x 16.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$552.00
<u>SCE-HWK1418</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 14.00 x 18.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$413.00
<u>1481SDH2420</u>	Hammond universal deep-hinged door, NEMA 4/12, 22.19 x 16.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$635.00
<u>SCE-HWK1216</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 12.00 x 16.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$399.00

<u>SCE-HWK2228SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 22.00 x 28.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,295.00
<u>1481SDH1418</u>	Hammond universal deep-hinged door, NEMA 4/12, 12.19 x 14.56 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$439.00
<u>SCE-HA1814SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 18.00 x 14.00 x 2.63in, 304 stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$811.00
<u>1481SSDH1624</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 14.19 x 20.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,175.00
<u>SCE-HA1814</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 18.00 x 14.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$365.00
<u>SCE-HWK1312</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 13.00 x 12.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$373.00
<u>SCE-HA1212-05</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 12.00 x 12.00 x 2.63in, carbon steel, white, concealed hinges. For use with wall-mount enclosures.	Stock	\$308.00
<u>SCE-HWK2822SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 28.00 x 22.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,295.00
<u>1481WSSDH2416</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 22.19 x 12.14 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,469.00
<u>SCE-HWK1014</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 10.00 x 14.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$327.00
<u>SCE-HWK1014SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 10.00 x 14.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$616.00
<u>1481WDH1624</u>	Hammond universal deep-hinged door, NEMA 4/12, 14.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$742.00
<u>SCE-HWK1620</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 16.00 x 20.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$458.00
<u>1481SSDH3624</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 34.19 x 20.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,744.00
<u>SCE-HWK1212</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 12.00 x 12.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$356.00
<u>1481WDH2416</u>	Hammond universal deep-hinged door, NEMA 4/12, 22.19 x 12.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$742.00
<u>1481WSSDH1612</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 14.19 x 8.14 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,145.00
<u>SCE-HWK2822</u>	Saginaw universal deep-hinged door, NEMA 3R/12/13, 28.00 x 22.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$570.00
<u>SCE-HA1014</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 10.00 x 14.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$300.00
<u>1481SDH1612</u>	Hammond universal deep-hinged door, NEMA 4/12, 14.19 x 8.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$462.00
<u>SCE-HA1418</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 14.00 x 18.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$365.00
<u>1481WSSDH2016</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 18.19 x 12.14 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,369.00
<u>SCE-HA1212LG</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 12.00 x 12.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$308.00
<u>1481SSDH1620</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 14.19 x 16.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,095.00
<u>1481SSDH2024</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 18.19 x 20.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,258.00
<u>SCE-HWK2822LG</u>	Saginaw universal deep-hinged door, NEMA 3R/12/13, 28.00 x 22.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$570.00
<u>SCE-HA1212SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 12.00 x 12.00 x 2.63in, 304 stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$592.00
<u>SCE-HWK1814</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 18.00 x 14.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$413.00
<u>SCE-HA1620SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 16.00 x 20.00 x 2.63in, 304 stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$752.00
<u>SCE-HA1620</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 16.00 x 20.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$399.00
<u>WADW131602SS</u>	Wiegmann universal deep-hinged door, NEMA 3R/4/4X/12, 12.75 x 15.88 x 2.75in, 304 stainless steel, concealed hinges, polycarbonate window. For use with Hubbell-Wiegmann NEMA 3R, 4, 4X, or 12 rated enclosures.	Stock	\$966.00
<u>1481WSSDH1418</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 12.19 x 14.56 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,087.00

<u>1481SDH3624</u>	Hammond universal deep-hinged door, NEMA 4/12, 34.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$883.00
<u>SCE-HWK1212LG</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 12.00 x 12.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$356.00
<u>1481WDH3024</u>	Hammond universal deep-hinged door, NEMA 4/12, 28.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$949.00
<u>SCE-HA1014SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 10.00 x 14.00 x 2.63in, 304 stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$565.00
<u>1481SDH2024</u>	Hammond universal deep-hinged door, NEMA 4/12, 18.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$635.00
<u>1481WDH2430</u>	Hammond universal deep-hinged door, NEMA 4/12, 22.19 x 26.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$949.00
<u>SCE-HWK1212SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 12.00 x 12.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$640.00
<u>1481SDH2416</u>	Hammond universal deep-hinged door, NEMA 4/12, 22.19 x 12.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$593.00
<u>SCE-HA1212</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 12.00 x 12.00 x 2.63in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$308.00
<u>SCE-HA1216SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 12.00 x 16.00 x 2.63in, 304 stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$611.00
<u>WADW131602</u>	Wiegmann universal deep-hinged door, NEMA 3R/4/12, 12.75 x 15.88 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with Hubbell-Wiegmann NEMA 3R, 4, or 12 rated enclosures.	Stock	\$567.00
<u>1481SSDH2416</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 22.19 x 12.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,175.00
<u>1481SDH2016</u>	Hammond universal deep-hinged door, NEMA 4/12, 18.19 x 12.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$552.00
<u>1481WSSDH2430</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 22.19 x 26.14 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,876.00
<u>SCE-HWK1418SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 14.00 x 18.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$777.00
<u>SCE-HA1010SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 10.00 x 10.00 x 2.63in, 304 stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$566.00
<u>SCE-HA1814LG</u>	Saginaw universal deep-hinged door, NEMA 3R/4/12/13, 18.00 x 14.00 x 2.63in, carbon steel, RAL 7035 light gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$365.00
<u>1481WDH1418</u>	Hammond universal deep-hinged door, NEMA 4/12, 12.19 x 14.56 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$548.00
<u>1481SSDH2430</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 22.19 x 26.14 x 2.75in, 316L stainless steel, concealed hinges. For use with wall-mount enclosures.	Stock	\$1,500.00
<u>1481SDH3024</u>	Hammond universal deep-hinged door, NEMA 4/12, 28.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$759.00
<u>1481SDH1624</u>	Hammond universal deep-hinged door, NEMA 4/12, 14.19 x 20.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$593.00
<u>1481SDH2430</u>	Hammond universal deep-hinged door, NEMA 4/12, 22.19 x 26.14 x 2.75in, carbon steel, ANSI 61 gray, concealed hinges. For use with wall-mount enclosures.	Stock	\$759.00
<u>SCE-HWK1620SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 16.00 x 20.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$862.00
<u>1481WSSDH3624</u>	Hammond universal deep-hinged door, NEMA 4/4X/12, 34.19 x 20.14 x 2.75in, 316L stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$2,180.00
<u>SCE-HWK2218SS</u>	Saginaw universal deep-hinged door, NEMA 3R/4/4X/12/13, 22.00 x 18.00 x 2.63in, 304 stainless steel, concealed hinges, polycarbonate window. For use with wall-mount enclosures.	Stock	\$1,047.00

Extender Rings for Junction Boxes

<u>CS66EXT4</u>	Hammond extender ring, 6 x 6 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with Hammond CS663, CS664, CS666, CSKO663, CSKO664, and CSKO666 enclosures.	Stock	\$16.25
<u>CSG66EXT4</u>	Hammond extender ring, 6 x 6 x 4in, galvanized steel. For use with Hammond CSG664, CSG666, CSKOG664, and CSKOG666 enclosures.	Stock	\$19.00
<u>CS88EXT4</u>	Hammond extender ring, 8 x 8 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with Hammond CS6884, CS886, CSKO884, and CSKO886 enclosures.	Stock	\$22.50
<u>CSG88EXT4</u>	Hammond extender ring, 8 x 8 x 4in, galvanized steel. For use with Hammond CSG884, CSG886, CSKOG884, and CSKOG886 enclosures.	Stock	\$24.00
<u>CS1010EXT4</u>	Hammond extender ring, 10 x 10 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with Hammond CS10104, CS10106, CSKO10104, and CSKO10106 enclosures.	Stock	\$27.00
<u>CSG1010EXT4</u>	Hammond extender ring, 10 x 10 x 4in, galvanized steel. For use with Hammond CSG10104, CSG10106, CSKOG10104, and CSKOG10106 enclosures.	Stock	\$29.50

<u>CS1212EXT4</u>	Hammond extender ring, 12 x 12 x 4in, carbon steel, ANSI 61 gray, powder coat finish. For use with Hammond CS12124, CS12126, CS12128, CSKO12124, CSKO12126, and CSKO12128 enclosures.	Stock	\$35.50
<u>CSG1212EXT4</u>	Hammond extender ring, 12 x 12 x 4in, galvanized steel. For use with Hammond CSG12124, CSG12126, CSG12128, CSKOG12124, CSKOG12126, and CSKOG12128 enclosures.	Stock	\$38.50
<u>CS1212EXT6</u>	Hammond extender ring, 12 x 12 x 6in, carbon steel, ANSI 61 gray, powder coat finish. For use with Hammond CS12124, CS12126, CS12128, CSKO12124, CSKO12126, and CSKO12128 enclosures.	Stock	\$40.50
<u>CS1616EXT6</u>	Hammond extender ring, 16 x 16 x 6in, carbon steel, ANSI 61 gray, powder coat finish. For use with Hammond CS16166, CS16168, CSKO16166, and CSKO16168 enclosures.	Stock	\$47.50

Hinges and Hinge Pins for Enclosures

<u>EPINSS</u>	Hammond hinge pin, replacement, 316 stainless steel. Package of 5. For use with Eclipse series enclosures.	Stock	\$23.00
<u>SCE-3916</u>	Saginaw large concealed hinge, replacement, carbon steel. Hinge, pin and clip included.	Stock	\$15.00
<u>SCE-3916SS</u>	Saginaw large concealed hinge, replacement, 304 stainless steel. Hinge, pin and clip included.	Stock	\$27.50
<u>SCE-3918</u>	Saginaw small concealed hinge, replacement, carbon steel. Package of 2. Hinge, pin and clip included.	Stock	\$24.00
<u>SCE-3918SS</u>	Saginaw small concealed hinge, replacement, 304 stainless steel. Package of 2. Hinge, pin and clip included.	Stock	\$50.00
<u>SCE-ELJHINGE</u>	Saginaw ELJ hinge, replacement. Hinge, pin and clip included.	Stock	\$8.00
<u>SCE-101670</u>	Saginaw retaining clip for concealed hinge, replacement. Package of 20.	Stock	\$15.25
<u>SCE-101226</u>	Saginaw small hinge pin, replacement. Package of 20.	Stock	\$73.00
<u>SCE-101221</u>	Saginaw large hinge pin, replacement. Package of 20.	Stock	\$39.00

Filler Plates for Modular Enclosures

<u>TTP040</u>	Quadritalia OKK series roof panel filler plate, 400mm, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$10.75
<u>TTP060</u>	Quadritalia OKK series roof panel filler plate, 600mm, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$11.25
<u>TTP080</u>	Quadritalia OKK series roof panel filler plate, 800mm, carbon steel, RAL 7035 light gray, powder coat finish.	Stock	\$13.50
<u>SCE-72FP</u>	Saginaw NextGen series subpanel filler plate, 68in/72in, carbon steel, white, powder coat finish.	Stock	\$124.00
<u>SCE-72FPGALV</u>	Saginaw NextGen series subpanel filler plate, 68in/72in, galvanized steel.	Stock	\$142.00
<u>SCE-84FP</u>	Saginaw NextGen series subpanel filler plate, 80in/84in, carbon steel, white, powder coat finish.	Stock	\$140.00
<u>SCE-84FPGALV</u>	Saginaw NextGen series subpanel filler plate, 80in/84in, galvanized steel.	Stock	\$162.00
<u>SCE-90FP</u>	Saginaw NextGen series subpanel filler plate, 86in/90in, carbon steel, white, powder coat finish.	Stock	\$152.00
<u>SCE-90FPGALV</u>	Saginaw NextGen series subpanel filler plate, 86in/90in, galvanized steel.	Stock	\$176.00

Window Kits for Enclosures

<u>SCE-PWK53NF</u>	Saginaw enclosure window, 5.25 x 3.25in window, UV-resistant polycarbonate, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$144.00
<u>WAPWK0503NF</u>	Wiegmann enclosure window, 5.00 x 3.00in window, Makrolon polycarbonate, 7.50 x 5.50in frame, carbon steel, ANSI 61 gray, polyester powder finish, oil-tight closed-cell gasket. For use with indoor NEMA 12 enclosures. Mounting hardware included.	Stock	\$158.00
<u>1481WN40503</u>	Hammond enclosure window, 5.00 x 3.00in window, UV-resistant polycarbonate, 7.63 x 5.63in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$167.00
<u>SCE-PWK53NFSS</u>	Saginaw enclosure window, 5.25 x 3.25in window, UV-resistant polycarbonate, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$188.00
<u>1481WN4SS0503</u>	Hammond enclosure window, 5.00 x 3.00in window, UV-resistant polycarbonate, 7.63 x 5.63in frame, 304 stainless steel, #4 brush finish, oil-resistant neoprene gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$278.00
<u>1481WFL52</u>	Hammond enclosure window, 5.50 x 3.00in window, scratch-resistant polycarbonate. For use with NEMA 12 and 13 enclosures. Mounting hardware and template included.	Stock	\$59.00
<u>SCE-PWK63NF</u>	Saginaw enclosure window, 6.55 x 2.85in window, UV-resistant polycarbonate, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$158.00
<u>SCE-PWK95NF</u>	Saginaw enclosure window, 9.25 x 5.75in window, UV-resistant polycarbonate, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$173.00
<u>WAPWK0905NF</u>	Wiegmann enclosure window, 9.00 x 5.50in window, Makrolon polycarbonate, 11.50 x 8.00in frame, carbon steel, ANSI 61 gray, polyester powder finish, oil-tight closed-cell gasket. For use with indoor NEMA 12 enclosures. Mounting hardware included.	Stock	\$191.00
<u>1481WN40905</u>	Hammond enclosure window, 9.00 x 5.50in window, UV-resistant polycarbonate, 11.63 x 8.13in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$201.00

<u>SCE-PWK95NFSS</u>	Saginaw enclosure window, 9.25 x 5.75in window, UV-resistant polycarbonate, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$227.00
<u>1481WN4SS0905</u>	Hammond enclosure window, 9.00 x 5.50in window, UV-resistant polycarbonate, 11.63 x 8.13in frame, 304 stainless steel, #4 brush finish, oil-resistant neoprene gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$334.00
<u>1481WFL96</u>	Hammond enclosure window, 9.62 x 7.19in window, scratch-resistant polycarbonate. For use with NEMA 12 and 13 enclosures. Mounting hardware and template included.	Stock	\$81.00
<u>1481WN41303</u>	Hammond enclosure window, 13.00 x 3.00in window, UV-resistant polycarbonate, 15.63 x 5.63in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$183.00
<u>1481WFL133</u>	Hammond enclosure window, 13.88 x 3.88in window, scratch-resistant polycarbonate. For use with NEMA 12 and 13 enclosures. Mounting hardware and template included.	Stock	\$73.00
<u>SCE-PWK138NF</u>	Saginaw enclosure window, 13.25 x 8.25in window, UV-resistant polycarbonate, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$219.00
<u>1481WN41308</u>	Hammond enclosure window, 13.00 x 8.00in window, UV-resistant polycarbonate, 15.63 x 10.63in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$252.00
<u>SCE-PWK138NFSS</u>	Saginaw enclosure window, 13.25 x 8.25in window, UV-resistant polycarbonate, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$288.00
<u>1481WN4SS1308</u>	Hammond enclosure window, 13.00 x 8.00in window, UV-resistant polycarbonate, 15.63 x 10.63in frame, 304 stainless steel, #4 brush finish, oil-resistant neoprene gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$423.00
<u>1481WN41705</u>	Hammond enclosure window, 17.00 x 5.50in window, UV-resistant polycarbonate, 19.63 x 8.13in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$226.00
<u>SCE-PWK1711NF</u>	Saginaw enclosure window, 17.25 x 11.25in window, UV-resistant polycarbonate, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$302.00
<u>1481WN41711</u>	Hammond enclosure window, 17.00 x 11.00in window, UV-resistant polycarbonate, 19.63 x 13.63in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$347.00
<u>SCE-PWK1711NFSS</u>	Saginaw enclosure window, 17.25 x 11.25in window, UV-resistant polycarbonate, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$379.00
<u>1481WN4SS1711</u>	Hammond enclosure window, 17.00 x 11.00in window, UV-resistant polycarbonate, 19.63 x 13.63in frame, 304 stainless steel, #4 brush finish, oil-resistant neoprene gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$555.00
<u>SCE-PWK2315NF</u>	Saginaw enclosure window, 23.25 x 15.25in window, UV-resistant polycarbonate, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$372.00
<u>1481WN42315</u>	Hammond enclosure window, 23.00 x 15.00in window, UV-resistant polycarbonate, 25.63 x 17.63in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$428.00
<u>SCE-PWK2315NFSS</u>	Saginaw enclosure window, 23.25 x 15.25in window, UV-resistant polycarbonate, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$490.00
<u>1481WN4SS2315</u>	Hammond enclosure window, 23.00 x 15.00in window, UV-resistant polycarbonate, 25.63 x 17.63in frame, 304 stainless steel, #4 brush finish, oil-resistant neoprene gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$716.00
<u>SCE-PWK2919NF</u>	Saginaw enclosure window, 29.25 x 19.25in window, UV-resistant polycarbonate, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$554.00
<u>1481WN42919</u>	Hammond enclosure window, 29.00 x 19.00in window, UV-resistant polycarbonate, 31.63 x 21.63in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$633.00
<u>SCE-PWK2919NFSS</u>	Saginaw enclosure window, 29.25 x 19.25in window, UV-resistant polycarbonate, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$727.00
<u>1481WN4SS2919</u>	Hammond enclosure window, 29.00 x 19.00in window, UV-resistant polycarbonate, 31.63 x 21.63in frame, 304 stainless steel, #4 brush finish, oil-resistant neoprene gasket. For use with NEMA 4X enclosures. Mounting hardware included.	Stock	\$1,065.00
<u>1481WN43523</u>	Hammond enclosure window, 35.00 x 23.00in window, UV-resistant polycarbonate, 37.63 x 25.63in frame, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant neoprene gasket. For use with NEMA 4 enclosures. Mounting hardware included.	Stock	\$836.00
Enclosure Door Switches			
<u>013500-00</u>	Stego enclosure door switch, SPDT contact(s), IP20, M5 screw mount, screw terminal.	Stock	\$40.00
<u>013510-00</u>	Stego enclosure door switch, N.C. contact(s), IP20, M5 screw mount, screw terminal.	Stock	\$40.00
<u>013520-00</u>	Stego enclosure door switch, N.O. contact(s), IP20, M5 screw mount, screw terminal.	Stock	\$40.00

Adapter Plates for Disconnect Enclosures			
AK1494FD	Hammond operator adapter assembly, for use with Allen-Bradley 1494F, 1494D series devices.	Stock	\$252.00
SCE-DCPSS	Saginaw blank disconnect cover plate, 304 stainless steel, #4 brush finish. For use with all standard Saginaw disconnect enclosures. Mounting hardware included.	Stock	\$67.00
WA21CHVA	Wiegmann operator adapter assembly, ANSI 61 gray. For use with Eaton/Cutler-Hammer type C371, Eaton Flex-Shaft F series handles.	Stock	\$176.00
WA21SDA	Wiegmann operator adapter assembly, ANSI 61 gray. For use with Schneider Square D disconnect switches & circuit breakers w/Class 9422 variable depth operating or cable mechanism and Socomec 37299002 & 37299003 flange handles.	Stock	\$176.00
BPAK	Hammond blank adapter plate assembly, ANSI 61 gray. For use with all Hammond disconnect enclosures with universal cutouts.	Stock	\$126.00
WA3456BAP	Wiegmann blank adapter plate assembly, ANSI 61 gray. For use with all Hubbell-Wiegmann wall-mount disconnect enclosures except stainless steel floor-mount and freestanding disconnect enclosures.	Stock	\$149.00
SCE-DCP	Saginaw blank disconnect cover plate, carbon steel, ANSI 61 gray, powder coat finish. For use with all standard Saginaw disconnect enclosures. Mounting hardware included.	Stock	\$61.00
AKU	Hammond operator adapter assembly, for use with most ABB, Allen-Bradley, Cutler Hammer, Siemens, and Square D devices.	Stock	\$248.00
WA21FUFA	Wiegmann operator adapter assembly, ANSI 61 gray. For use with Fuji Electric BW9F series disconnects.	Stock	\$149.00
Gland Plates for Enclosures			
GP063GY	Hammond enclosure gland plate, 6 x 3in, carbon steel, ANSI 61 gray, powder coat finish, self-adhesive neoprene blend gasket, 5.06 x 1.50in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$50.00
GP063LG	Hammond enclosure gland plate, 6 x 3in, carbon steel, RAL 7035 light gray, powder coat finish, self-adhesive neoprene blend gasket, 5.06 x 1.50in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$50.00
GP134GY	Hammond enclosure gland plate, 13 x 4in, carbon steel, ANSI 61 gray, powder coat finish, self-adhesive neoprene blend gasket, 11.75 x 2.31in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$62.00
GP134LG	Hammond enclosure gland plate, 13 x 4in, carbon steel, RAL 7035 light gray, powder coat finish, self-adhesive neoprene blend gasket, 11.75 x 2.31in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$62.00
GP136GY	Hammond enclosure gland plate, 13 x 6in, carbon steel, ANSI 61 gray, powder coat finish, self-adhesive neoprene blend gasket, 12.13 x 4.63in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$100.00
GP136LG	Hammond enclosure gland plate, 13 x 6in, carbon steel, RAL 7035 light gray, powder coat finish, self-adhesive neoprene blend gasket, 12.13 x 4.63in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$100.00
GP216GY	Hammond enclosure gland plate, 21 x 6in, carbon steel, ANSI 61 gray, powder coat finish, self-adhesive neoprene blend gasket, 19.63 x 4.63in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$112.00
GP216LG	Hammond enclosure gland plate, 21 x 6in, carbon steel, RAL 7035 light gray, powder coat finish, self-adhesive neoprene blend gasket, 19.63 x 4.63in cutout. Gasket, mounting hardware and cutout template included.	Stock	\$112.00
Hole Seals and Plugs for Enclosures			
EN4PLUG40	Hammond rear mounting hole plug, package of 40. For use with Eclipse series enclosures.	Stock	\$9.75
REHPSERIES1	Stahlin hole plug, 1/2in-3/4in holes, fiberglass-reinforced plastic (FRP), closed-cell neoprene gasket. For use with non-metallic enclosures.	Stock	\$7.50
SCE-ASPBG-05	Saginaw hole seal, carbon steel, white, powder coat finish, oil-resistant gasket, 22mm pushbutton cutout. For use with carbon steel enclosures.	Stock	\$5.25
SCE-ASPBG-09	Saginaw hole seal, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket, 22mm pushbutton cutout. For use with carbon steel enclosures.	Stock	\$5.25
SCE-ASPBG-09-25	Saginaw hole seal, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket, 22mm pushbutton cutout. Package of 25. For use with carbon steel enclosures.	Stock	\$117.00
SCE-ASPBG-RAL7035	Saginaw hole seal, carbon steel, RAL 7035 light gray, powder coat finish, oil-resistant gasket, 22mm pushbutton cutout. For use with carbon steel enclosures.	Stock	\$5.25
HP22	Hammond hole seal, 22mm pushbutton, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$6.50
WASPBG	Wiegmann hole seal, 22mm pushbutton, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$7.50
HP22SS	Hammond hole seal, 22mm pushbutton, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$14.50
WASPBGSS	Wiegmann hole seal, 22mm pushbutton, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$16.25
SCE-ASPBG-SS	Saginaw hole seal, 304 stainless steel, #4 brush finish, oil-resistant gasket, 22mm pushbutton cutout. For use with 304 stainless steel enclosures.	Stock	\$22.50
WAS050	Wiegmann hole seal, 1/2in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$7.50

<u>HP50</u>	Hammond hole seal, 1/2in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$6.50
<u>WAS050SS</u>	Wiegmann hole seal, 1/2in conduit, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$16.25
<u>HP50SS</u>	Hammond hole seal, 1/2in conduit, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$14.50
<u>REHPSERIES1.5</u>	Stahlin hole plug, 1/2in conduit, fiberglass-reinforced plastic (FRP), closed-cell neoprene gasket. For use with non-metallic enclosures.	Stock	\$10.25
<u>WAS075</u>	Wiegmann hole seal, 3/4in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$9.50
<u>HP75</u>	Hammond hole seal, 3/4in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$8.25
<u>WAS075SS</u>	Wiegmann hole seal, 3/4in conduit, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$22.50
<u>HP75SS</u>	Hammond hole seal, 3/4in conduit, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$18.50
<u>REHPSERIES2</u>	Stahlin hole plug, 1/2in-3/4in conduit, fiberglass-reinforced plastic (FRP), closed-cell neoprene gasket. For use with 1/2in and 3/4in conduit holes and 22mm or 30mm pushbutton holes in non-metallic enclosures.	Stock	\$8.50
<u>SCE-ASPB-05</u>	Saginaw hole seal, carbon steel, white, powder coat finish, oil-resistant gasket, 30mm pushbutton cutout. For use with carbon steel enclosures.	Stock	\$7.50
<u>SCE-ASPB-09</u>	Saginaw hole seal, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket, 30mm pushbutton cutout. For use with carbon steel enclosures.	Stock	\$7.50
<u>SCE-ASPB-09-25</u>	Saginaw hole seal, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket, 30mm pushbutton cutout. Package of 25. For use with carbon steel enclosures.	Stock	\$165.00
<u>SCE-ASPB-RAL7035</u>	Saginaw hole seal, carbon steel, RAL 7035 light gray, powder coat finish, oil-resistant gasket, 30mm pushbutton cutout. For use with carbon steel enclosures.	Stock	\$7.50
<u>HPB</u>	Hammond hole seal, 30mm pushbutton, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$8.75
<u>WASPB</u>	Wiegmann hole seal, 30mm pushbutton, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$10.00
<u>HPBSS</u>	Hammond hole seal, 30mm pushbutton, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$20.50
<u>SCE-ASPB-SS</u>	Saginaw hole seal, 304 stainless steel, #4 brush finish, oil-resistant gasket, 30mm pushbutton cutout. For use with 304 stainless steel enclosures.	Stock	\$24.00
<u>WASPBSS</u>	Wiegmann hole seal, 30mm pushbutton, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$25.00
<u>WAS100</u>	Wiegmann hole seal, 1in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$13.00
<u>HP100</u>	Hammond hole seal, 1in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$11.25
<u>WAS100SS</u>	Wiegmann hole seal, 1in conduit, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$30.00
<u>HP100SS</u>	Hammond hole seal, 1in conduit, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$24.50
<u>REHPSERIES3</u>	Stahlin hole plug, 1in-1-1/4in conduit, fiberglass-reinforced plastic (FRP), closed-cell neoprene gasket. For use with non-metallic enclosures.	Stock	\$13.75
<u>WAS125</u>	Wiegmann hole seal, 1-1/4in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$15.50
<u>HP125</u>	Hammond hole seal, 1-1/4in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$12.50
<u>WAS125SS</u>	Wiegmann hole seal, 1-1/4in conduit, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$32.00
<u>HP125SS</u>	Hammond hole seal, 1-1/4in conduit, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$28.50
<u>WAS150</u>	Wiegmann hole seal, 1-1/2in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$17.75
<u>HP150</u>	Hammond hole seal, 1-1/2in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$14.25
<u>WAS150SS</u>	Wiegmann hole seal, 1-1/2in conduit, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$36.00
<u>HP150SS</u>	Hammond hole seal, 1-1/2in conduit, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$32.00
<u>REHPSERIES4</u>	Stahlin hole plug, 1-1/2in-2in conduit, fiberglass-reinforced plastic (FRP), closed-cell neoprene gasket. For use with non-metallic enclosures.	Stock	\$17.50

<u>WAS200</u>	Wiegmann hole seal, 2in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$19.75
<u>HP200</u>	Hammond hole seal, 2in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$15.75
<u>WAS200SS</u>	Wiegmann hole seal, 2in conduit, 304 stainless steel, grained finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$43.50
<u>HP200SS</u>	Hammond hole seal, 2in conduit, 304 stainless steel, #4 brush finish, oil-resistant gasket. For use with stainless steel enclosures.	Stock	\$35.50
<u>WAS250</u>	Wiegmann hole seal, 2-1/2in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$23.00
<u>HP250</u>	Hammond hole seal, 2-1/2in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$20.00
<u>WAS300</u>	Wiegmann hole seal, 3in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$30.50
<u>HP300</u>	Hammond hole seal, 3in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$26.50
<u>WAS350</u>	Wiegmann hole seal, 3-1/2in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$43.00
<u>HP350</u>	Hammond hole seal, 3-1/2in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$34.50
<u>WAS400</u>	Wiegmann hole seal, 4in conduit, carbon steel, ANSI 61 gray polyester powder finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$55.00
<u>HP400</u>	Hammond hole seal, 4in conduit, carbon steel, ANSI 61 gray, powder coat finish, oil-resistant gasket. For use with carbon steel enclosures.	Stock	\$44.00
<u>SCE-HS2S</u>	Saginaw hole seal, polycarbonate, ANSI 61 gray, oil-resistant adhesive gasket, 2in square cutout.	Stock	\$8.25
Shelves for Enclosures			
<u>FDS1212GY</u>	Hammond enclosure folding shelf, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish, installs inside or outside of enclosure.	Stock	\$181.00
<u>FDS1212LG</u>	Hammond enclosure folding shelf, 12 x 12in, carbon steel, RAL 7035 light gray, powder coat finish, installs inside or outside of enclosure.	Stock	\$181.00
<u>WD24</u>	AttaBox shelf, weight distribution, 24 x 10in, aluminum. (2) screws and (2) slot nuts included.	Stock	\$172.00
<u>WD168</u>	AttaBox shelf, weight distribution, 16 x 8in, aluminum. (2) screws and (2) slot nuts included.	Stock	\$91.00
<u>WD12</u>	AttaBox shelf, weight distribution, 12 x 6in, aluminum. (2) screws and (2) slot nuts included.	Stock	\$61.00
<u>SCE-FS1212</u>	Saginaw enclosure folding shelf, 12 x 12in, carbon steel, white, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$212.00
<u>SCE-FS1212-09</u>	Saginaw enclosure folding shelf, 12 x 12in, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$212.00
<u>SCE-FS1212LG</u>	Saginaw enclosure folding shelf, 12 x 12in, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$212.00
<u>SCE-FS1212SS</u>	Saginaw enclosure folding shelf, 12 x 12in, 304 stainless steel, #4 brush finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$527.00
<u>FDS1212S16</u>	Hammond enclosure folding shelf, 12 x 12in, 316 stainless steel, #4 brush finish, installs inside or outside of enclosure.	Stock	\$661.00
<u>SCE-FS1218</u>	Saginaw enclosure folding shelf, 12 x 18in, carbon steel, white, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$239.00
<u>WD1610</u>	AttaBox shelf, weight distribution, 16 x 10in, aluminum. (2) screws and (2) slot nuts included.	Stock	\$112.00
<u>FDS1818GY</u>	Hammond enclosure folding shelf, 18 x 18in, carbon steel, ANSI 61 gray, powder coat finish, installs inside or outside of enclosure.	Stock	\$227.00
<u>WD105</u>	AttaBox shelf, weight distribution, 10 x 5in, aluminum. (2) screws and (2) slot nuts included.	Stock	\$52.00
<u>FDS1818LG</u>	Hammond enclosure folding shelf, 18 x 18in, carbon steel, RAL 7035 light gray, powder coat finish, installs inside or outside of enclosure.	Stock	\$227.00
<u>SCE-FS1818</u>	Saginaw enclosure folding shelf, 18 x 18in, carbon steel, white, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$266.00
<u>WD106</u>	AttaBox shelf, weight distribution, 10 x 6in, aluminum. (2) screws and (2) slot nuts included.	Stock	\$58.00
<u>SCE-FS1818LG</u>	Saginaw enclosure folding shelf, 18 x 18in, carbon steel, RAL 7035 light gray, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$266.00
<u>SCE-FS1818-09</u>	Saginaw enclosure folding shelf, 18 x 18in, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$266.00
<u>SCE-FS1818SS</u>	Saginaw enclosure folding shelf, 18 x 18in, 304 stainless steel, #4 brush finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$601.00

FDS1818S16	Hammond enclosure folding shelf, 18 x 18in, 316 stainless steel, #4 brush finish, installs inside or outside of enclosure.	Stock	\$873.00
CSTK70	Quadritalia folding desk, 539 x 352mm, carbon steel, RAL 7035 light gray, textured powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$434.00
FDS2424GY	Hammond enclosure folding shelf, 24 x 24in, carbon steel, ANSI 61 gray, powder coat finish, installs inside or outside of enclosure.	Stock	\$253.00
FDS2424LG	Hammond enclosure folding shelf, 24 x 24in, carbon steel, RAL 7035 light gray, powder coat finish, installs inside or outside of enclosure.	Stock	\$253.00
WD14	AttaBox shelf, weight distribution, 14 x 6in, aluminum. (2) screws and (2) slot nuts included.	Stock	\$83.00
SCE-FS2424	Saginaw enclosure folding shelf, 24 x 24in, carbon steel, white, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$320.00
SCE-FS2424-09	Saginaw enclosure folding shelf, 24 x 24in, carbon steel, ANSI 61 gray, powder coat finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$320.00
SCE-FS2424SS	Saginaw enclosure folding shelf, 24 x 24in, 304 stainless steel, #4 brush finish. Mounting hardware included. Installs inside or outside of enclosure.	Stock	\$626.00
FDS2424S16	Hammond enclosure folding shelf, 24 x 24in, 316 stainless steel, #4 brush finish, installs inside or outside of enclosure.	Stock	\$962.00
Grounding and Isolation for Enclosures			
WGNDKT	Wiegmann field grounding kit, required for CSA certification on RSC (NEMA 3R) and SC (NEMA 1) series enclosures, includes aluminum grounding lug and mounting hardware.	Stock	\$3.25
DNGL	Hammond dual L16-type ground lug, aluminum, accepts wire size 14-1/0 AWG.	Stock	\$6.75
GRDBAR19	Hammond horizontal rack-mount busbar, 19in length, (10) #10-32 tapped holes and (2) 5/16in holes. Hardware included.	Stock	\$67.00
GRDBAR23	Hammond horizontal rack-mount busbar, 23in length, (10) #10-32 tapped holes and (2) 5/16in holes. Hardware included.	Stock	\$68.00
SCE-GB10	Saginaw grounding bar, 4in length, (10) #10-32 tapped holes and (2) 9/32in holes.	Stock	\$126.00
RIK19	Hammond rack isolation plate, 20.00x7.50in, fiberglass reinforced polyester. Package of 2.	Stock	\$59.00
RIK23	Hammond rack isolation plate, 24.00x7.50in, fiberglass reinforced polyester. Package of 2.	Stock	\$64.00
BUSBAR2X10	Hammond modular busbar, 10in length, (12) 9/32in holes. (2) insulators, (2) brackets, and hardware included.	Stock	\$116.00
BUSBAR4X10	Hammond modular busbar, 10in length, (12) 9/32in and (7) 1/8in holes. (2) insulators, (2) brackets, and hardware included.	Stock	\$151.00
GRDKIT03	Hammond enclosure grounding strap, 12in length, 10 AWG, (2) #10-1/4in ring terminals. Package of 1. #10-32 screws, washers and nuts included.	Stock	\$9.25
WGS1008	Wiegmann enclosure grounding strap, 8in length.	Stock	\$12.50
WGS1016	Wiegmann enclosure grounding strap, 16in length.	Stock	\$12.50
GRDKIT05	Hammond enclosure grounding strap, 22in length, 10 AWG, (2) #10-1/4in ring terminals. Package of 1. Quick-disconnect terminals, #10-32 and 1/4-20 screws, washers and nuts included.	Stock	\$28.50
GRDKIT01	Hammond enclosure grounding strap, 12in length, 10 AWG. Package of 2. Mounting hardware included.	Stock	\$32.50
SCE-GS808	Saginaw enclosure grounding strap, 8in length, (2) 1/4 to 5/16in ring terminals.	from vendor up to 0 business day	\$49.00
GRDKIT02	Hammond enclosure grounding strap, 16in length, 10 AWG, (2) #10-1/4in ring terminals. Package of 6. #10-32 and 1/4-20 screws, washers and nuts included.	Stock	\$50.00
GRDKIT04	Hammond enclosure grounding strap, 12in length, 10 AWG, (2) #10-1/4in ring terminals. Package of 4. Quick-disconnect terminals, #10-32 and 1/4-20 screws, washers and nuts included.	Stock	\$50.00
Locks and Latches for Enclosures			
N41214TTH	Wiegmann enclosure latch, 1/4-turn tee handle, 1-point, plated steel, black matte finish. For use with N412 Ultimate series enclosures.	Stock	\$104.00
SCE-DLSBB	Saginaw enclosure latch, replacement, slotted, 1/4-turn, 1-point, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$25.00
WACL SN12	Wiegmann enclosure latch, keylocking, 1/4-turn semi-flush, 1-point, plated steel. For use with single-door NEMA 4 and NEMA 12 enclosures. (2) keys included.	Stock	\$34.50
N41214TSS	Wiegmann enclosure latch, slotted, 1/4-turn semi-flush, 1-point, 304 stainless steel, black matte trim finish. For use with N412 Ultimate series stainless steel enclosures.	Stock	\$71.00
MHKL2	Hammond enclosure latch, combination keylocking/padlocking, 1/4-turn handle, 3-point, die-cast zinc, black matte finish. For use with less than 60in (H) NEMA 4 and NEMA 12 enclosures. (2) keys included.	Stock	\$246.00
MHKL2SS	Hammond enclosure latch, combination keylocking/padlocking, 1/4-turn handle, 3-point, 316 stainless steel. For use with less than 60in (H) NEMA 4X enclosures. (2) keys included.	Stock	\$229.00

<u>SCE-DLKLD</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (2) SCE-K333 keys included.	Stock	\$39.50
<u>WAN12RA</u>	Wiegmann enclosure U-clamp assembly, replacement, plated steel. For use with NEMA 12 enclosures.	Stock	\$24.00
<u>SCE-DL8SB</u>	Saginaw enclosure latch, replacement, 8mm square, 1/4-turn, 1-point, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (1) SCE-101697 key included.	Stock	\$18.75
<u>SCE-DL7TE</u>	Saginaw enclosure latch, replacement, 7mm triangular, 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (1) SCE-107930 key included.	Stock	\$25.00
<u>SCE-101695</u>	Saginaw enclosure key, replacement, 7mm square.	Stock	\$16.75
<u>N41214TVPK</u>	Wiegmann double-bit key, black matte finish. For use with N41214TVP enclosure latches.	Stock	\$27.00
<u>SCE-MINQKLB</u>	Saginaw enclosure latch, replacement, keylocking, miniature 1/4-turn lever knob, 1-point, die-cast zinc, black matte finish. For use with Enviroline Junction series enclosures and deep-hinged doors. (1) SCE-2233X key included.	Stock	\$72.00
<u>2TRI7</u>	Hammond enclosure latch insert, replacement, triangular key, die-cast zinc, black matte finish. For use with Eclipse series enclosures with standard 1/4-turn latch. Requires 2TRK7 key.	Stock	\$18.00
<u>WAL3DSS</u>	Wiegmann enclosure latch, padlocking, 1/4-turn handle, 3-point, 316L stainless steel. For use with NEMA 4 and NEMA 4X enclosures where height is 54 or 90 inches.	Stock	\$142.00
<u>2DBI3</u>	Hammond enclosure latch insert, replacement, 3mm double-bit, die-cast zinc, black matte finish. For use with Eclipse series enclosures with standard 1/4-turn latch.	Stock	\$18.00
<u>2DBI3SS</u>	Hammond enclosure latch insert, replacement, 3mm double-bit, stainless steel, natural finish. For use with Eclipse series enclosures with standard 1/4-turn latch.	Stock	\$45.00
<u>PMKEY</u>	Hammond enclosure key, 3mm double-bit, die-cast zinc, natural finish. For use with enclosure latches with 2DBI3 or 2DBI3SS inserts.	Stock	\$16.50
<u>MHKD1SS</u>	Hammond enclosure latch, padlocking with defeater, 1/4-turn handle, 1-point, 316 stainless steel. For use with single-door NEMA 4X enclosures.	Stock	\$215.00
<u>SCE-105419</u>	Saginaw 28mm latch cam, replacement, carbon steel, plated zinc finish. For use with Series 14 console top with SCE-MINxxxx miniature 1/4-turn latches.	Stock	\$3.00
<u>SCE-DL7SC</u>	Saginaw enclosure latch, replacement, 7mm square, 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (1) SCE-101695 key included.	Stock	\$25.00
<u>MHK2SS</u>	Hammond enclosure latch, padlocking, 1/4-turn handle, 3-point, 316 stainless steel. For use with less than 60in (H) NEMA 4X enclosures.	Stock	\$208.00
<u>N41214T</u>	Wiegmann enclosure latch, slotted, 1/4-turn semi-flush, 1-point, plated steel. For use with N412 Ultimate series enclosures.	Stock	\$26.50
<u>SCE-101697</u>	Saginaw enclosure key, replacement, 8mm square.	Stock	\$16.75
<u>EHLL</u>	Hammond enclosure latch, keylocking, 1/4-turn L-handle, 1-point, die-cast zinc, black matte finish. For use with Eclipse series enclosures. (2) keys included.	Stock	\$69.00
<u>SCE-110047</u>	Saginaw enclosure key, replacement, 5mm double-bit.	Stock	\$16.75
<u>NLL150KIT</u>	Stahlin twist-lock latch, replacement, 304 stainless steel. For use with NEMA 3R and NEMA 4X N series enclosures. Mounting hardware included.	Stock	\$68.00
<u>SCE-DL8SC</u>	Saginaw enclosure latch, replacement, 8mm square, 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (1) SCE-101697 key included.	Stock	\$18.75
<u>SCE-MINQSS</u>	Saginaw enclosure latch, replacement, slotted, miniature 1/4-turn, 1-point, stainless steel. For use with Enviroline Junction series enclosures and deep-hinged doors.	Stock	\$29.50
<u>SCE-DL5MDB</u>	Saginaw enclosure latch, replacement, 5mm double-bit, 1/4-turn, 1-point, vibration-proof, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (1) SCE-110047 key included.	Stock	\$25.00
<u>DSHPLKIT</u>	Stahlin lockable enclosure latch, replacement, quick-release, 304 stainless steel. Package of 2. For use with Diamond Shield series enclosures.	Stock	\$31.00
<u>MHKD2</u>	Hammond enclosure latch, padlocking with defeater, 1/4-turn handle, 3-point, die-cast zinc, black matte finish. For use with less than 60in (H) NEMA 4 and NEMA 12 enclosures.	Stock	\$228.00
<u>MHKD2SS</u>	Hammond enclosure latch, padlocking with defeater, 1/4-turn handle, 3-point, 316 stainless steel. For use with less than 60in (H) NEMA 4X enclosures.	Stock	\$229.00
<u>SCE-112984</u>	Saginaw 35-degree latch cam, replacement, carbon steel, plated zinc finish. For use with Enviroline Junction enclosures and window kits with SCE-MINxxxx miniature 1/4-turn latches.	Stock	\$2.50
<u>MHKL3SS</u>	Hammond enclosure latch, combination keylocking/padlocking, 1/4-turn handle, 3-point, 316 stainless steel. For use with 60in (H) or greater NEMA 4X enclosures. (2) keys included.	Stock	\$332.00
<u>SSLKIT</u>	Stahlin quick-release latch, replacement, 304 stainless steel. For use with Classic series enclosures. Mounting hardware included.	Stock	\$35.00
<u>14QR</u>	Hammond enclosure quick-release clamp, replacement, zinc plated steel. For use with 1414 enclosures, 1485 wireway and 1486 trough.	Stock	\$13.00
<u>WAL3BSS</u>	Wiegmann enclosure latch, padlocking, 1/4-turn handle, 3-point, 316L stainless steel. For use with NEMA 4 and NEMA 4X enclosures where height is 16, 20, 24 or 30 inches.	Stock	\$142.00

<u>SCE-ELPL</u>	Saginaw enclosure latch, replacement, padlocking, 1/4-turn handle, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$90.00
<u>SCE-ARK36</u>	Saginaw enclosure 3-point latch rod kit, 3/8 x 5/8in aluminum. For use with Saginaw 5in and 7in door handles.	Stock	\$167.00
<u>WABN4JIC</u>	Wiegmann enclosure Z-clamp assembly, replacement, 304 stainless steel. For use with BN4xxxxxx and BN4xxxxxxCH enclosures. Clamp and screw included.	Stock	\$24.50
<u>SCE-KC101</u>	Saginaw enclosure key, replacement, L-handle. Package of 2.	Stock	\$9.50
<u>2OPL</u>	Hammond enclosure latch, replacement, padlocking, 1/4-turn knob, 1-point, die-cast zinc, black matte finish. For use with Eclipse series enclosures.	Stock	\$84.00
<u>N41214TBKL</u>	Wiegmann enclosure latch, keylocking, 1/4-turn semi-flush, 1-point, plated steel, black matte finish. For use with N412 Ultimate series enclosures. (2) keys and dust cover included.	Stock	\$104.00
<u>MHKD3SS</u>	Hammond enclosure latch, padlocking with defeater, 1/4-turn handle, 3-point, 316 stainless steel. For use with 60in (H) or greater NEMA 4X enclosures.	Stock	\$332.00
<u>SCE-3PTL</u>	Saginaw enclosure 3-point latch rod kit, 5/16in flat carbon steel. For use with Enviroline series enclosures.	Stock	\$90.00
<u>NLL150WTKIT</u>	Stahlin twist-lock latch, replacement, 304 stainless steel. For use with NEMA 4X N series enclosures. Mounting hardware included.	Stock	\$68.00
<u>1427LKN1</u>	Hammond enclosure latch, keylocking, 1/4-turn flush-mount, 1-point, plated steel, chrome finish. For use with 1420 and N1A enclosures. (2) keys included.	Stock	\$36.00
<u>SCE-NLTH</u>	Saginaw enclosure latch, replacement, 1/4-turn tee handle, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$36.00
<u>SCE-PH5SS</u>	Saginaw latch handle, 5in, padlocking, 1/4-turn, stainless steel. For use with Saginaw enclosures with 3-point door hardware. Requires SCE-ARK36 or SCE-103370 door rod kit or SCE-3PTSMC cam.	Stock	\$136.00
<u>SCE-MINQ</u>	Saginaw enclosure latch, replacement, slotted, miniature 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with Enviroline Junction series enclosures and deep-hinged doors. (1) SCE-105419 cam included.	Stock	\$14.50
<u>N1C14T</u>	Wiegmann enclosure latch, slotted, 1/4-turn semi-flush, 1-point, plated steel. For use with single-door NEMA 1 enclosures.	Stock	\$47.00
<u>2QTR</u>	Hammond enclosure latch, replacement, slotted, 1/4-turn semi-flush, 1-point, die-cast zinc, black matte finish. For use with Eclipse series enclosures.	Stock	\$18.25
<u>EFGK</u>	Hammond enclosure key, replacement, hollow female round, 316L stainless steel. Package of 1. For use with EQTFG latches.	Stock	\$14.00
<u>N41214T3</u>	Wiegmann enclosure latch, slotted, 1/4-turn semi-flush, 3-point, plated steel. For use with N412 Ultimate series enclosures.	Stock	\$59.00
<u>SCE-DLKldb</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn, 1-point, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (2) SCE-K333 keys included.	Stock	\$40.50
<u>MHKL1SS</u>	Hammond enclosure latch, combination keylocking/padlocking, 1/4-turn handle, 1-point, 316 stainless steel. For use with single-door NEMA 4X enclosures. (2) keys included.	Stock	\$215.00
<u>EJSSQTR</u>	Hammond enclosure latch, replacement, slotted, 1/4-turn semi-flush, 1-point, 316 stainless steel. For use with Eclipse Junior series enclosures.	Stock	\$39.00
<u>SCE-SSQT</u>	Saginaw enclosure latch, replacement, 1/4-turn sanitary, 1-point, stainless steel. For use with Enviroline series enclosures. (1) SCE-102804 cam and (1) key included.	Stock	\$184.00
<u>WAL1D</u>	Wiegmann enclosure latch, padlocking, 1/4-turn handle, 3-point, plated steel. For use with NEMA 12 enclosures where height is 60 or 72 inches.	Stock	\$201.00
<u>SSL-KIT-P10</u>	Integra quick-release latch, 304 stainless steel. For use with Premium series polycarbonate enclosures.	Stock	\$21.50
<u>EQTFG</u>	Hammond lockable enclosure latch, replacement, easy-to-clean round, 1/4-turn sanitary, 1-point, 316L stainless steel. Package of 1. For use with Waterfall series enclosures. Requires EFGK key.	Stock	\$57.00
<u>WAL1C</u>	Wiegmann enclosure latch, padlocking, 1/4-turn handle, 3-point, plated steel. For use with NEMA 12 enclosures where height is 36, 42 or 48 inches.	Stock	\$203.00
<u>SCE-DLSSB</u>	Saginaw enclosure latch, replacement, slotted, 1/4-turn, 1-point, stainless steel. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$61.00
<u>SCE-ELKL</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn handle, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (2) SCE-K333 keys included.	Stock	\$90.00
<u>WAL4D</u>	Wiegmann enclosure latch, combination keylocking/padlocking, 1/4-turn handle, 3-point, plated steel, black matte finish. For use with NEMA 4 and NEMA 4X enclosures where height is 54 or 90 inches. (2) keys included.	Stock	\$92.00
<u>SCE-102237</u>	Saginaw latch cam, replacement, carbon steel, plated zinc finish. For use with Saginaw 7in door handles.	Stock	\$18.00
<u>EHLNL</u>	Hammond enclosure latch, 1/4-turn L-handle, 1-point, die-cast zinc, black matte finish. For use with Eclipse series enclosures.	Stock	\$69.00
<u>SCE-LPCLAMP</u>	Saginaw screw clamp, replacement, die-cast zinc and stainless steel, chrome finish. Package of 2. For use with SCE-xxxxxLP enclosures.	Stock	\$25.00
<u>SCE-MINQ6MS</u>	Saginaw enclosure latch, replacement, 6mm square, miniature 1/4-turn, 1-point, die-cast zinc, black matte finish. For use with Enviroline Junction series enclosures and deep-hinged doors. (1) 6mm square key included.	Stock	\$49.50

<u>WAL3CSS</u>	Wiegmann enclosure latch, padlocking, 1/4-turn handle, 3-point, 316L stainless steel. For use with NEMA 4 and NEMA 4X enclosures where height is 36, 42 or 48 inches.	Stock	\$142.00
<u>SCE-PLKJIC</u>	Saginaw junction box padlock kit, plated steel. For use with SCE-xxxxxCHNF enclosures. Mounting hardware included.	Stock	\$14.50
<u>SCE-2233X</u>	Saginaw enclosure key, replacement, miniature 1/4 turn.	Stock	\$16.75
<u>N41214TSS3</u>	Wiegmann enclosure latch, slotted, 1/4-turn semi-flush, 3-point, 304 stainless steel, black matte trim finish. For use with N412 Ultimate series stainless steel enclosures.	Stock	\$226.00
<u>EHLPLSS</u>	Hammond enclosure latch, padlocking, 1/4-turn L-handle, 1-point, 316 stainless steel. For use with Eclipse series enclosures.	Stock	\$259.00
<u>SCE-L</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with NEMA 1 enclosures with knockouts. (1) cam and (2) keys included.	Stock	\$16.50
<u>SCE-KLWN</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn wing knob, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (2) SCE-K333 keys included.	Stock	\$50.00
<u>SCE-CHCLAMPSS</u>	Saginaw screw clamp, replacement, stainless steel. Package of 2. For use with SCE-xxxxCHNF enclosures.	Stock	\$25.50
<u>SCE-KLWNB</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn wing knob, 1-point, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (2) SCE-K333 keys included.	Stock	\$50.00
<u>N41214TWPL</u>	Wiegmann enclosure latch, padlocking, 1/4-turn wing handle, 1-point, plated steel, black matte finish. For use with N412 Ultimate series enclosures.	Stock	\$59.00
<u>AHLKSS</u>	AttaBox enclosure latch, replacement, quick-release, 304 stainless steel. Package of 2. For use with Heartland series enclosures.	Stock	\$13.25
<u>SCE-PCH7</u>	Saginaw latch handle, replacement, 7in, coinproof/padlocking, 1/4-turn, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. Requires SCE-ARK36 door rod kit or SCE-102237 cam.	Stock	\$144.00
<u>SCE-107930</u>	Saginaw enclosure key, replacement, 7mm triangular.	Stock	\$16.75
<u>SCE-PCH5-7SC</u>	Saginaw latch handle, replacement, 5in, 7mm square, 1/4-turn, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. (1) SCE-101695 key included. Requires SCE-ARK36 door rod kit or SCE-3PTSMC cam.	Stock	\$126.00
<u>EJWKNL</u>	Hammond enclosure latch, replacement, 1/4-turn wing handle, 1-point, die-cast zinc, black matte finish. For use with Eclipse Junior series enclosures.	Stock	\$46.00
<u>SCE-MINOK</u>	Saginaw enclosure latch, replacement, keylocking, miniature 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with Enviroline Junction series enclosures and deep-hinged doors. (1) SCE-2233X key included.	Stock	\$22.50
<u>SCE-PH5</u>	Saginaw latch handle, replacement, 5in, padlocking, 1/4-turn, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. Requires SCE-ARK36 door rod kit or SCE-3PTSMC cam.	Stock	\$126.00
<u>SCE-MINOPL</u>	Saginaw padlock bracket, stainless steel. For use with SCE-MINxxxx miniature 1/4-turn latches.	Stock	\$12.25
<u>14PLKS16</u>	Hammond enclosure padlock kit, 316 stainless steel. For use with 1414 enclosures. Mounting hardware included.	Stock	\$19.50
<u>EJPA</u>	Hammond enclosure padlock kit, 304 stainless steel. For use with Eclipse Junior series enclosures. Mounting hardware included.	Stock	\$20.50
<u>SCE-MINQB</u>	Saginaw enclosure latch, replacement, slotted, miniature 1/4-turn, 1-point, die-cast zinc, black matte finish. For use with Enviroline Junction series enclosures and deep-hinged doors. (1) SCE-105419 cam included.	Stock	\$14.50
<u>MHK2</u>	Hammond enclosure latch, padlocking, 1/4-turn handle, 3-point, die-cast zinc, black matte finish. For use with less than 60in (H) NEMA 4 and NEMA 12 enclosures.	Stock	\$217.00
<u>2SQK7</u>	Hammond enclosure key, square, die-cast zinc, black matte finish. For use with enclosure latches with 2SQI7 insert.	Stock	\$16.75
<u>SCE-PLWKB</u>	Saginaw enclosure latch, replacement, padlocking, 1/4-turn wing knob, 1-point, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$29.00
<u>EHLNLSS</u>	Hammond enclosure latch, 1/4-turn L-handle, 1-point, 316 stainless steel. For use with Eclipse series enclosures.	Stock	\$259.00
<u>SCE-PLHG</u>	Saginaw enclosure latch, slotted, 1/4-turn with padlock housing, 1-point, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$25.00
<u>14QRSS</u>	Hammond enclosure quick-release clamp, replacement, 304 stainless steel. For use with 1414 enclosures, 1485 wireway and 1486 trough.	Stock	\$24.00
<u>SCE-PCH5SS</u>	Saginaw latch handle, 5in, coinproof/padlocking, 1/4-turn, stainless steel. For use with Saginaw enclosures with 3-point door hardware. Requires SCE-ARK36 or SCE-103370 door rod kit or SCE-3PTSMC cam.	Stock	\$148.00
<u>SCE-PH7</u>	Saginaw latch handle, replacement, 7in, padlocking, 1/4-turn, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. Requires SCE-ARK36 door rod kit or SCE-102237 cam.	Stock	\$144.00
<u>SCE-PLWKB-50</u>	Saginaw enclosure latch, replacement, padlocking, 1/4-turn wing knob, 1-point, die-cast zinc, black matte finish. Package of 50. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$1,046.00
<u>SCE-116398</u>	Saginaw sanitary 1/4-turn key, replacement, die-cast zinc. For use with Saginaw SCE-xxKxxxxSSST sanitary enclosures.	Stock	\$16.75
<u>SCE-PCH5</u>	Saginaw latch handle, replacement, 5in, padlocking, 1/4-turn coin-proof, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. Requires SCE-ARK36 door rod kit or SCE-3PTSMC cam.	Stock	\$126.00

<u>SCE-LPQR</u>	Saginaw quick-release clamp assembly, replacement, die-cast zinc, black matte finish. For use with SCE-xxxxLP enclosures.	Stock	\$11.75
<u>N1C14TKL</u>	Wiegmann enclosure latch, keylocking, 1/4-turn semi-flush, 1-point, plated steel and plastic construction. For use with single-door NEMA 1 enclosures. (2) keys included.	Stock	\$59.00
<u>MHKD3</u>	Hammond enclosure latch, padlocking with defeater, 1/4-turn handle, 3-point, die-cast zinc, black matte finish. For use with 60in (H) or greater NEMA 4 and NEMA 12 enclosures.	Stock	\$232.00
<u>MHKD1</u>	Hammond enclosure latch, padlocking with defeater, 1/4-turn handle, 1-point, die-cast zinc, black matte finish. For use with single-door NEMA 4 and NEMA 12 enclosures.	Stock	\$133.00
<u>DSHLLKIT</u>	Stahlin twist-lock latch, replacement, 304 stainless steel. For use with Diamond Shield series enclosures. Mounting hardware included.	Stock	\$42.50
<u>N41214TTHKL</u>	Wiegmann enclosure latch, keylocking, 1/4-turn tee handle, 1-point, plated steel, black matte finish. For use with N412 Ultimate series enclosures. Key included.	Stock	\$101.00
<u>2SSQTR</u>	Hammond enclosure latch, replacement, slotted, 1/4-turn semi-flush, 1-point, 316 stainless steel. For use with Eclipse series enclosures.	Stock	\$57.00
<u>SCE-DL5MDBB</u>	Saginaw enclosure latch, replacement, 5mm double-bit, 1/4-turn, 1-point, vibration-proof, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (1) SCE-110047 key included.	Stock	\$25.00
<u>SRR773B</u>	Quadritalia enclosure latch handle, replacement, keylocking, 1/4-turn foldaway handle. (1) Yale-type key included.	Stock	\$89.00
<u>SCE-PKH5SS</u>	Saginaw latch handle, replacement, 5in, keylocking/padlocking, 1/4-turn, stainless steel. For use with Saginaw enclosures with 3-point door hardware. (2) SCE-KC101 keys included. Requires SCE-ARK36 or SCE-103370 door rod kit or SCE-3PTSMC cam.	Stock	\$145.00
<u>SCE-MINQLB-25</u>	Saginaw enclosure latch, replacement, miniature 1/4-turn lever knob, 1-point, die-cast zinc, black matte finish. Package of 25. For use with Enviroline Junction series enclosures and deep-hinged doors. Requires SCE-105419 or SCE-112984 cam.	Stock	\$917.00
<u>MHK1</u>	Hammond enclosure latch, padlocking, 1/4-turn handle, 1-point, die-cast zinc, black matte finish. For use with single-door NEMA 4 and NEMA 12 enclosures.	Stock	\$127.00
<u>2SLI</u>	Hammond enclosure latch insert, replacement, slotted, die-cast zinc, black matte finish. For use with Eclipse series enclosures with standard 1/4-turn latch.	Stock	\$18.00
<u>EJQTR</u>	Hammond enclosure latch, replacement, slotted, 1/4-turn semi-flush, 1-point, die-cast zinc, black matte finish. For use with Eclipse Junior series enclosures.	Stock	\$15.00
<u>SCE-MINQLB</u>	Saginaw enclosure latch, replacement, miniature 1/4-turn lever knob, 1-point, die-cast zinc, black matte finish. For use with Enviroline Junction series enclosures and deep-hinged doors. Requires SCE-105419 or SCE-112984 cam.	Stock	\$41.50
<u>N41214TTRI</u>	Wiegmann enclosure latch, triangular key, 1/4-turn semi-flush, 1-point, plated steel. For use with N412 Ultimate series enclosures. Requires SCE-107930 or 2TRK7 key.	Stock	\$35.50
<u>SCE-3PTSMC</u>	Saginaw latch cam, replacement, carbon steel, plated zinc finish. For use with Saginaw 5in door handles.	Stock	\$19.00
<u>SCE-LPCLAMPSS</u>	Saginaw screw clamp, replacement, stainless steel. Package of 2. For use with SCE-xxxxLP enclosures.	Stock	\$27.50
<u>MHK1SS</u>	Hammond enclosure latch, padlocking, 1/4-turn handle, 1-point, 316 stainless steel. For use with single-door NEMA 4X enclosures.	Stock	\$195.00
<u>EHLPL</u>	Hammond enclosure latch, padlocking, 1/4-turn L-handle, 1-point, zinc plated steel. For use with Eclipse series enclosures.	Stock	\$127.00
<u>SCE-DLWKF-25</u>	Saginaw enclosure latch, replacement, 1/4-turn wing knob, 1-point, die-cast zinc, black matte finish. Package of 25. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$457.00
<u>1418QR</u>	Hammond enclosure quick-release clamp, replacement, 304 stainless steel. Package of 2. For use with 1418, 1418N4, 1447N4 and 1422N4 enclosures.	Stock	\$27.50
<u>N41214TVP</u>	Wiegmann enclosure latch, double-bit key, 1/4-turn semi-flush, 1-point, vibration-proof, plated steel, black matte trim finish. For use with N412 Ultimate series enclosures. Requires N41214TVPK key.	Stock	\$62.00
<u>WAN4XRA</u>	Wiegmann enclosure U-clamp assembly, replacement, 304 stainless steel. For use with NEMA 4X enclosures.	Stock	\$35.00
<u>SCE-PLWKSS</u>	Saginaw enclosure latch, replacement, padlocking, 1/4-turn wing knob, 1-point, stainless steel. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$69.00
<u>SCE-PCH7-7SC</u>	Saginaw latch handle, replacement, 7in, 7mm square, 1/4-turn, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. (1) SCE-101695 key included. Requires SCE-ARK36 door rod kit or SCE-102237 cam.	Stock	\$144.00
<u>2WKL</u>	Hammond enclosure latch, replacement, keylocking, 1/4-turn wing handle, 1-point, die-cast zinc, black matte finish. For use with Eclipse series enclosures. (2) keys included.	Stock	\$99.00
<u>MHKL1</u>	Hammond enclosure latch, combination keylocking/padlocking, 1/4-turn handle, 1-point, die-cast zinc, black matte finish. For use with single-door NEMA 4 and NEMA 12 enclosures. (2) keys included.	Stock	\$144.00
<u>SCE-CHCLAMP</u>	Saginaw screw clamp, replacement, die-cast zinc and stainless steel, chrome finish. Package of 2. For use with SCE-xxxxCHNF enclosures.	Stock	\$23.50
<u>N41214TW</u>	Wiegmann enclosure latch, 1/4-turn wing handle, 1-point, plated steel, black matte finish. For use with N412 Ultimate series enclosures.	Stock	\$59.00
<u>MHK3</u>	Hammond enclosure latch, padlocking, 1/4-turn handle, 3-point, die-cast zinc, black matte finish. For use with 60in (H) or greater NEMA 4 and NEMA 12 enclosures.	Stock	\$221.00

<u>EJWKL</u>	Hammond enclosure latch, replacement, keylocking, 1/4-turn wing handle, 1-point, die-cast zinc, black matte finish. For use with Eclipse Junior series enclosures. (2) keys included.	Stock	\$46.00
<u>SCE-K333</u>	Saginaw enclosure key, replacement, standard 1/4 turn. Package of 2.	Stock	\$9.50
<u>EPA</u>	Hammond enclosure padlock kit, 304 stainless steel. For use with Eclipse series enclosures. Mounting hardware included.	Stock	\$21.50
<u>SCE-ELKLT</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn tee handle, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam and (2) SCE-K333 keys included.	Stock	\$57.00
<u>N1JLK</u>	Hammond enclosure latch, keylocking, 1/4-turn flush-mount, 1-point, polyamide, black matte finish. For use with N1J, CHKO, N1WS, N1WF, and SWB enclosures. (2) keys included.	Stock	\$9.50
<u>SCE-DLKADB-25</u>	Saginaw enclosure latch, replacement, keylocking, 1/4-turn, 1-point, die-cast zinc, black matte finish. Package of 25. For use with Enviroline series enclosures. (1) SCE-102804 cam and (2) SCE-K333 keys included.	Stock	\$871.00
<u>SCE-DLSB</u>	Saginaw enclosure latch, replacement, slotted, 1/4-turn, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$25.00
<u>SCE-ORCH</u>	Saginaw quick-release clamp assembly, replacement, die-cast zinc, black matte finish. For use with SCE-xxxxxCHNF enclosures.	Stock	\$11.00
<u>EOTRL</u>	Hammond enclosure latch, replacement, keylocking, 1/4-turn semi-flush, 1-point, die-cast zinc, chrome finish. For use with Eclipse series swing-out panels. (2) keys included.	Stock	\$24.50
<u>1481HC18</u>	Hammond enclosure U-clamp assembly, replacement, 316 stainless steel. Package of 2. For use with 1418 and 1447 enclosures.	Stock	\$37.50
<u>SCE-DLWKE</u>	Saginaw enclosure latch, replacement, 1/4-turn wing knob, 1-point, die-cast zinc, black matte finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$25.00
<u>SCE-PKH7</u>	Saginaw latch handle, replacement, 7in, keylocking/padlocking, 1/4-turn, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. (2) SCE-KC101 keys included. Requires SCE-ARK36 door rod kit or SCE-102237 cam.	Stock	\$144.00
<u>SCE-PKH5</u>	Saginaw latch handle, replacement, 5in, keylocking/padlocking, 1/4-turn, die-cast zinc, black matte finish. For use with Saginaw enclosures with 3-point door hardware. (2) SCE-KC101 keys included. Requires SCE-ARK36 door rod kit or SCE-3PTSMC cam.	Stock	\$126.00
<u>1481C14</u>	Hammond enclosure Z-clamp assembly, replacement, 304 stainless steel. Package of 2. For use with HJ, 1414, 1485, 1486 and 1487 enclosures.	Stock	\$21.00
<u>2TRK7</u>	Hammond enclosure key, triangular, die-cast zinc, natural finish. For use with enclosure latches with 2TRI7 insert.	Stock	\$16.75
<u>AHLK</u>	AttaBox enclosure latch, replacement, quick-release, polycarbonate. Package of 2. For use with Heartland series enclosures.	Stock	\$11.00
<u>SCE-102804</u>	Saginaw 28mm external stop latch cam, replacement, carbon steel, plated zinc finish.	Stock	\$35.00
<u>EHTL</u>	Hammond enclosure latch, keylocking, 1/4-turn tee handle, 1-point, die-cast zinc, black matte finish. For use with Eclipse series enclosures. (2) keys included.	Stock	\$68.00
<u>2SQI7</u>	Hammond enclosure latch insert, replacement, square key, die-cast zinc, black matte finish. For use with Eclipse series enclosures with standard 1/4-turn latch. Requires 2SQK7 key.	Stock	\$18.00
<u>KIT-GPCL-2PK-P10</u>	Integra quick-release latch, replacement, glass-filled nylon. Package of 2. For use with Genesis series polycarbonate enclosures.	Stock	\$21.50
<u>MHKL3</u>	Hammond enclosure latch, combination keylocking/padlocking, 1/4-turn handle, 3-point, die-cast zinc, black matte finish. For use with 60in (H) or greater NEMA 4 and NEMA 12 enclosures. (2) keys included.	Stock	\$251.00
<u>EHLSS</u>	Hammond enclosure latch, keylocking, 1/4-turn L-handle, 1-point, 316 stainless steel. For use with Eclipse series enclosures. (2) keys included.	Stock	\$259.00
<u>MHK3SS</u>	Hammond enclosure latch, padlocking, 1/4-turn handle, 3-point, 316 stainless steel. For use with 60in (H) or greater NEMA 4X enclosures.	Stock	\$302.00
<u>SCE-DLWKC</u>	Saginaw enclosure latch, replacement, 1/4-turn wing knob, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$25.00
<u>SCE-DLCA</u>	Saginaw enclosure latch, replacement, 1/4-turn coin-proof, 1-point, die-cast zinc, chrome finish. For use with Enviroline series enclosures. (1) SCE-102804 cam included.	Stock	\$21.50
<u>14QRS16</u>	Hammond enclosure quick-release clamp, replacement, 316 stainless steel. For use with 1414 enclosures, 1485 wireway and 1486 trough.	Stock	\$28.00
Electrical Interlocks and Defeaters for Enclosures			
<u>SCE-E24I</u>	Saginaw electrical interlock, 24 VDC, provides a safety lockout on an enclosure when the circuits are energized.	Stock	\$193.00
<u>SCE-E115I</u>	Saginaw electrical interlock, 115/230 VAC, provides a safety lockout on an enclosure when the circuits are energized.	Stock	\$218.00
<u>WAEK115</u>	Wiegmann enclosure electrical interlock, prevents entry into energized enclosure that has a door handle. For use with most NEMA 12 enclosures.	Stock	\$245.00
<u>WAEK115NDH</u>	Wiegmann enclosure electrical interlock, prevents entry into energized enclosure that has no door handle. For use with most NEMA 12 enclosures.	Stock	\$305.00
<u>SCE-E460I</u>	Saginaw electrical interlock, 400/480 VAC, provides a safety lockout on an enclosure when the circuits are energized.	Stock	\$295.00

<u>SCE-EKDF</u>	Saginaw electrical interlock defeater, provides key-operated disengagement of the circuit to the electrical interlock allowing access to the enclosure. For use with SCE-115I electrical interlock.	Stock	\$52.00
<u>WAEKDF</u>	Wiegmann enclosure interlock defeater, key-operated, to disengage interlocks WAEK115 and WAEK115NDH.	Stock	\$109.00
<u>SCE-103758</u>	Saginaw mechanical interlock, interlocks the master door to the slave door. For use with Two-door enclosures greater than 30in (H) that have both doors hinged on the left with concealed hinges.	from vendor up to 0 business day	\$208.00
<u>SCE-130223</u>	Saginaw mechanical interlock, right door master. For use with Enviroline two-door freestanding enclosures.	Stock	\$203.00
<u>SCE-130224</u>	Saginaw mechanical interlock, left door master. For use with Enviroline two-door freestanding enclosures.	Stock	\$203.00
<u>SCE-130518</u>	Saginaw mechanical interlock cable, 168in length. For use with NextGen two-door enclosure interlocks.	Stock	\$41.50
<u>SCE-130520</u>	Saginaw mechanical interlock cable, 132in length. For use with NextGen single-door enclosure interlocks.	Stock	\$39.50
<u>SCE-130521</u>	Saginaw mechanical interlock, overlapping doors. For use with NextGen double-door freestanding enclosures.	Stock	\$93.00
<u>SCE-MDV</u>	Saginaw mechanical defeater, prevents the disconnect from being switched on until the master door is closed and latched. For use with V-style disconnects and most standard disconnect enclosures.	from vendor up to 0 business day	\$58.00
<u>SCE-MDV400</u>	Saginaw mechanical defeater, prevents the disconnect from being switched on until the master door is closed and latched. For use with 400A V-style disconnects and most standard disconnect enclosures.	from vendor up to 0 business day	\$64.00
Swing Panels for Enclosures			
<u>SCE-DFJ2016</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-2016xELJxx enclosures.	Stock	\$98.00
<u>ABP-1816USOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 18x16 (HxW) H181610xxxx-P10 Premium series enclosures.	Stock	\$86.00
<u>SCE-72SP36F3</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with 72 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$748.00
<u>HFWN3P3024C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 30x24 (HxW) N4123024xxxx Ultimate series enclosures.	Stock	\$202.00
<u>SCE-DF60EL60</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-60EL60xxxx and SCE-60XEL61xxxx enclosures.	Stock	\$558.00
<u>SCE-DF60EL36LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-60EL36xxxx, SCE-60H36xxLP, SCE-60XEL37xxxx, SCE-60A38xxLPPL, 60HS3712LP, SCE-65XVR37xx and SCE-65VR36xx enclosures.	Stock	\$326.00
<u>SCE-DF20EL20LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-20EL20xxxx, SCE-20H20xxLP, SCE-20XEL21xxxx and SCE-20A22xxLPPL enclosures.	Stock	\$112.00
<u>HFWN3P3020C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 30x20 (HxW) N4123020xxxx Ultimate series enclosures.	Stock	\$203.00
<u>SCE-DFJ1210</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-1210xELJxxxx, SCE-1210xCHNFxx and SCE-1210CHSNF enclosures.	Stock	\$78.00
<u>SCE-1436P1</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-1436B consoles.	Stock	\$304.00
<u>SCE-DF24EL20LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-24EL20xxxx, SCE-24H20xxLP, SCE-24XEL21xxxx, SCE-24A22xxLPPL, 24HS2108LP and SCE-24R20xxLP enclosures.	Stock	\$117.00
<u>ESP6036</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 60x36 (HxW) EN4SD6036xxx & ST6036xxx Eclipse series enclosures.	Stock	\$423.00
<u>SCE-DF48EL24LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-48EL2412SSLP and SCE-48SA2610LPPL enclosures.	Stock	\$230.00
<u>SCE-DF7272</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-7272xxULP enclosures.	Stock	\$708.00
<u>ESP3024</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x24 (HxW) EN4SD3024xxx & ST3024xxx Eclipse series enclosures.	Stock	\$212.00
<u>ESP4824</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 48x24 (HxW) EN4SD4824xxx Eclipse series enclosures.	Stock	\$250.00
<u>ESP4236</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 42x36 (HxW) EN4SD4236xxx Eclipse series enclosures.	Stock	\$313.00
<u>ASWPK66-IMP-P10</u>	Integra swing panel, 3003 aluminum. For use with 6x6 (HxW) P6063-P10 & P6063C-P10 Impact series enclosures.	Stock	\$27.00
<u>ESP2424</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x24 (HxW) EN4SD2424xxx & ST2424xxx Eclipse series enclosures.	Stock	\$196.00
<u>ESP3020</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x20 (HxW) EN4SD3020xxx Eclipse series enclosures.	Stock	\$198.00
<u>SPB1</u>	Hammond swing panel mounting kit, for use with 8x6in to 16x12in (HxW) 1414 and Eclipse Junior series enclosures, includes (2) hinge brackets, (2) fixed brackets, and mounting hardware.	Stock	\$66.00
<u>SCE-72SP24F3</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with 72 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$568.00

<u>AH1010SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHxx10106xxx Heartland series enclosures.	Stock	\$85.00
<u>SPB2</u>	Hammond swing panel mounting kit, for use with 16x12in (HxW) and larger 1418, Eclipse series, and C3RxxxHCR enclosures, includes (2) hinge brackets, (2) fixed brackets, and mounting hardware.	Stock	\$91.00
<u>ESP3624</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x24 (HxW) EN4SD3624xxx Eclipse series enclosures.	Stock	\$232.00
<u>SCE-72SP30F3</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with 72 x 30in (HxW) Saginaw freestanding enclosures.	Stock	\$658.00
<u>HFWNSP1212C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 12x12 (HxW) N41212120xxx Ultimate series enclosures.	Stock	\$134.00
<u>AH108SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHx1084xxx and AHx1086xxx Heartland series enclosures.	Stock	\$59.00
<u>AH1210SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHxx12106xxx Heartland series enclosures.	Stock	\$63.00
<u>SCE-DF7260</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-7260xxULP enclosures.	Stock	\$635.00
<u>AH66SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHx664xxx Heartland series enclosures.	Stock	\$53.00
<u>HFWNSP3630C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 36x30 (HxW) N4123630xxxx Ultimate series enclosures.	Stock	\$244.00
<u>SCE-ELSP3</u>	Saginaw swing panel mounting kit, carbon steel, zinc plated finish. For use with Enviroline enclosures 20in to 60in (H). Includes (3) hinges, (2) brackets, and mounting hardware.	Stock	\$81.00
<u>HFWNSP3636C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 36x36 (HxW) N4123636xxxx Ultimate series enclosures.	Stock	\$269.00
<u>SSWPK86-IMP-P10</u>	Integra swing panel, carbon steel, white, powder coat finish. For use with 8x6 (HxW) P8063-P10 & P8063C-P10 Impact series enclosures.	Stock	\$64.00
<u>ESP1620</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x20 (HxW) EN4SD1620xxx Eclipse series enclosures.	Stock	\$165.00
<u>SSWPK66-IMP-P10</u>	Integra swing panel, carbon steel, white, powder coat finish. For use with 6x6 (HxW) P6063-P10 & P6063C-P10 Impact series enclosures.	Stock	\$59.00
<u>ABP-66USOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 6x6 (HxW) H6064xxxxx-P10 Premium series enclosures.	Stock	\$40.50
<u>SCE-DF30EL20LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-30EL20xxxx, SCE-30H20xxLP, SCE-30XEL21xxxx and SCE-30A22xxLPPL enclosures.	Stock	\$134.00
<u>SCE-90SP36F4</u>	Saginaw swing panel, half-height, carbon steel, white, powder coat finish. For use with 90 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$561.00
<u>ESP2420</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x20 (HxW) EN4SD2420xxx & ST2420xxx Eclipse series enclosures.	Stock	\$184.00
<u>AH1412SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHxx14126xxx Heartland series enclosures.	Stock	\$68.00
<u>SCE-90SP36F3</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with 90 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$888.00
<u>HFWNSP3624C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 36x24 (HxW) N4123624xxxx Ultimate series enclosures.	Stock	\$218.00
<u>HFWNSP3030C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 30x30 (HxW) N4123030xxxx Ultimate series enclosures.	Stock	\$223.00
<u>ABP-1210USPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 12x10 (HxW) H1210xxxxxx-P10 Premium series enclosures.	Stock	\$53.00
<u>HFWNSP2016C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 20x16 (HxW) N4122016xxxx Ultimate series enclosures.	Stock	\$155.00
<u>AH2424SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHxx242410xxx Heartland series enclosures.	Stock	\$88.00
<u>SCE-NADFK</u>	Saginaw swing panel mounting kit, carbon steel, zinc plated finish. For use with NEMA 4 or 12 LP wall-mount enclosures 12 x 12in (HxW) to 30in (H). Includes (2) hinges, (2) brackets, and mounting hardware.	Stock	\$65.00
<u>SCE-DF42EL24LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-42EL24xxxx, SCE-42H2408LP, SCE-47XVR2514 and SCE-47VR2514 enclosures.	Stock	\$190.00
<u>SCE-DF36EL24LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-36EL24xxxx, SCE-36H24xxLP, SCE-36XEL25xxxx, SCE-36A26xxLPPL, 36HS2508LP, 41VR2412 and SCE-36R24xxLP enclosures.	Stock	\$165.00
<u>DBI20A</u>	Quadritalia OKK series swing panel kit, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2000 x 1000mm Quadritalia OKK series modular enclosures.	Stock	\$378.00
<u>ESP2416</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 24x16 (HxW) EN4SD2416xxx Eclipse series enclosures.	Stock	\$172.00
<u>ABP-1412USOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 14x12 (HxW) H141206xxxxx-P10 Premium series enclosures.	Stock	\$63.00
<u>SCE-DF48EL36LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-48EL36xxxx, SCE-48H36xxLP, SCE-48XEL37xxxx, SCE-48A38xxLPPL, 48HS3712LP, SCE-53XVR37xx and SCE-53VR36xx enclosures.	Stock	\$275.00
<u>ASWPK86-IMP-P10</u>	Integra swing panel, 3003 aluminum. For use with 8x6 (HxW) P8063-P10 & P8063C-P10 Impact series enclosures.	Stock	\$29.00

<u>HFWNSP2416C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 24x16 (HxW) N4122416xxxx Ultimate series enclosures.	Stock	\$176.00
<u>SCE-72SP36F4</u>	Saginaw swing panel, half-height, carbon steel, white, powder coat finish. For use with 72 x 36in (HxW) Saginaw freestanding enclosures.	Stock	\$485.00
<u>SCE-DFJ1412</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-1412xELJxxxx, SCE-1412xCHNFxx and SCE-1412CHSNF enclosures.	Stock	\$84.00
<u>DBI18A</u>	Quadritalia OKK series swing panel kit, carbon steel, RAL 7035 light gray, powder coat finish. For use with 1800 x 1000mm Quadritalia OKK series modular enclosures.	Stock	\$334.00
<u>SCE-DF36EL30LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-36EL30xxxx, SCE-36H30xxLP, SCE-36XEL31xxxx, SCE-36A32xxLPPL, 36HS31xxLP and SCE-36R30xxLP enclosures.	Stock	\$194.00
<u>SCE-DF24EL24LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-24EL24xxxx, SCE-24H24xxLP, SCE-24XEL25xxxx, SCE-24A26xxLPPL, 24HS2508LP, 29VR24xx and SCE-24R24xxLP enclosures.	Stock	\$126.00
<u>SCE-DF72EL36LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-72EL36xxxx and SCE-72H36xxLP enclosures.	Stock	\$343.00
<u>SCE-DF42EL36LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-42EL36xxxx, SCE-42H36xxLPP, SCE-42XEL37xxxx, SCE-42A38xxLPPL and 42HS3712LP enclosures.	Stock	\$246.00
<u>SCE-NADFK-3</u>	Saginaw swing panel mounting kit, carbon steel, zinc plated finish. For use with NEMA 4 or 12 LP wall-mount enclosures over 30in (H). Includes (2) hinges, (2) brackets, and mounting hardware.	Stock	\$81.00
<u>ESP1612</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x12 (HxW) EN4SD1612xxx & ST1612xxx Eclipse series enclosures.	Stock	\$148.00
<u>SCE-14P1</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-14B consoles.	Stock	\$244.00
<u>SCE-ELSP</u>	Saginaw swing panel mounting kit, carbon steel, zinc plated finish. For use with Enviroline enclosures 12in to 16in (H). Includes (2) hinges, (2) brackets, and mounting hardware.	Stock	\$65.00
<u>ABP-108USOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 10x8 (HxW) P10086-P10 & P10086C-P10 Impact series and H1008xxxxx-P10 Premium series enclosures.	Stock	\$49.50
<u>SCE-DFJ1008</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-1008xELJxxxx, SCE-1008xCHNFxx and SCE-1008CHSNF enclosures.	Stock	\$72.00
<u>DBI208</u>	Quadritalia OKK series swing panel kit, carbon steel, RAL 7035 light gray, powder coat finish. For use with 2000 x 800mm Quadritalia OKK series modular enclosures.	Stock	\$326.00
<u>SCE-DFJ1614</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-1614xELJxxxx, SCE-1614xCHNFxx and SCE-1614CHSNF enclosures.	Stock	\$90.00
<u>SCE-72SP30F4</u>	Saginaw swing panel, half-height, carbon steel, white, powder coat finish. For use with 72 x 30in (HxW) Saginaw freestanding enclosures.	Stock	\$435.00
<u>SCE-72SP24F4</u>	Saginaw swing panel, half-height, carbon steel, white, powder coat finish. For use with 72 x 24in (HxW) Saginaw freestanding enclosures.	Stock	\$404.00
<u>ABP-88USOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 8x8 (HxW) H8084xxxx-P10 Premium series enclosures.	Stock	\$45.50
<u>SCE-DF6048</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-6048xxLP enclosures.	Stock	\$516.00
<u>AH1816SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AH18164xxx and AHxx181610xxx Heartland series enclosures.	Stock	\$78.00
<u>SBP-2016GSOPK-P10</u>	Integra swing panel, carbon steel, white, powder coat finish. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures. Requires GSR2016-P10 frame stiffener ring and KIT-GMMR8-P10 internal mounting rail kit.	Stock	\$248.00
<u>HFWNSP1620C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 16x20 (HxW) N4121620xxxx Ultimate series enclosures.	Stock	\$168.00
<u>SBP-2424GSOPK-P10</u>	Integra swing panel, carbon steel, white, powder coat finish. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures. Requires GSR2424-P10 frame stiffener ring and KIT-GMMR10-P10 internal mounting rail kit.	Stock	\$268.00
<u>SCE-DF72EL60</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-72EL60xxxx and SCE-72XEL61xxxx enclosures.	Stock	\$617.00
<u>HFWNSP2024C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 20x24 (HxW) N4122024xxxx Ultimate series enclosures.	Stock	\$188.00
<u>SCE-DF6060</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-6060xxLP enclosures.	Stock	\$574.00
<u>ESP3630</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x30 (HxW) EN4SD3630xxx & ST3630xxx Eclipse series enclosures.	Stock	\$257.00
<u>ABP-86USOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 8x6 (HxW) H8064xxxx-P10 Premium series enclosures.	Stock	\$43.00
<u>SCE-DF36EL36LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-36EL36xxxx and SCE-36H36xxLP enclosures.	Stock	\$220.00
<u>DBI188</u>	Quadritalia OKK series swing panel kit, carbon steel, RAL 7035 light gray, powder coat finish. For use with 1800 x 800mm Quadritalia OKK series modular enclosures.	Stock	\$284.00
<u>SCE-DF20EL16LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-20EL16xxxx, SCE-20H16xxLP and SCE-20R16xxLP enclosures.	Stock	\$105.00

<u>ESP1616</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 16x16 (HxW) EN4SD1616xxx & ST1616xxx Eclipse series enclosures.	Stock	\$156.00
<u>HFWNSP2420C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 24x20 (HxW) N4122420xxxx Ultimate series enclosures.	Stock	\$174.00
<u>ABP-1614USOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 16x14 (HxW) H161407xxxx-P10 Premium series enclosures.	Stock	\$69.00
<u>ESP2020</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x20 (HxW) EN4SD2020xxx & ST2020xxx Eclipse series enclosures.	Stock	\$173.00
<u>HFWNSP1612C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 16x12 (HxW) N4121612xxxx Ultimate series enclosures.	Stock	\$140.00
<u>HFWNSP1616C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 16x16 (HxW) N4121616xxxx Ultimate series enclosures.	Stock	\$147.00
<u>ESP2016</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x16 (HxW) EN4SD2016xxx & ST2016xxx Eclipse series enclosures.	Stock	\$165.00
<u>AH1614SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHxx16148xxx Heartland series enclosures.	Stock	\$73.00
<u>ESP3636</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 36x36 (HxW) EN4SD3636xxx & ST363612xx Eclipse series enclosures.	Stock	\$285.00
<u>SCE-DF30EL30LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-30EL30xxxx and SCE-30H30xxLP enclosures.	Stock	\$168.00
<u>SCE-DF72EL72</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-72EL72xxxx, SCE-72XEL73xxxx and SCE-72X73xxLP enclosures.	Stock	\$688.00
<u>ABP-2016GSOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 20x16 (HxW) G201608E-P10 & G201608CE-P10 Genesis series enclosures. Requires GSR2016-P10 frame stiffener ring and KIT-GMMR8-P10 internal mounting rail kit.	Stock	\$182.00
<u>ESP2024</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 20x24 (HxW) EN4SD2024xxx Eclipse series enclosures.	Stock	\$184.00
<u>ESP1212</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 12x12 (HxW) EN4SD12126xx & ST12126LG Eclipse series enclosures.	Stock	\$143.00
<u>HFWNSP2020C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 20x20 (HxW) N4122020xxxx Ultimate series enclosures.	Stock	\$164.00
<u>SCE-NADFKSS</u>	Saginaw swing panel mounting kit, 304 stainless steel. For use with NEMA 4 or 12 LP wall-mount enclosures larger than 12 x 12in (HxW). Includes (2) hinges, (2) brackets, and mounting hardware.	Stock	\$201.00
<u>SCE-DFJ1212</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-1212ELJxxxx and SCE-1212CHNFxx enclosures.	Stock	\$81.00
<u>SCE-DF42EL30LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-42EL30xxxx, SCE-42H30xxLP, SCE-42XEL31xxxx, SCE-42A32xxLPPL, 42HS3112LP and SCE-42R30xxLP enclosures.	Stock	\$224.00
<u>AH86SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHx864xxx Heartland series enclosures.	Stock	\$54.00
<u>AH2016SPK</u>	AttaBox swing panel kit, 3003-H14 aluminum. For use with AHxx20168xxx Heartland series enclosures.	Stock	\$121.00
<u>HFWNSP2424C</u>	Wiegmann swing panel, carbon steel, white, powder coat finish. For use with 24x24 (HxW) N4122424xxxx Ultimate series enclosures.	Stock	\$185.00
<u>ESP4836</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 48x36 (HxW) EN4SD4836xxx & ST4836xxxx Eclipse series enclosures.	Stock	\$358.00
<u>ABP-2424GSOPK-P10</u>	Integra swing panel, 3003 aluminum. For use with 24x24 (HxW) G242410E-P10 & G242410CE-P10 Genesis series enclosures. Requires GSR2424-P10 frame stiffener ring and KIT-GMMR10-P10 internal mounting rail kit.	Stock	\$240.00
<u>SCE-DF60EL48</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-60EL48xxxx and SCE-60XEL49xxxx enclosures.	Stock	\$501.00
<u>SCE-DF30EL24LP</u>	Saginaw swing panel, carbon steel, white, powder coat finish. For use with SCE-30EL24xxxx, SCE-30H24xxLP, SCE-30XEL25xxxx, SCE-30A26xxLPPL, 30HS2508LP, 35VR2412 and SCE-30R24xxLP enclosures.	Stock	\$142.00
<u>ESP3030</u>	Hammond swing panel, carbon steel, RAL 9003 white, powder coat finish. For use with 30x30 (HxW) EN4SD3030xxx & ST3030xxx Eclipse series enclosures.	Stock	\$235.00
Dead Front Panels for Enclosures			
<u>HFWDF2420C</u>	Wiegmann dead front panel, carbon steel, white, powder coat finish. For use with 20x24/24x20/24x22 (HxW) N4122024xxxx, N4122420xxxx & N412242208Cxxx Ultimate series enclosures.	Stock	\$151.00
<u>HFWDF3024C</u>	Wiegmann dead front panel, carbon steel, white, powder coat finish. For use with 24x30/30x24 (HxW) N4122430xxxx, N4123024xxxx & N412302608Cxxx Ultimate series enclosures.	Stock	\$202.00
<u>SFPK44-IMP-P10</u>	Integra dead front panel, carbon steel, white, powder coat finish. For use with 4x4 (HxW) P4043-P10 & P4043C-P10 Impact series enclosures.	Stock	\$52.00
<u>HFWDF1212C</u>	Wiegmann dead front panel, carbon steel, white, powder coat finish. For use with 12x12 (HxW) N41212120xxx Ultimate series enclosures.	Stock	\$80.00
<u>HFWDF2016C</u>	Wiegmann dead front panel, carbon steel, white, powder coat finish. For use with 16x20/20x16 (HxW) N4121620xxxx & N4122016xxxx Ultimate series enclosures.	Stock	\$117.00

<u>AFPK44-IMP-P10</u>	Integra dead front panel, 3003 aluminum. For use with 4x4 (HxW) P4043-P10 & P4043C-P10 Impact series enclosures.	Stock	\$24.50
<u>AFPK108-IMP-P10</u>	Integra dead front panel, 3003 aluminum. For use with 10x8 (HxW) P10086-P10 & P10086C-P10 Impact series enclosures.	Stock	\$41.00
<u>HFWD2020C</u>	Wiegmann dead front panel, carbon steel, white, powder coat finish. For use with 20x20/20x22 (HxW) N4122020xxxx & N412202208Cxxx Ultimate series enclosures.	Stock	\$134.00
<u>HFWD21612C</u>	Wiegmann dead front panel, carbon steel, white, powder coat finish. For use with 16x12 (HxW) N4121612xxxx Ultimate series enclosures.	Stock	\$90.00
<u>HFWD2424C</u>	Wiegmann dead front panel, carbon steel, white, powder coat finish. For use with 24x24/24x26 (HxW) N4122424xxxx & N412242608Cxxx Ultimate series enclosures.	Stock	\$171.00
<u>SFPK66-IMP-P10</u>	Integra dead front panel, carbon steel, white, powder coat finish. For use with 6x6 (HxW) P6063-P10 & P6063C-P10 Impact series enclosures.	Stock	\$52.00
<u>AFPK86-IMP-P10</u>	Integra dead front panel, 3003 aluminum. For use with 8x6 (HxW) P8063-P10 & P8063C-P10 Impact series enclosures.	Stock	\$29.50
<u>AFPK66-IMP-P10</u>	Integra dead front panel, 3003 aluminum. For use with 6x6 (HxW) P6063-P10 & P6063C-P10 Impact series enclosures.	Stock	\$28.00
<u>SFPK86-IMP-P10</u>	Integra dead front panel, carbon steel, white, powder coat finish. For use with 8x6 (HxW) P8063-P10 & P8063C-P10 Impact series enclosures.	Stock	\$56.00
Panel Mounting and Support Hardware for Enclosures			
<u>KIT-GPP-P10</u>	Integra panel pad kit, for use with 24 x 24 x 10in Genesis series enclosures, includes (4) panel pads with mounting screws.	Stock	\$52.00
<u>SCE-FSPS8</u>	Saginaw enclosure panel support, carbon steel, plated finish. Package of 8. For use with freestanding enclosures. Mounting hardware included.	Stock	\$183.00
<u>1418ACS</u>	Hammond enclosure center panel support, carbon steel, RAL 9003 white, powder coat finish. For use with 60in (H) double-door enclosures. Allows (2) single-wide sub-panels (including swing-out panels and rack mount frames) to be mounted in double-door enclosure.	Stock	\$281.00
<u>SCE-90FSHDPS</u>	Saginaw enclosure heavy duty panel support, 87.2in length, carbon steel, white, powder coat finish. Package of 2. For use with 90in (H) enclosures. Mounting hardware included.	from vendor up to 0 business day	\$198.00
<u>SCE-60FSCPS</u>	Saginaw enclosure center panel support, carbon steel, white, powder coat finish. For use with 60in (H) double-door enclosures. Mounting hardware included.	Stock	\$173.00
<u>1418ZCS</u>	Hammond enclosure center panel support, carbon steel, RAL 9003 white, powder coat finish. For use with 90in (H) double-door enclosures. Allows (2) single-wide sub-panels (including swing-out panels and rack mount frames) to be mounted in double-door enclosure.	Stock	\$313.00
<u>KIT-GPP-2016-P10</u>	Integra panel pad kit, for use with 20 x 16 x 8in Genesis series enclosures, includes (4) panel pads with mounting screws.	Stock	\$52.00
<u>1418BCS</u>	Hammond enclosure center panel support, carbon steel, RAL 9003 white, powder coat finish. For use with 72in (H) double-door enclosures. Allows (2) single-wide sub-panels (including swing-out panels and rack mount frames) to be mounted in double-door enclosure.	Stock	\$371.00
<u>SCE-PSK24</u>	Saginaw enclosure panel support, 21in length, carbon steel, horizontal mount, white, powder coat finish. Package of 2. Mounting hardware included.	Stock	\$90.00
<u>SCE-72FSHDPS</u>	Saginaw enclosure heavy duty panel support, 69.2in length, carbon steel, white, powder coat finish. Package of 2. For use with 72in (H) enclosures. Mounting hardware included.	from vendor up to 0 business day	\$180.00
<u>SCE-90FSCS</u>	Saginaw enclosure subpanel center support, carbon steel, white, powder coat finish. For use with 90in (H) enclosures. Mounting hardware included.	from vendor up to 0 business day	\$227.00
<u>SCE-72FSCPS</u>	Saginaw enclosure center panel support, carbon steel, white, powder coat finish. For use with 72in (H) double-door enclosures. Mounting hardware included.	Stock	\$191.00
<u>SCE-PSK32</u>	Saginaw enclosure panel support, 29.2in length, carbon steel, horizontal mount, white, powder coat finish. Package of 2. Mounting hardware included.	Stock	\$96.00
<u>SCE-90FSCPS</u>	Saginaw enclosure center panel support, carbon steel, white, powder coat finish. For use with 90in (H) double-door enclosures. Mounting hardware included.	Stock	\$227.00
<u>SCE-FSPS6</u>	Saginaw enclosure panel support, carbon steel, plated finish. Package of 6. For use with freestanding enclosures. Mounting hardware included.	Stock	\$122.00
<u>SCE-FSPS4</u>	Saginaw enclosure panel support, carbon steel, plated finish. Package of 4. For use with freestanding enclosures. Mounting hardware included.	Stock	\$81.00
<u>SCE-72FSCS</u>	Saginaw enclosure subpanel center support, carbon steel, white, powder coat finish. For use with 72in (H) enclosures. Mounting hardware included.	from vendor up to 0 business day	\$191.00
<u>SCE-60FSHDPS</u>	Saginaw enclosure heavy duty panel support, 57.2in length, carbon steel, white, powder coat finish. Package of 2. For use with 60in (H) enclosures. Mounting hardware included.	from vendor up to 0 business day	\$165.00

<u>HFWCNP4C</u>	Wiegmann enclosure panel conversion kit, white, polyester powder finish, allows standard NP series sub panels to mount in Ultimate series enclosures up to 30 x 30in (HxW) nominal size, includes (4) brackets and mounting hardware.	Stock	\$60.00
<u>SCE-115259</u>	Saginaw dead front extension bracket, 2.56 x 2 x 0.94in. Package of 5.	Stock	\$50.00
<u>HFWADM84C</u>	Wiegmann enclosure adjustable depth mounting kit, white, polyester powder finish. For use with N412 Ultimate series enclosures 8 or more inches deep. Includes (4) brackets, (4) mounting clips and mounting hardware.	Stock	\$85.00
<u>KIT-GMMR10-P10</u>	Integra Multi-Max series internal mounting rail kit, for use with 24 x 24 x 10in Genesis series enclosures, includes (4) mounting rails with mounting screws.	Stock	\$65.00
<u>BPAKG-P10</u>	Integra adjustable depth mounting kit, gray. For use with Premium series polycarbonate enclosures. Includes (4) brackets with set screws.	Stock	\$20.50
<u>AHSPM</u>	AttaBox Heartland series swing panel bracket, polycarbonate. Package of 4. For use with Heartland series enclosures. Mounting screws included.	Stock	\$32.50
<u>KIT-GMMR8-P10</u>	Integra Multi-Max series internal mounting rail kit, for use with 20 x 16 x 8in Genesis series enclosures, includes (4) mounting rails with mounting screws.	Stock	\$58.00
<u>UBPAKG-P10</u>	Integra adjustable depth mounting kit, gray. For use with Premium series polycarbonate enclosures. Includes (4) brackets with thumb screws.	Stock	\$26.50
<u>PPK100</u>	Quadritalia subpanel mounting hardware kit, replacement. Brackets, sliders, conic pins, and fasteners included.	Stock	\$42.50
<u>HFWADM122C</u>	Wiegmann enclosure adjustable depth mounting kit, white, polyester powder finish. For use with N412 Ultimate series enclosures 12 or more inches deep. Includes (2) brackets, (2) mounting clips and mounting hardware.	Stock	\$50.00
<u>APK110</u>	Quadritalia subpanel recess mounting hardware kit, brackets, sliders, conic pins, and fasteners included.	Stock	\$16.75
Rack Mounting Components for Enclosures			
<u>SCE-60RA24WS</u>	Saginaw enclosure rack mounting channel, 28in length, carbon steel, white, powder coat finish. Package of 2. For use with Saginaw work stations. Mounting hardware included.	Stock	\$189.00
<u>SCE-14R</u>	Saginaw enclosure rack mounting angle, carbon steel, white, powder coat finish. Package of 2. For use with SCE-14B consoles. Mounting hardware included.	Stock	\$216.00
<u>SCE-60RA19WS</u>	Saginaw enclosure rack mounting channel, 19in length, carbon steel, white, powder coat finish. Package of 2. For use with Saginaw work stations. Mounting hardware included.	Stock	\$181.00
<u>SCE-60RP19WS</u>	Saginaw enclosure rack mounting angle, 19.2in length, carbon steel, white, powder coat finish. Package of 2. For use with Saginaw work stations. Mounting hardware included.	Stock	\$88.00
Terminal Straps and Brackets for Enclosures			
<u>18B220</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 20in (H or W) 1418 wall-mount enclosures.	Stock	\$66.00
<u>14S10</u>	Hammond enclosure terminal strap, 8.2in length, 6.3in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 10in (H or W) 1414 enclosures. Mounting hardware included.	Stock	\$12.50
<u>18B330</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 3. For use with 30in (H or W) 1418 wall-mount enclosures.	Stock	\$116.00
<u>18B224</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 24in (H or W) 1418 wall-mount enclosures.	Stock	\$80.00
<u>18S12</u>	Hammond enclosure terminal strap, 9.5in length, 7.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 12in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$21.50
<u>14S12</u>	Hammond enclosure terminal strap, 10.2in length, 8.3in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 12in (H or W) 1414 enclosures. Mounting hardware included.	Stock	\$13.00
<u>14B12</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 12in (H or W) 1414 enclosures.	Stock	\$26.50
<u>18S20</u>	Hammond enclosure terminal strap, 17.5in length, 15.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 20in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$25.50
<u>14S8</u>	Hammond enclosure terminal strap, 6.2in length, 4.3in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 8in (H or W) 1414 enclosures. Mounting hardware included.	Stock	\$11.75
<u>14B14</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 14in (H or W) 1414 enclosures.	Stock	\$27.50
<u>18S24</u>	Hammond enclosure terminal strap, 21.5in length, 19.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 24in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$29.00
<u>18S30</u>	Hammond enclosure terminal strap, 27.5in length, 25.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 30in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$34.50

<u>14B10</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 10in (H or W) 1414 enclosures.	Stock	\$25.50
<u>18B230</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 30in (H or W) 1418 wall-mount enclosures.	Stock	\$86.00
<u>18B336</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 3. For use with 36in (H or W) 1418 wall-mount enclosures.	Stock	\$129.00
<u>14B6</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 6in (H or W) 1414 enclosures.	Stock	\$22.50
<u>18S42</u>	Hammond enclosure terminal strap, 39.5in length, 37.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 42in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$45.00
<u>14S16</u>	Hammond enclosure terminal strap, 14.2in length, 12.3in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 16in (H or W) 1414 enclosures. Mounting hardware included.	Stock	\$14.50
<u>18B324</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 3. For use with 24in (H or W) 1418 wall-mount enclosures.	Stock	\$98.00
<u>18B212</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 12in (H or W) 1418 wall-mount enclosures.	Stock	\$58.00
<u>18B216</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 16in (H or W) 1418 wall-mount enclosures.	Stock	\$65.00
<u>18S16</u>	Hammond enclosure terminal strap, 13.5in length, 11.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 16in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$22.00
<u>18S48</u>	Hammond enclosure terminal strap, 45.5in length, 43.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 48in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$50.00
<u>18S72</u>	Hammond enclosure terminal strap, 69.5in length, 67.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 72in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$66.00
<u>14S14</u>	Hammond enclosure terminal strap, 12.2in length, 10.3in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 14in (H or W) 1414 enclosures. Mounting hardware included.	Stock	\$13.75
<u>18S36</u>	Hammond enclosure terminal strap, 33.5in length, 31.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 36in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$39.50
<u>18S60</u>	Hammond enclosure terminal strap, 57.5in length, 55.6in usable length, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. For use with 60in (H or W) 1418 wall-mount enclosures. Mounting hardware included.	Stock	\$60.00
<u>18B236</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 36in (H or W) 1418 wall-mount enclosures.	Stock	\$93.00
<u>14B8</u>	Hammond enclosure terminal bracket, carbon steel, vertical or horizontal mount, RAL 9003 white, powder coat finish. Package of 2. For use with 8in (H or W) 1414 enclosures.	Stock	\$24.00
Mounting Channel Sets for Enclosures			
<u>STK445</u>	Quadritalia flanged mounting channel, 300mm length, galvanized steel. For use with 400mm width/depth enclosures.	Stock	\$15.25
<u>STK645</u>	Quadritalia flanged mounting channel, 500mm length, galvanized steel. For use with 600mm width/depth enclosures.	Stock	\$18.25
<u>STK845</u>	Quadritalia flanged mounting channel, 700mm length, galvanized steel. For use with 800mm width/depth enclosures.	Stock	\$19.75
<u>STKA45</u>	Quadritalia flanged mounting channel, 900mm length, galvanized steel. For use with 1000mm width/depth enclosures.	Stock	\$25.50
<u>SCK407</u>	Quadritalia closed-end mounting channel, 302mm length, galvanized steel. For use with 400mm width/depth enclosures.	Stock	\$15.25
<u>SCK607</u>	Quadritalia closed-end mounting channel, 502mm length, galvanized steel. For use with 600mm width/depth enclosures.	Stock	\$18.25
<u>SCK807</u>	Quadritalia closed-end mounting channel, 702mm length, galvanized steel. For use with 800mm width/depth enclosures.	Stock	\$19.75
<u>SCKA07</u>	Quadritalia closed-end mounting channel, 902mm length, galvanized steel. For use with 1000mm width/depth enclosures.	Stock	\$25.50
<u>SCKC07</u>	Quadritalia closed-end mounting channel, 1102mm length, galvanized steel. For use with 1200mm width enclosures.	Stock	\$30.50
DIN Rails for Enclosures			
<u>DIN4-IMP-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 3.8in length, plated steel. Package of 2. For use with 4in wide Impact series polycarbonate enclosures.	Stock	\$14.75

<u>DIN6-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 4.9in length, plated steel. Package of 2. For use with 6in wide Premium series polycarbonate enclosures.	Stock	\$14.75
<u>DIN6-IMP-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 4.9in length, plated steel. Package of 2. For use with 6in wide Impact series polycarbonate enclosures.	Stock	\$14.75
<u>DIN8-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 6.8in length, plated steel. Package of 2. For use with 8in wide Premium series polycarbonate enclosures.	Stock	\$20.50
<u>DIN8-IMP-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 6.8in length, plated steel. Package of 2. For use with 8in wide Impact series polycarbonate enclosures.	Stock	\$20.50
<u>DIN10-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 8.8in length, plated steel. Package of 2. For use with 10in wide Premium series polycarbonate enclosures.	Stock	\$21.50
<u>DIN12-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 10.8in length, plated steel. Package of 2. For use with 12in wide Premium series polycarbonate enclosures.	Stock	\$27.50
<u>DIN14-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 12.8in length, plated steel. Package of 2. For use with 14in wide Premium series polycarbonate enclosures.	Stock	\$29.50
<u>DIN16-GEN-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 16.8in length, plated steel. Package of 2. For use with 16in wide Genesis series polycarbonate enclosures.	Stock	\$32.50
<u>DIN16-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 15in length, plated steel. Package of 2. For use with 16in wide Premium series polycarbonate enclosures.	Stock	\$32.50
<u>DIN24-P10</u>	Integra DIN rail, slotted, 35mm width, 7mm height, 23.6in length, plated steel. Package of 2. For use with 24in wide Genesis series polycarbonate enclosures.	Stock	\$52.00
<u>AH6DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 4.9in length, plated steel. For use with AHx664xxx and AHx864xxx Heartland series enclosures.	Stock	\$6.00
<u>AH8DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 6.9in length, plated steel. For use with AHx864xxx, AHx884xxx, and AHx108xxxx Heartland series enclosures.	Stock	\$6.75
<u>AH10DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 8.9in length, plated steel. For use with AHx108xxxx, AHxx1010xxxx and AHxx1210xxxx Heartland series enclosures.	Stock	\$9.00
<u>AH12DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 10.8in length, plated steel. For use with AHxx1210xxxx and AHxx1412xxxx Heartland series enclosures.	Stock	\$11.00
<u>AH14DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 12.8in length, plated steel. For use with AHxx1412xxxx and AHxx1614xxxx Heartland series enclosures.	Stock	\$12.75
<u>AH16DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 14.7in length, plated steel. For use with AHxx1614xxxx, AHxx1816xxxx and AHxx2016xxxx Heartland series enclosures.	Stock	\$15.00
<u>AH18DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 16.7in length, plated steel. For use with AHxx1816xxxx Heartland series enclosures.	Stock	\$16.50
<u>AH20DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 18.6in length, plated steel. For use with AHxx2016xxx Heartland series enclosures.	Stock	\$19.25
<u>AH24DR</u>	AttaBox DIN rail, slotted, 35mm width, 7mm height, 22.5in length, plated steel. For use with AHxx2424xxxx Heartland series enclosures.	Stock	\$22.50
Barriers for Enclosures			
<u>SCE-BP7824</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 24in (D) enclosures with 78in (H) subpanel.	Stock	\$427.00
<u>SCE-BPEX24</u>	Saginaw barrier extension plate, carbon steel, white. For use with 24in (D) barrier plates.	Stock	\$147.00
<u>BKFM7224</u>	Hammond enclosure barrier, carbon steel, RAL 9003 white, powder coat finish. For use with 72(H) x 24(D) HN4FM and 1422N4 double-door enclosures.	Stock	\$312.00
<u>SCE-NBP8624</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 86in (H) x 24in (D) NextGen enclosures.	Stock	\$334.00
<u>SCE-BP6018</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 18in (D) enclosures with 60in (H) subpanel.	Stock	\$347.00
<u>BKFM6018</u>	Hammond enclosure barrier, carbon steel, RAL 9003 white, powder coat finish. For use with 60(H) x 18(D) HN4FM and 1422N4 double-door enclosures.	Stock	\$278.00
<u>SCE-BP6812</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 12in (D) enclosures with 68in (H) subpanel.	Stock	\$333.00
<u>BKWM3612</u>	Hammond enclosure barrier, carbon steel, RAL 9003 white, powder coat finish. For use with 36(H) x 12(D) HN4WM double-door enclosures.	Stock	\$193.00
<u>SCE-BP5612</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 12in (D) enclosures with 56in (H) subpanel.	Stock	\$315.00
<u>BKFM7218</u>	Hammond enclosure barrier, adjustable depth, carbon steel, RAL 9003 white, powder coat finish. For use with 72(H) x 12 or 18(D) HN4FM and 1422N4 double-door enclosures.	Stock	\$286.00
<u>SCE-BP7818</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 18in (D) enclosures with 78in (H) subpanel.	Stock	\$392.00
<u>SCE-NBP8018</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 80in (H) x 18in (D) NextGen enclosures.	Stock	\$285.00

<u>SCE-NBP8618</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 86in (H) x 18in (D) NextGen enclosures.	Stock	\$304.00
<u>SCE-BP6824</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 24in (D) enclosures with 68in (H) subpanel.	Stock	\$384.00
<u>SCE-BP6024</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 24in (D) enclosures with 60in (H) subpanel.	Stock	\$377.00
<u>BKWM2408</u>	Hammond enclosure barrier, carbon steel, RAL 9003 white, powder coat finish. For use with 24(H) x 8(D) HN4WM double-door enclosures.	Stock	\$155.00
<u>SCE-BPEX18</u>	Saginaw barrier extension plate, carbon steel, white. For use with 18in (D) barrier plates.	Stock	\$132.00
<u>SCE-BP5624</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 24in (D) enclosures with 56in (H) subpanel.	Stock	\$376.00
<u>SCE-NBP8024</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 80in (H) x 24in (D) NextGen enclosures.	Stock	\$307.00
<u>SCE-BP5618</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 18in (D) enclosures with 56in (H) subpanel.	Stock	\$346.00
<u>BKWM3010</u>	Hammond enclosure barrier, carbon steel, RAL 9003 white, powder coat finish. For use with 30(H) x 10(D) HN4WM double-door enclosures.	Stock	\$171.00
<u>SCE-NBP6818</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 68in (H) x 18in (D) NextGen enclosures.	Stock	\$267.00
<u>BKWM4212</u>	Hammond enclosure barrier, carbon steel, RAL 9003 white, powder coat finish. For use with 42(H) x 12(D) HN4WM double-door enclosures.	Stock	\$201.00
<u>BKFM6012</u>	Hammond enclosure barrier, adjustable depth, carbon steel, RAL 9003 white, powder coat finish. For use with 60(H) x 10 or 12(D) HN4FM and 1422N4 double-door enclosures.	Stock	\$255.00
<u>SCE-BP7218</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 18in (D) enclosures with 72in (H) subpanel.	Stock	\$368.00
<u>SCE-BP6818</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 18in (D) enclosures with 68in (H) subpanel.	Stock	\$356.00
<u>BKWM4812</u>	Hammond enclosure barrier, carbon steel, RAL 9003 white, powder coat finish. For use with 48(H) x 12(D) HN4WM double-door enclosures.	Stock	\$229.00
<u>SCE-BP7224</u>	Saginaw enclosure barrier, carbon steel, white, powder coat finish. For use with 24in (D) enclosures with 72in (H) subpanel.	Stock	\$401.00
Media Storage for Enclosures			
<u>WAPPL0606</u>	Wiegmann enclosure print pocket, 6 x 6in (HxW), 2-way adhesive flange mount.	Stock	\$20.00
<u>PKT66</u>	Hammond enclosure print pocket, 6 x 6in, 2-way adhesive mount.	Stock	\$15.00
<u>SCE-PP7701</u>	Saginaw enclosure print pocket, 8 x 6.5 x 1in.	Stock	\$32.50
<u>WAPPL0810</u>	Wiegmann enclosure print pocket, 8 x 10in (HxW), 2-way adhesive flange mount.	Stock	\$32.00
<u>PKT99</u>	Hammond enclosure print pocket, 6 x 9in, 2-way adhesive mount.	Stock	\$15.25
<u>SCE-PP101201</u>	Saginaw enclosure print pocket, 10 x 11.5 x 1in.	Stock	\$36.00
<u>SCE-PP101203</u>	Saginaw enclosure print pocket, 10 x 11.5 x 3in.	Stock	\$39.50
<u>PKT1212</u>	Hammond enclosure print pocket, 12 x 12in, 2-way adhesive mount.	Stock	\$21.00
<u>SCE-PP1212</u>	Saginaw enclosure print pocket, 12 x 11.7 x 1.6in.	Stock	\$55.00
<u>SCE-13ELJEXPP</u>	Saginaw enclosure print pocket, 13 x 19 x 2.5in, screw mount.	Stock	\$220.00
<u>SCE-19ELJEXPP</u>	Saginaw enclosure print pocket, 19 x 13 x 2.5in, screw mount.	Stock	\$220.00
Fasteners for Enclosures			
<u>AHSNK</u>	AttaBox slot nut kit, #10-32 UNF x 0.375in, Phillips pan head, zinc plated steel. Package of 2. For use with Heartland series enclosures. Includes screw and galvanized steel slot nut.	Stock	\$23.00
<u>AHTSKSS</u>	AttaBox thumb screw, replacement, #10-32 UNF x 0.375in, stainless steel. Package of 2. For use with Heartland series enclosures. Nylon washer included.	Stock	\$9.75
<u>AHTSKAL</u>	AttaBox thumb screw, replacement, #10-32 UNF x 0.375in, aluminum. Package of 2. For use with Heartland series enclosures. Nylon washer included.	Stock	\$8.00
<u>RE2PKTBS</u>	AttaBox trilobular self-tapping screw, replacement, #10-14 x 0.375in, Phillips pan head, aluminum. Package of 2. For use with Heartland series enclosures.	Stock	\$5.50
<u>SP-10I-P10</u>	Integra Type 25 thread-cutting screw, #10 x 0.375in, Phillips pan head, stainless steel. Package of 10. For use with Premium series polycarbonate enclosures and P9082 and P9082C Impact series polycarbonate enclosures.	Stock	\$11.50
<u>SP-8-P10</u>	Integra Type 25 thread-cutting screw, #8 x 0.375in, Phillips pan head, stainless steel. Package of 10. For use with Impact series polycarbonate enclosures (except P9082 and P9082C).	Stock	\$10.25

<u>GMFLK-SCREWS-P10</u>	Integra mounting flange screw kit, replacement. For use with 24 x 24 x 10in Genesis series enclosures. Includes (10) 1/4-20 UNC x 0.050in stainless steel Phillips pan head screws and (1) #10-32 x 0.50in stainless steel pan head thread-cutting screw.	Stock	\$22.00
<u>GMMR-SCREWS-P10</u>	Integra rail screw kit, replacement. For use with Multi-Max series internal mounting rails. Includes (4) #10-32 x 0.38in stainless steel flat head screws and (8) #10-32 x 0.50in stainless steel pan head thread-cutting screws.	Stock	\$17.75
<u>GSP10-P10</u>	Integra Type 25 thread-cutting screw, #10 x 0.50in, Phillips pan head, stainless steel. Package of 10. For use with Genesis series polycarbonate enclosures.	Stock	\$12.00
<u>1555TS100</u>	Hammond Type 25 self-tapping screw, #4-24 x 0.25in, Phillips pan head, carbon steel, zinc plated finish. Package of 100.	Stock	\$23.00
<u>SC1550Z103-50</u>	Hammond cover screw, replacement, M4 x 0.7mm x 20mm, Phillips flat head, stainless steel. Package of 50.	Stock	\$8.75
<u>SC576-50</u>	Hammond cover screw, replacement, M4 x 0.7mm x 20mm, Phillips pan head, stainless steel. Package of 50.	Stock	\$7.00
<u>SC583-50</u>	Hammond cover screw, replacement, M4 x 0.7mm x 25mm, Phillips pan head, stainless steel. Package of 50.	Stock	\$13.50
<u>SCGM4-50</u>	Hammond ground screw, replacement, M4 x 0.7mm x 25mm, Phillips pan head, copper. Package of 50.	Stock	\$16.25
<u>SCPMB1-20</u>	Hammond pole mounting screw, replacement, M4 x 0.7mm x 20mm, hex-drive fillister head, stainless steel. Package of 20. Washer nuts included.	Stock	\$6.25
<u>SCPMB2-20</u>	Hammond pole mounting screw, replacement, M6 x 1mm x 25mm, hex-drive fillister head, stainless steel. Package of 20. Washer nuts included.	Stock	\$8.25
<u>SCPMB3-20</u>	Hammond pole mounting screw, replacement, M6 x 1mm x 40mm, hex-drive fillister head, stainless steel. Package of 20. Washer nuts included.	Stock	\$11.25
<u>CAGKIT1032-10</u>	Hammond rack mounting screw, #10-32 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 10. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$11.75
<u>CAGKIT1032-25</u>	Hammond rack mounting screw, #10-32 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 25. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$17.50
<u>CAGKIT1032-50</u>	Hammond rack mounting screw, #10-32 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 50. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$31.50
<u>CAGKIT1032-100</u>	Hammond rack mounting screw, #10-32 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 100. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$58.00
<u>CAGKIT1224-50</u>	Hammond rack mounting screw, #12-24 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 50. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$36.00
<u>CAGKIT1224-100</u>	Hammond rack mounting screw, #12-24 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 100. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$58.00
<u>CAGKITM6-50</u>	Hammond rack mounting screw, M6, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 50. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$46.00
<u>CAGKITM6-100</u>	Hammond rack mounting screw, M6, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 100. Black nylon washer and zinc-plated square-hole cage nut included.	Stock	\$77.00
<u>CAGNUT1032-50</u>	Hammond square hole cage nut, #10-32 UNF, carbon steel, zinc plated finish. Package of 50.	Stock	\$24.00
<u>CAGNUT1032-100</u>	Hammond square hole cage nut, #10-32 UNF, carbon steel, zinc plated finish. Package of 100.	Stock	\$31.50
<u>CAGNUT1224-50</u>	Hammond square hole cage nut, #12-24 UNF, carbon steel, zinc plated finish. Package of 50.	Stock	\$25.00
<u>CAGNUT1224-100</u>	Hammond square hole cage nut, #12-24 UNF, carbon steel, zinc plated finish. Package of 100.	Stock	\$49.00
<u>CAGNUTM6-50</u>	Hammond square hole cage nut, M6 x 1mm, carbon steel, zinc plated finish. Package of 50.	Stock	\$25.00
<u>CAGNUTM6-100</u>	Hammond square hole cage nut, M6 x 1mm, carbon steel, zinc plated finish. Package of 100.	Stock	\$49.00
<u>SCREW1032-10</u>	Hammond rack mounting screw, #10-32 UNF, #2 Phillips truss head, carbon steel, black oxide finish. Package of 10. Black nylon washer included.	Stock	\$7.50
<u>SCREW1032-25</u>	Hammond rack mounting screw, #10-32 UNF, #2 Phillips truss head, carbon steel, black oxide finish. Package of 25. Black nylon washer included.	Stock	\$9.25
<u>SCREW1032-50</u>	Hammond rack mounting screw, #10-32 UNF, #2 Phillips truss head, carbon steel, black oxide finish. Package of 50. Black nylon washer included.	Stock	\$13.25
<u>SCREW1032-100</u>	Hammond rack mounting screw, #10-32 UNF, #2 Phillips truss head, carbon steel, black oxide finish. Package of 100. Black nylon washer included.	Stock	\$24.00
<u>SCREW1032-500</u>	Hammond rack mounting screw, #10-32 UNF, #2 Phillips truss head, carbon steel, black oxide finish. Package of 500. Black nylon washer included.	Stock	\$93.00
<u>SCREW1224-25</u>	Hammond rack mounting screw, #12-24 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 25. Black nylon washer included.	Stock	\$11.75
<u>SCREW1224-50</u>	Hammond rack mounting screw, #12-24 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 50. Black nylon washer included.	Stock	\$21.00
<u>SCREW1224-100</u>	Hammond rack mounting screw, #12-24 UNF, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 100. Black nylon washer included.	Stock	\$37.50

<u>SCREWM6-25</u>	Hammond rack mounting screw, M6, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 25. Black nylon washer included.	Stock	\$16.75
<u>SCREWM6-50</u>	Hammond rack mounting screw, M6, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 50. Black nylon washer included.	Stock	\$27.50
<u>SCREWM6-100</u>	Hammond rack mounting screw, M6, #2 Robertson/#2 Phillips quadrex truss head, carbon steel, black oxide finish. Package of 100. Black nylon washer included.	Stock	\$54.00
<u>CLPKIT1032-10</u>	Hammond rack mounting screw, #10-32 UNF x 0.625in, #2 Phillips truss head, carbon steel, black oxide finish. Package of 10. Black nylon washer and zinc-plated clip nut included.	Stock	\$13.25
<u>CLPKIT1032-25</u>	Hammond rack mounting screw, #10-32 UNF x 0.625in, #2 Phillips truss head, carbon steel, black oxide finish. Package of 25. Black nylon washer and zinc-plated clip nut included.	Stock	\$19.25
<u>CLPKIT1032-50</u>	Hammond rack mounting screw, #10-32 UNF x 0.625in, #2 Phillips truss head, carbon steel, black oxide finish. Package of 50. Black nylon washer and zinc-plated clip nut included.	Stock	\$34.00
<u>CLPKIT1032-100</u>	Hammond rack mounting screw, #10-32 UNF x 0.625in, #2 Phillips truss head, carbon steel, black oxide finish. Package of 100. Black nylon washer and zinc-plated clip nut included.	Stock	\$47.50
<u>TSCREW1032-25</u>	Hammond thumb screw, #10-32 UNF x 0.625in, Phillips/slotted combo knurled head, carbon steel, black oxide finish. Package of 25. Nylon washer included.	Stock	\$26.50
<u>TSCREW1032-50</u>	Hammond thumb screw, #10-32 UNF x 0.625in, Phillips/slotted combo knurled head, carbon steel, black oxide finish. Package of 50. Nylon washer included.	Stock	\$48.50
<u>TSCREW1032-100</u>	Hammond thumb screw, #10-32 UNF x 0.625in, Phillips/slotted combo knurled head, carbon steel, black oxide finish. Package of 100. Nylon washer included.	Stock	\$89.00
<u>SCE-SCP</u>	Saginaw sanitary captive screw, replacement, #10-32 UNF x 1.250in, flanged hex head, 316 stainless steel. Package of 4. For use with Saginaw SCE-xxKJxxxSSST sanitary enclosures. Silicone retainer and blue silicone O-ring included.	Stock	\$59.00
<u>SCE-BSW19SS</u>	Saginaw sealing washer, replacement, carbon steel/neoprene. Package of 50. For use with #10-32 UNF.	Stock	\$26.00
<u>SCE-BSW25SS</u>	Saginaw sealing washer, replacement, carbon steel/neoprene. Package of 50. For use with 1/4-20 UNC.	Stock	\$27.50
<u>SCE-BSW31SS</u>	Saginaw sealing washer, replacement, carbon steel/neoprene. Package of 50. For use with 5/16-18 UNC.	Stock	\$28.00
<u>SCE-BSW38SS</u>	Saginaw sealing washer, replacement, carbon steel/neoprene. Package of 50. For use with 3/8-16 UNC.	Stock	\$38.00
<u>SCE-PS3816CN</u>	Saginaw channel nut, 3/8-16 UNC. Package of 20.	Stock	\$61.00
<u>SCE-PS1420CN</u>	Saginaw channel nut, 1/4-20 UNC. Package of 20.	Stock	\$61.00
<u>SCE-CN1032</u>	Saginaw clamping nut, #10-32 UNF. Package of 20. For use with rack angles and frames.	Stock	\$47.00
<u>SCE-PS1032CN</u>	Saginaw channel nut, #10-32 UNF. Package of 20.	Stock	\$52.00
<u>SCE-102534</u>	Saginaw cover screw, replacement, #10-32 UNF x 0.625in, Phillips pan head, stainless steel. Nylon retainer included.	Stock	\$27.50
<u>SCE-102018</u>	Saginaw floor stand bolt, replacement, 5/16-18 UNC x 0.75in, serrated flange hex head, carbon steel, zinc plated finish. Package of 8. U speed nut included.	Stock	\$14.00
<u>SCE-114318</u>	Saginaw ground screw, #10-32 UNF x 0.625in, hex head. For use with 1/4-20 subpanel mounts. Hex nut, kep nut, flat washer, lock washer and grounding label included.	Stock	\$3.75
<u>SCE-101966</u>	Saginaw ground screw, #10-32 UNF x 0.625in, hex head. For use with #10-32 subpanel mounts. Hex nut, kep nut, flat washer, lock washer and grounding label included.	Stock	\$3.75
<u>SCE-102297</u>	Saginaw ground screw, 1/4-20 UNC x 0.625in, hex head. For use with 3/8-16 subpanel mounts. Hex nut, kep nut, lock washer and grounding label included.	Stock	\$3.75
<u>SCE-102023</u>	Saginaw side mount panel bolt, 3/8-16 UNC x 0.75in, serrated flange hex head, carbon steel. Package of 6. Channel nut included.	Stock	\$23.00
<u>SCE-102022</u>	Saginaw standard defeater hook bolt pack, carbon steel, zinc plated finish.	Stock	\$53.00
<u>SCE-102225</u>	Saginaw subpanel bolt, replacement, 1/4-20 UNC x 0.375in, Phillips pan head, carbon steel, zinc plated finish. Package of 8. Washer included.	Stock	\$3.75
<u>SCE-102302</u>	Saginaw subpanel bolt, replacement, #10-32 UNF x 0.375in, Phillips round head, carbon steel. Package of 4.	Stock	\$3.75
<u>SCE-102298</u>	Saginaw serrated flange hex nut, replacement, 3/8-16 UNC, carbon steel. Package of 4.	Stock	\$7.25
<u>SCE-102300</u>	Saginaw serrated flange hex nut, replacement, 3/8-16 UNC, carbon steel. Package of 8.	Stock	\$12.50
<u>SCE-101974</u>	Saginaw subpanel bolt, replacement, 3/8-16 UNC x 0.75in, serrated flange hex head, carbon steel. Package of 4. Sealing washer and hole plug included.	Stock	\$7.25
<u>SCE-102686</u>	Saginaw sealing washer, replacement, carbon steel/neoprene, galvanized finish. Package of 4. 1/4in ABS hole plug included.	Stock	\$7.25
<u>SCE-120706</u>	Saginaw ELJ hardware assortment, for use with Enviroline Junction enclosures. Mounting feet, hole plugs, screws, nuts, washers, and labels included.	Stock	\$7.25
<u>SCE-121454</u>	Saginaw wall-mount master bolt pack, hex head, carbon steel, zinc plated finish. (1) 1/4-20 x 3/4in ground screw, nuts, washers and grounding label included.	Stock	\$7.25

SCE-122191	Saginaw wall-mount master bolt pack, hex head, carbon steel, zinc plated finish. (4) 3/8-16 x 3/4in mounting bolts, (1) 1/4-20 x 3/4in ground screw, nuts, washers, hole plugs, and grounding label included.	Stock	\$11.50
SCE-123581	Saginaw NEMA 1 master bolt pack, replacement. Multiple screws, nuts, washers and grounding label included.	Stock	\$5.75
CLK013-KIT2F	Quadritalia mounting clips, package of 12. M6 hex nut and gasket included.	Stock	\$47.50
DGM600	Quadritalia cage nut, M6, zinc plated finish. Package of 100.	Stock	\$33.50
DGM800	Quadritalia cage nut, M8. Package of 100.	Stock	\$64.00
DGM901	Quadritalia outdoor cage nut, M6. Package of 100.	Stock	\$39.50
VTR616	Quadritalia flanged screw, M6 x 16mm, hex head. Package of 100.	Stock	\$29.00
VTC122	Quadritalia screw, M12 x 20mm, 8mm Allen flat head. Package of 100.	Stock	\$80.00
VTS616	Quadritalia screw, M6 x 16mm, T30 Torx pan head. Package of 100.	Stock	\$35.00
VBC614	Quadritalia screw, M6 x 14mm, T30 Torx head. Package of 100.	Stock	\$35.00
VBC616	Quadritalia screw, M6 x 16mm, T30 Torx head. Package of 100.	Stock	\$34.00
Gaskets for Enclosures			
HYG85	Hammond sanitary gasket, replacement, silicone. For use with Hammond HYJ854SS, HYMPB1SS, HYMPB2SS, HYPB1SS, and HYPB2SS enclosures.	Stock	\$130.00
HYG105	Hammond sanitary gasket, replacement, silicone. For use with Hammond HYMPB3SS and HYPB3SS enclosures.	Stock	\$125.00
HYG107	Hammond sanitary gasket, replacement, silicone. For use with Hammond HYJ1074SS, HYMPB4SS, and HYPB4SS enclosures.	Stock	\$133.00
HYG125	Hammond sanitary gasket, replacement, silicone. For use with Hammond HYMPB4VSS and HYPB4VSS enclosures.	Stock	\$151.00
HYG129	Hammond sanitary gasket, replacement, silicone. For use with Hammond HYJ1294SS, HYMPB6SS, and HYPB6SS enclosures.	Stock	\$161.00
HYG1411	Hammond sanitary gasket, replacement, silicone. For use with Hammond HYJ14116SS enclosures.	Stock	\$163.00
HYG1613	Hammond sanitary gasket, replacement, silicone. For use with Hammond HYJ16138SS enclosures.	Stock	\$212.00
SCE-GASS16	Saginaw sanitary gasket, replacement, silicone, 16ft long roll. For use with Saginaw SCE-xxKxxxxSSST and SCE-xxKJxxxxSSST sanitary enclosures.	Stock	\$128.00
SCE-GASS08	Saginaw sanitary gasket, replacement, silicone, 8ft long roll. For use with Saginaw SCE-xxKxxxxSSST and SCE-xxKJxxxxSSST sanitary enclosures.	Stock	\$79.00
SCE-GA18X50	Saginaw strip gasket, replacement, self-adhesive, closed-cell urethane, 1/8in thick x 1/2in wide x 50ft long roll. For use with NEMA 4/4X enclosures.	Stock	\$30.50
1481DJ10	Hammond strip gasket, replacement, self-adhesive, neoprene, 3/16in thick x 3/4in wide x 10ft long roll. For use with NEMA 12 enclosures.	Stock	\$14.50
1481DJN410	Hammond strip gasket, replacement, self-adhesive, neoprene/EPDM/SBR, 1/4in thick x 3/4in wide x 10ft long roll. For use with NEMA 4/4X enclosures.	Stock	\$23.00
SCE-GA14X75	Saginaw strip gasket, replacement, self-adhesive, closed-cell urethane, 1/4in thick x 3/4in wide x 50ft long roll. For use with NEMA 4/4X enclosures.	Stock	\$41.50
SCE-GA14X1	Saginaw strip gasket, replacement, self-adhesive, closed-cell urethane, 1/4in thick x 1in wide x 40ft long roll. For use with NEMA 4/4X enclosures.	Stock	\$43.00
SCE-EMIG	Saginaw EMI/RFI shielded strip gasket, self-adhesive, closed-cell urethane wrapped in nickel-plated copper fabric, 1/4in thick x 1in wide x 7ft long roll. For use with NEMA 4/4X enclosures.	Stock	\$173.00
SCE-129751	Saginaw center channel gasket, replacement. Package of 2. For use with NextGen two-door enclosures with removable center channel.	Stock	\$7.25
1550Z101GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z101xx enclosures.	Stock	\$2.00
1550Z102GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z102xx enclosures.	Stock	\$2.50
1550Z103GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z103xx enclosures.	Stock	\$3.50
1550Z104GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z104xx enclosures.	Stock	\$2.50
1550Z106GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z106xx and 1550Z111xx enclosures.	Stock	\$3.00
1550Z107GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z107xx and 1550Z108xx enclosures.	Stock	\$4.25
1550Z109GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z109xx enclosures.	Stock	\$4.25
1550Z113GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z113xx enclosures.	Stock	\$3.50
1550Z115GASKET	Hammond enclosure gasket, replacement, silicone. For use with 1550Z115xx enclosures.	Stock	\$4.25

<u>1550Z116GASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1550Z116xx and 1550Z117xx enclosures.	Stock	\$4.25
<u>1550Z120GASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1550Z120xx enclosures.	Stock	\$5.00
<u>1550Z124GASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1550Z124xx and 1550Z220xx enclosures.	Stock	\$7.25
<u>1550Z137GASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1550Z137xx enclosures.	Stock	\$4.25
<u>1550Z139GASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1550Z139xx enclosures.	Stock	\$4.50
<u>1554BGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Bxx, 1555Bxx, 1555BF22GY and 1555B2F22GY enclosures.	Stock	\$2.25
<u>1554CGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Cxx, 1554Dxx, 1555Cxx, 1555Dxx, 1555CFxx2GY and 1555C2Fxx2GY enclosures.	Stock	\$2.00
<u>1554EGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Exx, 1554EExx, 1555Exx, 1555EExx, 1555EFxxGY and 1555E2FxxGY enclosures.	Stock	\$3.00
<u>1554FGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Fxx, 1554Gxx, 1555Fxx, 1555Gxx, 1555FFxxGY and 1555F2FxxGY enclosures.	Stock	\$2.00
<u>1554HGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Hxx, 1554Txx, 1555Hxx, 1555Txx, 1555HFxxGY and 1555H2FxxGY enclosures.	Stock	\$5.00
<u>1554JGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Jxx, 1554Kxx, 1555Jxx, 1555Kxx, 1555JFxxGY and 1555J2FxxGY enclosures.	Stock	\$2.75
<u>1554LGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Lxx, 1554Lxx, 1555Lxx and 1555Lxx enclosures.	Stock	\$5.00
<u>1554NGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Nxx, 1554Pxx, 1555Nxx, 1555Pxx, 1555NFxxGY and 1555N2FxxGY enclosures.	Stock	\$3.75
<u>1554QGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Qxx, 1554Qxx, 1555Qxx and 1555Qxx enclosures.	Stock	\$6.00
<u>1554RGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Rxx, 1554Sxx, 1555Rxx, 1555Sxx, 1555RFxxGY and 1555R2FxxGY enclosures.	Stock	\$4.25
<u>1554UGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Uxx and 1555Uxx enclosures.	Stock	\$5.25
<u>1554VGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Vxx and 1555Vxx enclosures.	Stock	\$4.50
<u>1554VAGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Vxx, 1554VBxx, 1555Vxx and 1555VBxx enclosures.	Stock	\$7.00
<u>1554WGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Wxx, 1554WAxx, 1555Wxx and 1555WAxx enclosures.	Stock	\$9.75
<u>1554XGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Xxx, 1554XAxx, 1555Xxx and 1555XAxx enclosures.	Stock	\$9.75
<u>1554YGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1554Yxx, 1554YAxx, 1555Yxx and 1555YAxx enclosures.	Stock	\$10.75
<u>1557BGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1557Bxxxx enclosures.	Stock	\$5.75
<u>1557DGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1557Dxxxx enclosures.	Stock	\$5.75
<u>1557FGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1557Fxxxx enclosures.	Stock	\$11.25
<u>1557HGASKET</u>	Hammond enclosure gasket, replacement, silicone. For use with 1557Hxxxx enclosures.	Stock	\$11.25
<u>1590Z060G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z060xx enclosures.	Stock	\$1.50
<u>1590Z061G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z061xx enclosures.	Stock	\$1.75
<u>1590Z062G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z062xx enclosures.	Stock	\$2.50
<u>1590Z063G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z063xx enclosures.	Stock	\$3.00
<u>1590Z100G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z100xx and 1590Z110xx enclosures.	Stock	\$2.00
<u>1590Z119G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z119xx enclosures.	Stock	\$4.00
<u>1590Z120G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z120xx enclosures.	Stock	\$3.00
<u>1590Z130G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z130xx and 1590Z135xx enclosures.	Stock	\$3.25
<u>1590Z140G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z140xx enclosures.	Stock	\$6.00
<u>1590Z150G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z150xx and 1590Z155xx enclosures.	Stock	\$4.00
<u>1590Z160G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z160xx enclosures.	Stock	\$5.75
<u>1590Z162G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z162xx enclosures.	Stock	\$4.25

<u>1590Z164G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z164xx enclosures.	Stock	\$6.00
<u>1590Z166G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z166xx enclosures.	Stock	\$7.25
<u>1590Z231G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z231xx enclosures.	Stock	\$11.75
<u>1590Z235G</u>	Hammond enclosure gasket, replacement, silicone. For use with 1590Z235xx enclosures.	Stock	\$17.50
Touch-up Paint for Enclosures			
<u>SCE-PEN09</u>	Saginaw touch-up paint, 0.3 ounce pen, ANSI 61 gray.	Stock	\$15.00
<u>1413LRS</u>	Hammond touch-up paint, 12 ounce spray, ANSI 61 gray.	Stock	\$19.50
<u>WAGSE</u>	Wiegmann touch-up paint, 12 ounce spray, ANSI 61 gray.	Stock	\$25.00
<u>SCE-TU09</u>	Saginaw touch-up paint, 12 ounce spray, ANSI 61 gray.	Stock	\$60.00
<u>SCE-PEN7035</u>	Saginaw touch-up paint, 0.3 ounce pen, RAL 7035 light gray.	Stock	\$15.00
<u>1413LGS</u>	Hammond touch-up paint, 12 ounce spray, RAL 7035 light gray.	Stock	\$19.50
<u>SCE-TURAL7035</u>	Saginaw touch-up paint, 12 ounce spray, RAL 7035 light gray.	Stock	\$60.00
<u>SCE-PEN05</u>	Saginaw touch-up paint, 0.3 ounce pen, white.	Stock	\$15.00
<u>1413WH9003</u>	Hammond touch-up paint, 12 ounce spray, RAL 9003 white.	Stock	\$19.50
<u>SCE-TU05</u>	Saginaw touch-up paint, 12 ounce spray, white.	Stock	\$60.00
Pulls and Handles for Enclosures			
<u>ECO.HAND.401</u>	Teknokol pull handle, 16in, aluminum. For use with Teknokol Eco series HMI enclosures. Mounting hardware included.	Stock	\$26.00
<u>ECO.HAND.501</u>	Teknokol pull handle, 20in, aluminum. For use with Teknokol Eco series HMI enclosures. Mounting hardware included.	Stock	\$26.50
<u>ECO.HAND.602</u>	Teknokol pull handle, 24in, aluminum. For use with Teknokol Eco series HMI enclosures. Mounting hardware included.	Stock	\$50.00
<u>SCE-ELFP</u>	Saginaw finger pull, black. For use with SCE-14RMW and SCE-20RMW removable wire covers.	Stock	\$14.50
<u>RECH109506</u>	Stahlin carrying handle, plastic, black. For use with fiberglass enclosures.	Stock	\$31.00
<u>SCE-APH</u>	Saginaw pull handle, 4in, aluminum. Mounting hardware included.	Stock	\$32.50
<u>SCE-UHK13</u>	Saginaw pull handle, 13in, carbon steel, black. Mounting hardware included.	Stock	\$58.00
<u>1427B2BK</u>	Hammond pull handle, 1.25in, carbon steel, black. Package of 2. For use with Hammond RM1UxxxxxBK enclosures. Mounting hardware included.	Stock	\$6.00
<u>1427E1BK</u>	Hammond pull handle, 2.00in, carbon steel, black. Package of 2. For use with Hammond RM2UxxxxxBK enclosures. Mounting hardware included.	Stock	\$6.00
<u>1427P1BK</u>	Hammond pull handle, 2.80in, carbon steel, black. Package of 2. For use with Hammond RM3UxxxxxBK and RM4UxxxxxBK enclosures. Mounting hardware included.	Stock	\$9.75
Miscellaneous Enclosure Parts and Accessories			
<u>086110-00</u>	Stego multi-purpose protective cover, keylocking, weather and UV resistant, 8.8 x 6.5 x 2.6in outside dimensions. Mounting hardware included.	Stock	\$49.00
<u>GSR2016-P10</u>	Integra Multi-Max series frame stiffener ring, for use with 20 x 16 x 8in Genesis series enclosures.	Stock	\$43.50
<u>GSR2424-P10</u>	Integra Multi-Max series frame stiffener ring, for use with 24 x 24 x 10in Genesis series enclosures.	Stock	\$73.00
<u>REVC21</u>	Stahlin vapor capsule, for use with non-metallic enclosures.	Stock	\$25.50
<u>DSG1</u>	Hammond enclosure door support guide, for use with Eclipse series, 1418 wall-mount, and all freestanding and floor-mount enclosures. Mounting hardware included.	Stock	\$26.00
<u>SCE-CBL15</u>	Saginaw cable door stop, 15in length. For use with console enclosures.	Stock	\$20.00
<u>SCE-CBL20</u>	Saginaw cable door stop, 20in length. For use with console enclosures.	Stock	\$20.50
<u>SCE-DSTOPK</u>	Saginaw enclosure door stop, for use with horizontal-opening enclosure doors over 12in (W). Mounting hardware included.	Stock	\$97.00
<u>DSTOPK</u>	Hammond enclosure door stop, for use with 20in (W) or greater single-door and 48in (W) or greater double-door enclosures. Mounting hardware included.	Stock	\$125.00
<u>RDLBK</u>	Hammond rack depth label, package of 2.	Stock	\$11.75
<u>TS96</u>	Hammond hook-and-loop tie strap, 1/2in wide x 96in long.	Stock	\$15.75

<u>SCE-14RMW</u>	Saginaw removable wire cover, 6 x 35 x 14in (HxWxD), carbon steel, white. For use with freestanding enclosures. Mounting hardware included.	Stock	\$288.00
<u>SCE-20RMW</u>	Saginaw removable wire cover, 6 x 35 x 20n (HxWxD), carbon steel, white. For use with freestanding enclosures. Mounting hardware included.	Stock	\$324.00
<u>SCE-24KB</u>	Saginaw keyboard housing, 12.25 x 24 x 6in (HxWxD), carbon steel, ANSI 61 gray. Mounting hardware included. Enviroline-type construction with ELJ hinge and mini 1/4-turn lever knobs.	Stock	\$647.00
<u>SCE-LPD2</u>	Saginaw leveling pad, zinc-plated steel with a plastic base. Package of 4. 3/8 - 16 threads, 2 in height.	Stock	\$54.00
<u>SCE-KLB</u>	Saginaw keylock box, 9.38 x 3.25 x 1.88in (HxWxD).	Stock	\$284.00
<u>SCE-OCL12</u>	Saginaw orange caution label, 12.00 x 12.00 (HxW), vinyl. Package of 5.	Stock	\$51.00
<u>SCE-OCL24</u>	Saginaw orange caution label, 24.00 x 24.00 (HxW), vinyl. Package of 5.	Stock	\$140.00
<u>SCE-127617</u>	Saginaw center channel gasket, neoprene. For use with standard 3.5in center channels on double-door enclosures.	Stock	\$6.50
<u>UTK700</u>	Quadritalia enclosure baying kit, brackets, gaskets, and fasteners included.	Stock	\$33.50
<u>SCE-SLT</u>	Saginaw conductive tape, 3mil x 1in x 50ft, copper foil.	Stock	\$209.00
<u>SCE-130516</u>	Saginaw enclosure baying kit, replacement. For use with NextGen enclosures. Includes gaskets and fasteners.	Stock	\$63.00
Enclosure Air Conditioners			
<u>SCE-AC1000B120V</u>	Saginaw Enviro-Therm air conditioner, 1000 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,331.00
<u>SCE-AC1000B120VSS</u>	Saginaw Enviro-Therm air conditioner, 1000 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$3,423.00
<u>SCE-AC1000B120VSS6</u>	Saginaw Enviro-Therm air conditioner, 1000 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,206.00
<u>SCE-AC1000B230V</u>	Saginaw Enviro-Therm air conditioner, 1000 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,331.00
<u>SCE-AC1000B230VSS</u>	Saginaw Enviro-Therm air conditioner, 1000 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$3,423.00
<u>SCE-AC1000B230VSS6</u>	Saginaw Enviro-Therm air conditioner, 1000 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$3,913.00
<u>SCE-NG1195B120V</u>	Saginaw NextGen Enviro-Therm air conditioner, 1195 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,181.00
<u>SCE-NG1195B230V</u>	Saginaw NextGen Enviro-Therm air conditioner, 1195 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,135.00
<u>13383144255</u>	Pfannenberg DTS 3021 air conditioner, 1200 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,698.50
<u>13383144355</u>	Pfannenberg DTS 3031 air conditioner, 1200 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$3,165.00
<u>13383144158</u>	Pfannenberg DTS 3031 SS air conditioner, 1200 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$3,348.00
<u>TA10-010-16-12</u>	Stratus air conditioner, 1480 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,193.00
<u>TA10-010-16-04</u>	Stratus air conditioner, 1480 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,220.00
<u>TA10-010-16-4X</u>	Stratus air conditioner, 1480 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,589.00
<u>TA10-010-26-12</u>	Stratus air conditioner, 1480 BTU/H, R-134a, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,220.00
<u>TA10-010-26-04</u>	Stratus air conditioner, 1480 BTU/H, R-134a, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,247.00
<u>TA10-010-26-4X</u>	Stratus air conditioner, 1480 BTU/H, R-134a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,616.00
<u>42661001</u>	Seifert SlimLine air conditioner, 1130 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA 12 enclosures.	Stock	\$1,650.00
<u>TA20-010-48D-12</u>	Stratus air conditioner, 1500 BTU/H, R-134a, 48 VDC operating voltage, carbon steel housing, ANSI 61 gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,936.00
<u>TA20-010-48D-04</u>	Stratus air conditioner, 1500 BTU/H, R-134a, 48 VDC operating voltage, carbon steel housing, ANSI 61 gray, filter-free, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,963.00
<u>TA20-010-48D-4X</u>	Stratus air conditioner, 1500 BTU/H, R-134a, 48 VDC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,333.00
<u>TA20-010-16-12</u>	Stratus air conditioner, 1690 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,287.00

<u>TA20-010-16-04</u>	Stratus air conditioner, 1690 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, filter-free, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,313.00
<u>TA20-010-16-4X</u>	Stratus air conditioner, 1690 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,683.00
<u>TA10-015-16-12</u>	Stratus air conditioner, 1725 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,217.00
<u>TA10-015-16-04</u>	Stratus air conditioner, 1725 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,244.00
<u>TA10-015-16-4X</u>	Stratus air conditioner, 1725 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,612.00
<u>TA10-015-26-12</u>	Stratus air conditioner, 1725 BTU/H, R-134a, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,244.00
<u>TA10-015-26-04</u>	Stratus air conditioner, 1725 BTU/H, R-134a, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,270.00
<u>TA10-015-26-4X</u>	Stratus air conditioner, 1725 BTU/H, R-134a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,640.00
<u>42691001</u>	Seifert SlimLine air conditioner, 1770 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA 12 enclosures.	Stock	\$1,756.00
<u>SCE-AC1870B120V</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,643.00
<u>SCE-NG1870B120V</u>	Saginaw NextGen Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,729.00
<u>SCE-AC1870B120VSS</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$3,995.00
<u>SCE-AC1870B120VSS6</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,966.00
<u>SCE-AC1870B230V</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,285.00
<u>SCE-AC1870B230VSS</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$3,835.00
<u>SCE-NG1870B230V</u>	Saginaw NextGen Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,368.00
<u>SCE-AC1870B230VSS6</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,791.00
<u>SCE-AC1870B460V</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,795.00
<u>SCE-AC1870B460VSS</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,154.00
<u>SCE-AC1870B460VSS6</u>	Saginaw Enviro-Therm air conditioner, 1870 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$5,141.00
<u>SCE-NG2320B120V</u>	Saginaw NextGen Enviro-Therm air conditioner, 2320 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,729.00
<u>SCE-NG2320B230V</u>	Saginaw NextGen Enviro-Therm air conditioner, 2320 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,368.00
<u>SCE-NG2320B460V</u>	Saginaw NextGen Enviro-Therm air conditioner, 2320 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,764.00
<u>SCE-AC2550B120V</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,759.00
<u>SCE-AC2550B120VSS</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,117.00
<u>SCE-AC2550B120VSS6</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$5,103.00
<u>SCE-AC2550B230V</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,616.00
<u>SCE-AC2550B230VSS</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$3,964.00
<u>SCE-AC2550B230VSS6</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,932.00
<u>SCE-AC2550B460V</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,914.00
<u>SCE-AC2550B460VSS</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,280.00

<u>SCE-AC2550B460VSS6</u>	Saginaw Enviro-Therm air conditioner, 2550 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$5,283.00
<u>TA10-027-16-12</u>	Stratus air conditioner, 2680 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,727.00
<u>TA10-027-16-04</u>	Stratus air conditioner, 2680 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,754.00
<u>TA10-027-16-4X</u>	Stratus air conditioner, 2680 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,137.00
<u>TA10-027-46-12</u>	Stratus air conditioner, 2680 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,120.00
<u>TA10-027-46-04</u>	Stratus air conditioner, 2680 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$3,148.00
<u>TA10-027-46-4X</u>	Stratus air conditioner, 2680 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,531.00
<u>13382344255</u>	Pfannenberg DTS 3041 air conditioner, 2700 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,991.75
<u>13382336255</u>	Pfannenberg DTS 3041 air conditioner, 2700 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,165.00
<u>13382344355</u>	Pfannenberg DTS 3061 air conditioner, 2700 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$3,453.75
<u>13382336355</u>	Pfannenberg DTS 3061 air conditioner, 2700 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$3,616.50
<u>13382344300</u>	Pfannenberg DTS 3081 air conditioner, 2700 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$3,616.50
<u>13382336158</u>	Pfannenberg DTS 3081 air conditioner, 2700 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$3,789.00
<u>TA20-020-16-12</u>	Stratus air conditioner, 2705 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,453.00
<u>TA20-020-16-04</u>	Stratus air conditioner, 2705 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,480.00
<u>TA20-020-16-4X</u>	Stratus air conditioner, 2705 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,850.00
<u>TA20-020-26-12</u>	Stratus air conditioner, 2705 BTU/H, R-134a, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,491.00
<u>TA20-020-26-04</u>	Stratus air conditioner, 2705 BTU/H, R-134a, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,518.00
<u>TA20-020-26-4X</u>	Stratus air conditioner, 2705 BTU/H, R-134a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,888.00
<u>SCE-NG2970B120V</u>	Saginaw NextGen Enviro-Therm air conditioner, 2970 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,022.00
<u>SCE-NG2970B230V</u>	Saginaw NextGen Enviro-Therm air conditioner, 2970 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,688.00
<u>SCE-NG2970B460V</u>	Saginaw NextGen Enviro-Therm air conditioner, 2970 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,185.00
<u>42711001</u>	Seifert SlimLine air conditioner, 3020 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA 12 enclosures.	Stock	\$2,919.00
<u>42712001</u>	Seifert SlimLine air conditioner, 3020 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA 12 enclosures.	Stock	\$2,919.00
<u>TA10-033-16-12</u>	Stratus air conditioner, 3300 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,753.00
<u>TA10-033-16-04</u>	Stratus air conditioner, 3300 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,780.00
<u>TA10-033-16-4X</u>	Stratus air conditioner, 3300 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,164.00
<u>TA10-033-46-12</u>	Stratus air conditioner, 3300 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,145.00
<u>TA10-033-46-04</u>	Stratus air conditioner, 3300 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$3,172.00
<u>TA10-033-46-4X</u>	Stratus air conditioner, 3300 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,557.00
<u>SCE-AC3400B120V</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,347.00
<u>SCE-AC3400B120VSS</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,875.00

<u>SCE-AC3400B120VSS6</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$6,000.00
<u>SCE-AC3400B230V</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,189.00
<u>SCE-AC3400B230VSS</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$4,701.00
<u>SCE-AC3400B230VSS6</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$5,807.00
<u>SCE-AC3400B460V</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,535.00
<u>SCE-AC3400B460VSS</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$5,068.00
<u>SCE-AC3400B460VSS6</u>	Saginaw Enviro-Therm air conditioner, 3400 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$6,214.00
<u>13256279055</u>	Pfannenbergt DTT 6201 air conditioner, 3570 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, top mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$4,695.75
<u>TA10-020-26-12</u>	Stratus air conditioner, 3585 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,694.00
<u>TA10-020-26-04</u>	Stratus air conditioner, 3585 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,719.00
<u>TA10-020-26-4X</u>	Stratus air conditioner, 3585 BTU/H, R-422d, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,089.00
<u>TA10-040-26-12</u>	Stratus air conditioner, 4000 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,718.00
<u>TA10-040-26-04</u>	Stratus air conditioner, 4000 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,745.00
<u>TA10-040-26-4X</u>	Stratus air conditioner, 4000 BTU/H, R-422d, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,115.00
<u>42722001</u>	Seifert SlimLine air conditioner, 4090 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA 12 enclosures.	Stock	\$3,410.00
<u>SCE-NG4095B120V</u>	Saginaw NextGen Enviro-Therm air conditioner, 4095 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,584.00
<u>SCE-NG4095B230V</u>	Saginaw NextGen Enviro-Therm air conditioner, 4095 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,157.00
<u>SCE-NG4095B460V3</u>	Saginaw NextGen Enviro-Therm air conditioner, 4095 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$3,584.00
<u>13385444255</u>	Pfannenbergt DTS 3141 air conditioner, 4100 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,312.00
<u>42721001</u>	Seifert SlimLine air conditioner, 4100 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA 12 enclosures.	Stock	\$3,410.00
<u>13385436255</u>	Pfannenbergt DTS 3141 air conditioner, 4100 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,474.75
<u>13385444355</u>	Pfannenbergt DTS 3161 air conditioner, 4100 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$4,511.25
<u>13385436355</u>	Pfannenbergt DTS 3161 air conditioner, 4100 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$4,684.50
<u>13385444158</u>	Pfannenbergt DTS 3181 air conditioner, 4100 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$5,151.75
<u>13385436158</u>	Pfannenbergt DTS 3181 air conditioner, 4100 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$5,325.00
<u>TA10-050-26-12</u>	Stratus air conditioner, 4390 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,175.00
<u>TA10-050-46-12</u>	Stratus air conditioner, 4390 BTU/H, R-422d, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,477.00
<u>TA10-050-26-04</u>	Stratus air conditioner, 4390 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$3,219.00
<u>TA10-050-46-04</u>	Stratus air conditioner, 4390 BTU/H, R-422d, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$3,518.00
<u>TA10-050-26-4X</u>	Stratus air conditioner, 4390 BTU/H, R-422d, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,571.00
<u>TA10-050-46-4X</u>	Stratus air conditioner, 4390 BTU/H, R-422d, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,841.00
<u>TA10-045-16-12</u>	Stratus air conditioner, 4535 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$2,788.00

[illegible]

<u>13383644255</u>	Pfannenbergs DTS 3145 air conditioner, 7000 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,951.00
<u>13383636255</u>	Pfannenbergs DTS 3145 air conditioner, 7000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$4,113.00
<u>13383644355</u>	Pfannenbergs DTS 3165 air conditioner, 7000 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$4,837.50
<u>13383636355</u>	Pfannenbergs DTS 3165 air conditioner, 7000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$5,010.00
<u>13383644158</u>	Pfannenbergs DTS 3185 air conditioner, 7000 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$6,090.00
<u>13383636158</u>	Pfannenbergs DTS 3185 air conditioner, 7000 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$6,262.50
<u>13256462055</u>	Pfannenbergs DTT 6401 air conditioner, 7100 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, top mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$6,414.75
<u>TA10-060-16-12</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,236.00
<u>TA10-060-26-12</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,308.00
<u>TA10-060-46-12</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$3,783.00
<u>TA10-060-16-04</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 115 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$3,281.00
<u>TA10-060-26-04</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 230 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$3,351.00
<u>TA10-060-46-04</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 460 VAC operating voltage, carbon steel housing, ANSI 61 gray, side mount. For use with NEMA/UL Type 4 enclosures.	Stock	\$3,826.00
<u>TA10-060-16-4X</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,633.00
<u>TA10-060-26-4X</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$3,705.00
<u>TA10-060-46-4X</u>	Stratus air conditioner, 7580 BTU/H, R-422d, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 4X enclosures.	Stock	\$4,179.00
<u>SCE-AC8500B120V</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$5,026.00
<u>SCE-NG8500B120V</u>	Saginaw NextGen Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$5,274.00
<u>SCE-AC8500B120VSS</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$7,179.00
<u>SCE-AC8500B120VSS6</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 115 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$9,229.00
<u>SCE-AC8500B230V</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$4,772.00
<u>SCE-NG8500B230V</u>	Saginaw NextGen Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$4,808.00
<u>SCE-AC8500B230VSS</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$6,891.00
<u>SCE-AC8500B230VSS6</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$8,868.00
<u>SCE-AC8500B460V</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$5,124.00
<u>SCE-NG8500B460V3</u>	Saginaw NextGen Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$5,274.00
<u>SCE-AC8500B460VSS</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$7,360.00
<u>SCE-AC8500B460VSS6</u>	Saginaw Enviro-Therm air conditioner, 8500 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$9,430.00
<u>862504001</u>	Seifert SlimLine Vario air conditioner, 8700 BTU/H, R-134a, 115/230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA 12 enclosures.	Stock	\$5,083.00
<u>13256662055</u>	Pfannenbergs DTT 6601 air conditioner, 10000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, top mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$7,609.50
<u>SCE-AC10200B230V</u>	Saginaw Enviro-Therm air conditioner, 10200 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$5,566.00
<u>SCE-AC10200B230VSS</u>	Saginaw Enviro-Therm air conditioner, 10200 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$8,115.00

<u>SCE-AC10200B230VSS6</u>	Saginaw Enviro-Therm air conditioner, 10200 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$10,222.00
<u>SCE-AC10200B460V3</u>	Saginaw Enviro-Therm air conditioner, 10200 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$6,168.00
<u>SCE-AC10200B460V3SS</u>	Saginaw Enviro-Therm air conditioner, 10200 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$8,762.00
<u>SCE-AC10200B460V3SS6</u>	Saginaw Enviro-Therm air conditioner, 10200 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$10,935.00
<u>13383844255</u>	Pfannenbergs DTS 3245 air conditioner, 11500 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$5,104.50
<u>13383836255</u>	Pfannenbergs DTS 3245 air conditioner, 11500 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$5,397.75
<u>13383844355</u>	Pfannenbergs DTS 3265 air conditioner, 11500 BTU/H, R-134a, 115 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$6,917.25
<u>13383836355</u>	Pfannenbergs DTS 3265 air conditioner, 11500 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$7,090.50
<u>13383844158</u>	Pfannenbergs DTS 3285 air conditioner, 11500 BTU/H, R-134a, 115 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$8,343.00
<u>13383836158</u>	Pfannenbergs DTS 3285 air conditioner, 11500 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$8,505.00
<u>SCE-AC13650B230V</u>	Saginaw Enviro-Therm air conditioner, 13650 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$5,983.00
<u>SCE-AC13650B230VSS</u>	Saginaw Enviro-Therm air conditioner, 13650 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$8,894.00
<u>SCE-AC13650B230VSS6</u>	Saginaw Enviro-Therm air conditioner, 13650 BTU/H, R-134a or R-513a, 230 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$11,083.00
<u>SCE-AC13650B460V3</u>	Saginaw Enviro-Therm air conditioner, 13650 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$6,977.00
<u>SCE-AC13650B460V3SS</u>	Saginaw Enviro-Therm air conditioner, 13650 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$9,983.00
<u>SCE-AC13650B460V3SS6</u>	Saginaw Enviro-Therm air conditioner, 13650 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 316 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$12,286.00
<u>13256862055</u>	Pfannenbergs DTT 6801 air conditioner, 14000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, top mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$8,988.00
<u>SCE-NG14300B230V</u>	Saginaw NextGen Enviro-Therm air conditioner, 14300 BTU/H, R-134a or R-513a, 230 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$6,154.00
<u>SCE-NG14300B460V3</u>	Saginaw NextGen Enviro-Therm air conditioner, 14300 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$6,678.00
<u>13384136255</u>	Pfannenbergs DTS 3441C air conditioner, 20000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$6,938.25
<u>13384136355</u>	Pfannenbergs DTS 3461C air conditioner, 20000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$7,782.75
<u>13384136158</u>	Pfannenbergs DTS 3481C air conditioner, 20000 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$9,276.00
<u>SCE-AC21160B460V3</u>	Saginaw Enviro-Therm air conditioner, 21160 BTU/H, R-134a or R-513a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, side mount. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$9,868.00
<u>SCE-AC21160B460V3SS</u>	Saginaw Enviro-Therm air conditioner, 21160 BTU/H, R-134a or R-513a, 460 VAC operating voltage, 304 stainless steel housing, side mount. For use with NEMA/UL Type 3R, 4, 4X & 12 enclosures.	Stock	\$12,579.00
<u>13384036255</u>	Pfannenbergs DTS 3641C air conditioner, 25000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 12 enclosures.	Stock	\$8,715.00
<u>13384036355</u>	Pfannenbergs DTS 3661C air conditioner, 25000 BTU/H, R-134a, 460 VAC operating voltage, carbon steel housing, RAL 7035 light gray, filter-free, side mount. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$9,484.50
<u>13384036158</u>	Pfannenbergs DTS 3681C air conditioner, 25000 BTU/H, R-134a, 460 VAC operating voltage, 304 stainless steel housing, filter-free, side mount. For use with NEMA/UL Type 4 & 4X enclosures.	Stock	\$11,288.25
Enclosure Thermoelectric Coolers			
<u>3035303</u>	Seifert SoliTherm thermoelectric cooler, 100 BTU/H, 24 VDC operating voltage, 304 stainless steel housing, filter-free, recessed mount. For use with NEMA 4/4X/12 enclosures.	Stock	\$606.00
<u>3050303</u>	Seifert SoliTherm thermoelectric cooler, 170 BTU/H, 24 VDC operating voltage, 304 stainless steel housing, filter-free, recessed mount. For use with NEMA 4/4X/12 enclosures.	Stock	\$805.00
<u>3102303</u>	Seifert SoliTherm thermoelectric cooler, 340 BTU/H, 24 VDC operating voltage, 304 stainless steel housing, filter-free, recessed mount. For use with NEMA 4/4X/12 enclosures.	Stock	\$1,415.00
<u>6105313</u>	Seifert SoliTherm thermoelectric cooler, 340 BTU/H, 120 VAC operating voltage, 304 stainless steel housing, filter-free, recessed mount. For use with NEMA 4/4X/12 enclosures.	Stock	\$1,849.00

6105323	Seifert SoliTherm thermoelectric cooler, 340 BTU/H, 230 VAC operating voltage, 304 stainless steel housing, filter-free, recessed mount. For use with NEMA 4/4X/12 enclosures.	Stock	\$1,849.00
3152303	Seifert SoliTherm thermoelectric cooler, 510 BTU/H, 24 VDC operating voltage, 304 stainless steel housing, filter-free, recessed mount. For use with NEMA 4/4X/12 enclosures.	Stock	\$1,846.00
3200303	Seifert SoliTherm thermoelectric cooler, 680 BTU/H, 24 VDC operating voltage, 304 stainless steel housing, filter-free, recessed mount. For use with NEMA 4/4X/12 enclosures.	Stock	\$1,757.00

Air-to-Air Heat Exchangers

SCE-HE04W120V	Saginaw air-to-air heat exchanger, 7.2 W/deg C (4 W/deg F), 120 VAC operating voltage, 50/60 Hz, 1.10A running current, side mount, aluzinc coated steel, RAL 7035 light gray, textured powder coat finish. For use with NEMA/UL Type 3R & 12 enclosures.	Stock	\$1,059.00
SCE-HE08W120V	Saginaw air-to-air heat exchanger, 14.4 W/deg C (8 W/deg F), 120 VAC operating voltage, 50/60 Hz, 1.10A running current, side mount, aluzinc coated steel, RAL 7035 light gray, textured powder coat finish. For use with NEMA/UL Type 3R & 12 enclosures.	Stock	\$1,389.00
TE20-015-17-04	Stratus CFC-free air-to-air heat exchanger, 22 W/deg C (12 W/deg F), 120 VAC operating voltage, 50/60 Hz, 0.37A running current, side mount, cold-rolled steel, ANSI 61 gray, powder coat finish. For use with NEMA/UL Type 4 enclosures.	Stock	\$1,800.00
TE20-015-24D-04	Stratus CFC-free air-to-air heat exchanger, 22 W/deg C (12 W/deg F), 24 VDC operating voltage, 0.80A running current, side mount, cold-rolled steel, ANSI 61 gray, powder coat finish. For use with NEMA/UL Type 4 enclosures.	Stock	\$1,853.00
SCE-HE18W120V	Saginaw air-to-air heat exchanger, 32 W/deg C (18 W/deg F), 120 VAC operating voltage, 50/60 Hz, 1.40A running current, side mount, aluzinc coated steel, RAL 7035 light gray, textured powder coat finish. For use with NEMA/UL Type 3R & 12 enclosures.	Stock	\$1,577.00
SCE-HE24W120V	Saginaw air-to-air heat exchanger, 43 W/deg C (24 W/deg F), 120 VAC operating voltage, 50/60 Hz, 1.80A running current, side mount, aluzinc coated steel, RAL 7035 light gray, textured powder coat finish. For use with NEMA/UL Type 3R & 12 enclosures.	Stock	\$1,810.00
TE30-030-17-04	Stratus CFC-free air-to-air heat exchanger, 44 W/deg C (24 W/deg F), 120 VAC operating voltage, 50/60 Hz, 0.37A running current, side mount, cold-rolled steel, ANSI 61 gray, powder coat finish. For use with NEMA/UL Type 4 enclosures.	Stock	\$1,860.00
TE30-030-24D-04	Stratus CFC-free air-to-air heat exchanger, 44 W/deg C (24 W/deg F), 24 VDC operating voltage, 0.80A running current, side mount, cold-rolled steel, ANSI 61 gray, powder coat finish. For use with NEMA/UL Type 4 enclosures.	Stock	\$1,912.00
TE40-050-17-04	Stratus CFC-free air-to-air heat exchanger, 71.6 W/deg C (40 W/deg F), 120 VAC operating voltage, 50/60 Hz, 0.47A running current, side mount, cold-rolled steel, ANSI 61 gray, powder coat finish. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,433.00
TE40-050-24D-04	Stratus CFC-free air-to-air heat exchanger, 71.6 W/deg C (40 W/deg F), 24 VDC operating voltage, 1.94A running current, side mount, cold-rolled steel, ANSI 61 gray, powder coat finish. For use with NEMA/UL Type 4 enclosures.	Stock	\$2,560.00
TE20-015-17-4X	Stratus CFC-free air-to-air heat exchanger, 22 W/deg C (12 W/deg F), 120 VAC operating voltage, 50/60 Hz, 0.37A running current, side mount, 304 stainless steel. For use with NEMA/UL Type 4X enclosures.	Stock	\$1,881.00
TE20-015-24D-4X	Stratus CFC-free air-to-air heat exchanger, 22 W/deg C (12 W/deg F), 24 VDC operating voltage, 0.80A running current, side mount, 304 stainless steel. For use with NEMA/UL Type 4X enclosures.	Stock	\$1,933.00
TE30-030-17-4X	Stratus CFC-free air-to-air heat exchanger, 44 W/deg C (24 W/deg F), 120 VAC operating voltage, 50/60 Hz, 0.37A running current, side mount, 304 stainless steel. For use with NEMA/UL Type 4X enclosures.	Stock	\$1,996.00
TE30-030-24D-4X	Stratus CFC-free air-to-air heat exchanger, 44 W/deg C (24 W/deg F), 24 VDC operating voltage, 0.80A running current, side mount, 304 stainless steel. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,043.00
TE40-050-17-4X	Stratus CFC-free air-to-air heat exchanger, 71.6 W/deg C (40 W/deg F), 120 VAC operating voltage, 50/60 Hz, 0.47A running current, side mount, 304 stainless steel. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,530.00
TE40-050-24D-4X	Stratus CFC-free air-to-air heat exchanger, 71.6 W/deg C (40 W/deg F), 24 VDC operating voltage, 1.94A running current, side mount, 304 stainless steel. For use with NEMA/UL Type 4X enclosures.	Stock	\$2,657.00

Air-to-Water Heat Exchangers

12351010005	Pfannenberg air-to-water heat exchanger, 3241 BTU/H, 115 VAC operating voltage, 60 Hz, 0.69A running current, side mount, galvanized steel, RAL 7035 light gray, powder coat finish. For use with NEMA/UL Type 3R & 4 enclosures.	Stock	\$1,536.00
12358410045	Pfannenberg air-to-water heat exchanger, 12283 BTU/H, 115 VAC operating voltage, 60 Hz, 0.70A running current, side mount, galvanized steel, RAL 7035 light gray, powder coat finish. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$2,904.00
12358510045	Pfannenberg air-to-water heat exchanger, 21496 BTU/H, 115 VAC operating voltage, 60 Hz, 1.89A running current, side mount, galvanized steel, RAL 7035 light gray, powder coat finish. For use with NEMA/UL Type 3R, 4 & 12 enclosures.	Stock	\$4,095.00

Directional Cooling Fans for Enclosures

019250-01	Stego StegoJet series compact directional cooling fan, for precise cooling of heat sources inside an enclosure, 100-240 VAC operating voltage, 50/60 Hz, panel mount, IP20.	Stock	\$104.00
---------------------------	---	-------	----------

Enclosure Filter Fans				
<u>FF08A115UN</u>	Fandis Virdis series intake fan, side mount, 8.8 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$66.00	
<u>FF08A115ZN</u>	Fandis Virdis series intake fan, side mount, 8.8 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, ANSI 61 gray.	Stock	\$70.00	
<u>FF08A115NN3</u>	Fandis Virdis series intake fan, side mount, 8.8 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 3R, safe for outdoor use, 3.62 x 3.62in enclosure cutout, RAL 9005 black.	Stock	\$117.00	
<u>FF08A230UN</u>	Fandis Virdis series intake fan, side mount, 8.8 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$66.00	
<u>FF08D24UN</u>	Fandis Virdis series intake fan, side mount, 9.4 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$72.00	
<u>FF08D24ZN</u>	Fandis Virdis series intake fan, side mount, 9.4 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, ANSI 61 gray.	Stock	\$77.00	
<u>FF08D24NN3</u>	Fandis Virdis series intake fan, side mount, 9.4 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 3R, safe for outdoor use, 3.62 x 3.62in enclosure cutout, RAL 9005 black.	Stock	\$126.00	
<u>018700-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 11 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$87.00	
<u>018800-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 11 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$87.00	
<u>018000-02</u>	Stego Filter Fan intake fan, side mount, 12 CFM, 24 VDC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 3.82 x 3.82in enclosure cutout, RAL 7035 light gray.	Stock	\$130.00	
<u>018210-04</u>	Stego Filter Fan intake fan, side mount, 12 CFM, 24 VDC operating voltage, M5 (medium) filter mat, NEMA 12, safe for outdoor use, 4.92 x 4.92in enclosure cutout, RAL 7035 light gray.	Stock	\$206.00	
<u>018703-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 13 CFM, 12 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$99.00	
<u>018702-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 13 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$94.00	
<u>018709-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 14 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$87.00	
<u>018701-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 14 CFM, 48 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$99.00	
<u>018809-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 14 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$87.00	
<u>018800-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 14 CFM, 230 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$91.00	
<u>018000-01</u>	Stego Filter Fan intake fan, side mount, 14 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 3.82 x 3.82in enclosure cutout, RAL 7035 light gray.	Stock	\$97.00	
<u>018210-02</u>	Stego Filter Fan intake fan, side mount, 14 CFM, 115 VAC operating voltage, M5 (medium) filter mat, NEMA 12, safe for outdoor use, 4.92 x 4.92in enclosure cutout, RAL 7035 light gray.	Stock	\$175.00	
<u>018802-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 18 CFM, 24 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$97.00	
<u>018809-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 19 CFM, 115 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$91.00	
<u>018803-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 19 CFM, 12 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$103.00	
<u>018801-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 19 CFM, 48 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$103.00	
<u>FF12D24NN53</u>	Fandis Virdis series intake fan, side mount, 21 CFM, 24 VDC operating voltage, G4 (coarse) filter mat, NEMA 3R, safe for outdoor use, 4.92 x 4.92in enclosure cutout, RAL 9005 black.	Stock	\$167.00	
<u>FF12A115NF53</u>	Fandis Virdis series intake fan, side mount, 23 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 3R, safe for outdoor use, 4.92 x 4.92in enclosure cutout, RAL 9005 black.	Stock	\$149.00	
<u>FF12D24UN</u>	Fandis Virdis series intake fan, side mount, 27 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$86.00	
<u>FF12D24ZN</u>	Fandis Virdis series intake fan, side mount, 27 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, ANSI 61 gray.	Stock	\$88.00	
<u>FF12A115UF</u>	Fandis Virdis series intake fan, side mount, 29 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$81.00	
<u>FF12A115ZF</u>	Fandis Virdis series intake fan, side mount, 29 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, ANSI 61 gray.	Stock	\$83.00	
<u>FF12A230UF</u>	Fandis Virdis series intake fan, side mount, 29 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$81.00	
<u>018710-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 31 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$95.00	

<u>018810-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 32 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$95.00
<u>018010-02</u>	Stego Filter Fan intake fan, side mount, 32 CFM, 24 VDC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 4.92 x 4.92in enclosure cutout, RAL 7035 light gray.	Stock	\$145.00
<u>018719-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 37 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$95.00
<u>018010-01</u>	Stego Filter Fan intake fan, side mount, 37 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 4.92 x 4.92in enclosure cutout, RAL 7035 light gray.	Stock	\$109.00
<u>018712-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 39 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$102.00
<u>018711-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 39 CFM, 48 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$101.00
<u>018819-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 39 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$95.00
<u>018713-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 45 CFM, 12 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$101.00
<u>018810-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 57 CFM, 230 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$100.00
<u>FF13PD24UN</u>	Fandis Viridis series intake fan, side mount, 59 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.97 x 6.97in enclosure cutout, RAL 7035 light gray.	Stock	\$164.00
<u>FF13PD24ZN</u>	Fandis Viridis series intake fan, side mount, 59 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.97 x 6.97in enclosure cutout, ANSI 61 gray.	Stock	\$174.00
<u>018020-02</u>	Stego Filter Fan intake fan, side mount, 60 CFM, 24 VDC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$148.00
<u>018819-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 69 CFM, 115 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$100.00
<u>018020-01</u>	Stego Filter Fan intake fan, side mount, 69 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$129.00
<u>018813-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 70 CFM, 12 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$113.00
<u>018812-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 70 CFM, 24 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$107.00
<u>018811-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 74 CFM, 48 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$113.00
<u>FF13PA115UF</u>	Fandis Viridis series intake fan, side mount, 65 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.97 x 6.97in enclosure cutout, RAL 7035 light gray.	Stock	\$114.00
<u>FF13PA115ZF</u>	Fandis Viridis series intake fan, side mount, 65 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.97 x 6.97in enclosure cutout, ANSI 61 gray.	Stock	\$121.00
<u>FF13PA230UF</u>	Fandis Viridis series intake fan, side mount, 65 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.97 x 6.97in enclosure cutout, RAL 7035 light gray.	Stock	\$114.00
<u>018720-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 100 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$164.00
<u>018721-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 100 CFM, 48 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$228.00
<u>018722-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 105 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$242.00
<u>018723-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 106 CFM, 12 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$228.00
<u>018820-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 106 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$164.00
<u>FF15A115NF53</u>	Fandis Viridis series intake fan, side mount, 112 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 3R, safe for outdoor use, 8.78 x 8.78in enclosure cutout, RAL 9005 black.	Stock	\$228.00
<u>018729-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 120 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$182.00
<u>018829-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 126 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$182.00
<u>FF15D24NF53</u>	Fandis Viridis series intake fan, side mount, 135 CFM, 24 VDC operating voltage, G4 (coarse) filter mat, NEMA 3R, safe for outdoor use, 8.78 x 8.78in enclosure cutout, RAL 9005 black.	Stock	\$331.00
<u>018040-01</u>	Stego Filter Fan intake fan, side mount, 136 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$224.00
<u>018820-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 155 CFM, 230 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$172.00
<u>018822-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 158 CFM, 24 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$253.00

<u>FF15A115UN2</u>	Fandis Virdis series intake fan, side mount, 155 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$159.00
<u>FF15A115ZN2</u>	Fandis Virdis series intake fan, side mount, 155 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, ANSI 61 gray.	Stock	\$169.00
<u>FF15A230UN2</u>	Fandis Virdis series intake fan, side mount, 159 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$159.00
<u>018821-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 163 CFM, 48 VDC operating voltage, with air flaps, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$238.00
<u>FF15D24UF</u>	Fandis Virdis series intake fan, side mount, 175 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$262.00
<u>FF15D24ZF</u>	Fandis Virdis series intake fan, side mount, 175 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, ANSI 61 gray.	Stock	\$278.00
<u>018030-03</u>	Stego Filter Fan intake fan, side mount, 176 CFM, 24 VDC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 9.84 x 9.84in enclosure cutout, RAL 7035 light gray.	Stock	\$395.00
<u>018830-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 177 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$211.00
<u>018730-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 180 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$211.00
<u>018829-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 184 CFM, 115 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$191.00
<u>018839-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 191 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$220.00
<u>018739-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 195 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$220.00
<u>018030-01</u>	Stego Filter Fan intake fan, side mount, 202 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 9.84 x 9.84in enclosure cutout, RAL 7035 light gray.	Stock	\$379.00
<u>018600-02</u>	Stego exhaust fan, top mount, 203 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 3R, indoor use only, 9.69 x 9.69in enclosure cutout, RAL 7035 light gray.	Stock	\$460.00
<u>018600-04</u>	Stego exhaust fan, top mount, 203 CFM, 24 VDC operating voltage, G3 (coarse) filter mat, NEMA 3R, indoor use only, 9.69 x 9.69in enclosure cutout, RAL 7035 light gray.	Stock	\$528.00
<u>018749-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 232 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$307.00
<u>FF20A115NE531</u>	Fandis Virdis series intake fan, side mount, 235 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 3R, safe for outdoor use, 11.46 x 11.46in enclosure cutout, RAL 9005 black.	Stock	\$364.00
<u>018740-30</u>	Stego Filter Fan Plus FPI intake fan, side mount, 255 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$283.00
<u>018849-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 256 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$307.00
<u>018840-40</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 265 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$283.00
<u>TP19U115B541</u>	Fandis Virdis series exhaust fan, top mount, 288 CFM, 115 VAC operating voltage, G2 (coarse) filter mat, NEMA 12, indoor use only, 6.89 x 6.89in enclosure cutout, RAL 7035 light gray.	Stock	\$336.00
<u>018830-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 316 CFM, 230 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$225.00
<u>TP19U115B1</u>	Fandis Virdis series exhaust fan, top mount, 338 CFM, 115 VAC operating voltage, NEMA 12, indoor use only, 6.89 x 6.89in enclosure cutout, RAL 7035 light gray.	Stock	\$317.00
<u>018610-02</u>	Stego exhaust fan, top mount, 338 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 3R, indoor use only, 9.69 x 9.69in enclosure cutout, RAL 7035 light gray.	Stock	\$397.00
<u>018610-00</u>	Stego exhaust fan, top mount, 338 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 3R, indoor use only, 9.69 x 9.69in enclosure cutout, RAL 7035 light gray.	Stock	\$315.00
<u>TP19U230B1</u>	Fandis Virdis series exhaust fan, top mount, 338 CFM, 230 VAC operating voltage, NEMA 12, indoor use only, 6.89 x 6.89in enclosure cutout, RAL 7035 light gray.	Stock	\$317.00
<u>018839-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 342 CFM, 115 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$248.00
<u>FF20A115UE1</u>	Fandis Virdis series intake fan, side mount, 297 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$279.00
<u>FF20A115ZE1</u>	Fandis Virdis series intake fan, side mount, 297 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, ANSI 61 gray.	Stock	\$296.00
<u>FF20A230UE1</u>	Fandis Virdis series intake fan, side mount, 297 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$254.00
<u>018740-31</u>	Stego Filter Fan Plus FPI intake fan, side mount, 367 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$349.00
<u>018050-01</u>	Stego Filter Fan intake fan, side mount, 372 CFM, 115 VAC operating voltage, G4 (coarse) filter mat, NEMA 12, indoor use only, 9.84 x 9.84in enclosure cutout, RAL 7035 light gray.	Stock	\$312.00

<u>018749-31</u>	Stego Filter Fan Plus FPI intake fan, side mount, 391 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$371.00
<u>018849-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 414 CFM, 115 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$322.00
<u>018840-00</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 428 CFM, 230 VAC operating voltage, with air flaps, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$298.00
<u>FF20GA115UE1</u>	Fandis Viridis series intake fan, side mount, 436 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$313.00
<u>FF20GA115ZE1</u>	Fandis Viridis series intake fan, side mount, 436 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, ANSI 61 gray.	Stock	\$332.00
<u>FF20GA115NE31</u>	Fandis Viridis series intake fan, side mount, 436 CFM, 115 VAC operating voltage, G3 (coarse) filter mat, NEMA 3R, safe for outdoor use, 11.46 x 11.46in enclosure cutout, RAL 9005 black.	Stock	\$472.00
<u>FF20GA230UE1</u>	Fandis Viridis series intake fan, side mount, 450 CFM, 230 VAC operating voltage, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$290.00
<u>018840-01</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 595 CFM, 230 VAC operating voltage, with air flaps, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$366.00
<u>018849-01</u>	Stego Filter Fan Plus FPO exhaust fan, side mount, 607 CFM, 115 VAC operating voltage, with air flaps, G3 (coarse) filter mat, NEMA 12, indoor use only, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$388.00
Enclosure Rack Fans			
<u>DNFK1AC120</u>	Hammond rack fan, 100 CFM, 115 VAC operating voltage, 50/60 Hz.	Stock	\$58.00
<u>DNFK2AC120</u>	Hammond rack fan, 100 CFM, 115 VAC operating voltage, 50/60 Hz. Package of 2.	Stock	\$108.00
<u>019310-00</u>	Stego fan tray, rack mount, 339 CFM, 115 VAC operating voltage.	Stock	\$226.00
<u>019510-00</u>	Stego fan tray, rack mount, 1016 CFM, 115 VAC operating voltage.	Stock	\$701.00
Enclosure Vortex Coolers			
<u>TV08-005-4X</u>	Stratus vortex cooler, 500 BTUH (147W), 8 SCFM (227 SLPM), stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures. Distribution tube and muffler included.	Stock	\$362.00
<u>TVK08-005-4X-120A</u>	Stratus vortex cooler kit, 500 BTUH (147W), 8 SCFM (227 SLPM), 120 VAC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TVK08-005-4X-24D</u>	Stratus vortex cooler kit, 500 BTUH (147W), 8 SCFM (227 SLPM), 24 VDC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TV10-006-4X</u>	Stratus vortex cooler, 600 BTUH (176W), 10 SCFM (283 SLPM), stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures. Distribution tube and muffler included.	Stock	\$362.00
<u>TVK10-006-4X-120A</u>	Stratus vortex cooler kit, 600 BTUH (176W), 10 SCFM (283 SLPM), 120 VAC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TVK10-006-4X-24D</u>	Stratus vortex cooler kit, 600 BTUH (176W), 10 SCFM (283 SLPM), 24 VDC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TV15-010-4X</u>	Stratus vortex cooler, 1000 BTUH (293W), 15 SCFM (425 SLPM), stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures. Distribution tube and muffler included.	Stock	\$362.00
<u>TVK15-010-4X-120A</u>	Stratus vortex cooler kit, 1000 BTUH (293W), 15 SCFM (425 SLPM), 120 VAC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TVK15-010-4X-24D</u>	Stratus vortex cooler kit, 1000 BTUH (293W), 15 SCFM (425 SLPM), 24 VDC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TV25-018-4X</u>	Stratus vortex cooler, 1800 BTUH (528W), 25 SCFM (708 SLPM), stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures. Distribution tube and muffler included.	Stock	\$362.00
<u>TVK25-018-4X-120A</u>	Stratus vortex cooler kit, 1800 BTUH (528W), 25 SCFM (708 SLPM), 120 VAC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TVK25-018-4X-24D</u>	Stratus vortex cooler kit, 1800 BTUH (528W), 25 SCFM (708 SLPM), 24 VDC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TV35-025-4X</u>	Stratus vortex cooler, 2500 BTUH (732W), 35 SCFM (991 SLPM), stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures. Distribution tube and muffler included.	Stock	\$362.00
<u>TVK35-025-4X-120A</u>	Stratus vortex cooler kit, 2500 BTUH (732W), 35 SCFM (991 SLPM), 120 VAC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>TVK35-025-4X-24D</u>	Stratus vortex cooler kit, 2500 BTUH (732W), 35 SCFM (991 SLPM), 24 VDC operating voltage, stainless steel body. For use with NEMA 4, NEMA 4X and NEMA 12 enclosures.	Stock	\$470.00
<u>W750400</u>	Wiegmann vortex cooler kit, 400 BTUH (117W), 8 SCFM (227 SLPM), 120 VAC operating voltage, aluminum body. For use with NEMA 12 enclosures.	Stock	\$1,290.00
<u>W7971700</u>	Wiegmann vortex cooler kit, 1700 BTUH (498W), 25 SCFM (708 SLPM), 120 VAC operating voltage, aluminum body. For use with NEMA 4 enclosures.	Stock	\$1,584.00
<u>W797SS1700</u>	Wiegmann vortex cooler kit, 1700 BTUH (498W), 25 SCFM (708 SLPM), 120 VAC operating voltage, stainless steel body. For use with NEMA 4 and NEMA 4X enclosures.	Stock	\$2,920.00

Enclosure Heaters				
<u>016240-03</u>	Stego enclosure heater, 5W heating capacity, PTC resistor heating element, 12-24 VAC/VDC operating voltage, panel mount.	Stock	\$15.50	
<u>016220-03</u>	Stego enclosure heater, 5W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, panel mount.	Stock	\$16.00	
<u>016020-03</u>	Stego enclosure heater, 8W heating capacity, PTC resistor heating element, 12-24 VAC/VDC operating voltage, panel mount.	Stock	\$17.50	
<u>01651.0-00</u>	Stego enclosure heater, 8W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, panel mount.	Stock	\$16.00	
<u>016020-00</u>	Stego enclosure heater, 8W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, panel mount.	Stock	\$16.00	
<u>016230-01</u>	Stego enclosure heater, 9W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, panel mount.	Stock	\$15.00	
<u>016250-02</u>	Stego enclosure heater, 9W heating capacity, PTC resistor heating element, 12-24 VAC/VDC operating voltage, panel mount.	Stock	\$24.50	
<u>060401-00</u>	Stego enclosure heater, 10W heating capacity, touch-safe PTC resistor heating element, 12-30 VAC/VDC operating voltage, 35mm DIN rail mount.	Stock	\$44.00	
<u>016090-01</u>	Stego enclosure heater, 10W heating capacity, PTC resistor heating element, 12-24 VAC/VDC operating voltage, panel mount.	Stock	\$17.50	
<u>060400-00</u>	Stego enclosure heater, 10W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 35mm DIN rail mount.	Stock	\$35.50	
<u>01662.0-00</u>	Stego enclosure heater, 10W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, panel mount.	Stock	\$17.00	
<u>016090-00</u>	Stego enclosure heater, 10W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, panel mount.	Stock	\$17.00	
<u>16400.9-00</u>	Stego enclosure heater, 10W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$37.50	
<u>016100-01</u>	Stego enclosure heater, 13W heating capacity, PTC resistor heating element, 12-24 VAC/VDC operating voltage, panel mount.	Stock	\$20.00	
<u>016100-00</u>	Stego enclosure heater, 13W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, panel mount.	Stock	\$20.00	
<u>06401.0-00</u>	Stego enclosure heater, 20W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$39.00	
<u>060300-00</u>	Stego enclosure heater, 20W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 35mm DIN rail mount.	Stock	\$40.00	
<u>16401.9-00</u>	Stego enclosure heater, 20W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$43.00	
<u>06402.0-00</u>	Stego enclosure heater, 30W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$44.00	
<u>16402.9-00</u>	Stego enclosure heater, 30W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$44.00	
<u>06403.0-00</u>	Stego enclosure heater, 40W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$61.00	
<u>16403.9-00</u>	Stego enclosure heater, 40W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$58.00	
<u>06500.0-00</u>	Stego enclosure heater, 50W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$63.00	
<u>060000-00</u>	Stego enclosure heater, 50W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 35mm DIN rail mount.	Stock	\$64.00	
<u>06510.0-00</u>	Stego enclosure heater, 50W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail or panel mount.	Stock	\$75.00	
<u>060010-00</u>	Stego enclosure heater, 50W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC operating voltage, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$75.00	
<u>06520.0-00</u>	Stego enclosure heater, 50W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 59 deg F (15 deg C) switch-on, 35mm DIN rail or panel mount.	Stock	\$75.00	
<u>16404.9-00</u>	Stego enclosure heater, 50W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$81.00	
<u>061009-00</u>	Stego flat heater, 50W heating capacity, resistance heating element, 120 VAC operating voltage, 50/60 Hz, M6 screw mount.	Stock	\$158.00	
<u>061000-00</u>	Stego flat heater, 50W heating capacity, resistance heating element, 230 VAC operating voltage, 50/60 Hz, M6 screw mount.	Stock	\$155.00	

<u>020319-00</u>	Stego enclosure heater, hazardous location rated, 50W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 35mm DIN rail mount.	Stock	\$198.00
<u>020310-00</u>	Stego enclosure heater, hazardous location rated, 50W heating capacity, high performance cartridge heating element, 230 VAC operating voltage, 35mm DIN rail mount.	Stock	\$198.00
<u>16501.0-00</u>	Stego enclosure heater, 60W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$82.00
<u>16502.0-00</u>	Stego enclosure heater, 75W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$87.00
<u>06503.0-00</u>	Stego enclosure heater, 100W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$93.00
<u>060100-00</u>	Stego enclosure heater, 100W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 35mm DIN rail mount.	Stock	\$92.00
<u>06513.0-00</u>	Stego enclosure heater, 100W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail or panel mount.	Stock	\$103.00
<u>060110-00</u>	Stego enclosure heater, 100W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC operating voltage, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$104.00
<u>16503.0-00</u>	Stego enclosure heater, 100W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$93.00
<u>061019-00</u>	Stego flat heater, 100W heating capacity, resistance heating element, 120 VAC operating voltage, 50/60 Hz, M6 screw mount.	Stock	\$180.00
<u>061010-00</u>	Stego flat heater, 100W heating capacity, resistance heating element, 230 VAC operating voltage, 50/60 Hz, M6 screw mount.	Stock	\$177.00
<u>020320-00</u>	Stego enclosure heater, hazardous location rated, 100W heating capacity, high performance cartridge heating element, 230 VAC operating voltage, 35mm DIN rail mount.	Stock	\$227.00
<u>020329-00</u>	Stego enclosure heater, hazardous location rated, 100W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 35mm DIN rail mount.	Stock	\$227.00
<u>FLHTF125A115</u>	Hammond enclosure heater, axial fan, 125W heating capacity, incoloy tubular heating element, 120 VAC operating voltage, 60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$304.00
<u>FLHTF125A230</u>	Hammond enclosure heater, axial fan, 105/125W heating capacity, incoloy tubular heating element, 220-240 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$304.00
<u>06504.0-00</u>	Stego enclosure heater, 150W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$119.00
<u>060200-00</u>	Stego enclosure heater, 150W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 35mm DIN rail mount.	Stock	\$106.00
<u>16504.0-00</u>	Stego enclosure heater, 150W heating capacity, PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$119.00
<u>06514.0-00</u>	Stego enclosure heater, 150W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail or panel mount.	Stock	\$131.00
<u>060210-00</u>	Stego enclosure heater, 150W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC operating voltage, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$118.00
<u>06524.0-00</u>	Stego enclosure heater, 150W heating capacity, touch-safe PTC resistor heating element, 120-240 VAC/VDC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 59 deg F (15 deg C) switch-on, 35mm DIN rail or panel mount.	Stock	\$131.00
<u>028009-00</u>	Stego enclosure heater, axial fan, 150W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$126.00
<u>028009-01</u>	Stego enclosure heater, axial fan, 150W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$126.00
<u>028000-00</u>	Stego enclosure heater, axial fan, 150W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$126.00
<u>028000-01</u>	Stego enclosure heater, axial fan, 150W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$126.00
<u>FLHTF200A115</u>	Hammond enclosure heater, axial fan, 200W heating capacity, incoloy tubular heating element, 120 VAC operating voltage, 60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$361.00
<u>FLHTF200A230</u>	Hammond enclosure heater, axial fan, 165/200W heating capacity, incoloy tubular heating element, 220-240 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$361.00
<u>020349-00</u>	Stego enclosure heater, hazardous location rated, 200W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 35mm DIN rail mount.	Stock	\$252.00
<u>020340-00</u>	Stego enclosure heater, hazardous location rated, 200W heating capacity, high performance cartridge heating element, 230 VAC operating voltage, 35mm DIN rail mount.	Stock	\$252.00
<u>030921-16</u>	Stego enclosure heater, axial fan, 200W heating capacity, high performance cartridge heating element, 24 VDC operating voltage, adjustable thermostat, N.C. (open on rise) -4 to 104 deg F, foot mount.	Stock	\$319.00

<u>030921-17</u>	Stego enclosure heater, axial fan, 200W heating capacity, high performance cartridge heating element, 24 VDC operating voltage, adjustable thermostat with external sensor connection, N.C. (open on rise) -4 to 104 deg F, foot mount.	Stock	\$319.00
<u>130921-16</u>	Stego enclosure heater, axial fan, 200W heating capacity, high performance cartridge heating element, 24 VDC operating voltage, adjustable thermostat, N.C. (open on rise) -4 to 104 deg F, 35mm DIN rail or panel mount.	Stock	\$323.00
<u>130921-17</u>	Stego enclosure heater, axial fan, 200W heating capacity, high performance cartridge heating element, 24 VDC operating voltage, adjustable thermostat with external sensor connection, N.C. (open on rise) -4 to 104 deg F, 35mm DIN rail or panel mount.	Stock	\$323.00
<u>028119-00</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$144.00
<u>028119-01</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$144.00
<u>028219-06</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$159.00
<u>028219-08</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, panel mount.	Stock	\$159.00
<u>028110-00</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$144.00
<u>028110-01</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$144.00
<u>028210-06</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$159.00
<u>028210-08</u>	Stego enclosure heater, axial fan, 250W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, panel mount.	Stock	\$159.00
<u>028109-00</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$159.00
<u>028109-01</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$159.00
<u>028209-06</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$173.00
<u>028209-08</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, panel mount.	Stock	\$173.00
<u>028100-00</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$159.00
<u>028100-01</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$159.00
<u>028200-06</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$173.00
<u>028200-08</u>	Stego enclosure heater, axial fan, 400W heating capacity, touch-safe PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, panel mount.	Stock	\$173.00
<u>FLHTF400A115</u>	Hammond enclosure heater, axial fan, 400W heating capacity, incoloy tubular heating element, 120 VAC operating voltage, 60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$418.00
<u>FLHTF400A230</u>	Hammond enclosure heater, axial fan, 335/400W heating capacity, incoloy tubular heating element, 220-240 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$418.00
<u>030849-00</u>	Stego enclosure heater, axial fan, 500W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$249.00
<u>027009-00</u>	Stego enclosure heater, axial fan, 550W heating capacity, PTC resistor heating element, 100-120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 32 to 140 deg F, 35mm DIN rail mount.	Stock	\$210.00
<u>027009-01</u>	Stego enclosure heater, axial fan, 550W heating capacity, PTC resistor heating element, 100-120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, 35mm DIN rail mount.	Stock	\$210.00
<u>027000-00</u>	Stego enclosure heater, axial fan, 550W heating capacity, PTC resistor heating element, 220-240 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, 35mm DIN rail mount.	Stock	\$210.00
<u>030839-00</u>	Stego enclosure heater, axial fan, 600W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$254.00
<u>027019-00</u>	Stego enclosure heater, axial fan, 650W heating capacity, PTC resistor heating element, 100-120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 32 to 140 deg F, 35mm DIN rail mount.	Stock	\$234.00

<u>027019-01</u>	Stego enclosure heater, axial fan, 650W heating capacity, PTC resistor heating element, 100-120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, 35mm DIN rail mount.	Stock	\$221.00
<u>027010-00</u>	Stego enclosure heater, axial fan, 650W heating capacity, PTC resistor heating element, 220-240 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, 35mm DIN rail mount.	Stock	\$234.00
<u>030829-00</u>	Stego enclosure heater, axial fan, 700W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$260.00
<u>030829-01</u>	Stego enclosure heater, axial fan, 700W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$260.00
<u>030820-00</u>	Stego enclosure heater, axial fan, 700W heating capacity, high performance cartridge heating element, 230 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount.	Stock	\$261.00
<u>030820-01</u>	Stego enclosure heater, axial fan, 700W heating capacity, high performance cartridge heating element, 230 VAC operating voltage, 50/60 Hz, panel mount.	Stock	\$260.00
<u>FLHTF800A115</u>	Hammond enclosure heater, axial fan, 800W heating capacity, incoloy tubular heating element, 120 VAC operating voltage, 60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$475.00
<u>FLHTF800A230</u>	Hammond enclosure heater, axial fan, 670/800W heating capacity, incoloy tubular heating element, 220-240 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$475.00
<u>030973-16</u>	Stego enclosure heater, axial fan, 800W heating capacity, high performance cartridge heating element, 56 VDC operating voltage, adjustable thermostat, N.C. (open on rise) -4 to 104 deg F, foot mount.	Stock	\$326.00
<u>130599-02</u>	Stego enclosure heater, axial fan, 950W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 50/60 Hz, 35mm DIN rail or panel mount.	Stock	\$272.00
<u>030599-00</u>	Stego enclosure heater, axial fan, 950W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 32 to 140 deg F, foot mount.	Stock	\$263.00
<u>130599-00</u>	Stego enclosure heater, axial fan, 950W heating capacity, high performance cartridge heating element, 120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 32 to 140 deg F, 35mm DIN rail or panel mount.	Stock	\$277.00
<u>130510-00</u>	Stego enclosure heater, axial fan, 950W heating capacity, high performance cartridge heating element, 230 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, 35mm DIN rail or panel mount.	Stock	\$290.00
<u>030510-00</u>	Stego enclosure heater, axial fan, 950W heating capacity, high performance cartridge heating element, 230 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, foot mount.	Stock	\$263.00
<u>032029-00</u>	Stego enclosure heater, axial fan, 1000W heating capacity, PTC resistor heating element, 100-120 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$314.00
<u>032029-01</u>	Stego enclosure heater, axial fan, 1000W heating capacity, PTC resistor heating element, 100-120 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, panel mount.	Stock	\$314.00
<u>032020-00</u>	Stego enclosure heater, axial fan, 1000W heating capacity, PTC resistor heating element, 220-240 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 35mm DIN rail mount.	Stock	\$314.00
<u>032020-01</u>	Stego enclosure heater, axial fan, 1000W heating capacity, PTC resistor heating element, 220-240 VAC operating voltage, 50/60 Hz, fixed thermostat, N.C. (open on rise) 41 deg F (5 deg C) switch-on, panel mount.	Stock	\$314.00
<u>030609-00</u>	Stego enclosure heater, axial fan, 1200W heating capacity, PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 32 to 140 deg F, foot mount.	Stock	\$285.00
<u>130609-00</u>	Stego enclosure heater, axial fan, 1200W heating capacity, PTC resistor heating element, 120 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 32 to 140 deg F, 35mm DIN rail or panel mount.	Stock	\$332.00
<u>030600-00</u>	Stego enclosure heater, axial fan, 1200W heating capacity, PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, foot mount.	Stock	\$285.00
<u>130600-00</u>	Stego enclosure heater, axial fan, 1200W heating capacity, PTC resistor heating element, 230 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 60 deg C, 35mm DIN rail or panel mount.	Stock	\$332.00
<u>FLHTF1300A115</u>	Hammond enclosure heater, axial fan, 1300W heating capacity, incoloy tubular heating element, 120 VAC operating voltage, 60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$502.00
<u>FLHTF1300A230</u>	Hammond enclosure heater, axial fan, 1080/1300W heating capacity, incoloy tubular heating element, 220-240 VAC operating voltage, 50/60 Hz, adjustable thermostat, N.C. (open on rise) 0 to 100 deg F, panel mount.	Stock	\$502.00
Enclosure Thermostats and Hygrostats			
<u>011900-01</u>	Stego electronic thermostat, adjustable, 32 to 140 deg F, 5.4 deg F switching differential, 24 VDC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$64.00
<u>011709-00</u>	Stego mechanical thermostat, adjustable, 40 to 140 deg F, 9 deg F switching differential, 120 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$44.50
<u>011700-01</u>	Stego mechanical thermostat, adjustable, 40 to 140 deg F, 9 deg F switching differential, 230 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$44.50
<u>011900-00</u>	Stego electronic thermostat, adjustable, 0 to 60 deg C, 3K switching differential, 24 VDC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$64.00

<u>011709-01</u>	Stego mechanical thermostat, adjustable, 5 to 60 deg C, 5K switching differential, 120 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$44.50
<u>011700-00</u>	Stego mechanical thermostat, adjustable, 5 to 60 deg C, 5K switching differential, 230 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$44.50
<u>111009-01</u>	Stego thermostat, adjustable, N.C. (open on rise) 14 to 122 deg F, 12.6 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>111000-01</u>	Stego thermostat, adjustable, N.C. (open on rise) -10 to 50 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>011159-00</u>	Stego thermostat, adjustable, N.C. (open on rise) 32 to 140 deg F, 7 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$29.50
<u>111009-00</u>	Stego thermostat, adjustable, N.C. (open on rise) 32 to 140 deg F, 12.6 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>011150-00</u>	Stego thermostat, adjustable, N.C. (open on rise) 0 to 60 deg C, 4K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$29.50
<u>111000-00</u>	Stego thermostat, adjustable, N.C. (open on rise) 0 to 60 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>111000-02</u>	Stego thermostat, adjustable, N.C. (open on rise) 20 to 80 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>111019-01</u>	Stego thermostat, adjustable, N.O. (close on rise) 14 to 122 deg F, 12.6 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>111010-01</u>	Stego thermostat, adjustable, N.O. (close on rise) -10 to 50 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>011169-00</u>	Stego thermostat, adjustable, N.O. (close on rise) 32 to 140 deg F, 7 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$29.50
<u>111019-00</u>	Stego thermostat, adjustable, N.O. (close on rise) 32 to 140 deg F, 12.6 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>011160-00</u>	Stego thermostat, adjustable, N.O. (close on rise) 0 to 60 deg C, 4K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$29.50
<u>111010-00</u>	Stego thermostat, adjustable, N.O. (close on rise) 0 to 60 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>111010-02</u>	Stego thermostat, adjustable, N.O. (close on rise) 20 to 80 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$22.00
<u>011600-00</u>	Stego thermostat, fixed, N.C. (open on rise) 41 deg F (5 deg C) switch-on, 18 deg F (10K) switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$17.50
<u>011600-01</u>	Stego thermostat, fixed, N.C. (open on rise) 59 deg F (15 deg C) switch-on, 18 deg F (10K) switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$17.50
<u>011850-00</u>	Stego thermostat, hazardous location rated, fixed, N.C. (open on rise) 59 deg F (15 deg C) switch-off, 9 deg F (5K) switching differential, 35mm DIN rail or panel mount, for electrical enclosure climate control.	Stock	\$134.00
<u>011851-00</u>	Stego thermostat, hazardous location rated, fixed, N.C. (open on rise) 77 deg F (25 deg C) switch-off, 9 deg F (5K) switching differential, 35mm DIN rail or panel mount, for electrical enclosure climate control.	Stock	\$134.00
<u>011610-02</u>	Stego thermostat, fixed, N.O. (close on rise) 95 deg F (35 deg C) switch-on, 18 deg F (10K) switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$17.50
<u>011610-00</u>	Stego thermostat, fixed, N.O. (close on rise) 122 deg F (50 deg C) switch-on, 12.6 deg F (7K) switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$17.50
<u>011720-01</u>	Stego thermostat, dual adjustable, N.C. (open on rise) 32 to 140 deg F, N.O. (close on rise) 32 to 140 deg F, 13 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$43.50
<u>011750-01</u>	Stego thermostat, dual adjustable, N.C. (open on rise) 14 to 122 deg F, N.O. (close on rise) 68 to 176 deg F, 12.6 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$43.50
<u>011720-00</u>	Stego thermostat, dual adjustable, N.C. (open on rise) 0 to 60 deg C, N.O. (close on rise) 0 to 60 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$43.50
<u>011750-00</u>	Stego thermostat, dual adjustable, N.C. (open on rise) -10 to 50 deg C, N.O. (close on rise) 20 to 80 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$44.00
<u>011760-01</u>	Stego thermostat, dual adjustable, N.O. (close on rise) 32 to 140 deg F, N.O. (close on rise) 32 to 140 deg F, 12.6 deg F switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$43.50
<u>011760-00</u>	Stego thermostat, dual adjustable, N.O. (close on rise) 0 to 60 deg C, N.O. (close on rise) 0 to 60 deg C, 7K switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$43.50
<u>011630-02</u>	Stego thermostat, dual fixed, N.C. (open on rise) 41 deg F (5 deg C) switch-on, N.O. (close on rise) 95 deg F (35 deg C) switch-on, 18 deg F (10K) switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$32.50
<u>011630-00</u>	Stego thermostat, dual fixed, N.C. (open on rise) 41 deg F (5 deg C) switch-on, N.O. (close on rise) 122 deg F (50 deg C) switch-on, 18 deg F (10K) switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$32.50
<u>011640-00</u>	Stego thermostat, dual fixed, N.O. (close on rise) 122 deg F (50 deg C) switch-on, N.O. (close on rise) 140 deg F (60 deg C) switch-on, 18 deg F (10K) switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$32.50

<u>012309-00</u>	Stego electronic hygrotherm, adjustable, 32 to 140 deg F, 50% to 90% relative humidity, 3.6 deg F/4% RH switching differential, 100-240 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$140.00
<u>012300-00</u>	Stego electronic hygrotherm, adjustable, 0 to 60 deg C, 50% to 90% relative humidity, 2K/4% RH switching differential, 100-240 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$140.00
<u>012200-00</u>	Stego mechanical hygrostat, adjustable, 35% to 95% relative humidity, 4% RH switching differential, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$104.00
<u>012450-00</u>	Stego electronic hygrostat, adjustable, 40% to 90% relative humidity, 5% RH switching differential, 230 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$80.00
<u>012459-00</u>	Stego electronic hygrostat, adjustable, 40% to 90% relative humidity, 5% RH switching differential, 120 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$80.00
<u>012469-00</u>	Stego electronic hygrostat, fixed, 65% relative humidity, 5% RH switching differential, 120 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$79.00
<u>012460-00</u>	Stego electronic hygrostat, fixed, 65% relative humidity, 5% RH switching differential, 230 VAC operating voltage, 35mm DIN rail mount, for electrical enclosure climate control.	Stock	\$79.00
Ambient Sensors for Enclosures			
<u>014202-00</u>	Stego Smart Sensor temperature/humidity sensor, -40 to 140 deg F, 0 to 100% RH, 4-20 mA output, 35mm DIN rail or panel mount, 4-pin M12 quick-disconnect.	Stock	\$167.00
<u>014112-00</u>	Stego Smart Sensor temperature/humidity sensor, -40 to 140 deg F, 0 to 100% RH, IO-Link output, 35mm DIN rail or panel mount, M12 axial male A-coded 4-pin.	Stock	\$167.00
<u>267071</u>	Stego temperature/humidity sensor, -4 to 104 deg F, 40 to 90% RH, 35mm DIN rail mount, 3.2ft/1m cable length. For use with Stego 0309xx-17 & 1309xx-17 heaters.	Stock	\$59.00
<u>267072</u>	Stego temperature/humidity sensor, -4 to 104 deg F, 40 to 90% RH, 35mm DIN rail mount, 6.5ft/2m cable length. For use with Stego 0309xx-17 & 1309xx-17 heaters.	Stock	\$59.00
<u>267126</u>	Stego temperature/humidity sensor, -4 to 104 deg F, 40 to 90% RH, 35mm DIN rail mount, 9.8ft/3m cable length. For use with Stego 0309xx-17 & 1309xx-17 heaters.	Stock	\$82.00
Vents and Grilles for Enclosures			
<u>118700-00</u>	Stego Filter Fan Plus FPI exhaust grille, side mount, with air flaps, NEMA 12, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$29.00
<u>118800-30</u>	Stego Filter Fan Plus FPO grille, side mount, G3 (coarse) filter mat, NEMA 12, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$26.00
<u>FF08U</u>	Fandis Viridis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 3.62 x 3.62in enclosure cutout, RAL 7035 light gray.	Stock	\$21.00
<u>FF08Z</u>	Fandis Viridis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 3.62 x 3.62in enclosure cutout, ANSI 61 gray.	Stock	\$22.50
<u>FF08N3</u>	Fandis Viridis series grille, side mount, G3 (coarse) filter mat, NEMA 3R, 3.62 x 3.62in enclosure cutout, RAL 9005 black.	Stock	\$52.00
<u>118000-00</u>	Stego Filter Fan grille, side mount, G3 (coarse) filter mat, NEMA 12, 3.82 x 3.82in enclosure cutout, RAL 7035 light gray.	Stock	\$22.50
<u>FF12U</u>	Fandis Viridis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$23.50
<u>FF12Z</u>	Fandis Viridis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 4.88 x 4.88in enclosure cutout, ANSI 61 gray.	Stock	\$25.00
<u>118710-00</u>	Stego Filter Fan Plus FPI exhaust grille, side mount, with air flaps, NEMA 12, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$33.00
<u>118810-30</u>	Stego Filter Fan Plus FPO grille, side mount, G3 (coarse) filter mat, NEMA 12, 4.88 x 4.88in enclosure cutout, RAL 7035 light gray.	Stock	\$30.00
<u>118210-00</u>	Stego Filter Fan grille, side mount, M5 (medium) filter mat, NEMA 12, 4.92 x 4.92in enclosure cutout, RAL 7035 light gray.	Stock	\$126.00
<u>118010-00</u>	Stego Filter Fan grille, side mount, G3 (coarse) filter mat, NEMA 12, 4.92 x 4.92in enclosure cutout, RAL 7035 light gray.	Stock	\$27.50
<u>FF12N53</u>	Fandis Viridis series grille, side mount, G4 (coarse) filter mat, NEMA 3R, 4.92 x 4.92in enclosure cutout, RAL 9005 black.	Stock	\$61.00
<u>TP19U551</u>	Fandis Viridis series vent, top mount, G2 (coarse) filter mat, NEMA 12, 6.89 x 6.89in enclosure cutout, RAL 7035 light gray.	Stock	\$188.00
<u>118720-00</u>	Stego Filter Fan Plus FPI exhaust grille, side mount, with air flaps, NEMA 12, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$45.50
<u>118820-30</u>	Stego Filter Fan Plus FPO grille, side mount, G3 (coarse) filter mat, NEMA 12, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$35.00
<u>118020-00</u>	Stego Filter Fan grille, side mount, G3 (coarse) filter mat, NEMA 12, 6.93 x 6.93in enclosure cutout, RAL 7035 light gray.	Stock	\$33.00
<u>FF13U</u>	Fandis Viridis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 6.97 x 6.97in enclosure cutout, RAL 7035 light gray.	Stock	\$28.00

<u>FF13Z</u>	Fandis Virdis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 6.97 x 6.97in enclosure cutout, ANSI 61 gray.	Stock	\$30.00
<u>FF15U</u>	Fandis Virdis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$34.50
<u>FF15Z</u>	Fandis Virdis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 8.78 x 8.78in enclosure cutout, ANSI 61 gray.	Stock	\$36.50
<u>FF15N53</u>	Fandis Virdis series grille, side mount, G4 (coarse) filter mat, NEMA 3R, 8.78 x 8.78in enclosure cutout, RAL 9005 black.	Stock	\$85.00
<u>118730-00</u>	Stego Filter Fan Plus FPI exhaust grille, side mount, with air flaps, NEMA 12, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$60.00
<u>118830-30</u>	Stego Filter Fan Plus FPO grille, side mount, G3 (coarse) filter mat, NEMA 12, 8.78 x 8.78in enclosure cutout, RAL 7035 light gray.	Stock	\$43.00
<u>118030-00</u>	Stego Filter Fan grille, side mount, G3 (coarse) filter mat, NEMA 12, 9.84 x 9.84in enclosure cutout, RAL 7035 light gray.	Stock	\$80.00
<u>118600-00</u>	Stego exhaust vent, top mount, G3 (coarse) filter mat, NEMA 3R, 9.69 x 9.69in enclosure cutout, RAL 7035 light gray.	Stock	\$102.00
<u>118740-00</u>	Stego Filter Fan Plus FPI exhaust grille, side mount, with air flaps, NEMA 12, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$91.00
<u>118840-30</u>	Stego Filter Fan Plus FPO grille, side mount, G3 (coarse) filter mat, NEMA 12, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$70.00
<u>FF20U</u>	Fandis Virdis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 11.46 x 11.46in enclosure cutout, RAL 7035 light gray.	Stock	\$56.00
<u>FF20Z</u>	Fandis Virdis series grille, side mount, G3 (coarse) filter mat, NEMA 12, 11.46 x 11.46in enclosure cutout, ANSI 61 gray.	Stock	\$59.00
<u>FF20N53</u>	Fandis Virdis series grille, side mount, G4 (coarse) filter mat, NEMA 3R, 11.46 x 11.46in enclosure cutout, RAL 9005 black.	Stock	\$117.00
<u>REV60</u>	Stahlin enclosure vent, 60mm, polycarbonate.	Stock	\$16.25
<u>REAH-V60</u>	AttaBox enclosure vent, 60mm, polycarbonate.	Stock	\$16.25
<u>REV80</u>	Stahlin enclosure vent, 80mm, polycarbonate.	Stock	\$21.50
<u>REAH-V80</u>	AttaBox enclosure vent, 80mm, polycarbonate.	Stock	\$21.50
<u>VENT-2-P10</u>	Integra outdoor labyrinth vent, polypropylene, for polycarbonate enclosures. Mounting hardware included.	Stock	\$13.00
<u>SCE-AVK23</u>	Saginaw louver vent, 3.25 x 3.25in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 2.00 x 1.75in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$24.00
<u>SCE-AVK23SS</u>	Saginaw louver vent, 3.25 x 3.25in (HxW), 304 stainless steel, #4 brush finish, 2.00 x 1.75in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$52.00
<u>SCE-AVK33</u>	Saginaw louver vent, 3.88 x 4.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 2.62 x 3.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$25.00
<u>WAVK0303</u>	Wiegmann louver vent, 3.87 x 4.50in (HxW), carbon steel, ANSI 61 gray, polyester powder finish, 2.62 x 3.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$30.50
<u>SCE-AVK33SS</u>	Saginaw louver vent, 3.88 x 4.50in (HxW), 304 stainless steel, #4 brush finish, 2.62 x 3.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$55.00
<u>WAVK0303SSA</u>	Wiegmann louver vent, 3.87 x 4.50in (HxW), 316 stainless steel, 2.62 x 3.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$106.00
<u>SCE-AVK34</u>	Saginaw louver vent, 4.75 x 4.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 3.50 x 3.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$26.50
<u>WAVK0304</u>	Wiegmann louver vent, 4.75 x 4.50in (HxW), carbon steel, ANSI 61 gray, polyester powder finish, 3.50 x 3.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$32.00
<u>SCE-AVK34SS</u>	Saginaw louver vent, 4.75 x 4.50in (HxW), 304 stainless steel, #4 brush finish, 3.50 x 3.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$58.00
<u>WAVK0304SSA</u>	Wiegmann louver vent, 4.75 x 4.50in (HxW), 316 stainless steel, 3.50 x 3.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$111.00
<u>SCE-AVK43</u>	Saginaw louver vent, 4.50 x 5.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 3.25 x 4.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$27.50
<u>SCE-AVK43SS</u>	Saginaw louver vent, 4.50 x 5.50in (HxW), 304 stainless steel, #4 brush finish, 3.25 x 4.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$60.00
<u>1481L3R55GY</u>	Hammond louver vent assembly, 5.56 x 5.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 3.00 x 2.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$60.00
<u>1481L3R55SS</u>	Hammond louver vent assembly, 5.56 x 5.30in (HxW), 304 stainless steel, 3.00 x 2.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$126.00
<u>SCE-AVK44</u>	Saginaw louver vent, 5.63 x 5.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 4.38 x 4.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$29.00

<u>WAVK0404</u>	Wiegmann louver vent, 5.62 x 5.50in (HxW), carbon steel, ANSI 61 gray, polyester powder finish, 4.37 x 4.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$35.00
<u>SCE-AVK44SS</u>	Saginaw louver vent, 5.63 x 5.50in (HxW), 304 stainless steel, #4 brush finish, 4.38 x 4.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$63.00
<u>WAVK0404SSA</u>	Wiegmann louver vent, 5.62 x 5.50in (HxW), 316 stainless steel, 4.37 x 4.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$121.00
<u>1481L44</u>	Hammond louver vent, 5.62 x 5.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$29.00
<u>SCE-AVK64</u>	Saginaw louver vent, 5.63 x 7.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 4.38 x 6.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$31.50
<u>SCE-AVK64SS</u>	Saginaw louver vent, 5.63 x 7.50in (HxW), 304 stainless steel, #4 brush finish, 4.38 x 6.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$69.00
<u>1481L3R56GY</u>	Hammond louver vent assembly, 5.30 x 6.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 2.88 x 3.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$62.00
<u>1481L3R56SS</u>	Hammond louver vent assembly, 5.30 x 6.30in (HxW), 304 stainless steel, 2.88 x 3.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$133.00
<u>1481L3R66GY</u>	Hammond louver vent assembly, 6.40 x 6.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 4.00 x 3.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$64.00
<u>1481L3R66SS</u>	Hammond louver vent assembly, 6.40 x 6.30in (HxW), 304 stainless steel, 4.00 x 3.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$140.00
<u>SCE-AVK66</u>	Saginaw louver vent, 7.88 x 7.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 6.62 x 6.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$32.50
<u>WAVK0606</u>	Wiegmann louver vent, 7.87 x 7.50in (HxW), carbon steel, ANSI 61 gray, polyester powder finish, 6.62 x 6.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$41.50
<u>SCE-AVK66SS</u>	Saginaw louver vent, 7.88 x 7.50in (HxW), 304 stainless steel, #4 brush finish, 6.62 x 6.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$70.00
<u>WAVK0606SSA</u>	Wiegmann louver vent, 7.87 x 7.50in (HxW), 316 stainless steel, 6.62 x 6.25in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$145.00
<u>1481L66</u>	Hammond louver vent, 7.87 x 7.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$34.50
<u>1481L3R68GY</u>	Hammond louver vent assembly, 6.40 x 8.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 3.50 x 5.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$69.00
<u>SCE-AVK84</u>	Saginaw louver vent, 5.91 x 9.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 4.56 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$34.00
<u>SCE-AVK84SS</u>	Saginaw louver vent, 5.91 x 9.50in (HxW), 304 stainless steel, #4 brush finish, 4.56 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$72.00
<u>1481L3R610GY</u>	Hammond louver vent assembly, 6.62 x 10.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 3.75 x 7.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$77.00
<u>SCE-AVK86</u>	Saginaw louver vent, 8.18 x 9.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 6.94 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$38.00
<u>SCE-AVK86SS</u>	Saginaw louver vent, 8.18 x 9.50in (HxW), 304 stainless steel, #4 brush finish, 6.94 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$74.00
<u>1481L3R88GY</u>	Hammond louver vent assembly, 8.69 x 8.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 5.75 x 5.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$73.00
<u>SCE-AVK88</u>	Saginaw louver vent, 10.56 x 9.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 9.31 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$42.50
<u>SCE-AVK88SS</u>	Saginaw louver vent, 10.56 x 9.50in (HxW), 304 stainless steel, #4 brush finish, 9.31 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$83.00
<u>1481L88</u>	Hammond louver vent, 10.56 x 10.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$42.00
<u>1481L3R810GY</u>	Hammond louver vent assembly, 9.00 x 10.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 6.25 x 7.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$82.00
<u>SCE-AVK812</u>	Saginaw louver vent, 15.31 x 9.50in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 14.06 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$50.00
<u>SCE-AVK812SS</u>	Saginaw louver vent, 15.31 x 9.50in (HxW), 304 stainless steel, #4 brush finish, 14.06 x 8.00in (HxW) cutout, for ventilation of metal enclosure. Mounting hardware included.	Stock	\$110.00
<u>1481L3R1110GY</u>	Hammond louver vent assembly, 11.37 x 10.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 8.50 x 7.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$88.00

<u>1481L3R1510GY</u>	Hammond louver vent assembly, 16.12 x 10.30in (HxW), carbon steel, ANSI 61 gray, powder coat finish, 13.25 x 7.75in (HxW) cutout, for ventilation of metal enclosure. Aluminum filter mesh and mounting hardware included.	Stock	\$96.00
<u>REL P1</u>	Stahlin louver vent, 3.81 x 4.44in (HxW), polypropylene, light gray, 3 x 3in (HxW) cutout.	Stock	\$22.50
<u>REL PK3KIT</u>	Stahlin louver vent, 3.81 x 4.44in (HxW), polypropylene, light gray, 3 x 3in (HxW) cutout, includes louver plate, rivets and silicone adhesive/sealant.	Stock	\$56.00
Pressure Compensators and Vent Plugs for Enclosures			
<u>MBVPG-11-L</u>	Bimed pressure relief vent plug, M6 x 0.75mm thread type, polyamide, light gray, 133 mL/min @ 70 mBar (1 psi), IP67 IP68 IP69K. Package of 2.	Stock	\$3.50
<u>MBVPG-21-L</u>	Bimed pressure relief vent plug, M6 x 0.75mm thread type, polyamide, black, 133 mL/min @ 70 mBar (1 psi), IP67 IP68 IP69K. Package of 2.	Stock	\$3.50
<u>MBVPG-13-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, polyamide, light gray, 417 mL/min @ 70 mBar (1 psi), IP67 IP68 IP69K. Package of 2.	Stock	\$4.25
<u>MBVPG-23-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, polyamide, black, 417 mL/min @ 70 mBar (1 psi), IP67 IP68 IP69K. Package of 2.	Stock	\$4.25
<u>HBVPB-11L-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, polyamide, light gray, 2,000 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13. Package of 2.	Stock	\$4.25
<u>HBVPB-21L-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, polyamide, black, 2,000 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13. Package of 2.	Stock	\$4.25
<u>UHBVPB-11L-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, polyamide, light gray, 5,000 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13. Package of 2.	Stock	\$4.25
<u>UHBVPB-21L-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, polyamide, black, 5,000 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13. Package of 2.	Stock	\$4.25
<u>MBVPE-11-WNL</u>	Bimed pressure relief vent plug, M20 x 1.5mm thread type, polyamide, light gray, 2,000 mL/min @ 70 mBar (1 psi), IP67 IP68. Package of 2.	Stock	\$5.75
<u>MBVPE-21-WNL</u>	Bimed pressure relief vent plug, M20 x 1.5mm thread type, polyamide, black, 2,000 mL/min @ 70 mBar (1 psi), IP67 IP68. Package of 2.	Stock	\$5.75
<u>MBVPX-18-S</u>	Bimed pressure relief vent plug, M40 x 1.5mm thread type, polyamide, light gray, 6,250 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13. Package of 2.	Stock	\$15.00
<u>MBVPX-28-S</u>	Bimed pressure relief vent plug, M40 x 1.5mm thread type, polyamide, black, 6,250 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13. Package of 2.	Stock	\$15.00
<u>MBBVP-01L-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, stainless steel, 417 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13.	Stock	\$7.75
<u>HBBVP-01L-WNL</u>	Bimed pressure relief vent plug, M12 x 1.5mm thread type, stainless steel, 2,000 mL/min @ 70 mBar (1 psi), IP67 IP68, UL Type 4X, 12 and 13.	Stock	\$7.75
<u>HBBVP-03-WNL</u>	Bimed pressure relief vent plug, M20 x 1.5mm thread type, stainless steel, 2,000 mL/min @ 70 mBar (1 psi), IP67 IP68.	Stock	\$10.50
<u>284040-00</u>	Stego pressure relief vent plug, M12 x 1.5mm thread type, nickel plated aluminum, 3,667 mL/min @ 70 mBar (1 psi), IP66 IP67.	Stock	\$20.50
<u>284200-00</u>	Stego pressure compensation plug, M40 snap-in thread type, plastic, light gray, 33,333 mL/min @70 mBar (1 psi), IP66 IP69K.	Stock	\$9.00
Breathers and Drains for Enclosures			
<u>REDV1PVC</u>	Stahlin single drain vent, PVC, for fiberglass enclosures.	Stock	\$15.25
<u>REDV4XKIT</u>	Stahlin drain vent kit, for NEMA 4X fiberglass enclosures.	Stock	\$32.50
<u>SCE-BVK</u>	Saginaw breather vent, polycarbonate.	Stock	\$30.00
<u>REBV4XKIT</u>	Stahlin breather vent kit, for NEMA 4X fiberglass enclosures.	Stock	\$78.00
<u>SCE-BVKD</u>	Saginaw breather vent drain, polycarbonate.	Stock	\$13.75
<u>REDVK3KIT</u>	Stahlin single drain vent, PVC, for fiberglass enclosures. Silicone adhesive/sealant included.	Stock	\$23.00
<u>SDV180-1</u>	Hammond rainproof ventilator, small, polycarbonate, pressure compensation. Mounting hardware included.	Stock	\$6.00
<u>SDV280-1</u>	Hammond rainproof ventilator, large, polycarbonate, pressure compensation. Mounting hardware included.	Stock	\$11.00
Fan Hoods for Enclosures			
<u>4000000200</u>	Seifert fan hood, fits 3.62 x 3.62in fan cutout, carbon steel, silicone gasket, NEMA 3R/4/12, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$91.00
<u>086700-00</u>	Stego hose-proof filter fan hood, fits 3.62 x 3.62in or 3.82 x 3.82in fan cutout, stainless steel, sanitary gasket, NEMA 4/4X, IP56, for increasing the protection classification of Stego Filter Fan and Filter Fan Plus fans and grilles.	Stock	\$178.00
<u>4000000020</u>	Seifert fan hood, fits 3.62 x 3.62in fan cutout, 304 stainless steel, sanitary gasket, NEMA 3RX/4X/12K/13, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$136.00

<u>4000100200</u>	Seifert fan hood, fits 4.92 x 4.92in fan cutout, carbon steel, silicone gasket, NEMA 3R/4/12, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$107.00
<u>4000100020</u>	Seifert fan hood, fits 4.92 x 4.92in fan cutout, 304 stainless steel, sanitary gasket, NEMA 3RX/4X/12K/13, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$149.00
<u>086710-00</u>	Stego hose-proof filter fan hood, fits 4.88 x 4.88in or 4.92 x 4.92in fan cutout, stainless steel, sanitary gasket, NEMA 4/4X, IP56, for increasing the protection classification of Stego Filter Fan and Filter Fan Plus fans and grilles.	Stock	\$216.00
<u>4000200200</u>	Seifert fan hood, fits 6.97 x 6.97in fan cutout, carbon steel, silicone gasket, NEMA 3R/4/12, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$133.00
<u>086720-00</u>	Stego hose-proof filter fan hood, fits 6.93 x 6.93in fan cutout, stainless steel, sanitary gasket, NEMA 4/4X, IP56, for increasing the protection classification of Stego Filter Fan and Filter Fan Plus fans and grilles.	Stock	\$254.00
<u>4000200020</u>	Seifert fan hood, fits 6.97 x 6.97in fan cutout, 304 stainless steel, sanitary gasket, NEMA 3RX/4X/12K/13, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$183.00
<u>4000300200</u>	Seifert fan hood, fits 8.78 x 8.78in fan cutout, carbon steel, silicone gasket, NEMA 3R/4/12, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$150.00
<u>4000300020</u>	Seifert fan hood, fits 8.78 x 8.78in fan cutout, 304 stainless steel, sanitary gasket, NEMA 3RX/4X/12K/13, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$214.00
<u>086730-00</u>	Stego hose-proof filter fan hood, fits 8.78 x 8.78in or 9.84 x 9.84in fan cutout, stainless steel, sanitary gasket, NEMA 4/4X, IP56, for increasing the protection classification of Stego Filter Fan and Filter Fan Plus fans and grilles.	Stock	\$319.00
<u>4000400200</u>	Seifert fan hood, fits 11.46 x 11.46in fan cutout, carbon steel, silicone gasket, NEMA 3R/4/12, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$175.00
<u>086740-00</u>	Stego hose-proof filter fan hood, fits 11.46 x 11.46in fan cutout, stainless steel, sanitary gasket, NEMA 4/4X, IP56, for increasing the protection classification of Stego Filter Fan and Filter Fan Plus fans and grilles.	Stock	\$401.00
<u>4000400020</u>	Seifert fan hood, fits 11.46 x 11.46in fan cutout, 304 stainless steel, sanitary gasket, NEMA 3RX/4X/12K/13, IP56, for increasing the protection classification of side-mounted fans and grilles.	Stock	\$239.00
Filter Media for Enclosure Thermal Management			
<u>18881500018</u>	Pfannenberg sheet filter roll, 8 x 8in, synthetic fiber. For use with all air conditioners with a flat mounting surface.	Stock	\$119.00
<u>18881500019</u>	Pfannenberg sheet filter roll, 12 x 12in, synthetic fiber. For use with all air conditioners with a flat mounting surface.	Stock	\$210.00
<u>18881500020</u>	Pfannenberg sheet filter roll, 16 x 16in, synthetic fiber. For use with all air conditioners with a flat mounting surface.	Stock	\$245.00
<u>TA10-FILTER-1</u>	Stratus filter, replacement, 9.00 x 7.50in, 250 micron expanded aluminum, aluminum frame, washable, 60% filter efficiency. For use with 1000-1500 BTU/H TA10 series enclosure air conditioners.	Stock	\$24.50
<u>TA10-LVFIL-2-04</u>	Stratus filter and louvered frame assembly, 11.30 x 7.30in, 250 micron stainless steel mesh, carbon steel frame, ANSI 61 gray, washable, 97% filter efficiency. For use with 2000-4000 BTU/H TA10 series enclosure air conditioners on NEMA 4 or NEMA 12 enclosures.	Stock	\$424.00
<u>TA10-LVFIL-2-4X</u>	Stratus filter and louvered frame assembly, 11.30 x 7.30in, 250 micron stainless steel mesh, 304 stainless steel frame, washable, 97% filter efficiency. For use with 2000-4000 BTU/H TA10 series enclosure air conditioners on NEMA 4X enclosures.	Stock	\$483.00
<u>TA10-FILTER-2</u>	Stratus filter, replacement, 11.30 x 7.30in, 250 micron expanded aluminum, aluminum frame, washable, 60% filter efficiency. For use with 2000-4000 BTU/H TA10 series enclosure air conditioners.	Stock	\$27.00
<u>TA10-LVFIL-3-04</u>	Stratus filter and louvered frame assembly, 16.30 x 10.30in, 250 micron stainless steel mesh, carbon steel frame, ANSI 61 gray, washable, 97% filter efficiency. For use with 5000-6000 BTU/H TA10 series enclosure air conditioners on NEMA 4 or NEMA 12 enclosures.	Stock	\$450.00
<u>TA10-LVFIL-3-4X</u>	Stratus filter and louvered frame assembly, 16.30 x 10.30in, 250 micron stainless steel mesh, 304 stainless steel frame, washable, 97% filter efficiency. For use with 5000-6000 BTU/H TA10 series enclosure air conditioners on NEMA 4X enclosures.	Stock	\$517.00
<u>TA10-FILTER-3</u>	Stratus filter, replacement, 16.30 x 10.30in, 250 micron expanded aluminum, aluminum frame, washable, 60% filter efficiency. For use with 5000-6000 BTU/H TA10 series enclosure air conditioners.	Stock	\$30.50
<u>TA20-LVFIL-1-04</u>	Stratus filter and louvered frame assembly, 11.00 x 9.00in, 250 micron stainless steel mesh, carbon steel frame, ANSI 61 gray, washable, 97% filter efficiency. For use with 2000 BTU/H TA20 series enclosure air conditioners on NEMA 4 or NEMA 12 enclosures.	Stock	\$330.00
<u>TA20-LVFIL-1-4X</u>	Stratus filter and louvered frame assembly, 11.00 x 9.00in, 250 micron stainless steel mesh, 304 stainless steel frame, washable, 97% filter efficiency. For use with 2000 BTU/H TA20 series enclosure air conditioners on NEMA 4X enclosures.	Stock	\$425.00
<u>TA20-FILTER-1</u>	Stratus filter, replacement, 11.00 x 9.00in, 250 micron expanded aluminum, aluminum frame, washable, 60% filter efficiency. For use with 2000 BTU/H TA20 series enclosure air conditioners.	Stock	\$28.00
<u>086300-00</u>	Stego filter, replacement, 3.31 x 3.31in, synthetic fiber, washable, M5 (medium). Package of 3. For use with 3.62 x 3.62in Stego Filter Fan Plus fans and intake grilles.	Stock	\$9.25
<u>086270-00</u>	Stego filter, replacement, 3.31 x 3.31in, synthetic fiber, washable, G4 (coarse). Package of 3. For use with 3.62 x 3.62in Stego Filter Fan Plus fans and intake grilles.	Stock	\$9.25
<u>086330-00</u>	Stego filter, replacement, 3.31 x 3.31in, synthetic fiber, washable, G3 (coarse). Package of 5. For use with 3.62 x 3.62in Stego Filter Fan Plus fans and intake grilles.	Stock	\$11.00

<u>M08FPEK</u>	Fandis filter, replacement, 3.33 x 3.33in, synthetic fiber, washable, G3 (coarse). Package of 6. For use with Fandis FF08 filter fans and exhaust grilles.	Stock	\$11.50
<u>086030-00</u>	Stego filter, replacement, 3.50 x 3.50in, synthetic fiber, washable, M5 (medium). Package of 3. For use with 3.82 x 3.82in Stego Filter Fan fans and exhaust grilles.	Stock	\$11.50
<u>086000-00</u>	Stego filter, replacement, 3.50 x 3.50in, synthetic fiber, washable, G4 (coarse). Package of 3. For use with 3.82 x 3.82in Stego Filter Fan fans and exhaust grilles.	Stock	\$11.00
<u>M12FPE5K</u>	Fandis filter, replacement, 4.63 x 4.63in, synthetic fiber, washable, G4 (coarse). Package of 6. For use with Fandis FF12 filter fans and exhaust grilles.	Stock	\$17.00
<u>M12FPEK</u>	Fandis filter, replacement, 4.63 x 4.63in, synthetic fiber, washable, G3 (coarse). Package of 6. For use with Fandis FF12 filter fans and exhaust grilles.	Stock	\$15.00
<u>086340-00</u>	Stego filter, replacement, 4.64 x 4.64in, synthetic fiber, washable, G3 (coarse). Package of 5. For use with 4.88 x 4.88in Stego Filter Fan Plus fans and intake grilles and 4.92 x 4.92in Stego Filter Fan fans and exhaust grilles.	Stock	\$14.50
<u>086040-00</u>	Stego filter, replacement, 4.65 x 4.65in, synthetic fiber, washable, M5 (medium). Package of 3. For use with 4.88 x 4.88in Stego Filter Fan Plus fans and intake grilles and 4.92 x 4.92in Stego Filter Fan fans and exhaust grilles.	Stock	\$10.50
<u>086010-00</u>	Stego filter, replacement, 4.65 x 4.65in, synthetic fiber, washable, G4 (coarse). Package of 3. For use with 4.88 x 4.88in Stego Filter Fan Plus fans and intake grilles and 4.92 x 4.92in Stego Filter Fan fans and exhaust grilles.	Stock	\$11.00
<u>M13FPEK</u>	Fandis filter, replacement, 6.59 x 6.59in, synthetic fiber, washable, G3 (coarse). Package of 6. For use with Fandis FF13 filter fans and exhaust grilles.	Stock	\$20.00
<u>086050-00</u>	Stego filter, replacement, 6.61 x 6.61in, synthetic fiber, washable, M5 (medium). Package of 3. For use with 6.93 x 6.93in Stego Filter Fan fans and exhaust grilles, Filter Fan Plus fans, and Filter Fan Plus FPO intake grilles.	Stock	\$17.50
<u>086020-00</u>	Stego filter, replacement, 6.61 x 6.61in, synthetic fiber, washable, G4 (coarse). Package of 3. For use with 6.93 x 6.93in Stego Filter Fan fans and exhaust grilles, Filter Fan Plus fans, and Filter Fan Plus FPO intake grilles.	Stock	\$15.00
<u>086350-00</u>	Stego filter, replacement, 6.61 x 6.61in, synthetic fiber, washable, G3 (coarse). Package of 5. For use with 6.93 x 6.93in Stego Filter Fan fans and exhaust grilles, Filter Fan Plus fans, and Filter Fan Plus FPO intake grilles.	Stock	\$19.00
<u>M15FPE5K</u>	Fandis filter, replacement, 8.43 x 8.43in, synthetic fiber, washable, G4 (coarse). Package of 6. For use with Fandis FF15 filter fans and exhaust grilles.	Stock	\$29.50
<u>M15FPEK</u>	Fandis filter, replacement, 8.43 x 8.43in, synthetic fiber, washable, G3 (coarse). Package of 6. For use with Fandis FF15 filter fans and exhaust grilles.	Stock	\$26.00
<u>086310-00</u>	Stego filter, replacement, 8.46 x 8.46in, synthetic fiber, washable, M5 (medium). Package of 3. For use with 8.78 x 8.78in Stego Filter Fan Plus fans and intake grilles.	Stock	\$17.00
<u>086280-00</u>	Stego filter, replacement, 8.46 x 8.46in, synthetic fiber, washable, G4 (coarse). Package of 3. For use with 8.78 x 8.78in Stego Filter Fan Plus fans and intake grilles.	Stock	\$17.00
<u>086360-00</u>	Stego filter, replacement, 8.46 x 8.46in, synthetic fiber, washable, G3 (coarse). Package of 5. For use with 8.78 x 8.78in Stego Filter Fan Plus fans and intake grilles.	Stock	\$25.00
<u>086090-00</u>	Stego filter, replacement, 9.72 x 9.72in, synthetic fiber, washable, M5 (medium). Package of 3. For use with 9.84 x 9.84in Stego Filter Fan fans and exhaust grilles.	Stock	\$36.50
<u>086080-00</u>	Stego filter, replacement, 9.72 x 9.72in, synthetic fiber, washable, G4 (coarse). Package of 3. For use with 9.84 x 9.84in Stego Filter Fan fans and exhaust grilles.	Stock	\$30.00
<u>M20FPE5K</u>	Fandis filter, replacement, 11.10 x 11.10in, synthetic fiber, washable, G4 (coarse). Package of 6. For use with Fandis FF20 filter fans and exhaust grilles, excluding FF20G fans.	Stock	\$39.50
<u>086130-01</u>	Stego filter, replacement, 11.10 x 11.10in, synthetic fiber, washable, G3 (coarse). Package of 3. For use with Stego 01860x0-0x top-mount fans and 118600-00 vents.	Stock	\$25.00
<u>M20FPEK</u>	Fandis filter, replacement, 11.10 x 11.10in, synthetic fiber, washable, G3 (coarse). Package of 6. For use with Fandis FF20 filter fans and exhaust grilles, excluding FF20G fans.	Stock	\$34.00
<u>M20FPE-EU3RMK</u>	Fandis filter, replacement, 11.10 x 11.10in, synthetic fiber with metallic net, washable, G3 (coarse). Package of 2. For use with Fandis FF20G filter fans and exhaust grilles.	Stock	\$75.00
<u>086320-00</u>	Stego filter, replacement, 11.14 x 11.14in, synthetic fiber, washable, M5 (medium). Package of 3. For use with 11.46 x 11.46in Stego Filter Fan Plus fans and intake grilles.	Stock	\$23.00
<u>086290-00</u>	Stego filter, replacement, 11.14 x 11.14in, synthetic fiber, washable, G4 (coarse). Package of 3. For use with 11.46 x 11.46in Stego Filter Fan Plus fans and intake grilles.	Stock	\$23.00
<u>086370-00</u>	Stego filter, replacement, 11.14 x 11.14in, synthetic fiber, washable, G3 (coarse). Package of 5. For use with 11.46 x 11.46in Stego Filter Fan Plus fans and intake grilles.	Stock	\$33.00
<u>SCE-FLT33</u>	Saginaw filter, replacement, 3.22 x 3.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK33 and SCE-AVK33SS.	Stock	\$32.50
<u>WAFLT33</u>	Wiegmann filter, 3.22 x 3.25in, aluminum mesh, aluminum frame, washable. For use with WAVK0303 and WAVK0303SSA.	Stock	\$37.00
<u>SCE-FLT34</u>	Saginaw filter, replacement, 4.09 x 3.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK34 and SCE-AVK34SS.	Stock	\$32.50

<u>WAFLT34</u>	Wiegmann filter, 4.09 x 3.25in, aluminum mesh, aluminum frame, washable. For use with WAVK0304 and WAVK0304SSA.	Stock	\$37.50
<u>SCE-FLT43</u>	Saginaw filter, replacement, 3.84 x 4.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK43 and SCE-AVK43SS.	Stock	\$32.50
<u>LFK55</u>	Hammond filter, replacement, 3.15 x 3.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R55GY and 1481L3R55SS.	Stock	\$32.50
<u>SCE-FLT44</u>	Saginaw filter, replacement, 4.97 x 4.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK44 and SCE-AVK44SS.	Stock	\$32.50
<u>WAFLT44</u>	Wiegmann filter, 4.97 x 4.25in, aluminum mesh, aluminum frame, washable. For use with WAVK0404 and WAVK0404SSA.	Stock	\$38.00
<u>SCE-FLT64</u>	Saginaw filter, replacement, 4.45 x 6.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK64 and SCE-AVK64SS.	Stock	\$36.00
<u>LFK56</u>	Hammond filter, replacement, 3.25 x 4.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R66GY and 1481L3R66SS.	Stock	\$33.00
<u>LFK66</u>	Hammond filter, replacement, 4.38 x 4.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R56GY and 1481L3R56SS.	Stock	\$33.50
<u>SCE-FLT66</u>	Saginaw filter, replacement, 6.72 x 6.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK66 and SCE-AVK66SS.	Stock	\$36.00
<u>WAFLT66</u>	Wiegmann filter, 6.72 x 6.25in, aluminum mesh, aluminum frame, washable. For use with WAVK0606 and WAVK0606SSA.	Stock	\$42.00
<u>LFK68</u>	Hammond filter, replacement, 4.38 x 6.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R68GY.	Stock	\$36.00
<u>SCE-FLT84</u>	Saginaw filter, replacement, 4.64 x 8.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK84 and SCE-AVK84SS.	Stock	\$39.50
<u>LFK610</u>	Hammond filter, replacement, 4.56 x 8.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R610GY.	Stock	\$41.50
<u>SCE-FLT86</u>	Saginaw filter, replacement, 7.02 x 8.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK86 and SCE-AVK86SS.	Stock	\$39.50
<u>LFK88</u>	Hammond filter, replacement, 6.63 x 6.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R88GY.	Stock	\$37.00
<u>SCE-FLT88</u>	Saginaw filter, replacement, 9.39 x 8.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK88 and SCE-AVK88SS.	Stock	\$39.50
<u>LFK810</u>	Hammond filter, replacement, 6.94 x 8.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R810GY.	Stock	\$42.50
<u>SCE-FLT812</u>	Saginaw filter, replacement, 14.14 x 8.25in, aluminum mesh, aluminum frame, washable. For use with SCE-AVK812 and SCE-AVK812SS.	Stock	\$43.00
<u>LFK1110</u>	Hammond filter, replacement, 9.31 x 8.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R1110GY.	Stock	\$43.00
<u>LFK1510</u>	Hammond filter, replacement, 14.06 x 8.00in, aluminum mesh, aluminum frame, washable. Package of 2. For use with 1481L3R1510GY.	Stock	\$43.50
Thermal Management Accessories			
<u>1011305</u>	Seifert external mounting frame, for use with Seifert SoliTherm 3035303 thermoelectric coolers. Mounting hardware included.	Stock	\$134.00
<u>1012305</u>	Seifert external mounting kit, for use with Seifert SoliTherm 3050303 thermoelectric coolers. Mounting hardware included.	Stock	\$155.00
<u>1013305</u>	Seifert external mounting kit, for use with Seifert SoliTherm 3102303 thermoelectric coolers. Mounting hardware included.	Stock	\$89.00
<u>1014305</u>	Seifert external mounting kit, for use with Seifert SoliTherm 3152303 and 3200303 thermoelectric coolers. Mounting hardware included.	Stock	\$132.00
<u>1015305</u>	Seifert external mounting kit, for use with Seifert SoliTherm 6105313 or 6105323 thermoelectric coolers. Mounting hardware included.	Stock	\$118.00
<u>1001303</u>	Seifert condensate drain kit, for use with Seifert SoliTherm 3035303 and 3050303 thermoelectric coolers.	Stock	\$142.00
<u>1003303</u>	Seifert condensate drain kit, for use with Seifert SoliTherm 3102303 thermoelectric coolers.	Stock	\$164.00
<u>1002303</u>	Seifert condensate drain kit, for use with Seifert SoliTherm 3152303 and 3200303 thermoelectric coolers.	Stock	\$147.00
<u>1004303</u>	Seifert condensate drain kit, for use with Seifert SoliTherm 6105313 or 6105323 thermoelectric coolers.	Stock	\$176.00
<u>TV08-G</u>	Stratus vortex generator, replacement, 500 BTUH (147W), 8 SCFM (227 SLPM), polypropylene, white. For use with all Stratus vortex coolers.	Stock	\$11.25
<u>TV10-G</u>	Stratus vortex generator, replacement, 600 BTUH (176W), 10 SCFM (283 SLPM), polypropylene, orange. For use with all Stratus vortex coolers.	Stock	\$11.25
<u>TV15-G</u>	Stratus vortex generator, replacement, 1000 BTUH (293W), 15 SCFM (425 SLPM), polypropylene, red. For use with all Stratus vortex coolers.	Stock	\$11.25

<u>TV25-G</u>	Stratus vortex generator, replacement, 1800 BTUH (528W), 25 SCFM (708 SLPM), polypropylene, blue. For use with all Stratus vortex coolers.	Stock	\$11.25
<u>TV35-G</u>	Stratus vortex generator, replacement, 2500 BTUH (732W), 35 SCFM (991 SLPM), polypropylene, yellow. For use with all Stratus vortex coolers.	Stock	\$11.25
<u>TVACC-TS</u>	Stratus taper sleeve, replacement, brass. For use with all Stratus vortex coolers.	Stock	\$15.00
<u>TVACC-TUBE</u>	Stratus distribution tube, replacement, flexible PVC. For use with all Stratus vortex coolers.	Stock	\$16.00
<u>TVACC-MUFFLER</u>	Stratus muffler, replacement, polypropylene. For use with all Stratus vortex coolers.	Stock	\$13.75
<u>244380</u>	Stego heater connection cable, IEC320 C17 female power insert to pigtail, 6.5ft/2m cable length. For use with 0320xx-0x 1000W compact PTC fan heaters.	Stock	\$13.50
<u>237009</u>	Stego retaining clip, for use with female power insert connector on Stego 244380 connection cable.	Stock	\$3.00
<u>SCE-NGBOLT</u>	Saginaw bolt pack, replacement. For use with NextGen air conditioners. (8) M6 bolts, washers, and external tooth washers included.	Stock	\$172.00
Enclosure Lighting			
<u>025403-10</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, magnet mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$75.00
<u>025400-00</u>	Stego LED enclosure light, 100-240 VAC operating voltage, on/off switch, 13.8in length, 400 Lm, magnet mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$111.00
<u>025403-11</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, screw mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$63.00
<u>025400-01</u>	Stego LED enclosure light, 100-240 VAC operating voltage, on/off switch, 13.8in length, 400 Lm, screw mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$97.00
<u>025403-13</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, clip mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$63.00
<u>025401-10</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, magnet mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$99.00
<u>025401-00</u>	Stego LED enclosure light, 24-48 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, magnet mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$168.00
<u>025401-11</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, screw mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$87.00
<u>025401-01</u>	Stego LED enclosure light, 24-48 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, screw mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$154.00
<u>025401-13</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, on/off switch, 13.8in length, 400 Lm, clip mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$87.00
<u>025413-10</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, magnet mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$144.00
<u>025410-00</u>	Stego LED enclosure light, 100-240 VAC operating voltage, motion sensor switch, 13.8in length, 400 Lm, magnet mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$187.00
<u>025413-11</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, screw mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$132.00
<u>025410-01</u>	Stego LED enclosure light, 100-240 VAC operating voltage, motion sensor switch, 13.8in length, 400 Lm, screw mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$174.00
<u>025413-13</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, clip mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$132.00
<u>025411-10</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, magnet mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$181.00
<u>025411-00</u>	Stego LED enclosure light, 24-48 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, magnet mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$260.00
<u>025411-11</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, screw mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$171.00
<u>025411-01</u>	Stego LED enclosure light, 24-48 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, screw mount, 2-pole plug with snap lock, 5W, IP20.	Stock	\$246.00
<u>025411-13</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, motion sensor switch, 13.8in length, 400 Lm, clip mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$171.00

<u>025423-10</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, no switch, 13.8in length, 400 Lm, magnet mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$74.00
<u>025423-11</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, no switch, 13.8in length, 400 Lm, screw mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$61.00
<u>025423-13</u>	Stego Ecoline LED enclosure light, 100-240 VAC / 90-110 VDC operating voltage, no switch, 13.8in length, 400 Lm, clip mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$61.00
<u>025421-10</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, no switch, 13.8in length, 400 Lm, magnet mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$98.00
<u>025421-11</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, no switch, 13.8in length, 400 Lm, screw mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$85.00
<u>025421-13</u>	Stego Ecoline LED enclosure light, 24-48 VDC operating voltage, no switch, 13.8in length, 400 Lm, clip mount, 2-pole dual cage clamp for 16 AWG stranded wire with ferrule or 14 AWG solid wire, 5W, IP20.	Stock	\$86.00
<u>021000-00</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, on/off switch, 15.6in length, 1080 Lm, screw mount, 2-pole plug with snap lock, 11W, IP20.	Stock	\$140.00
<u>021000-30</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, on/off switch, 15.6in length, 1080 Lm, magnet mount, 2-pole plug with snap lock, 11W, IP20.	Stock	\$148.00
<u>021100-00</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, motion sensor switch, 15.6in length, 1080 Lm, screw mount, 2-pole plug with snap lock, 11W, IP20.	Stock	\$194.00
<u>021100-30</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, motion sensor switch, 15.6in length, 1080 Lm, magnet mount, 2-pole plug with snap lock, 11W, IP20.	Stock	\$202.00
<u>021200-00</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, no switch, 15.6in length, 1080 Lm, screw mount, 2-pole plug with snap lock, 11W, IP20.	Stock	\$136.00
<u>021200-30</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, no switch, 15.6in length, 1080 Lm, magnet mount, 2-pole plug with snap lock, 11W, IP20.	Stock	\$144.00
<u>022000-00</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, on/off switch, 23.4in length, 1730 Lm, screw mount, 2-pole plug with snap lock, 16W, IP20.	Stock	\$157.00
<u>022000-30</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, on/off switch, 23.4in length, 1730 Lm, magnet mount, 2-pole plug with snap lock, 16W, IP20.	Stock	\$165.00
<u>022100-00</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, motion sensor switch, 23.4in length, 1730 Lm, screw mount, 2-pole plug with snap lock, 16W, IP20.	Stock	\$210.00
<u>022100-30</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, motion sensor switch, 23.4in length, 1730 Lm, magnet mount, 2-pole plug with snap lock, 16W, IP20.	Stock	\$218.00
<u>022200-00</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, no switch, 23.4in length, 1730 Lm, screw mount, 2-pole plug with snap lock, 16W, IP20.	Stock	\$153.00
<u>022200-30</u>	Stego Varioline LED enclosure light, 100-240 VAC operating voltage, no switch, 23.4in length, 1730 Lm, magnet mount, 2-pole plug with snap lock, 16W, IP20.	Stock	\$161.00
<u>121040-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, on/off switch, 19.5in length, 1080 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$176.00
<u>121040-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, on/off switch, 19.5in length, 1080 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$188.00
<u>121140-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, motion sensor switch, 19.5in length, 1080 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$227.00
<u>121140-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, motion sensor switch, 19.5in length, 1080 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$239.00
<u>121240-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, connection for external switch, 19.5in length, 1080 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$172.00
<u>121240-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, connection for external switch, 19.5in length, 1080 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$183.00
<u>121340-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, no switch, 19.5in length, 1080 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$163.00
<u>121340-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, no switch, 19.5in length, 1080 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 11W, IP20.	Stock	\$174.00
<u>122040-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, on/off switch, 27.3in length, 1730 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$192.00
<u>122040-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, on/off switch, 27.3in length, 1730 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$205.00
<u>122140-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, motion sensor switch, 27.3in length, 1730 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$244.00
<u>122140-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, motion sensor switch, 27.3in length, 1730 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$256.00
<u>122240-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, connection for external switch, 27.3in length, 1730 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$188.00

<u>122240-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, connection for external switch, 27.3in length, 1730 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$199.00
<u>122340-00</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, no switch, 27.3in length, 1730 Lm, integral receptacle, screw mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$179.00
<u>122340-30</u>	Stego Varioline LED enclosure light, 120 VAC operating voltage, no switch, 27.3in length, 1730 Lm, integral receptacle, magnet mount, 3-pole plug with snap lock, 16W, IP20.	Stock	\$190.00
<u>244357</u>	Stego power cable, input to pigtail, 6.5ft/2m cable length. For use with 0254 series AC LED enclosure lights and Varioline series LED enclosure lights without sockets.	Stock	\$29.00
<u>244359</u>	Stego power extension cable, input to output, 3.2ft/1m cable length. For use with 0254 series AC LED enclosure lights and Varioline series LED enclosure lights without sockets.	Stock	\$35.50
<u>244361</u>	Stego power cable, input to pigtail, 6.5ft/2m cable length. For use with DC LED 0254 series enclosure light fixtures.	Stock	\$29.00
<u>244363</u>	Stego power extension cable, input to output, 3.2ft/1m cable length. For use with DC LED 0254 series enclosure light fixtures.	Stock	\$35.50
<u>244423</u>	Stego power cable. For use with Varioline LED lights with integral receptacle.	Stock	\$70.00
<u>264057</u>	Stego input power connector, D-sub with screw terminals, field-wireable. For use with 0254 series AC LED enclosure lights and Varioline series LED enclosure lights without sockets.	Stock	\$9.50
<u>264058</u>	Stego output power connector, D-sub with screw terminals, field-wireable. For use with 0254 series AC LED enclosure lights and Varioline series LED enclosure lights without sockets.	Stock	\$9.00
<u>264059</u>	Stego input power connector, D-sub with screw terminals, field-wireable. For use with DC LED 0254 series enclosure light fixtures.	Stock	\$9.50
<u>264060</u>	Stego output power connector, D-sub with screw terminals, field-wireable. For use with DC LED 0254 series enclosure light fixtures.	Stock	\$9.00
<u>264091</u>	Stego input power connector, 3-pole female, field-wireable. For use with Varioline LED lights with integral receptacle.	Stock	\$14.50
<u>264093</u>	Stego daisy chain connector, 3-pole female, field-wireable. For use with Varioline LED lights with integral receptacle.	Stock	\$16.50
<u>264090</u>	Stego door switch connector, 2-pole male, field-wireable. For use with Varioline LED lights with integral receptacle.	Stock	\$11.50
LED Lighting			
<u>SR0921Q0501</u>	CCEA SIRIO Q series LED work light, 100 x 100 x 25mm, 12-24 VDC operating voltage, daylight white, 5000K, 16W, 1750 lm, bracket mount, pigtail, aluminum body, 9.8ft/3m cable length, IP67 and IP69. Mounting bracket included.	Stock	\$230.00
<u>SR0921Q0601</u>	CCEA SIRIO Q series LED work light, 100 x 100 x 25mm, 12-24 VDC operating voltage, daylight white, 5000K, 16W, 1450 lm, bracket mount, pigtail, aluminum body, 9.8ft/3m cable length, IP67 and IP69. Mounting bracket included.	Stock	\$229.00
<u>SR0924Q0101</u>	CCEA SIRIO Q series LED work light, 100 x 100 x 25mm, 120 VAC operating voltage, daylight white, 5000K, 17W, 1050 lm, bracket mount, pigtail, aluminum body, 9.8ft/3m cable length, IP67 and IP69. Mounting bracket included.	Stock	\$246.00
<u>SR0924Q0201</u>	CCEA SIRIO Q series LED work light, 100 x 100 x 25mm, 120 VAC operating voltage, daylight white, 5000K, 17W, 1200 lm, bracket mount, pigtail, aluminum body, 9.8ft/3m cable length, IP67 and IP69. Mounting bracket included.	Stock	\$246.00
<u>VE0221S01</u>	CCEA VEGA series LED light bar, 346mm length, 24 VDC operating voltage, daylight white, 5000K, 13W, recessed mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67 and IP69.	Stock	\$188.00
<u>VE0321S01</u>	CCEA VEGA series LED light bar, 466mm length, 24 VDC operating voltage, daylight white, 5000K, 19.5W, recessed mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67 and IP69.	Stock	\$226.00
<u>VE0521S01</u>	CCEA VEGA series LED light bar, 706mm length, 24 VDC operating voltage, daylight white, 5000K, 32.5W, recessed mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67 and IP69.	Stock	\$299.00
<u>VE0221S02</u>	CCEA VEGA series LED light bar, 346mm length, 24 VDC operating voltage, daylight white, 5000K, 13W, recessed mount, 4-pin M12 quick-disconnect, anodized aluminum body, IP67.	Stock	\$195.00
<u>VE0321S02</u>	CCEA VEGA series LED light bar, 466mm length, 24 VDC operating voltage, daylight white, 5000K, 19.5W, recessed mount, 4-pin M12 quick-disconnect, anodized aluminum body, IP67.	Stock	\$236.00
<u>VE0521S02</u>	CCEA VEGA series LED light bar, 706mm length, 24 VDC operating voltage, daylight white, 5000K, 32.5W, recessed mount, 4-pin M12 quick-disconnect, anodized aluminum body, IP67.	Stock	\$311.00
<u>CA0121S0602</u>	CCEA Compact Alpha series LED light bar, 204mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$118.00
<u>CA0221S0602</u>	CCEA Compact Alpha series LED light bar, 354mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$159.00
<u>CA0321S0602</u>	CCEA Compact Alpha series LED light bar, 504mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$203.00
<u>CA0421S0602</u>	CCEA Compact Alpha series LED light bar, 654mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$228.00

<u>TA0224S0203</u>	CCEA TRACKALPHA-PRO series LED light bar, 321mm length, 120 VAC operating voltage, daylight white, 5000K, 13W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$258.00
<u>TA0324S0203</u>	CCEA TRACKALPHA-PRO series LED light bar, 441mm length, 120 VAC operating voltage, daylight white, 5000K, 19.5W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$317.00
<u>TA0524S0203</u>	CCEA TRACKALPHA-PRO series LED light bar, 681mm length, 120 VAC operating voltage, daylight white, 5000K, 32.5W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$467.00
<u>TA0724S0203</u>	CCEA TRACKALPHA-PRO series LED light bar, 921mm length, 120 VAC operating voltage, daylight white, 5000K, 46W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$553.00
<u>TA0221S0403</u>	CCEA TRACKALPHA series LED light bar, 321mm length, 24 VDC operating voltage, daylight white, 5000K, 13W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$164.00
<u>TA0321S0403</u>	CCEA TRACKALPHA series LED light bar, 441mm length, 24 VDC operating voltage, daylight white, 5000K, 19.5W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$188.00
<u>TA0521S0403</u>	CCEA TRACKALPHA series LED light bar, 681mm length, 24 VDC operating voltage, daylight white, 5000K, 32.5W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$258.00
<u>TA0721S0403</u>	CCEA TRACKALPHA series LED light bar, 921mm length, 24 VDC operating voltage, daylight white, 5000K, 45.5W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$335.00
<u>TA1021S0403</u>	CCEA TRACKALPHA series LED light bar, 1281mm length, 24 VDC operating voltage, daylight white, 5000K, 65W, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$465.00
<u>HN0221S0307</u>	CCEA Herionova series LED light bar, 329mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$278.00
<u>HN0321S0307</u>	CCEA Herionova series LED light bar, 458mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$324.00
<u>HN0521S0307</u>	CCEA Herionova series LED light bar, 716mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$456.00
<u>HN0721S0307</u>	CCEA Herionova series LED light bar, 974mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67. Mounting bracket included.	Stock	\$587.00
<u>HN0221S0303</u>	CCEA Herionova series LED light bar, 329mm length, 24 VDC operating voltage, daylight white, recessed mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67.	Stock	\$291.00
<u>HN0321S0304</u>	CCEA Herionova series LED light bar, 458mm length, 24 VDC operating voltage, daylight white, recessed mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67.	Stock	\$368.00
<u>HN0521S0305</u>	CCEA Herionova series LED light bar, 716mm length, 24 VDC operating voltage, daylight white, recessed mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67.	Stock	\$518.00
<u>HN0721S0306</u>	CCEA Herionova series LED light bar, 974mm length, 24 VDC operating voltage, daylight white, recessed mount, pigtail, anodized aluminum body, 9.8ft/3m cable length, IP67.	Stock	\$667.00
<u>CWK2S-24-CD</u>	Patlite LED light bar, 200mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, aluminum body, 9.8ft/3m cable length, IP66 and IP67. Mounting bracket included.	Stock	\$155.00
<u>CWK3S-24-CD</u>	Patlite LED light bar, 300mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, aluminum body, 9.8ft/3m cable length, IP66 and IP67. Mounting bracket included.	Stock	\$183.00
<u>CWK6S-24-CD</u>	Patlite LED light bar, 600mm length, 24 VDC operating voltage, daylight white, bracket mount, pigtail, aluminum body, 9.8ft/3m cable length, IP66 and IP67. Mounting bracket included.	Stock	\$340.00
<u>CLK3C-24AG-CD</u>	Patlite LED light bar, 300mm length, 24 VDC operating voltage, daylight white, bracket mount, 4-pin M12 quick-disconnect, aluminum body, IP66, IP67 and IP69K. Mounting bracket included.	Stock	\$252.00
<u>CLK6C-24AG-CD</u>	Patlite LED light bar, 600mm length, 24 VDC operating voltage, daylight white, bracket mount, 4-pin M12 quick-disconnect, aluminum body, IP66, IP67 and IP69K. Mounting bracket included.	Stock	\$430.00
<u>CLK3CL-24AG-CD</u>	Patlite LED light bar, 300mm length, 24 VDC operating voltage, daylight white, bracket mount, (1) 4-pin M12 female and (1) 4-pin M12 male, aluminum body, IP66, IP67 and IP69K. Mounting bracket included.	Stock	\$309.00
<u>CLK6CL-24AG-CD</u>	Patlite LED light bar, 600mm length, 24 VDC operating voltage, daylight white, bracket mount, (1) 4-pin M12 female and (1) 4-pin M12 male, aluminum body, IP66, IP67 and IP69K. Mounting bracket included.	Stock	\$487.00
Accessories for LED Lighting			
<u>SROFX01</u>	CCEA SIRIO Q series swivel bracket, replacement. For use with SIRIO Q series LED work light.	Stock	\$32.00
<u>CAFX02</u>	CCEA side bracket, replacement, stainless steel. For use with CCEA Compact Alpha series LED light bars.	Stock	\$22.50
<u>TAFX03</u>	CCEA side bracket, replacement, stainless steel. For use with CCEA TRACKALPHA series LED light bars.	Stock	\$29.00
<u>TACLIP</u>	CCEA rear mounting clips, replacement, aluminum. For use with CCEA TRACKALPHA and TRACKALPHA-PRO series LED light bars.	Stock	\$26.50

HNF07	CCEA side bracket, replacement, stainless steel. For use with CCEA Herionova series LED light bars.	Stock	\$32.00
HNF02	CCEA rear swivel arm bracket, stainless steel. For use with CCEA Herionova series LED light bars.	Stock	\$52.00
HNF03	CCEA recessed frame, replacement, anodized aluminum. For use with CCEA HN0221S0303 LED light bar.	Stock	\$71.00
HNF04	CCEA recessed frame, replacement, anodized aluminum. For use with CCEA HN0321S0304 LED light bar.	Stock	\$90.00
HNF05	CCEA recessed frame, replacement, anodized aluminum. For use with CCEA HN0521S0305 LED light bar.	Stock	\$108.00
HNF06	CCEA recessed frame, replacement, anodized aluminum. For use with CCEA HN0721S0306 LED light bar.	Stock	\$125.00
CLK-001	Patlite rear bracket, replacement. For use with CLK series LED light bars.	Stock	\$22.50
SZ-320KS	Patlite adjustable wall bracket, for use with CLK and CWK series LED light bars.	Stock	\$32.00
L85130002-F1	Patlite sliding bracket, for use with CLK and CWK series LED light bars.	Stock	\$22.50
Process Valves			
3825-66-B20Y-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.24, vacuum minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$58.00
3825-66-B20U-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.24, vacuum minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$58.00
3825-66-B20G-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.24, vacuum minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$57.00
3825-66-B20C-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.24, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$57.00
3825-67-B20Y-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.31, vacuum minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$63.00
3825-67-B20U-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.31, vacuum minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$63.00
3825-67-B20G-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.31, vacuum minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$62.00
3825-67-B20C-A	Spartan solenoid valve, 2-way, 2-position, N.C., acetal body, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), Cv=0.31, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$62.00
SC911YN02VFAA5	CFA solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$53.00
SC912YN02VFAA5	CFA solenoid valve, 2-port (2-way), 2-position, N.O., stainless steel body, Viton seal(s), 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.086, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$77.00
SC911YN16VFAA5	CFA solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$53.00
SC912YN16VFAA5	CFA solenoid valve, 2-port (2-way), 2-position, N.O., stainless steel body, Viton seal(s), 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.086, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$77.00
SC911YN24VFAA5	CFA solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$53.00
SC912YN24VFAA5	CFA solenoid valve, 2-port (2-way), 2-position, N.O., stainless steel body, Viton seal(s), 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.086, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$72.00
SC913YN02VFAA3	CFA solenoid valve, 3-port (3-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$60.00
SC913YN16VFAA3	CFA solenoid valve, 3-port (3-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$60.00
SC913YN24VFAA3	CFA solenoid valve, 3-port (3-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$60.00

[illegible]

[illegible]

<u>6200-660-AAA7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.52, vacuum minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-660-AAA3C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.52, vacuum minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-660-AAA7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.52, vacuum minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00
<u>6200-660-AAA3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.52, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00
<u>SC911YN02VFBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$60.00
<u>SC912YN02VFBA4</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.O., stainless steel body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.065, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$72.00
<u>SC911YN16VFBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$59.00
<u>SC912YN16VFBA4</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.O., stainless steel body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.065, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$72.00
<u>SC911YN24VFBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$60.00
<u>SC912YN24VFBA4</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.O., stainless steel body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.065, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$72.00
<u>SC913YN02VFBA3</u>	CFA solenoid valve, 3-port (3-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$67.00
<u>SC913YN16VFBA3</u>	CFA solenoid valve, 3-port (3-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$67.00
<u>SC913YN24VFBA3</u>	CFA solenoid valve, 3-port (3-way), 2-position, N.C., stainless steel body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$67.00
<u>H401YF02Z1BF5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton/PTFE seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.1, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$239.00
<u>H401YF16Z1BF5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton/PTFE seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.1, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$239.00
<u>NS301YF02C3BC9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.21, 120/110 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$121.00
<u>NS301YF24C3BC9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.21, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$121.00
<u>NS301YF16C3BC9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.21, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$121.00
<u>NS301YF02C3BD5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.36, 120/110 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$121.00
<u>NS301YF24C3BD5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.36, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$121.00
<u>NS301YF16C3BD5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.36, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$121.00
<u>NS301YF02C3BE7</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.85, 120/110 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$122.00

<u>NS301YF24C3BE7</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.85, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$122.00
<u>NS301YF16C3BE7</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 303 stainless steel body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.85, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$122.00
<u>SC911YN02VEBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$44.50
<u>SC912YN02VEBA4</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.O., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.065, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$71.00
<u>SC911YN16VEBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$42.00
<u>SC912YN16VEBA4</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.O., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.065, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$72.00
<u>SC911YN24VEBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$44.50
<u>SC912YN24VEBA4</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.O., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.065, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$71.00
<u>SC913YN02VEBA3</u>	CFA solenoid valve, 3-port (3-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$49.50
<u>SC913YN16VEBA3</u>	CFA solenoid valve, 3-port (3-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$49.50
<u>SC913YN24VEBA3</u>	CFA solenoid valve, 3-port (3-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.084, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$49.50
<u>S301YF02V8BD5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.36, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$85.00
<u>S301YF02V8BD7</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.44, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$85.00
<u>S301YF02V8BE1</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.65, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$85.00
<u>S301YF16V8BD5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.36, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$85.00
<u>S301YF16V8BD7</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.44, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$85.00
<u>S301YF16V8BE1</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=0.65, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$85.00
<u>DVD-2AC2A-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet (s), Cv=1.55, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVD-2AC2A-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet (s), Cv=1.55, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVD-2AC2A-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet (s), Cv=1.55, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>6100-6H001-AAB3C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.24, vacuum minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$76.00
<u>6100-6H001-AAB3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.24, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$75.00
<u>6100-6H001-AAB7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.24, vacuum minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$76.00

[illegible]

<u>3516-6Q001-BAB7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$121.00
<u>3516-6Q001-BAB3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$121.00
<u>3516-6Q001-BAB7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$121.00
<u>SC311YN02VIBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., nylon body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.28, 0 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$58.00
<u>SC311YN16VIBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., nylon body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$58.00
<u>SC311YN24VIBA5</u>	CFA solenoid valve, 2-port (2-way), 2-position, N.C., nylon body, Viton seal(s), 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, 0 psi minimum operating pressure, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$58.00
<u>DVP-2DC2E-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.245, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-2DC2E-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.245, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-2DC2E-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.245, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVD-2BC2A-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.55, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVD-2BC2A-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.55, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVD-2BC2A-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.55, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVP-3DC2E-24D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.245, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-3DC2E-24A</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.245, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-3DC2E-120A</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.245, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>6200-670-AAB7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.61, vacuum minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-670-AAB3C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.61, vacuum minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-670-AAB7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.61, vacuum minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00
<u>6200-670-AAB3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.61, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00
<u>3580-060-8217C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.55, 7 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$70.00
<u>3580-060-8213C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.55, 7 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$70.00
<u>3580-060-8217B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.55, 7 psi minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$70.00
<u>3580-060-8213B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.55, 7 psi minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$70.00
<u>H401YF02Z1CF5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton/PTFE seal(s), 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.5, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$239.00
<u>H401YF16Z1CF5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., stainless steel body, Viton/PTFE seal(s), 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.5, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$239.00
<u>S201YF02N5CG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$152.00

[illegible]

<u>6222-6M001-AAC3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.72, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$69.00
<u>6222-6M001-AAC7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.72, vacuum minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$70.00
<u>6222-6M001-AAC7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.72, vacuum minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$69.00
<u>3516-6Q001-BAC3C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$121.00
<u>3516-6Q001-BAC7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$121.00
<u>3516-6Q001-BAC3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$121.00
<u>3516-6Q001-BAC7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$121.00
<u>DVP-2DC3F-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.315, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-2DC3F-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.315, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-2DC3F-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.315, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVD-2BC3A-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.95, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVD-2BC3A-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.95, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVD-2BC3A-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.95, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVP-3DC3F-24D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.315, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-3DC3F-24A</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.315, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>DVP-3DC3F-120A</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.315, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$50.00
<u>NS211YF24CPCG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 24 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$119.00
<u>NS211YF16CPCG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$135.00
<u>NS201YF24CPCG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$167.00
<u>NS201YF16CPCG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$167.00
<u>NS711YH16C9CG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$128.00
<u>NS712YH16C9CG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$178.00
<u>NS711YH02C9CG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$128.00
<u>NS712YH02C9CG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=4.3, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$178.00
<u>6200-650-AAC7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.31, vacuum minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-650-AAC3C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.31, vacuum minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-650-AAC7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.31, vacuum minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00

<u>6200-650-AAC3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.31, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00
<u>6200-680-AAC7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.72, vacuum minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-680-AAC3C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.72, vacuum minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$55.00
<u>6200-680-AAC7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.72, vacuum minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00
<u>6200-680-AAC3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.72, vacuum minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$54.00
<u>3580-060-8227C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.95, 7 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$70.00
<u>3580-060-8223C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.95, 7 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$70.00
<u>3580-060-8227B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.95, 7 psi minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$70.00
<u>3580-060-8223B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=1.95, 7 psi minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$70.00
<u>NS211YF02C7DG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 120/110 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$339.00
<u>NS211YF24C7DG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$389.00
<u>NS211YF16C7DG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$339.00
<u>NS201YF02C7DG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 120/110 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$435.00
<u>NS201YF24C7DG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$435.00
<u>NS201YF16C7DG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$435.00
<u>NS711YH16C9DG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$128.00
<u>NS712YH16C9DG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$178.00
<u>NS711YH02C9DG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$128.00
<u>NS712YH02C9DG1</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$178.00
<u>S201YF02V5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$195.00
<u>S211YF02K4DG1</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=3.3, 1 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$164.00
<u>S201YF02N5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$152.00
<u>S211YF02N5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 4 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$130.00
<u>S211YF02V5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 4 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$145.00

<u>S201YF16N5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$152.00
<u>S201YF16V5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$195.00
<u>S211YF16K4DG1</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=3.3, 1 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$164.00
<u>S211YF16N5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 4 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$130.00
<u>S211YF16V5DG4</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), Cv=4.3, 4 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$145.00
<u>DVD-2AC4A-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass body, 1/2in female NPT inlet(s), 1/2in female NPT outlet (s), Cv=2.45, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVD-2AC4A-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass body, 1/2in female NPT inlet(s), 1/2in female NPT outlet (s), Cv=2.45, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVD-2AC4A-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass body, 1/2in female NPT inlet(s), 1/2in female NPT outlet (s), Cv=2.45, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>3516-6Q001-BAD3C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$121.00
<u>3516-6Q001-BAD7C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$121.00
<u>3516-6Q001-BAD3B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$121.00
<u>3516-6Q001-BAD7B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., low lead brass body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.5, 10 psi minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$121.00
<u>DVD-2BC4A-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=2.45, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVD-2BC4A-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=2.45, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVD-2BC4A-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=2.45, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>NS211YF02CPDG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 120/110 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$135.00
<u>NS211YF24CPDG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$121.00
<u>NS211YF16CPDG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$135.00
<u>NS201YF02CPDG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 120/110 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$167.00
<u>NS201YF24CPDG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$167.00
<u>NS201YF16CPDG4</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=4.3, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$167.00
<u>3580-060-8237C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=2.45, 7 psi minimum operating pressure, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$70.00
<u>3580-060-8233C-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=2.45, 7 psi minimum operating pressure, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$70.00
<u>3580-060-8237B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=2.45, 7 psi minimum operating pressure, 120 VAC operating voltage, 18in 22 AWG pigtail.	Stock	\$70.00
<u>3580-060-8233B-A</u>	Spartan solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=2.45, 7 psi minimum operating pressure, 24 VDC operating voltage, 18in 22 AWG pigtail.	Stock	\$70.00
<u>NS211YF02C7EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 120/110 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$347.00
<u>NS211YF24C7EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$403.00

<u>NS211YF16C7EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$348.00
<u>NS201YF02C7EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 120/110 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$470.00
<u>NS201YF24C7EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$471.00
<u>NS201YF16C7EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$470.00
<u>NS711YH16C9EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$137.00
<u>NS712YH16C9EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$187.00
<u>NS711YH02C9EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$137.00
<u>NS712YH02C9EG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$187.00
<u>S201YF02V5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$221.00
<u>S211YF02K4EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.1, 1 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$204.00
<u>S201YF02N5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$169.00
<u>S211YF02N5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 4 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$139.00
<u>S211YF02V5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 4 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$154.00
<u>S201YF16N5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$169.00
<u>S201YF16V5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$221.00
<u>S211YF16K4EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.1, 1 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$204.00
<u>S211YF16N5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 4 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$139.00
<u>S211YF16V5EG5</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 3/4in female NPT inlet (s), 3/4in female NPT outlet(s), Cv=6.7, 4 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$154.00
<u>DVD-2BC5F-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass and composite body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=14, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$116.00
<u>DVD-2BC5F-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass and composite body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=14, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$116.00
<u>NS211YF02CPEG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 120/110 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$146.00
<u>NS211YF24CPEG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VAC operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$146.00
<u>NS211YF16CPEG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$146.00
<u>NS201YF02CPEG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 120/110 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$168.00
<u>NS201YF24CPEG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VAC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$168.00
<u>NS201YF16CPEG5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., Nylon 6 body, 3/4in female NPT inlet(s), 3/4in female NPT outlet(s), Cv=6.7, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$168.00

<u>NS201YF02C7FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=11, 120 VAC (60Hz)/110 VAC (50Hz) operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$589.00
<u>NS201YF16C7FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=11, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$591.00
<u>NS211YF02C7FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 120 VAC (60Hz)/110 VAC (50Hz) operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$532.00
<u>NS211YF16C7FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$532.00
<u>NS711YH16C9FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$279.00
<u>NS712YH16C9FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$330.00
<u>NS711YH02C9FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$279.00
<u>NS712YH02C9FG9</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$330.00
<u>S201YF02V5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=11, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$354.00
<u>S201YF02N5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=11, 0 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$323.00
<u>S211YF02N5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 5 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$285.00
<u>S211YF02V5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 5 psi minimum operating pressure, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$310.00
<u>S201YF16N5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=11, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$323.00
<u>S201YF16V5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=11, 0 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$354.00
<u>S211YF16N5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, nitrile seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 5 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$285.00
<u>S211YF16V5FG9</u>	GC Valves solenoid valve, 2-port (2-way), 2-position, N.C., brass body, Viton seal(s), 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=13, 5 psi minimum operating pressure, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$310.00
<u>DVD-2BC6F-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass and composite body, 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=14, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$116.00
<u>DVD-2BC6F-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., brass and composite body, 1in female NPT inlet(s), 1in female NPT outlet(s), Cv=14, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$116.00
<u>NS211YF16C7GJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1-1/4in female NPT inlet(s), 1-1/4in female NPT outlet(s), Cv=13, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$642.00
<u>NS201YF16C7GJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1-1/4in female NPT inlet(s), 1-1/4in female NPT outlet(s), Cv=18, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$703.00
<u>NS711YH16C9GJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1-1/4in female NPT inlet(s), 1-1/4in female NPT outlet(s), Cv=22, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$410.00
<u>NS712YH16C9GJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1-1/4in female NPT inlet(s), 1-1/4in female NPT outlet(s), Cv=22, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$460.00
<u>NS711YH02C9GJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1-1/4in female NPT inlet(s), 1-1/4in female NPT outlet(s), Cv=22, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$410.00
<u>NS712YH02C9GJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1-1/4in female NPT inlet(s), 1-1/4in female NPT outlet(s), Cv=22, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$460.00

<u>NS211YF02C7HJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=13, 120 VAC (60Hz)/110 VAC (50Hz) operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$663.00
<u>NS211YF16C7HJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=13, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$663.00
<u>NS201YF02C7HJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=18, 120 VAC (60Hz)/110 VAC (50Hz) operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$720.00
<u>NS201YF16C7HJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=18, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$721.00
<u>NS711YH16C9HJ5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=30, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$425.00
<u>NS712YH16C9HJ5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=30, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$476.00
<u>NS711YH02C9HJ5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=30, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$425.00
<u>NS712YH02C9HJ5</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 1-1/2in female NPT inlet(s), 1-1/2in female NPT outlet(s), Cv=30, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$476.00
<u>NS211YF16C7JJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 2in female NPT inlet(s), 2in female NPT outlet(s), Cv=13, 24 VDC operating voltage, 10W, NSF/ANSI/CAN 61.	Stock	\$757.00
<u>NS211YF02C7JJ2</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., 316 stainless steel body, 2in female NPT inlet(s), 2in female NPT outlet(s), Cv=28, 120 VAC (60Hz)/110 VAC (50Hz) operating voltage, 8W, NSF/ANSI/CAN 61.	Stock	\$757.00
<u>NS711YH16C9JJZ</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 2in female NPT inlet(s), 2in female NPT outlet(s), Cv=48, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$648.00
<u>NS712YH16C9JJZ</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 2in female NPT inlet(s), 2in female NPT outlet(s), Cv=48, 24 VDC operating voltage, 9W, NSF/ANSI 61.	Stock	\$698.00
<u>NS711YH02C9JJZ</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.C., lead-free brass body, EPDM rubber seal(s), 2in female NPT inlet(s), 2in female NPT outlet(s), Cv=48, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$648.00
<u>NS712YH02C9JJZ</u>	GC Valves potable water solenoid valve, 2-port (2-way), 2-position, N.O., lead-free brass body, EPDM rubber seal(s), 2in female NPT inlet(s), 2in female NPT outlet(s), Cv=48, 120 VAC operating voltage, 8W, NSF/ANSI 61.	Stock	\$698.00
Stacking Manifold Process Valves			
<u>DVP-2CC1C-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), stackable, Cv=0.08, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$28.00
<u>DVP-2CC1C-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), stackable, Cv=0.08, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$28.00
<u>DVP-2CC1C-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), stackable, Cv=0.08, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$28.00
<u>DVP-3CC1C-24D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), stackable, Cv=0.08, 24 VDC operating voltage, 11mm DIN style wiring plug.	Stock	\$28.00
<u>DVP-3CC1C-24A</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), stackable, Cv=0.08, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$28.00
<u>DVP-3CC1C-120A</u>	NITRA solenoid valve, 3-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), stackable, Cv=0.08, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$28.00
<u>SC921YN02VDBA5</u>	CFA solenoid valve bank, (2) stations, 2-port (2-way), N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, stainless steel body, 120 VAC, 6.5 VA, 11mm DIN style wiring plug.	Stock	\$229.00
<u>SC931YN02VDBA5</u>	CFA solenoid valve bank, (3) stations, 2-port (2-way), N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, stainless steel body, 120 VAC, 6.5 VA, 11mm DIN style wiring plug.	Stock	\$343.00
<u>SC941YN02VDBA5</u>	CFA solenoid valve bank, (4) stations, 2-port (2-way), N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, stainless steel body, 120 VAC, 6.5 VA, 11mm DIN style wiring plug.	Stock	\$425.00
<u>SC921YN02VDBA5F</u>	CFA solenoid valve bank, (2) stations, 2-port (2-way), N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, individual metering, stainless steel body, 120 VAC, 6.5 VA, 11mm DIN style wiring plug.	Stock	\$259.00
<u>SC931YN02VDBA5F</u>	CFA solenoid valve bank, (3) stations, 2-port (2-way), N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, individual metering, stainless steel body, 120 VAC, 6.5 VA, 11mm DIN style wiring plug.	Stock	\$388.00
<u>SC941YN02VDBA5F</u>	CFA solenoid valve bank, (4) stations, 2-port (2-way), N.C., 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.14, individual metering, stainless steel body, 120 VAC, 6.5 VA, 11mm DIN style wiring plug.	Stock	\$481.00

<u>DVM-2BC1B-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.065, 24 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVM-2BC1B-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), Cv=0.065, 120 VAC operating voltage, 11mm DIN style wiring plug.	Stock	\$55.00
<u>DVM-2BC2E-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.24, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC2E-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.24, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC2E-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.24, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC3E-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.24, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC3E-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.24, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC3E-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.24, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC2G-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.52, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC2G-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.52, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC2G-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.52, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC3G-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.52, 24 VDC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC3G-24A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.52, 24 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00
<u>DVM-2BC3G-120A</u>	NITRA solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), Cv=0.52, 120 VAC operating voltage, 18mm DIN style wiring plug.	Stock	\$89.00

Accessories for Process Valves

<u>HS4YN02</u>	GC Valves solenoid coil, replacement, 120 VAC, 10W, 18mm DIN style wiring plug. For use with S201, NS201, S301 and NS301 valves.	Stock	\$51.00
<u>HS4YN04</u>	GC Valves solenoid coil, 240 VAC, 10W, 18mm DIN style wiring plug. For use with S201, NS201, S301 and NS301 valves.	Stock	\$51.00
<u>HS4YN24</u>	GC Valves solenoid coil, 24 VAC, 10W, 18mm DIN style wiring plug. For use with S201, NS201, S301 and NS301 valves.	Stock	\$51.00
<u>HS4YN16</u>	GC Valves solenoid coil, replacement, 24 VDC, 10W, 18mm DIN style wiring plug. For use with S201, NS201, S211 DC, NS211 DC, S301 and NS301 valves.	Stock	\$51.00
<u>HS4GN02A24</u>	GC Valves solenoid coil, 120 VAC, 10W, 24in 18AWG pigtail. For use with S201, NS201, S301 and NS301 valves.	Stock	\$51.00
<u>HS4GN04A24</u>	GC Valves solenoid coil, 240 VAC, 10W, 24in 18AWG pigtail. For use with S201, NS201, S301 and NS301 valves.	Stock	\$51.00
<u>HS4GN24A24</u>	GC Valves solenoid coil, 24 VAC, 10W, 24in 18AWG pigtail. For use with S201, NS201, S301 and NS301 valves.	Stock	\$51.00
<u>HS4GN16A24</u>	GC Valves solenoid coil, 24 VDC, 10W, 24in 18AWG pigtail. For use with S201, NS201, S211 DC, NS211 DC, S301 and NS301 valves.	Stock	\$51.00
<u>HS3YN02</u>	GC Valves solenoid coil, replacement, 120 VAC, 8W, 18mm DIN style wiring plug. For use with S211 and NS211 AC valves.	Stock	\$42.50
<u>HS3YN04</u>	GC Valves solenoid coil, 240 VAC, 8W, 18mm DIN style wiring plug. For use with S211 and NS211 AC valves.	Stock	\$42.50
<u>HS3YN24</u>	GC Valves solenoid coil, 24 VAC, 8W, 18mm DIN style wiring plug. For use with S211 and NS211 AC valves.	Stock	\$42.50
<u>HS3YN16</u>	GC Valves solenoid coil, replacement, 24 VDC, 9W, 18mm DIN style wiring plug. For use with S211 series valves.	Stock	\$38.50
<u>HS3GN02A24</u>	GC Valves solenoid coil, 120 VAC, 8W, 24in 18AWG pigtail. For use with S211 and NS211 AC valves.	Stock	\$42.50
<u>HS3GN04A24</u>	GC Valves solenoid coil, 240 VAC, 8W, 24in 18AWG pigtail. For use with S211 and NS211 AC valves.	Stock	\$42.50
<u>HS3GN24A24</u>	GC Valves solenoid coil, 24 VAC, 8W, 24in 18AWG pigtail. For use with S211 and NS211 AC valves.	Stock	\$42.50
<u>HS3GN16A24</u>	GC Valves solenoid coil, 24 VDC, 9W, 24in 18AWG pigtail. For use with S211 series valves.	Stock	\$38.50
<u>C944</u>	CFA solenoid coil, replacement, 120 VAC, 6.5 VA, 11mm DIN style wiring plug. For use with SC3 and SC9 series valves.	Stock	\$28.00
<u>C987</u>	CFA solenoid coil, replacement, 24 VAC, 6.5 VA, 11mm DIN style wiring plug. For use with SC3 and SC9 series valves.	Stock	\$28.00
<u>C999</u>	CFA solenoid coil, replacement, 12 VDC, 4W, 11mm DIN style wiring plug. For use with SC3 and SC9 series valves.	Stock	\$28.00

<u>C926</u>	CFA solenoid coil, replacement, 24 VDC, 4W, 11mm DIN style wiring plug. For use with SC3 and SC9 series valves.	Stock	\$28.00
<u>38310-01206-A</u>	Spartan solenoid coil, 12 VDC, 6.5W, 18mm DIN style wiring plug. For use with 3516 series Spartan valves.	Stock	\$17.00
<u>38310-02406-A</u>	Spartan solenoid coil, 24 VDC, 6.5W, 18mm DIN style wiring plug. For use with 3516 series Spartan valves.	Stock	\$17.00
<u>38310-02416-A</u>	Spartan solenoid coil, 24 VAC, 8.5 VA, 18mm DIN style wiring plug. For use with 3516 series Spartan valves.	Stock	\$17.00
<u>38310-12016-A</u>	Spartan solenoid coil, 120 VAC, 8.5 VA, 18mm DIN style wiring plug. For use with 3516 series Spartan valves.	Stock	\$17.00
<u>38310-22016-A</u>	Spartan solenoid coil, 220 VAC, 8.5 VA, 18mm DIN style wiring plug. For use with 3516 series Spartan valves.	Stock	\$17.00
<u>38315-01206-A</u>	Spartan solenoid coil, 12 VDC, 6.5W, 18in 22 AWG pigtail. For use with 3516 series Spartan valves.	Stock	\$21.00
<u>38315-02406-A</u>	Spartan solenoid coil, 24 VDC, 6.5W, 18in 22 AWG pigtail. For use with 3516 series Spartan valves.	Stock	\$21.00
<u>38315-02416-A</u>	Spartan solenoid coil, 24 VAC, 8.5 VA, 18in 22 AWG pigtail. For use with 3516 series Spartan valves.	Stock	\$21.00
<u>38315-12016-A</u>	Spartan solenoid coil, 120 VAC, 8.5 VA, 18in 22 AWG pigtail. For use with 3516 series Spartan valves.	Stock	\$21.00
<u>38315-22016-A</u>	Spartan solenoid coil, 220 VAC, 8.5 VA, 18in 22 AWG pigtail. For use with 3516 series Spartan valves.	Stock	\$21.00
<u>38220-01206-A</u>	Spartan solenoid coil, 12 VDC, 6.5W, 11mm DIN style wiring plug. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$20.00
<u>38220-02406-A</u>	Spartan solenoid coil, 24 VDC, 6.5W, 11mm DIN style wiring plug. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$20.00
<u>38220-02416-A</u>	Spartan solenoid coil, 24 VAC, 8.5 VA, 11mm DIN style wiring plug. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$20.00
<u>38220-12016-A</u>	Spartan solenoid coil, 120 VAC, 8.5 VA, 11mm DIN style wiring plug. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$20.00
<u>38220-22016-A</u>	Spartan solenoid coil, 220 VAC, 8.5 VA, 11mm DIN style wiring plug. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$20.00
<u>38225-01206-A</u>	Spartan solenoid coil, 12 VDC, 6.5W, 18in 22 AWG pigtail. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$24.00
<u>38225-02406-A</u>	Spartan solenoid coil, 24 VDC, 6.5W, 18in 22 AWG pigtail. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$24.00
<u>38225-02416-A</u>	Spartan solenoid coil, 24 VAC, 8.5 VA, 18in 22 AWG pigtail. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$24.00
<u>38225-12016-A</u>	Spartan solenoid coil, 120 VAC, 8.5 VA, 18in 22 AWG pigtail. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$24.00
<u>38225-22016-A</u>	Spartan solenoid coil, 220 VAC, 8.5 VA, 18in 22 AWG pigtail. For use with 3580, 3525 and 3527 series Spartan valves.	Stock	\$24.00
<u>4A000-01201-A</u>	Spartan solenoid coil, 12 VDC, 10W, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$28.00
<u>4A000-02401-A</u>	Spartan solenoid coil, 24 VDC, 10W, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$28.00
<u>4A000-02411-A</u>	Spartan solenoid coil, 24 VAC, 11.5 VA, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$28.00
<u>4A000-12011-A</u>	Spartan solenoid coil, 120 VAC, 11.5 VA, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$28.00
<u>4A000-22011-A</u>	Spartan solenoid coil, 220 VAC, 11.5 VA, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$28.00
<u>4A001-01201-A</u>	Spartan solenoid coil, 12 VDC, 10W, 18in 22AWG pigtail. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$37.00
<u>4A001-02401-A</u>	Spartan solenoid coil, 24 VDC, 10W, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$37.00
<u>4A001-02411-A</u>	Spartan solenoid coil, 24 VAC, 11.5 VA, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$37.00
<u>4A001-12011-A</u>	Spartan solenoid coil, 120 VAC, 11.5 VA, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$37.00
<u>4A001-22011-A</u>	Spartan solenoid coil, 220 VAC, 11.5 VA, 18mm DIN style wiring plug. For use with 6100, 6200 and 6222 series Spartan valves.	Stock	\$37.00
<u>DVP-2BKT</u>	NITRA mounting kit, for use with 2-station DVP-2C or DVP-3C series valves, includes (2) #8-32 x 2in screws, (2) #8 lock nuts and (1) Viton O-ring.	Stock	\$5.50
<u>DVP-3BKT</u>	NITRA mounting kit, for use with 3-station DVP-2C or DVP-3C series valves, includes (2) #8-32 x 3in screws, (2) #8 lock nuts and (2) Viton O-rings.	Stock	\$7.50
<u>DVP-4BKT</u>	NITRA mounting kit, for use with 4-station DVP-2C or DVP-3C series valves, includes (2) #8-32 x 4in screws, (2) #8 lock nuts and (3) Viton O-rings.	Stock	\$9.00

<u>DVP-5BKT</u>	NITRA mounting kit, for use with 5-station DVP-2C or DVP-3C series valves, includes (2) #8-32 x 5in screws, (2) #8 lock nuts and (4) Viton O-rings.	Stock	\$11.00
<u>DVP-6BKT</u>	NITRA mounting kit, for use with 6-station DVP-2C or DVP-3C series valves, includes (2) #8-32 x 6in screws, (2) #8 lock nuts and (5) Viton O-rings.	Stock	\$13.50
<u>DVD-1VSEAL</u>	NITRA diaphragm, replacement, Viton. For use with DVD-2AC series NITRA pneumatic solenoid valves. One Viton diaphragm included.	Stock	\$10.00
<u>DVD-2VSEAL</u>	NITRA diaphragm, replacement, Viton. For use with DVD-2BC2A, DVD-2BC3A and DVD-2BC4A series NITRA pneumatic solenoid valves. One Viton diaphragm included.	Stock	\$10.00
<u>DVD-3VSEAL</u>	NITRA diaphragm, replacement, Viton. For use with DVD-2BC5F or DVD-2BC6F series NITRA pneumatic solenoid valves. One Viton diaphragm included.	Stock	\$27.50
<u>KS301AF02E7-NSF</u>	GC Valves rebuild kit, for use with NS301 series valves ending BE7, includes plunger-seat disc-spring assembly, plunger tube, operator O-ring and body O-ring.	Stock	\$44.50
<u>KS301AF02C3-NSF</u>	GC Valves rebuild kit, for use with NS301 series valves ending BC9 and BD5, includes plunger-seat disc-spring assembly, plunger tube, operator O-ring and body O-ring.	Stock	\$43.00
<u>KS211AF02G4-NSF</u>	GC Valves rebuild kit, for use with NS211 series AC valves ending CG4 and DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$84.00
<u>KS211AF02G5-NSF</u>	GC Valves rebuild kit, for use with NS211 series AC valves ending EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$83.00
<u>KS211AF02G9-NSF</u>	GC Valves rebuild kit, for use with NS211 series AC valves ending G9, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$93.00
<u>KS211AF02J2-NSF</u>	GC Valves rebuild kit, for use with NS211 series AC valves ending J2, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$95.00
<u>KS211AF15G4-NSF</u>	GC Valves rebuild kit, for use with NS211 series DC valves ending CG4 and DG4, includes diaphragm assembly, plunger-seat disc-spring assembly, plunger tube, body O-ring and operator O-ring.	Stock	\$84.00
<u>KS211AF15G5-NSF</u>	GC Valves rebuild kit, for use with NS211 series DC valves ending EG5, includes diaphragm assembly, plunger-seat disc-spring assembly, plunger tube, body O-ring and operator O-ring.	Stock	\$83.00
<u>KS211AF15G9-NSF</u>	GC Valves rebuild kit, for use with NS211 series DC valves ending G9, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$93.00
<u>KS211AF15J2-NSF</u>	GC Valves rebuild kit, for use with NS211 series DC valves ending J2, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$95.00
<u>KS201AF02G4-NSF</u>	GC Valves rebuild kit, for use with NS201 series AC valves ending CG4 and DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$87.00
<u>KS201AF02G5-NSF</u>	GC Valves rebuild kit, for use with NS201 series AC valves ending EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$86.00
<u>KS201AF02G9-NSF</u>	GC Valves rebuild kit, for use with NS201 series AC valves ending G9, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, plunger connecting spring, body O-rings and operator O-ring.	Stock	\$123.00
<u>KS201AF02J2-NSF</u>	GC Valves rebuild kit, for use with NS201 series AC valves ending J2, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, plunger connecting spring, body O-rings and operator O-ring.	Stock	\$123.00
<u>KS201AF15G4-NSF</u>	GC Valves rebuild kit, for use with NS201 series DC valves ending CG4 and DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$92.00
<u>KS201AF15G5-NSF</u>	GC Valves rebuild kit, for use with NS201 series DC valves ending EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$91.00
<u>KS201AF15G9-NSF</u>	GC Valves rebuild kit, for use with NS201 series DC valves ending G9, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, plunger connecting spring, body O-rings and operator O-ring.	Stock	\$124.00
<u>KS201AF15J2-NSF</u>	GC Valves rebuild kit, for use with NS201 series DC valves ending J2, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, plunger connecting spring, body O-rings and operator O-ring.	Stock	\$124.00
<u>3516-0B-0001</u>	Spartan diaphragm, replacement, NBR. For use with 3516 series Spartan valves.	Stock	\$24.00
<u>3580-B1-0001</u>	Spartan diaphragm, replacement, NBR. For use with 3580 series Spartan valves.	Stock	\$27.00
<u>KS201N-G4</u>	GC Valves rebuild kit, for use with S201 series AC valves ending N5CG4 and N5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$66.00
<u>KS201N-G5</u>	GC Valves rebuild kit, for use with S201 series AC valves ending N5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$66.00
<u>KS201N-G9</u>	GC Valves rebuild kit, for use with S201 series AC valves ending N5FG9, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-rings and operator O-ring.	Stock	\$88.00
<u>KS201V-G4</u>	GC Valves rebuild kit, for use with S201 series AC valves ending V5CG4 and V5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$80.00
<u>KS201V-G5</u>	GC Valves rebuild kit, for use with S201 series AC valves ending V5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$80.00

<u>KS201V-G9</u>	GC Valves rebuild kit, for use with S201 series AC valves ending V5FG9, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, connecting spring, body O-rings and operator O-ring.	Stock	\$175.00
<u>KS211K-G1</u>	GC Valves rebuild kit, for use with S211 series AC valves ending K4DG1, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$75.00
<u>KS211K-G5</u>	GC Valves rebuild kit, for use with S211 series AC valves ending K4EG5, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$78.00
<u>KS211N-G4</u>	GC Valves rebuild kit, for use with S211 series AC valves ending N5CG4 and N5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$62.00
<u>KS211N-G5</u>	GC Valves rebuild kit, for use with S211 series AC valves ending N5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$62.00
<u>KS211N-G9</u>	GC Valves rebuild kit, for use with S211 series AC valves ending N5FG9, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$59.00
<u>KS211V-G4</u>	GC Valves rebuild kit, for use with S211 series AC valves ending V5CG4 and V5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$75.00
<u>KS211V-G5</u>	GC Valves rebuild kit, for use with S211 series AC valves ending V5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$75.00
<u>KS211V-G9</u>	GC Valves rebuild kit, for use with S211 series AC valves ending V5FG9, includes diaphragm assembly, diaphragm spring, plunger assembly, plunger tube, plunger spring, body O-rings and operator O-ring.	Stock	\$146.00
<u>KS301V-C3</u>	GC Valves rebuild kit, for use with S301 series AC valves ending BD5, BD7 and BE1, includes plunger-seat disc-spring assembly, plunger tube, operator O-ring and body O-ring.	Stock	\$37.50
<u>KS201N-G4-DC</u>	GC Valves rebuild kit, for use with S201 series DC valves ending N5CG4 and N5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$66.00
<u>KS201N-G5-DC</u>	GC Valves rebuild kit, for use with S201 series DC valves ending N5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$66.00
<u>KS201N-G9-DC</u>	GC Valves rebuild kit, for use with S201 series DC valves ending N5FG9, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-rings and operator O-ring.	Stock	\$88.00
<u>KS201V-G4-DC</u>	GC Valves rebuild kit, for use with S201 series DC valves ending V5CG4 and V5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$80.00
<u>KS201V-G5-DC</u>	GC Valves rebuild kit, for use with S201 series DC valves ending V5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-ring and operator O-ring.	Stock	\$80.00
<u>KS201V-G9-DC</u>	GC Valves rebuild kit, for use with S201 series DC valves ending V5FG9, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, connecting spring, body O-rings and operator O-ring.	Stock	\$175.00
<u>KS211N-G4-DC</u>	GC Valves rebuild kit, for use with S211 series DC valves ending N5CG4 and N5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$62.00
<u>KS211N-G5-DC</u>	GC Valves rebuild kit, for use with S211 series DC valves ending N5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$62.00
<u>KS211V-G4-DC</u>	GC Valves rebuild kit, for use with S211 series DC valves ending V5CG4 and V5DG4, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$75.00
<u>KS211V-G5-DC</u>	GC Valves rebuild kit, for use with S211 series DC valves ending V5EG5, includes diaphragm assembly, plunger assembly, plunger tube, plunger spring, body O-ring and operator O-ring.	Stock	\$75.00
<u>KSC9102VBA5</u>	CFA rebuild kit, for use with SC911 series brass valves and valve banks, includes plunger tube assembly and plunger assembly.	Stock	\$46.00
<u>KSC3102VDA5</u>	CFA rebuild kit, for use with SC311 series valves, includes plunger tube assembly and plunger assembly.	Stock	\$44.50
<u>KSC9102VDA5</u>	CFA rebuild kit, for use with SC911 series SS valves and valve banks, includes plunger tube assembly and plunger assembly.	Stock	\$53.00
<u>KSC9202VDA5</u>	CFA rebuild kit, for use with SC912 series valves, includes plunger tube assembly, plunger, plunger tube head, set retainer and spring.	Stock	\$58.00
<u>KSC9302VDA3</u>	CFA rebuild kit, for use with SC913 series valves, includes plunger tube assembly and plunger assembly.	Stock	\$58.00
<u>KH401Z</u>	GC Valves rebuild kit, for use with H401 series valves, includes plunger tube assembly, plunger assembly, plunger spring, plunger pin, piston pickup collar, piloted piston assembly, PTFE glide strip and operator cavity o-ring.	Stock	\$71.00
<u>S060.1016P</u>	CFA solenoid coil nut, for use with CFA C9 coils.	Stock	\$0.75
Modular Valves			
<u>SP-1000-BR</u>	CITO StackPort modular distribution block, glass-filled nylon body, stackable, Cv=44.5.	Stock	\$29.00
<u>SS-1000-BR</u>	CITO StackShort modular manual valve, 2-way, 2-position, glass-filled nylon body, stackable, Cv=26.7.	Stock	\$47.00
<u>SS-1002-BR</u>	CITO StackShort modular manual valve, 2-way, 2-position, glass-filled nylon body, stackable, Cv=26.7. FT-200 temperature gauge included.	Stock	\$69.00
<u>SF-1000-BR-H</u>	CITO StackFlow modular manual valve, 2-way, 2-position, glass-filled nylon body, stackable, Cv=21.3. RA-3903 high-flow turbine included.	Stock	\$117.00

<u>SF-1002-BR-H</u>	CITO StackFlow modular manual valve, 2-way, 2-position, glass-filled nylon body, stackable, Cv=21.3. FT-200 temperature gauge and RA-3903 high-flow turbine included.	Stock	\$139.00
<u>SV-1024-30-H</u>	CITO StackValve modular solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, stackable, Cv=8.5, 24 VAC/VDC operating voltage, 7.2W, 18mm DIN style wiring plug. RA-3903 high-flow turbine and SF-9130 screen included.	Stock	\$369.00
<u>SV-1120-30-H</u>	CITO StackValve modular solenoid valve, 2-way, 2-position, N.C., glass-filled nylon body, stackable, Cv=8.5, 120 VAC operating voltage, 12VA, 18mm DIN style wiring plug. RA-3903 high-flow turbine and SF-9130 screen included.	Stock	\$369.00
Port Adapters for Modular Valves			
<u>EC-3401-K</u>	CITO port adapter, 1/2in female NPT, brass. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$51.00
<u>EC-3601-K</u>	CITO port adapter, 3/4in female NPT, brass. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$51.00
<u>EC-3801-K</u>	CITO port adapter, 1in female NPT, brass. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$51.00
<u>EC-3101-K</u>	CITO port adapter, 1-1/4in female NPT, brass. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$51.00
<u>EC-3121-K</u>	CITO port adapter, 1-1/2in female NPT, brass. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$51.00
<u>SF-5420-K</u>	CITO blank end cap, glass-filled nylon. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$14.50
<u>SF-9220-K</u>	CITO temperature end cap, glass-filled nylon, 40-220 deg F. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$42.00
<u>SF-9100-K</u>	CITO pressure end cap, glass-filled nylon, 0-100 psi range. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$42.00
<u>SF-9160-K</u>	CITO pressure end cap, glass-filled nylon, 0-160 psi range. For use with CITO StackFlow valves body inlet. BK-9100 inlet mounting kit included.	Stock	\$42.00
<u>EC-2011</u>	CITO port adapter, (1) 1/8in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2014</u>	CITO port adapter, (4) 1/8in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2021</u>	CITO port adapter, (1) 1/4in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2024</u>	CITO port adapter, (4) 1/4in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2031</u>	CITO port adapter, (1) 3/8in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2034</u>	CITO port adapter, (4) 3/8in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2041</u>	CITO port adapter, (1) 1/2in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2042</u>	CITO port adapter, (2) 1/2in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2061</u>	CITO port adapter, (1) 3/4in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>EC-2081</u>	CITO port adapter, (1) 1in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$35.50
<u>VC-2902</u>	CITO flow control valve cap, (1) 1/4in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$65.00
<u>VC-2903</u>	CITO flow control valve cap, (1) 3/8in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$70.00
<u>VC-2904</u>	CITO flow control valve cap, (1) 1/2in female NPT, brass. For use with CITO StackFlow valves body outlet.	Stock	\$86.00
Accessories for Modular Valves			
<u>SF-9120</u>	CITO screen, replacement, 20 mesh, stainless steel. For use with CITO StackFlow valves.	Stock	\$20.50
<u>SF-9130</u>	CITO screen, replacement, 30 mesh, stainless steel. For use with CITO StackFlow valves.	Stock	\$20.50
<u>SF-9140</u>	CITO screen, replacement, 40 mesh, stainless steel. For use with CITO StackFlow valves.	Stock	\$20.50
<u>RTA-3903</u>	CITO high-flow turbine, replacement, 1-60 GPM. For use with CITO StackFlow valves. O-rings included.	Stock	\$57.00
<u>RTA-3191</u>	CITO low-flow turbine, replacement, 0.5-10 GPM. For use with CITO StackFlow valves. O-rings included.	Stock	\$57.00
<u>BK-9100</u>	CITO inlet mounting kit, for use with CITO StackFlow valves, includes (4) 1/4-20x1 SHCS, (4) 1/4-20 nuts and (1) O-ring.	Stock	\$9.00
<u>BK-9750</u>	CITO short outlet mounting kit, for use with CITO StackFlow valves, includes (4) 1/4-20x3/4 SHCS, (4) 1/4-20 nuts, (1) O-ring and (1) retainer. Retainer required for StackShort valves only.	Stock	\$8.00
<u>BK-9225</u>	CITO long outlet mounting kit, for use with CITO StackFlow valves, includes (4) 1/4-20x2-1/4 SHCS, (4) 1/4-20 nuts and (1) O-ring.	Stock	\$11.00
<u>FT-200</u>	CITO temperature gauge, replacement. For use with CITO StackFlow valves.	Stock	\$22.50

<u>TK-1200</u>	CITO trim kit, replacement. For use with CITO StackFlow valves. (2) blue and (2) red trim pieces in (3) different trim styles included.	Stock	\$8.00
<u>SF-5622</u>	CITO nut retainer, package of 4. For use with CITO StackFlow valves.	Stock	\$11.00
Solenoid Valves			
<u>7010020400U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.O., single solenoid spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$48.50
<u>7020020400U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.O., single solenoid spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$55.00
<u>7040020400U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.O., single solenoid spring return, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$69.00
<u>7030020400U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.O., single solenoid spring return, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$131.00
<u>7010020200U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$50.00
<u>7020020200U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$58.00
<u>7040020200U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$69.00
<u>7030020200U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$131.00
<u>7010020500U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), #10-32 female UNF pilot(s), Cv=0.55.	Stock	\$50.00
<u>7020020500U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$58.00
<u>7040020500U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=2.1.	Stock	\$69.00
<u>7030020500U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=4.6.	Stock	\$131.00
<u>7010021100U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$56.00
<u>7020021100U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$62.00
<u>7040021100U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$73.00
<u>7030021100U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$151.00
<u>7010021200U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, double solenoid, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$75.00
<u>7020021200U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, double solenoid, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$79.00
<u>7040021200U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, double solenoid, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$95.00
<u>7030021200U</u>	Metal Work solenoid valve, 5-port (4-way), 2-position, double solenoid, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$183.00
<u>7010020100U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, double solenoid, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$76.00
<u>7020020100U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, double solenoid, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$78.00
<u>7040020100U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, double solenoid, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$89.00
<u>7030020100U</u>	Metal Work solenoid valve, 3-port (3-way), 2-position, double solenoid, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$162.00
<u>7010022100U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$86.00
<u>7020022100U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$99.00
<u>7040022100U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$118.00
<u>7030022100U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$195.00
<u>7010022200U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$86.00

<u>7020022200U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$99.00
<u>7040022200U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$118.00
<u>7030022200U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$195.00
<u>7010022300U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center pressure, double solenoid, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$86.00
<u>7020022300U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center pressure, double solenoid, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$99.00
<u>7040022300U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center pressure, double solenoid, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), Cv=2.1.	Stock	\$118.00
<u>7030022300U</u>	Metal Work solenoid valve, 5-port (4-way), 3-position, center pressure, double solenoid, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$195.00
<u>HVS-5211</u>	NITRA solenoid valve, ISO 5599/1 size 1, 5-way, 2-position, single solenoid spring return, aluminum alloy body, locking manual override.	Stock	\$86.00
<u>HVS-5212</u>	NITRA solenoid valve, ISO 5599/1 size 1, 5-way, 2-position, double solenoid, aluminum alloy body, locking manual override.	Stock	\$112.00
<u>HVS-53C12</u>	NITRA solenoid valve, ISO 5599/1 size 1, 5-way, 3-position, center closed, double solenoid, aluminum alloy body, locking manual override.	Stock	\$134.00
<u>HVS-53E12</u>	NITRA solenoid valve, ISO 5599/1 size 1, 5-way, 3-position, center exhaust, double solenoid, aluminum alloy body, locking manual override.	Stock	\$134.00
<u>HVS-53P12</u>	NITRA solenoid valve, ISO 5599/1 size 1, 5-way, 3-position, center pressure, double solenoid, aluminum alloy body, locking manual override.	Stock	\$134.00
<u>HVS-5221</u>	NITRA solenoid valve, ISO 5599/1 size 2, 5-way, 2-position, single solenoid spring return, aluminum alloy body, locking manual override.	Stock	\$132.00
<u>HVS-5222</u>	NITRA solenoid valve, ISO 5599/1 size 2, 5-way, 2-position, double solenoid, aluminum alloy body, locking manual override.	Stock	\$155.00
<u>HVS-53C22</u>	NITRA solenoid valve, ISO 5599/1 size 2, 5-way, 3-position, center closed, double solenoid, aluminum alloy body, locking manual override.	Stock	\$163.00
<u>HVS-53E22</u>	NITRA solenoid valve, ISO 5599/1 size 2, 5-way, 3-position, center exhaust, double solenoid, aluminum alloy body, locking manual override.	Stock	\$163.00
<u>HVS-53P22</u>	NITRA solenoid valve, ISO 5599/1 size 2, 5-way, 3-position, center pressure, double solenoid, aluminum alloy body, locking manual override.	Stock	\$163.00
<u>PAL-V2-32C</u>	NITRA solenoid valve, modular, 3-way, 2-position, (2) N.C., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, Cv=0.64, 12-24 VDC.	Stock	\$45.00
<u>PAL-V2-32A</u>	NITRA solenoid valve, modular, 3-way, 2-position, (2) N.O., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, Cv=0.64, 12-24 VDC.	Stock	\$50.00
<u>PAL-V2-32C32A</u>	NITRA solenoid valve, modular, 3-way, 2-position, (1) N.C. / (1) N.O., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, Cv=0.64, 12-24 VDC.	Stock	\$50.00
<u>PAL-V1-52</u>	NITRA solenoid valve, modular, 5-way, 2-position, single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, Cv=0.7, 12-24 VDC.	Stock	\$33.50
<u>PAL-V2-52</u>	NITRA solenoid valve, modular, 5-way, 2-position, double solenoid, reinforced technopolymer body, IP65, locking manual override, Cv=0.7, 12-24 VDC.	Stock	\$47.00
<u>PAL-V2-53C</u>	NITRA solenoid valve, modular, 5-way, 3-position, center closed, double solenoid, reinforced technopolymer body, IP65, locking manual override, Cv=0.49, 12-24 VDC.	Stock	\$50.00
<u>PAL-V1-32C</u>	NITRA solenoid valve, modular, 3-way, 2-position, (1) high-flow N.C., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, Cv=1.28, 12-24 VDC.	Stock	\$37.50
<u>PAL-V1-32A</u>	NITRA solenoid valve, modular, 3-way, 2-position, (1) high-flow N.O., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, Cv=1.28, 12-24 VDC.	Stock	\$37.50
<u>PAL-V1-SR</u>	NITRA solenoid bank shut-off pressure relief valve, modular, 5-way, 2-position, single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, Cv=1.07, 12-24 VDC.	Stock	\$57.00
<u>CMV-A1L-1A</u>	NITRA solenoid valve, double compact modular, 3-way, 2-position, (2) N.C., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, (2) 5/32in (4mm) push-to-connect outlet(s), Cv=0.2, 24 VDC.	Stock	\$123.00
<u>CMV-A2L-1A</u>	NITRA solenoid valve, double compact modular, 3-way, 2-position, (2) N.O., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, (2) 5/32in (4mm) push-to-connect outlet(s), Cv=0.2, 24 VDC.	Stock	\$123.00
<u>CMV-A3L-1A</u>	NITRA solenoid valve, double compact modular, 3-way, 2-position, (1) N.C. / (1) N.O., single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, (2) 5/32in (4mm) push-to-connect outlet(s), Cv=0.2, 24 VDC.	Stock	\$123.00
<u>CMV-B1L-1A</u>	NITRA solenoid valve, compact modular, 5-way, 2-position, single solenoid spring return, reinforced technopolymer body, IP65, locking manual override, (2) 5/32in (4mm) push-to-connect outlet(s), Cv=0.2, 24 VDC.	Stock	\$85.00

[illegible]

<u>CMV-B3L-4A</u>	NITRA solenoid valve, compact modular, 5-way, 3-position, center closed, double solenoid, reinforced technopolymer body, IP65, locking manual override, (2) 3/8in push-to-connect outlet(s), Cv=0.5, 24 VDC.	Stock	\$174.00
<u>AVP-31C1-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (2) 1/8in female NPT inlet(s), (1) 1/8in female NPT outlet(s), (1) vent hole exhaust(s), Cv=0.05, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$35.00
<u>AVP-31C1-120A</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (2) 1/8in female NPT inlet(s), (1) 1/8in female NPT outlet(s), (1) vent hole exhaust(s), Cv=0.05, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$35.00
<u>AVS-3111-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/8in female NPT inlet(s), (1) 1/8in female NPT outlet(s), (1) 1/8in female NPT exhaust(s), Cv=0.67, 24 VDC, 2.5W, 9.4mm DIN style wiring plug.	Stock	\$38.00
<u>AVS-3211-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/8in female NPT inlet(s), (1) 1/8in female NPT outlet(s), (1) 1/8in female NPT exhaust(s), Cv=0.78, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$39.00
<u>AVS-3212-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/4in female NPT inlet(s), (1) 1/4in female NPT outlet(s), (1) 1/4in female NPT exhaust(s), Cv=0.89, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$39.00
<u>AVS-3312-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/4in female NPT inlet(s), (1) 1/4in female NPT outlet(s), (1) 1/4in female NPT exhaust(s), Cv=1.39, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$55.00
<u>AVS-3313-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 3/8in female NPT inlet(s), (1) 3/8in female NPT outlet(s), (1) 3/8in female NPT exhaust(s), Cv=1.67, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$55.00
<u>AVS-3221-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, double solenoid, (1) 1/8in female NPT inlet(s), (1) 1/8in female NPT outlet(s), (1) 1/8in female NPT exhaust(s), Cv=0.78, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$64.00
<u>AVS-3222-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, double solenoid, (1) 1/4in female NPT inlet(s), (1) 1/4in female NPT outlet(s), (1) 1/4in female NPT exhaust(s), Cv=0.89, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$64.00
<u>AVS-3322-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, double solenoid, (1) 1/4in female NPT inlet(s), (1) 1/4in female NPT outlet(s), (1) 1/4in female NPT exhaust(s), Cv=1.39, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$84.00
<u>AVS-3323-24D</u>	NITRA solenoid valve, 3-port (3-way), 2-position, double solenoid, (1) 3/8in female NPT inlet(s), (1) 3/8in female NPT outlet(s), (1) 3/8in female NPT exhaust(s), Cv=1.67, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$84.00
<u>AVS-3111-120A</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/8in female NPT inlet(s), (1) 1/8in female NPT outlet(s), (1) 1/8in female NPT exhaust(s), Cv=0.67, 120 VAC, 3.5VA, 9.4mm DIN style wiring plug.	Stock	\$38.00
<u>AVS-3211-120A</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/8in female NPT inlet(s), (1) 1/8in female NPT outlet(s), (1) 1/8in female NPT exhaust(s), Cv=0.78, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$38.50
<u>AVS-3212-120A</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/4in female NPT inlet(s), (1) 1/4in female NPT outlet(s), (1) 1/4in female NPT exhaust(s), Cv=0.89, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$38.50
<u>AVS-3312-120A</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 1/4in female NPT inlet(s), (1) 1/4in female NPT outlet(s), (1) 1/4in female NPT exhaust(s), Cv=1.39, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$55.00
<u>AVS-3313-120A</u>	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 3/8in female NPT inlet(s), (1) 3/8in female NPT outlet(s), (1) 3/8in female NPT exhaust(s), Cv=1.67, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$55.00
<u>AVS-3222-120A</u>	NITRA solenoid valve, 3-port (3-way), 2-position, double solenoid, (1) 1/4in female NPT inlet(s), (1) 1/4in female NPT outlet(s), (1) 1/4in female NPT exhaust(s), Cv=0.89, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$62.00
<u>AVS-5111-24D</u>	NITRA solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, (1) 1/8in female NPT inlet(s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.67, 24 VDC, 2.5W, 9.4mm DIN style wiring plug.	Stock	\$38.00
<u>AVS-5211-24D</u>	NITRA solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, (1) 1/8in female NPT inlet(s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.78, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$38.50
<u>AVS-5212-24D</u>	NITRA solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, (1) 1/4in female NPT inlet(s), (2) 1/4in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.89, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$38.50
<u>AVS-5312-24D</u>	NITRA solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, (1) 1/4in female NPT inlet(s), (2) 1/4in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1.4, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$53.00
<u>AVS-5313-24D</u>	NITRA solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, (1) 3/8in female NPT inlet(s), (2) 3/8in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1.68, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$53.00
<u>AVS-5414-24D</u>	NITRA solenoid valve, 5-port (4-way), 2-position, single solenoid spring return, (1) 1/2in female NPT inlet(s), (2) 1/2in female NPT outlet(s), (2) 1/2in female NPT exhaust(s), Cv=2.79, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$72.00

[illegible]

<u>AVS-513E1-24D</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/8in female NPT inlet (s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.5, 24 VDC, 2.5W, 9.4mm DIN style wiring plug.	Stock	\$85.00
<u>AVS-523E1-24D</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/8in female NPT inlet (s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.67, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$103.00
<u>AVS-523E2-24D</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/4in female NPT inlet (s), (2) 1/4in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.67, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$103.00
<u>AVS-533E2-24D</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/4in female NPT inlet (s), (2) 1/4in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$145.00
<u>AVS-533E3-24D</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 3/8in female NPT inlet (s), (2) 3/8in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$145.00
<u>AVS-543E4-24D</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/2in female NPT inlet (s), (2) 1/2in female NPT outlet(s), (2) 1/2in female NPT exhaust(s), Cv=1.68, 24 VDC, 3.0W, 11mm DIN style wiring plug.	Stock	\$148.00
<u>AVS-513C1-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, (1) 1/8in female NPT inlet (s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.5, 120 VAC, 3.5VA, 9.4mm DIN style wiring plug.	Stock	\$85.00
<u>AVS-523C1-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, (1) 1/8in female NPT inlet (s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.67, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$103.00
<u>AVS-523C2-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, (1) 1/4in female NPT inlet (s), (2) 1/4in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.67, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$103.00
<u>AVS-533C2-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, (1) 1/4in female NPT inlet (s), (2) 1/4in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$145.00
<u>AVS-533C3-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, (1) 3/8in female NPT inlet (s), (2) 3/8in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$145.00
<u>AVS-543C4-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center closed, double solenoid, (1) 1/2in female NPT inlet (s), (2) 1/2in female NPT outlet(s), (2) 1/2in female NPT exhaust(s), Cv=1.68, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$148.00
<u>AVS-513E1-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/8in female NPT inlet (s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.5, 120 VAC, 3.5VA, 9.4mm DIN style wiring plug.	Stock	\$85.00
<u>AVS-523E1-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/8in female NPT inlet (s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.67, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$103.00
<u>AVS-523E2-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/4in female NPT inlet (s), (2) 1/4in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), Cv=0.67, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$103.00
<u>AVS-533E2-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/4in female NPT inlet (s), (2) 1/4in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$145.00
<u>AVS-533E3-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 3/8in female NPT inlet (s), (2) 3/8in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), Cv=1, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$145.00
<u>AVS-543E4-120A</u>	NITRA solenoid valve, 5-port (4-way), 3-position, center exhaust, double solenoid, (1) 1/2in female NPT inlet (s), (2) 1/2in female NPT outlet(s), (2) 1/2in female NPT exhaust(s), Cv=1.68, 120 VAC, 4.5VA, 11mm DIN style wiring plug.	Stock	\$148.00
<u>GVP-211C-12D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., single solenoid spring return, 10mm wide body, Cv=0.013, 12 VDC, miniature pin plug.	Stock	\$45.00
<u>GVP-211C-24D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., single solenoid spring return, 10mm wide body, Cv=0.013, 24 VDC, miniature pin plug.	Stock	\$45.00
<u>GVP-311C-12D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., single solenoid spring return, 10mm wide body, Cv=0.013, 12 VDC, miniature pin plug.	Stock	\$45.00
<u>GVP-311C-24D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., single solenoid spring return, 10mm wide body, Cv=0.013, 24 VDC, miniature pin plug.	Stock	\$45.00
<u>GVP-311CL-24D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., single latching solenoid spring return, 10mm wide body, Cv=0.013, 24 VDC, miniature pin plug.	Stock	\$70.00
<u>GVP-221C-12D</u>	NITRA solenoid valve, 2-way, 2-position, N.C., single solenoid spring return, 15mm wide body, Cv=0.047, 12 VDC, 2.3W, 300mm 24AWG pigtail.	Stock	\$39.50

<u>GVP-321C-12D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., single solenoid spring return, 15mm wide body, Cv=0.047, 12 VDC, 2.3W, 300mm 24AWG pigtail.	Stock	\$39.50
<u>GVP-321C-24D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., single solenoid spring return, 15mm wide body, Cv=0.047, 24 VDC, 2.3W, 300mm 24AWG pigtail.	Stock	\$39.50
<u>GVP-321CL-12D</u>	NITRA solenoid valve, 3-way, 2-position, N.C., single latching solenoid spring return, 15mm wide body, Cv=0.047, 12 VDC, 4W, 300mm 24AWG pigtail.	Stock	\$69.00
<u>50020851098714</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center tandem, double solenoid, cast iron body, momentary manual override, Cv=13.2, 120 VAC.	Stock	\$288.00
<u>51020850058414</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center closed, double solenoid, cast iron body, momentary manual override, Cv=26.4, 120 VAC.	Stock	\$288.00
<u>50020851106114</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center open, double solenoid, cast iron body, momentary manual override, Cv=13.2, 120 VAC.	Stock	\$288.00
<u>51020851106214</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center float, double solenoid, cast iron body, momentary manual override, Cv=21.1, 120 VAC.	Stock	\$288.00
<u>50020851101114</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center tandem, double solenoid, cast iron body, momentary manual override, Cv=13.2, 24 VDC.	Stock	\$288.00
<u>50020852089314</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center closed, double solenoid, cast iron body, momentary manual override, Cv=26.4, 24 VDC.	Stock	\$288.00
<u>51020852389414</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center open, double solenoid, cast iron body, momentary manual override, Cv=13.2, 24 VDC.	Stock	\$288.00
<u>50020851938214</u>	Bucher solenoid valve, D03, 4-port (4-way), 3-position, center float, double solenoid, cast iron body, momentary manual override, Cv=21.1, 24 VDC.	Stock	\$288.00
<u>51020851274</u>	Bucher solenoid valve, D05, 4-port (4-way), 3-position, center tandem, double solenoid, cast iron body, momentary manual override, Cv=26.4, 120 VAC.	Stock	\$455.00
<u>51020851273</u>	Bucher solenoid valve, D05, 4-port (4-way), 3-position, center open, double solenoid, cast iron body, momentary manual override, Cv=42.2, 120 VAC.	Stock	\$455.00
<u>51020851272</u>	Bucher solenoid valve, D05, 4-port (4-way), 3-position, center tandem, double solenoid, cast iron body, momentary manual override, Cv=26.4, 24 VDC.	Stock	\$455.00
<u>51020851271</u>	Bucher solenoid valve, D05, 4-port (4-way), 3-position, center open, double solenoid, cast iron body, momentary manual override, Cv=42.2, 24 VDC.	Stock	\$455.00

Manifolds and Bases for Directional Control Solenoid Valves

<u>0221000200U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (2) stations, 1/4in female NPT inlet(s). For use with 1/8in NPT Series 70 valves.	Stock	\$12.00
<u>0221000300U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (3) stations, 1/4in female NPT inlet(s). For use with 1/8in NPT Series 70 valves.	Stock	\$13.00
<u>0221000400U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (4) stations, 1/4in female NPT inlet(s). For use with 1/8in NPT Series 70 valves.	Stock	\$16.00
<u>0221000500U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (5) stations, 1/4in female NPT inlet(s). For use with 1/8in NPT Series 70 valves.	Stock	\$25.00
<u>0221000600U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (6) stations, 1/4in female NPT inlet(s). For use with 1/8in NPT Series 70 valves.	Stock	\$31.50
<u>0221000700U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (7) stations, 1/4in female NPT inlet(s). For use with 1/8in NPT Series 70 valves.	Stock	\$39.00
<u>0222000200U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (2) stations, 3/8in female NPT inlet(s). For use with 1/4in NPT Series 70 valves.	Stock	\$13.00
<u>0222000300U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (3) stations, 3/8in female NPT inlet(s). For use with 1/4in NPT Series 70 valves.	Stock	\$18.00
<u>0222000400U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (4) stations, 3/8in female NPT inlet(s). For use with 1/4in NPT Series 70 valves.	Stock	\$21.50
<u>0222000500U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (5) stations, 3/8in female NPT inlet(s). For use with 1/4in NPT Series 70 valves.	Stock	\$27.00
<u>0222000600U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (6) stations, 3/8in female NPT inlet(s). For use with 1/4in NPT Series 70 valves.	Stock	\$32.50
<u>0222000700U</u>	Metal Work air compact valve manifold, aluminum, white, 145 psi (10 bar) maximum operating pressure, (7) stations, 3/8in female NPT inlet(s). For use with 1/4in NPT Series 70 valves.	Stock	\$31.50
<u>0223000201U</u>	Metal Work air valve manifold, aluminum, silver, 145 psi (10 bar) maximum operating pressure, (2) stations, 1/4in female NPT inlet(s), 1/4in female NPT exhaust(s). For use with 1/8in NPT Series 70 valves.	Stock	\$39.00
<u>0223000301U</u>	Metal Work air valve manifold, aluminum, silver, 145 psi (10 bar) maximum operating pressure, (3) stations, 1/4in female NPT inlet(s), 1/4in female NPT exhaust(s). For use with 1/8in NPT Series 70 valves.	Stock	\$47.50
<u>0223000401U</u>	Metal Work air valve manifold, aluminum, silver, 145 psi (10 bar) maximum operating pressure, (4) stations, 1/4in female NPT inlet(s), 1/4in female NPT exhaust(s). For use with 1/8in NPT Series 70 valves.	Stock	\$56.00
<u>0223000501U</u>	Metal Work air valve manifold, aluminum, silver, 145 psi (10 bar) maximum operating pressure, (5) stations, 1/4in female NPT inlet(s), 1/4in female NPT exhaust(s). For use with 1/8in NPT Series 70 valves.	Stock	\$64.00

[illegible]

<u>HM-2N</u>	NITRA air manifold base, aluminum alloy, 145 psi (10 bar) maximum operating pressure, 1/2in female NPT inlet(s), 1/2in female NPT exhaust(s). For use with ISO 5599/1 size 2 manifolds.	Stock	\$14.00
<u>HM-2SG</u>	NITRA air manifold base, aluminum alloy, 145 psi (10 bar) maximum operating pressure, G3/8 female BSPP outlet(s), side orientation. For use with ISO 5599/1 size 2 solenoid valves.	Stock	\$31.50
<u>HM-2SN</u>	NITRA air manifold base, aluminum alloy, 145 psi (10 bar) maximum operating pressure, 3/8in female NPT outlet(s), side orientation. For use with ISO 5599/1 size 2 solenoid valves.	Stock	\$31.50
<u>HM-2BG</u>	NITRA air manifold base, aluminum alloy, 145 psi (10 bar) maximum operating pressure, G3/8 female BSPP outlet(s), bottom orientation. For use with ISO 5599/1 size 2 solenoid valves.	Stock	\$31.50
<u>HM-2BN</u>	NITRA air manifold base, aluminum alloy, 145 psi (10 bar) maximum operating pressure, 3/8in female NPT outlet(s), bottom orientation. For use with ISO 5599/1 size 2 solenoid valves.	Stock	\$31.50
<u>PAL-SPC</u>	NITRA closed end spacer, IP65. For use with PAL series assemblies without pneumatics.	Stock	\$30.50
<u>PAL-P12</u>	NITRA pneumatic compressed air module, left supply/exhaust, Cv=3.76, 1/2in push-to-connect inlet(s), silenced exhaust(s), 5/32in (4mm) push-to-connect pilot(s), IP65. For use with PAL series.	Stock	\$30.50
<u>PAL-C2</u>	NITRA closed end plate, IP65. For use with PAL series single fieldbus assemblies.	Stock	\$64.00
<u>PAL-C3</u>	NITRA closed end plate, IP65. For use with PAL series fieldbus assemblies and expansion. Requires PAL series expansion cable or PAL-ACC18 M8 terminator. Used for local expansion.	Stock	\$90.00
<u>PAL-C4</u>	NITRA closed end plate, IP65. For use with PAL series wired assemblies.	Stock	\$33.50
<u>PAL-CB4414</u>	NITRA pneumatic stand-alone valve base, fiberglass-reinforced thermoplastic, (4) solenoid(s), (4) stations, (1) 1/4in female NPT inlet(s), (8) 1/4in push-to-connect outlet(s), (2) 1/4in female NPT exhaust(s), IP65. For use with PAL series.	Stock	\$116.00
<u>PAL-CB4814</u>	NITRA pneumatic stand-alone valve base, fiberglass-reinforced thermoplastic, (8) solenoid(s), (4) stations, (1) 1/4in female NPT inlet(s), (8) 1/4in push-to-connect outlet(s), (2) 1/4in female NPT exhaust(s), IP65. For use with PAL series.	Stock	\$132.00
<u>PAL-B3314</u>	NITRA pneumatic modular valve base, fiberglass-reinforced thermoplastic, (3) solenoid(s), (3) stations, (6) 1/4in push-to-connect outlet(s), IP65. For use with PAL series.	Stock	\$82.00
<u>PAL-B3614</u>	NITRA pneumatic modular valve base, fiberglass-reinforced thermoplastic, (6) solenoid(s), (3) stations, (6) 1/4in push-to-connect outlet(s), IP65. For use with PAL series.	Stock	\$87.00
<u>PAL-B4414</u>	NITRA pneumatic modular valve base, fiberglass-reinforced thermoplastic, (4) solenoid(s), (4) stations, (8) 1/4in push-to-connect outlet(s), IP65. For use with PAL series.	Stock	\$99.00
<u>PAL-B4814</u>	NITRA pneumatic modular valve base, fiberglass-reinforced thermoplastic, (8) solenoid(s), (4) stations, (8) 1/4in push-to-connect outlet(s), IP65. For use with PAL series.	Stock	\$107.00
<u>PAL-M12</u>	NITRA pneumatic air module, intermediate through, Cv=3.76, 1/2in push-to-connect inlet(s), 5/32in (4mm) push-to-connect pilot(s), IP65. For use with PAL series. Without additional power connection.	Stock	\$66.00
<u>PAL-M12P</u>	NITRA pneumatic air module, intermediate through, Cv=3.76, 1/2in push-to-connect inlet(s), 5/32in (4mm) push-to-connect pilot(s), IP65. For use with PAL series. Requires power cable. With additional power connection.	Stock	\$113.00
<u>CMV-C4X</u>	NITRA pneumatic modular plate, right blind end, anodized aluminum body, IP65.	Stock	\$26.50
<u>CMV-D1X-3X</u>	NITRA pneumatic modular plate, intermediate through, Cv=0.65, 5/16in (8mm) push-to-connect inlet(s), 5/16in (8mm) PTC tubing exhaust(s), reinforced technopolymer body, IP65.	Stock	\$62.00
<u>CMV-D2X-3X</u>	NITRA pneumatic modular plate, intermediate blind, Cv=0.65, (2) 5/16in (8mm) push-to-connect inlet(s), reinforced technopolymer body, IP65.	Stock	\$60.00
<u>CMV-D3X-3X</u>	NITRA pneumatic modular plate, intermediate exhaust, Cv=0.65, 5/16in (8mm) PTC tubing exhaust(s), reinforced technopolymer body, IP65.	Stock	\$55.00
<u>AM-312</u>	NITRA pneumatic valve manifold, aluminum, off-white, (2) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-31 series directional control valves.	Stock	\$27.00
<u>AM-314</u>	NITRA pneumatic valve manifold, aluminum, off-white, (4) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-31 series directional control valves.	Stock	\$39.00
<u>AM-316</u>	NITRA pneumatic valve manifold, aluminum, off-white, (6) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-31 series directional control valves.	Stock	\$46.50
<u>AM-318</u>	NITRA pneumatic valve manifold, aluminum, off-white, (8) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-31 series directional control valves.	Stock	\$61.00
<u>AM-322</u>	NITRA pneumatic valve manifold, aluminum, off-white, (2) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-32 series directional control valves.	Stock	\$25.00
<u>AM-324</u>	NITRA pneumatic valve manifold, aluminum, off-white, (4) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-32 series directional control valves.	Stock	\$43.50
<u>AM-326</u>	NITRA pneumatic valve manifold, aluminum, off-white, (6) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-32 series directional control valves.	Stock	\$62.00
<u>AM-328</u>	NITRA pneumatic valve manifold, aluminum, off-white, (8) stations, (2) 1/4in female NPT inlet(s), (2) 1/4in female NPT exhaust(s). For use with AVS-32 series directional control valves.	Stock	\$81.00
<u>AM-332</u>	NITRA pneumatic valve manifold, aluminum, off-white, (2) stations, (2) 3/8in female NPT inlet(s), (2) 3/8in female NPT exhaust(s). For use with AVS-33 series directional control valves.	Stock	\$28.00
<u>AM-334</u>	NITRA pneumatic valve manifold, aluminum, off-white, (4) stations, (2) 3/8in female NPT inlet(s), (2) 3/8in female NPT exhaust(s). For use with AVS-33 series directional control valves.	Stock	\$50.00

<u>AM-336</u>	NITRA pneumatic valve manifold, aluminum, off-white, (6) stations, (2) 3/8in female NPT inlet(s), (2) 3/8in female NPT exhaust(s). For use with AVS-33 series directional control valves.	Stock	\$89.00
<u>AM-338</u>	NITRA pneumatic valve manifold, aluminum, off-white, (8) stations, (2) 3/8in female NPT inlet(s), (2) 3/8in female NPT exhaust(s). For use with AVS-33 series directional control valves.	Stock	\$94.00
<u>AM-512</u>	NITRA pneumatic valve manifold, aluminum, off-white, (2) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-51 series directional control valves.	Stock	\$13.50
<u>AM-514</u>	NITRA pneumatic valve manifold, aluminum, off-white, (4) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-51 series directional control valves.	Stock	\$24.50
<u>AM-516</u>	NITRA pneumatic valve manifold, aluminum, off-white, (6) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-51 series directional control valves.	Stock	\$35.00
<u>AM-518</u>	NITRA pneumatic valve manifold, aluminum, off-white, (8) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-51 series directional control valves.	Stock	\$48.50
<u>AM-522</u>	NITRA pneumatic valve manifold, aluminum, white, (2) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-52 series directional control valves.	Stock	\$18.00
<u>AM-524</u>	NITRA pneumatic valve manifold, aluminum, off-white, (4) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-52 series directional control valves.	Stock	\$35.50
<u>AM-526</u>	NITRA pneumatic valve manifold, aluminum, off-white, (6) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-52 series directional control valves.	Stock	\$51.00
<u>AM-528</u>	NITRA pneumatic valve manifold, aluminum, off-white, (8) stations, (2) 1/4in female NPT inlet(s), (4) 1/4in female NPT exhaust(s). For use with AVS-52 series directional control valves.	Stock	\$69.00
<u>AM-532</u>	NITRA pneumatic valve manifold, aluminum, off-white, (2) stations, (2) 3/8in female NPT inlet(s), (4) 3/8in female NPT exhaust(s). For use with AVS-53 series directional control valves.	Stock	\$24.00
<u>AM-534</u>	NITRA pneumatic valve manifold, aluminum, off-white, (4) stations, (2) 3/8in female NPT inlet(s), (4) 3/8in female NPT exhaust(s). For use with AVS-53 series directional control valves.	Stock	\$48.00
<u>AM-536</u>	NITRA pneumatic valve manifold, aluminum, off-white, (6) stations, (2) 3/8in female NPT inlet(s), (4) 3/8in female NPT exhaust(s). For use with AVS-53 series directional control valves.	Stock	\$72.00
<u>AM-538</u>	NITRA pneumatic valve manifold, aluminum, off-white, (8) stations, (2) 3/8in female NPT inlet(s), (4) 3/8in female NPT exhaust(s). For use with AVS-53 series directional control valves.	Stock	\$96.00
<u>AM-542</u>	NITRA pneumatic valve manifold, aluminum, off-white, (2) stations, (2) 1/2in female NPT inlet(s), (4) 1/2in female NPT exhaust(s). For use with AVS-54 series directional control valves.	Stock	\$32.00
<u>AM-544</u>	NITRA pneumatic valve manifold, aluminum, off-white, (4) stations, (2) 1/2in female NPT inlet(s), (4) 1/2in female NPT exhaust(s). For use with AVS-54 series directional control valves.	Stock	\$65.00
<u>AM-546</u>	NITRA pneumatic valve manifold, aluminum, off-white, (6) stations, (2) 1/2in female NPT inlet(s), (4) 1/2in female NPT exhaust(s). For use with AVS-54 series directional control valves.	Stock	\$100.00
<u>AM-548</u>	NITRA pneumatic valve manifold, aluminum, off-white, (8) stations, (2) 1/2in female NPT inlet(s), (4) 1/2in female NPT exhaust(s). For use with AVS-54 series directional control valves.	Stock	\$119.00
<u>GM-311</u>	NITRA pneumatic valve manifold, anodized aluminum, white, rectangular, (1) station, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s). For use with GVP-21 and GVP-31 series solenoid valves.	Stock	\$27.00
<u>GM-312</u>	NITRA pneumatic valve manifold, anodized aluminum, white, rectangular, (2) stations, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s). For use with GVP-21 and GVP-31 series solenoid valves.	Stock	\$37.00
<u>GM-314</u>	NITRA pneumatic valve manifold, anodized aluminum, white, rectangular, (4) stations, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s). For use with GVP-21 and GVP-31 series solenoid valves.	Stock	\$41.50
<u>GM-316</u>	NITRA pneumatic valve manifold, anodized aluminum, white, rectangular, (6) stations, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s). For use with GVP-21 and GVP-31 series solenoid valves.	Stock	\$49.50
<u>GM-321-18N</u>	NITRA pneumatic valve manifold, anodized aluminum, black, rectangular, (1) station, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), vent hole exhaust(s). For use with GVP-22 and GVP-32 series solenoid valves.	Stock	\$32.50
<u>GM-321</u>	NITRA pneumatic valve manifold, anodized aluminum, white, rectangular, (1) station, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s). For use with GVP-22 and GVP-32 series solenoid valves.	Stock	\$27.00
<u>GM-322</u>	NITRA pneumatic valve manifold, anodized aluminum, white, rectangular, (2) stations, 1/8in female NPT inlet (s), #10-32 female UNF outlet(s), 1/8in female NPT exhaust(s). For use with GVP-22 and GVP-32 series solenoid valves.	Stock	\$34.00
<u>GM-324</u>	NITRA pneumatic valve manifold, anodized aluminum, white, rectangular, (4) stations, 1/8in female NPT inlet (s), #10-32 female threaded outlet(s), 1/8in female NPT exhaust(s). For use with GVP-22 and GVP-32 series solenoid valves.	Stock	\$46.50
Control Interfaces for Directional Control Solenoid Valve Systems			
<u>PAL-EIP</u>	NITRA bus coupler, 12-24 VDC, (2) Ethernet 10/100Base-T (M12) port(s), EtherNet/IP, 10/100 Mbps, (128) solenoid(s) per system, IP65. For use with PAL series. Requires 4-pin M8 power cable.	Stock	\$459.00
<u>PAL-EAD</u>	NITRA local expansion coupler, 12-24 VDC, (1) 4-pin M8 quick-disconnect port(s), number of solenoid(s) inclusive of main system, IP65. For use with PAL series. Requires 4-pin M8 power cable.	Stock	\$227.00

<u>PAL-E25</u>	NITRA electrical connection module, 12-24 VDC, (21) solenoid(s), IP65. For use with PAL series. Requires PAL series 25-pin male D-sub control cable.	Stock	\$104.00
<u>PAL-E44</u>	NITRA electrical connection module, 12-24 VDC, (38) solenoid(s), IP65. For use with PAL series. Requires PAL series 44-pin male D-sub control cable.	Stock	\$109.00
<u>CMV-E1X-4X</u>	NITRA pneumatic EtherNet/IP protocol modular plate, left supply/exhaust end, Cv=12.4, 3/8in push-to-connect inlet(s), 3/8in female NPT exhaust(s), anodized aluminum body, IP65.	Stock	\$661.00
<u>CMV-E2X-4X</u>	NITRA pneumatic EtherNet/IP protocol modular plate, left supply/exhaust end, Cv=12.4, (2) 3/8in push-to-connect inlet(s), 3/8in female NPT exhaust(s), 5/32in (4mm) push-to-connect pilot(s), anodized aluminum body, IP65.	Stock	\$670.00
<u>CMV-C1X-4X</u>	NITRA pneumatic modular plate, left supply/exhaust end, Cv=12.4, 3/8in push-to-connect inlet(s), 3/8in female NPT exhaust(s), anodized aluminum body, IP65.	Stock	\$69.00
<u>CMV-C2X-4X</u>	NITRA pneumatic modular plate, left supply/exhaust end, Cv=12.4, (2) 3/8in push-to-connect inlet(s), 3/8in female NPT exhaust(s), 5/32in (4mm) push-to-connect pilot(s), anodized aluminum body, IP65.	Stock	\$71.00
<u>CMV-C2X-5X</u>	NITRA pneumatic modular plate, left supply/exhaust end, Cv=16.6, (2) 1/2in push-to-connect inlet(s), 3/8in female NPT exhaust(s), 5/32in (4mm) push-to-connect pilot(s), anodized aluminum body, IP65.	Stock	\$87.00
<u>CMV-C3X-5X</u>	NITRA pneumatic modular plate, right supply/exhaust end, Cv=16.6, (2) 1/2in push-to-connect inlet(s), 3/8in female NPT exhaust(s), anodized aluminum body, IP65.	Stock	\$69.00
<u>AVPS1-4D</u>	NITRA control distribution block, DC, 4 stations, 15-pin D-sub wiring connector. For use with AVS-31 and AVS-51 series valves.	Stock	\$124.00
<u>AVPS1-6D</u>	NITRA control distribution block, DC, 6 stations, 15-pin D-sub wiring connector. For use with AVS-31 and AVS-51 series valves.	Stock	\$185.00
<u>AVPS1-8D</u>	NITRA control distribution block, DC, 8 stations, 15-pin D-sub wiring connector. For use with AVS-31 and AVS-51 series valves.	Stock	\$288.00
<u>AVPS2-4D</u>	NITRA control distribution block, DC, 4 stations, 15-pin D-sub wiring connector. For use with AVS-32 and AVS-52 series valves.	Stock	\$145.00
<u>AVPS2-6D</u>	NITRA control distribution block, DC, 6 stations, 15-pin D-sub wiring connector. For use with AVS-32 and AVS-52 series valves.	Stock	\$216.00
<u>AVPS2-8D</u>	NITRA control distribution block, DC, 8 stations, 15-pin D-sub wiring connector. For use with AVS-32 and AVS-52 series valves.	Stock	\$288.00
<u>AVPS3-4D</u>	NITRA control distribution block, DC, 4 stations, 15-pin D-sub wiring connector. For use with AVS-33 and AVS-53 series valves.	Stock	\$145.00
<u>AVPS3-6D</u>	NITRA control distribution block, DC, 6 stations, 15-pin D-sub wiring connector. For use with AVS-33 and AVS-53 series valves.	Stock	\$216.00
<u>AVPS3-8D</u>	NITRA control distribution block, DC, 8 stations, 15-pin D-sub wiring connector. For use with AVS-33 and AVS-53 series valves.	Stock	\$288.00
I/O Modules for Directional Control Solenoid Valve Systems			
<u>PAL-S01</u>	NITRA discrete input module, 8-point, 12-24 VDC, PNP/NPN, 1 common(s), 8 point(s) per common, IP65. For use with PAL series. Mounting hardware included. Requires PAL-EIP bus coupler.	Stock	\$276.00
<u>PAL-S02</u>	NITRA discrete output module, 8-point, 12-24 VDC, PNP/NPN, 1 common(s), 8 point(s) per common, 1A/point, 4A/common, short circuit and overload protection, IP65. Mounting hardware included. Requires PAL-EIP bus coupler.	Stock	\$279.00
<u>PAL-S03</u>	NITRA discrete output module, 6-point, 12-24 VDC, PNP/NPN, 1 common(s), 6 point(s) per common, 1A/point, 4A/common, short circuit and overload protection, IP65. Mounting hardware included. Requires PAL-EIP bus coupler and power cable.	Stock	\$287.00
<u>PAL-S04</u>	NITRA analog input module, 4-channel, current/voltage, 15-bit, IP65. Requires PAL-EIP bus coupler.	Stock	\$313.00
<u>PAL-S05</u>	NITRA analog output module, 4-channel, current/voltage, 15-bit, IP65. Requires PAL-EIP bus coupler.	Stock	\$404.00
<u>PAL-S06</u>	NITRA discrete input module, 16-point, 12-24 VDC, PNP/NPN, 1 common(s), 16 point(s) per common, IP40. For use with PAL series. Mounting hardware included. Requires PAL-EIP bus coupler.	Stock	\$313.00
<u>PAL-S07</u>	NITRA discrete output module, 16-point, 12-24 VDC, PNP/NPN, 1 common(s), 16 point(s) per common, 0.5A/point, 3A/common, short circuit and overload protection, IP40. Mounting hardware included. Requires PAL-EIP bus coupler.	Stock	\$424.00
<u>PAL-S08</u>	NITRA temperature input module, RTD/thermocouple, 4-channel, 15-bit resolution, IP65. Mounting hardware included. Requires PAL-EIP bus coupler.	Stock	\$519.00
Accessories for Directional Control Solenoid Valves			
<u>0221000190U</u>	Metal Work bracket, 120mm. For use with Series 70 1/8in compact manifolds.	Stock	\$15.00
<u>0221000191U</u>	Metal Work bracket, 60mm. For use with Series 70 1/8in compact manifolds.	Stock	\$11.50
<u>0221000192U</u>	Metal Work bracket, 30mm. For use with Series 70 1/8in compact manifolds.	Stock	\$11.00
<u>0222000190U</u>	Metal Work bracket, 120mm. For use with Series 70 1/4in compact manifolds.	Stock	\$12.50
<u>0222000191U</u>	Metal Work bracket, 60mm. For use with Series 70 1/4in compact manifolds.	Stock	\$14.50
<u>0222000192U</u>	Metal Work bracket, 30mm. For use with Series 70 1/4in compact manifolds.	Stock	\$11.50

<u>0226004001</u>	Metal Work manifold port plug, for use with Series 70 1/8in manifolds.	Stock	\$1.00
<u>0226004500</u>	Metal Work blanking plate, for use with Series 70 1/8in manifolds. Mounting hardware included.	Stock	\$2.50
<u>0226004600</u>	Metal Work DIN rail adapter, for use with Series 70 1/8in manifolds.	Stock	\$2.50
<u>0226005001</u>	Metal Work manifold port plug, for use with Series 70 1/4in manifolds.	Stock	\$1.00
<u>0226005500</u>	Metal Work blanking plate, for use with Series 70 1/4in manifolds. Mounting hardware included.	Stock	\$2.75
<u>0226005600</u>	Metal Work DIN rail adapter, for use with Series 70 1/4in manifolds.	Stock	\$3.00
<u>0226004701</u>	Metal Work gasket kit, for use with Series 70 1/8in manifolds, includes (3) o-rings and (3) screws.	Stock	\$1.50
<u>0226005701</u>	Metal Work gasket kit, for use with Series 70 1/4in manifolds, includes (3) o-rings and (3) screws.	Stock	\$1.50
<u>HM-1B</u>	NITRA blind end, aluminum alloy. For use with ISO 5599/1 size 1 manifolds.	Stock	\$5.75
<u>HM-2B</u>	NITRA blind end, aluminum alloy. For use with ISO 5599/1 size 2 manifolds.	Stock	\$9.00
<u>HM-1BP</u>	NITRA blanking plate, aluminum alloy. For use with ISO 5599/1 size 1 manifolds. Assembly screws and seal included.	Stock	\$5.75
<u>HM-2BP</u>	NITRA blanking plate, aluminum alloy. For use with ISO 5599/1 size 2 manifolds. Assembly screws and seal included.	Stock	\$7.25
<u>HVC-12D</u>	NITRA solenoid coil, 12 VDC, 2W. For use with HVS series solenoid valves.	Stock	\$10.50
<u>HVC-24D</u>	NITRA solenoid coil, 24 VDC, 2W. For use with HVS series solenoid valves.	Stock	\$10.50
<u>HVC-24A</u>	NITRA solenoid coil, 24 VAC, 3.5VA. For use with HVS series solenoid valves.	Stock	\$10.50
<u>HVC-110A</u>	NITRA solenoid coil, 110 VAC, 3.5VA. For use with HVS series solenoid valves.	Stock	\$10.50
<u>HVC-220A</u>	NITRA solenoid coil, 220 VAC, 3.5VA. For use with HVS series solenoid valves.	Stock	\$10.50
<u>HS-NUT</u>	NITRA solenoid coil nut, replacement. For use with HVS series solenoid valves.	Stock	\$4.25
<u>HVS-1SEAL</u>	NITRA seal kit, replacement. For use with ISO 5599/1 size 1 solenoid valves. Includes o-rings, lip seals and valve bottom gasket.	Stock	\$3.75
<u>HVS-2SEAL</u>	NITRA seal kit, replacement. For use with ISO 5599/1 size 2 solenoid valves. Includes o-rings, lip seals and valve bottom gasket.	Stock	\$5.75
<u>HM-1A</u>	NITRA manifold attaching kit, aluminum alloy. For use with ISO 5599/1 size 1 solenoid valves. Includes (2) assembly clamps and (3) o-rings.	Stock	\$3.00
<u>HM-2A</u>	NITRA manifold attaching kit, aluminum alloy. For use with ISO 5599/1 size 2 solenoid valves. Includes (2) assembly clamps and (3) o-rings.	Stock	\$3.25
<u>PAL-V0-PLUG</u>	NITRA blanking plug, fiberglass reinforced plastic. For use with PAL series valve bases.	Stock	\$6.75
<u>PAL-Y38</u>	NITRA pneumatic push-to-connect fitting, Y, reinforced technopolymer body, (2) 5/16in (8mm) plug-in to 3/8in push-to-connect.	Stock	\$4.25
<u>PAL-PC12</u>	NITRA pneumatic push-to-connect cartridge, replacement, 1/2in tubing. Package of 2. For use with PAL-P12 compressed air supply module.	Stock	\$6.75
<u>PAL-PC04M</u>	NITRA pneumatic push-to-connect cartridge, 5/32in (4mm) tubing. Package of 10. For use with PAL series valve bases.	Stock	\$22.00
<u>PAL-PC06M</u>	NITRA pneumatic push-to-connect cartridge, 6mm tubing. Package of 10. For use with PAL series valve bases.	Stock	\$22.00
<u>PAL-PC08M</u>	NITRA pneumatic push-to-connect cartridge, 5/16in (8mm) tubing. Package of 10. For use with PAL series valve bases.	Stock	\$22.00
<u>PAL-PC14</u>	NITRA pneumatic push-to-connect cartridge, replacement, 1/4in tubing. Package of 10. For use with PAL series valve bases.	Stock	\$22.00
<u>PAL-ACC01</u>	NITRA base mount, panel. Package of 2. For use with PAL series. Mounting screws included.	Stock	\$11.50
<u>PAL-ACC02</u>	NITRA M8 protective cap, for use with PAL series.	Stock	\$2.00
<u>PAL-ACC03</u>	NITRA M12 protective cap, for use with PAL series.	Stock	\$1.00
<u>PAL-ACC04</u>	NITRA control cable, 25-pin D-sub right-angle female to pigtail, IP65, 3.2ft/1m cable length. For use with PAL-E25 electrical connection module.	Stock	\$38.00
<u>PAL-ACC05</u>	NITRA control cable, 25-pin D-sub right-angle female to pigtail, IP65, 8.2ft/2.5m cable length. For use with PAL-E25 electrical connection module.	Stock	\$52.00
<u>PAL-ACC06</u>	NITRA control cable, 25-pin D-sub right-angle female to pigtail, IP65, 16.4ft/5m cable length. For use with PAL-E25 electrical connection module.	Stock	\$67.00
<u>PAL-ACC07</u>	NITRA control cable, 44-pin D-sub right-angle female to pigtail, IP65, 3.2ft/1m cable length. For use with PAL-E44 electrical connection module.	Stock	\$50.00

PAL-ACC08	NITRA control cable, 44-pin D-sub right-angle female to pigtail, IP65, 8.2ft/2.5m cable length. For use with PAL-E44 electrical connection module.	Stock	\$70.00
PAL-ACC09	NITRA control cable, 44-pin D-sub right-angle female to pigtail, IP65, 16.4ft/5m cable length. For use with PAL-E44 electrical connection module.	Stock	\$90.00
PAL-ACC10	NITRA expansion cable, 4-pin M8 axial male to 4-pin M8 axial male, IP65, 3.2ft/1m cable length. For use with PAL series bus expansion coupler.	Stock	\$23.00
PAL-ACC11	NITRA expansion cable, 4-pin M8 axial male to 4-pin M8 axial male, IP65, 16.4ft/5m cable length. For use with PAL series bus expansion coupler.	Stock	\$34.50
PAL-ACC12	NITRA expansion cable, 4-pin M8 axial male to 4-pin M8 axial male, IP65, 32.8ft/10m cable length. For use with PAL series bus expansion coupler.	Stock	\$50.00
PAL-ACC13	NITRA pneumatic exhaust silencer, replacement. For use with PAL-P12 compressed air supply module.	Stock	\$4.50
PAL-ACC14	NITRA gasket, replacement. Package of 10. For use with PAL series base interface between valve bases.	Stock	\$8.25
PAL-ACC15	NITRA gasket, replacement. Package of 10. For use with PAL-P12 or PAL-SPC lower/upper body.	Stock	\$9.25
PAL-ACC16	NITRA gasket, replacement. Package of 10. For use with PAL series base and valve.	Stock	\$11.50
PAL-ACC17	NITRA base screw, replacement. Package of 10. For use with PAL series.	Stock	\$5.25
PAL-ACC18	NITRA M8 terminator, for use with PAL-C3 end plate.	Stock	\$18.00
PAL-ACC19	NITRA control cable, 9-pin D-sub axial female to pigtail, IP65, 3.2ft/1m cable length. For use with PAL series stand-alone valve base.	Stock	\$20.50
PAL-ACC20	NITRA control cable, 9-pin D-sub axial female to pigtail, IP65, 8.2ft/2.5m cable length. For use with PAL series stand-alone valve base.	Stock	\$22.00
PAL-ACC21	NITRA control cable, 9-pin D-sub axial female to pigtail, IP65, 16.4ft/5m cable length. For use with PAL series stand-alone valve base.	Stock	\$25.00
CMV-SW-USB	NITRA configuration software, USB. For use with CMV series EtherNet/IP modules.	Stock	\$12.00
CMV-ACC01	NITRA solenoid valve cable, 25-pin female D-sub to pigtail, 45-degree cable entry, 28 AWG, IP65, 3.2ft/1m cable length. For use with CMV series solenoid valves.	Stock	\$41.00
CMV-ACC02	NITRA solenoid valve cable, 25-pin female D-sub to pigtail, 45-degree cable entry, 28 AWG, IP65, 8.2ft/2.5m cable length. For use with CMV series solenoid valves.	Stock	\$54.00
CMV-ACC03	NITRA solenoid valve cable, 25-pin female D-sub to pigtail, 45-degree cable entry, 28 AWG, IP65, 16.4ft/5m cable length. For use with CMV series solenoid valves.	Stock	\$76.00
CMV-ACC11	NITRA connector, 25-pin female D-sub, 45-degree cable entry, 22-18 AWG, accepts cable diameter size 0.19-0.39in, IP65. For use with CMV series solenoid valves.	Stock	\$22.50
CMV-ACC12	NITRA blank marking tag, replacement. Package of 10. For use with CMV cable connectors.	Stock	\$2.75
CMV-ACC04	NITRA 35mm DIN rail mounting bracket, for use with CMV series solenoid valves. Mounting screws included.	Stock	\$9.00
CMV-ACC06	NITRA release tool, tube diameters 1/8in through 3/8in. For use with push-to-connect fittings.	Stock	\$3.00
CMV-ACC07	NITRA release tool, tube diameters 5/32in through 1/2in. For use with push-to-connect fittings.	Stock	\$1.50
CMV-ACC08	NITRA screws, replacement, M4-0.7x5 cone point screw and M4-0.7x34 cone point screw. For use with CMV series solenoid valves.	Stock	\$4.00
CMV-ACC09	NITRA gasket, replacement. Package of 5. For use with CMV series solenoid valves.	Stock	\$6.25
CMV-ACC10	NITRA molded O-ring, replacement. Package of 5. For use with CMV series solenoid valves.	Stock	\$5.00
AM-31BP	NITRA blanking plate, plated steel. For use with AM-31 series manifolds.	Stock	\$5.50
AM-31GS	NITRA manifold mounting set, for use with AM-31 series manifolds.	Stock	\$5.75
AM-32BP	NITRA blanking plate, plated steel. For use with AM-32 series manifolds.	Stock	\$5.50
AM-32GS	NITRA manifold mounting set, for use with AM-32 series manifolds.	Stock	\$6.50
AM-33BP	NITRA blanking plate, plated steel. For use with AM-33 series manifolds.	Stock	\$6.00
AM-33GS	NITRA manifold mounting set, for use with AM-33 series manifolds.	Stock	\$6.50
AM-51BP	NITRA blanking plate, plated steel. For use with AM-51 series manifolds.	Stock	\$6.75
AM-51GS	NITRA manifold mounting set, for use with AM-51 series manifolds.	Stock	\$5.75
AM-52BP	NITRA blanking plate, plated steel. For use with AM-52 series manifolds.	Stock	\$7.50
AM-52GS	NITRA manifold mounting set, for use with AM-52 series manifolds.	Stock	\$6.50
AM-53BP	NITRA blanking plate, plated steel. For use with AM-53 series manifolds.	Stock	\$7.50
AM-53GS	NITRA manifold mounting set, for use with AM-53 series manifolds.	Stock	\$6.50

<u>AM-54BP</u>	NITRA blanking plate, plated steel. For use with AM-54 series manifolds.	Stock	\$7.50
<u>AM-54GS</u>	NITRA manifold mounting set, for use with AM-54 series manifolds.	Stock	\$6.75
<u>AVP-31BKT</u>	NITRA individual mounting bracket, plated steel. For use with AVP-31 directional control valves.	Stock	\$2.25
<u>AVP-31KIT</u>	NITRA mounting kit, for use with AVP-31 directional control valves, includes (2) long stacking screws, (2) short stacking screws, (2) nuts and Nitrile o-ring. One kit is required for each additional AVP-31 valve added to the stack.	Stock	\$3.50
<u>AVPS1-BP</u>	NITRA blanking plug, for use with AVPS1-x control distribution blocks.	Stock	\$20.50
<u>AVPS2-BP</u>	NITRA blanking plug, for use with AVPS2-x, AVPS3-x and AVPS4-x control distribution blocks.	Stock	\$20.50
<u>AVC1-12D</u>	NITRA solenoid coil, 12 VDC, 2.5W. For use with AVS-31 and AVS-51 series valves.	Stock	\$13.00
<u>AVC1-24D</u>	NITRA solenoid coil, 24 VDC, 2.5W. For use with AVS-31 and AVS-51 series valves.	Stock	\$13.00
<u>AVC1-24A</u>	NITRA solenoid coil, 24 VAC, 4.0VA. For use with AVS-31 and AVS-51 series valves.	Stock	\$13.00
<u>AVC1-120A</u>	NITRA solenoid coil, 120 VAC, 3.5VA. For use with AVS-31 and AVS-51 series valves.	Stock	\$13.00
<u>AVC2-12D</u>	NITRA solenoid coil, 12 VDC, 3.0W. For use with AVP-31, AVS-32, AVS-33, AVS-52, AVS-53, AVS-54 series valves and ASD series soft starters.	Stock	\$13.50
<u>AVC2-24D</u>	NITRA solenoid coil, 24 VDC, 3.0W. For use with AVP-31, AVS-32, AVS-33, AVS-52, AVS-53, AVS-54 series valves and ASD series soft starters.	Stock	\$13.50
<u>AVC2-24A</u>	NITRA solenoid coil, 24 VAC, 5.0VA. For use with AVP-31, AVS-32, AVS-33, AVS-52, AVS-53, AVS-54 series valves and ASD series soft starters.	Stock	\$13.00
<u>AVC2-120A</u>	NITRA solenoid coil, 120 VAC, 4.5VA. For use with AVP-31, AVS-32, AVS-33, AVS-52, AVS-53, AVS-54 series valves and ASD series soft starters.	Stock	\$13.00
<u>GM-31BP</u>	NITRA blanking plate, nylon. For use with GM-31 series manifolds. Gasket and mounting screws included.	Stock	\$6.50
<u>GM-32BP</u>	NITRA blanking plate, nylon. For use with GM-32 series manifolds. Gasket and mounting screws included.	Stock	\$6.25
<u>GSC-300</u>	NITRA solenoid valve cable, miniature pin plug to pigtail, 11.8in/300mm cable length. For use with GVP series solenoid valves.	Stock	\$6.25
<u>GSC-500</u>	NITRA solenoid valve cable, miniature pin plug to pigtail, 19.6in/500mm cable length. For use with GVP series solenoid valves.	Stock	\$6.50
Pilot Valves			
<u>7010010400U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.O., single air pilot spring return, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=0.55.	Stock	\$29.50
<u>7020010400U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.O., single air pilot spring return, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$37.50
<u>7040010400U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.O., single air pilot spring return, 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=2.1.	Stock	\$51.00
<u>7030010400U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.O., single air pilot spring return, 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=4.6.	Stock	\$91.00
<u>7010010200U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.C., single air pilot spring return, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=0.55.	Stock	\$29.50
<u>7020010200U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.C., single air pilot spring return, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$37.50
<u>7040010200U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.C., single air pilot spring return, 3/8in female NPT inlet (s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=2.1.	Stock	\$51.00
<u>7030010200U</u>	Metal Work pilot valve, 3-port (3-way), 2-position, N.C., single air pilot spring return, 1/2in female NPT inlet (s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=4.6.	Stock	\$91.00
<u>7010011100U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, single air pilot spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=0.55.	Stock	\$35.00
<u>7020011100U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, single air pilot spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$43.00
<u>7040011100U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, single air pilot spring return, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=2.1.	Stock	\$59.00
<u>7030011100U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, single air pilot spring return, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=4.6.	Stock	\$132.00
<u>7010011200U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, double air pilot, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=0.55.	Stock	\$37.50
<u>7020011200U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, double air pilot, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$47.00
<u>7040011200U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, double air pilot, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=2.1.	Stock	\$64.00

<u>7030011200U</u>	Metal Work pilot valve, 5-port (4-way), 2-position, double air pilot, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=4.6.	Stock	\$145.00
<u>7010012100U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center closed, double air pilot, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=0.55.	Stock	\$39.50
<u>7020012100U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center closed, double air pilot, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$49.50
<u>7040012100U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center closed, double air pilot, 3/8in female NPT inlet(s), 3/8in female NPT outlet(s), 3/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=2.1.	Stock	\$67.00
<u>7030012100U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center closed, double air pilot, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=4.6.	Stock	\$154.00
<u>7010012200U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center exhaust, double air pilot, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=0.55.	Stock	\$39.50
<u>7020012200U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center exhaust, double air pilot, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$49.50
<u>7010012300U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center pressure, double air pilot, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=0.55.	Stock	\$39.50
<u>7020012300U</u>	Metal Work pilot valve, 5-port (4-way), 3-position, center pressure, double air pilot, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), 1/8in female NPT pilot(s), Cv=1.1.	Stock	\$49.50
<u>AVS-5241</u>	NITRA pilot valve, 5-port (4-way), 2-position, single air pilot spring return, (1) 1/8in female NPT inlet(s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), (1) 1/8in female NPT pilot(s), Cv=0.78.	Stock	\$31.00
<u>AVS-5251</u>	NITRA pilot valve, 5-port (4-way), 2-position, double air pilot, (1) 1/8in female NPT inlet(s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=0.78.	Stock	\$40.50
<u>AVS-526C1</u>	NITRA pilot valve, 5-port (4-way), 3-position, center closed, double air pilot, (1) 1/8in female NPT inlet(s), (2) 1/8in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=0.67.	Stock	\$65.00
<u>AVS-5242</u>	NITRA pilot valve, 5-port (4-way), 2-position, single air pilot spring return, (1) 1/4in female NPT inlet(s), (2) 1/4in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), (1) 1/8in female NPT pilot(s), Cv=0.89.	Stock	\$32.50
<u>AVS-5252</u>	NITRA pilot valve, 5-port (4-way), 2-position, double air pilot, (1) 1/4in female NPT inlet(s), (2) 1/4in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=0.89.	Stock	\$45.50
<u>AVS-526C2</u>	NITRA pilot valve, 5-port (4-way), 3-position, center closed, double air pilot, (1) 1/4in female NPT inlet(s), (2) 1/4in female NPT outlet(s), (2) 1/8in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=0.67.	Stock	\$66.00
<u>AVS-5343</u>	NITRA pilot valve, 5-port (4-way), 2-position, single air pilot spring return, (1) 3/8in female NPT inlet(s), (2) 3/8in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), (1) 1/8in female NPT pilot(s), Cv=1.67.	Stock	\$46.00
<u>AVS-5353</u>	NITRA pilot valve, 5-port (4-way), 2-position, double air pilot, (1) 3/8in female NPT inlet(s), (2) 3/8in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=1.67.	Stock	\$56.00
<u>AVS-536C3</u>	NITRA pilot valve, 5-port (4-way), 3-position, center closed, double air pilot spring return, (1) 3/8in female NPT inlet(s), (2) 3/8in female NPT outlet(s), (2) 1/4in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=1.	Stock	\$72.00
<u>AVS-5444</u>	NITRA pilot valve, 5-port (4-way), 2-position, single air pilot spring return, (1) 1/2in female NPT inlet(s), (2) 1/2in female NPT outlet(s), (2) 1/2in female NPT exhaust(s), (1) 1/8in female NPT pilot(s), Cv=2.79.	Stock	\$50.00
<u>AVS-5454</u>	NITRA pilot valve, 5-port (4-way), 2-position, double air pilot, (1) 1/2in female NPT inlet(s), (2) 1/2in female NPT outlet(s), (2) 1/2in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=2.79.	Stock	\$72.00
<u>AVS-546C4</u>	NITRA pilot valve, 5-port (4-way), 3-position, center closed, double air pilot, (1) 1/2in female NPT inlet(s), (2) 1/2in female NPT outlet(s), (2) 1/2in female NPT exhaust(s), (2) 1/8in female NPT pilot(s), Cv=1.68.	Stock	\$81.00
Pneumatic Pushbutton Valves and Operators			
<u>EVP-AA-PL</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.O., metal plunger, spring return, axial ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$23.50
<u>EVP-AS-PL</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.O., metal plunger, spring return, side ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$21.50
<u>EVP-CA-PL</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., metal plunger, spring return, axial ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$21.50
<u>EVP-CS-PL</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., metal plunger, spring return, side ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$19.00
<u>7010001800U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., pneumatic switch, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$42.00
<u>7010001900U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, pneumatic switch, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$46.00
<u>ECP3100</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: black, flush, 30mm, round, plastic.	Stock	\$2.75

<u>ECP3101</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: red, flush, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3102</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: green, flush, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3103</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: yellow, flush, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3104</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: blue, flush, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3105</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: white, flush, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3106</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: red, flush, 30mm, round, plastic, operator text "(O)".	Stock	\$3.00
<u>ECP3107</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: green, flush, 30mm, round, plastic, operator text "(I)".	Stock	\$3.00
<u>ECP3110</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: black, extended, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3111</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: red, extended, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3112</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: green, extended, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3113</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: yellow, extended, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3114</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: blue, extended, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3115</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: white, extended, 30mm, round, plastic.	Stock	\$2.75
<u>ECP3131</u>	NITRA pneumatic emergency stop pushbutton, IP65, 22mm, twist-to-release, operator only, plastic base, plastic bezel, black, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$7.50
<u>ECP3132</u>	NITRA pneumatic pushbutton, IP65, 22mm, twist-to-release, operator only, plastic base, plastic bezel, black, Operator: black, mushroom, 60mm, round, plastic.	Stock	\$10.00
<u>ECP3133</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: black, mushroom, 60mm, round, plastic.	Stock	\$11.00
<u>ECP3134</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: black, mushroom, 40mm, round, plastic.	Stock	\$6.00
<u>ECP3135</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$6.00
<u>ECP3136</u>	NITRA pneumatic emergency stop pushbutton, IP65, 22mm, twist-to-release, operator only, plastic base, plastic bezel, black, Operator: red, mushroom, 60mm, round, plastic.	Stock	\$9.25
<u>ECP3137</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: red, mushroom, 60mm, round, plastic.	Stock	\$8.00
<u>ECP3138</u>	NITRA pneumatic pushbutton, IP65, 22mm, twist-to-release, operator only, plastic base, plastic bezel, black, Operator: yellow, mushroom, 60mm, round, plastic.	Stock	\$10.00
<u>ECP3139</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: yellow, mushroom, 40mm, round, plastic.	Stock	\$6.00
<u>ECP3141</u>	NITRA pneumatic pushbutton, IP65, 22mm, key operated release, operator only, plastic base, plastic bezel, black, Operator: red, mushroom, 40mm, round, plastic.	Stock	\$12.00
<u>ECP3150</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: red/green, double headed, 49mm, rectangular, plastic.	Stock	\$5.25
<u>ECP3152</u>	NITRA pneumatic pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: red/green, double headed, 49mm, rectangular, plastic, operator text "(I) and (O)".	Stock	\$6.00
<u>ECP3300</u>	NITRA pneumatic selector switch, IP65, 22mm, 2-position, maintained, operator only, plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$5.00
<u>ECP3310</u>	NITRA pneumatic selector switch, IP65, 22mm, 2-position, spring return from right, operator only, plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$6.25
<u>ECP3320</u>	NITRA pneumatic selector switch, IP65, 22mm, 3-position, maintained, operator only, plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$5.00
<u>ECP3330</u>	NITRA pneumatic selector switch, IP65, 22mm, 3-position, spring return to center from right or left, operator only, plastic base, plastic bezel, Operator: black, knob, 30mm, round, plastic.	Stock	\$6.00
<u>ECP3350</u>	NITRA pneumatic selector switch, IP65, 22mm, 2-position, maintained, operator only, plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$6.25
<u>ECP3360</u>	NITRA pneumatic selector switch, IP65, 22mm, 2-position, spring return from right, operator only, plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$6.50
<u>ECP3370</u>	NITRA pneumatic selector switch, IP65, 22mm, 3-position, maintained, operator only, plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$6.25

<u>ECP3380</u>	NITRA pneumatic selector switch, IP65, 22mm, 3-position, spring return to center from right or left, operator only, plastic base, plastic bezel, Operator: black, lever, 30mm, round, plastic.	Stock	\$6.50
<u>ECP3420</u>	NITRA pneumatic selector switch, IP65, 22mm, 2-position, maintained, key removable in all positions, operator only, plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$12.00
<u>ECP3430</u>	NITRA pneumatic selector switch, IP65, 22mm, 2-position, spring return from right, key removable left position, operator only, plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$12.00
<u>ECP3470</u>	NITRA pneumatic selector switch, IP65, 22mm, 3-position, maintained, key removable in all positions, operator only, plastic base, plastic bezel, Operator: black, key, 30mm, round, plastic.	Stock	\$11.00
<u>ECP3029-02</u>	NITRA valve adapter block, replacement, plastic. For use with ECP series pneumatic pushbuttons.	Stock	\$1.00

Mechanically Operated Manual Valves

<u>7001000100U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., metal plunger, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$23.00
<u>7001000110U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, metal plunger, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$25.50
<u>7001000500U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$32.00
<u>7001000510U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$35.00
<u>7001000600U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., unidirectional roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$32.50
<u>7001000610U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, unidirectional roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$35.00
<u>7001000200U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., pilot-assisted plunger, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$41.50
<u>7001000210U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, pilot-assisted plunger, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$44.50
<u>7001000400U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., pilot-assisted roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$43.00
<u>7001000410U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, pilot-assisted roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$47.00
<u>7001000700U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., pilot-assisted whisker, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$56.00
<u>7001000710U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, pilot-assisted whisker, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$59.00
<u>7001000900U</u>	Metal Work pneumatic mechanically operated directional control valve, 3-port (3-way), 2-position, N.C., pilot-assisted adjustable roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$57.00
<u>7001000910U</u>	Metal Work pneumatic mechanically operated directional control valve, 5-port (4-way), 2-position, pilot-assisted adjustable roller lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$60.00
<u>EVP-CA-PL-PNL</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., metal plunger, spring return, axial ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13, through panel mount.	Stock	\$23.00
<u>EVP-CS-PL-PNL</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., metal plunger, spring return, side ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13, through panel mount.	Stock	\$21.00
<u>EVP-AA-R</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.O., roller lever, spring return, axial ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$25.00
<u>EVP-AS-R</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.O., roller lever, spring return, side ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$25.50
<u>EVP-CA-R</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., roller lever, spring return, axial ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$25.00

<u>EVP-CS-R</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., roller lever, spring return, side ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$23.00
<u>EVP-CA-T</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., unidirectional roller lever, spring return, axial ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$26.50
<u>EVP-CS-T</u>	NITRA pneumatic manual valve, 2-port (3-way), 2-position, N.C., unidirectional roller lever, spring return, side ports, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.13.	Stock	\$24.50

Miniature Manual Valves

<u>GVP-3C2P-PB</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., pushbutton, spring return, 90-degree ports, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.29, through panel mount.	Stock	\$40.00
<u>GVP-3C1M2P-PB</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., pushbutton, spring return, 90-degree ports, 1/8in male NPT inlet(s), 1/4in push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.29, through panel mount.	Stock	\$38.50
<u>GVP-3C1F-PB</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., pushbutton, spring return, 90-degree ports, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), (1) vent hole exhaust(s), Cv=0.29, through panel mount.	Stock	\$35.00
<u>GVP-3C2P-TD</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., toggle style actuator, detented, 90-degree ports, 1/4in push-to-connect inlet(s), 1/4in push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.23, through panel mount.	Stock	\$41.50
<u>GVP-3C1M2P-TD</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., toggle style actuator, detented, 90-degree ports, 1/8in male NPT inlet(s), 1/4in push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.23, through panel mount.	Stock	\$42.50
<u>GVP-3C1F-TD</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., toggle style actuator, detented, 90-degree ports, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), (1) vent hole exhaust(s), Cv=0.23, through panel mount.	Stock	\$40.50
<u>GVS-3C0F-TD-SS</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., toggle style actuator, detented, 90-degree ports, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s), Cv=0.27, through panel mount.	Stock	\$45.50
<u>GVS-3C0F-PB-SS</u>	NITRA pneumatic manual valve, 3-port (3-way), 2-position, N.C., pushbutton, spring return, 90-degree ports, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s), Cv=0.27, through panel mount.	Stock	\$44.00
<u>GVS-520F-PB</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, pushbutton, spring return, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s), Cv=0.23, through panel mount.	Stock	\$35.00
<u>GVS-520F-TD</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, toggle style actuator, detented, #10-32 female UNF inlet(s), #10-32 female UNF outlet(s), #10-32 female threaded exhaust(s), Cv=0.23, through panel mount.	Stock	\$37.00
<u>GVS-521F-PB</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, pushbutton, spring return, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.37, through panel mount.	Stock	\$40.00
<u>GVS-521F-TD</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, toggle style actuator, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.37, through panel mount.	Stock	\$41.50

General Purpose Foot and Manual Valves

<u>Z010000100U</u>	Metal Work pneumatic manual valve, 3-port (3-way), 2-position, N.C., 90 deg hand lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$36.50
<u>Z020000100U</u>	Metal Work pneumatic manual valve, 3-port (3-way), 2-position, N.C., 90 deg hand lever, spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$62.00
<u>Z030000100U</u>	Metal Work pneumatic manual valve, 3-port (3-way), 2-position, N.C., 90 deg hand lever, spring return, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$131.00
<u>Z010000200U</u>	Metal Work pneumatic manual valve, 3-port (3-way), 2-position, 90 deg hand lever, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$36.50
<u>Z020000200U</u>	Metal Work pneumatic manual valve, 3-port (3-way), 2-position, 90 deg hand lever, detented, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$62.00
<u>Z030000200U</u>	Metal Work pneumatic manual valve, 3-port (3-way), 2-position, 90 deg hand lever, detented, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$131.00
<u>Z010000300U</u>	Metal Work pneumatic manual valve, 5-port (4-way), 2-position, 90 deg hand lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$40.00
<u>Z020000300U</u>	Metal Work pneumatic manual valve, 5-port (4-way), 2-position, 90 deg hand lever, spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.1.	Stock	\$67.00
<u>Z030000300U</u>	Metal Work pneumatic manual valve, 5-port (4-way), 2-position, 90 deg hand lever, spring return, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), 1/2in female NPT exhaust(s), Cv=4.6.	Stock	\$148.00
<u>Z010000400U</u>	Metal Work pneumatic manual valve, 5-port (4-way), 2-position, 90 deg hand lever, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.55.	Stock	\$40.00

[illegible]

<u>AVS-528C1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center closed, 90 deg hand lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.67, panel or surface mount.	Stock	\$74.00
<u>AVS-528DC1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center closed, 90 deg hand lever, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.67, panel or surface mount.	Stock	\$56.00
<u>AVS-528E1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center exhaust, 90 deg hand lever, spring return, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.67, panel or surface mount.	Stock	\$74.00
<u>AVS-528DE1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center exhaust, 90 deg hand lever, detented, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 1/8in female NPT exhaust(s), Cv=0.67, panel or surface mount.	Stock	\$58.00
<u>AVS-5372-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, 90 deg hand lever, spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1.39, panel or surface mount.	Stock	\$73.00
<u>AVS-537D2-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, 90 deg hand lever, detented, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=1.39, panel or surface mount.	Stock	\$47.50
<u>AVS-538C1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center closed, 90 deg hand lever, spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1, panel or surface mount.	Stock	\$71.00
<u>AVS-538DC1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center closed, 90 deg hand lever, detented, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1, panel or surface mount.	Stock	\$76.00
<u>AVS-538E1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center exhaust, 90 deg hand lever, spring return, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1, panel or surface mount.	Stock	\$83.00
<u>AVS-538DE1-HL</u>	NITRA pneumatic manual valve, 5-port (4-way), 3-position, center exhaust, 90 deg hand lever, detented, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 1/4in female NPT exhaust(s), Cv=1, panel or surface mount.	Stock	\$78.00
<u>CVR-437D2-HL</u>	NITRA pneumatic manual valve, 4-port (4-way), 2-position, 4in handle, detented, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.89, through panel mount.	Stock	\$33.00
<u>CVR-438D2-HL</u>	NITRA pneumatic manual valve, 4-port (4-way), 3-position, center closed, 4in handle, detented, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), Cv=0.89, through panel mount.	Stock	\$33.00
<u>CVR-447D4-HL</u>	NITRA pneumatic manual valve, 4-port (4-way), 2-position, 4in handle, detented, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=5.29, through panel mount.	Stock	\$40.50
<u>CVR-448D4-HL</u>	NITRA pneumatic manual valve, 4-port (4-way), 3-position, center closed, 4.4in handle, detented, 1/2in female NPT inlet(s), 1/2in female NPT outlet(s), Cv=5.29, through panel mount.	Stock	\$40.50
<u>AVS-527D1-PP</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, push-pull knob, detented, 1/8in female NPT inlet (s), 1/8in female NPT outlet(s), Cv=0.78, optional manifold mount.	Stock	\$31.00
<u>AVS-537D2-PP</u>	NITRA pneumatic manual valve, 5-port (4-way), 2-position, push-pull knob, detented, 1/4in female NPT inlet (s), 1/4in female NPT outlet(s), Cv=1.39, optional manifold mount.	Stock	\$38.50

Flow Indicators

<u>MF-0404-N</u>	CITO MiniFlow flow indicator, 0.1-6.5 GPM, 1/4in NPT thread, anodized aluminum.	Stock	\$124.00
<u>MF-0606-N</u>	CITO MiniFlow flow indicator, 0.1-7 GPM, 3/8in NPT thread, anodized aluminum.	Stock	\$124.00
<u>RFH-0808</u>	CITO RotoFlow flow indicator, 1-22 GPM, 1/2in NPT thread, glass-filled nylon.	Stock	\$184.00
<u>RFH-1212</u>	CITO RotoFlow flow indicator, 1-40 GPM, 3/4in NPT thread, glass-filled nylon.	Stock	\$184.00
<u>RFH-1616</u>	CITO RotoFlow flow indicator, 1-60 GPM, 1in NPT thread, glass-filled nylon.	Stock	\$184.00

RFID Coded Non-Contact Safety Switches

<u>BMF-U-414101</u>	IDEM safety switch set, non-contact uniquely coded RFID, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, pigtail, 16.4ft/5m cable length.	Stock	\$293.00
<u>BMF-U-414102</u>	IDEM safety switch set, non-contact uniquely coded RFID, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, pigtail, 32.8ft/10m cable length.	Stock	\$312.00
<u>BMF-U-414103</u>	IDEM safety switch set, non-contact uniquely coded RFID, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$320.00
<u>BMF-M-414001</u>	IDEM safety switch set, non-contact master coded RFID, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, pigtail, 16.4ft/5m cable length.	Stock	\$293.00
<u>BMF-M-414002</u>	IDEM safety switch set, non-contact master coded RFID, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, pigtail, 32.8ft/10m cable length.	Stock	\$312.00
<u>BMF-M-414003</u>	IDEM safety switch set, non-contact master coded RFID, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$320.00
<u>BMF-414200</u>	IDEM safety switch actuator, replacement, non-contact master coded RFID, 316 stainless steel housing, 33 x 33mm.	Stock	\$71.00

[illegible]

Coded Magnetic Non-Contact Safety Switches

[illegible]

<u>MPC-114115</u>	IDEM safety switch set, non-contact coded magnetic, left exit mount, (2) N.C. safety output(s), (1) N.O. monitoring output(s), plastic housing, 36 x 26mm, pigtail, 32.8ft/10m cable length.	Stock	\$128.00
<u>MPC-114116</u>	IDEM safety switch set, non-contact coded magnetic, left exit mount, (2) N.C. safety output(s), (1) N.O. monitoring output(s), plastic housing, 36 x 26mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$135.00
<u>SMC-139005</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), 316 stainless steel housing, 50 x 25mm, pigtail, 6.5ft/2m cable length.	Stock	\$184.00
<u>SMC-139006</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), 316 stainless steel housing, 50 x 25mm, pigtail, 16.4ft/5m cable length.	Stock	\$194.00
<u>SMC-139007</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), 316 stainless steel housing, 50 x 25mm, pigtail, 32.8ft/10m cable length.	Stock	\$211.00
<u>SMC-139008</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), 316 stainless steel housing, 50 x 25mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$218.00
<u>SMC-F-137006</u>	IDEM safety switch set, non-contact coded magnetic, rear mount, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 50 x 25mm, pigtail, 16.4ft/5m cable length.	Stock	\$194.00
<u>SPC-111005</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), plastic housing, 50 x 25mm, pigtail, 6.5ft/2m cable length.	Stock	\$102.00
<u>SPC-111006</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), plastic housing, 50 x 25mm, pigtail, 16.4ft/5m cable length.	Stock	\$112.00
<u>SPC-111007</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), plastic housing, 50 x 25mm, pigtail, 32.8ft/10m cable length.	Stock	\$127.00
<u>SPC-111008</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), plastic housing, 50 x 25mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$134.00
<u>WPC-112017</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), plastic housing, 75 x 29mm, pigtail, 6.5ft/2m cable length.	Stock	\$113.00
<u>WPC-112018</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), plastic housing, 75 x 29mm, pigtail, 16.4ft/5m cable length.	Stock	\$123.00
<u>WPC-112020</u>	IDEM safety switch set, non-contact coded magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output (s), plastic housing, 75 x 29mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$145.00

Magnetic Non-Contact Safety Switches

<u>BMR-416014</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, pigtail, 16.4ft/5m cable length.	Stock	\$166.00
<u>BMR-416015</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, pigtail, 32.8ft/10m cable length.	Stock	\$182.00
<u>BMR-416016</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 18mm diameter x 75mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$189.00
<u>BPR-415014</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), polyester housing, 18mm diameter x 75mm body, pigtail, 16.4ft/5m cable length.	Stock	\$99.00
<u>BPR-415015</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), polyester housing, 18mm diameter x 75mm body, pigtail, 32.8ft/10m cable length.	Stock	\$115.00
<u>BPR-415016</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), polyester housing, 18mm diameter x 75mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$121.00
<u>CMR-138030</u>	IDEM safety switch set, non-contact magnetic, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 83 x 20mm, pigtail, 16.4ft/5m cable length.	Stock	\$198.00
<u>CMR-138031</u>	IDEM safety switch set, non-contact magnetic, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 83 x 20mm, pigtail, 32.8ft/10m cable length.	Stock	\$215.00
<u>CMR-138024</u>	IDEM safety switch set, non-contact magnetic, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 83 x 20mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$246.00
<u>CMR-F-135030</u>	IDEM safety switch set, non-contact magnetic, rear mount, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 83 x 20mm, pigtail, 16.4ft/5m cable length.	Stock	\$198.00
<u>CPR-113013</u>	IDEM safety switch set, non-contact magnetic, (1) N.C. safety output(s), (1) N.O. monitoring output(s), plastic housing, 83 x 20mm, pigtail, 6.5ft/2m cable length.	Stock	\$126.00
<u>CPR-113014</u>	IDEM safety switch set, non-contact magnetic, (1) N.C. safety output(s), (1) N.O. monitoring output(s), plastic housing, 83 x 20mm, pigtail, 16.4ft/5m cable length.	Stock	\$135.00
<u>CPR-113015</u>	IDEM safety switch set, non-contact magnetic, (1) N.C. safety output(s), (1) N.O. monitoring output(s), plastic housing, 83 x 20mm, pigtail, 32.8ft/10m cable length.	Stock	\$151.00
<u>CPR-113008</u>	IDEM safety switch set, non-contact magnetic, (1) N.C. safety output(s), (1) N.O. monitoring output(s), plastic housing, 83 x 20mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$180.00
<u>LMR-133013</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 88 x 25mm, pigtail, 6.5ft/2m cable length.	Stock	\$212.00
<u>LMR-133014</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 88 x 25mm, pigtail, 16.4ft/5m cable length.	Stock	\$222.00
<u>LMR-133015</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel housing, 88 x 25mm, pigtail, 32.8ft/10m cable length.	Stock	\$239.00

[illegible]

<u>WPR-112008</u>	IDEM safety switch set, non-contact magnetic, (2) N.C. safety output(s), (1) N.O. monitoring output(s), plastic housing, 75 x 29mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$191.00
Standalone Non-Contact Safety Switches			
<u>MSA-130002</u>	IDEM standalone safety switch set, non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 38mm x 95mm body, pigtail, 16.4ft/5m cable length.	Stock	\$332.00
<u>MSA-130003</u>	IDEM standalone safety switch set, non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 38mm x 95mm body, pigtail, 32.8ft/10m cable length.	Stock	\$349.00
<u>MSA-130004</u>	IDEM standalone safety switch set, non-contact coded magnetic, automatic restart, (2) N.C. safety output(s), 316 stainless steel housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$356.00
<u>MSA-130005</u>	IDEM standalone safety switch set, non-contact coded magnetic, manual restart, (2) N.C. safety output(s), 316 stainless steel housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$356.00
<u>MSA-D-130102</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 38mm x 95mm body, pigtail, 16.4ft/5m cable length.	Stock	\$374.00
<u>MSA-D-130103</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 38mm x 95mm body, pigtail, 32.8ft/10m cable length.	Stock	\$391.00
<u>MSA-D-130104</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, automatic restart, (2) N.C. safety output(s), 316 stainless steel housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$398.00
<u>MSA-D-130105</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, manual restart, (2) N.C. safety output (s), 316 stainless steel housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$398.00
<u>MSA-130200</u>	IDEM safety switch actuator, replacement, non-contact coded magnetic, 316 stainless steel housing, 21mm x 95mm.	Stock	\$64.00
<u>PSA-117002</u>	IDEM standalone safety switch set, non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), polyester housing, 38mm x 95mm body, pigtail, 16.4ft/5m cable length.	Stock	\$258.00
<u>PSA-117003</u>	IDEM standalone safety switch set, non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), polyester housing, 38mm x 95mm body, pigtail, 32.8ft/10m cable length.	Stock	\$273.00
<u>PSA-117004</u>	IDEM standalone safety switch set, non-contact coded magnetic, automatic restart, (2) N.C. safety output(s), polyester housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$280.00
<u>PSA-117005</u>	IDEM standalone safety switch set, non-contact coded magnetic, manual restart, (2) N.C. safety output(s), polyester housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$280.00
<u>PSA-D-117102</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), polyester housing, 38mm x 95mm body, pigtail, 16.4ft/5m cable length.	Stock	\$297.00
<u>PSA-D-117103</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, manual or automatic restart, (2) N.C. safety output(s), (1) status monitoring output(s), polyester housing, 38mm x 95mm body, pigtail, 32.8ft/10m cable length.	Stock	\$313.00
<u>PSA-D-117104</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, automatic restart, (2) N.C. safety output(s), polyester housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$320.00
<u>PSA-D-117105</u>	IDEM standalone safety switch set, dual non-contact coded magnetic, manual restart, (2) N.C. safety output (s), polyester housing, 38mm x 95mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$320.00
<u>PSA-117200</u>	IDEM safety switch actuator, replacement, non-contact coded magnetic, polyester housing, 21mm x 95mm.	Stock	\$42.00
Accessories for Non-Contact Safety Switches			
<u>140210</u>	IDEM junction block, 8 ports, 8-pin M12 sockets, 24 VDC LED indicator(s), cable clamp for field-wired connection. For use with IDEM coded and RFID switches only.	Stock	\$182.00
<u>140207</u>	IDEM shorting plug, 8-pole. For use with IDEM coded and RFID connection blocks.	Stock	\$31.50
<u>140213</u>	IDEM junction block, 8 ports, 8-pin M12 sockets, 24 VDC LED indicator(s), cable clamp for field-wired connection. For use with IDEM magnetic switches only.	Stock	\$182.00
<u>140209</u>	IDEM shorting plug, 8-pole. For use with IDEM magnetic connection blocks.	Stock	\$31.50
<u>140201</u>	IDEM connection cable, M12 axial female to M12 axial male, 8-pole, PVC jacket, black, 6.5ft/2m cable length.	Stock	\$42.50
<u>140202</u>	IDEM connection cable, M12 axial female to M12 axial male, 8-pole, PVC jacket, black, 16.4ft/5m cable length.	Stock	\$53.00
<u>140203</u>	IDEM connection cable, M12 axial female to M12 axial male, 8-pole, PVC jacket, black, 32.8ft/10m cable length.	Stock	\$63.00
<u>140101</u>	IDEM connection cable, 8-pin female axial M12 quick-disconnect to pigtail, 16.4ft/5m cable length.	Stock	\$60.00
<u>140102</u>	IDEM connection cable, 8-pin female axial M12 quick-disconnect to pigtail, 32.8ft/10m cable length.	Stock	\$91.00

<u>110300-2</u>	IDEM mounting spacer, polyester. Package of 2. For use with IDEM L-series non-contact switches.	Stock	\$15.50
<u>111300-2</u>	IDEM mounting spacer, polyester. Package of 2. For use with IDEM S-series non-contact switches.	Stock	\$12.50
<u>112300-2</u>	IDEM mounting spacer, polyester. Package of 2. For use with IDEM W-series non-contact switches.	Stock	\$15.50
<u>113300-2</u>	IDEM mounting spacer, polyester. Package of 2. For use with IDEM C-series non-contact switches.	Stock	\$15.50
<u>114300-2</u>	IDEM mounting spacer, polyester. Package of 2. For use with IDEM M-series non-contact switches.	Stock	\$12.50

Uniquely Coded Magnetic Locking RFID Safety Switches

<u>MGL-2SS-U-460001</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 600N holding force, (2) N.C. safety output(s), 316 stainless steel housing, 64 x 96 x 37mm, pigtail, 16.4ft/5m cable length.	Stock	\$559.00
<u>MGL-2SS-U-460003</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 600N holding force, (4) N.O., (2) N.C. safety output(s), 316 stainless steel housing, 64 x 96 x 37mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$582.00
<u>MGL-1SS-U-462001</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1200N holding force, (2) N.C. safety output(s), 316 stainless steel housing, 80 x 115 x 43mm, pigtail, 16.4ft/5m cable length.	Stock	\$666.00
<u>MGL-1SS-U-462003</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1200N holding force, (2) N.C. safety output(s), 316 stainless steel housing, 80 x 115 x 43mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$690.00
<u>MGL-2M-U-465001</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 64 x 96 x 37mm, pigtail, 16.4ft/5m cable length.	Stock	\$420.00
<u>MGL-2M-U-465003</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 64 x 96 x 37mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$442.00
<u>MGL-1M-U-464001</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 80 x 115 x 43mm, pigtail, 16.4ft/5m cable length.	Stock	\$512.00
<u>MGL-1M-U-464003</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 80 x 115 x 43mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$534.00
<u>MGL-2P-U-461001</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), plastic housing, 64 x 96 x 37mm, pigtail, 16.4ft/5m cable length.	Stock	\$393.00
<u>MGL-2P-U-461003</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), plastic housing, 64 x 96 x 37mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$416.00
<u>MGL-1P-U-463001</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), plastic housing, 80 x 115 x 43mm, pigtail, 16.4ft/5m cable length.	Stock	\$485.00
<u>MGL-1P-U-463003</u>	IDEM safety switch set, non-contact uniquely coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), plastic housing, 80 x 115 x 43mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$508.00

Master Coded Magnetic Locking RFID Safety Switches

<u>MGL-2SS-M-460004</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 600N holding force, (2) N.C. safety output(s), 316 stainless steel housing, 64 x 96 x 37mm, pigtail, 16.4ft/5m cable length.	Stock	\$559.00
<u>MGL-2SS-M-460006</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 600N holding force, (2) N.C. safety output(s), 316 stainless steel housing, 64 x 96 x 37mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$583.00
<u>MGL-1SS-M-462004</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1200N holding force, (2) N.C. safety output(s), 316 stainless steel housing, 80 x 115 x 43mm, pigtail, 16.4ft/5m cable length.	Stock	\$666.00
<u>MGL-1SS-M-462006</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1200N holding force, (2) N.C. safety output(s), 316 stainless steel housing, 80 x 115 x 43mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$690.00
<u>MGL-2M-M-465004</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 64 x 96 x 37mm, pigtail, 16.4ft/5m cable length.	Stock	\$420.00
<u>MGL-2M-M-465006</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 64 x 96 x 37mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$442.00
<u>MGL-1M-M-464004</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 80 x 115 x 43mm, pigtail, 16.4ft/5m cable length.	Stock	\$512.00
<u>MGL-1M-M-464006</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), die-cast aluminum housing, 80 x 115 x 43mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$534.00
<u>MGL-2P-M-461004</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), plastic housing, 64 x 96 x 37mm, pigtail, 16.4ft/5m cable length.	Stock	\$393.00
<u>MGL-2P-M-461006</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1000N holding force, (2) N.C. safety output(s), plastic housing, 64 x 96 x 37mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$416.00

<u>MGL-1P-M-463004</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), plastic housing, 80 x 115 x 43mm, pigtail, 16.4ft/5m cable length.	Stock	\$485.00
<u>MGL-1P-M-463006</u>	IDEM safety switch set, non-contact master coded RFID, magnetic, 24 VDC to lock, 1500N holding force, (2) N.C. safety output(s), plastic housing, 80 x 115 x 43mm, (1) 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$508.00
<u>RS1-P8-S-B</u>	SSP Safety System Products safety switch, non-contact master coded RFID, magnetic, 24 VDC to lock, 600N holding force, (2) OSSD safety output(s), plastic and aluminum housing, 45 x 128.6 x 33.5mm, (1) 8-pin M12 quick-disconnect, 7.8in/200mm cable length.	Stock	\$384.00
<u>RL1-P8-S-B</u>	SSP Safety System Products safety switch, non-contact master coded RFID, magnetic, 24 VDC to lock, 1200N holding force, (2) OSSD safety output(s), plastic and aluminum housing, 34.4 x 239.6 x 31.1mm, (1) 8-pin M12 quick-disconnect, 7.8in/200mm cable length.	Stock	\$431.00
Reteachable Magnetic Locking RFID Safety Switches			
<u>RS1-P8-W-B</u>	SSP Safety System Products safety switch, non-contact reteachable coded RFID, magnetic, 24 VDC to lock, 600N holding force, (2) OSSD safety output(s), plastic and aluminum housing, 45 x 128.6 x 33.5mm, (1) 8-pin M12 quick-disconnect, 7.8in/200mm cable length.	Stock	\$384.00
<u>RL1-P8-W-B</u>	SSP Safety System Products safety switch, non-contact reteachable coded RFID, magnetic, 24 VDC to lock, 1200N holding force, (2) OSSD safety output(s), plastic and aluminum housing, 34.4 x 239.6 x 31.1mm, (1) 8-pin M12 quick-disconnect, 7.8in/200mm cable length.	Stock	\$431.00
Actuators for Magnetic Locking RFID Safety Switches			
<u>RS-A1</u>	SSP Safety System Products HOLDX safety switch actuator with permanent magnet, non-contact coded RFID, plastic and aluminum housing, 45 x 108.6 x 18.5mm.	Stock	\$44.00
<u>RS-A2</u>	SSP Safety System Products HOLDX safety switch actuator, non-contact coded RFID, plastic and aluminum housing, 45 x 108.6 x 18.5mm.	Stock	\$43.00
<u>RL-A1</u>	SSP Safety System Products HOLDX safety switch actuator with permanent magnet, non-contact coded RFID, plastic and aluminum housing, 34 x 190 x 20.1mm.	Stock	\$81.00
<u>RL-A2</u>	SSP Safety System Products HOLDX safety switch actuator, non-contact coded RFID, plastic and aluminum housing, 34 x 190 x 20.1mm.	Stock	\$79.00
<u>MGL-2SS-M-460102</u>	IDEM safety switch actuator, replacement, non-contact master coded RFID, 600N holding force, 316 stainless steel housing, 64 x 88 x 30mm.	Stock	\$102.00
<u>MGL-1SS-M-462102</u>	IDEM safety switch actuator, replacement, non-contact master coded RFID, 1200N holding force, 316 stainless steel housing, 76 x 105 x 32mm.	Stock	\$124.00
<u>MGL-2M-M-465102</u>	IDEM safety switch actuator, replacement, non-contact master coded RFID, 1000N holding force, die-cast aluminum housing, 64 x 88 x 30mm.	Stock	\$87.00
<u>MGL-1M-M-464102</u>	IDEM safety switch actuator, replacement, non-contact master coded RFID, 1500N holding force, die-cast aluminum housing, 76 x 105 x 32mm.	Stock	\$106.00
<u>MGL-2P-M-461102</u>	IDEM safety switch actuator, replacement, non-contact master coded RFID, 1000N holding force, plastic housing, 64 x 88 x 30mm.	Stock	\$74.00
<u>MGL-1P-M-463102</u>	IDEM safety switch actuator, replacement, non-contact master coded RFID, 1500N holding force, plastic housing, 76 x 105 x 32mm.	Stock	\$84.00
Accessories for Magnetic Locking RFID Safety Switches			
<u>RL-Z-MF1</u>	SSP Safety System Products HOLDX series mounting bracket, hinged door with handle mount. For use with HOLDX RL safety switches. Mounting hardware included.	Stock	\$77.00
<u>RL-Z-MF2</u>	SSP Safety System Products HOLDX series mounting bracket, hinged door without handle mount. For use with HOLDX RL safety switches. Mounting hardware included.	Stock	\$37.50
<u>RL-Z-MS1</u>	SSP Safety System Products HOLDX series mounting bracket, sliding door mount. For use with HOLDX RL safety switches. Mounting hardware included.	Stock	\$42.50
<u>RS-Z-MF1</u>	SSP Safety System Products HOLDX series mounting bracket, hinged door with handle mount. For use with HOLDX RS safety switches. Mounting hardware included.	Stock	\$72.00
<u>RS-Z-MF2</u>	SSP Safety System Products HOLDX series mounting bracket, hinged door without handle mount. For use with HOLDX RS safety switches. Mounting hardware included.	Stock	\$33.00
<u>RS-Z-MS1</u>	SSP Safety System Products HOLDX series mounting bracket, sliding door mount. For use with HOLDX RS safety switches. Mounting hardware included.	Stock	\$47.00
Solenoid Locking RFID Tongue Interlock Safety Switches			
<u>AFEPMKR1FR3-024E</u>	Comepi safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to lock, 0-degree fixed head, 1200N holding force, (2) N.C. safety output(s), (1) N.C. monitoring output(s), thermoplastic body, 8-pin M12 quick-disconnect.	Stock	\$413.00
<u>AFEPMKR2FR3-024E</u>	Comepi safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to lock, 90-degree fixed head, 1200N holding force, (2) N.C. safety output(s), (1) N.C. monitoring output(s), thermoplastic body, 8-pin M12 quick-disconnect.	Stock	\$413.00
<u>AFEPMKR3FR3-024E</u>	Comepi safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to lock, 180-degree fixed head, 1200N holding force, (2) N.C. safety output(s), (1) N.C. monitoring output(s), thermoplastic body, 8-pin M12 quick-disconnect.	Stock	\$413.00

<u>AFPEPMKR4FR3-024E</u>	Comepi safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to lock, 270-degree fixed head, 1200N holding force, (2) N.C. safety output(s), (1) N.C. monitoring output(s), thermoplastic body, 8-pin M12 quick-disconnect.	Stock	\$413.00
Solenoid Locking Tongue Interlock Safety Switches			
<u>KLP-201002</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 90-degree adjustable head, 1800N holding force, (2) N.C. safety output(s), (1) N.O. monitoring output(s), plastic body, (1) 1/2in NPT cable entry.	Stock	\$233.00
<u>KLP-201005</u>	IDEM safety switch, tongue (key) interlock, solenoid, 110 VAC to unlock, 90-degree adjustable head, 1800N holding force, (2) N.C. safety output(s), (1) N.O. monitoring output(s), plastic body, (1) 1/2in NPT cable entry.	Stock	\$238.00
<u>KLM-202002</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 90-degree adjustable head, 2000N holding force, (4) N.C. safety output(s), (1) N.O. monitoring output(s), die-cast aluminum body, (3) 1/2in NPT cable entries.	Stock	\$258.00
<u>KLM-202005</u>	IDEM safety switch, tongue (key) interlock, solenoid, 110 VAC to unlock, 90-degree adjustable head, 2000N holding force, (4) N.C. safety output(s), (1) N.O. monitoring output(s), die-cast aluminum body, (3) 1/2in NPT cable entries.	Stock	\$263.00
<u>KL1-P-221002</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 180-degree adjustable head, 1400N holding force, (2) N.C. safety output(s), (2) N.O. monitoring output(s), plastic body, (1) 1/2in NPT cable entry.	Stock	\$227.00
<u>KL1-P-221005</u>	IDEM safety switch, tongue (key) interlock, solenoid, 110 VAC to unlock, 180-degree adjustable head, 1400N holding force, (2) N.C. safety output(s), (2) N.O. monitoring output(s), plastic body, (1) 1/2in NPT cable entry.	Stock	\$232.00
<u>KL1-P-221302</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 180-degree adjustable head, 1400N holding force, (2) N.C. safety output(s), (1) N.O. monitoring output(s), plastic body, (1) 1/2in NPT cable entry.	Stock	\$227.00
<u>KL1-P-221305</u>	IDEM safety switch, tongue (key) interlock, solenoid, 110 VAC to unlock, 180-degree adjustable head, 1400N holding force, (2) N.C. safety output(s), (1) N.O. monitoring output(s), plastic body, (1) 1/2in NPT cable entry.	Stock	\$232.00
<u>KL1-SS-220002</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 180-degree adjustable head, 1600N holding force, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (1) 1/2in NPT cable entry.	Stock	\$446.00
<u>KL1-SS-220005</u>	IDEM safety switch, tongue (key) interlock, solenoid, 110 VAC to unlock, 180-degree adjustable head, 1600N holding force, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (1) 1/2in NPT cable entry.	Stock	\$451.00
<u>KL1-SS-220302</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 180-degree adjustable head, 1600N holding force, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel body, (1) 1/2in NPT cable entry.	Stock	\$446.00
<u>KL3-SS-205002</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 90-degree adjustable head, 2000N holding force, (4) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel body, (3) 1/2in NPT cable entries.	Stock	\$609.00
<u>KL3-SS-205005</u>	IDEM safety switch, tongue (key) interlock, solenoid, 110 VAC to unlock, 90-degree adjustable head, 2000N holding force, (4) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel body, (3) 1/2in NPT cable entries.	Stock	\$617.00
<u>KLTM-450002</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 180-degree adjustable head, 2000N holding force, (4) N.C. safety output(s), (1) N.O. monitoring output(s), die-cast aluminum body, (3) 1/2in NPT cable entries.	Stock	\$253.00
<u>KLTM-450005</u>	IDEM safety switch, tongue (key) interlock, solenoid, 110 VAC to unlock, 180-degree adjustable head, 2000N holding force, (4) N.C. safety output(s), (1) N.O. monitoring output(s), die-cast aluminum body, (3) 1/2in NPT cable entries.	Stock	\$258.00
<u>KLT-SS-451002</u>	IDEM safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 180-degree adjustable head, 2000N holding force, (4) N.C. safety output(s), (1) N.O. monitoring output(s), 316 stainless steel body, (3) 1/2in NPT cable entries.	Stock	\$506.00
<u>FEP5KP1FA8-024M</u>	Comepi safety switch, tongue (key) interlock, solenoid, 24 VAC/VDC to unlock, 90-degree adjustable head, 1200N holding force, (4) N.C. safety output(s), thermoplastic body, (3) M20 x 1.5mm cable entries.	Stock	\$195.00
<u>FEP5KP1FA8-120M</u>	Comepi safety switch, tongue (key) interlock, solenoid, 120 VAC to unlock, 90-degree adjustable head, 1200N holding force, (4) N.C. safety output(s), thermoplastic body, (3) M20 x 1.5mm cable entries.	Stock	\$199.00
Tongue Interlock Safety Switches			
<u>INCH-1-222001</u>	IDEM safety switch, tongue (key) interlock, slow action, (2) N.C. safety output(s), plastic body, 316 stainless steel head, (1) M16 cable entry.	Stock	\$40.00
<u>INCH-1-222002</u>	IDEM safety switch, tongue (key) interlock, slow action, (2) N.C. safety output(s), plastic body, 316 stainless steel head, (1) 4-pin M12 quick-disconnect.	Stock	\$70.00
<u>INCH-1-222003</u>	IDEM safety switch, tongue (key) interlock, slow action break before make, (1) N.C. safety output(s), plastic body, 316 stainless steel head, (1) M16 cable entry.	Stock	\$40.00
<u>INCH-1-222004</u>	IDEM safety switch, tongue (key) interlock, slow action break before make, (1) N.C. safety output(s), plastic body, 316 stainless steel head, (1) 4-pin M12 quick-disconnect.	Stock	\$70.00

<u>INCH-3-223001</u>	IDEM safety switch, tongue (key) interlock, slow action break before make, (2) N.C. safety output(s), plastic body, 316 stainless steel head, (3) M16 cable entry.	Stock	\$43.50
<u>INCH-3-223002</u>	IDEM safety switch, tongue (key) interlock, slow action break before make, (2) N.C. safety output(s), plastic body, 316 stainless steel head, (1) 8-pin M12 quick-disconnect.	Stock	\$73.00
<u>MK1-SS-224001</u>	IDEM safety switch, tongue (key) interlock, slow action break before make, (2) N.C. safety output(s), 316 stainless steel body, 316 stainless steel head, (1) M20 cable entry.	Stock	\$129.00
<u>MK1-SS-224002</u>	IDEM safety switch, tongue (key) interlock, slow action break before make, (2) N.C. safety output(s), 316 stainless steel body, 316 stainless steel head, (1) 1/2in NPT cable entry.	Stock	\$129.00
<u>MK1-SS-224003</u>	IDEM safety switch, tongue (key) interlock, slow action break before make, (2) N.C. safety output(s), 316 stainless steel body, 316 stainless steel head, (1) 8-pin M12 quick-disconnect.	Stock	\$160.00
<u>IDIS-190051</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 31 x 97 x 30mm, plastic body, plastic head.	Stock	\$35.00
<u>IDIS-190055</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (3) N.C. safety output(s), 31 x 97 x 30mm, plastic body, plastic head.	Stock	\$35.00
<u>IDIS-190059</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 31 x 97 x 30mm, plastic body, plastic head.	Stock	\$35.00
<u>KM-203002</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 40 x 118 x 41mm, die-cast aluminum body, die-cast aluminum head.	Stock	\$85.00
<u>KM-203008</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (3) N.C. safety output(s), (1) N.O. monitoring output(s), 40 x 118 x 41mm, die-cast aluminum body, die-cast aluminum head.	Stock	\$101.00
<u>KM-203011</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 40 x 118 x 41mm, die-cast aluminum body, die-cast aluminum head.	Stock	\$101.00
<u>KM-203002-SS</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 40 x 118 x 41mm, die-cast aluminum body, 316 stainless steel head.	Stock	\$109.00
<u>KM-203011-SS</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 40 x 118 x 41mm, die-cast aluminum body, 316 stainless steel head.	Stock	\$124.00
<u>KM-SS-204002</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 41 x 118 x 41mm, 316 stainless steel body, 316 stainless steel head.	Stock	\$174.00
<u>KM-SS-204011</u>	IDEM safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 41 x 118 x 41mm, 316 stainless steel body, 316 stainless steel head.	Stock	\$188.00
<u>KP-200002</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 58 x 100 x 34mm, plastic body, plastic head.	Stock	\$52.00
<u>KP-200008</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (3) N.C. safety output(s), (1) N.O. monitoring output(s), 58 x 100 x 34mm, plastic body, plastic head.	Stock	\$68.00
<u>KP-200011</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 58 x 100 x 34mm, plastic body, plastic head.	Stock	\$68.00
<u>KP-200002-SS</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 58 x 103 x 37mm, plastic body, 316 stainless steel head.	Stock	\$75.00
<u>KP-200011-SS</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 58 x 103 x 37mm, plastic body, 316 stainless steel head.	Stock	\$90.00
<u>K-15-207002</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 54 x 88 x 34mm, plastic body, plastic head.	Stock	\$52.00
<u>K-15-207005</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (3) N.C. safety output(s), 54 x 88 x 34mm, plastic body, plastic head.	Stock	\$52.00
<u>K-15-207002-SS</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 54 x 91 x 37mm, plastic body, 316 stainless steel head.	Stock	\$75.00
<u>K-SS-208002</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 58 x 104 x 37mm, 316 stainless steel body, 316 stainless steel head.	Stock	\$170.00
<u>K-SS-208011</u>	IDEM safety switch, tongue (key) interlock, 180-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 58 x 104 x 37mm, 316 stainless steel body, 316 stainless steel head.	Stock	\$184.00
<u>SP2K80W02</u>	Comepi safety switch, tongue (key) interlock, 360-degree adjustable head, (2) N.C. safety output(s), 30 x 99 x 30mm, thermoplastic body, thermoplastic head.	Stock	\$24.50
<u>SP2K80X11</u>	Comepi safety switch, tongue (key) interlock, 360-degree adjustable head, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 30 x 99 x 30mm, thermoplastic body, thermoplastic head.	Stock	\$24.50
<u>SP2K10W02</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), 30 x 99 x 30mm, thermoplastic body, thermoplastic head.	Stock	\$20.50
<u>SP2K10X11</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 30 x 99 x 30mm, thermoplastic body, thermoplastic head.	Stock	\$20.50
<u>SBM2K4000W02</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), 40 x 113 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$34.00
<u>SBM2K4000W03</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (3) N.C. safety output(s), 40 x 113 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$37.00
<u>SBM2K4000X11</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 40 x 113 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$34.00

<u>SBM2K4000X12</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 40 x 113 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$36.50
<u>SCM2K4000W02</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), 62 x 108 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$35.00
<u>SCM2K4000W03</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (3) N.C. safety output(s), 62 x 108 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$38.00
<u>SCM2K4000X11</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 62 x 108 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$35.00
<u>SCM2K4000X12</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), (1) N.O. monitoring output(s), 62 x 108 x 43mm, die-cast aluminum body, thermoplastic head.	Stock	\$37.50
<u>SDM2K80W02</u>	Comepi safety switch, tongue (key) interlock, 360-degree adjustable head, (2) N.C. safety output(s), 59 x 100 x 32mm, zinc alloy body, thermoplastic head.	Stock	\$29.00
<u>SDM2K80X11</u>	Comepi safety switch, tongue (key) interlock, 360-degree adjustable head, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 59 x 100 x 32mm, zinc alloy body, thermoplastic head.	Stock	\$29.00
<u>SDM2K10W02</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (2) N.C. safety output(s), 59 x 100 x 32mm, zinc alloy body, thermoplastic head.	Stock	\$25.50
<u>SDM2K10X11</u>	Comepi safety switch, tongue (key) interlock, 90-degree adjustable head, (1) N.C. safety output(s), (1) N.O. monitoring output(s), 59 x 100 x 32mm, zinc alloy body, thermoplastic head.	Stock	\$25.50

Hinge Interlock Safety Switches

<u>IDIS-192002</u>	IDEM safety switch, lever hinge interlock, slow action break before make, (2) N.C. safety output(s), plastic body, plastic head, (1) 1/2in NPT cable entry.	Stock	\$32.50
<u>IDIS-192005</u>	IDEM safety switch, lever hinge interlock, slow action, (3) N.C. safety output(s), plastic body, plastic head, (1) 1/2in NPT cable entry.	Stock	\$32.50
<u>IDIS-192008</u>	IDEM safety switch, lever hinge interlock, snap action, (1) N.C. safety output(s), plastic body, plastic head, (1) 1/2in NPT cable entry.	Stock	\$32.50
<u>HC-1-193001</u>	IDEM safety switch, solid shaft hinge interlock, slow action, (2) N.C. safety output(s), plastic body, 316 stainless steel head, 10mm diameter x 80mm length shaft, (1) M16 cable entry.	Stock	\$42.50
<u>HC-1-193002</u>	IDEM safety switch, solid shaft hinge interlock, slow action, (2) N.C. safety output(s), plastic body, 316 stainless steel head, 10mm diameter x 80mm length shaft, (1) 4-pin M12 quick-disconnect.	Stock	\$72.00
<u>HC-1-193007</u>	IDEM safety switch, hollow shaft hinge interlock, slow action, (2) N.C. safety output(s), plastic body, 316 stainless steel head, 16mm diameter x 30mm length shaft, (1) M16 cable entry.	Stock	\$44.50
<u>HC-1-193008</u>	IDEM safety switch, hollow shaft hinge interlock, slow action, (2) N.C. safety output(s), plastic body, 316 stainless steel head, 16mm diameter x 30mm length shaft, (1) 4-pin M12 quick-disconnect.	Stock	\$74.00
<u>SP2K61X11</u>	Comepi safety switch, lever hinge interlock, slow action break before make, (1) N.C. safety output(s), plastic body, plastic head, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$18.50
<u>SP2K61W02</u>	Comepi safety switch, lever hinge interlock, slow action, (2) N.C. safety output(s), plastic body, plastic head, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$18.50
<u>SDM2K61X11</u>	Comepi safety switch, lever hinge interlock, slow action break before make, (1) N.C. safety output(s), die-cast aluminum body, plastic head, (3) 1/2in NPT cable entries.	Stock	\$23.50
<u>SDM2K61W02</u>	Comepi safety switch, lever hinge interlock, slow action, (2) N.C. safety output(s), die-cast aluminum body, plastic head, (3) 1/2in NPT cable entries.	Stock	\$23.50
<u>SP2K72X11</u>	Comepi safety switch, hollow shaft hinge interlock, slow action break before make, (1) N.C. safety output(s), plastic body, plastic head, 12mm diameter x 20mm length shaft, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$27.50
<u>SP2K72W02</u>	Comepi safety switch, hollow shaft hinge interlock, slow action, (2) N.C. safety output(s), plastic body, plastic head, 12mm diameter x 20mm length shaft, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$27.50
<u>SDM2K72X11</u>	Comepi safety switch, hollow shaft hinge interlock, slow action break before make, (1) N.C. safety output(s), die-cast aluminum body, plastic head, (3) 1/2in NPT cable entries.	Stock	\$32.00
<u>SDM2K72W02</u>	Comepi safety switch, hollow shaft hinge interlock, slow action, (2) N.C. safety output(s), die-cast aluminum body, plastic head, 12mm diameter x 20mm length shaft, (3) 1/2in NPT cable entries.	Stock	\$32.00

Accessories for Interlock Safety Switches

<u>140103</u>	IDEM actuator tongue (key), 90 degree mounting tab with 14.4mm mounting hole spacing mount, 316 stainless steel. For use with IDEM IDIS series safety switches.	Stock	\$11.00
<u>140104</u>	IDEM actuator tongue (key), straight mounting tab with 14.4mm mounting hole spacing mount, 316 stainless steel. For use with IDEM IDIS series safety switches.	Stock	\$11.00
<u>140105</u>	IDEM actuator tongue (key), flexible mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with IDEM IDIS series safety switches.	Stock	\$20.00
<u>140106</u>	IDEM actuator tongue (key), 90 degree mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with IDEM KP and K-15 series safety switches with plastic heads.	Stock	\$11.00
<u>140107</u>	IDEM actuator tongue (key), 90 degree mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with IDEM K-SS, KM and KM-SS series safety switches and KP and K-15 series safety switches with stainless steel heads.	Stock	\$11.50
<u>140108</u>	IDEM actuator tongue (key), straight mounting tab with 20mm mounting hole spacing mount, 316 stainless steel. For use with all IDEM K-SS, KM, KM-SS, KP and K-15 series safety switches.	Stock	\$11.00

<u>140109</u>	IDEM actuator tongue (key), flexible mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with all IDEM K-SS, KM, KM-SS, KP and K-15 series safety switches.	Stock	\$20.00
<u>140110</u>	IDEM actuator tongue (key), black aluminum heavy duty flexible mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with all IDEM K-SS, KM, KM-SS, KP and K-15 series safety switches.	Stock	\$39.50
<u>140111</u>	IDEM actuator tongue (key), heavy duty flexible mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with all IDEM K-SS, KM, KM-SS, KP and K-15 series safety switches.	Stock	\$81.00
<u>140123</u>	IDEM anti-tamper manual release key, 316 stainless steel. For use with IDEM KL3 and KLT series safety switches.	Stock	\$22.50
<u>140130</u>	IDEM actuator, 316 stainless steel. For use with all IDEM K-SS, KM, KM-SS, KP and K-15 series safety switches.	Stock	\$55.00
<u>140179</u>	IDEM key guide, 316 stainless steel. For use with IDEM INCH series safety switches. Mounting hardware included.	Stock	\$23.50
<u>140179-SS</u>	IDEM key guide, 316 stainless steel. For use with IDEM MK1 series safety switches. Mounting hardware included.	Stock	\$23.50
<u>140180</u>	IDEM actuator tongue (key), 90 degree mounting tab with 8mm mounting hole spacing mount, 316 stainless steel. For use with IDEM MK1 and INCH series safety switches.	Stock	\$11.50
<u>140181</u>	IDEM actuator tongue (key), shock absorbing, straight mounting tab with 15mm mounting hole spacing mount, 316 stainless steel. For use with IDEM MK1 and INCH series safety switches.	Stock	\$11.50
<u>140182</u>	IDEM actuator tongue (key), flexible mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with IDEM MK1 and INCH series safety switches.	Stock	\$20.00
<u>GB-210005</u>	IDEM rear escape handle. For use with GBA-1 or GBL-1 series gate bolts and UGB sliding handles.	Stock	\$20.00
<u>GB-210006</u>	IDEM spring loaded catch. For use with GBA-1 or GBL-1 series gate bolts and UGB sliding handles.	Stock	\$20.00
<u>GBA-1-210003</u>	IDEM left hand gate bolt. For use with KM series safety switches. Actuating tongue (key) included.	Stock	\$142.00
<u>GBA-1-210004</u>	IDEM Right hand gate bolt. For use with KM series safety switches. Actuating tongue (key) included.	Stock	\$142.00
<u>GBL-1-210001</u>	IDEM left hand gate bolt. For use with KLP or KLM series safety switches. Actuating tongue (key) included.	Stock	\$147.00
<u>GBL-1-210002</u>	IDEM right hand gate bolt. For use with KLP or KLM series safety switches. Actuating tongue (key) included.	Stock	\$147.00
<u>KEY3</u>	Comepi actuator tongue (key), 90 degree mounting tab with 22mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SP2K and SDM2K series safety switches.	Stock	\$1.75
<u>KEY4</u>	Comepi actuator tongue (key), straight mounting tab with 22mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SP2K and SDM2K series safety switches.	Stock	\$1.75
<u>KEY5</u>	Comepi actuator tongue (key), 90 degree mounting tab with 13mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SP2K and SDM2K series safety switches.	Stock	\$1.75
<u>KEY6</u>	Comepi actuator tongue (key), straight mounting tab with 13mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SP2K and SDM2K series safety switches.	Stock	\$1.25
<u>KEY7</u>	Comepi actuator tongue (key), shock absorbing, 90 degree mounting tab with 15mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SP2K and SDM2K series safety switches.	Stock	\$3.50
<u>KEY8</u>	Comepi actuator tongue (key), shock absorbing, straight mounting tab with 15mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SP2K and SDM2K series safety switches.	Stock	\$3.25
<u>KEY9</u>	Comepi actuator tongue (key), flexible mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SP2K and SDM2K series safety switches.	Stock	\$4.50
<u>KEY45</u>	Comepi actuator tongue (key), 90 degree mounting tab with 13mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SBM2K and SCM2K series safety switches.	Stock	\$2.25
<u>KEY46</u>	Comepi actuator tongue (key), straight mounting tab with 13mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SBM2K and SCM2K series safety switches.	Stock	\$2.00
<u>KEY49</u>	Comepi actuator tongue (key), flexible mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with Comepi SBM2K and SCM2K series safety switches.	Stock	\$5.00
<u>KEY27</u>	Comepi actuator tongue (key), shock absorbing, 90 degree mounting tab with 20mm mounting hole spacing mount, 316 stainless steel. For use with Comepi FEP5K series safety switches.	Stock	\$5.25
<u>KEY28</u>	Comepi actuator tongue (key), shock absorbing, straight mounting tab with 20mm mounting hole spacing mount, 316 stainless steel. For use with Comepi FEP5K series safety switches.	Stock	\$5.25
<u>KEY29</u>	Comepi actuator tongue (key), adjustable mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with Comepi FEP5K series safety switches.	Stock	\$9.75
<u>KEY29R</u>	Comepi replacement, actuator tongue (key) coded RFID, 90 degree mounting tab with 40mm mounting hole spacing mount, 316 stainless steel. For use with Comepi AFEPMK series safety switches.	Stock	\$17.50
IDEM Safety Limit Switches (Die Cast)			
<u>HLM-174002</u>	IDEM safety limit switch, side rotary lever with stainless steel roller, (2) N.C. safety output(s), (2) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, (1) 1/2in female NPT conduit.	Stock	\$87.00
<u>HLM-174011</u>	IDEM safety limit switch, side rotary lever with stainless steel roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, die-cast zinc aluminum, (1) 1/2in female NPT conduit.	Stock	\$87.00

Plastic Body Safety Limit Switches with Reset			
<u>AP2R11X11</u>	Comepi safety limit switch, stainless steel plunger, (1) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$17.00
<u>AP2R11W02</u>	Comepi safety limit switch, stainless steel plunger, (2) N.C. safety output(s), slow action, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$17.00
<u>AP2R13X11</u>	Comepi safety limit switch, metal plunger with nylon roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$18.00
<u>AP2R13W02</u>	Comepi safety limit switch, metal plunger with nylon roller, (2) N.C. safety output(s), slow action, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$18.00
<u>AP2R31X11</u>	Comepi safety limit switch, one-way horizontal lever with nylon roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$18.50
<u>AP2R31W02</u>	Comepi safety limit switch, one-way horizontal lever with nylon roller, (2) N.C. safety output(s), slow action, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$18.50
<u>AP2R32X11</u>	Comepi safety limit switch, one-way vertical lever with nylon roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$19.00
<u>AP2R32W02</u>	Comepi safety limit switch, one-way vertical lever with nylon roller, (2) N.C. safety output(s), slow action, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$19.00
<u>AP2R41X11</u>	Comepi safety limit switch, side rotary lever with nylon roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$21.00
<u>AP2R41W02</u>	Comepi safety limit switch, side rotary lever with nylon roller, (2) N.C. safety output(s), slow action, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$21.00
<u>AP2R51X11</u>	Comepi safety limit switch, side rotary adjustable lever with nylon roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$22.00
<u>AP2R51W02</u>	Comepi safety limit switch, side rotary adjustable lever with nylon roller, (2) N.C. safety output(s), slow action, plastic, (1) PG11 cable entry with 1/2in NPT adapter.	Stock	\$22.00
Compact Die Cast Aluminum Safety Limit Switches			
<u>LSMM-172003</u>	IDEM safety limit switch, brass plunger, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$49.00
<u>LSMM-172004</u>	IDEM safety limit switch, brass plunger, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$49.00
<u>LSMM-172007</u>	IDEM safety limit switch, plunger with brass roller, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$54.00
<u>LSMM-172008</u>	IDEM safety limit switch, plunger with brass roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$54.00
<u>LSMM-172014</u>	IDEM safety limit switch, side rotary lever with polyester roller, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$58.00
<u>LSMM-172016</u>	IDEM safety limit switch, side rotary lever with polyester roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$58.00
<u>LSMM-172018</u>	IDEM safety limit switch, brass plunger and fixing nuts, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$51.00
<u>LSMM-172020</u>	IDEM safety limit switch, brass plunger and fixing nuts, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$51.00
<u>LSMM-172022</u>	IDEM safety limit switch, plunger with brass roller and fixing nuts, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$53.00
<u>LSMM-172024</u>	IDEM safety limit switch, plunger with brass roller and fixing nuts, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, die-cast zinc aluminum, pigtail, 6.5ft/2m cable length.	Stock	\$53.00
Compact Plastic Body Safety Limit Switches			
<u>LSPM-170003</u>	IDEM safety limit switch, brass plunger, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$37.50
<u>LSPM-170004</u>	IDEM safety limit switch, brass plunger, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$37.50
<u>LSPM-170007</u>	IDEM safety limit switch, plunger with brass roller, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$39.50
<u>LSPM-170008</u>	IDEM safety limit switch, plunger with brass roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$39.50
<u>LSPM-170014</u>	IDEM safety limit switch, side rotary lever with polyester roller, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$45.50
<u>LSPM-170016</u>	IDEM safety limit switch, side rotary lever with polyester roller, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, polyester, pigtail, 6.5ft/1.9m cable length.	Stock	\$45.50
<u>LSPM-170018</u>	IDEM safety limit switch, brass plunger and fixing nuts, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$39.50
<u>LSPM-170020</u>	IDEM safety limit switch, brass plunger and fixing nuts, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$39.50

<u>LSPM-170022</u>	IDEM safety limit switch, plunger with brass roller and fixing nuts, (2) N.C. safety output(s), (1) N.O. monitoring output(s), slow action break before make, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$41.50
<u>LSPM-170024</u>	IDEM safety limit switch, plunger with brass roller and fixing nuts, (1) N.C. safety output(s), (1) N.O. monitoring output(s), snap action, polyester, pigtail, 6.5ft/2m cable length.	Stock	\$41.50
Cable-Pull Safety Switches			
<u>GLHD-SS-145024</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, emergency stop, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$607.00
<u>GLHD-SS-145026</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$549.00
<u>GLHD-SS-145002-AS</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, emergency stop, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 24 VDC LED, 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$650.00
<u>GLHD-SS-145002-BS</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, emergency stop, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 110 VAC LED, 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$656.00
<u>GLHD-141040</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, emergency stop, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$382.00
<u>GLHD-141042</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$361.00
<u>GLHD-141002-AS</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, emergency stop, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 24 VDC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$409.00
<u>GLHD-141002-BS</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, emergency stop, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 110 VAC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$415.00
<u>GLHD-141030-AS</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 24 VDC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$388.00
<u>GLHD-141030-BS</u>	IDEM safety switch, cable-pull interlock, with reset, 250m maximum pull cable length, dual head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 110 VAC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$393.00
<u>GLHL-SS-145035</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, emergency stop, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$488.00
<u>GLHL-SS-145057</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$430.00
<u>GLHL-SS-145006-AS</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, emergency stop, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 24 VDC LED, 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$531.00
<u>GLHL-SS-145006-BS</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, emergency stop, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 110 VAC LED, 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$537.00
<u>GLHL-141035</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, emergency stop, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$225.00
<u>GLHL-141057</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$203.00
<u>GLHL-141006-AS</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, emergency stop, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 24 VDC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$252.00
<u>GLHL-141006-BS</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, emergency stop, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 110 VAC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$257.00
<u>GLHL-141055-AS</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 24 VDC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$230.00
<u>GLHL-141055-BS</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, left hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 110 VAC LED, die-cast aluminum body, (4) 1/2in NPT cable entries.	Stock	\$235.00
<u>GLHR-SS-145036</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, emergency stop, right hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$488.00
<u>GLHR-SS-145058</u>	IDEM safety switch, cable-pull interlock, with reset, 125m maximum pull cable length, right hand head, (4) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, (4) 1/2in NPT cable entries.	Stock	\$430.00

[illegible]

<u>SBM2K9900X11</u>	Comepi safety switch, cable-pull interlock, with reset, 25m maximum pull cable length, (1) N.C. safety output (s), (1) N.O. monitoring output(s), die-cast aluminum body, thermoplastic head, (1) 1/2in NPT cable entry.	Stock	\$29.50
<u>SBM2K9900X12</u>	Comepi safety switch, cable-pull interlock, with reset, 25m maximum pull cable length, (2) N.C. safety output (s), (1) N.O. monitoring output(s), die-cast aluminum body, thermoplastic head, (1) 1/2in NPT cable entry.	Stock	\$32.50
<u>SCM2K9900W02</u>	Comepi safety switch, cable-pull interlock, with reset, 25m maximum pull cable length, (2) N.C. safety output (s), die-cast aluminum body, thermoplastic head, (3) 1/2in NPT cable entries.	Stock	\$31.00
<u>SCM2K9900W03</u>	Comepi safety switch, cable-pull interlock, with reset, 25m maximum pull cable length, (3) N.C. safety output (s), die-cast aluminum body, thermoplastic head, (3) 1/2in NPT cable entries.	Stock	\$34.00
<u>SCM2K9900X11</u>	Comepi safety switch, cable-pull interlock, with reset, 25m maximum pull cable length, (1) N.C. safety output (s), (1) N.O. monitoring output(s), die-cast aluminum body, thermoplastic head, (3) 1/2in NPT cable entries.	Stock	\$31.00
<u>SCM2K9900X12</u>	Comepi safety switch, cable-pull interlock, with reset, 25m maximum pull cable length, (2) N.C. safety output (s), (1) N.O. monitoring output(s), die-cast aluminum body, thermoplastic head, (3) 1/2in NPT cable entries.	Stock	\$33.50
<u>SDM2K9800W02</u>	Comepi safety switch, cable-pull interlock, with reset, 15m maximum pull cable length, (2) N.C. safety output (s), zinc alloy body, thermoplastic head, (3) 1/2in NPT cable entries.	Stock	\$31.50
<u>SDM2K9800X11</u>	Comepi safety switch, cable-pull interlock, with reset, 15m maximum pull cable length, (1) N.C. safety output (s), (1) N.O. monitoring output(s), zinc alloy body, thermoplastic head, (3) 1/2in NPT cable entries.	Stock	\$31.50
Accessories for Cable-Pull Safety Switches			
<u>140002</u>	IDEM pull cable kit, 32.8ft/10m cable length, 4mm diameter, galvanized steel. For use with cable-pull safety switches.	Stock	\$99.00
<u>140011</u>	IDEM pull cable kit, 32.8ft/10m cable length, 4mm diameter, stainless steel. For use with cable-pull safety switches.	Stock	\$140.00
<u>140004</u>	IDEM pull cable kit, 65.6ft/20m cable length, 4mm diameter, galvanized steel. For use with cable-pull safety switches.	Stock	\$139.00
<u>140013</u>	IDEM pull cable kit, 65.6ft/20m cable length, 4mm diameter, stainless steel. For use with cable-pull safety switches.	Stock	\$168.00
<u>140005</u>	IDEM pull cable kit, 98.4ft/30m cable length, 4mm diameter, galvanized steel. For use with cable-pull safety switches.	Stock	\$157.00
<u>140014</u>	IDEM pull cable kit, 98.4ft/30m cable length, 4mm diameter, stainless steel. For use with cable-pull safety switches.	Stock	\$200.00
<u>140006</u>	IDEM pull cable kit, 164ft/50m cable length, 4mm diameter, galvanized steel. For use with cable-pull safety switches.	Stock	\$187.00
<u>140015</u>	IDEM pull cable kit, 164ft/50m cable length, 4mm diameter, stainless steel. For use with cable-pull safety switches.	Stock	\$226.00
<u>140007</u>	IDEM pull cable kit, 262.4ft/80m cable length, 4mm diameter, galvanized steel. For use with cable-pull safety switches.	Stock	\$209.00
<u>140016</u>	IDEM Pull cable kit, 262.4ft/80m cable length, 4mm diameter, stainless steel. For use with cable-pull safety switches.	Stock	\$285.00
<u>140009</u>	IDEM pull cable kit, 413.3ft/126m cable length, 4mm diameter, galvanized steel. For use with cable-pull safety switches.	Stock	\$251.00
<u>140018</u>	IDEM pull cable kit, 413.3ft/126m cable length, 4mm diameter, stainless steel. For use with cable-pull safety switches.	Stock	\$357.00
<u>140033</u>	IDEM pull cable, 16.4ft/5m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$21.00
<u>140034</u>	IDEM pull cable, 32.8ft/10m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$31.00
<u>140036</u>	IDEM pull cable, 65.6ft/20m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$47.00
<u>140037</u>	IDEM pull cable, 98.4ft/30m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$60.00
<u>140038</u>	IDEM pull cable, 164ft/50m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$83.00
<u>140039</u>	IDEM pull cable, 262.4ft/80m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$125.00
<u>140040</u>	IDEM pull cable, 328ft/100m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$145.00
<u>140041</u>	IDEM pull cable, 413.3ft/126m cable length, 4mm diameter, galvanized steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$165.00
<u>140019</u>	IDEM cable tensioner/gripper, stainless steel. For use with cable-pull safety switches. 4mm Allen wrench included.	Stock	\$96.00
<u>140020</u>	IDEM cable tensioner/gripper, galvanized steel. For use with cable-pull safety switches. 4mm Allen wrench included.	Stock	\$59.00
<u>140021</u>	IDEM pulley assembly, stainless steel. For use with cable-pull safety switches.	Stock	\$41.00
<u>140064</u>	IDEM pulley assembly, galvanized steel. For use with cable-pull safety switches.	Stock	\$26.50

<u>140045</u>	IDEM eye bolt, stainless steel, 84mm length, M8 x 1.25 threads. Package of 8. For use with cable-pull safety switches.	Stock	\$42.00
<u>140046</u>	IDEM eye bolt, galvanized steel, 84mm length, M8 x 1.25 threads. Package of 8. For use with cable-pull safety switches.	Stock	\$21.50
<u>140043</u>	IDEM spring, stainless steel, 220mm length. For use with cable-pull safety switches.	Stock	\$28.00
<u>140132-AS</u>	IDEM LED assembly, 24 VDC operating voltage, bi-color steady green and red. For use with GLM, GLS or GLS-SS series cable-pull safety switches.	Stock	\$52.00
<u>140132-BS</u>	IDEM LED assembly, 110 VAC operating voltage, bi-color steady green and red. For use with GLM, GLS or GLS-SS series cable-pull safety switches.	Stock	\$61.00
<u>OCC08</u>	Comepi eye bolt, galvanized steel, 83mm length, M8 x 1.25 threads. For use with cable-pull safety switches. Eye bolt only included.	Stock	\$1.00
<u>MOR05</u>	Comepi cable-pull cable clamp, zinc alloy. For use with cable-pull safety switches.	Stock	\$1.00
<u>RED05</u>	Comepi cable-pull eye thimble, zinc alloy. For use with cable-pull safety switches.	Stock	\$1.25
<u>FUN05M015</u>	Comepi pull cable, 49.2ft/15m cable length, 5mm diameter, steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$17.00
<u>FUN05M025</u>	Comepi pull cable, 82ft/25m cable length, 5mm diameter, steel, plastic jacket, red. For use with cable-pull safety switches.	Stock	\$26.00

Hazardous Area Limit Switches

<u>HLM-EX-174015</u>	IDEM safety limit switch, hazardous location rated, side rotary lever with stainless steel roller, (2) N.C. safety output(s), (2) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail.	Stock	\$585.00
<u>HLM-EX-174065</u>	IDEM safety limit switch, hazardous location rated, plunger with stainless steel roller, (2) N.C. safety output (s), (2) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail.	Stock	\$577.00
<u>HLM-EX-174115</u>	IDEM safety limit switch, hazardous location rated, stainless steel plunger, (2) N.C. safety output(s), (2) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail.	Stock	\$577.00
<u>HLM-EX-174315</u>	IDEM safety limit switch, hazardous location rated, side rotary adjustable lever with stainless steel roller, (2) N.C. safety output(s), (2) N.O. monitoring output(s), slow action break before make, die-cast zinc aluminum, pigtail.	Stock	\$589.00
<u>HLM-SS-EX-175015</u>	IDEM safety limit switch, hazardous location rated, side rotary lever with stainless steel roller, (2) N.C. safety output(s), (2) N.O. monitoring output(s), slow action break before make, 316 stainless steel, pigtail.	Stock	\$728.00
<u>HLM-SS-EX-175065</u>	IDEM safety limit switch, hazardous location rated, plunger with stainless steel roller, (2) N.C. safety output (s), (2) N.O. monitoring output(s), slow action break before make, 316 stainless steel, pigtail.	Stock	\$720.00
<u>HLM-SS-EX-175115</u>	IDEM safety limit switch, hazardous location rated, stainless steel plunger, (2) N.C. safety output(s), (2) N.O. monitoring output(s), slow action break before make, 316 stainless steel, pigtail.	Stock	\$720.00
<u>HLM-SS-EX-175315</u>	IDEM safety limit switch, hazardous location rated, side rotary adjustable lever with stainless steel roller, (2) N.C. safety output(s), (2) N.O. monitoring output(s), slow action break before make, 316 stainless steel, pigtail.	Stock	\$732.00

Hazardous Area Interlock Switches

<u>KP-EX-200026</u>	IDEM safety switch, tongue (key) interlock, hazardous location rated, 180-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 58 x 100 x 34mm, plastic body, plastic head.	Stock	\$613.00
<u>K-SS-EX-208026</u>	IDEM safety switch, tongue (key) interlock, hazardous location rated, 180-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 58 x 104 x 37mm, 316 stainless steel body, 316 stainless steel head.	Stock	\$737.00
<u>KM-EX-203026</u>	IDEM safety switch, tongue (key) interlock, hazardous location rated, 90-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 40 x 118 x 43.5mm, die-cast aluminum body, die-cast aluminum head.	Stock	\$654.00
<u>KM-SS-EX-204026</u>	IDEM safety switch, tongue (key) interlock, hazardous location rated, 90-degree adjustable head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 41.6 x 118 x 44mm, 316 stainless steel body, 316 stainless steel head.	Stock	\$742.00

Hazardous Area Cable-Pull Switches

<u>GLS-EX-142030</u>	IDEM safety switch, cable-pull interlock, with reset, hazardous location rated, 80m maximum pull cable length, emergency stop, (2) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, pigtail.	Stock	\$793.00
<u>GLS-SS-EX-144030</u>	IDEM safety switch, cable-pull interlock, with reset, hazardous location rated, 100m maximum pull cable length, emergency stop, (2) N.C. safety output(s), (2) N.O. monitoring output(s), 316 stainless steel body, pigtail.	Stock	\$1,040.00
<u>GLHL-EX-141020</u>	IDEM safety switch, cable-pull interlock, with reset, hazardous location rated, 125m maximum pull cable length, emergency stop, left hand head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, pigtail.	Stock	\$809.00
<u>GLHR-EX-141022</u>	IDEM safety switch, cable-pull interlock, with reset, hazardous location rated, 125m maximum pull cable length, emergency stop, right hand head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, pigtail.	Stock	\$809.00

<u>GLHD-EX-141018</u>	IDEM safety switch, cable-pull interlock, with reset, hazardous location rated, 250m maximum pull cable length, emergency stop, dual head, (2) N.C. safety output(s), (2) N.O. monitoring output(s), die-cast aluminum body, pigtail.	Stock	\$1,006.00
Intrinsically Safe Isolators			
<u>9146-10-11-12S</u>	STAHL Ispac intrinsically safe frequency transmitter isolator, (1) 0.001 Hz to 20 kHz input, (1) 0-20 mA or 4-20 mA and (2) N.O./N.C. configurable output, 24 VDC operating voltage, screw terminals.	Stock	\$771.00
<u>9146-20-11-11S</u>	STAHL Ispac intrinsically safe frequency transmitter isolator, (2) 0.001 Hz to 20 kHz input, (2) 0-20 mA or (2) 4-20 mA output, 24 VDC operating voltage, screw terminals.	Stock	\$1,001.00
<u>9260-13-11-10S</u>	STAHL Ispac intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, 0-20 mA and 4-20 mA output, 24 VDC operating voltage, screw terminals.	Stock	\$489.00
<u>9260-19-11-10S</u>	STAHL Ispac intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, (2) 0-20 mA and (2) 4-20 mA output, 24 VDC operating voltage, screw terminals.	Stock	\$690.00
<u>9260-23-11-10S</u>	STAHL Ispac intrinsically safe analog input isolator, (2) 0-20 mA or (2) 4-20 mA input, (2) 0-20 mA and (2) 4-20 mA output, 24 VDC operating voltage, screw terminals.	Stock	\$774.00
<u>9165-16-11-11S</u>	STAHL Ispac intrinsically safe analog output isolator, 0-20 mA or 4-20 mA input, 0-20 mA and 4-20 mA output, 24 VDC operating voltage, screw terminals.	Stock	\$546.00
<u>9265-26-11-10S</u>	STAHL Ispac intrinsically safe analog output isolator, (2) 0-20 mA or (2) 4-20 mA input, (2) 0-20 mA or (2) 4-20 mA output, 24 VDC operating voltage, screw terminals.	Stock	\$779.00
<u>9270-11-16-14S</u>	STAHL Ispac intrinsically safe digital input isolator, NAMUR sensor or dry contact input, SPDT relay output, 24 VDC operating voltage, screw terminals.	Stock	\$302.00
<u>9270-21-17-14S</u>	STAHL Ispac intrinsically safe digital input isolator, (2) NAMUR sensors or (2) dry contacts input, (2) N.O. contacts output, 24 VDC operating voltage, screw terminals.	Stock	\$350.00
<u>9170-11-13-21S</u>	STAHL Ispac intrinsically safe digital input isolator, NAMUR sensor or dry contact input, (2) SPDT relay output, 110-230 VAC operating voltage, screw terminals.	Stock	\$220.00
<u>9170-21-12-21S</u>	STAHL Ispac intrinsically safe digital input isolator, (2) NAMUR sensors or (2) dry contacts input, (2) SPDT relay output, 110-230 VAC operating voltage, screw terminals.	Stock	\$271.00
<u>9172-20-11-00S</u>	STAHL Ispac intrinsically safe relay input isolator, Ex-i 14-30 VDC input, (2) SPDT relays output, 24 VDC operating voltage, screw terminals.	Stock	\$296.00
<u>9275-10-24-48-11S</u>	STAHL Ispac intrinsically safe digital output isolator, 15-30 VDC input, 48 mA at 9.7 VDC output, 24 VDC operating voltage, screw terminals.	Stock	\$364.00
<u>9175-20-14-11S</u>	STAHL Ispac intrinsically safe digital output isolator, (2) 15-31.2 VDC input, (2) 43 mA at 12 VDC output, 24 VDC operating voltage, screw terminals.	Stock	\$509.00
<u>9182-10-51-11S</u>	STAHL Ispac intrinsically safe temperature input isolator, RTD or thermocouple input, 0-20 mA and 4-20 mA output, 24 VDC operating voltage, screw terminals.	Stock	\$625.00
<u>9180-10-77-11S</u>	STAHL Ispac intrinsically safe temperature repeater isolator, Pt100 RTD input, resistance equal to input output, 24 VDC operating voltage, screw terminals.	Stock	\$525.00
<u>9180-20-77-11S</u>	STAHL Ispac intrinsically safe temperature repeater isolator, Pt100 RTD input, (2) resistance equal to input output, 24 VDC operating voltage, screw terminals.	Stock	\$768.00
<u>RN22-CB1A-LT</u>	Endress+Hauser intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, 0-20 mA or 4-20 mA output, 19.2-30 VDC operating voltage, screw terminals.	Stock	\$241.00
<u>RN22-CB1B-LT</u>	Endress+Hauser intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, 0-20 mA or 4-20 mA output, 19.2-30 VDC operating voltage, push-in terminals.	Stock	\$241.00
<u>RN22-CB2A-LT</u>	Endress+Hauser intrinsically safe analog input isolator, (2) 0-20 mA or (2) 4-20 mA input, (2) 0-20 mA or (2) 4-20 mA output, 19.2-30 VDC operating voltage, screw terminals.	Stock	\$324.00
<u>RN22-CB2B-LT</u>	Endress+Hauser intrinsically safe analog input isolator, (2) 0-20 mA or (2) 4-20 mA input, (2) 0-20 mA or (2) 4-20 mA output, 19.2-30 VDC operating voltage, push-in terminals.	Stock	\$324.00
<u>RN22-CB3A-LT</u>	Endress+Hauser intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, (2) 0-20 mA or (2) 4-20 mA output, 19.2-30 VDC operating voltage, screw terminals.	Stock	\$316.00
<u>RN22-CB3B-LT</u>	Endress+Hauser intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, (2) 0-20 mA or (2) 4-20 mA output, 19.2-30 VDC operating voltage, push-in terminals.	Stock	\$316.00
<u>RN42-CB1AO-LT</u>	Endress+Hauser intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, 0-20 mA or 4-20 mA output, 19.2-253 VAC/VDC operating voltage, screw terminals.	Stock	\$261.00
<u>RN42-CB1BO-LT</u>	Endress+Hauser intrinsically safe analog input isolator, 0-20 mA or 4-20 mA input, 0-20 mA or 4-20 mA output, 19.2-253 VAC/VDC operating voltage, push-in terminals.	Stock	\$261.00
Intrinsically Safe Barriers			
<u>9002/13-280-110-001</u>	STAHL intrinsically safe Zener barrier, common usage: 4 - 20mA transmitters and PNP Sensors, 24 VDC operating voltage, screw terminals.	Stock	\$269.00
<u>9002/11-280-186-001</u>	STAHL intrinsically safe Zener barrier, common usage: NPN sensors and dry contacts, 24 VDC operating voltage, screw terminals.	Stock	\$213.00
<u>9002/22-158-200-001</u>	STAHL intrinsically safe Zener barrier, common usage: 11V pulse trains, 24 VDC operating voltage, screw terminals.	Stock	\$201.00
<u>9002/22-240-024-001</u>	STAHL intrinsically safe Zener barrier, common usage: 18V pulse trains, 24 VDC operating voltage, screw terminals.	Stock	\$201.00

<u>9002/11-130-360-001</u>	STAHL intrinsically safe Zener barrier, common usage: 10 VDC strain gauge excitation, 24 VDC operating voltage, screw terminals.	Stock	\$252.00
<u>9002/11-120-024-001</u>	STAHL intrinsically safe Zener barrier, common usage: 10 VDC strain gauge signal, 24 VDC operating voltage, screw terminals.	Stock	\$252.00
<u>9002-77-093-300001</u>	STAHL intrinsically safe Zener barrier, common usage: temperature repeater, 24 VDC operating voltage, screw terminals.	Stock	\$210.00
Isolator and Barrier Accessories			
<u>9193/21-11-11S</u>	STAHL supply module, 24 VDC, 4A. For use with Stahl ISpac pac-bus.	Stock	\$269.00
<u>9199-20-02</u>	STAHL configuration set, for use with STAHL 9146 and 9182 isolators.	Stock	\$324.00
<u>9194-50-01</u>	STAHL ISpac pac-Bus end terminal set, for use with 9294-31-12 and 9194-31-17 pac-Bus terminals.	Stock	\$23.50
<u>9294-31-12</u>	STAHL ISpac pac-Bus terminal, for use with STAHL 12.5mm ISpac isolators.	Stock	\$30.50
<u>9194-31-17</u>	STAHL ISpac pac-Bus terminal, for use with STAHL 17.6mm ISpac isolators.	Stock	\$23.50
<u>9191-VS-05</u>	STAHL external reference junction (CJC), for use with 9182-10-51-11S temperature input isolator.	Stock	\$120.00
<u>158964</u>	STAHL fuse, package of 5. For use with STAHL 9001 Zener barriers.	Stock	\$42.00
<u>111412</u>	STAHL fuse, package of 10. For use with STAHL 9193 supply modules.	Stock	\$40.00
Safety Light Curtains for Finger Protection			
<u>SH4-14-0300-B-5</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 300mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$734.00
<u>SH4-14-0450-B-5</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 450mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$920.00
<u>SH4-14-0600-B-5</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 600mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,153.00
<u>SH4-14-0750-B-5</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 750mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,349.00
<u>SH4-14-0900-B-5</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 900mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,573.00
<u>SH4-14-1050-B-5</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 1050mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,771.00
<u>SH4-14-1200-B-5</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 1200mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,971.00
<u>SH4-14-0300-S-8</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 300mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$792.00
<u>SH4-14-0450-S-8</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 450mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$993.00
<u>SH4-14-0600-S-8</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 600mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,256.00
<u>SH4-14-0750-S-8</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 750mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,470.00
<u>SH4-14-0900-S-8</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 900mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,730.00
<u>SH4-14-1050-S-8</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 1050mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,948.00
<u>SH4-14-1200-S-8</u>	Datasensing safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 1200mm protected height, 0.2-10m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$2,168.00
<u>SG4-14-015-OO-E</u>	Datalogic safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 150mm protected height, 0.2-6m operating distance, safety category Type 4, IP65, (1) 4-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$606.00

[illegible]

<u>YBB-14K4-0700-G012</u>	Contrinex safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 653mm protected height, 0.25-3.5m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,252.00
<u>YBB-14K4-0800-G012</u>	Contrinex safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 782mm protected height, 0.25-3.5m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,407.00
<u>YBB-14K4-0900-G012</u>	Contrinex safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 911mm protected height, 0.25-3.5m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,562.00
<u>YBB-14K4-1000-G012</u>	Contrinex safety light curtain, sender/receiver pair, finger protection, 24 VDC, 14mm resolution, 1040mm protected height, 0.25-3.5m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,729.00
Safety Light Curtains for Hand Protection			
<u>SH4-30-0300-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 300mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$662.00
<u>SH4-30-0450-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 450mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$799.00
<u>SH4-30-0600-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 600mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$934.00
<u>SH4-30-0750-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 750mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$989.00
<u>SH4-30-0900-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 900mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,115.00
<u>SH4-30-1050-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1050mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,241.00
<u>SH4-30-1200-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1200mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,370.00
<u>SH4-30-1350-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1350mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,495.00
<u>SH4-30-1500-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1500mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,622.00
<u>SH4-30-1650-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1650mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,748.00
<u>SH4-30-1800-B-5</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1800mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnect.	Stock	\$1,876.00
<u>SH4-30-0300-S-8</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 300mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$716.00
<u>SH4-30-0450-S-8</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 450mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$873.00
<u>SH4-30-0600-S-8</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 600mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,036.00
<u>SH4-30-0750-S-8</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 750mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,146.00
<u>SH4-30-0900-S-8</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 900mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,276.00
<u>SH4-30-1050-S-8</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1050mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,428.00
<u>SH4-30-1200-S-8</u>	Datasensing safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1200mm protected height, 0.2-20m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,587.00

[illegible]

[illegible]

<u>YBB-30K4-1300-G012</u>	Contrinex safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1306mm protected height, 0.25-12m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,327.00
<u>YBB-30K4-1400-G012</u>	Contrinex safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1435mm protected height, 0.25-12m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,458.00
<u>YBB-30K4-1600-G012</u>	Contrinex safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1564mm protected height, 0.25-12m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,596.00
<u>YBB-30K4-1700-G012</u>	Contrinex safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1693mm protected height, 0.25-12m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,653.00
<u>YBB-30K4-1800-G012</u>	Contrinex safety light curtain, sender/receiver pair, hand protection, 24 VDC, 30mm resolution, 1822mm protected height, 0.25-12m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$1,748.00
Safety Light Curtains for Body Protection			
<u>SH4-3-0800-S-8</u>	Datasensing safety light curtain, sender/receiver pair, body protection, 24 VDC, 400mm resolution, 800mm protected height, 0.5-70m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$706.00
<u>SH4-4-0900-S-8</u>	Datasensing safety light curtain, sender/receiver pair, body protection, 24 VDC, 300mm resolution, 900mm protected height, 0.5-70m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$754.00
<u>SH4-4-1200-S-8</u>	Datasensing safety light curtain, sender/receiver pair, body protection, 24 VDC, 400mm resolution, 1200mm protected height, 0.5-70m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$851.00
<u>YCA-50K4-3400-G012</u>	Contrinex safety light curtain, sender/receiver pair, body protection, 24 VDC, 400mm resolution, 832mm protected height, 1-50m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$813.00
<u>YCA-50K4-4300-G012</u>	Contrinex safety light curtain, sender/receiver pair, body protection, 24 VDC, 300mm resolution, 932mm protected height, 1-50m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$881.00
<u>YCA-50K4-4400-G012</u>	Contrinex safety light curtain, sender/receiver pair, body protection, 24 VDC, 400mm resolution, 1232mm protected height, 1-50m operating distance, safety category Type 4, IP65 IP67, (2) 5-pin M12 quick-disconnects.	Stock	\$944.00
<u>S-3B</u>	ReeR safety light curtain, sender/receiver pair, body protection, 24 VDC, 400mm resolution, 810mm protected height, 0-12m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,078.00
<u>S-4B</u>	ReeR safety light curtain, sender/receiver pair, body protection, 24 VDC, 300mm resolution, 910mm protected height, 0-12m operating distance, safety category Type 4, IP65 IP67, (1) 5-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$1,215.00
<u>S-3B-TRX</u>	ReeR safety light curtain, active/passive pair, body protection, 24 VDC, 400mm resolution, 810mm protected height, 0-8m operating distance, safety category Type 4, IP65 IP67, (1) 8-pin M12 quick-disconnect.	Stock	\$1,040.00
<u>S-4B-TRX</u>	ReeR safety light curtain, active/passive pair, body protection, 24 VDC, 300mm resolution, 910mm protected height, 0-8m operating distance, safety category Type 4, IP65 IP67, (1) 8-pin M12 quick-disconnect.	Stock	\$1,111.00
<u>SMO-3B</u>	ReeR safety light curtain, sender/receiver pair, body protection, 24 VDC, 400mm resolution, 810mm protected height, 0-12m operating distance, safety category Type 4, IP65 IP67, (6) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,083.00
<u>SMO-4B</u>	ReeR safety light curtain, sender/receiver pair, body protection, 24 VDC, 300mm resolution, 910mm protected height, 0-12m operating distance, safety category Type 4, IP65 IP67, (6) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,164.00
<u>SMO-3B-TRX</u>	ReeR safety light curtain, active/passive pair, body protection, 24 VDC, 400mm resolution, 810mm protected height, 0-8m operating distance, safety category Type 4, IP65 IP67, (3) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,083.00
<u>SMO-4B-TRX</u>	ReeR safety light curtain, active/passive pair, body protection, 24 VDC, 300mm resolution, 910mm protected height, 0-8m operating distance, safety category Type 4, IP65 IP67, (3) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,164.00
<u>SMPO-3B</u>	ReeR safety light curtain, sender/receiver pair, body protection, 24 VDC, 400mm resolution, 810mm protected height, 0-12m operating distance, safety category Type 4, configurable, IP65 IP67, (6) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,107.00
<u>SMPO-4B</u>	ReeR safety light curtain, sender/receiver pair, body protection, 24 VDC, 300mm resolution, 910mm protected height, 0-12m operating distance, safety category Type 4, configurable, IP65 IP67, (6) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,265.00
<u>SMPO-3B-TRX</u>	ReeR safety light curtain, active/passive pair, body protection, 24 VDC, 400mm resolution, 810mm protected height, 0-8m operating distance, safety category Type 4, configurable, IP65 IP67, (3) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,107.00

<u>SMPO-4B-TRX</u>	ReeR safety light curtain, active/passive pair, body protection, 24 VDC, 300mm resolution, 910mm protected height, 0-8m operating distance, safety category Type 4, configurable, IP65 IP67, (3) 5-pin and (1) 12-pin M12 quick-disconnect.	Stock	\$1,265.00
Mirrors and Protective Columns for Safety Light Curtains			
<u>YXC-0985-F00</u>	Contrinex protective column, 965mm housing. For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-0800-xxxx units. Mounting hardware included.	Stock	\$434.00
<u>YXC-1285-F00</u>	Contrinex protective column, 1265mm housing. For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-1000-xxxx units, YCA-xxxx-3400-xxxx. Mounting hardware included.	Stock	\$478.00
<u>YXC-1740-F00</u>	Contrinex protective column, 1720mm housing. For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-1400-xxxx units and YCA-xxxx-3400-xxxx and YCA-xxxx-4400-xxxx units. Mounting hardware included.	Stock	\$518.00
<u>YXC-2040-F00</u>	Contrinex protective column, 2020mm housing. For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-1700-xxxx units, YCA-xxxx-3400-xxxx and YCA-xxxx-4400-xxxx units. Mounting hardware included.	Stock	\$539.00
<u>YXC-1280-M11</u>	Contrinex mirror column, 1281mm housing, 1082mm mirror(s). For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-0900-xxxx units, YCA-xxxx-3400-xxxx. Mounting hardware included.	Stock	\$767.00
<u>YXC-1715-M11</u>	Contrinex mirror column, 1716mm housing, 1532mm mirror(s). For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-1400-xxxx units, YCA-xxxx-3400-xxxx and YCA-xxxx-4400-xxxx units. Mounting hardware included.	Stock	\$905.00
<u>YXC-2015-M11</u>	Contrinex mirror column, 2016mm housing, 1682mm mirror(s). For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-1600-xxxx units and YCA-xxxx-3400-xxxx and YCA-xxxx-4400-xxxx units. Mounting hardware included.	Stock	\$1,047.00
<u>YXC-2215-M11</u>	Contrinex mirror column, 2216mm housing, 1832mm mirror(s). For use with safety light curtains. Suitable for YBB-xxxx-0150-xxxx to YBB-xxxx-1700-xxxx units, YCA-xxxx-3400-xxxx and YCA-xxxx-4400-xxxx units. Mounting hardware included.	Stock	\$1,192.00
<u>YXC-1185-M23</u>	Contrinex mirror column, 1185mm housing, (3) 90mm mirror(s). For use with safety light curtains. Suitable for YCA-xxxx-3400-xxxx units. Mounting hardware included.	Stock	\$468.00
<u>YXC-1285-M24</u>	Contrinex mirror column, 1285mm housing, (4) 90mm mirror(s). For use with safety light curtains. Suitable for YCA-xxxx-4300-xxxx units. Mounting hardware included.	Stock	\$558.00
<u>FMC-SGB3</u>	ReeR protective column, 1200mm housing. For use with ReeR Safegate light curtains.	Stock	\$258.00
<u>FMC-SGB4</u>	ReeR protective column, 1330mm housing. For use with ReeR Safegate light curtains.	Stock	\$274.00
<u>FMC-S3</u>	ReeR mirror column, 1200mm housing, 1198mm mirror(s). For use with ReeR Safegate light curtains.	Stock	\$305.00
<u>FMC-S4</u>	ReeR mirror column, 1330mm housing, 1328mm mirror(s). For use with ReeR Safegate light curtains.	Stock	\$331.00
<u>FMC-SB3</u>	ReeR mirror column, 1200mm housing, (3) 150mm mirror(s). For use with ReeR Safegate light curtains.	Stock	\$616.00
<u>FMC-SB4</u>	ReeR mirror column, 1330mm housing, (4) 150mm mirror(s). For use with ReeR Safegate light curtains.	Stock	\$709.00
<u>FMC-CB</u>	ReeR column base, 202 x 224 x 55mm housing. For use with ReeR Safegate light curtains. Mounting hardware included.	Stock	\$190.00
<u>FMC-CBL</u>	ReeR column base, 202 x 224 x 37mm housing. For use with ReeR Safegate light curtains. Mounting hardware included.	Stock	\$77.00
Muting Arms and Muting Sensors for Safety Light Curtains			
<u>SG-L-ARMS</u>	Datalogic L-type muting arm pair, for use with SG4 series (-P) light curtains.	Stock	\$429.00
<u>SG-T-ARMS</u>	Datalogic T-type muting arm pair, for use with SG4 series (-P) light curtains.	Stock	\$747.00
<u>MA-L2X</u>	ReeR L-type muting arm pair, sender/receiver pair, 2 crossed beams, one way. For use with ReeR Safegate light curtains.	Stock	\$348.00
<u>MA-L2P-TRX</u>	ReeR L-type muting arm pair, active/passive pair, 2 parallel beams, one way. For use with ReeR Safegate light curtains.	Stock	\$355.00
<u>MA-T2X</u>	ReeR T-type muting arm pair, sender/receiver pair, 2 crossed beams, two way. For use with ReeR Safegate light curtains.	Stock	\$523.00
<u>MA-T4P-TRX</u>	ReeR T-type muting arm pair, active/passive pair, 4 parallel beams, two way. For use with ReeR Safegate light curtains.	Stock	\$656.00
<u>MZ-L2XP</u>	ReeR L-type muting bracket pair, sender/receiver pair, 2 crossed or parallel beams, one way. For use with ReeR Safegate light curtains.	Stock	\$406.00
<u>MZ-L2XP-TRX</u>	ReeR L-type muting bracket pair, active/passive pair, 2 crossed or parallel beams, one way. For use with ReeR Safegate light curtains.	Stock	\$407.00
<u>MZ-T2X</u>	ReeR T-type muting bracket pair, sender/receiver pair, 2 crossed beams, two way. For use with ReeR Safegate light curtains.	Stock	\$549.00
<u>MZ-T2X-TRX</u>	ReeR T-type muting bracket pair, active/passive pair, 2 crossed beams, two way. For use with ReeR Safegate light curtains.	Stock	\$476.00
<u>MZ-T4P</u>	ReeR T-type muting bracket pair, sender/receiver pair, 4 parallel beams, two way. For use with ReeR Safegate light curtains.	Stock	\$794.00

<u>MZ-T4P-TRX</u>	ReeR T-type muting bracket pair, active/passive pair, 4 parallel beams, two way. For use with ReeR Safegate light curtains.	Stock	\$814.00
<u>M5-A</u>	ReeR muting sensor, sender/receiver pair, A coding. For use with ReeR Safegate light curtains.	Stock	\$182.00
<u>M5-B</u>	ReeR muting sensor, sender/receiver pair, B coding. For use with ReeR Safegate light curtains.	Stock	\$178.00
<u>M-TRX-A</u>	ReeR muting sensor, sender, A coding. For use with ReeR Safegate light curtains.	Stock	\$132.00
<u>M-TRX-B</u>	ReeR muting sensor, sender, B coding. For use with ReeR Safegate light curtains.	Stock	\$134.00
<u>C3F10</u>	ReeR reflector, rectangular, 30 x 116mm. For use with M-TRX-A or M-TRX-B.	Stock	\$16.50
<u>C3F8</u>	ReeR reflector, rectangular, 30 x 78mm. For use with M-TRX-A or M-TRX-B.	Stock	\$29.00
<u>CD8</u>	ReeR reflector, round, 84mm. For use with M-TRX-A or M-TRX-B.	Stock	\$16.00
<u>CS-F1-80-B-0005</u>	Datalogic cable, cascading, 18-pin proprietary to 18-pin proprietary, PVC.	Stock	\$34.50
<u>CS-F1-80-B-005</u>	Datalogic cable, cascading, 18-pin proprietary to 18-pin proprietary, PVC, 1.6ft/0.5m cable length.	Stock	\$34.50
<u>CS-F1-80-B-01</u>	Datalogic cable, cascading, 18-pin proprietary to 18-pin proprietary, PVC, 3.2ft/1m cable length.	Stock	\$51.00
<u>CS-G1-50-B-002</u>	Datalogic cable, emitter, 18-pin proprietary to 5-pin M12 quick-disconnect, PVC, 0.6ft/0.2m cable length.	Stock	\$41.00
<u>CS-G1-70-B-002</u>	Datalogic cable, blanking, 18-pin proprietary to 12-pin M12 quick-disconnect, PVC, 0.6ft/0.2m cable length.	Stock	\$41.00
<u>CS-R1-75-B-002</u>	Datalogic cable, muting, 18-pin proprietary to (1) 5-pin M12 quick-disconnect and (1) 12-pin M12 quick-disconnect, PVC, 0.6ft/0.2m cable length.	Stock	\$52.00
<u>CV-L1-02-B-007</u>	Datalogic cable, L-muting, 5-pin M12 quick-disconnect to 5-pin M12 quick-disconnect, PVC, 1.6ft/0.5m cable length.	Stock	\$33.00
<u>CV-Y1-02-B-007</u>	Datalogic cable, T-muting, (1) 5-pin M12 quick-disconnect to (2) 5-pin M12 quick-disconnect, PVC, 1.6ft/0.5m cable length.	Stock	\$39.00
<u>CSY12RX</u>	ReeR muting receiver cable, 5-pin M12 quick-disconnect to (2) 5-pin M12 quick-disconnects, 5-pole, 24 VDC, PVC jacket, black, unshielded, 1.3ft/400mm cable length, IP67.	Stock	\$58.00
<u>CSY12TX</u>	ReeR muting emitter cable, 5-pin M12 quick-disconnect to (2) 5-pin M12 quick-disconnects, 5-pole, 24 VDC, PVC jacket, black, unshielded, 1.3ft/400mm cable length, IP67.	Stock	\$58.00
<u>CS12USB</u>	ReeR programming cable, USB Type A male to 5-pin M12 quick-disconnect, 5-pole, PVC jacket, black, unshielded, 6.5ft/2m cable length.	Stock	\$49.50
Accessories for Safety Light Curtains			
<u>SH-LP</u>	Datasensing laser alignment tool, Class 2 red laser light emission, 50m operating range. For use with SG4 and SH4 series light curtains. 2 AAA batteries included.	Stock	\$290.00
<u>SH-PLUG-5</u>	Datasensing cable, emitter or receiver, 5-pin M12 quick-disconnect to 30-pin proprietary, 0.6ft/0.2m cable length.	Stock	\$58.00
<u>ST-K4ROT-SH</u>	Datasensing mounting bracket, zinc plated steel, top and bottom mount. Package of 4. For use with SH4 series light curtains.	Stock	\$73.00
<u>SH-PLUG-8</u>	Datasensing cable, emitter or receiver, 8-pin M12 quick-disconnect to 30-pin proprietary, 0.6ft/0.2m cable length.	Stock	\$94.00
<u>SFB-4SG</u>	ReeR mounting bracket, replacement, standard, zinc plated steel. Package of 4. For use with ReeR Safegate light curtains. Mounting hardware included.	Stock	\$63.00
<u>SFB-6SG</u>	ReeR mounting bracket, replacement, standard, zinc plated steel. Package of 6. For use with ReeR Safegate light curtains. Mounting hardware included.	Stock	\$93.00
<u>ST-K4AV</u>	Datalogic anti-vibration mounting bracket, zinc plated steel, anti-vibration mount. Package of 4. For use with SG4 and SH4 series light curtains.	Stock	\$22.00
<u>ST-K4OR</u>	Datalogic mounting bracket, lateral orientable, zinc plated steel, lateral orientable mount. Package of 4. For use with SG4 and SH4 series light curtains.	Stock	\$52.00
<u>ST-K4ROT</u>	Datalogic mounting bracket, top and bottom, zinc plated steel, top and bottom mount. Package of 4. For use with SG4 series (-E) light curtains.	Stock	\$22.00
<u>ST-KSTD</u>	Datalogic mounting bracket, replacement, standard, zinc plated steel, standard mount. Package of 4. For use with SG4 and SH4 series light curtains.	Stock	\$11.00
<u>SG4-DONGLE</u>	Datalogic programming dongle, requires programming software included with SG4 (-P) light curtains.	Stock	\$241.00
<u>SG-EXTENDED-GUI</u>	Programming and monitoring software, CD. For use with SG4 series (-P) light curtains.	Stock	\$23.50
<u>TP-14</u>	Datalogic test rod, plastic, 14mm diameter.	Stock	\$26.00
<u>TP-30</u>	Datalogic test rod, plastic, 30mm diameter.	Stock	\$28.00
<u>YXW-0001-000</u>	Contrinex mounting bracket, replacement, top and bottom, plastic, top and bottom mount. Package of 2. For use with YBB and YCA series light curtain models.	Stock	\$8.25
<u>YXW-0003-000</u>	Contrinex T-nuts, metal, M5 x 0.8. Package of 2. For use with YBB and YCA series light curtain models.	Stock	\$8.25

<u>YXW-0005-000</u>	Contrinex mounting bracket, glass fiber reinforced polyamide, top and bottom mount. Package of 2. For use with YBxS series light curtains.	Stock	\$11.00
<u>YXW-0006-000</u>	Contrinex mounting bracket, stainless steel, side mount. Package of 2. For use with YBxS series light curtains.	Stock	\$23.00
<u>YXW-0007-000</u>	Contrinex mounting bracket, stainless steel, side or end mount. Package of 2. For use with YBxS series light curtains.	Stock	\$21.00
<u>YXL-0001-000</u>	Contrinex laser alignment tool, Class 2 laser light emission, 50m operating range. For use with YBB and YCA series light curtain models. 2 AA batteries included.	Stock	\$294.00

Safety Laser Scanners

<u>SLS-SA3-08</u>	Datalogic safety laser scanner, area protection, 275 degrees operating angle, 0.05 - 3m operating distance, (1) safety zone, (2) warning zones, 24 VDC, safety category Type 3, IP65, (1) 4-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$2,312.00
<u>SLS-SA5-08</u>	Datalogic safety laser scanner, area protection, 275 degrees operating angle, 0.05 - 5.5m operating distance, (1) safety zone, (2) warning zones, 24 VDC, safety category Type 3, IP65, (1) 4-pin and (1) 8-pin M12 quick-disconnect.	Stock	\$2,814.00
<u>SLS-BRACKET-A</u>	Datalogic Sentinel series mounting bracket, zinc plated steel, complete mount. For use with Datalogic safety laser scanner. Mounting hardware included.	Stock	\$106.00
<u>SLS-BRACKET-B</u>	Datalogic Sentinel series mounting bracket, zinc plated steel, pitch regulation mount. For use with Datalogic safety laser scanner. Mounting hardware included.	Stock	\$67.00
<u>SLS-BRACKET-C</u>	Datalogic Sentinel series mounting bracket, zinc plated steel, head protective mount. For use with Datalogic safety laser scanner. Mounting hardware included.	Stock	\$39.00
<u>SLS-WINDOW</u>	Datalogic window, replacement. For use with Datalogic safety laser scanner.	Stock	\$289.00

Z-Range Non-Contact Safety Switches

<u>LPZ-M-402002</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 91 x 26mm, pigtail, 16.4ft/5m cable length.	Stock	\$170.00
<u>LPZ-M-402003</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 91 x 26mm, pigtail, 32.8ft/10m cable length.	Stock	\$183.00
<u>LPZ-M-402004</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 91 x 26mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$189.00
<u>LPZ-402200</u>	IDEM Z-Range safety switch actuator, replacement, non-contact master coded RFID, polyester housing, 89 x 26mm.	Stock	\$49.00
<u>LPZ-U-402102</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 91 x 26mm, pigtail, 16.4ft/5m cable length.	Stock	\$170.00
<u>LPZ-U-402103</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 91 x 26mm, pigtail, 32.8ft/10m cable length.	Stock	\$183.00
<u>LPZ-U-402104</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 91 x 26mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$189.00
<u>LMZ-M-412001</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 88 x 25mm, pigtail, 16.4ft/5m cable length.	Stock	\$261.00
<u>LMZ-M-412002</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 88 x 25mm, pigtail, 32.8ft/10m cable length.	Stock	\$275.00
<u>LMZ-M-412003</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 88 x 25mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$281.00
<u>LMZ-412200</u>	IDEM Z-Range safety switch actuator, replacement, non-contact master coded RFID, 316 stainless steel housing, 88 x 25mm.	Stock	\$72.00
<u>LMZ-U-412101</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 88 x 25mm, pigtail, 16.4ft/5m cable length.	Stock	\$261.00
<u>LMZ-U-412102</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 88 x 25mm, pigtail, 32.8ft/10m cable length.	Stock	\$275.00
<u>LMZ-U-412103</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 88 x 25mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$281.00
<u>BPZ-M-410001</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 18mm diameter x 73mm body, pigtail, 16.4ft/5m cable length.	Stock	\$173.00
<u>BPZ-M-410002</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 18mm diameter x 73mm body, pigtail, 32.8ft/10m cable length.	Stock	\$187.00
<u>BPZ-M-410003</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 18mm diameter x 73mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$193.00
<u>BPZ-410200</u>	IDEM Z-Range safety switch actuator, replacement, non-contact master coded RFID, polyester housing, 33 x 33mm.	Stock	\$47.50
<u>BPZ-U-410101</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 18mm diameter x 73mm body, pigtail, 16.4ft/5m cable length.	Stock	\$173.00

<u>BPZ-U-410102</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 18mm diameter x 73mm body, pigtail, 32.8ft/10m cable length.	Stock	\$187.00
<u>BPZ-U-410103</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), polyester housing, 18mm diameter x 73mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$193.00
<u>BMZ-M-411001</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 18mm diameter x 73mm body, pigtail, 16.4ft/5m cable length.	Stock	\$261.00
<u>BMZ-M-411002</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 18mm diameter x 73mm body, pigtail, 32.8ft/10m cable length.	Stock	\$275.00
<u>BMZ-M-411003</u>	IDEM Z-Range safety switch set, non-contact master coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 18mm diameter x 73mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$281.00
<u>BMZ-411200</u>	IDEM Z-Range safety switch actuator, replacement, non-contact master coded RFID, 316 stainless steel housing, 33 x 33mm.	Stock	\$72.00
<u>BMZ-U-411101</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 18mm diameter x 73mm body, pigtail, 16.4ft/5m cable length.	Stock	\$261.00
<u>BMZ-U-411102</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 18mm diameter x 73mm body, pigtail, 32.8ft/10m cable length.	Stock	\$275.00
<u>BMZ-U-411103</u>	IDEM Z-Range safety switch set, non-contact uniquely coded RFID, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 18mm diameter x 73mm body, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$281.00

Z-Range Solenoid Locking RFID Tongue Interlock Safety Switches

<u>KLP-Z-455002AZ</u>	IDEM safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 2000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), polyester body, (2) 1/2in NPT cable entries.	Stock	\$358.00
<u>KLP-Z-455002HFZ</u>	IDEM safety switch, flexible tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 2000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), polyester body, (2) 1/2in NPT cable entries.	Stock	\$397.00
<u>KLP-Z-455003AZ</u>	IDEM safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 2000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), polyester body, 8-pin M12 quick-disconnect.	Stock	\$434.00
<u>KLP-Z-455003HFZ</u>	IDEM safety switch, flexible tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 2000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), polyester body, 8-pin M12 quick-disconnect.	Stock	\$473.00
<u>KLM-Z-454002AZ</u>	IDEM safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), die-cast aluminum body, (2) 1/2in NPT cable entries.	Stock	\$425.00
<u>KLM-Z-454002HFZ</u>	IDEM safety switch, flexible tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), die-cast aluminum body, (2) 1/2in NPT cable entries.	Stock	\$464.00
<u>KLM-Z-454003AZ</u>	IDEM safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), die-cast aluminum body, 8-pin M12 quick-disconnect.	Stock	\$501.00
<u>KLM-Z-454003HFZ</u>	IDEM safety switch, flexible tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), die-cast aluminum body, 8-pin M12 quick-disconnect.	Stock	\$540.00
<u>KL3-SS-Z-456002AZ</u>	IDEM safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), 316 stainless steel body, (2) 1/2in NPT cable entries.	Stock	\$597.00
<u>KL3-SS-Z-456002HFZ</u>	IDEM safety switch, flexible tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), 316 stainless steel body.	Stock	\$639.00
<u>KL3-SS-Z-456003AZ</u>	IDEM safety switch, tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), 316 stainless steel body, 8-pin M12 quick-disconnect.	Stock	\$679.00
<u>KL3-SS-Z-456003HFZ</u>	IDEM safety switch, flexible tongue (key) interlock uniquely coded RFID, solenoid, 24 VDC to unlock, 90-degree adjustable head, 3000N holding force, (2) OSSD safety output(s), (2) status monitoring output(s), 316 stainless steel body.	Stock	\$720.00

Z-Range Tongue Interlock Safety Switches

<u>KM-SS-204300-Z</u>	IDEM Z-Range safety switch, tongue (key) interlock, 90-degree adjustable head, (2) OSSD safety output(s), (1) status monitoring output(s), (3) status LEDs, 41 x 118 x 41mm, 316 stainless steel body, 316 stainless steel head.	Stock	\$347.00
---------------------------------------	--	-------	----------

<u>KM-203300-Z</u>	IDEM Z-Range safety switch, tongue (key) interlock, 90-degree adjustable head, (2) OSSD safety output(s), (1) status monitoring output(s), (3) status LEDs, 40 x 118 x 41mm, die-cast aluminum body, die-cast aluminum head.	Stock	\$262.00
Z-Range Hinge Interlock Safety Switches			
<u>HS-SS-Z-RH-352001</u>	IDEM Z-Range safety switch, right hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 120 x 66mm, pigtail, 16.4ft/5m cable length.	Stock	\$342.00
<u>HS-SS-Z-RH-352002</u>	IDEM Z-Range safety switch, right hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 120 x 66mm, pigtail, 32.8ft/10m cable length.	Stock	\$350.00
<u>HS-SS-Z-RH-352003</u>	IDEM Z-Range safety switch, right hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 120 x 66mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$368.00
<u>HS-SS-Z-LH-352004</u>	IDEM Z-Range safety switch, left hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 120 x 66mm, pigtail, 16.4ft/5m cable length.	Stock	\$342.00
<u>HS-SS-Z-LH-352005</u>	IDEM Z-Range safety switch, left hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 120 x 66mm, pigtail, 32.8ft/10m cable length.	Stock	\$350.00
<u>HS-SS-Z-LH-352006</u>	IDEM Z-Range safety switch, left hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), 316 stainless steel housing, 120 x 66mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$368.00
<u>HS-SS-Z-350020</u>	IDEM Z-Range blank hinge, 316 stainless steel housing, 120 x 66mm.	Stock	\$152.00
<u>HSM-Z-RH-353001</u>	IDEM Z-Range safety switch, right hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), die-cast aluminum alloy housing, 120 x 66mm, pigtail, 16.4ft/5m cable length.	Stock	\$254.00
<u>HSM-Z-RH-353002</u>	IDEM Z-Range safety switch, right hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), die-cast aluminum alloy housing, 120 x 66mm, pigtail, 32.8ft/10m cable length.	Stock	\$261.00
<u>HSM-Z-RH-353003</u>	IDEM Z-Range safety switch, right hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), die-cast aluminum alloy housing, 120 x 66mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$278.00
<u>HSM-Z-LH-353004</u>	IDEM Z-Range safety switch, left hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), die-cast aluminum alloy housing, 120 x 66mm, pigtail, 16.4ft/5m cable length.	Stock	\$254.00
<u>HSM-Z-LH-353005</u>	IDEM Z-Range safety switch, left hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), die-cast aluminum alloy housing, 120 x 66mm, pigtail, 32.8ft/10m cable length.	Stock	\$261.00
<u>HSM-Z-LH-353006</u>	IDEM Z-Range safety switch, left hand door hinge interlock, (2) OSSD safety output(s), (1) status monitoring output(s), die-cast aluminum alloy housing, 120 x 66mm, 8-pin M12 quick-disconnect, 9.8in/250mm cable length.	Stock	\$278.00
<u>HSM-Z-351020</u>	IDEM Z-Range blank hinge, die-cast aluminum alloy housing, 120 x 66mm.	Stock	\$73.00
<u>HSM-Z-350025</u>	IDEM mounting bracket, for use with IDEM Z-Range door hinge switches.	Stock	\$36.00
Z-Range Cable-Pull Safety Switches			
<u>GLM-143300-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 50m maximum pull cable length, emergency stop, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, die-cast aluminum body, 8-pin M12 quick-disconnect.	Stock	\$391.00
<u>GLM-SS-148300-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 50m maximum pull cable length, emergency stop, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, 316 stainless steel body, 8-pin M12 quick-disconnect.	Stock	\$571.00
<u>GLHD-141300-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 250m maximum pull cable length, emergency stop, dual head, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, die-cast aluminum body, 8-pin M12 quick-disconnect.	Stock	\$558.00
<u>GLHL-141301-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 125m maximum pull cable length, emergency stop, left hand head, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, die-cast aluminum body, 8-pin M12 quick-disconnect.	Stock	\$403.00
<u>GLHR-141302-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 125m maximum pull cable length, emergency stop, right hand head, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, die-cast aluminum body, 8-pin M12 quick-disconnect.	Stock	\$403.00
<u>GLS-142300-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 80m maximum pull cable length, emergency stop, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, die-cast aluminum body, 8-pin M12 quick-disconnect.	Stock	\$390.00
<u>GLS-SS-144300-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 100m maximum pull cable length, emergency stop, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, 316 stainless steel body, 8-pin M12 quick-disconnect.	Stock	\$651.00
<u>GLHD-SS-145300-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 250m maximum pull cable length, emergency stop, dual head, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, 316 stainless steel body, 8-pin M12 quick-disconnect.	Stock	\$809.00
<u>GLHL-SS-145301-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 125m maximum pull cable length, emergency stop, left hand head, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, 316 stainless steel body, 8-pin M12 quick-disconnect.	Stock	\$693.00

<u>GLHR-SS-145302-Z</u>	IDEM Z-Range safety switch, cable-pull interlock, 125m maximum pull cable length, emergency stop, right hand head, (2) OSSD safety output(s), (1) status monitoring output(s), dual color LED, 316 stainless steel body, 8-pin M12 quick-disconnect.	Stock	\$693.00
Z-Range Emergency Stop Control Stations			
<u>ES-P-230300-Z</u>	IDEM Z-Range emergency stop control station, plastic, single pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, (2) OSSD safety output(s), 8-pin M12 quick-disconnect, left exit.	Stock	\$143.00
<u>ES-P-230301-Z</u>	IDEM Z-Range emergency stop control station, plastic, single pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, (2) OSSD safety output(s), 8-pin M12 quick-disconnect, right exit.	Stock	\$143.00
<u>ESL-SS-L-232300-Z</u>	IDEM Z-Range emergency stop control station, 316 stainless steel, single pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, (2) OSSD safety output(s), 8-pin M12 quick-disconnect.	Stock	\$351.00
<u>ESL-SS-LP-232301-Z</u>	IDEM Z-Range emergency stop control station, 316 stainless steel, single pushbutton, mushroom, red, 24 VDC LED, red/green, twist-to-release, guarded, (2) OSSD safety output(s), 8-pin M12 quick-disconnect.	Stock	\$364.00
Accessories for Z-Range Safety Switch System			
<u>140210-Z</u>	IDEM Z-Range junction block, 8 ports, 8-pin M12 sockets, 24 VDC LED indicator(s), cable clamp for field-wired connection. For use with IDEM Z-Range switches.	Stock	\$297.00
<u>140204</u>	IDEM T-port, (1) 8-pin male M12 quick disconnect to (2) 8-pin female M12 disconnects. For use with IDEM Z-Range switches.	Stock	\$46.50
<u>140205</u>	IDEM shorting plug, 8-pole. For use with IDEM Z-Range junction block.	Stock	\$31.50
Master Modules for Safety Controllers			
<u>MZERO-16-4</u>	ReeR MOSAIC standalone safety controller, (16) digital safety input(s), (4) EDM/(re)start input(s), (4) pair OSSD safety output(s), pluggable screw terminals.	Stock	\$483.00
<u>MZERO-16-4C</u>	ReeR MOSAIC standalone safety controller, (16) digital safety input(s), (4) EDM/(re)start input(s), (4) pair OSSD safety output(s), push-in cage clamp.	Stock	\$483.00
<u>MOSAIC-M1S-USBC</u>	ReeR MOSAIC enhanced master safety controller, (8) digital safety input(s), (4) Single or (2) pair OSSD safety output(s), (4) EDM/(re)start or output status configurable I/O, pluggable screw terminals.	Stock	\$509.00
<u>MOSAIC-M1</u>	ReeR MOSAIC master safety controller, (8) digital safety input(s), (2) EDM/(re)start input(s), (2) pair OSSD safety output(s), (2) status monitoring output(s), pluggable screw terminals.	Stock	\$414.00
Safety I/O Modules for Safety Controllers			
<u>MOSAIC-MI8</u>	ReeR MOSAIC safety expansion module, (8) digital safety input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$274.00
<u>MOSAIC-MI16</u>	ReeR MOSAIC safety expansion module, (16) digital safety input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$320.00
<u>MOSAIC-MI12T8</u>	ReeR MOSAIC safety expansion module, (12) digital safety input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$321.00
<u>MOSAIC-MA4</u>	ReeR MOSAIC safety expansion module, (4) analog safety input(s), pluggable screw terminals. For use with MOSAIC-M1S safety controller.	Stock	\$796.00
<u>MOSAIC-MO2</u>	ReeR MOSAIC safety expansion module, (2) EDM/(re)start input(s), (2) pair OSSD safety output(s), (2) status monitoring output(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$307.00
<u>MOSAIC-MO4</u>	ReeR MOSAIC safety expansion module, (4) EDM/(re)start input(s), (4) pair OSSD safety output(s), (4) status monitoring output(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$376.00
<u>MOSAIC-MO4L</u>	ReeR MOSAIC safety expansion module, (4) Single or (2) pair OSSD safety output(s), (4) EDM/(re)start or output status configurable I/O, pluggable screw terminals. For use with MOSAIC-M1S safety controller.	Stock	\$362.00
<u>MOSAIC-MOR4</u>	ReeR MOSAIC safety expansion module, (4) EDM/(re)start input(s), (4) N.O. safety output(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$386.00
<u>MOSAIC-MOR4S8</u>	ReeR MOSAIC safety expansion module, (4) EDM/(re)start input(s), (4) N.O. safety output(s), (8) status monitoring output(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$418.00
<u>MOSAIC-MI8O2</u>	ReeR MOSAIC safety expansion module, (8) digital safety input(s), (2) EDM/(re)start input(s), (2) pair OSSD safety output(s), (2) status monitoring output(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$314.00
<u>MOSAIC-MI8O4</u>	ReeR MOSAIC safety expansion module, (8) digital safety input(s), (4) Single or (2) pair OSSD safety output(s), (4) EDM/(re)start or output status configurable I/O, pluggable screw terminals. For use with MOSAIC-M1S safety controller.	Stock	\$386.00
Speed Monitoring Modules for Safety Controllers			
<u>MOSAIC-MV1T</u>	ReeR MOSAIC safety expansion module, (1) TTL incremental (line driver) encoder input, (2) proximity sensor input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$574.00
<u>MOSAIC-MV1H</u>	ReeR MOSAIC safety expansion module, (1) HTL incremental (push-pull) encoder input, (2) proximity sensor input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$486.00
<u>MOSAIC-MV1S</u>	ReeR MOSAIC safety expansion module, (1) SIN/COS incremental encoder input, (2) proximity sensor input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$642.00

<u>MOSAIC-MV2T</u>	ReeR MOSAIC safety expansion module, (2) TTL incremental (line driver) encoder input, (2) proximity sensor input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$642.00
<u>MOSAIC-MV2H</u>	ReeR MOSAIC safety expansion module, (2) HTL incremental (push-pull) encoder input, (2) proximity sensor input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$557.00
<u>MOSAIC-MV2S</u>	ReeR MOSAIC safety expansion module, (2) SIN/COS incremental encoder input, (2) proximity sensor input (s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$798.00
<u>MOSAIC-MV0</u>	ReeR MOSAIC safety expansion module, (2) proximity sensor input(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$379.00
Relay Modules for Safety Controllers			
<u>MOSAIC-MR2</u>	ReeR MOSAIC safety relay extension module, (2) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$161.00
<u>MOSAIC-MR4</u>	ReeR MOSAIC safety relay extension module, (4) N.O. safety output(s), (2) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$235.00
Status Output Modules for Safety Controllers			
<u>MOSAIC-MOS8</u>	ReeR MOSAIC status expansion module, (8) status monitoring output(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$229.00
<u>MOSAIC-MOS16</u>	ReeR MOSAIC status expansion module, (16) status monitoring output(s), pluggable screw terminals. For use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$286.00
Communication Modules for Safety Controllers			
<u>MOSAIC-MBEM</u>	ReeR MOSAIC communication module, Modbus TCP, 2 ports, (2) Ethernet (RJ45) port(s). For use with MOSAIC-M1 and MOSAIC-M1S safety controllers. Bus connector included.	Stock	\$422.00
<u>MOSAIC-MBEI</u>	ReeR MOSAIC communication module, EtherNet/IP, 2 ports, (2) Ethernet (RJ45) port(s). For use with MOSAIC-M1 and MOSAIC-M1S safety controllers. Bus connector included.	Stock	\$422.00
Accessories for Safety Controllers			
<u>MOSAIC-MCMB</u>	ReeR MOSAIC proprietary memory card, for use with MOSAIC-M1S-USBC safety controller.	Stock	\$37.50
<u>MOSAIC-MCM</u>	ReeR MOSAIC proprietary memory card, for use with MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$48.00
<u>MOSAIC-MSC-C</u>	ReeR MOSAIC bus connector, for use with MOSAIC-M1 and MOSAIC-M1S safety controllers. (2) end caps included.	Stock	\$17.50
<u>MOSAIC-CSU</u>	ReeR USB cable, 5.9ft/1.8m cable length, standard A plug to mini B plug. For use with MZERO-16-4, MZERO-16-4C, MOSAIC-M1 and MOSAIC-M1S safety controllers.	Stock	\$32.50
Configurable Safety Relays			
<u>SRB-E-201LC</u>	Schmersal safety relay, configurable, 2-channel, 24 VDC, 10 configurations, (2) OSSD safety output(s), (1) status monitoring output(s), pluggable screw terminals.	Stock	\$171.00
<u>SRB-E-201ST</u>	Schmersal safety relay, configurable, 2-channel, 24 VDC, 11 configurations, (2) OSSD safety output(s), (1) status monitoring output(s), pluggable screw terminals.	Stock	\$257.00
<u>SRB-E-201ST-CC</u>	Schmersal safety relay, configurable, 2-channel, 24 VDC, 11 configurations, (2) OSSD safety output(s), (1) status monitoring output(s), push-in cage clamp.	Stock	\$269.00
<u>SRB-E-301ST</u>	Schmersal safety relay, configurable, 2-channel, 24 VAC/VDC, 12 configurations, (3) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$216.00
<u>SRB-E-301ST-CC</u>	Schmersal safety relay, configurable, 2-channel, 24 VAC/VDC, 12 configurations, (3) N.O. safety output(s), (1) N.C. monitoring output(s), push-in cage clamp.	Stock	\$228.00
<u>SRB-E-232ST</u>	Schmersal safety relay, configurable, release delay, 0 to 30 seconds, 2-channel, 24 VDC, 10 configurations, (3) N.O. and (2) delayed OSSD safety output(s), (1) N.C and (1) status monitoring output(s), pluggable screw terminals.	Stock	\$366.00
<u>SRB-E-232ST-CC</u>	Schmersal safety relay, configurable, release delay, 0 to 30 seconds, 2-channel, 24 VDC, 10 configurations, (3) N.O. and (2) delayed OSSD safety output(s), (1) N.C and (1) status monitoring output(s), push-in cage clamp.	Stock	\$378.00
<u>SRB-E-322ST</u>	Schmersal safety relay, configurable, release delay, 0 to 30 seconds, 2-channel, 24 VDC, 10 configurations, (3) delayed N.O. and (2) OSSD safety output(s), (1) N.C and (1) status monitoring output(s), pluggable screw terminals.	Stock	\$366.00
<u>SRB-E-322ST-CC</u>	Schmersal safety relay, configurable, release delay, 0 to 30 seconds, 2-channel, 24 VDC, 10 configurations, (3) delayed N.O. and (2) OSSD safety output(s), (1) N.C and (1) status monitoring output(s), push-in cage clamp.	Stock	\$378.00
<u>SRB-E-204ST</u>	Schmersal safety relay, configurable, 2-channel, 24 VDC, 14 configurations, (2) OSSD safety output(s), (4) status monitoring output(s), pluggable screw terminals.	Stock	\$272.00
<u>SRB-E-204ST-CC</u>	Schmersal safety relay, configurable, 2-channel, 24 VDC, 14 configurations, (2) OSSD safety output(s), (4) status monitoring output(s), push-in cage clamp.	Stock	\$284.00
<u>SRB-E-402ST</u>	Schmersal safety relay, configurable, 2-channel, 24 VDC, 22 configurations, (2) N.O. and (2) OSSD safety output(s), (1) N.C and (1) status monitoring output(s), pluggable screw terminals.	Stock	\$338.00
<u>SRB-E-402ST-CC</u>	Schmersal safety relay, configurable, 2-channel, 24 VDC, 22 configurations, (2) N.O. and (2) OSSD safety output(s), (1) N.C and (1) status monitoring output(s), push-in cage clamp.	Stock	\$350.00

SRB-E-204PE	Schmersal safety input extension module, configurable, 2-channel, 24 VDC, 15 configurations, (2) OSSD safety output(s), (4) status monitoring output(s), pluggable screw terminals.	Stock	\$147.00
Programmable Safety Relays			
PROTECT-SELECT-SK-AD	Schmersal safety relay, programmable, 2-channel, 24 VDC, 4 programs, (2) N.O. and (4) OSSD safety output(s), pluggable screw terminals.	Stock	\$465.00
PROTECT-SELECT-CC-AD	Schmersal safety relay, programmable, 2-channel, 24 VDC, 4 programs, (2) N.O. and (4) OSSD safety output(s), push-in cage clamp.	Stock	\$477.00
Safety Extension Relays			
SRB-E-402EM	Schmersal safety relay extension module, 2-channel, 24 VAC/VDC, (4) N.O. safety output(s), (2) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$191.00
SEU31-280007	IDEM safety relay extension module, 24 VAC/VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$166.00
SEU31-280007-P	IDEM safety relay extension module, 24 VAC/VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$213.00
SEU31TD-280008	IDEM safety relay extension module, release delay, 0 to 30 seconds, 24 VAC/VDC, (3) N.O. time delay safety output(s), (1) N.C. time delay monitoring output(s), fixed screw terminals.	Stock	\$298.00
SEU31TD-280008-P	IDEM safety relay extension module, release delay, 0 to 30 seconds, 24 VAC/VDC, (3) N.O. time delay safety output(s), (1) N.C. time delay monitoring output(s), pluggable screw terminals.	Stock	\$347.00
LG5929-60-100-61	Dold safety relay extension module, 24 VAC/VDC, (5) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$136.00
UG6929-60PS-100-24	Dold safety relay extension module, 24 VAC/VDC, (5) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$145.00
UG6929-61PS-100-24	Dold safety relay extension module, 2-channel, 24 VAC/VDC, (6) N.O. safety output(s), (2) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$167.00
UG6929-62PS-100-24	Dold safety relay extension module, 2-channel, 24 VAC/VDC, (7) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$167.00
LG7927-97-61-10	Dold safety relay extension module, on delay, 1 to 10 seconds, 24 VAC/VDC, (3) N.O. time delay and (1) N.C. time delay safety output(s), (1) N.C. time delay monitoring output(s), fixed screw terminals.	Stock	\$184.00
LG7928-97-61-10	Dold safety relay extension module, release delay, 1 to 10 seconds, 24 VAC/VDC, (3) N.O. time delay and (1) N.C. time delay safety output(s), (1) N.C. time delay monitoring output(s), fixed screw terminals.	Stock	\$184.00
E-Stop Relays (1-Channel)			
LG5924-02-61-24	Dold safety relay, emergency stop, 1-channel, 24 VDC, (2) N.O. safety output(s), fixed screw terminals.	Stock	\$126.00
LG5924-02PC-61-24	Dold safety relay, emergency stop, 1-channel, 24 VDC, (2) N.O. safety output(s), push-in cage clamp.	Stock	\$136.00
LG5924-48-61-24	Dold safety relay, emergency stop, 1-channel, 24 VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$140.00
LG5924-48PC-61-24	Dold safety relay, emergency stop, 1-channel, 24 VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), push-in cage clamp.	Stock	\$150.00
LG5924-48-61-110	Dold safety relay, emergency stop, 1-channel, 110 VAC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$160.00
LG5924-48PC-61-110	Dold safety relay, emergency stop, 1-channel, 110 VAC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), push-in cage clamp.	Stock	\$170.00
LG5924-48-61-230	Dold safety relay, emergency stop, 1-channel, 230 VAC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$160.00
E-Stop / Safety Gate Relays (2-Channel)			
SCR21-280001	IDEM safety relay, emergency stop and safety gates, 2-channel, 24 VAC/VDC, (2) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$159.00
SCR21-280001-P	IDEM safety relay, emergency stop and safety gates, 2-channel, 24 VAC/VDC, (2) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$159.00
SCR31-280002	IDEM safety relay, emergency stop and safety gates, 2-channel, 24 VAC/VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$174.00
SCR31-280002-P	IDEM safety relay, emergency stop and safety gates, 2-channel, 24 VAC/VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$221.00
SCR73-280005	IDEM safety relay, emergency stop and safety gates, 2-channel, 24 VAC/VDC, (7) N.O. safety output(s), (3) N.C. monitoring output(s), fixed screw terminals.	Stock	\$411.00
SCR73-280005-P	IDEM safety relay, emergency stop and safety gates, 2-channel, 24 VAC/VDC, (7) N.O. safety output(s), (3) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$496.00
UF6925-02-DC8-36	Dold safety relay, emergency stop and safety gates, 2-channel, 8-36 VDC, (2) N.O. safety output(s), Fixed spring clamp terminals.	Stock	\$134.00
UF6925-03-DC8-36	Dold safety relay, emergency stop and safety gates, 2-channel, 8-36 VDC, (3) N.O. safety output(s), Fixed spring clamp terminals.	Stock	\$156.00

<u>UF6925-22-DC8-36</u>	Dold safety relay, emergency stop and safety gates, 2-channel, 8-36 VDC, (2) N.O. safety output(s), (1) N.C. monitoring output(s), Fixed spring clamp terminals.	Stock	\$156.00
<u>LG5925-48-61-24</u>	Dold safety relay, emergency stop and safety gates, 2-channel, 24 VAC/VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$165.00
<u>LG5925-48PC-61-24</u>	Dold safety relay, emergency stop, safety gate monitoring, 2-channel, 24 VAC/VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), push-in cage clamp.	Stock	\$175.00
<u>LG5925-48-61-110</u>	Dold safety relay, emergency stop and safety gates, 2-channel, 110 VAC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$180.00
<u>LG5925-48PC-61-110</u>	Dold safety relay, emergency stop, safety gate monitoring, 2-channel, 110 VAC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), push-in cage clamp.	Stock	\$190.00
<u>LG5925-48-61-230</u>	Dold safety relay, emergency stop and safety gates, 2-channel, 230 VAC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$180.00
E-Stop Safety / Safety Gate Time Delay Relays			
<u>SCR3142TD-280006</u>	IDEM safety relay, emergency stop and safety gates, release delay, 0 to 30 seconds, 2-channel, 24 VAC/VDC, (4) N.O. time delay and (3) N.O. safety output(s), (2) N.C. time delay and (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$446.00
<u>SCR3142TD-280006-P</u>	IDEM safety relay, emergency stop and safety gates, release delay, 0 to 30 seconds, 2-channel, 24 VAC/VDC, (4) N.O. time delay and (3) N.O. safety output(s), (2) N.C. time delay and (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$531.00
<u>UG6961-02PS100-300</u>	Dold safety relay, emergency stop, multi delay functions, 0.1 to 300 seconds, 2-channel, 24 VDC, (2) N.O. time delay safety output(s), (1) N.O. time delay monitoring output(s), pluggable screw terminals.	Stock	\$240.00
<u>UG6960-04PS100-300</u>	Dold safety relay, emergency stop, multi delay functions, 0.1 to 300 seconds, 2-channel, 24 VDC, (2) N.O. and (2) N.O. time delay safety output(s), (1) N.O. and (1) N.O. time delay monitoring output(s), pluggable screw terminals.	Stock	\$354.00
<u>LG5928-41-61-3</u>	Dold safety relay, emergency stop and safety gates, release delay, 0.3 to 3 seconds, 2-channel, 24 VDC, (2) N.O. and (1) N.O. time delay safety output(s), fixed screw terminals.	Stock	\$279.00
<u>LG5928-41-61-10</u>	Dold safety relay, emergency stop and safety gates, release delay, 1 to 10 seconds, 2-channel, 24 VDC, (2) N.O. and (1) N.O. time delay safety output(s), fixed screw terminals.	Stock	\$279.00
<u>BH5928-92-61-24-1</u>	Dold safety relay, emergency stop and safety gates, release delay, 0.1 to 1 second, 2-channel, 24 VAC/VDC, (3) N.O. time delay and (2) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$298.00
<u>BH5928-92-61-24-5</u>	Dold safety relay, emergency stop and safety gates, release delay, 0.5 to 5 seconds, 2-channel, 24 VAC/VDC, (3) N.O. time delay and (2) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$298.00
<u>BH5928-92-61-24-30</u>	Dold safety relay, emergency stop and safety gates, release delay, 3 to 30 seconds, 2-channel, 24 VAC/VDC, (3) N.O. time delay and (2) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$298.00
Two-Hand Safety Control Relays			
<u>SCR2H-180030</u>	IDEM safety relay, two-hand control, 2-channel, 24 VAC/VDC, (2) N.O. safety output(s), fixed screw terminals.	Stock	\$410.00
<u>BG5933-22-61-24</u>	Dold safety relay, two-hand control, 2-channel, 24 VDC, (2) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$194.00
<u>BH5933-48-61-110</u>	Dold safety relay, two-hand control, 2-channel, 110 VAC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$285.00
OSSD / Light Curtain Safety Relays			
<u>SCR31P-280003</u>	IDEM safety relay, OSSD and light curtain controller, 2-channel, 24 VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$209.00
<u>SCR31P-280003-P</u>	IDEM safety relay, OSSD and light curtain controller, 2-channel, 24 VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), pluggable screw terminals.	Stock	\$256.00
<u>LG5925-48-900-61</u>	Dold safety relay, light curtain controller, 2-channel, 24 VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$165.00
<u>LG5925-48PC-900-24</u>	Dold safety relay, light curtain controller, 2-channel, 24 VDC, (3) N.O. safety output(s), (1) N.C. monitoring output(s), push-in cage clamp.	Stock	\$175.00
<u>UG6960-04PS800-300</u>	Dold safety relay, light curtain controller, multi delay functions, 0.1 to 300 seconds, 2-channel, 24 VDC, (2) N.O. and (2) N.O. time delay safety output(s), (1) N.O. and (1) N.O. time delay monitoring output(s), pluggable screw terminals.	Stock	\$354.00
<u>BH5902-22-01MF2-61</u>	Dold safety relay, light curtain controller, 2-channel, 24 VDC, (2) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$456.00
Safety Mat and Edge Relays			
<u>1114-0210</u>	ASO Safety Solutions safety relay, safety mat/edges, 1-channel, 24 VAC/VDC or 120 VAC, (2) N.O. safety output(s), (1) N.O. monitoring output(s), fixed screw terminals.	Stock	\$186.00
<u>LG5944-02-010-24</u>	Dold safety relay, safety mat/edges, 2-channel, 24 VDC, (2) N.O. safety output(s), fixed screw terminals.	Stock	\$160.00
<u>LG5944-02-110-24</u>	Dold safety relay, (2) safety mat/edges, 2-channel, 24 VDC, (2) N.O. safety output(s), fixed screw terminals.	Stock	\$176.00
<u>BG5925-22-910-24</u>	Dold safety relay, safety mat/edges, 2-channel, 24 VDC, (2) N.O. safety output(s), (1) N.C. monitoring output(s), fixed screw terminals.	Stock	\$175.00

Speed Monitoring Safety Relays			
<u>UH6932-02PS-24</u>	Dold safety relay, speed monitoring, multi delay functions, (2) NPN sensor inputs, 2-channel, 24 VDC, (2) N.O. safety output(s), (2) N.O. monitoring output(s), pluggable screw terminals.	Stock	\$569.00
<u>UH6932-02PS-010-24</u>	Dold safety relay, speed monitoring, multi delay functions, (2) PNP sensor inputs, 2-channel, 24 VDC, (2) N.O. safety output(s), (2) N.O. monitoring output(s), pluggable screw terminals.	Stock	\$569.00
<u>BH5932-22-113-24</u>	Dold safety relay, speed monitoring, (2) PNP sensor inputs, 2-channel, 24 VAC/VDC, (2) N.O. and (1) N.C. safety output(s), fixed screw terminals.	Stock	\$425.00
Frequency Monitoring Safety Relays			
<u>UH6937-02PS-24</u>	Dold safety relay, frequency monitoring, multi delay functions, 1 to 600Hz, 2-channel, 24 VDC, (2) N.O. safety output(s), (2) N.O. monitoring output(s), pluggable screw terminals.	Stock	\$650.00
<u>UH6937-02PS-100-24</u>	Dold safety relay, frequency monitoring, multi delay functions, 1 to 1000Hz, 2-channel, 24 VDC, (2) N.O. safety output(s), (2) N.O. monitoring output(s), pluggable screw terminals.	Stock	\$650.00
Motor Standstill Monitoring Safety Relays			
<u>UG6946-02PS-04</u>	Dold safety relay, motor standstill monitoring, 20-400 mV, 2-channel, 24 VDC, (2) N.O. and (1) N.C. safety output(s), pluggable screw terminals.	Stock	\$347.00
<u>UG6946-02PS-40</u>	Dold safety relay, motor standstill monitoring, 0.2-4V, 2-channel, 24 VDC, (2) N.O. and (1) N.C. safety output(s), pluggable screw terminals.	Stock	\$347.00
<u>UG6946-02PS-001-04</u>	Dold safety relay, motor standstill monitoring with muting, 20-400 mV, 2-channel, 24 VDC, (2) N.O. and (1) N.C. safety output(s), pluggable screw terminals.	Stock	\$367.00
<u>UG6946-02PS-001-40</u>	Dold safety relay, motor standstill monitoring with muting, 0.2-4V, 2-channel, 24 VDC, (2) N.O. and (1) N.C. safety output(s), pluggable screw terminals.	Stock	\$367.00
<u>UH5947-04PS24</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) PNP or NPN sensor inputs and/or (1) encoder, 2-channel, 24 VDC, (4) N.O. safety output(s), (2) status monitoring output(s), pluggable screw terminals.	Stock	\$647.00
<u>UH5947-04-001PS24</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) NAMUR sensor inputs and/or (1) encoder, 2-channel, 24 VDC, (4) N.O. safety output(s), (2) status monitoring output(s), pluggable screw terminals.	Stock	\$647.00
<u>UH5947-04PS110</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) PNP or NPN sensor inputs and/or (1) encoder, 2-channel, 110-240 VAC/VDC, (4) N.O. safety output(s), (2) status monitoring output(s), pluggable screw terminals.	Stock	\$667.00
<u>UH5947-04-001PS110</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) NAMUR sensor inputs and/or (1) encoder, 2-channel, 110-240 VAC/VDC, (4) N.O. safety output(s), (2) status monitoring output(s), pluggable screw terminals.	Stock	\$667.00
<u>UH5947-04PC24</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) PNP or NPN sensor inputs and/or (1) encoder, 2-channel, 24 VDC, (4) N.O. safety output(s), (2) status monitoring output(s), push-in cage clamp.	Stock	\$686.00
<u>UH5947-04-001PC24</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) NAMUR sensor inputs and/or (1) encoder, 2-channel, 24 VDC, (4) N.O. safety output(s), (2) status monitoring output(s), push-in cage clamp.	Stock	\$686.00
<u>UH5947-04PC110</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) PNP or NPN sensor inputs and/or (1) encoder, 2-channel, 110-240 VAC/VDC, (4) N.O. safety output(s), (2) status monitoring output(s), push-in cage clamp.	Stock	\$725.00
<u>UH5947-04-001PC110</u>	Dold safety relay, motor standstill, speed and safety gate monitoring, multi delay functions, (2) NAMUR sensor inputs and/or (1) encoder, 2-channel, 110-240 VAC/VDC, (4) N.O. safety output(s), (2) status monitoring output(s), push-in cage clamp.	Stock	\$725.00
<u>LH5946-48-24-04</u>	Dold safety relay, motor standstill monitoring, 20-400 mV, 2-channel, 24 VDC, (3) N.O. and (1) N.C. safety output(s), fixed screw terminals.	Stock	\$526.00
<u>LH5946-PC-24-04</u>	Dold safety relay, motor standstill monitoring, 20-400 mV, 2-channel, 24 VDC, (3) N.O. and (1) N.C. safety output(s), push-in cage clamp.	Stock	\$526.00
<u>LH5946-48-115-04</u>	Dold safety relay, motor standstill monitoring, 20-400 mV, 2-channel, 115 VAC, (3) N.O. and (1) N.C. safety output(s), fixed screw terminals.	Stock	\$526.00
<u>LH5946-PC-115-04</u>	Dold safety relay, motor standstill monitoring, 20-400 mV, 2-channel, 115 VAC, (3) N.O. and (1) N.C. safety output(s), push-in cage clamp.	Stock	\$526.00
<u>LH5946-48-24-40</u>	Dold safety relay, motor standstill monitoring, 0.2-4V, 2-channel, 24 VDC, (3) N.O. and (1) N.C. safety output(s), fixed screw terminals.	Stock	\$526.00
<u>LH5946-PC-24-40</u>	Dold safety relay, motor standstill monitoring, 0.2-4V, 2-channel, 24 VDC, (3) N.O. and (1) N.C. safety output(s), push-in cage clamp.	Stock	\$526.00
<u>LH5946-48-115-40</u>	Dold safety relay, motor standstill monitoring, 0.2-4V, 2-channel, 115 VAC, (3) N.O. and (1) N.C. safety output(s), fixed screw terminals.	Stock	\$526.00
<u>LH5946-PC-115-40</u>	Dold safety relay, motor standstill monitoring, 0.2-4V, 2-channel, 115 VAC, (3) N.O. and (1) N.C. safety output(s), push-in cage clamp.	Stock	\$526.00
Multifunction Safety Relays			
<u>UG6980-02PS-61-24</u>	Dold safety relay, multi-function, 2-channel, 24 VDC, (2) N.O. safety output(s), (1) N.O. monitoring output(s), pluggable screw terminals.	Stock	\$224.00

<u>UG6970-04PS-61-24</u>	Dold safety relay, (2) independent multi-function, 2-channel, 24 VDC, (4) N.O. safety output(s), (2) N.O. monitoring output(s), pluggable screw terminals.	Stock	\$361.00
Tapered Edge Safety Mats			
<u>1602-4096</u>	ASO Safety Solutions safety contact mat, 12 x 24in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$219.00
<u>1602-4097</u>	ASO Safety Solutions safety contact mat, 12 x 36in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$280.00
<u>1602-4560</u>	ASO Safety Solutions safety contact mat, 24 x 24in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$359.00
<u>1602-4090</u>	ASO Safety Solutions safety contact mat, 24 x 36in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$391.00
<u>1602-4091</u>	ASO Safety Solutions safety contact mat, 24 x 48in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$480.00
<u>1602-4092</u>	ASO Safety Solutions safety contact mat, 24 x 60in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$645.00
<u>1602-4093</u>	ASO Safety Solutions safety contact mat, 36 x 36in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$589.00
<u>1602-4094</u>	ASO Safety Solutions safety contact mat, 36 x 48in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$696.00
<u>1602-4095</u>	ASO Safety Solutions safety contact mat, 36 x 60in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$883.00
<u>1602-5380</u>	ASO Safety Solutions safety contact mat, 24 x 36in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, yellow, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$504.00
<u>1602-5381</u>	ASO Safety Solutions safety contact mat, 24 x 48in, integrated taper edge, 24 VAC/VDC operating voltage, polyurethane contact surface, yellow, IP65, 19.6ft/6m cable length, pigtail.	Stock	\$638.00
Straight Edge Safety Mats			
<u>1602-4107</u>	ASO Safety Solutions safety contact mat, 12 x 24in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$177.00
<u>1602-4108</u>	ASO Safety Solutions safety contact mat, 12 x 36in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$217.00
<u>1602-4106</u>	ASO Safety Solutions safety contact mat, 24 x 24in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$258.00
<u>1602-4100</u>	ASO Safety Solutions safety contact mat, 24 x 36in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$360.00
<u>1602-4101</u>	ASO Safety Solutions safety contact mat, 24 x 48in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$447.00
<u>1602-4102</u>	ASO Safety Solutions safety contact mat, 24 x 60in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$572.00
<u>1602-4103</u>	ASO Safety Solutions safety contact mat, 36 x 36in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$493.00
<u>1602-4104</u>	ASO Safety Solutions safety contact mat, 36 x 48in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$675.00
<u>1602-4105</u>	ASO Safety Solutions safety contact mat, 36 x 60in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, black, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$789.00
<u>1602-5390</u>	ASO Safety Solutions safety contact mat, 24 x 36in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, yellow, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$371.00
<u>1602-5391</u>	ASO Safety Solutions safety contact mat, 24 x 48in, straight edge, 24 VAC/VDC operating voltage, polyurethane contact surface, yellow, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$460.00
Diamond Plate Safety Mats			
<u>1602-4540</u>	ASO Safety Solutions safety contact mat, 24 x 36in, straight edge, 24 VAC/VDC operating voltage, aluminum contact surface, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$574.00

<u>1602-4550</u>	ASO Safety Solutions safety contact mat, 24 x 48in, straight edge, 24 VAC/VDC operating voltage, aluminum contact surface, IP65, 4.7in/120mm cable length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector.	Stock	\$695.00
Safety Mat Accessories			
<u>1810-0190</u>	ASO Safety Solutions terminating resistor, 8.2k ohm, 3-pin male M8. For use with safety contact mats and bumpers.	Stock	\$8.75
<u>2010-0121</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 12 x 24in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$63.00
<u>2010-0122</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 12 x 36in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$75.00
<u>2010-0120</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 24 x 24in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$75.00
<u>2010-0080</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 24 x 36in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$97.00
<u>2010-0081</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 24 x 48in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$107.00
<u>2010-0082</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 24 x 60in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$121.00
<u>2010-0083</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 36 x 36in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$107.00
<u>2010-0084</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 36 x 48in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$119.00
<u>2010-0085</u>	ASO Safety Solutions contact mat trim kit, aluminum. For use with 36 x 60in safety mats. Includes (4) trim corners and (4) mat trim pieces.	Stock	\$135.00
<u>2010-0086</u>	ASO Safety Solutions contact mat trim, aluminum, 5ft length. For use with safety contact mats.	Stock	\$56.00
<u>2010-0087</u>	ASO Safety Solutions contact mat trim corner, polyamide. For use with safety contact mats.	Stock	\$3.75
Safety Edges			
<u>1501-1460</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 4in length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$83.00
<u>1501-1461</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 6in length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$86.00
<u>1501-1462</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 8in length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$88.00
<u>1501-1463</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 1ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$90.00
<u>1501-1464</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 1.2ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$92.00
<u>1501-1465</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 1.5ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$94.00
<u>1501-1466</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 1.8ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$100.00
<u>1501-1467</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 2ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$102.00
<u>1501-1468</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 2.5ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$104.00
<u>1501-1469</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 3ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$107.00
<u>1501-1470</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 3.5ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$112.00
<u>1501-1471</u>	ASO Safety Solutions safety contact edge, 15 x 10mm, 4ft length, pigtail, 8.2ft/2.5m cable length. Aluminum mounting rail included. Preassembled with 8.2k ohm resistor for 2-wire installation.	Stock	\$115.00
<u>1502-4730</u>	ASO Safety Solutions safety contact edge, 15 x 25mm, 2ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$26.50
<u>1502-4731</u>	ASO Safety Solutions safety contact edge, 15 x 25mm, 5ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$63.00
<u>1502-2110</u>	ASO Safety Solutions safety contact edge, 25 x 30mm, 2ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$46.00
<u>1502-2111</u>	ASO Safety Solutions safety contact edge, 25 x 30mm, 5ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$102.00
<u>1502-6220</u>	ASO Safety Solutions safety contact edge, 25 x 30mm, 2ft length. Single sided sealing lip and aluminum mounting rail included. Purchase required end caps separately.	Stock	\$42.50

<u>1502-6221</u>	ASO Safety Solutions safety contact edge, 25 x 30mm, 5ft length. Single sided sealing lip and aluminum mounting rail included. Purchase required end caps separately.	Stock	\$95.00
<u>1502-2112</u>	ASO Safety Solutions safety contact edge, 25 x 30mm, 20ft length. Purchase required end caps separately.	Stock	\$252.00
<u>1502-2600</u>	ASO Safety Solutions safety contact edge, 25 x 30mm, 82ft length. Purchase required end caps separately.	Stock	\$746.00
<u>1502-2113</u>	ASO Safety Solutions safety contact edge, 25 x 45mm, 2ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$51.00
<u>1502-2114</u>	ASO Safety Solutions safety contact edge, 25 x 45mm, 5ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$113.00
<u>1502-2115</u>	ASO Safety Solutions safety contact edge, 25 x 45mm, 20ft length. Purchase required end caps separately.	Stock	\$286.00
<u>1502-2610</u>	ASO Safety Solutions safety contact edge, 25 x 45mm, 82ft length. Purchase required end caps separately.	Stock	\$920.00
<u>1502-6230</u>	ASO Safety Solutions safety contact edge, 30 x 70mm, 2ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$56.00
<u>1502-6231</u>	ASO Safety Solutions safety contact edge, 30 x 70mm, 5ft length. Aluminum mounting rail included. Purchase required end caps separately.	Stock	\$122.00

Safety Bumpers

<u>1701-3690</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 1ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$222.00
<u>1701-3700</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 1.5ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$245.00
<u>1701-3710</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 2ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$266.00
<u>1701-3720</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 2.5ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$290.00
<u>1701-3730</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 3ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$315.00
<u>1701-4750</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 4ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$332.00
<u>1701-4760</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 5ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$374.00
<u>1701-4770</u>	ASO Safety Solutions safety contact bumper, 60 x 100mm, 6ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$417.00
<u>1701-4780</u>	ASO Safety Solutions safety contact bumper, 100 x 200mm, 1ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$235.00
<u>1701-4790</u>	ASO Safety Solutions safety contact bumper, 100 x 200mm, 2ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$265.00
<u>1701-4800</u>	ASO Safety Solutions safety contact bumper, 100 x 200mm, 3ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$296.00
<u>1701-4810</u>	ASO Safety Solutions safety contact bumper, 100 x 200mm, 4ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$327.00
<u>1701-4820</u>	ASO Safety Solutions safety contact bumper, 100 x 200mm, 5ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$358.00
<u>1701-4830</u>	ASO Safety Solutions safety contact bumper, 100 x 200mm, 6ft length, (1) 3-pin male M8 connector and (1) 3-pin female M8 connector, 4.7in/120mm cable length. Aluminum mounting rail included.	Stock	\$419.00

Safety Edge Accessories

<u>1804-3721</u>	ASO Safety Solutions terminating resistor end cap, 8.2k ohm. For use with 15 x 25mm safety contact edge.	Stock	\$13.50
<u>1804-3741</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin male M8. For use with 15 x 25mm safety contact edge.	Stock	\$22.00
<u>1804-3731</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin female M8. For use with 15 x 25mm safety contact edge.	Stock	\$22.00
<u>1804-2195</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin male M8. For use with 25 x 30mm safety contact edge.	Stock	\$21.00
<u>1804-0566</u>	ASO Safety Solutions terminating resistor end cap, 8.2k ohm. For use with 25 x 30mm safety contact edge.	Stock	\$13.50
<u>1804-2196</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin male M8. For use with 25 x 30mm safety contact edge.	Stock	\$22.50
<u>1804-2206</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin female M8. For use with 25 x 30mm safety contact edge.	Stock	\$22.50
<u>1804-0576</u>	ASO Safety Solutions terminating resistor end cap, 8.2k ohm. For use with 25 x 45mm safety contact edge.	Stock	\$14.50
<u>1804-1376</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin male M8. For use with 25 x 45mm safety contact edge.	Stock	\$23.50

<u>1804-1386</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin female M8. For use with 25 x 45mm safety contact edge.	Stock	\$23.50
<u>1804-2666</u>	ASO Safety Solutions terminating resistor end cap, 8.2k ohm. For use with 30 x 70mm safety contact edge.	Stock	\$16.00
<u>1804-3990</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin male M8. For use with 30 x 70mm safety contact edge.	Stock	\$24.50
<u>1804-4000</u>	ASO Safety Solutions safety contact edge end cap, 1.6ft/0.5m cable length, 3-pin female M8. For use with 30 x 70mm safety contact edge.	Stock	\$24.50
<u>2002-0231</u>	ASO Safety Solutions contact edge mounting rail, aluminum, 2ft length. For use with safety contact edges.	Stock	\$17.50
<u>2002-0230</u>	ASO Safety Solutions contact edge mounting rail, aluminum, 5ft length. Package of 4. For use with safety contact edges.	Stock	\$102.00
<u>9501-0160</u>	ASO Safety Solutions industrial shears, stainless steel. For use with ASO Safety contact edges.	Stock	\$93.00
Rotary Trapped Key Interlock Switch Systems			
<u>800000-CS-A101</u>	IDEM Skorpion series control switch, rotary key, A101 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A101 coded Skorpion trapped key interlock systems. (1) M-CS control switch and (1) SK-KEY key included.	Stock	\$234.00
<u>800000-CS-A102</u>	IDEM Skorpion series control switch, rotary key, A102 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A102 coded Skorpion trapped key interlock systems. (1) M-CS control switch and (1) SK-KEY key included.	Stock	\$234.00
<u>800000-CS-A103</u>	IDEM Skorpion series control switch, rotary key, A103 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A103 coded Skorpion trapped key interlock systems. (1) M-CS control switch and (1) SK-KEY key included.	Stock	\$234.00
<u>800000-CS-A104</u>	IDEM Skorpion series control switch, rotary key, A104 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A104 coded Skorpion trapped key interlock systems. (1) M-CS control switch and (1) SK-KEY key included.	Stock	\$234.00
<u>800000-CS-A105</u>	IDEM Skorpion series control switch, rotary key, A105 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A105 coded Skorpion trapped key interlock systems. (1) M-CS control switch and (1) SK-KEY key included.	Stock	\$234.00
<u>800000-CS-SKR-A101</u>	IDEM Skorpion series solenoid control switch, rotary key, A101 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A101 coded Skorpion trapped key interlock systems. (1) M-CS-SKR solenoid control switch and (1) SK-KEY key included.	Stock	\$453.00
<u>800000-CS-SKR-A102</u>	IDEM Skorpion series solenoid control switch, rotary key, A102 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A102 coded Skorpion trapped key interlock systems. (1) M-CS-SKR solenoid control switch and (1) SK-KEY key included.	Stock	\$453.00
<u>800000-CS-SKR-A103</u>	IDEM Skorpion series solenoid control switch, rotary key, A103 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A103 coded Skorpion trapped key interlock systems. (1) M-CS-SKR solenoid control switch and (1) SK-KEY key included.	Stock	\$453.00
<u>800000-CS-SKR-A104</u>	IDEM Skorpion series solenoid control switch, rotary key, A104 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A104 coded Skorpion trapped key interlock systems. (1) M-CS-SKR solenoid control switch and (1) SK-KEY key included.	Stock	\$453.00
<u>800000-CS-SKR-A105</u>	IDEM Skorpion series solenoid control switch, rotary key, A105 coded, (4) N.C./(2) N.O. contact(s), die-cast aluminum alloy. For use with A105 coded Skorpion trapped key interlock systems. (1) M-CS-SKR solenoid control switch and (1) SK-KEY key included.	Stock	\$453.00
<u>800001-A101</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, partial body, A101 coded, die-cast aluminum alloy.	Stock	\$256.00
<u>800001-A102</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, partial body, A102 coded, die-cast aluminum alloy.	Stock	\$256.00
<u>800001-A103</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, partial body, A103 coded, die-cast aluminum alloy.	Stock	\$256.00
<u>800001-A104</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, partial body, A104 coded, die-cast aluminum alloy.	Stock	\$256.00
<u>800001-A105</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, partial body, A105 coded, die-cast aluminum alloy.	Stock	\$256.00
<u>800002-A103</u>	IDEM Skorpion series trapped key interlock system, rotary key, 2 gates, partial body, A103 coded, die-cast aluminum alloy.	Stock	\$1,139.00
<u>800002-A104</u>	IDEM Skorpion series trapped key interlock system, rotary key, 2 gates, partial body, A104 coded, die-cast aluminum alloy.	Stock	\$1,139.00
<u>800002-A105</u>	IDEM Skorpion series trapped key interlock system, rotary key, 2 gates, partial body, A105 coded, die-cast aluminum alloy.	Stock	\$1,139.00
<u>800003-A103</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, whole body, A103 coded, die-cast aluminum alloy.	Stock	\$543.00
<u>800003-A104</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, whole body, A104 coded, die-cast aluminum alloy.	Stock	\$543.00
<u>800003-A105</u>	IDEM Skorpion series trapped key interlock system, rotary key, 1 gate, whole body, A105 coded, die-cast aluminum alloy.	Stock	\$543.00

<u>800004-A103</u>	IDEM Skorpion series trapped key interlock system, rotary key, 2 gates, whole body, A103 coded, die-cast aluminum alloy.	Stock	\$1,715.00
<u>800004-A104</u>	IDEM Skorpion series trapped key interlock system, rotary key, 2 gates, whole body, A104 coded, die-cast aluminum alloy.	Stock	\$1,715.00
<u>800004-A105</u>	IDEM Skorpion series trapped key interlock system, rotary key, 2 gates, whole body, A105 coded, die-cast aluminum alloy.	Stock	\$1,715.00
<u>800005-A103</u>	IDEM Skorpion series trapped key interlock system, rotary key, 3 gates, whole body, A103 coded, die-cast aluminum alloy.	Stock	\$2,455.00
<u>800005-A104</u>	IDEM Skorpion series trapped key interlock system, rotary key, 3 gates, whole body, A104 coded, die-cast aluminum alloy.	Stock	\$2,455.00
<u>800005-A105</u>	IDEM Skorpion series trapped key interlock system, rotary key, 3 gates, whole body, A105 coded, die-cast aluminum alloy.	Stock	\$2,455.00
Push-Pull Trapped Key Interlock Switch Systems			
<u>SX-1GATE-SET</u>	Dold Safemaster series trapped key interlock system, push-pull key, 1 gate, 316 stainless steel.	Stock	\$1,083.00
<u>SX-2GATE-SET</u>	Dold Safemaster series trapped key interlock system, push-pull key, 2 gates, 316 stainless steel.	Stock	\$1,907.00
<u>SX-3GATE-SET</u>	Dold Safemaster series trapped key interlock system, push-pull key, 3 gates, 316 stainless steel.	Stock	\$2,733.00
<u>SX-4GATE-SET</u>	Dold Safemaster series trapped key interlock system, push-pull key, 4 gates, 316 stainless steel.	Stock	\$3,558.00
<u>SX-5GATE-SET</u>	Dold Safemaster series trapped key interlock system, push-pull key, 5 gates, 316 stainless steel.	Stock	\$4,382.00
<u>ZRH-1GATE-SET</u>	Dold Safemaster series solenoid trapped key interlock system, push-pull key, 1 gate, 316 stainless steel.	Stock	\$1,320.00
<u>ZRH-2GATE-SET</u>	Dold Safemaster series solenoid trapped key interlock system, push-pull key, 2 gates, 316 stainless steel.	Stock	\$2,142.00
<u>ZRH-3GATE-SET</u>	Dold Safemaster series solenoid trapped key interlock system, push-pull key, 3 gates, 316 stainless steel.	Stock	\$2,968.00
<u>ZRH-4GATE-SET</u>	Dold Safemaster series solenoid trapped key interlock system, push-pull key, 4 gates, 316 stainless steel.	Stock	\$3,794.00
<u>ZRH-5GATE-SET</u>	Dold Safemaster series solenoid trapped key interlock system, push-pull key, 5 gates, 316 stainless steel.	Stock	\$4,620.00
Accessories for Trapped Key Interlock Switches			
<u>800050</u>	IDEM Skorpion series control switch enclosure, polycarbonate. For use with Skorpion 800000-x control switches.	Stock	\$76.00
<u>1001-KEYMODULE-SET</u>	Dold Safemaster series actuator, key module set, 316 stainless steel. For use with Safemaster trapped key interlock systems. (2) 316 stainless steel coded trap key modules, (1) coded key, (1) bayonet mounting ring and (2) end modules included.	Stock	\$703.00
<u>PADLOCKMODULE-SET</u>	Dold Safemaster series actuator, padlock module, 316 stainless steel. For use with Safemaster trapped key interlock systems. Bayonet mounting ring included.	Stock	\$241.00
<u>ACTUATOR-SET-B</u>	Dold Safemaster series actuator, gate actuator module, 316 stainless steel. For use with Safemaster trapped key interlock systems. Bayonet mounting ring included.	Stock	\$181.00
<u>01-SAFETY-KEY-SET</u>	Dold Safemaster series actuator, safety key set, 316 stainless steel. For use with Safemaster trapped key interlock systems. (1) 316 stainless steel coded trap key module and (1) coded key included.	Stock	\$381.00
<u>ST2317-T-ACTUATOR</u>	Dold Safemaster series, actuator tongue (key), 90 degree mounting tab mount, 316 stainless steel. For use with trapped key interlock systems.	Stock	\$16.00
<u>ST2311-C-ACTUATOR</u>	Dold Safemaster series, actuator tongue (key), shock absorbing, 90 degree mounting tab mount, 316L stainless steel. For use with trapped key interlock systems.	Stock	\$59.00
<u>ST2312-CS-ACTUATOR</u>	Dold Safemaster series, actuator tongue (key), 90 degree mounting tab mount, 316L stainless steel. For use with trapped key interlock systems. Flexible handle included.	Stock	\$127.00
<u>ST2361100-PLATE-2</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 231mm. For use with trapped key interlock systems.	Stock	\$49.00
<u>ST2362100-PLATE-3</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 291mm. For use with trapped key interlock systems.	Stock	\$53.00
<u>ST2363100-PLATE-4</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 351mm. For use with trapped key interlock systems.	Stock	\$63.00
<u>ST2364100-PLATE-5</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 411mm. For use with trapped key interlock systems.	Stock	\$66.00
<u>ST2365100-PLATE-6</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 471mm. For use with trapped key interlock systems.	Stock	\$97.00
<u>ST2366100-PLATE-7</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 531mm. For use with trapped key interlock systems.	Stock	\$122.00
<u>ST2367100-PLATE-8</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 591mm. For use with trapped key interlock systems.	Stock	\$138.00
<u>ST2368100-PLATE-9</u>	Dold Safemaster series mounting plate, 316L stainless steel, 40mm x 651mm. For use with trapped key interlock systems.	Stock	\$147.00

Two-Hand Safety Control Panels			
<u>2H-240000</u>	IDEM control panel, two-hand safety, die-cast aluminum, empty enclosure.	Stock	\$406.00
<u>2H-240001</u>	IDEM control panel, two-hand safety, die-cast aluminum, (2) touch switches, zero force, black/black, LED, red/green, (1) N.O./(1) N.C. and (1) N.O./(1) N.C. contact(s).	Stock	\$724.00
<u>2H-240002</u>	IDEM control panel, two-hand safety, die-cast aluminum, (2) momentary pushbuttons, mushroom, black/black, (1) N.O./(1) N.C. and (1) N.O./(1) N.C. contact(s).	Stock	\$593.00
<u>SEPK02.0.L.22</u>	Schmersal control panel, two-hand safety, plastic, empty enclosure.	Stock	\$153.00
<u>SEPK02.0.S-3065</u>	Schmersal control panel, two-hand safety, plastic, (1) Estop, (2) momentary pushbuttons, mushroom, red/black/black, (2) N.O./(2) N.C. and (1) N.O./(1) N.C. and (1) N.O./(1) N.C. contact(s), blank legend plate (s).	Stock	\$262.00
<u>SEPG05.3.L.22</u>	Schmersal control panel, two-hand safety, die-cast aluminum, empty enclosure.	Stock	\$309.00
<u>SEPG05.3.S-3063</u>	Schmersal control panel, two-hand safety, die-cast aluminum, (1) Estop, (2) momentary pushbuttons, mushroom, red/black/black, (2) N.O./(2) N.C. and (1) N.O./(1) N.C. and (1) N.O./(1) N.C. contact(s), blank legend plate(s).	Stock	\$414.00
Accessories for Two-Hand Safety Control Panels			
<u>2H-240021</u>	IDEM touch switch, IP65, 30mm, zero force, LED illuminated, (1) N.O./(1) N.C. contact(s), black, mushroom, 68mm, round. For use with IDEM two-hand safety control panels.	Stock	\$187.00
<u>2H-240022</u>	IDEM pushbutton, IP65, 30mm, momentary, (1) N.O./(1) N.C. contact(s), black, mushroom, 68mm, round. For use with IDEM two-hand safety control panels.	Stock	\$111.00
<u>EDRR40RT</u>	Schmersal pushbutton, IP65, 22mm, push to lock, twist and pull to reset, operator only, plastic base, plastic bezel, yellow, Operator: red, mushroom, 40mm, round, aluminum, operator text "push/pull/twist". Purchase contact blocks separately.	Stock	\$31.50
<u>MDP-8.1</u>	Schmersal legend plate, thermoplastic, round, yellow field, yellow background, legend plate marking "blank". For use with EDRR40RT.	Stock	\$4.00
<u>EDP55SW</u>	Schmersal pushbutton, IP65, 22mm, momentary, operator only, plastic base, plastic bezel, black, Operator: black, mushroom, 55mm, round, aluminum. Purchase contact blocks separately.	Stock	\$40.50
Safety Enabling Switches			
<u>ZEUS01-000000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$257.00
<u>ZEUS01-000400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$298.00
<u>ZEUS01-100000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch and (2) LEDs, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$275.00
<u>ZEUS01-100400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch and (2) LEDs, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$303.00
<u>ZEUS11-100000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop and (2) LEDs, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$315.00
<u>ZEUS11-100400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop and (2) LEDs, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$351.00
<u>ZEUS01-120000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (2) LEDs and (1) pushbutton, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$293.00
<u>ZEUS01-120400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (2) LEDs and (1) pushbutton, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$351.00
<u>ZEUS11-120000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop, (2) LEDs and (1) pushbutton, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$326.00
<u>ZEUS11-120400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop, (2) LEDs and (1) pushbutton, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$365.00
<u>ZEUS11-030000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop and (2) pushbuttons, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$330.00
<u>ZEUS11-030400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop and (2) pushbuttons, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$363.00
<u>ZEUS01-130000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (2) LEDs and (2) pushbuttons, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$343.00
<u>ZEUS01-130400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (2) LEDs and (2) pushbuttons, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$370.00
<u>ZEUS11-130000</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop, (2) LEDs and (2) pushbuttons, 24 VDC operating voltage, IP65 IP67, terminal connection.	Stock	\$365.00
<u>ZEUS11-130400</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop, (2) LEDs and (2) pushbuttons, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length.	Stock	\$384.00
<u>ZEUS01-131430</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (2) LEDs, (2) pushbuttons, activity sensor and in-hand sensor, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length. Requires ZEUS-H holding bracket.	Stock	\$465.00

<u>ZEUS11-121430</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop, (2) LEDs, (1) pushbutton, activity sensor and in-hand sensor, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length. Requires ZEUS-H holding bracket.	Stock	\$498.00
<u>ZEUS11-131430</u>	SSP Safety System Products ZEUS series safety enabling switch, (1) enabling switch, (1) Estop, (2) LEDs, (2) pushbuttons, activity sensor and in-hand sensor, 24 VDC operating voltage, IP65 IP67, pigtail, 16.4ft/5m cable length. Requires ZEUS-H holding bracket.	Stock	\$507.00
Accessories for Safety Enabling Switches			
<u>ZEUS-H2</u>	SSP Safety System Products ZEUS series mounting bracket, vertical, stainless steel. For use with ZEUS Enabling switches. Mounting hardware included.	Stock	\$42.00
<u>ZEUS-H</u>	SSP Safety System Products ZEUS series mounting bracket, vertical, glass-fiber reinforced thermoplastic. For use with ZEUS Enabling switches with activity sensors.	Stock	\$114.00
Panels for Machine Guarding Systems			
<u>X00666</u>	Velox machine guarding panel, 66 x 6in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$63.00
<u>X01066</u>	Velox machine guarding panel, 66 x 10in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$64.00
<u>X01666</u>	Velox machine guarding panel, 66 x 16in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$77.00
<u>X02266</u>	Velox machine guarding panel, 66 x 22in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$88.00
<u>X02866</u>	Velox machine guarding panel, 66 x 28in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$100.00
<u>X03466</u>	Velox machine guarding panel, 66 x 34in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$111.00
<u>X04066</u>	Velox machine guarding panel, 66 x 40in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$120.00
<u>X04666</u>	Velox machine guarding panel, 66 x 46in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$135.00
<u>X05866</u>	Velox machine guarding panel, 66 x 58in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$158.00
<u>X07066</u>	Velox machine guarding panel, 66 x 70in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$177.00
<u>X08266</u>	Velox machine guarding panel, 66 x 82in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$197.00
<u>X09466</u>	Velox machine guarding panel, 66 x 94in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$221.00
<u>X00624</u>	Velox machine guarding panel, 24 x 6in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$45.50
<u>X01024</u>	Velox machine guarding panel, 24 x 10in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$46.50
<u>X01624</u>	Velox machine guarding panel, 24 x 16in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$52.00
<u>X02224</u>	Velox machine guarding panel, 24 x 22in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$58.00
<u>X02824</u>	Velox machine guarding panel, 24 x 28in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$62.00
<u>X03424</u>	Velox machine guarding panel, 24 x 34in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$66.00
<u>X04024</u>	Velox machine guarding panel, 24 x 40in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$70.00
<u>X04624</u>	Velox machine guarding panel, 24 x 46in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$77.00
<u>X05824</u>	Velox machine guarding panel, 24 x 58in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$82.00
<u>X07024</u>	Velox machine guarding panel, 24 x 70in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$91.00
<u>X08224</u>	Velox machine guarding panel, 24 x 82in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$102.00
<u>X09424</u>	Velox machine guarding panel, 24 x 94in, 2 x 2in grid, 8 gauge wire, carbon steel, black.	Stock	\$110.00
Posts for Machine Guarding Systems			
<u>XG5506</u>	Velox machine guarding post, line or corner, 72 x 2.5in, carbon steel, yellow. For use with Velox series panels.	Stock	\$89.00
<u>XG5106</u>	Velox machine guarding post, hinged adjustable corner, 72 x 2.5in, carbon steel, yellow. For use with Velox series panels.	Stock	\$150.00
<u>XG5508</u>	Velox machine guarding post, line or corner, 96 x 2.5in, carbon steel, yellow. For use with Velox series panels.	Stock	\$106.00
<u>XG5108</u>	Velox machine guarding post, hinged adjustable corner, 96 x 2.5in, carbon steel, yellow. For use with Velox series panels.	Stock	\$206.00
<u>XG5506D</u>	Velox machine guarding post, replacement, swing door, 72 x 2.5in, carbon steel, yellow. For use with Velox series swing door.	Stock	\$105.00
<u>XG5506T</u>	Velox machine guarding post, replacement, slide door, 72 x 2.5in, carbon steel, yellow. For use with Velox series slide door.	Stock	\$98.00

<u>XG5508D</u>	Velox machine guarding post, replacement, swing door, 96 x 2.5in, carbon steel, yellow. For use with Velox series swing door.	Stock	\$122.00
<u>XG5508T</u>	Velox machine guarding post, replacement, slide door, 96 x 2.5in, carbon steel, yellow. For use with Velox series slide door.	Stock	\$116.00
Doors for Machine Guarding Systems			
<u>XGC220366-091</u>	Velox machine guarding door, left hinged, swing out, 36 x 72in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5506D and mounting hardware included.	Stock	\$537.00
<u>XGC220366-094</u>	Velox machine guarding door, right hinged, swing out, 36 x 72in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5506D and mounting hardware included.	Stock	\$537.00
<u>XGC220466-091</u>	Velox machine guarding door, left hinged, swing out, 48 x 72in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5506D and mounting hardware included.	Stock	\$581.00
<u>XGC220466-094</u>	Velox machine guarding door, right hinged, swing out, 48 x 72in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5506D and mounting hardware included.	Stock	\$581.00
<u>XGC400666</u>	Velox machine guarding door, double hinged, swing out, 72 x 72in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5506D and mounting hardware included.	Stock	\$912.00
<u>XGC400866</u>	Velox machine guarding door, double hinged, swing out, 96 x 72in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5506D and mounting hardware included.	Stock	\$1,048.00
<u>XGC590366-098</u>	Velox machine guarding door, slide, open left, 36 x 72 in, 2 x 2in grid, carbon steel, yellow and black. 3 door posts XG5506T, adjacent panel X03466 and mounting hardware included.	Stock	\$1,147.00
<u>XGC590366-097</u>	Velox machine guarding door, slide, open right, 36 x 72 in, 2 x 2in grid, carbon steel, yellow and black. 3 door posts XG5506T, adjacent panel X03466 and mounting hardware included.	Stock	\$1,147.00
<u>XGC590466-098</u>	Velox machine guarding door, slide, open left, 48 x 72 in, 2 x 2in grid, carbon steel, yellow and black. 3 door posts XG5506T, adjacent panel X04666 and mounting hardware included.	Stock	\$1,275.00
<u>XGC590466-097</u>	Velox machine guarding door, slide, open right, 48 x 72 in, 2 x 2in grid, carbon steel, yellow and black. 3 door posts XG5506T, adjacent panel X04666 and mounting hardware included.	Stock	\$1,275.00
<u>XGC590566-098</u>	Velox machine guarding door, slide, open left, 60 x 72 in, 2 x 2in grid, carbon steel, yellow and black. 3 door posts XG5506T, adjacent panel X05866 and mounting hardware included.	Stock	\$1,392.00
<u>XGC590566-097</u>	Velox machine guarding door, slide, open right, 60 x 72 in, 2 x 2in grid, carbon steel, yellow and black. 3 door posts XG5506T, adjacent panel X05866 and mounting hardware included.	Stock	\$1,392.00
<u>XGC610666</u>	Velox machine guarding door, double slide, 72 x 72in, 2 x 2in grid, carbon steel, yellow and black. 4 door posts XG5506T, 2 adjacent panel X03466 and mounting hardware included.	Stock	\$2,030.00
<u>XGC610866</u>	Velox machine guarding door, double slide, 96 x 72in, 2 x 2in grid, carbon steel, yellow and black. 4 door posts XG5506T, 2 adjacent panel X04666 and mounting hardware included.	Stock	\$2,286.00
<u>XGC220390-091</u>	Velox machine guarding door, left hinged, swing out, 36 x 96in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5508D and mounting hardware included.	Stock	\$642.00
<u>XGC220390-094</u>	Velox machine guarding door, right hinged, swing out, 36 x 96in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5508D and mounting hardware included.	Stock	\$642.00
<u>XGC220490-091</u>	Velox machine guarding door, left hinged, swing out, 48 x 96in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5508D and mounting hardware included.	Stock	\$704.00
<u>XGC220490-094</u>	Velox machine guarding door, right hinged, swing out, 48 x 96in, 2 x 2in grid, carbon steel, yellow and black. 2 door posts XG5508D and mounting hardware included.	Stock	\$704.00
Accessories for Machine Guarding Systems			
<u>XGBC</u>	Velox custom cut mounting clips, vertical. For use with Velox Series panels and posts.	Stock	\$33.00
<u>XGBC-NF</u>	Velox custom cut mounting clips, horizontal. For use with Velox Series panels and posts.	Stock	\$16.50
Universal Gate Boxes			
<u>UGB2-525001</u>	IDEM UGB universal gate box, tongue (key) interlock uniquely coded RFID, 2 station, solenoid, 24 VDC to unlock, (2) N.C. safety output(s), die-cast aluminum body.	Stock	\$481.00
<u>UGB2-525002</u>	IDEM UGB universal gate box, tongue (key) interlock uniquely coded RFID, 2 station, solenoid, 24 VDC to unlock, with rear release, (2) N.C. safety output(s), die-cast aluminum body.	Stock	\$561.00
<u>UGB4-526001</u>	IDEM UGB universal gate box, tongue (key) interlock uniquely coded RFID, 4 station, solenoid, 24 VDC to unlock, (2) N.C. safety output(s), die-cast aluminum body.	Stock	\$517.00
<u>UGB4-526002</u>	IDEM UGB universal gate box, tongue (key) interlock uniquely coded RFID, 4 station, solenoid, 24 VDC to unlock, with rear release, (2) N.C. safety output(s), die-cast aluminum body.	Stock	\$597.00
Accessories for Gate Boxes			
<u>UGB2-527003-R</u>	IDEM handle and mounting plate, rotary, right hand. For use with UGB series 2-station universal gate boxes.	Stock	\$169.00
<u>UGB2-527003-L</u>	IDEM handle and mounting plate, rotary, left hand. For use with UGB series 2-station universal gate boxes.	Stock	\$169.00
<u>UGB4-527004-R</u>	IDEM handle and mounting plate, rotary, right hand. For use with UGB series 4-station universal gate boxes.	Stock	\$169.00
<u>UGB4-527004-L</u>	IDEM handle and mounting plate, rotary, left hand. For use with UGB series 4-station universal gate boxes.	Stock	\$169.00

<u>UGB-527005-R</u>	IDEM rear escape handle, rotary, right hand. For use with UGB series universal gate boxes.	Stock	\$147.00
<u>UGB-527005-L</u>	IDEM rear escape handle, rotary, left hand. For use with UGB series universal gate boxes.	Stock	\$147.00
<u>UGB2-527001</u>	IDEM handle and mounting plate, slide. For use with UGB series 2-station universal gate boxes.	Stock	\$149.00
<u>UGB4-527002</u>	IDEM handle and mounting plate, slide. For use with UGB series 4-station universal gate boxes.	Stock	\$158.00
<u>522235</u>	IDEM compact emergency stop pushbutton, IP54, 22mm, twist-to-release, (2) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic. For use with UGB series universal gate boxes.	Stock	\$37.50
<u>522236</u>	IDEM compact emergency stop pushbutton, IP54, 22mm, twist-to-release, (1) N.O./ (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, mushroom, 40mm, round, plastic. For use with UGB series universal gate boxes.	Stock	\$37.50
<u>522352</u>	IDEM compact pushbutton, IP65, 22mm, momentary, LED, (1) N.C. contact(s), plastic base, plastic bezel, Operator: green, extended, 29mm, round, plastic, 24 VAC/VDC, full voltage. For use with UGB series universal gate boxes.	Stock	\$32.00
<u>522351</u>	IDEM compact pushbutton, IP65, 22mm, momentary, LED, (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, extended, 29mm, round, plastic, 24 VAC/VDC, full voltage. For use with UGB series universal gate boxes.	Stock	\$32.00
<u>522331</u>	IDEM compact pushbutton, IP65, 22mm, momentary, (1) N.O./ (1) N.C. contact(s), plastic base, plastic bezel, Operator: red, flush, 29mm, round, plastic. For use with UGB series universal gate boxes.	Stock	\$23.50
<u>522332</u>	IDEM compact pushbutton, IP65, 22mm, momentary, (1) N.O./ (1) N.C. contact(s), plastic base, plastic bezel, Operator: green, flush, 29mm, round, plastic. For use with UGB series universal gate boxes.	Stock	\$23.50
<u>522334</u>	IDEM compact pushbutton, IP65, 22mm, momentary, (1) N.O./ (1) N.C. contact(s), plastic base, plastic bezel, Operator: blue, flush, 29mm, round, plastic. For use with UGB series universal gate boxes.	Stock	\$23.50
<u>522335</u>	IDEM compact pushbutton, IP65, 22mm, momentary, (1) N.O./ (1) N.C. contact(s), plastic base, plastic bezel, Operator: black, flush, 29mm, round, plastic. For use with UGB series universal gate boxes.	Stock	\$23.50
<u>522341</u>	IDEM compact pushbutton, IP65, 22mm, momentary, (2) N.C. contact(s), plastic base, plastic bezel, Operator: green, flush, 29mm, round, plastic. For use with UGB series universal gate boxes.	Stock	\$23.50
<u>522431</u>	IDEM LED compact indicating light, permanent light function, IP65, 22mm, yellow, 22mm, round, plastic base, 24 VAC/VDC, full voltage. For use with UGB series universal gate boxes.	Stock	\$25.00
<u>522432</u>	IDEM LED compact indicating light, permanent light function, IP65, 22mm, red, 22mm, round, plastic base, 24 VAC/VDC, full voltage. For use with UGB series universal gate boxes.	Stock	\$25.00
<u>522433</u>	IDEM LED compact indicating light, permanent light function, IP65, 22mm, green, 22mm, round, plastic base, 24 VAC/VDC, full voltage. For use with UGB series universal gate boxes.	Stock	\$25.00
<u>522434</u>	IDEM LED compact indicating light, permanent light function, IP65, 22mm, blue, 22mm, round, plastic base, 24 VAC/VDC, full voltage. For use with UGB series universal gate boxes.	Stock	\$25.00
<u>522435</u>	IDEM LED compact indicating light, permanent light function, IP65, 22mm, white, 22mm, round, plastic base, 24 VAC/VDC, full voltage. For use with UGB series universal gate boxes.	Stock	\$25.00
<u>522451</u>	IDEM legend holder, 22mm. For use with UGB series universal gate boxes.	Stock	\$3.75
<u>522452</u>	IDEM blanking plug, 22mm. For use with UGB series universal gate boxes.	Stock	\$3.75

Circular Connection Cables

<u>CD08-0A-020-A1</u>	AutomationDirect connection cable, M8 axial female to pigtail, 3-pole, PVC jacket, gray, 6.5ft/2m cable length, IP67.	Stock	\$11.50
<u>CD08-0A-020-C1</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 3-pole, PVC jacket, gray, 6.5ft/2m cable length, IP67.	Stock	\$11.50
<u>7000-08041-2100500</u>	Murrelektronik connection cable, M8 axial female to pigtail, 3-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>7000-08081-2100500</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 3-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>CD08-0C-050-A1-A</u>	AutomationDirect connection cable, M8 axial female to pigtail, 3-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>CD08-0C-050-C1-A</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 3-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>CD08-0A-050-A1</u>	AutomationDirect connection cable, M8 axial female to pigtail, 3-pole, PVC jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>CD08-0A-050-C1</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 3-pole, PVC jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>CD08-0A-070-A1</u>	AutomationDirect connection cable, M8 axial female to pigtail, 3-pole, PVC jacket, gray, 22.9ft/7m cable length, IP67.	Stock	\$18.50
<u>CD08-0A-070-C1</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 3-pole, PVC jacket, gray, 22.9ft/7m cable length, IP67.	Stock	\$18.50
<u>7000-08001-2100200</u>	Murrelektronik connection cable, M8 axial male to pigtail, 3-pole, PVC jacket, gray, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$7.75

<u>7000-08021-2100200</u>	Murrelektronik connection cable, M8 right-angle male to pigtail, 3-pole, PVC jacket, gray, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$7.75
<u>7000-08001-2100500</u>	Murrelektronik connection cable, M8 axial male to pigtail, 3-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>7000-08021-2100500</u>	Murrelektronik connection cable, M8 right-angle male to pigtail, 3-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>7000-08001-2101000</u>	Murrelektronik connection cable, M8 axial male to pigtail, 3-pole, PVC jacket, gray, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$14.50
<u>7000-08021-2101000</u>	Murrelektronik connection cable, M8 right-angle male to pigtail, 3-pole, PVC jacket, gray, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$14.50
<u>CDP08-0A-010-AA</u>	AutomationDirect connection cable, M8 axial female to axial male, 3-pole, PVC jacket, gray, 3.2ft/1m cable length, IP67.	Stock	\$11.50
<u>CDP08-0A-030-AA</u>	AutomationDirect connection cable, M8 axial female to axial male, 3-pole, PVC jacket, gray, 9.8ft/3m cable length, IP67.	Stock	\$13.00
<u>CDP08-0A-010-BB</u>	AutomationDirect connection cable, M8 right-angle female to right-angle male, 3-pole, PVC jacket, gray, 3.2ft/1m cable length, IP67.	Stock	\$11.50
<u>CDP08-0A-030-BB</u>	AutomationDirect connection cable, M8 right-angle female to right-angle male, 3-pole, PVC jacket, gray, 9.8ft/3m cable length, IP67.	Stock	\$11.50
<u>7000-08041-0300200</u>	Murrelektronik connection cable, M8 axial female to pigtail, 3-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-08041-0300500</u>	Murrelektronik connection cable, M8 axial female to pigtail, 3-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$11.50
<u>7000-08041-0300700</u>	Murrelektronik connection cable, M8 axial female to pigtail, 3-pole, PUR jacket, yellow, 22.9ft/7m cable length, IP65 IP66K IP67.	Stock	\$15.50
<u>7000-08081-0300200</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 3-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-08081-0300500</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 3-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$11.50
<u>7000-08081-0300700</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 3-pole, PUR jacket, yellow, 22.9ft/7m cable length, IP65 IP66K IP67.	Stock	\$15.50
<u>7000-08001-0200200</u>	Murrelektronik connection cable, M8 axial male to pigtail, 3-pole, PUR/PVC jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$9.50
<u>7000-08001-0300200</u>	Murrelektronik connection cable, M8 axial male to pigtail, 3-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-08001-0300500</u>	Murrelektronik connection cable, M8 axial male to pigtail, 3-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$11.50
<u>7000-08001-0301000</u>	Murrelektronik connection cable, M8 axial male to pigtail, 3-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$20.00
<u>7000-08021-0300200</u>	Murrelektronik connection cable, M8 right-angle male to pigtail, 3-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-08021-0300500</u>	Murrelektronik connection cable, M8 right-angle male to pigtail, 3-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$11.50
<u>7000-08021-0301000</u>	Murrelektronik connection cable, M8 right-angle male to pigtail, 3-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$20.00
<u>7000-88001-0300100</u>	Murrelektronik connection cable, M8 axial male to M8 axial female, 3-pole, PUR jacket, yellow, 3.2ft/1m cable length, IP65 IP66K IP67.	Stock	\$11.50
<u>7000-88001-0300300</u>	Murrelektronik connection cable, M8 axial male to M8 axial female, 3-pole, PUR jacket, yellow, 9.8ft/3m cable length, IP65 IP66K IP67.	Stock	\$13.50
<u>7000-88081-0300100</u>	Murrelektronik connection cable, M8 right-angle male to M8 right-angle female, 3-pole, PUR jacket, yellow, 3.2ft/1m cable length, IP65 IP66K IP67.	Stock	\$11.50
<u>7000-88081-0300300</u>	Murrelektronik connection cable, M8 right-angle male to M8 right-angle female, 3-pole, PUR jacket, yellow, 9.8ft/3m cable length, IP65 IP66K IP67.	Stock	\$13.50
<u>CD08-0G-020-A1</u>	AutomationDirect connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, black, 6.5ft/2m cable length, IP67.	Stock	\$12.00
<u>CD08-0G-050-A1</u>	AutomationDirect connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>CD08-0G-100-A1</u>	AutomationDirect connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, black, 32.8ft/10m cable length, IP67.	Stock	\$18.50
<u>CD08-0W-020-C1</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, black, 6.5ft/2m cable length, IP67.	Stock	\$12.00
<u>CD08-0W-050-C1</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>CD08-0W-100-C1</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, black, 32.8ft/10m cable length, IP67.	Stock	\$18.50

<u>7000-08061-2110200</u>	Murrelektronik connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, gray, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>7000-08061-2110500</u>	Murrelektronik connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$11.00
<u>7000-08061-2111000</u>	Murrelektronik connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, gray, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$15.00
<u>7000-08101-2110200</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, gray, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>7000-08101-2110500</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$11.00
<u>7000-08101-2111000</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, gray, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$15.00
<u>7000-08061-0310200</u>	Murrelektronik connection cable, M8 axial female to pigtail, 4-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-08061-0310500</u>	Murrelektronik connection cable, M8 axial female to pigtail, 4-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$13.50
<u>7000-08061-0311000</u>	Murrelektronik connection cable, M8 axial female to pigtail, 4-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$21.00
<u>7000-08101-0310200</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 4-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-08101-0310500</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 4-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$14.50
<u>7000-08101-0311000</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 4-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$21.00
<u>7000-08941-6950150</u>	Murrelektronik connection cable, M8 axial female to pigtail, 5-pole, PUR jacket, black, 4.9ft/1.5m cable length, IP67.	Stock	\$11.50
<u>7000-08941-6950500</u>	Murrelektronik connection cable, M8 axial female to pigtail, 5-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$21.00
<u>7000-08941-6951000</u>	Murrelektronik connection cable, M8 axial female to pigtail, 5-pole, PUR jacket, black, 32.8ft/10m cable length, IP67.	Stock	\$33.50
<u>7000-08951-6950150</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 5-pole, PUR jacket, black, 4.9ft/1.5m cable length, IP67.	Stock	\$11.50
<u>7000-08951-6950500</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 5-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$21.50
<u>7000-08951-6951000</u>	Murrelektronik connection cable, M8 right-angle female to pigtail, 5-pole, PUR jacket, black, 32.8ft/10m cable length, IP67.	Stock	\$34.50
<u>EVT421</u>	AutomationDirect connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, orange, 6.5ft/2m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$14.00
<u>EVT422</u>	AutomationDirect connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, orange, 16.4ft/5m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$18.00
<u>EVT423</u>	AutomationDirect connection cable, M8 axial female to pigtail, 4-pole, PVC jacket, orange, 32.8ft/10m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$25.00
<u>EVT424</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, orange, 6.5ft/2m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$14.00
<u>EVT425</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, orange, 16.4ft/5m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$18.00
<u>EVT426</u>	AutomationDirect connection cable, M8 right-angle female to pigtail, 4-pole, PVC jacket, orange, 32.8ft/10m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$25.00
<u>EVT428</u>	AutomationDirect connection cable, M8 axial female to axial male, 4-pole, PVC jacket, orange, 1.9ft/0.6m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$21.00
<u>EVT429</u>	AutomationDirect connection cable, M8 axial female to axial male, 4-pole, PVC jacket, orange, 3.2ft/1m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$22.50
<u>EVT430</u>	AutomationDirect connection cable, M8 axial female to axial male, 4-pole, PVC jacket, orange, 6.5ft/2m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$27.50
<u>EVT431</u>	AutomationDirect connection cable, M8 axial female to axial male, 4-pole, PVC jacket, orange, 16.4ft/5m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$31.00
<u>EVT433</u>	AutomationDirect connection cable, M8 axial male to right-angle female, 4-pole, PVC jacket, orange, 1.9ft/0.6m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$21.00
<u>EVT434</u>	AutomationDirect connection cable, M8 axial male to right-angle female, 4-pole, PVC jacket, orange, 3.2ft/1m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$22.50
<u>EVT435</u>	AutomationDirect connection cable, M8 axial male to right-angle female, 4-pole, PVC jacket, orange, 6.5ft/2m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$27.50
<u>EVT436</u>	AutomationDirect connection cable, M8 axial male to right-angle female, 4-pole, PVC jacket, orange, 16.4ft/5m cable length, IP65, IP67, IP68 and IP69K, suitable for food and beverage applications.	Stock	\$31.00

<u>CD12M-0B-050-A1</u>	AutomationDirect connection cable, M12 axial female to pigtail, 3-pole, PVC jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>CD12M-0B-050-C1</u>	AutomationDirect connection cable, M12 right-angle female to pigtail, 3-pole, PVC jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$14.50
<u>7000-12181-2130500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 3-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>7000-12321-2130500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 3-pole, PVC jacket, gray, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$9.00
<u>CD12M-0D-050-A1-A</u>	AutomationDirect connection cable, M12 axial female to pigtail, 3-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$16.50
<u>CD12M-0D-050-C1-A</u>	AutomationDirect connection cable, M12 right-angle female to pigtail, 3-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$16.50
<u>7000-12181-0330500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 3-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$13.50
<u>7000-12321-0330500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 3-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$13.50
<u>CD12L-0B-020-A0</u>	AutomationDirect connection cable, M12 axial female to pigtail, 4-pole, PVC jacket, gray, 6.5ft/2m cable length, IP67.	Stock	\$11.50
<u>CD12L-0B-020-C0</u>	AutomationDirect connection cable, M12 right-angle female to pigtail, 4-pole, PVC jacket, gray, 6.5ft/2m cable length, IP67.	Stock	\$11.50
<u>CD12M-0B-070-A1</u>	AutomationDirect connection cable, M12 axial female to pigtail, 4-pole, PVC jacket, gray, 22.9ft/7m cable length, IP67, sensor & signal.	Stock	\$18.50
<u>CD12M-0B-070-C1</u>	AutomationDirect connection cable, M12 right-angle female to pigtail, 4-pole, PVC jacket, gray, 22.9ft/7m cable length, IP67, sensor & signal.	Stock	\$18.50
<u>7000-12221-2141000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, PVC jacket, gray, 32.8ft/10m cable length, IP67.	Stock	\$22.00
<u>7000-12341-2141000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, PVC jacket, gray, 32.8ft/10m cable length, IP67.	Stock	\$22.00
<u>7000-12221-2141500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, PVC jacket, gray, 49.2ft/15m cable length, IP67.	Stock	\$28.00
<u>7000-12341-2141500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, PVC jacket, gray, 49.2ft/15m cable length, IP67.	Stock	\$28.00
<u>7000-12221-0340200</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-12221-0340700</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, PUR jacket, yellow, 22.9ft/7m cable length, IP65 IP66K IP67.	Stock	\$18.50
<u>7000-12221-0341000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$23.00
<u>7000-12221-0341500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, PUR jacket, yellow, 49.2ft/15m cable length, IP65 IP66K IP67.	Stock	\$31.00
<u>7000-12341-0340200</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, PUR jacket, yellow, 6.5ft/2m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-12341-0340700</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, PUR jacket, yellow, 22.9ft/7m cable length, IP65 IP66K IP67.	Stock	\$18.50
<u>7000-12341-0341000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$23.00
<u>7000-12341-0341500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, PUR jacket, yellow, 49.2ft/15m cable length, IP65 IP66K IP67.	Stock	\$31.00
<u>EVC178</u>	AutomationDirect connection cable, M12 right-angle female to pigtail, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 6.5ft/2m cable length, IP67, IP68 and IP69K.	Stock	\$15.50
<u>EVC179</u>	AutomationDirect connection cable, M12 right-angle female to pigtail, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 16.4ft/5m cable length, IP67, IP68 and IP69K.	Stock	\$16.00
<u>EVC180</u>	AutomationDirect connection cable, M12 right-angle female to pigtail, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 32.8ft/10m cable length, IP67, IP68 and IP69K.	Stock	\$21.50
<u>7000-40021-0340100</u>	Murrelektronik connection cable, M12 axial male to M12 axial female, 4-pole, PUR jacket, yellow, 3.2ft/1m cable length, IP65 IP66K IP67.	Stock	\$10.50
<u>7000-40021-0340300</u>	Murrelektronik connection cable, M12 axial male to M12 axial female, 4-pole, PUR jacket, yellow, 9.8ft/3m cable length, IP65 IP66K IP67.	Stock	\$14.50
<u>7000-40261-0340100</u>	Murrelektronik connection cable, M12 right-angle male to M12 right-angle female, 4-pole, PUR jacket, yellow, 3.2ft/1m cable length, IP65 IP66K IP67.	Stock	\$13.50
<u>7000-40261-0340300</u>	Murrelektronik connection cable, M12 right-angle male to M12 right-angle female, 4-pole, PUR jacket, yellow, 9.8ft/3m cable length, IP65 IP66K IP67.	Stock	\$16.50
<u>CDP12-0B-010-AA</u>	AutomationDirect connection cable, M12 axial female to axial male, 4-pole, PVC jacket, gray, 3.2ft/1m cable length, IP67, sensor & signal.	Stock	\$11.50

<u>CDP12-0B-030-AA</u>	AutomationDirect connection cable, M12 axial female to axial male, 4-pole, PVC jacket, gray, 9.8ft/3m cable length, IP67, sensor & signal.	Stock	\$11.50
<u>CDP12-0B-010-BB</u>	AutomationDirect connection cable, M12 right-angle female to right-angle male, 4-pole, PVC jacket, gray, 3.2ft/1m cable length, IP67, sensor & signal.	Stock	\$11.50
<u>CDP12-0B-030-BB</u>	AutomationDirect connection cable, M12 right-angle female to right-angle male, 4-pole, PVC jacket, gray, 9.8ft/3m cable length, IP67, sensor & signal.	Stock	\$13.00
<u>EVC322</u>	AutomationDirect connection cable, M12 right-angle female to axial male, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 0.9ft/0.3m cable length, IP67, IP68 and IP69K.	Stock	\$15.50
<u>EVC323</u>	AutomationDirect connection cable, M12 right-angle female to axial male, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 1.9ft/0.6m cable length, IP67, IP68 and IP69K.	Stock	\$17.00
<u>EVC324</u>	AutomationDirect connection cable, M12 right-angle female to axial male, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 3.2ft/1m cable length, IP67, IP68 and IP69K.	Stock	\$17.50
<u>EVC325</u>	AutomationDirect connection cable, M12 right-angle female to axial male, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 6.5ft/2m cable length, IP67, IP68 and IP69K.	Stock	\$20.00
<u>EVC326</u>	AutomationDirect connection cable, M12 right-angle female to axial male, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 16.4ft/5m cable length, IP67, IP68 and IP69K.	Stock	\$23.50
<u>EVC327</u>	AutomationDirect connection cable, M12 right-angle female to axial male, 4-pole, 10-36 VDC, PNP LED, PUR jacket, black, 32.8ft/10m cable length, IP67, IP68 and IP69K.	Stock	\$29.00
<u>7000-12241-2150300</u>	Murrelektronik connection cable, M12 axial female to pigtail, 5-pole, PVC jacket, gray, 9.8ft/3m cable length, IP67.	Stock	\$13.00
<u>7000-12361-2150300</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 5-pole, PVC jacket, gray, 9.8ft/3m cable length, IP67.	Stock	\$13.00
<u>7000-12241-2150500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 5-pole, PVC jacket, gray, 16.4ft/5m cable length, IP67.	Stock	\$18.00
<u>7000-12361-2150500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 5-pole, PVC jacket, gray, 16.4ft/5m cable length, IP67.	Stock	\$18.00
<u>7000-12241-2151000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 5-pole, PVC jacket, gray, 32.8ft/10m cable length, IP67.	Stock	\$26.00
<u>7000-12361-2151000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 5-pole, PVC jacket, gray, 32.8ft/10m cable length, IP67.	Stock	\$26.00
<u>7000-12241-0350300</u>	Murrelektronik connection cable, M12 axial female to pigtail, 5-pole, PUR jacket, yellow, 9.8ft/3m cable length, IP65 IP66K IP67.	Stock	\$14.50
<u>7000-12241-0350500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 5-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$18.50
<u>7000-12241-0351000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 5-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$29.00
<u>7000-12361-0350300</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 5-pole, PUR jacket, yellow, 9.8ft/3m cable length, IP65 IP66K IP67.	Stock	\$14.50
<u>7000-12361-0350500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 5-pole, PUR jacket, yellow, 16.4ft/5m cable length, IP65 IP66K IP67.	Stock	\$18.50
<u>7000-12361-0351000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 5-pole, PUR jacket, yellow, 32.8ft/10m cable length, IP65 IP66K IP67.	Stock	\$29.00
<u>7000-40041-2150100</u>	Murrelektronik connection cable, M12 axial female to axial male, 5-pole, PVC jacket, gray, 3.2ft/1m cable length, IP67.	Stock	\$17.00
<u>7000-40041-2150300</u>	Murrelektronik connection cable, M12 axial female to axial male, 5-pole, PVC jacket, gray, 9.8ft/3m cable length, IP67.	Stock	\$21.50
<u>7000-40041-0350100</u>	Murrelektronik connection cable, M12 axial male to M12 axial female, 5-pole, PUR jacket, yellow, 3.2ft/1m cable length, IP65 IP66K IP67.	Stock	\$17.50
<u>7000-40041-0350300</u>	Murrelektronik connection cable, M12 axial male to M12 axial female, 5-pole, PUR jacket, yellow, 9.8ft/3m cable length, IP65 IP66K IP67.	Stock	\$22.00
<u>7000-17041-2950300</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, 9.8ft/3m cable length, IP67.	Stock	\$32.50
<u>7000-17061-2950300</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, 9.8ft/3m cable length, IP67.	Stock	\$32.50
<u>7000-17041-2950500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, 16.4ft/5m cable length, IP67.	Stock	\$40.50
<u>7000-17061-2950500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, 16.4ft/5m cable length, IP67.	Stock	\$40.50
<u>7000-17041-2951000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, 32.8ft/10m cable length, IP67.	Stock	\$64.00
<u>7000-17061-2951000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, 32.8ft/10m cable length, IP67.	Stock	\$64.00
<u>7000-17041-2920300</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, 9.8ft/3m cable length, IP65 IP67.	Stock	\$31.00

<u>7000-17041-2920500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, 16.4ft/5m cable length, IP65 IP67.	Stock	\$40.00
<u>7000-17041-2921000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, 32.8ft/10m cable length, IP65 IP67.	Stock	\$60.50
<u>7000-17061-2920300</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, 9.8ft/3m cable length, IP65 IP67.	Stock	\$31.00
<u>7000-17061-2920500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, 16.4ft/5m cable length, IP65 IP67.	Stock	\$40.00
<u>7000-17061-2921000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, 32.8ft/10m cable length, IP65 IP67.	Stock	\$60.50
<u>7000-19041-7050300</u>	Murrelektronik connection cable, M12 axial female to pigtail, 12-pole, PUR jacket, black, 9.8ft/3m cable length, IP67.	Stock	\$51.50
<u>7000-19061-7050300</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 12-pole, PUR jacket, black, 9.8ft/3m cable length, IP67.	Stock	\$51.50
<u>7000-19041-7050500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 12-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$61.50
<u>7000-19061-7050500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 12-pole, PUR jacket, black, 16.4ft/5m cable length, IP67.	Stock	\$61.50
<u>7000-19041-7051000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 12-pole, PUR jacket, black, 32.8ft/10m cable length, IP67.	Stock	\$91.00
<u>7000-19061-7051000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 12-pole, PUR jacket, black, 32.8ft/10m cable length, IP67.	Stock	\$91.00
<u>7024-12181-3150500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 3-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 16.4ft/5m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$21.50
<u>7024-12321-3150500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 3-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 16.4ft/5m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$21.50
<u>7024-12221-3210200</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 6.5ft/2m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$17.50
<u>7024-12341-3210200</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 6.5ft/2m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$17.50
<u>7024-12221-3210300</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 9.8ft/3m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$20.50
<u>7024-12341-3210300</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 9.8ft/3m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$20.50
<u>7024-12221-3210500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 16.4ft/5m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$22.50
<u>7024-12341-3210500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 16.4ft/5m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$22.50
<u>7024-12221-3210700</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 22.9ft/7m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$27.50
<u>7024-12341-3210700</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 22.9ft/7m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$27.50
<u>7024-12221-3211000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 32.8ft/10m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$32.50
<u>7024-12341-3211000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 32.8ft/10m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$32.50
<u>7024-12221-3211500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 49.2ft/15m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$41.50
<u>7024-12341-3211500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 49.2ft/15m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$41.50
<u>7024-12221-3212000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 4-pole, styrene-butadiene thermoplastic (TPE-S) jacket, ice blue, 65.6ft/20m cable length, IP65, IP68 and IP69K, suitable for food and beverage applications, FDA compliant.	Stock	\$51.50

[illegible]

[illegible]

<u>7000-17141-2941000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, shielded, 32.8ft/10m cable length, IP67.	Stock	\$84.00
<u>7000-17121-2910500</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, shielded, 16.4ft/5m cable length, IP65 IP67.	Stock	\$55.00
<u>7000-17121-2911000</u>	Murrelektronik connection cable, M12 axial female to pigtail, 8-pole, PUR jacket, gray, shielded, 32.8ft/10m cable length, IP65 IP67.	Stock	\$78.00
<u>7000-17141-2910500</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, shielded, 16.4ft/5m cable length, IP65 IP67.	Stock	\$55.00
<u>7000-17141-2911000</u>	Murrelektronik connection cable, M12 right-angle female to pigtail, 8-pole, PUR jacket, gray, shielded, 32.8ft/10m cable length, IP65 IP67.	Stock	\$80.00
<u>E18446</u>	AutomationDirect connection cable, 1/2in-20 UNF thread axial female to pigtail, 3-pole, PVC jacket, yellow, 16.4ft/5m cable length, IP67 IP68 IP69K.	Stock	\$29.00
<u>E18447</u>	AutomationDirect connection cable, 1/2in-20 UNF thread right-angle female to pigtail, 3-pole, PVC jacket, yellow, 16.4ft/5m cable length, IP67 IP68 IP69K.	Stock	\$36.50
<u>E18448</u>	AutomationDirect connection cable, 1/2in-20 UNF thread axial female to pigtail, 3-pole, PVC jacket, yellow, 32.8ft/10m cable length, IP67 IP68 IP69K.	Stock	\$29.00
<u>E18449</u>	AutomationDirect connection cable, 1/2in-20 UNF thread right-angle female to pigtail, 3-pole, PVC jacket, yellow, 32.8ft/10m cable length, IP67 IP68 IP69K.	Stock	\$36.50
<u>CSDS4A4CY2202</u>	Cable, M12 axial female to pigtail, 4-pole, PVC jacket, yellow, 6.5ft/2m cable length, IP67.	Stock	\$34.50
<u>CSAS5A5CY2205</u>	AC micro cable, 1/2in-20 UNF thread axial female to pigtail, 5-pole, PVC jacket, yellow, 16.4ft/5m cable length, IP67.	Stock	\$52.00
<u>CSMS4A4CY1602</u>	Mini connector cable, 7/8in-16 UN thread axial female to pigtail, 4-pole, PVC jacket, yellow, 6.5ft/2m cable length, IP68.	Stock	\$53.00
<u>CSMS4A4CY1606</u>	Mini connector cable, 7/8in-16 UN thread axial female to pigtail, 4-pole, PVC jacket, yellow, 19.6ft/6m cable length, IP68.	Stock	\$85.00
<u>CSDS4A4CY2205</u>	Cable, M12 axial female to pigtail, 4-pole, PVC jacket, yellow, 16.4ft/5m cable length, IP67.	Stock	\$35.50
<u>CSAS4F4CY2202</u>	AC micro cable, 1/2in-20 UNF thread axial female to pigtail, 4-pole, PVC jacket, yellow, 6.5ft/2m cable length, IP67.	Stock	\$39.00
<u>CSAS4F4CY2205</u>	AC micro cable, 1/2in-20 UNF thread axial female to pigtail, 4-pole, PVC jacket, yellow, 16.4ft/5m cable length, IP67.	Stock	\$40.00
<u>CSAS5A5CY2202</u>	AC micro cable, 1/2in-20 UNF thread axial female to pigtail, 5-pole, PVC jacket, yellow, 6.5ft/2m cable length, IP67.	Stock	\$49.00
<u>CSMS5A5CY1602</u>	Mini connector cable, 7/8in-16 UN thread axial female to pigtail, 5-pole, PVC jacket, yellow, 6.5ft/2m cable length, IP68.	Stock	\$62.00
<u>CSMS5A5CY1606</u>	Mini connector cable, 7/8in-16 UN thread axial female to pigtail, 5-pole, PVC jacket, yellow, 19.6ft/6m cable length, IP68.	Stock	\$98.00
<u>7700-14541-S4U0060</u>	Murrelektronik Cat5e Ethernet connection cable, STP (overall foil shield), M12 axial male D-coded 4-pin to pigtail, 1.9ft/0.6m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$18.50
<u>7700-14541-S4U0100</u>	Murrelektronik Cat5e Ethernet connection cable, STP (overall foil shield), M12 axial male D-coded 4-pin to pigtail, 3.2ft/1m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$20.00
<u>7700-14541-S4U0300</u>	Murrelektronik Cat5e Ethernet connection cable, STP (overall foil shield), M12 axial male D-coded 4-pin to pigtail, 9.8ft/3m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$26.50
<u>7700-14541-S4U0500</u>	Murrelektronik Cat5e Ethernet connection cable, STP (overall foil shield), M12 axial male D-coded 4-pin to pigtail, 16.4ft/5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$32.00
<u>7700-14541-S4U0750</u>	Murrelektronik Cat5e Ethernet connection cable, STP (overall foil shield), M12 axial male D-coded 4-pin to pigtail, 24.6ft/7.5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$40.50
<u>7700-14541-S4U1000</u>	Murrelektronik Cat5e Ethernet connection cable, STP (overall foil shield), M12 axial male D-coded 4-pin to pigtail, 32.8ft/10m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$48.50
<u>7700-14541-S4U1500</u>	Murrelektronik Cat5e Ethernet connection cable, STP (overall foil shield), M12 axial male D-coded 4-pin to pigtail, 49.2ft/15m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$68.00
<u>7700-44511-S4U0060</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 male D-coded to M12 male D-coded, 1.9ft/0.6m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$28.50
<u>7700-44511-S4U0100</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 male D-coded to M12 male D-coded, 3.2ft/1m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$29.50
<u>7700-44511-S4U0300</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 male D-coded to M12 male D-coded, 9.8ft/3m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$37.00
<u>7700-44511-S4U0500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 axial male D-coded 4-pin, 16.4ft/5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$38.00
<u>7700-44511-S4U0750</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 axial male D-coded 4-pin, 24.6ft/7.5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$46.50
<u>7700-44511-S4U1000</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 axial male D-coded 4-pin, 32.8ft/10m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$55.00

<u>7700-44511-S4U1500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 axial male D-coded 4-pin, 49.2ft/15m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$74.00
<u>7700-44541-S4U0060</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 male D-coded to M12 right-angle male D-coded, 1.9ft/0.6m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$28.50
<u>7700-44541-S4U0100</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 male D-coded to M12 right-angle male D-coded, 3.2ft/1m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$29.50
<u>7700-44541-S4U0300</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 male D-coded to M12 right-angle male D-coded, 9.8ft/3m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$39.00
<u>7700-44541-S4U0500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 right-angle male D-coded 4-pin, 16.4ft/5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$40.50
<u>7700-44541-S4U0750</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 right-angle male D-coded 4-pin, 24.6ft/7.5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$48.50
<u>7700-44541-S4U1000</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 right-angle male D-coded 4-pin, 32.8ft/10m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$58.00
<u>7700-44541-S4U1500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to M12 right-angle male D-coded 4-pin, 49.2ft/15m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$79.00
<u>7700-44711-S4U0060</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to M12 axial male D-coded, 1.9ft/0.6m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$27.50
<u>7700-44711-S4U0100</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to M12 axial male D-coded, 3.2ft/1m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$28.50
<u>7700-44711-S4U0300</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to M12 axial male D-coded, 9.8ft/3m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$34.00
<u>7700-44711-S4U0500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to RJ45 axial male 4-pin, 16.4ft/5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$38.00
<u>7700-44711-S4U0750</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to RJ45 axial male 4-pin, 24.6ft/7.5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$48.50
<u>7700-44711-S4U1000</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to RJ45 axial male 4-pin, 32.8ft/10m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$57.00
<u>7700-44711-S4U1500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial male D-coded 4-pin to RJ45 axial male 4-pin, 49.2ft/15m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$79.00
<u>7700-44761-S4U0060</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to M12 right-angle male D-coded, 1.9ft/0.6m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$27.50
<u>7700-44761-S4U0100</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to M12 right-angle male D-coded, 3.2ft/1m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$29.00
<u>7700-44761-S4U0300</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to M12 right-angle male D-coded, 9.8ft/3m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$35.00
<u>7700-44761-S4U0500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 right-angle male D-coded 4-pin to RJ45 axial male 4-pin, 16.4ft/5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$39.50
<u>7700-44761-S4U0750</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 right-angle male D-coded 4-pin to RJ45 axial male 4-pin, 24.6ft/7.5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$48.50
<u>7700-44761-S4U1000</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 right-angle male D-coded 4-pin to RJ45 axial male 4-pin, 32.8ft/10m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$55.00
<u>7700-44761-S4U1500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 right-angle male D-coded 4-pin to RJ45 axial male 4-pin, 49.2ft/15m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$74.00
<u>7700-44851-S4U0050</u>	Murrelektronik Cat5e Ethernet bulkhead connector, M12 axial female D-coded 4-pin to RJ45 axial male 4-pin, shielded, 24 AWG, 1.6ft/0.5m cable length, HDPE conductor insulation material, IP67 (M12) IP20 (RJ45).	Stock	\$29.00
<u>7700-44851-S4U0060</u>	Murrelektronik Cat5e Ethernet bulkhead connector, M12 axial female D-coded 4-pin to RJ45 axial male 4-pin, shielded, 24 AWG, 1.9ft/0.6m cable length, HDPE conductor insulation material, IP67 (M12) IP20 (RJ45).	Stock	\$31.00
<u>7700-44851-S4U0100</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), M12 axial female D-coded 4-pin to RJ45 axial male 4-pin, 3.2ft/1m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$31.00
<u>7700-51101-S4X0100</u>	Murrelektronik Cat6a Ethernet straight-through patch cable, overall shielded with foil/unshielded twisted pair, M12 axial male X-coded to RJ45 male, 3.2ft/1m cable length, teal. For use with 1/10 Gbps networks.	Stock	\$69.00
<u>7700-51101-S4X0300</u>	Murrelektronik Cat6a Ethernet straight-through patch cable, overall shielded with foil/unshielded twisted pair, M12 axial male X-coded to RJ45 male, 9.8ft/3m cable length, teal. For use with 1/10 Gbps networks.	Stock	\$87.00
<u>7700-51101-S4X0500</u>	Murrelektronik Cat6a Ethernet straight-through patch cable, overall shielded with foil/unshielded twisted pair, M12 axial male X-coded to RJ45 male, 16.4ft/5m cable length, teal. For use with 1/10 Gbps networks.	Stock	\$107.00
<u>7700-51201-S4X0100</u>	Murrelektronik Cat6a Ethernet straight-through patch cable, overall shielded with foil/unshielded twisted pair, M12 right-angle male X-coded to RJ45 male, 3.2ft/1m cable length, teal. For use with 1/10 Gbps networks.	Stock	\$75.00
<u>7700-51201-S4X0300</u>	Murrelektronik Cat6a Ethernet straight-through patch cable, overall shielded with foil/unshielded twisted pair, M12 right-angle male X-coded to RJ45 male, 9.8ft/3m cable length, teal. For use with 1/10 Gbps networks.	Stock	\$95.00

<u>7700-51201-S4X0500</u>	Murrelektronik Cat6a Ethernet straight-through patch cable, overall shielded with foil/unshielded twisted pair, M12 right-angle male X-coded to RJ45 male, 16.4ft/5m cable length, teal. For use with 1/10 Gbps networks.	Stock	\$113.00
<u>CAB-ETH-M01</u>	Datalogic cable, Ethernet, 4-pin D-coded M12 to RJ45, PVC, 3.2ft/1m cable length.	Stock	\$57.00
<u>CAB-ETH-M03</u>	Datalogic cable, Ethernet, 4-pin D-coded M12 to RJ45, PVC, 9.8ft/3m cable length.	Stock	\$69.00
<u>CAB-ETH-M05</u>	Datalogic cable, Ethernet, 4-pin D-coded M12 to RJ45, PVC, 16.4ft/5m cable length.	Stock	\$83.00
<u>CAB-ETH-X-M01</u>	Datalogic cable, Ethernet, 8-pin M12 X-coded to RJ45, PVC jacket, 3.2ft/1m cable length.	Stock	\$101.00
<u>CAB-ETH-X-M03</u>	Datalogic cable, Ethernet, 8-pin M12 X-coded to RJ45, PVC, 9.8ft/3m cable length.	Stock	\$111.00
<u>CAB-ETH-X-M05</u>	Datalogic cable, Ethernet, 8-pin M12 X-coded to RJ45, PVC, 16.4ft/5m cable length.	Stock	\$134.00
<u>7700-P4241-U0P0200</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 6.5ft/2m cable length, IP65 IP67.	Stock	\$70.00
<u>7700-P4241-U0P0300</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 9.8ft/3m cable length, IP65 IP67.	Stock	\$82.00
<u>7700-P4241-U0P0500</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 16.4ft/5m cable length, IP65 IP67.	Stock	\$106.00
<u>7700-P4241-U0P0750</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 24.6ft/7.5m cable length, IP65 IP67.	Stock	\$136.00
<u>7700-P4241-U0P1000</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 32.8ft/10m cable length, IP65 IP67.	Stock	\$166.00
<u>7700-P4241-U0P1500</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 49.2ft/15m cable length, IP65 IP67.	Stock	\$227.00
<u>7700-P4241-U0D0200</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 6.5ft/2m cable length, IP65 IP67.	Stock	\$63.00
<u>7700-P4241-U0D0300</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 9.8ft/3m cable length, IP65 IP67.	Stock	\$73.00
<u>7700-P4241-U0D0500</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 16.4ft/5m cable length, IP65 IP67.	Stock	\$90.00
<u>7700-P4241-U0D0750</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 24.6ft/7.5m cable length, IP65 IP67.	Stock	\$111.00
<u>7700-P4241-U0D1000</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 32.8ft/10m cable length, IP65 IP67.	Stock	\$133.00
<u>7700-P4241-U0D1500</u>	Murrelektronik power cable, M12 axial male L-coded to M12 axial female L-coded, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 49.2ft/15m cable length, IP65 IP67.	Stock	\$176.00
<u>7700-P4201-U0P0200</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 6.5ft/2m cable length, IP65 IP67.	Stock	\$43.00
<u>7700-P4201-U0P0300</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 9.8ft/3m cable length, IP65 IP67.	Stock	\$55.00
<u>7700-P4201-U0P0500</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 16.4ft/5m cable length, IP65 IP67.	Stock	\$77.00
<u>7700-P4201-U0P0750</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 24.6ft/7.5m cable length, IP65 IP67.	Stock	\$104.00
<u>7700-P4201-U0P1000</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 32.8ft/10m cable length, IP65 IP67.	Stock	\$131.00
<u>7700-P4201-U0P1500</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 49.2ft/15m cable length, IP65 IP67.	Stock	\$187.00
<u>7700-P4201-U0D0200</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 6.5ft/2m cable length, IP65 IP67.	Stock	\$38.00
<u>7700-P4201-U0D0300</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 9.8ft/3m cable length, IP65 IP67.	Stock	\$45.00
<u>7700-P4201-U0D0500</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 16.4ft/5m cable length, IP65 IP67.	Stock	\$61.00
<u>7700-P4201-U0D0750</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 24.6ft/7.5m cable length, IP65 IP67.	Stock	\$81.00
<u>7700-P4201-U0D1000</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 32.8ft/10m cable length, IP65 IP67.	Stock	\$101.00
<u>7700-P4201-U0D1500</u>	Murrelektronik power cable, M12 axial male L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 49.2ft/15m cable length, IP65 IP67.	Stock	\$138.00
<u>7700-P4221-U0P0200</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 6.5ft/2m cable length, IP65 IP67.	Stock	\$44.00
<u>7700-P4221-U0P0300</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 9.8ft/3m cable length, IP65 IP67.	Stock	\$54.00

<u>7700-P4221-U0P0500</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 16.4ft/5m cable length, IP65 IP67.	Stock	\$75.00
<u>7700-P4221-U0P0750</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 24.6ft/7.5m cable length, IP65 IP67.	Stock	\$102.00
<u>7700-P4221-U0P1000</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 32.8ft/10m cable length, IP65 IP67.	Stock	\$127.00
<u>7700-P4221-U0P1500</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 16A, 14 AWG, TPE jacket, yellow, 49.2ft/15m cable length, IP65 IP67.	Stock	\$181.00
<u>7700-P4221-U0D0200</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 6.5ft/2m cable length, IP65 IP67.	Stock	\$39.50
<u>7700-P4221-U0D0300</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 9.8ft/3m cable length, IP65 IP67.	Stock	\$47.50
<u>7700-P4221-U0D0500</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 16.4ft/5m cable length, IP65 IP67.	Stock	\$62.00
<u>7700-P4221-U0D0750</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 24.6ft/7.5m cable length, IP65 IP67.	Stock	\$81.00
<u>7700-P4221-U0D1000</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 32.8ft/10m cable length, IP65 IP67.	Stock	\$101.00
<u>7700-P4221-U0D1500</u>	Murrelektronik power cable, M12 axial female L-coded to pigtail, 5-pole, 63 VDC, 12A, 16 AWG, TPE jacket, yellow, 49.2ft/15m cable length, IP65 IP67.	Stock	\$138.00
<u>7000-P4541-P040200</u>	Murrelektronik adapter cable, M12 axial female L-coded to 7/8in axial male, 5-pole, 63 VDC, 12A, 16 AWG, PUR jacket, black, 6.5ft/2m cable length, IP67.	Stock	\$80.00
<u>ZP-S1-2FP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$27.50
<u>ZP-S1-2FP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$37.00
<u>ZP-S1-2FP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$53.00
<u>ZP-S1-2FP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$64.00
<u>ZP-S1-2MP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$29.50
<u>ZP-S1-2MP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$35.50
<u>ZP-S1-2MP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$50.00
<u>ZP-S1-2MP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 2-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$62.00
<u>ZP-S1-3FP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$28.50
<u>ZP-S1-3FP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$39.00
<u>ZP-S1-3FP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$50.00
<u>ZP-S1-3FP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$77.00
<u>ZP-S1-3MP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$32.00
<u>ZP-S1-3MP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$41.50
<u>ZP-S1-3MP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$57.00
<u>ZP-S1-3MP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$79.00
<u>ZP-S1-3MFP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to 7/8in - 16 UN2 thread nut 3-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$47.50
<u>ZP-S1-3MFP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to 7/8in - 16 UN2 thread nut 3-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$55.00
<u>ZP-S1-3MFP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to 7/8in - 16 UN2 thread nut 3-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$72.00
<u>ZP-S1-3MFP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 3-pin male axial to 7/8in - 16 UN2 thread nut 3-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$85.00
<u>ZP-S1-4FP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 4-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$35.00

[illegible]

<u>ZP-S1-5MFP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 5-pin male axial to 7/8in - 16 UN2 thread nut 5-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$87.00
<u>ZP-S1-5MFP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 5-pin male axial to 7/8in - 16 UN2 thread nut 5-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$116.00
<u>ZP-S1-5MFP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 5-pin male axial to 7/8in - 16 UN2 thread nut 5-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$150.00
<u>ZP-S1-6FP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$49.50
<u>ZP-S1-6FP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$68.00
<u>ZP-S1-6FP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$90.00
<u>ZP-S1-6FP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin female axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$119.00
<u>ZP-S1-6MP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$48.00
<u>ZP-S1-6MP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$71.00
<u>ZP-S1-6MP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$85.00
<u>ZP-S1-6MP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to pigtail with North American color code, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$117.00
<u>ZP-S1-6MFP-2M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to 7/8in - 16 UN2 thread nut 6-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 6.5ft/2m cable length, IP67.	Stock	\$70.00
<u>ZP-S1-6MFP-4M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to 7/8in - 16 UN2 thread nut 6-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 13.1ft/4m cable length, IP67.	Stock	\$88.00
<u>ZP-S1-6MFP-6M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to 7/8in - 16 UN2 thread nut 6-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 19.6ft/6m cable length, IP67.	Stock	\$101.00
<u>ZP-S1-6MFP-10M</u>	ZIPport connection cable, 7/8in - 16 UN2 thread nut 6-pin male axial to 7/8in - 16 UN2 thread nut 6-pin female axial, PVC outer jacket, yellow, nickel-plated brass connector, 32.8ft/10m cable length, IP67.	Stock	\$138.00

Ethernet Patch Cables

<u>FOM-OM1-LCLC-001</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 3.2ft/1m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$8.00
<u>FOM-OM1-LCLC-003</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 9.8ft/3m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$8.75
<u>FOM-OM1-LCLC-005</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 16.4ft/5m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$10.50
<u>FOM-OM1-LCLC-010</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 32.8ft/10m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$16.50
<u>FOM-OM4-LCLC-001</u>	AchieVe OM4 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 3.2ft/1m cable length, violet. For use with 1/10 Gbps networks.	Stock	\$10.50
<u>FOM-OM4-LCLC-003</u>	AchieVe OM4 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 9.8ft/3m cable length, violet. For use with 1/10 Gbps networks.	Stock	\$16.50
<u>FOM-OM4-LCLC-005</u>	AchieVe OM4 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 16.4ft/5m cable length, violet. For use with 1/10 Gbps networks.	Stock	\$20.00
<u>FOM-OM4-LCLC-010</u>	AchieVe OM4 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 32.8ft/10m cable length, violet. For use with 1/10 Gbps networks.	Stock	\$23.00
<u>FOM-OM1-LCST-001</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to ST duplex, 3.2ft/1m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$8.25
<u>FOM-OM1-LCST-003</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to ST duplex, 9.8ft/3m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$9.00
<u>FOM-OM1-LCST-005</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to ST duplex, 16.4ft/5m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$10.00
<u>FOM-OM1-LCST-010</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, LC duplex to ST duplex, 32.8ft/10m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$16.50
<u>FOM-OM2-SCLC-001</u>	AchieVe OM2 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 3.2ft/1m cable length, orange. For use with 1/10 Gbps networks.	Stock	\$8.00
<u>FOM-OM2-SCLC-003</u>	AchieVe OM2 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 9.8ft/3m cable length, orange. For use with 1/10 Gbps networks.	Stock	\$8.75
<u>FOM-OM2-SCLC-005</u>	AchieVe OM2 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 16.4ft/5m cable length, orange. For use with 1/10 Gbps networks.	Stock	\$10.00
<u>FOM-OM2-SCLC-010</u>	AchieVe OM2 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 32.8ft/10m cable length, orange. For use with 1/10 Gbps networks.	Stock	\$14.00

<u>FOM-OM1-SCLC-001</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 3.2ft/1m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$8.00
<u>FOM-OM1-SCLC-003</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 9.8ft/3m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$8.75
<u>FOM-OM1-SCLC-005</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 16.4ft/5m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$10.50
<u>FOM-OM1-SCLC-010</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, SC duplex to LC duplex, 32.8ft/10m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$16.50
<u>FOM-OM3-LCLC-001</u>	AchieVe OM3 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 3.2ft/1m cable length, aqua. For use with 1/10 Gbps networks.	Stock	\$8.75
<u>FOM-OM3-LCLC-003</u>	AchieVe OM3 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 9.8ft/3m cable length, aqua. For use with 1/10 Gbps networks.	Stock	\$10.00
<u>FOM-OM3-LCLC-005</u>	AchieVe OM3 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 16.4ft/5m cable length, aqua. For use with 1/10 Gbps networks.	Stock	\$11.00
<u>FOM-OM3-LCLC-010</u>	AchieVe OM3 multi-mode fiber optic Ethernet patch cable, LC duplex to LC duplex, 32.8ft/10m cable length, aqua. For use with 1/10 Gbps networks.	Stock	\$16.50
<u>FOM-OM1-SCSC-001</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, SC duplex to SC duplex, 3.2ft/1m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$8.00
<u>FOM-OM1-SCSC-003</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, SC duplex to SC duplex, 9.8ft/3m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$8.75
<u>FOM-OM1-STST-001</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, ST duplex to ST duplex, 3.2ft/1m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$10.00
<u>FOM-OM1-STST-003</u>	AchieVe OM1 multi-mode fiber optic Ethernet patch cable, ST duplex to ST duplex, 9.8ft/3m cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$14.00
<u>C6A-STPBL-S3</u>	AutomationDirect Cat6a Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, blue. For use with 10/100/1000/10000 Mbps networks.	Stock	\$12.50
<u>C6A-STPBL-S7</u>	AutomationDirect Cat6a Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, blue. For use with 10/100/1000/10000 Mbps networks.	Stock	\$19.00
<u>C6A-STPBL-S10</u>	AutomationDirect Cat6a Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 10ft cable length, blue. For use with 10/100/1000/10000 Mbps networks.	Stock	\$23.50
<u>C6A-STPBL-S14</u>	AutomationDirect Cat6a Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 14ft cable length, blue. For use with 10/100/1000/10000 Mbps networks.	Stock	\$29.50
<u>C5E-STPGY-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, gray. For use with 10/100/1000 Mbps networks.	Stock	\$7.75
<u>C5E-STPBK-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, black. For use with 10/100/1000 Mbps networks.	Stock	\$7.75
<u>C5E-STPBL-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, blue. For use with 10/100/1000 Mbps networks.	Stock	\$7.75
<u>C5E-STPGN-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, green. For use with 10/100/1000 Mbps networks.	Stock	\$7.75
<u>C5E-STPPL-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, purple. For use with 10/100/1000 Mbps networks.	Stock	\$8.00
<u>C5E-STPRD-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, red. For use with 10/100/1000 Mbps networks.	Stock	\$8.25
<u>C5E-STPYL-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, yellow. For use with 10/100/1000 Mbps networks.	Stock	\$8.00
<u>C5E-STPOR-S3</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 3ft cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$7.75
<u>C5E-STPGY-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, gray. For use with 10/100/1000 Mbps networks.	Stock	\$11.50
<u>C5E-STPBK-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, black. For use with 10/100/1000 Mbps networks.	Stock	\$12.00
<u>C5E-STPBL-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, blue. For use with 10/100/1000 Mbps networks.	Stock	\$11.50
<u>C5E-STPGN-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, green. For use with 10/100/1000 Mbps networks.	Stock	\$12.00
<u>C5E-STPPL-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, purple. For use with 10/100/1000 Mbps networks.	Stock	\$13.00
<u>C5E-STPRD-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, red. For use with 10/100/1000 Mbps networks.	Stock	\$13.00
<u>C5E-STPYL-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, yellow. For use with 10/100/1000 Mbps networks.	Stock	\$12.00
<u>C5E-STPOR-S7</u>	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 7ft cable length, orange. For use with 10/100/1000 Mbps networks.	Stock	\$13.00

[illegible]

<u>7700-74301-S4U0100</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 axial male 4-pin to RJ45 axial male 4-pin, 3.2ft/1m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$21.00
<u>7700-74301-S4U0300</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 axial male 4-pin to RJ45 axial male 4-pin, 9.8ft/3m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$26.00
<u>7700-74301-S4U0500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 axial male 4-pin to RJ45 axial male 4-pin, 16.4ft/5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$33.50
<u>7700-74301-S4U0750</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 axial male 4-pin to RJ45 axial male 4-pin, 24.6ft/7.5m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$42.00
<u>7700-74301-S4U1000</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 axial male 4-pin to RJ45 axial male 4-pin, 32.8ft/10m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$51.00
<u>7700-74301-S4U1500</u>	Murrelektronik Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 axial male 4-pin to RJ45 axial male 4-pin, 49.2ft/15m cable length, teal. For use with 10/100 Mbps networks.	Stock	\$73.00
DIN Connection Cables			
<u>SC8-LS24-3</u>	Murrelektronik solenoid valve cable, 8mm DIN 43650 Form C molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$15.50
<u>SC8-LS24-5</u>	Murrelektronik solenoid valve cable, 8mm DIN 43650 Form C molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$18.50
<u>SC8-LS110-3</u>	Murrelektronik solenoid valve cable, 8mm DIN 43650 Form C molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$19.00
<u>SC8-LS110-5</u>	Murrelektronik solenoid valve cable, 8mm DIN 43650 Form C molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$22.00
<u>SC8-1</u>	NITRA solenoid valve cable, 8mm DIN 43650 Form C molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 3.2ft/1m cable length.	Stock	\$18.00
<u>SC8-3</u>	Murrelektronik solenoid valve cable, 8mm DIN 43650 Form C molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length.	Stock	\$12.50
<u>SC8-5</u>	Murrelektronik solenoid valve cable, 8mm DIN 43650 Form C molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length.	Stock	\$17.50
<u>SC8-5T</u>	Murrelektronik transmitter cable, 8mm DIN 43650 Form C molded connector to 4-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length.	Stock	\$23.50
<u>SC9-LS24-3</u>	Murrelektronik solenoid valve cable, 9.4mm DIN style molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$15.50
<u>SC9-LS24-5</u>	Murrelektronik solenoid valve cable, 9.4mm DIN style molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$18.50
<u>SC9-LS110-3</u>	Murrelektronik solenoid valve cable, 9.4mm DIN style molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$19.00
<u>SC9-LS110-5</u>	Murrelektronik solenoid valve cable, 9.4mm DIN style molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$22.00
<u>SC9-3</u>	Murrelektronik solenoid valve cable, 9.4mm DIN style molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length.	Stock	\$12.50
<u>SC9-5</u>	Murrelektronik solenoid valve cable, 9.4mm DIN style molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length.	Stock	\$17.50
<u>7000-94141-6270300</u>	Murrelektronik valve actuator cable, 9.4mm DIN style Form CI molded connector to 4-wire pigtail, 230 VAC/VDC, 18 AWG, polyurethane jacket, IP67, 9.8ft/3m cable length.	Stock	\$20.00
<u>7000-94141-6270500</u>	Murrelektronik valve actuator cable, 9.4mm DIN style Form CI molded connector to 4-wire pigtail, 230 VAC/VDC, 18 AWG, polyurethane jacket, IP67, 16.4ft/5m cable length.	Stock	\$26.50
<u>SC10-LS24-3</u>	Murrelektronik solenoid valve cable, 10mm DIN 43650 Form B molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$15.50
<u>SC10-LS24-5</u>	Murrelektronik solenoid valve cable, 10mm DIN 43650 Form B molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$18.50
<u>SC10-LS110-3</u>	Murrelektronik solenoid valve cable, 10mm DIN 43650 Form B molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$19.00
<u>SC10-LS110-5</u>	Murrelektronik solenoid valve cable, 10mm DIN 43650 Form B molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$22.00
<u>SC10-3</u>	Murrelektronik solenoid valve cable, 10mm DIN 43650 Form B molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length.	Stock	\$12.50
<u>SC10-5</u>	Murrelektronik solenoid valve cable, 10mm DIN 43650 Form B molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length.	Stock	\$17.50
<u>SC11-LS24-3</u>	Murrelektronik solenoid valve cable, 11mm DIN style molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$15.50
<u>SC11-LS24-5</u>	Murrelektronik solenoid valve cable, 11mm DIN style molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$18.50
<u>SC11-LS110-3</u>	Murrelektronik solenoid valve cable, 11mm DIN style molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$19.00

<u>SC11-LS110-5</u>	Murrelektronik solenoid valve cable, 11mm DIN style molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$22.00
<u>SC11-LS24-3R</u>	Murrelektronik solenoid valve cable, 11mm reverse DIN style molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$15.50
<u>SC11-LS24-5R</u>	Murrelektronik solenoid valve cable, 11mm reverse DIN style molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$18.50
<u>SC11-LS110-3R</u>	Murrelektronik solenoid valve cable, 11mm reverse DIN style molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$19.00
<u>SC11-LS110-5R</u>	Murrelektronik solenoid valve cable, 11mm reverse DIN style molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$22.00
<u>SC11-3</u>	Murrelektronik solenoid valve cable, 11mm DIN style molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length.	Stock	\$12.50
<u>SC11-5</u>	Murrelektronik solenoid valve cable, 11mm DIN style molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length.	Stock	\$17.50
<u>SC18-LS24-3</u>	Murrelektronik solenoid valve cable, 18mm DIN 43650 Form A molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$15.50
<u>SC18-LS24-5</u>	Murrelektronik solenoid valve cable, 18mm DIN 43650 Form A molded connector to 3-wire pigtail, 24 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$20.50
<u>SC18-LS110-3</u>	Murrelektronik solenoid valve cable, 18mm DIN 43650 Form A molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length, surge protection, LED indication.	Stock	\$19.00
<u>SC18-LS110-5</u>	Murrelektronik solenoid valve cable, 18mm DIN 43650 Form A molded connector to 3-wire pigtail, 110 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length, surge protection, LED indication.	Stock	\$22.00
<u>SC18-3</u>	Murrelektronik solenoid valve cable, 18mm DIN 43650 Form A molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 9.8ft/3m cable length.	Stock	\$12.50
<u>SC18-5</u>	Murrelektronik solenoid valve cable, 18mm DIN 43650 Form A molded connector to 3-wire pigtail, 230 VAC/VDC, 18 AWG, PVC jacket, 16.4ft/5m cable length.	Stock	\$17.50
<u>7000-18111-6270300</u>	Murrelektronik valve actuator cable, 18mm DIN style Form A molded connector to 4-wire pigtail, 230 VAC/VDC, 18 AWG, polyurethane jacket, IP67, 9.8ft/3m cable length.	Stock	\$20.00
<u>7000-18111-6270500</u>	Murrelektronik valve actuator cable, 18mm DIN style Form A molded connector to 4-wire pigtail, 230 VAC/VDC, 18 AWG, polyurethane jacket, IP67, 16.4ft/5m cable length.	Stock	\$26.50
PLC Communication and I/O Cables			
<u>USB-CBL-AC6</u>	AutomationDirect programming cable, USB A to USB C, 6ft cable length. For use with P2-622 CPU and MOSAIC-M1S-USBC.	Stock	\$7.75
<u>P3-EX-CBL6</u>	Productivity3000 communication cable, replacement, USB A to USB B, 6ft cable length. For use with P3-EX local I/O expansion module.	Stock	\$15.00
<u>USB-CBL-AMICB6</u>	AutomationDirect programming cable, USB A to microB-USB, 6ft cable length. For use with Productivity1000 and Productivity2000 CPUs and most USB devices.	Stock	\$5.75
<u>USB-CBL-AMICB15</u>	AutomationDirect programming cable, USB A to microB-USB, 15ft cable length. For use with Productivity1000 and Productivity2000 CPUs and most USB devices.	Stock	\$11.50
<u>BX-PGM-CBL</u>	BRX programming cable assembly, 6.5ft/2m cable length. For use with all BRX PLCs. Includes (1) BX-P-USB-B USB POM module and (1) USB-CBL-AB6 standard USB A to USB B connector cable.	Stock	\$51.00
<u>D0-CBL</u>	Networking cable, RS-232 (RJ12 6P6C) to RS-232 (RJ12 6P6C), shielded, 12ft cable length. For use with CLICK, DL05, D2-240, D4-450 and Productivity3000 PLCs.	Stock	\$47.50
<u>D2-DSCBL</u>	DirectLOGIC DL205 programming cable, 12ft cable length, shielded, 9-pin female D-sub to RJ12 6P6C. For use with all DL05, DL06, DL105, DL205, D3-350, D4-450, D4-454, Do-more H2 and T1H series CPUs, and CLICK PLCs.	Stock	\$41.50
<u>D2-DSCBL-1</u>	DirectLOGIC DL205 programming cable, 12ft cable length, shielded, 9-pin female D-sub to 15-pin male HD15. For use with DL06, D2-250-1, D2-260 and D2-262 CPUs and D0-DCM communication module.	Stock	\$80.00
<u>D2-DSCBL-2</u>	DirectLOGIC DL205 programming cable, 12ft cable length, shielded, 15-pin male HD15 to pigtail. For use with DL06, D2-250-1, D2-260 and D2-262 CPUs and D0-DCM communication module.	Stock	\$82.00
<u>D2-EXCBL-1</u>	DirectLOGIC DL205 base expansion cable, 3.2ft/1m cable length, RJ45 male to RJ45 male. For use with D2-EM expansion modules.	Stock	\$13.50
<u>D3-DSCBL-1</u>	DirectLOGIC DL305 programming cable, 12ft cable length, shielded, 9-pin female D-sub to RJ11 male. For use with D3-340 CPU.	Stock	\$83.00
<u>D3-DSCBL-2</u>	DirectLOGIC DL305 programming cable, 12ft cable length, shielded, 9-pin female D-sub to 25-pin male D-sub. For use with DL305 and DL405 CPUs and D2-DCM, D3-DCM and D4-DCM modules. D3-232-DCU module required for use with D3-330 and D3-340 CPUs.	Stock	\$77.00
<u>D4-DSCBL</u>	DirectLOGIC DL405 programming cable, 12ft cable length, shielded. For use with all DL405 CPUs.	Stock	\$85.00
<u>D4-EXCBL-1</u>	DirectLOGIC DL405 base expansion cable, 3.2ft/1m cable length. For use with all DL405-1 bases.	Stock	\$107.00
<u>D4-EXCBL-2</u>	DirectLOGIC DL405 base expansion cable, 1.6ft/0.5m cable length. For use with all DL405-1 bases.	Stock	\$102.00
<u>D4-IOCBL-1</u>	DirectLOGIC DL405 PLC I/O cable, 9.8ft/3m cable length, shielded, ribbon cable to pigtail. For use with DL405 32-point or 64-point I/O modules.	Stock	\$123.00

<u>DA-DSCBL</u>	DirectSOFT programming cable kit, for use with all DirectLOGIC PLCs, includes (1) D2-DSCBL, (1) D3-DSCBL-1, (1) D3-DSCBL-2 and (1) D4-DSCBL programming cables.	Stock	\$112.00
<u>USB-RS232-1</u>	AutomationDirect adapter cable, USB A to RS-232 (9-pin D-sub male), 5.9ft/1.8m cable length.	Stock	\$45.00
<u>USB-RS232</u>	AutomationDirect adapter cable, USB A to RS-232 (9-pin D-sub male), 6ft cable length.	Stock	\$47.00
<u>FA-CABKIT</u>	DirectLOGIC universal cable kit, for use with all DirectLOGIC PLCs with RS-232 ports.	Stock	\$71.00
<u>T1K-10CBL</u>	Terminator base expansion cable, 3.2ft/1m cable length. For use with all Terminator bases.	Stock	\$130.00
<u>T1K-10CBL-1</u>	Terminator base expansion cable, 3.2ft/1m cable length. For use with all Terminator bases. Passes 24 VDC through isolated wire.	Stock	\$167.00
HMI Cables			
<u>EA-MG-PGM-CBL</u>	AutomationDirect programming cable assembly, USB A to 6-pin RJ12, 6ft cable length. For use with C-more Micro panels, CLICK CPUs, Do-more H2 series CPUs, and DirectLOGIC CPUs.	Stock	\$71.50
<u>EA-2CBL</u>	AutomationDirect communication cable, 15-pin male D-sub to 6-pin RJ12, shielded, 9.8ft/3m cable length. For use with C-more or C-more Micro panel and AutomationDirect PLCs with RJ12 ports.	Stock	\$37.00
<u>EA-2CBL-1</u>	AutomationDirect communication cable, 15-pin male D-sub to 15-pin D-sub HD15 male, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and a DL06, D2-250(-1), D2-260 or D2-262 (bottom port) CPU.	Stock	\$38.00
<u>EA-4CBL-1</u>	AutomationDirect communication cable, 15-pin male D-sub to 15-pin male D-sub, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and a DL405 (top port) CPU.	Stock	\$37.00
<u>EA-4CBL-2</u>	AutomationDirect communication cable, 15-pin male D-sub to 25-pin male D-sub, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and a D2-DCM, D3-232-DCU, D3-350 (bottom port) or DL405 (bottom port) CPU.	Stock	\$38.50
<u>EA-90-30-CBL</u>	AutomationDirect communication cable, 15-pin male D-sub to 15-pin male D-sub, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro and GE Fanuc Series 90/30 or 90/70 serial port.	Stock	\$37.00
<u>EA-SLC-232-CBL</u>	AutomationDirect communication cable, 15-pin male D-sub to 9-pin female D-sub, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and an Allen-Bradley SLC 5/03, 5/04 or 5/05 CPU with DF-1 port.	Stock	\$37.00
<u>EA-MITSU-CBL</u>	AutomationDirect communication cable, 15-pin male D-sub to 25-pin male D-sub, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and a Mitsubishi FX Series CPU.	Stock	\$31.00
<u>EA-MITSU-CBL-1</u>	AutomationDirect communication cable, 15-pin male D-sub to 8-pin male mini DIN, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and a Mitsubishi FX Series CPU.	Stock	\$37.00
<u>EA-OMRON-CBL</u>	AutomationDirect communication cable, 15-pin male D-sub to 25-pin male D-sub, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and an Omron C200 or C500 CPU.	Stock	\$37.00
<u>EA-DH485-CBL</u>	AutomationDirect communication cable, 15-pin male D-sub to 6-pin RJ45, shielded. For use with C-more EA9 series or C-more Micro panel and an Allen-Bradley SLC 5/01, 5/02 or 5/03 CPU with a DH485 port cable.	Stock	\$36.50
<u>EA-MLOGIX-CBL</u>	AutomationDirect communication cable, 15-pin male D-sub to 8-pin male mini DIN, shielded, 3m/9.8ft cable length. For use with C-more or C-more Micro panel and an Allen-Bradley Micrologix CPU.	Stock	\$57.00
<u>OP-2CBL</u>	AutomationDirect communication cable, 15-pin D-shell male to 6-pin RJ12, shielded, 2m/6.6ft cable length. For use with any OP600 or OP1000 series OptiMate unit and a DL05, DL06, DL105, DL205, D3-350 or D4-450 CPU.	Stock	\$51.00
<u>OP-2CBL-1</u>	AutomationDirect communication cable, 15-pin D-shell male to 15-pin D-sub HD15 male, shielded, 2m/6.6ft cable length. For use with any OP600 or OP1000 series OptiMate unit and a DL06, or the bottom port of a D2-250(-1), D2-260 or D2-262 (bottom port) CPU.	Stock	\$45.00
<u>OP-3CBL</u>	AutomationDirect communication cable, 15-pin D-shell male to 4-pin RJ11, shielded. For use with any OP600 or OP1000 series OptiMate unit and a DL340 CPU.	Stock	\$12.00
<u>OP-ACBL-1</u>	AutomationDirect communication cable, 15-pin D-shell male to 9-pin D-shell female, shielded, 2m/6.6ft cable length. For use with OP600 or OP1000 series Optimate units and a PC for programming or connecting to Allen-Bradley SLC5/03 and SLC5/04 CPUs.	Stock	\$37.00
<u>DV-1000CBL</u>	AutomationDirect communication cable, 6-pin RJ12 to 6-pin RJ12, 2m/6.6ft cable length. For use with DV-1000 or C-more Micro panels and AutomationDirect PLCs with an RJ12 port.	Stock	\$32.50
<u>D4-1000CBL</u>	AutomationDirect communication cable, 6-pin RJ12 to 15-pin male D-sub, shielded, 2m/6.6ft cable length. For use with DV-1000 or C-more Micro panels and any DL405 CPU.	Stock	\$32.50
<u>ATM-CBL-VGA10</u>	AutomationDirect video cable, 15-pin D-sub HD15 male to 15-pin D-sub HD15 male, 10ft cable length. For use with VGA enabled desktops and laptops to a VGA display.	Stock	\$75.00
<u>ATM-CBL-VGA25</u>	AutomationDirect video cable, 15-pin D-sub HD15 male to 15-pin D-sub HD15 male, 25ft cable length. For use with VGA enabled desktops and laptops to a VGA display.	Stock	\$160.00
<u>ATM-CBL-VGA50</u>	AutomationDirect video cable, 15-pin D-sub HD15 male to 15-pin D-sub HD15 male, 50ft cable length. For use with VGA enabled desktops and laptops to a VGA display.	Stock	\$206.00
<u>ATM-CBL-DV3M</u>	AutomationDirect video cable, male DVI-D to male DVI-D, 3m/9.8ft cable length. For use with a PC monitor and a standard PC with a DVI-D card.	Stock	\$84.00
<u>ATM-CBL-10</u>	AutomationDirect communication cable, 9-pin male D-sub to 9-pin female D-sub, 10ft cable length. For use with Atlas touch screen and a PC.	Stock	\$52.00
<u>ATM-CBL-25</u>	AutomationDirect communication cable, 9-pin male D-sub to 9-pin female D-sub, 25ft cable length. For use with Atlas touch screen and a PC.	Stock	\$82.00

ATM-CBL-50	AutomationDirect communication cable, 9-pin male D-sub to 9-pin female D-sub, 50ft cable length. For use with Atlas touch screen and a PC.	Stock	\$110.00
Motor and Encoder Cables			
EC-M12F12-LKT12-05	Lika Electronic encoder cable, M12 axial female to pigtail, shielded, 16.4ft/5m cable length. For use with Lika Electronic AQ58 and AQ59 series encoders.	Stock	\$61.00
EC-M12F12-LKT12-10	Lika Electronic encoder cable, M12 axial female to pigtail, shielded, 32.8ft/10m cable length. For use with Lika Electronic AQ58 and AQ59 series encoders.	Stock	\$83.00
EC-C12F-LKI8-05	Lika Electronic encoder cable, M23 axial female to pigtail, shielded, 16.4ft/5m cable length. For use with Lika Electronic A80 series encoders.	Stock	\$44.00
EC-C12F-LKI8-10	Lika Electronic encoder cable, M23 axial female to pigtail, shielded, 32.8ft/10m cable length. For use with Lika Electronic A80 series encoders.	Stock	\$62.00
KIT-IP/IQ58	Lika Electronic programming cable, USB A to 4-position terminal block, 4.9ft/1.5m cable length. For use with Lika Electronic AQ58 and AQ59 series encoders. Requires Lika Electronic EC-IP/IQ58-M12 programming or EC-M12F12-LKT12-xx encoder cable.	Stock	\$153.00
EC-IP/IQ58-M12	Lika Electronic programming cable, M12 axial female to pigtail, 2ft cable length. For use with Lika Electronic AQ58 and AQ59 series encoders. Requires Lika Electronic KIT-IP/IQ58 programming cable.	Stock	\$32.00
KIT-IP/IQ58-USB-M12	Lika Electronic programming cable, USB A to M12 axial female, 1.6ft/0.5m cable length. For use with Lika Electronic AQ58 and AQ59 series encoders.	Stock	\$109.00
EVER-PGM-1	Ever Motion Solutions programming cable, USB A connector to 4-pin connector, 6ft cable length. For use with Ever Motion Solutions LW4D3070N2I1-00 microstepping drive.	Stock	\$89.00
EVER-PGM-2	Ever Motion Solutions programming cable, USB A connector to RJ11, 6ft cable length. For use with Ever Motion Solutions LW3A9030N2A1-00 microstepping drive.	Stock	\$89.00
LW4D3KIT-050	Ever Motion Solutions cable kit, for use with Ever Motion Solutions LW4D3070N2I1-00 microstepping drive, includes (1) 1.6ft/0.5m power cable, (1) 1.6ft/0.5m motor extension cable, (1) 1.6ft/0.5m encoder cable and (1) control signal connector.	Stock	\$60.00
APCV-PN03LS-AD	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives.	Stock	\$53.00
APCV-PN05LS-AD	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with all LS Electric PHOX series drives.	Stock	\$58.00
APCV-PN10LS-AD	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with all LS Electric PHOX series drives.	Stock	\$74.00
APCV-PN20LS-AD	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with all LS Electric PHOX series drives.	Stock	\$103.00
APCV-PF03LS-AD	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives.	Stock	\$62.00
APCV-PF05LS-AD	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with all LS Electric PHOX series drives.	Stock	\$74.00
APCV-PF10LS-AD	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with all LS Electric PHOX series drives.	Stock	\$105.00
APCV-PF20LS-AD	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with all LS Electric PHOX series drives.	Stock	\$162.00
APCV-EN03ES1-AD	LS Electric encoder feedback cable, mating connectors, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$118.00
APCV-EN05ES1-AD	LS Electric encoder feedback cable, mating connectors, 16.4ft/5m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$125.00
APCV-EN10ES1-AD	LS Electric encoder feedback cable, mating connectors, 32.8ft/10m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$140.00
APCV-EN20ES1-AD	LS Electric encoder feedback cable, mating connectors, 65.6ft/20m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$175.00
APCV-EF03ES1-AD	LS Electric encoder feedback flex cable, mating connectors, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$129.00
APCV-EF05ES1-AD	LS Electric encoder feedback flex cable, mating connectors, 16.4ft/5m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$140.00
APCV-EF10ES1-AD	LS Electric encoder feedback flex cable, mating connectors, 32.8ft/10m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$175.00
APCV-EF20ES1-AD	LS Electric encoder feedback flex cable, mating connectors, 65.6ft/20m cable length. For use with all LS Electric PHOX series drives. (1) AA ER6V lithium battery included.	Stock	\$243.00
APCV-BN03QS-AD	LS Electric brake cable, mating connectors, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives.	Stock	\$53.00
APCV-BN05QS-AD	LS Electric brake cable, mating connectors, 16.4ft/5m cable length. For use with all LS Electric PHOX series drives.	Stock	\$57.00
APCV-BN10QS-AD	LS Electric brake cable, mating connectors, 32.8ft/10m cable length. For use with all LS Electric PHOX series drives.	Stock	\$63.00

<u>APCV-BN20QS-AD</u>	LS Electric brake cable, mating connectors, 65.6ft/20m cable length. For use with all LS Electric PHOX series drives.	Stock	\$79.00
<u>APCV-BF03QS-AD</u>	LS Electric brake flex cable, mating connectors, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives.	Stock	\$58.00
<u>APCV-BF05QS-AD</u>	LS Electric brake flex cable, mating connectors, 16.4ft/5m cable length. For use with all LS Electric PHOX series drives.	Stock	\$64.00
<u>APCV-BF10QS-AD</u>	LS Electric brake flex cable, mating connectors, 32.8ft/10m cable length. For use with all LS Electric PHOX series drives.	Stock	\$80.00
<u>APCV-BF20QS-AD</u>	LS Electric brake flex cable, mating connectors, 65.6ft/20m cable length. For use with all LS Electric PHOX series drives.	Stock	\$112.00
<u>APCS-PHOX-IOT-AD</u>	LS Electric CN1 feedthrough terminal block, 26-pole, DIN rail mount. For use with all LS Electric PHOX series drives. 1.6ft/0.5m control cable included.	Stock	\$139.00
<u>APCS-PHOX-IOT01-AD</u>	LS Electric CN1 feedthrough terminal block, 26-pole, DIN rail mount. For use with all LS Electric PHOX series drives. 3.2ft/1m control cable included.	Stock	\$144.00
<u>APCS-PHOX-IOT015-AD</u>	LS Electric CN1 feedthrough terminal block, 26-pole, DIN rail mount. For use with all LS Electric PHOX series drives. 4.9ft/1.5m control cable included.	Stock	\$150.00
<u>APCS-PHOX-IOT02-AD</u>	LS Electric CN1 feedthrough terminal block, 26-pole, DIN rail mount. For use with all LS Electric PHOX series drives. 6.5ft/2m control cable included.	Stock	\$153.00
<u>APCS-PHOX-IO01A-AD</u>	LS Electric control cable, 26-pin connector to pigtail, 3.2ft/1m cable length. For use with all LS Electric PHOX series drives.	Stock	\$91.00
<u>APCS-PHOX-IO02A-AD</u>	LS Electric control cable, 26-pin connector to pigtail, 6.5ft/2m cable length. For use with all LS Electric PHOX series drives.	Stock	\$96.00
<u>APCS-PHOX-IO03A-AD</u>	LS Electric control cable, 26-pin connector to pigtail, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives.	Stock	\$100.00
<u>APCS-PHOX-STO03A-AD</u>	LS Electric STO cable, 6-pin connector to pigtail, 1ft/0.3m cable length. For use with all LS Electric PHOX series drives.	Stock	\$25.50
<u>APCS-PHOX-STO10A-AD</u>	LS Electric STO cable, 6-pin connector to pigtail, 3.2ft/1m cable length. For use with all LS Electric PHOX series drives.	Stock	\$27.50
<u>APCS-PHOX-STO30A-AD</u>	LS Electric STO cable, 6-pin connector to pigtail, 9.8ft/3m cable length. For use with all LS Electric PHOX series drives.	Stock	\$31.00
<u>APC-VSCN1T-AD</u>	LS Electric CN1 feedthrough terminal block, 50-pole, DIN rail mount. For use with all LS Electric L7C and L7P series drives. 1.6ft/0.5m control cable included.	Stock	\$85.00
<u>APC-VSCN1T01-AD</u>	LS Electric CN1 feedthrough terminal block, 50-pole, DIN rail mount. For use with all LS Electric L7C and L7P series drives. 3.2ft/1m control cable included.	Stock	\$96.00
<u>APC-VSCN1T02-AD</u>	LS Electric CN1 feedthrough terminal block, 50-pole, DIN rail mount. For use with all LS Electric L7C and L7P series drives. 6.5ft/2m control cable included.	Stock	\$105.00
<u>APC-CN101A-AD</u>	LS Electric control cable, 50-pin connector to pigtail, 3.2ft/1m cable length. For use with all LS Electric L7C and L7P series drives.	Stock	\$52.00
<u>APC-CN102A-AD</u>	LS Electric control cable, 50-pin connector to pigtail, 6.5ft/2m cable length. For use with all LS Electric L7C and L7P series drives.	Stock	\$57.00
<u>APC-CN103A-AD</u>	LS Electric control cable, 50-pin connector to pigtail, 9.8ft/3m cable length. For use with all LS Electric L7C and L7P series drives.	Stock	\$63.00
<u>APCS-PN03LSC-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$45.00
<u>APCS-PN05LSC-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$54.00
<u>APCS-PN10LSC-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$70.00
<u>APCS-PN20LSC-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$97.00
<u>APCS-PF03LSC-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$59.00
<u>APCS-PF05LSC-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$77.00
<u>APCS-PF10LSC-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$109.00
<u>APCS-PF20LSC-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with L7C series drives.	Stock	\$172.00
<u>APCS-EN03ES-AD</u>	LS Electric encoder feedback cable, mating connectors, 9.8ft/3m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors.	Stock	\$54.00
<u>APCS-EN05ES-AD</u>	LS Electric encoder feedback cable, mating connectors, 16.4ft/5m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors.	Stock	\$66.00
<u>APCS-EN10ES-AD</u>	LS Electric encoder feedback cable, mating connectors, 32.8ft/10m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors.	Stock	\$76.00

[illegible]

[illegible]

[illegible]

<u>APCS-PN20LB2-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FF75D series servo motors with brake.	Stock	\$521.00
<u>APCS-PF03LB2-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FF75D series servo motors with brake.	Stock	\$180.00
<u>APCS-PF05LB2-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FF75D series servo motors with brake.	Stock	\$263.00
<u>APCS-PF10LB2-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FF75D series servo motors with brake.	Stock	\$464.00
<u>APCS-PF20LB2-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FF75D series servo motors with brake.	Stock	\$875.00
<u>APCS-PN03LSX-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$54.00
<u>APCS-PN05LSX-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$61.00
<u>APCS-PN10LSX-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$74.00
<u>APCS-PN20LSX-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$107.00
<u>APCS-PF03LSX-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$63.00
<u>APCS-PF05LSX-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$74.00
<u>APCS-PF10LSX-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$106.00
<u>APCS-PF20LSX-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors used with iX7 series drives.	Stock	\$165.00
<u>APCS-PN03HSX1-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$54.00
<u>APCS-PN05HSX1-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$63.00
<u>APCS-PN10HSX1-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$81.00
<u>APCS-PN20HSX1-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$122.00
<u>APCS-PF03HSX1-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$64.00
<u>APCS-PF05HSX1-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$77.00
<u>APCS-PF10HSX1-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$113.00
<u>APCS-PF20HSX1-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors without brake.	Stock	\$179.00
<u>APCS-PN03HSX-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$50.00
<u>APCS-PN05HSX-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$61.00
<u>APCS-PN10HSX-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$84.00
<u>APCS-PN20HSX-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$131.00
<u>APCS-PF03HSX-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$65.00
<u>APCS-PF05HSX-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$84.00
<u>APCS-PF10HSX-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$131.00
<u>APCS-PF20HSX-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors without brake.	Stock	\$227.00
<u>APCS-PN03NBX1-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$66.00
<u>APCS-PN05NBX1-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$77.00
<u>APCS-PN10NBX1-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$107.00

<u>APCS-PN20NBX1-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$163.00
<u>APCS-PF03NBX1-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$81.00
<u>APCS-PF05NBX1-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$103.00
<u>APCS-PF10NBX1-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$157.00
<u>APCS-PF20NBX1-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE15A servo motors with brake.	Stock	\$268.00
<u>APCS-PN03NBX-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$58.00
<u>APCS-PN05NBX-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$69.00
<u>APCS-PN10NBX-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$98.00
<u>APCS-PN20NBX-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$155.00
<u>APCS-PF03NBX-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$76.00
<u>APCS-PF05NBX-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$101.00
<u>APCS-PF10NBX-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$155.00
<u>APCS-PF20NBX-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FE16D and APM-FE22D servo motors with brake.	Stock	\$275.00
<u>APCS-PN03ISX-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$55.00
<u>APCS-PN05ISX-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$65.00
<u>APCS-PN10ISX-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$89.00
<u>APCS-PN20ISX-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$136.00
<u>APCS-PF03ISX-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$72.00
<u>APCS-PF05ISX-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$90.00
<u>APCS-PF10ISX-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$141.00
<u>APCS-PF20ISX-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors without brake.	Stock	\$241.00
<u>APCS-PN03PBX-AD</u>	LS Electric power cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$79.00
<u>APCS-PN05PBX-AD</u>	LS Electric power cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$92.00
<u>APCS-PN10PBX-AD</u>	LS Electric power cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$133.00
<u>APCS-PN20PBX-AD</u>	LS Electric power cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$209.00
<u>APCS-PF03PBX-AD</u>	LS Electric power flex cable, mating connectors, 9.8ft/3m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$101.00
<u>APCS-PF05PBX-AD</u>	LS Electric power flex cable, mating connectors, 16.4ft/5m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$133.00
<u>APCS-PF10PBX-AD</u>	LS Electric power flex cable, mating connectors, 32.8ft/10m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$206.00
<u>APCS-PF20PBX-AD</u>	LS Electric power flex cable, mating connectors, 65.6ft/20m cable length. For use with LS Electric 230 VAC APM-FF35D servo motors with brake.	Stock	\$356.00
<u>APCS-CN101A-AD</u>	LS Electric control cable, 20-pin connector to pigtail, 3.2ft/1m cable length. For use with all LS Electric iX7 series drives.	Stock	\$44.00
<u>APCS-CN102A-AD</u>	LS Electric control cable, 20-pin connector to pigtail, 6.5ft/2m cable length. For use with all LS Electric iX7 series drives.	Stock	\$49.00
<u>APCS-CN103A-AD</u>	LS Electric control cable, 20-pin connector to pigtail, 9.8ft/3m cable length. For use with all LS Electric iX7 series drives.	Stock	\$51.00

<u>APCS-STO03A-AD</u>	LS Electric STO cable, 6-pin connector to pigtail, 1ft/0.3m cable length. For use with all LS Electric iX7 series drives.	Stock	\$45.00
<u>APCS-STO10A-AD</u>	LS Electric STO cable, 6-pin connector to pigtail, 3.2ft/1m cable length. For use with all LS Electric iX7 series drives.	Stock	\$48.00
<u>APCS-STO30A-AD</u>	LS Electric STO cable, 6-pin connector to pigtail, 9.8ft/3m cable length. For use with all LS Electric iX7 series drives.	Stock	\$51.00
<u>APCS-BN03QS-AD</u>	LS Electric brake cable, mating connectors, 9.8ft/3m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$59.00
<u>APCS-BN05QS-AD</u>	LS Electric brake cable, mating connectors, 16.4ft/5m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$63.00
<u>APCS-BN10QS-AD</u>	LS Electric brake cable, mating connectors, 32.8ft/10m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$69.00
<u>APCS-BN20QS-AD</u>	LS Electric brake cable, mating connectors, 65.6ft/20m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$84.00
<u>APCS-BF03QS-AD</u>	LS Electric brake flex cable, mating connectors, 9.8ft/3m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$66.00
<u>APCS-BF05QS-AD</u>	LS Electric brake flex cable, mating connectors, 16.4ft/5m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$72.00
<u>APCS-BF10QS-AD</u>	LS Electric brake flex cable, mating connectors, 32.8ft/10m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$89.00
<u>APCS-BF20QS-AD</u>	LS Electric brake flex cable, mating connectors, 65.6ft/20m cable length. For use with 100W-1 kW LS Electric FBL/FCL series servo motors with brake.	Stock	\$122.00
<u>SV2-PGM-USB15</u>	SureServo2 programming cable, USB A to miniB-USB, 4.9ft/1.5m cable length. For use with all SureServo2 drives.	Stock	\$46.00
<u>SV2-PGM-USB30</u>	SureServo2 programming cable, USB A to miniB-USB, 9.8ft/3m cable length. For use with all SureServo2 drives.	Stock	\$50.00
<u>SV2-CN1-CBL50</u>	SureServo2 control cable, mating connectors, 1.6ft/0.5m cable length. For use with all SureServo2 drives.	Stock	\$102.00
<u>SV2-CN1-CBL50-1</u>	SureServo2 control cable, mating connectors, 3.2ft/1m cable length. For use with all SureServo2 drives.	Stock	\$108.00
<u>SV2-CN1-CBL50-2</u>	SureServo2 control cable, mating connectors, 6.5ft/2m cable length. For use with all SureServo2 drives.	Stock	\$114.00
<u>SV2-BBOX-CBL</u>	SureServo2 battery box cable, mating connectors, 7.8in/200mm cable length. For use with SureServo2 encoder battery box.	Stock	\$4.25
<u>ZL-HD15M-CBL-2P</u>	ZIPLink communication cable, 15-pin D-sub HD15 male to pigtail, shielded, twisted pair, 6.5ft/2m cable length.	Stock	\$25.00
<u>ZL-HD15M-CBL-DB15F</u>	ZIPLink communication cable, 15-pin female D-sub to 15-pin D-sub HD15 male, shielded, twisted pair, 6.5ft/2m cable length.	Stock	\$27.50
<u>SV2C-PA18-03FN</u>	SureServo2 power flex cable, mating connectors, 9.8ft/3m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$82.00
<u>SV2C-PA18-05FN</u>	SureServo2 power flex cable, mating connectors, 16.4ft/5m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$110.00
<u>SV2C-PA18-10FN</u>	SureServo2 power flex cable, mating connectors, 32.8ft/10m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$179.00
<u>SV2C-PA18-20FN</u>	SureServo2 power flex cable, mating connectors, 65.6ft/20m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$305.00
<u>SV2C-PA18-03NN</u>	SureServo2 power cable, mating connectors, 9.8ft/3m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$59.00
<u>SV2C-PA18-05NN</u>	SureServo2 power cable, mating connectors, 16.4ft/5m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$78.00
<u>SV2C-PA18-10NN</u>	SureServo2 power cable, mating connectors, 32.8ft/10m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$115.00
<u>SV2C-PA18-20NN</u>	SureServo2 power cable, mating connectors, 65.6ft/20m cable length. For use with 100W-750W SureServo2 motors without brake.	Stock	\$185.00
<u>SV2C-PB18-03FB</u>	SureServo2 power flex cable, mating connectors, 9.8ft/3m cable length. For use with 100W-750W SureServo2 motors with brake.	Stock	\$103.00
<u>SV2C-PB18-05FB</u>	SureServo2 power flex cable, mating connectors, 16.4ft/5m cable length. For use with 100W-750W SureServo2 motors with brake.	Stock	\$151.00
<u>SV2C-PB18-10FB</u>	SureServo2 power flex cable, mating connectors, 32.8ft/10m cable length. For use with 100W-750W SureServo2 motors with brake.	Stock	\$253.00
<u>SV2C-PB18-20FB</u>	SureServo2 power flex cable, mating connectors, 65.6ft/20m cable length. For use with 100W-750W SureServo2 motors with brake.	Stock	\$451.00
<u>SV2C-PB18-03NB</u>	SureServo2 power cable, mating connectors, 9.8ft/3m cable length. For use with 100W-750W SureServo2 motors with brake.	Stock	\$70.00
<u>SV2C-PB18-05NB</u>	SureServo2 power cable, mating connectors, 16.4ft/5m cable length. For use with 100W-750W SureServo2 motors with brake.	Stock	\$91.00

[illegible]

[illegible]

<u>SV2C-PD08-10NB</u>	SureServo2 power cable, mating connectors, 32.8ft/10m cable length. For use with 230 VAC 4.5 kW and 460 VAC 4.5 kW-7.5 kW SureServo2 motors with brake.	Stock	\$671.00
<u>SV2C-PD08-20NB</u>	SureServo2 power cable, mating connectors, 65.6ft/20m cable length. For use with 230 VAC 4.5 kW and 460 VAC 4.5 kW-7.5 kW SureServo2 motors with brake.	Stock	\$1,211.00
<u>SV2C-PF08-03NN</u>	SureServo2 power cable, mating connectors, 9.8ft/3m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$289.00
<u>SV2C-PF08-05NN</u>	SureServo2 power cable, mating connectors, 16.4ft/5m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$356.00
<u>SV2C-PF08-10NN</u>	SureServo2 power cable, mating connectors, 32.8ft/10m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$520.00
<u>SV2C-PF08-20NN</u>	SureServo2 power cable, mating connectors, 65.6ft/20m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$900.00
<u>SV2C-PF08-03FN</u>	SureServo2 power flex cable, mating connectors, 9.8ft/3m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$366.00
<u>SV2C-PF08-05FN</u>	SureServo2 power flex cable, mating connectors, 16.4ft/5m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$481.00
<u>SV2C-PF08-10FN</u>	SureServo2 power flex cable, mating connectors, 32.8ft/10m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$760.00
<u>SV2C-PF08-20FN</u>	SureServo2 power flex cable, mating connectors, 65.6ft/20m cable length. For use with 460 VAC 11 kW and 15 kW SureServo2 motors.	Stock	\$1,378.00
<u>SV2C-PF06-03FN</u>	SureServo2 power flex cable, mating connectors, 9.8ft/3m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$451.00
<u>SV2C-PF06-05FN</u>	SureServo2 power flex cable, mating connectors, 16.4ft/5m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$634.00
<u>SV2C-PF06-10FN</u>	SureServo2 power flex cable, mating connectors, 32.8ft/10m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$1,096.00
<u>SV2C-PF06-20FN</u>	SureServo2 power flex cable, mating connectors, 65.6ft/20m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$1,992.00
<u>SV2C-PF06-03NN</u>	SureServo2 power cable, mating connectors, 9.8ft/3m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$388.00
<u>SV2C-PF06-05NN</u>	SureServo2 power cable, mating connectors, 16.4ft/5m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$574.00
<u>SV2C-PF06-10NN</u>	SureServo2 power cable, mating connectors, 32.8ft/10m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$1,000.00
<u>SV2C-PF06-20NN</u>	SureServo2 power cable, mating connectors, 65.6ft/20m cable length. For use with 230 VAC 5.5 kW-11 kW SureServo2 motors.	Stock	\$1,808.00
<u>SV2C-PF04-03FN</u>	SureServo2 power flex cable, mating connectors, 9.8ft/3m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$521.00
<u>SV2C-PF04-05FN</u>	SureServo2 power flex cable, mating connectors, 16.4ft/5m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$734.00
<u>SV2C-PF04-10FN</u>	SureServo2 power flex cable, mating connectors, 32.8ft/10m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$1,277.00
<u>SV2C-PF04-20FN</u>	SureServo2 power flex cable, mating connectors, 65.6ft/20m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$2,333.00
<u>SV2C-PF04-03NN</u>	SureServo2 power cable, mating connectors, 9.8ft/3m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$458.00
<u>SV2C-PF04-05NN</u>	SureServo2 power cable, mating connectors, 16.4ft/5m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$647.00
<u>SV2C-PF04-10NN</u>	SureServo2 power cable, mating connectors, 32.8ft/10m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$1,091.00
<u>SV2C-PF04-20NN</u>	SureServo2 power cable, mating connectors, 65.6ft/20m cable length. For use with 230 VAC 15 kW SureServo2 motors.	Stock	\$1,982.00
<u>SV2C-B120-03FB</u>	SureServo2 brake flex cable, mating connectors, 9.8ft/3m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$137.00
<u>SV2C-B120-05FB</u>	SureServo2 brake flex cable, mating connectors, 16.4ft/5m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$161.00
<u>SV2C-B120-10FB</u>	SureServo2 brake flex cable, mating connectors, 32.8ft/10m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$215.00
<u>SV2C-B120-20FB</u>	SureServo2 brake flex cable, mating connectors, 65.6ft/20m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$308.00
<u>SV2C-B120-03NB</u>	SureServo2 brake cable, mating connectors, 9.8ft/3m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$127.00
<u>SV2C-B120-05NB</u>	SureServo2 brake cable, mating connectors, 16.4ft/5m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$146.00

<u>SV2C-B120-10NB</u>	SureServo2 brake cable, mating connectors, 32.8ft/10m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$185.00
<u>SV2C-B120-20NB</u>	SureServo2 brake cable, mating connectors, 65.6ft/20m cable length. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW and 15 kW SureServo2 motors with brake.	Stock	\$247.00
<u>SV2C-E122-03FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 9.8ft/3m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$110.00
<u>SV2C-E122-05FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 16.4ft/5m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$157.00
<u>SV2C-E122-10FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 32.8ft/10m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$262.00
<u>SV2C-E122-20FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 65.6ft/20m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$455.00
<u>SV2C-E122-03NN</u>	SureServo2 encoder feedback cable, mating connectors, 9.8ft/3m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$86.00
<u>SV2C-E122-05NN</u>	SureServo2 encoder feedback cable, mating connectors, 16.4ft/5m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$118.00
<u>SV2C-E122-10NN</u>	SureServo2 encoder feedback cable, mating connectors, 32.8ft/10m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$187.00
<u>SV2C-E122-20NN</u>	SureServo2 encoder feedback cable, mating connectors, 65.6ft/20m cable length. For use with 100W-750W SureServo2 motors.	Stock	\$307.00
<u>SV2C-E222-03FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 9.8ft/3m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$242.00
<u>SV2C-E222-05FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 16.4ft/5m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$296.00
<u>SV2C-E222-10FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 32.8ft/10m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$456.00
<u>SV2C-E222-20FN</u>	SureServo2 encoder feedback flex cable, mating connectors, 65.6ft/20m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$653.00
<u>SV2C-E222-03NN</u>	SureServo2 encoder feedback cable, mating connectors, 9.8ft/3m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$187.00
<u>SV2C-E222-05NN</u>	SureServo2 encoder feedback cable, mating connectors, 16.4ft/5m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$307.00
<u>SV2C-E222-10NN</u>	SureServo2 encoder feedback cable, mating connectors, 32.8ft/10m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$382.00
<u>SV2C-E222-20NN</u>	SureServo2 encoder feedback cable, mating connectors, 65.6ft/20m cable length. For use with 1 kW-15 kW SureServo2 motors.	Stock	\$504.00
<u>SVC-EFL-030</u>	SureServo encoder feedback cable, mating connectors, 30ft cable length. For use with 100W-750W SureServo servo systems.	Stock	\$165.00
<u>SVC-EFL-060</u>	SureServo encoder feedback cable, mating connectors, 60ft cable length. For use with 100W-750W SureServo servo systems.	Stock	\$209.00
<u>SVC-PFL-010</u>	SureServo power cable, mating connectors, 10ft cable length. For use with 100W-750W SureServo servo systems.	Stock	\$51.00
<u>SVC-PFL-020</u>	SureServo power cable, mating connectors, 20ft cable length. For use with 100W-750W SureServo servo systems.	Stock	\$96.00
<u>SVC-PFL-030</u>	SureServo power cable, mating connectors, 30ft cable length. For use with 100W-750W SureServo servo systems.	Stock	\$121.00
<u>SVC-PFL-060</u>	SureServo power cable, mating connectors, 60ft cable length. For use with 100W-750W SureServo servo systems.	Stock	\$218.00
<u>SVC-EHH-010</u>	SureServo encoder feedback cable, mating connectors, 10ft cable length. For use with 1 kW-3 kW SureServo servo systems.	Stock	\$153.00
<u>SVC-EHH-020</u>	SureServo encoder feedback cable, mating connectors, 20ft cable length. For use with 1 kW-3 kW SureServo servo systems.	Stock	\$171.00
<u>SVC-EHH-060</u>	SureServo encoder feedback cable, mating connectors, 60ft cable length. For use with 1 kW, 2 kW and 3 kW SureServo servo systems. Requires SVC-PHM-060 or SVC-PHH-060 power cable.	Stock	\$250.00
<u>SVC-PHM-010</u>	SureServo power cable, mating connectors, 10ft cable length. For use with 1 kW SureServo servo systems.	Stock	\$160.00
<u>SVC-PHM-030</u>	SureServo power cable, mating connectors, 30ft cable length. For use with 1 kW SureServo servo systems.	Stock	\$290.00
<u>SVC-PHM-060</u>	SureServo power cable, mating connectors, 60ft cable length. For use with 1 kW SureServo servo systems.	Stock	\$343.00
<u>SVC-PHH-010</u>	SureServo power cable, mating connectors, 10ft cable length. For use with 2 kW and 3 kW SureServo servo systems.	Stock	\$192.00
<u>SVC-PHH-020</u>	SureServo power cable, mating connectors, 20ft cable length. For use with 2 kW and 3 kW SureServo servo systems.	Stock	\$253.00
<u>SVC-PHH-030</u>	SureServo power cable, mating connectors, 30ft cable length. For use with 2 kW and 3 kW SureServo servo systems.	Stock	\$312.00

<u>ZL-SVC-CBL50</u>	ZIPLink servo cable, 50-pin connector to 50-pin connector, shielded, twisted pair, 1.6ft/0.5m cable length. For use with SureServo amplifiers.	Stock	\$57.00
<u>ZL-SVC-CBL50-1</u>	ZIPLink servo cable, 50-pin connector to 50-pin connector, shielded, twisted pair, 3.2ft/1m cable length. For use with SureServo amplifiers.	Stock	\$55.00
<u>ZL-SVC-CBL50-2</u>	ZIPLink servo cable, 50-pin connector to 50-pin connector, shielded, twisted pair, 6.5ft/2m cable length. For use with SureServo amplifiers.	Stock	\$63.00
<u>SVC-MDCOM-CBL</u>	SureServo communication cable, IEEE1394 to pigtail, 3ft cable length. For use with all SureServo systems and any RS-485/RS-422/RS-232 network.	Stock	\$47.50
<u>STP-LA-EXT17-006</u>	SureStep extension cable, 6-pin (4-wire) connector to pigtail, 6ft cable length. For use with SureStep NEMA 17 STP-LE series linear actuators.	Stock	\$26.00
<u>STP-LA-EXT17-010</u>	SureStep extension cable, 6-pin (4-wire) connector to pigtail, 10ft cable length. For use with SureStep NEMA 17 STP-LE series linear actuators.	Stock	\$33.50
<u>STP-LA-EXT17-020</u>	SureStep extension cable, 6-pin (4-wire) connector to pigtail, 20ft cable length. For use with SureStep NEMA 17 STP-LE series linear actuators.	Stock	\$55.00
<u>STP-LA-EXT23-006</u>	SureStep extension cable, 6-pin (4-wire) connector to pigtail, 6ft cable length. For use with SureStep NEMA 23 STP-LE series linear actuators.	Stock	\$29.50
<u>STP-LA-EXT23-010</u>	SureStep extension cable, 6-pin (4-wire) connector to pigtail, 10ft cable length. For use with SureStep NEMA 23 STP-LE series linear actuators.	Stock	\$39.00
<u>STP-LA-EXT23-020</u>	SureStep extension cable, 6-pin (4-wire) connector to pigtail, 20ft cable length. For use with SureStep NEMA 23 STP-LE series linear actuators.	Stock	\$60.00
<u>STP-EXTL-006</u>	SureStep extension cable, 4-pin connector to pigtail, 6ft cable length. For use with SureStep MTRL series stepper motors.	Stock	\$13.00
<u>STP-EXTL-010</u>	SureStep extension cable, 4-pin connector to pigtail, 10ft cable length. For use with SureStep MTRL series stepper motors.	Stock	\$16.50
<u>STP-EXTL-020</u>	SureStep extension cable, 4-pin connector to pigtail, 20ft cable length. For use with SureStep MTRL series stepper motors.	Stock	\$21.00
<u>STP-EXT-006</u>	SureStep extension cable, 4-pin connector to pigtail, 6ft cable length. For use with SureStep MTR series stepper motors.	Stock	\$16.00
<u>STP-EXT-010</u>	SureStep extension cable, 4-pin connector to pigtail, 10ft cable length. For use with SureStep MTR series stepper motors.	Stock	\$18.00
<u>STP-EXT-020</u>	SureStep extension cable, mating connectors, 20ft cable length. For use with SureStep MTR series stepper motors.	Stock	\$25.00
<u>STP-EXTH-006</u>	SureStep extension cable, 4-pin connector to pigtail, 6ft cable length. For use with SureStep MTRH series stepper motors.	Stock	\$31.00
<u>STP-EXTH-010</u>	SureStep extension cable, 4-pin connector to pigtail, 10ft cable length. For use with SureStep MTRH series stepper motors.	Stock	\$36.00
<u>STP-EXTH-020</u>	SureStep extension cable, mating connectors, 20ft cable length. For use with SureStep MTRH series stepper motors.	Stock	\$45.50
<u>STP-EXT42-006</u>	SureStep extension cable, 10-pin connector to pigtail, shielded, 6ft cable length. For use with SureStep NEMA 42 MTRAC series stepper motors.	Stock	\$28.50
<u>STP-EXT42-010</u>	SureStep extension cable, 10-pin connector to pigtail, shielded, 10ft cable length. For use with SureStep NEMA 42 MTRAC series stepper motors.	Stock	\$34.00
<u>STP-EXT42-020</u>	SureStep extension cable, 10-pin connector to pigtail, shielded, 20ft cable length. For use with SureStep NEMA 42 MTRAC series stepper motors.	Stock	\$50.00
<u>STP-EXT42H-006</u>	SureStep extension cable, 10-pin connector to pigtail, shielded, 6ft cable length. For use with SureStep NEMA 42 MTRACH series stepper motors.	Stock	\$28.50
<u>STP-EXT42H-010</u>	SureStep extension cable, 10-pin connector to pigtail, shielded, 10ft cable length. For use with SureStep NEMA 42 MTRACH series stepper motors.	Stock	\$34.00
<u>STP-EXT42H-020</u>	SureStep extension cable, 10-pin connector to pigtail, shielded, 20ft cable length. For use with SureStep NEMA 42 MTRACH series stepper motors.	Stock	\$50.00
<u>STP-EXTW-006</u>	SureStep extension cable, 6-pin connector to pigtail, 6ft cable length. For use with SureStep MTR series IP65 stepper motors.	Stock	\$61.00
<u>STP-EXTW-010</u>	SureStep extension cable, 6-pin connector to pigtail, 10ft cable length. For use with SureStep MTR series IP65 stepper motors.	Stock	\$76.00
<u>STP-EXTW-020</u>	SureStep extension cable, 6-pin connector to pigtail, 20ft cable length. For use with SureStep MTR series IP65 stepper motors.	Stock	\$107.00
<u>STP-EXTHW-006</u>	SureStep extension cable, 6-pin connector to pigtail, 6ft cable length. For use with SureStep MTRH series IP65 stepper motors.	Stock	\$62.00
<u>STP-EXTHW-010</u>	SureStep extension cable, 6-pin connector to pigtail, 10ft cable length. For use with SureStep MTRH series IP65 stepper motors.	Stock	\$78.00
<u>STP-EXTHW-020</u>	SureStep extension cable, 6-pin connector to pigtail, 20ft cable length. For use with SureStep MTRH series IP65 stepper motors.	Stock	\$113.00
<u>STP-CBL-CA6</u>	SureStep control cable, 11-pin connector to pigtail, 6ft cable length. For use with SureStep STP-MTRD-17038 and STP-MTRD-17038E integrated stepper motor/drives.	Stock	\$42.00

<u>STP-CBL-CA10</u>	SureStep control cable, 11-pin connector to pigtail, 10ft cable length. For use with SureStep STP-MTRD-17038 and STP-MTRD-17038E integrated stepper motor/drives.	Stock	\$60.00
<u>STP-CBL-CA20</u>	SureStep control cable, 11-pin connector to pigtail, 20ft cable length. For use with SureStep STP-MTRD-17038 and STP-MTRD-17038E integrated stepper motor/drives.	Stock	\$108.00
<u>STP-CBL-EA6</u>	SureStep encoder cable, 10-pin connector to pigtail, 6ft cable length. For use with SureStep integrated stepper motor/drives with external encoder.	Stock	\$39.00
<u>STP-CBL-EA10</u>	SureStep encoder cable, 10-pin connector to pigtail, 10ft cable length. For use with SureStep integrated stepper motor/drives with external encoder.	Stock	\$40.00
<u>STP-CBL-EA20</u>	SureStep encoder cable, 10-pin connector to pigtail, 20ft cable length. For use with SureStep integrated stepper motor/drives with external encoder.	Stock	\$69.00
<u>STP-CBL-EB3</u>	SureStep encoder cable, 17-pin connector to pigtail, 3ft cable length. For use with SureStep stepper encoder with 17-pin male connectors.	Stock	\$67.00
<u>STP-CBL-EB6</u>	SureStep encoder cable, 17-pin connector to pigtail, 6ft cable length. For use with SureStep stepper encoder with 17-pin male connectors.	Stock	\$94.00
<u>STP-CBL-EB10</u>	SureStep encoder cable, 17-pin connector to pigtail, 10ft cable length. For use with SureStep stepper encoder with 17-pin male connectors.	Stock	\$131.00
<u>STP-CBL-EB20</u>	SureStep encoder cable, 17-pin connector to pigtail, 20ft cable length. For use with SureStep stepper encoder with 17-pin male connectors.	Stock	\$221.00
<u>STP-CBL-ED6</u>	SureStep encoder cable, 5-pin connector to pigtail, 6ft cable length. For use with SureStep stepper encoders with 5-pin male connectors.	Stock	\$42.00
<u>STP-CBL-ED10</u>	SureStep encoder cable, 5-pin connector to pigtail, 10ft cable length. For use with SureStep stepper encoders with 5-pin male connectors.	Stock	\$57.00
<u>STP-CBL-ED20</u>	SureStep encoder cable, 5-pin connector to pigtail, 20ft cable length. For use with SureStep stepper encoders with 5-pin male connectors.	Stock	\$68.00
<u>STP-485DB9-CBL-2</u>	SureStep communication cable, 9-pin female D-sub to 5-pin connector, 6.5ft/2m cable length. For use with SureStep STP-MTRD-xxxxR integrated stepper motor/drives.	Stock	\$64.00
<u>1.4.4-0609505-B3</u>	Leadshine programming cable, 9-pin female D-sub to RJ11 male, 5ft cable length. For use with Leadshine DM805-AI stepper drive.	Stock	\$6.50
<u>1.4.4-0409505-B3</u>	Leadshine programming cable, 9-pin female D-sub to 4-pin connector, 5ft cable length. For use with Leadshine EM542S and EM556S stepper drives.	Stock	\$6.50
<u>STP-232RJ11-CBL</u>	SureStep programming/communication spare cable, 9-pin D-sub female to 6P4C RJ11, 10ft cable length. For use with SureStep STP-DRV-4850 and STP-DRV-80100 advanced microstepping drives.	Stock	\$19.00
<u>STP-232RJ12-CBL-2</u>	ZIPLink stepper cable, 6P4C RJ11 to 6-pin RJ12, RS-232, 6.5ft/2m cable length. For use with SureStep drives.	Stock	\$12.00
<u>STP-232HD15-CBL-2</u>	ZIPLink stepper cable, 6P4C RJ11 to 15-pin D-sub HD15 male, shielded, twisted pair, RS-232, 6.5ft/2m cable length. For use with SureStep drives.	Stock	\$19.00
<u>GS-CBL2-1L</u>	DURApulse keypad mounting cable, 3.2ft/1m cable length. For use with GS2, GS3 and GS20 series drive keypads. Mounting hardware included.	Stock	\$21.00
<u>GS-CBL2-3L</u>	DURApulse keypad mounting cable, 9.8ft/3m cable length. For use with GS2, GS3 and GS20 series drive keypads. Mounting hardware included.	Stock	\$27.00
<u>GS-CBL2-5L</u>	DURApulse keypad mounting cable, 16.4ft/5m cable length. For use with GS2, GS3 and GS20 series drive keypads. Mounting hardware included.	Stock	\$32.00
<u>GS-485HD15-CBL-2</u>	ZIPLink GS drive cable, 6-pin RJ12 to 15-pin D-sub HD15 male, shielded, RS-485, 6.5ft/2m cable length. For use with GS series drives.	Stock	\$13.00
<u>GS-RJ12-CBL-2</u>	ZIPLink GS drive cable, 6-pin RJ12 to 6-pin RJ12, 6.5ft/2m cable length. For use with GS2 series drives.	Stock	\$12.00
<u>TRDA-25CBL-RZWD-10</u>	AutomationDirect encoder cable, 7-pin Military Style (MS) to pigtail, 10ft cable length. For use with JTEKT TRDA-25N series encoders with push-pull (totem) output.	Stock	\$96.00
<u>TRDA-25CBL-RZWD-20</u>	AutomationDirect encoder cable, 7-pin Military Style (MS) to pigtail, 20ft cable length. For use with JTEKT TRDA-25N series encoders with push-pull (totem) output.	Stock	\$118.00
<u>TRDA-25CBL-RZWD-30</u>	AutomationDirect encoder cable, 7-pin Military Style (MS) to pigtail, 30ft cable length. For use with JTEKT TRDA-25N series encoders with push-pull (totem) output.	Stock	\$134.00
<u>TRDA-25CBL-VWD-10</u>	AutomationDirect encoder cable, 10-pin Military Style (MS) to pigtail, 10ft cable length. For use with JTEKT TRDA-25N series encoders with line driver (differential) output.	Stock	\$114.00
<u>TRDA-25CBL-VWD-20</u>	AutomationDirect encoder cable, 10-pin Military Style (MS) to pigtail, 20ft cable length. For use with JTEKT TRDA-25N series encoders with line driver (differential) output.	Stock	\$114.00
<u>TRDA-25CBL-VWD-30</u>	AutomationDirect encoder cable, 10-pin Military Style (MS) to pigtail, 30ft cable length. For use with JTEKT TRDA-25N series encoders with line driver (differential) output.	Stock	\$119.00
Cable Connectors			
<u>492075</u>	LUTZE Cat5e Ethernet bulkhead connector, RJ45 female 8-wire/8-pin to RJ45 female 8-wire/8-pin, shielded, IP65 (cover closed), IP20 (cable inserted), UL Type 2, 3R, 4, 4X, 12 and 13.	Stock	\$45.00
<u>492076</u>	LUTZE Cat6a Ethernet bulkhead connector, RJ45 female 8-wire/8-pin to RJ45 female 8-wire/8-pin, shielded, IP65 (cover closed), IP20 (cable inserted), UL Type 2, 3R, 4, 4X, 12 and 13.	Stock	\$44.00
<u>7000-44671-0000000</u>	Murrelektronik bulkhead connector, field-wireable, M12 D-coded female 4-pin to RJ45 female 8-pin, M12-IP68, RJ45-IP20.	Stock	\$32.50

<u>7000-44681-0000000</u>	Murrelektronik bulkhead connector, field-wireable, M12 D-coded female 4-pin to RJ45 female 8-pin 90-degree, M12-IP68, RJ45-IP20.	Stock	\$33.00
<u>7000-41121-0000000</u>	Murrelektronik T-coupler, 5-pole male M12 barrel to (2) 4-pole female M12 nuts, N.O. distribution.	Stock	\$20.50
<u>7000-41141-0000000</u>	Murrelektronik T-coupler, 5-pole male M12 barrel to (2) 5-pole female M12 nuts, parallel distribution.	Stock	\$20.50
<u>7000-41181-0000000</u>	Murrelektronik T-coupler, 5-pole male M12 barrel to (2) 5-pole female M12 nuts, N.O./N.C. distribution.	Stock	\$20.50
<u>7000-41201-0000000</u>	Murrelektronik T-coupler, 4-pole male M12 barrel to (2) 3-pole female M8 nuts, N.O. distribution.	Stock	\$20.50
<u>7000-P4901-0000000</u>	Murrelektronik T-coupler, 5-pin M12 axial male L-coded to (2) 5-pin M12 axial female L-coded, parallel distribution.	Stock	\$122.00
<u>ZP-S1-3MFF-T</u>	ZIPport T-coupler, (2) 3-pole female 7/8in - 16 UN2 nuts to 3-pole male 7/8in - 16 UN2 barrel, parallel distribution.	Stock	\$50.00
<u>ZP-S1-4MFF-T</u>	ZIPport T-coupler, (2) 4-pole female 7/8in - 16 UN2 nuts to 4-pole male 7/8in - 16 UN2 barrel, parallel distribution.	Stock	\$58.00
<u>ZP-S1-5MFF-T</u>	ZIPport T-coupler, (2) 5-pole female 7/8in - 16 UN2 nuts to 5-pole male 7/8in - 16 UN2 barrel, parallel distribution.	Stock	\$74.00
<u>7000-08553-9700050</u>	Murrelektronik bulkhead connector, M8 3-pin male to pigtail, 24 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$12.00
<u>7000-08553-9700100</u>	Murrelektronik bulkhead connector, M8 3-pin male to pigtail, 24 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$13.00
<u>7000-08563-9690050</u>	Murrelektronik bulkhead connector, M8 4-pin male to pigtail, 24 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$13.00
<u>7000-08563-9690100</u>	Murrelektronik bulkhead connector, M8 4-pin male to pigtail, 24 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$14.00
<u>7231-13501-9710050</u>	Murrelektronik bulkhead connector, M12 4-pin male to pigtail, 22 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$11.50
<u>7231-13501-9710100</u>	Murrelektronik bulkhead connector, M12 4-pin male to pigtail, 22 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$12.50
<u>7231-13541-9710050</u>	Murrelektronik bulkhead connector, M12 4-pin female to pigtail, 22 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$11.50
<u>7231-13541-9710100</u>	Murrelektronik bulkhead connector, M12 4-pin female to pigtail, 22 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$12.50
<u>7231-13521-9720050</u>	Murrelektronik bulkhead connector, M12 5-pin male to pigtail, 22 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$12.50
<u>7231-13521-9720100</u>	Murrelektronik bulkhead connector, M12 5-pin male to pigtail, 22 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$14.00
<u>7231-13561-9720050</u>	Murrelektronik bulkhead connector, M12 5-pin female to pigtail, 22 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$12.50
<u>7231-13561-9720100</u>	Murrelektronik bulkhead connector, M12 5-pin female to pigtail, 22 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$14.00
<u>7231-17161-9730050</u>	Murrelektronik bulkhead connector, M12 8-pin male to pigtail, 24 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$20.50
<u>7231-17161-9730100</u>	Murrelektronik bulkhead connector, M12 8-pin male to pigtail, 24 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$21.50
<u>7231-17181-9730050</u>	Murrelektronik bulkhead connector, M12 8-pin female to pigtail, 24 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$20.50
<u>7231-17181-9730100</u>	Murrelektronik bulkhead connector, M12 8-pin female to pigtail, 24 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$21.50
<u>7000-17162-9730050</u>	Murrelektronik bulkhead connector, M12 8-pin male to pigtail, 24 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$19.50
<u>7000-17162-9730100</u>	Murrelektronik bulkhead connector, M12 8-pin male to pigtail, 24 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$21.00
<u>7000-17162-9820050</u>	Murrelektronik bulkhead connector, M12 8-pin male to pigtail, 24 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$19.50
<u>7000-17162-9820100</u>	Murrelektronik bulkhead connector, M12 8-pin male to pigtail, 24 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$21.00
<u>7000-19162-9790050</u>	Murrelektronik bulkhead connector, M12 male 12-pin to pigtail, 26 AWG, 1.6ft/0.5m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$28.50
<u>7000-19162-9790100</u>	Murrelektronik bulkhead connector, M12 male 12-pin to pigtail, 26 AWG, 3.2ft/1m cable length, nylon 12 conductor insulation material, IP67.	Stock	\$29.50
<u>7000-42111-0000000</u>	Murrelektronik bulkhead connector, M12 5-pin male to M12 5-pin female, shielded, IP65 IP67.	Stock	\$22.50
<u>7000-48111-0000000</u>	Murrelektronik bulkhead connector, M12 8-pin male to M12 8-pin female, shielded, IP65 IP67.	Stock	\$29.50

<u>ZP-S1-2MR-0P3M</u>	ZIPport bulkhead connector, 7/8in 2-pin male to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$12.00
<u>ZP-S1-2FR-0P3M</u>	ZIPport bulkhead connector, 7/8in 2-pin female to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$12.50
<u>ZP-S1-3MR-0P3M</u>	ZIPport bulkhead connector, 7/8in 3-pin male to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$13.00
<u>ZP-S1-3FR-0P3M</u>	ZIPport bulkhead connector, 7/8in 3-pin female to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$13.50
<u>ZP-S1-4MR-0P3M</u>	ZIPport bulkhead connector, 7/8in 4-pin male to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$14.00
<u>ZP-S1-4FR-0P3M</u>	ZIPport bulkhead connector, 7/8in 4-pin female to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$17.00
<u>ZP-S1C-4MR-0P3M-18</u>	ZIPport bulkhead connector, 7/8in 4-pin male to pigtail, 18 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$14.50
<u>ZP-S1C-4FR-0P3M-18</u>	ZIPport bulkhead connector, 7/8in 4-pin female to pigtail, 18 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$17.00
<u>ZP-S1-5MR-0P3M</u>	ZIPport bulkhead connector, 7/8in 5-pin male to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$17.00
<u>ZP-S1-5FR-0P3M</u>	ZIPport bulkhead connector, 7/8in 5-pin female to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$18.00
<u>ZP-S1-6MR-0P3M</u>	ZIPport bulkhead connector, 7/8in 6-pin male to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$17.00
<u>ZP-S1-6FR-0P3M</u>	ZIPport bulkhead connector, 7/8in 6-pin female to pigtail, 16 AWG, 0.9ft/0.3m cable length, ether-based polyurethane conductor insulation material, IP67.	Stock	\$17.50
<u>8000-84010-3370500</u>	Exact 8 passive distribution block, 4 ports, 3-pin M8 sockets, 3-wire, 24 VDC, 2A, power and PNP LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$95.00
<u>8000-84011-3370500</u>	Exact 8 passive distribution block, 4 ports, 3-pin M8 sockets, 3-wire, 24 VDC, 2A, power and NPN LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$95.00
<u>8000-84060-0000000</u>	Exact 8 passive distribution block, 4 ports, 3-pin M8 sockets, 3-wire, 24 VDC, 1A, power and PNP LED indicator(s), 12-pin M12 quick-disconnect, IP67. Marking tags included.	Stock	\$100.00
<u>8000-84110-3580500</u>	Exact 8 passive distribution block, 4 ports, 4-pin M8 sockets, 4-wire, 24 VDC, 2A, power and PNP LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$122.00
<u>8000-84111-3580500</u>	Exact 8 passive distribution block, 4 ports, 4-pin M8 sockets, 4-wire, 24 VDC, 2A, power and NPN LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$122.00
<u>8000-84160-0000000</u>	Exact 8 passive distribution block, 4 ports, 4-pin M8 sockets, 4-wire, 24 VDC, 1A, power and PNP LED indicator(s), 12-pin M12 quick-disconnect, IP67. Marking tags included.	Stock	\$106.00
<u>8000-88010-3570500</u>	Exact 8 passive distribution block, 8 ports, 3-pin M8 sockets, 3-wire, 24 VDC, 2A, power and PNP LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$122.00
<u>8000-88011-3570500</u>	Exact 8 passive distribution block, 8 ports, 3-pin M8 sockets, 3-wire, 24 VDC, 2A, power and NPN LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$122.00
<u>8000-88060-0000000</u>	Exact 8 passive distribution block, 8 ports, 3-pin M8 sockets, 3-wire, 24 VDC, 1A, power and PNP LED indicator(s), 12-pin M12 quick-disconnect, IP67. Marking tags included.	Stock	\$113.00
<u>8000-88110-3950500</u>	Exact 8 passive distribution block, 8 ports, 4-pin M8 sockets, 4-wire, 24 VDC, 2A, power and PNP LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$162.00
<u>8000-88111-3950500</u>	Exact 8 passive distribution block, 8 ports, 4-pin M8 sockets, 4-wire, 24 VDC, 2A, power and NPN LED indicator(s), 5m integrated cable, IP67. Marking tags included.	Stock	\$162.00
<u>8000-84560-0000000</u>	Exact 12 passive distribution block, 4 ports, 5-pin M12 sockets, 5-wire, 24 VDC, 1A, power and PNP LED indicator(s), 12-pin M12 quick-disconnect, IP67. Marking tags included.	Stock	\$110.00
<u>ZP-JBH44-00-FW</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 4-wire, 150 VAC/VDC, 3A, field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$73.00
<u>ZP-JBH44-2P-FW</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and PNP LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$94.00
<u>ZP-JBH44-2N-FW</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and NPN LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$95.00
<u>ZP-JBH45-00-FW</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 5-wire, 150 VAC/VDC, 3A, field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$87.00
<u>ZP-JBH45-2P-FW</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and PNP LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$104.00
<u>ZP-JBH44-00-5</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 4-wire, 150 VAC/VDC, 3A, 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$112.00
<u>ZP-JBH44-2P-5</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and PNP LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$122.00
<u>ZP-JBH44-2N-5</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and NPN LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$125.00

<u>ZIP-JBH45-00-5</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 5-wire, 150 VAC/VDC, 3A, 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$132.00
<u>ZIP-JBH45-2P-5</u>	ZIPport junction block, 4 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and PNP LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$146.00
<u>ZIP-JBH64-00-FW</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 4-wire, 150 VAC/VDC, 3A, field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$96.00
<u>ZIP-JBH64-2P-FW</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and PNP LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$122.00
<u>ZIP-JBH64-2N-FW</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and NPN LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$122.00
<u>ZIP-JBH65-00-FW</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 5-wire, 150 VAC/VDC, 3A, field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$109.00
<u>ZIP-JBH65-2P-FW</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and PNP LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$130.00
<u>ZIP-JBH64-00-5</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 4-wire, 150 VAC/VDC, 3A, 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$142.00
<u>ZIP-JBH64-2P-5</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and PNP LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$145.00
<u>ZIP-JBH64-2N-5</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and NPN LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$145.00
<u>ZIP-JBH65-00-5</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 5-wire, 150 VAC/VDC, 3A, 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$165.00
<u>ZIP-JBH65-2P-5</u>	ZIPport junction block, 6 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and PNP LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$184.00
<u>8000-88460-0000000</u>	Exact 12 passive distribution block, 8 ports, 5-pin M12 sockets, (2) 5-wire and (6) 4-wire, 24 VDC, 1A, power and PNP LED indicator(s), 12-pin M12 quick-disconnect, IP67. Marking tags included.	Stock	\$131.00
<u>8000-88590-0000000</u>	Exact 12 passive distribution block, 8 ports, 5-pin M12 sockets, 5-wire, 24 VDC, 4A, power and PNP LED indicator(s), panel mount plug in, IP67. Terminal blocks and marking tags included.	Stock	\$131.00
<u>ZIP-JBH84-00-FW</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 4-wire, 150 VAC/VDC, 3A, field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$110.00
<u>ZIP-JBH84-2P-FW</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and PNP LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$116.00
<u>ZIP-JBH84-2N-FW</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and NPN LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$115.00
<u>ZIP-JBH85-00-FW</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 5-wire, 150 VAC/VDC, 3A, field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$129.00
<u>ZIP-JBH85-2P-FW</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and PNP LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$153.00
<u>ZIP-JBH85-2N-FW</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and NPN LED indicator(s), field-wired connection, IP67. (2) port caps for unused ports included.	Stock	\$153.00
<u>ZIP-JBH84-00-5</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 4-wire, 150 VAC/VDC, 3A, 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$178.00
<u>ZIP-JBH84-2P-5</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and PNP LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$180.00
<u>ZIP-JBH84-2N-5</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 4-wire, 48 VDC, 3A, power and NPN LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$187.00
<u>ZIP-JBH85-00-5</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 5-wire, 150 VAC/VDC, 3A, 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$204.00
<u>ZIP-JBH85-2P-5</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and PNP LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$222.00
<u>ZIP-JBH85-2N-5</u>	ZIPport junction block, 8 ports, 5-pin M12 sockets, 5-wire, 48 VDC, 3A, power and NPN LED indicator(s), 5m integrated cable, IP67. (2) port caps for unused ports included.	Stock	\$228.00
<u>SC8-0</u>	NITRA field wireable solenoid valve connector, 8mm DIN 43650 Form C molded connector, 230 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.20-0.24in.	Stock	\$9.00
<u>SC10-LS24-0</u>	Murrelektronik field wireable solenoid valve connector, 10mm DIN 43650 Form B molded connector, 24 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in, surge protection, LED indication.	Stock	\$12.50
<u>SC10-LS110-0</u>	Murrelektronik field wireable solenoid valve connector, 10mm DIN 43650 Form B molded connector, 110 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in, surge protection, LED indication.	Stock	\$14.00
<u>SC11-LS24-0</u>	Murrelektronik field wireable solenoid valve connector, 11mm DIN style molded connector, 24 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in, surge protection, LED indication.	Stock	\$12.50
<u>SC11-LS110-0</u>	Murrelektronik field wireable solenoid valve connector, 11mm DIN style molded connector, 110 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in, surge protection, LED indication.	Stock	\$14.00
<u>SC11-0</u>	Murrelektronik field wireable solenoid valve connector, 11mm DIN style molded connector, 230 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in.	Stock	\$10.50

<u>SC18-LS24-0</u>	Murrelektronik field wireable solenoid valve connector, 18mm DIN 43650 Form A molded connector, 24 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in, surge protection, LED indication.	Stock	\$12.50
<u>SC18-LS110-0</u>	Murrelektronik field wireable solenoid valve connector, 18mm DIN 43650 Form A molded connector, 110 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in, surge protection, LED indication.	Stock	\$14.00
<u>SC18-0</u>	Murrelektronik field wireable solenoid valve connector, 18mm DIN 43650 Form A molded connector, 230 VAC/VDC, 16-12 AWG, accepts cable diameter size 0.24-0.32in.	Stock	\$10.50
<u>SV2C-PA-CON</u>	SureServo2 motor power connector, 4-pin. For use with 750W or smaller SureServo2 motors without brake.	Stock	\$14.50
<u>SV2C-PB-CON</u>	SureServo2 motor power connector, 6-pin. For use with 750W or smaller SureServo2 motors with brake.	Stock	\$17.00
<u>SV2C-PC-CON</u>	SureServo2 motor power connector, 9-pin. For use with 230 VAC 1 kW-1.5 kW and 460 VAC 1 kW-2 kW SureServo2 motors.	Stock	\$54.00
<u>SV2C-PD-CON</u>	SureServo2 motor power connector, 9-pin. For use with 230 VAC 2 kW-4.5 kW and 460 VAC 3 kW-7.5 kW SureServo2 motors.	Stock	\$64.00
<u>SV2C-PF-CON</u>	SureServo2 motor power connector, 4-pin. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW-15 kW SureServo2 motors.	Stock	\$95.00
<u>SV2C-B1-CON</u>	SureServo2 motor brake connector, 2-pin. For use with 230 VAC 5.5 kW-15 kW and 460 VAC 11 kW-15 kW SureServo2 motors with brake.	Stock	\$42.00
<u>SV2C-E1-CON</u>	SureServo2 motor encoder connector, 9-pin. For use with 750W or smaller SureServo2 motors.	Stock	\$14.50
<u>SV2C-E2-CON</u>	SureServo2 motor encoder connector, 17-pin. For use with 1 kW and larger SureServo2 motors.	Stock	\$47.00
<u>SV2C-E3-CON</u>	SureServo2 drive encoder connector, 6-pin. For use with all SureServo2 drives.	Stock	\$11.00
<u>STP-CON-1</u>	SureStep connector kit, replacement. For use with SureStep STP-DRV-4845 and STP-DRV-6575 microstepping drives. Includes (1) drive/motor power connector and (1) control signal connector.	Stock	\$37.00
<u>STP-CON-2</u>	SureStep connector kit, replacement. For use with SureStep STP-DRV-4850 and STP-DRV-80100 advanced microstepping drives. Includes (1) drive/motor power connector, (1) analog signal connector and (1) input signal connector.	Stock	\$37.00
<u>STP-CON-3</u>	SureStep connector kit, replacement. For use with SureStep STP-MTRD integrated stepper motor/drives except STP-MTRD-17038 and STP-MTRD-17038E. Includes (2) power connectors, (1) RS-485 signal connector and (2) control signal connectors.	Stock	\$62.00
<u>STP-CON-4</u>	SureStep connector kit, replacement. For use with SureStep STP-DRVA-RC-050A regen clamp. Includes (1) input power connector and (1) drive output power connector.	Stock	\$35.00
<u>STP-CON-5</u>	SureStep connector kit, replacement. For use with SureStep STP-DRV-4830 microstepping drive. Includes (1) drive power connector, (1) motor power connector and (1) control signal connector.	Stock	\$35.00
<u>STP-CON-6</u>	SureStep connector kit, replacement. For use with SureStep STP-DRV-4845 and STP-DRVAC-24025 microstepping drives. Includes (1) input power connector, (1) motor power connector and (1) control signal connector.	Stock	\$38.00
Accessories for Terminated Cables			
<u>ZP-JBH-CAP</u>	ZIPport junction block M12 protective cap, package of 5.	Stock	\$4.50
<u>ZP-S1-CAP</u>	ZIPport cap, anodized aluminum, clear. For use with ZP-S1 series.	Stock	\$6.25
<u>ZP-S1-PLUG</u>	ZIPport plug, anodized aluminum, clear. For use with ZP-S1 series.	Stock	\$10.00
<u>ZP-S1-XMP-AD</u>	ZIPport adapter, anodized aluminum, clear. For use with ZP-S1 series.	Stock	\$4.50
HydroMode Potable Water Pressure Regulators			
<u>FR-817</u>	HydroMode miniature potable water pressure regulator, 1/8in female NPT inlet(s), 1/8in female NPT outlet(s), 0-100 psi adjustable range, suitable for potable water applications.	Stock	\$35.00
<u>FR-827</u>	HydroMode miniature potable water pressure regulator, 1/4in female NPT inlet(s), 1/4in female NPT outlet(s), 0-100 psi adjustable range, suitable for potable water applications.	Stock	\$35.00
<u>FBKT-8A</u>	HydroMode mounting bracket, for use with FR-8 series water regulators.	Stock	\$8.00
<u>FN-8</u>	HydroMode panel nut, 1-3/16-18 UNEF threads. For use with FR-8 series water regulators.	Stock	\$2.50
HydroMode Straight Polyethylene (PE) Tubing			
<u>PE532BLK100</u>	HydroMode potable water tubing, polyethylene, black, 5/32in (4mm) outside diameter, 0.106in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$11.00
<u>PE532BLK500</u>	HydroMode potable water tubing, polyethylene, black, 5/32in (4mm) outside diameter, 0.106in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$45.00
<u>PE532BLK1000</u>	HydroMode potable water tubing, polyethylene, black, 5/32in (4mm) outside diameter, 0.106in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$81.00
<u>PE532BLU100</u>	HydroMode potable water tubing, polyethylene, blue, 5/32in (4mm) outside diameter, 0.106in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$10.50
<u>PE532BLU500</u>	HydroMode potable water tubing, polyethylene, blue, 5/32in (4mm) outside diameter, 0.106in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$45.00

<u>PE532BLU1000</u>	HydroMode potable water tubing, polyethylene, blue, 5/32in (4mm) outside diameter, 0.106in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$81.00
<u>PE532GRN100</u>	HydroMode potable water tubing, polyethylene, green, 5/32in (4mm) outside diameter, 0.106in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$11.00
<u>PE14BLK100</u>	HydroMode potable water tubing, polyethylene, black, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$12.50
<u>PE14BLK500</u>	HydroMode potable water tubing, polyethylene, black, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$52.00
<u>PE14BLK1000</u>	HydroMode potable water tubing, polyethylene, black, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$101.00
<u>PE14BLU100</u>	HydroMode potable water tubing, polyethylene, blue, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$12.50
<u>PE14BLU500</u>	HydroMode potable water tubing, polyethylene, blue, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$52.00
<u>PE14BLU1000</u>	HydroMode potable water tubing, polyethylene, blue, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$101.00
<u>PE14NAT100</u>	HydroMode potable water tubing, polyethylene, natural, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$12.50
<u>PE14NAT500</u>	HydroMode potable water tubing, polyethylene, natural, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$52.00
<u>PE14NAT1000</u>	HydroMode potable water tubing, polyethylene, natural, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$101.00
<u>PE14RED100</u>	HydroMode potable water tubing, polyethylene, red, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$12.50
<u>PE14RED500</u>	HydroMode potable water tubing, polyethylene, red, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$43.00
<u>PE14YEL100</u>	HydroMode potable water tubing, polyethylene, yellow, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$12.50
<u>PE14YEL500</u>	HydroMode potable water tubing, polyethylene, yellow, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$52.00
<u>PE14YEL1000</u>	HydroMode potable water tubing, polyethylene, yellow, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$86.00
<u>PE14GRN100</u>	HydroMode potable water tubing, polyethylene, green, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$11.50
<u>PE14GRN500</u>	HydroMode potable water tubing, polyethylene, green, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$52.00
<u>PE14GRN1000</u>	HydroMode potable water tubing, polyethylene, green, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$86.00
<u>PE14WHT100</u>	HydroMode potable water tubing, polyethylene, white, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$12.50
<u>PE14WHT500</u>	HydroMode potable water tubing, polyethylene, white, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$43.00
<u>PE14WHT1000</u>	HydroMode potable water tubing, polyethylene, white, 1/4in outside diameter, 0.170in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$101.00
<u>PE516BLK100</u>	HydroMode potable water tubing, polyethylene, black, 5/16in (8mm) outside diameter, 0.236in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$20.00
<u>PE516BLU100</u>	HydroMode potable water tubing, polyethylene, blue, 5/16in (8mm) outside diameter, 0.236in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$20.00
<u>PE38BLK100</u>	HydroMode potable water tubing, polyethylene, black, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$24.00
<u>PE38BLK500</u>	HydroMode potable water tubing, polyethylene, black, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$101.00
<u>PE38BLU100</u>	HydroMode potable water tubing, polyethylene, blue, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$24.00
<u>PE38BLU500</u>	HydroMode potable water tubing, polyethylene, blue, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$101.00
<u>PE38BLU1000</u>	HydroMode potable water tubing, polyethylene, blue, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$175.00
<u>PE38NAT100</u>	HydroMode potable water tubing, polyethylene, natural, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$24.00
<u>PE38RED100</u>	HydroMode potable water tubing, polyethylene, red, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$24.00
<u>PE38RED500</u>	HydroMode potable water tubing, polyethylene, red, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$101.00

<u>PE38YEL100</u>	HydroMode potable water tubing, polyethylene, yellow, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$22.00
<u>PE38YEL500</u>	HydroMode potable water tubing, polyethylene, yellow, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$101.00
<u>PE38YEL1000</u>	HydroMode potable water tubing, polyethylene, yellow, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 1000ft reel.	Stock	\$175.00
<u>PE38GRN100</u>	HydroMode potable water tubing, polyethylene, green, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$24.00
<u>PE38GRN500</u>	HydroMode potable water tubing, polyethylene, green, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$101.00
<u>PE38WHT100</u>	HydroMode potable water tubing, polyethylene, white, 3/8in outside diameter, 1/4in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$24.00
<u>PE12BLK100</u>	HydroMode potable water tubing, polyethylene, black, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$33.50
<u>PE12BLK500</u>	HydroMode potable water tubing, polyethylene, black, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$151.00
<u>PE12BLU100</u>	HydroMode potable water tubing, polyethylene, blue, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$33.50
<u>PE12BLU500</u>	HydroMode potable water tubing, polyethylene, blue, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$151.00
<u>PE12NAT100</u>	HydroMode potable water tubing, polyethylene, natural, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$33.50
<u>PE12RED100</u>	HydroMode potable water tubing, polyethylene, red, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$33.50
<u>PE12RED500</u>	HydroMode potable water tubing, polyethylene, red, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$151.00
<u>PE12YEL100</u>	HydroMode potable water tubing, polyethylene, yellow, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$30.50
<u>PE12YEL500</u>	HydroMode potable water tubing, polyethylene, yellow, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$145.00
<u>PE12GRN100</u>	HydroMode potable water tubing, polyethylene, green, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$30.50
<u>PE12GRN500</u>	HydroMode potable water tubing, polyethylene, green, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 500ft reel.	Stock	\$151.00
<u>PE12WHT100</u>	HydroMode potable water tubing, polyethylene, white, 1/2in outside diameter, 3/8in inside diameter, NSF/ANSI 61, 100ft package.	Stock	\$33.50
HydroMode Polyester-Reinforced PVC Hose			
<u>HBV316-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 3/16in inside diameter, 3/8in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$42.50
<u>HBV316-300CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 3/16in inside diameter, 3/8in outside diameter, NSF/ANSI 61, 300ft reel.	Stock	\$126.00
<u>HBV14-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 1/4in inside diameter, 0.438in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$49.00
<u>HBV14-300CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 1/4in inside diameter, 0.438in outside diameter, NSF/ANSI 61, 300ft reel.	Stock	\$157.00
<u>HBV516-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 5/16in (8mm) inside diameter, 0.531in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$65.00
<u>HBV516-300CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 5/16in (8mm) inside diameter, 0.531in outside diameter, NSF/ANSI 61, 300ft reel.	Stock	\$194.00
<u>HBV38-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 3/8in inside diameter, 0.594in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$79.00
<u>HBV38-300CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 3/8in inside diameter, 0.594in outside diameter, NSF/ANSI 61, 300ft reel.	Stock	\$235.00
<u>HBV12-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 1/2in inside diameter, 3/4in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$91.00
<u>HBV12-300CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 1/2in inside diameter, 3/4in outside diameter, NSF/ANSI 61, 300ft reel.	Stock	\$344.00
<u>HBV58-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 5/8in inside diameter, 0.891in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$110.00
<u>HBV58-300CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 5/8in inside diameter, 0.891in outside diameter, NSF/ANSI 61, 300ft reel.	Stock	\$409.00
<u>HBV34-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 3/4in inside diameter, 1.03in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$179.00

<u>HBV34-300CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 3/4in inside diameter, 1.03in outside diameter, NSF/ANSI 61, 300ft reel.	Stock	\$451.00
<u>HBV1-100CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 1in inside diameter, 1.3in outside diameter, NSF/ANSI 61, 100ft package.	Stock	\$258.00
<u>HBV1-200CBL</u>	HydroMode potable water hose, polyester-reinforced PVC, clear blue, 1in inside diameter, 1.3in outside diameter, NSF/ANSI 61, 200ft reel.	Stock	\$416.00
HydroMode Male Straight Push-to-Connect Water Fittings			
<u>MS532-18N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$5.00
<u>MS532-14N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.00
<u>MS14-18N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in push-to-connect to (1) 1/8in male NPT. Package of 5.	Stock	\$6.00
<u>MS14-14N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in male NPT to (1) 1/4in push-to-connect. Package of 5.	Stock	\$6.25
<u>MS14-38N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in push-to-connect to (1) 3/8in male NPT. Package of 5.	Stock	\$8.50
<u>MS516-18N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/8in male NPT to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$6.25
<u>MS516-14N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in male NPT to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$6.50
<u>MS516-38N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 3/8in male NPT to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$10.00
<u>MS516-12N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/2in male NPT to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$6.00
<u>MS38-18N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/8in male NPT to (1) 3/8in push-to-connect. Package of 5.	Stock	\$12.50
<u>MS38-14N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in male NPT to (1) 3/8in push-to-connect. Package of 5.	Stock	\$10.00
<u>MS38-38N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 3/8in male NPT to (1) 3/8in push-to-connect. Package of 5.	Stock	\$11.50
<u>MS38-12N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/2in male NPT to (1) 3/8in push-to-connect. Package of 5.	Stock	\$16.50
<u>MS12-38N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/2in push-to-connect to (1) 3/8in male NPT. Package of 5.	Stock	\$15.00
<u>MS12-12N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/2in male NPT to (1) 1/2in push-to-connect. Package of 5.	Stock	\$15.50
HydroMode Female Straight Push-to-Connect Water Fittings			
<u>FS14-18N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in push-to-connect to (1) 1/8in female NPT. Package of 5.	Stock	\$9.25
<u>FS14-14N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in female NPT to (1) 1/4in push-to-connect. Package of 5.	Stock	\$9.25
<u>FS38-14N-P</u>	HydroMode potable water push-to-connect fitting, straight, acetal body, acetal threads, (1) 1/4in female NPT to (1) 3/8in push-to-connect. Package of 5.	Stock	\$10.00
HydroMode Male Elbow Push-to-Connect Water Fittings			
<u>ME532-18N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/8in male NPT to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$5.25
<u>ME14-18N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/4in push-to-connect to (1) 1/8in male NPT. Package of 5.	Stock	\$8.50
<u>ME14-14N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/4in male NPT to (1) 1/4in push-to-connect. Package of 5.	Stock	\$10.00
<u>ME14-38N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/4in push-to-connect to (1) 3/8in male NPT. Package of 5.	Stock	\$12.00
<u>ME516-14N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/4in male NPT to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$12.00
<u>ME38-14N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/4in male NPT to (1) 3/8in push-to-connect. Package of 5.	Stock	\$15.00
<u>ME38-38N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 3/8in male NPT to (1) 3/8in push-to-connect. Package of 5.	Stock	\$16.50
<u>ME12-38N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/2in push-to-connect to (1) 3/8in male NPT. Package of 5.	Stock	\$22.00
<u>ME12-12N-P</u>	HydroMode potable water push-to-connect fitting, elbow, acetal body, acetal threads, (1) 1/2in male NPT to (1) 1/2in push-to-connect. Package of 5.	Stock	\$23.00

HydroMode Union Straight & Reducer Push-to-Connect Water Fittings				
US532-P	HydroMode potable water push-to-connect fitting, union straight, acetal body, (2) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$6.50	
US14-P	HydroMode potable water push-to-connect fitting, union straight, acetal body, (2) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$8.50	
UR516-14-P	HydroMode potable water push-to-connect fitting, union straight reducer, acetal body, (1) 1/4in push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$8.50	
US516-P	HydroMode potable water push-to-connect fitting, union straight, acetal body, (2) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$9.25	
UR38-14-P	HydroMode potable water push-to-connect fitting, union straight reducer, acetal body, (1) 1/4in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$11.00	
UR38-516-P	HydroMode potable water push-to-connect fitting, union straight reducer, acetal body, (1) 3/8in push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$10.00	
US38-P	HydroMode potable water push-to-connect fitting, union straight, acetal body, (2) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$11.50	
UR12-516-P	HydroMode potable water push-to-connect fitting, union straight reducer, acetal body, (1) 1/2in push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$11.50	
UR12-38-P	HydroMode potable water push-to-connect fitting, union straight reducer, acetal body, (1) 1/2in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$12.00	
US12-P	HydroMode potable water push-to-connect fitting, union straight, acetal body, (2) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$13.50	
HydroMode Union Cap Push-to-Connect Water Fittings				
UC14-P	HydroMode potable water push-to-connect fitting, union cap, acetal body, 1/4in push-to-connect. Package of 5.	Stock	\$8.25	
UC516-P	HydroMode potable water push-to-connect fitting, union cap, acetal body, 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$8.25	
UC38-P	HydroMode potable water push-to-connect fitting, union cap, acetal body, 3/8in push-to-connect. Package of 5.	Stock	\$8.50	
HydroMode Plug Push-to-Connect Water Fittings				
PLUG14-P	HydroMode potable water push-to-connect fitting, plug, acetal body, 1/4in plug-in. Package of 5.	Stock	\$3.50	
PLUG38-P	HydroMode potable water push-to-connect fitting, plug, acetal body, 3/8in plug-in. Package of 5.	Stock	\$4.25	
HydroMode Union Elbow & Reducing Elbow Push-to-Connect Water Fittings				
UL532-P	HydroMode potable water push-to-connect fitting, union elbow, acetal body, (2) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$8.00	
UL14-P	HydroMode potable water push-to-connect fitting, union elbow, acetal body, (2) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$10.00	
URL516-14-P	HydroMode potable water push-to-connect fitting, union elbow reducer, acetal body, (1) 1/4in push-to-connect to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$10.50	
UL516-P	HydroMode potable water push-to-connect fitting, union elbow, acetal body, (2) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$11.50	
UL38-P	HydroMode potable water push-to-connect fitting, union elbow, acetal body, (2) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$14.00	
URL12-38-P	HydroMode potable water push-to-connect fitting, union elbow reducer, acetal body, (1) 1/2in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$15.00	
UL12-P	HydroMode potable water push-to-connect fitting, union elbow, acetal body, (2) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$18.50	
HydroMode Union Tee Push-to-Connect Water Fittings				
UT532-P	HydroMode potable water push-to-connect fitting, union tee, acetal body, (3) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$11.50	
UT14-P	HydroMode potable water push-to-connect fitting, union tee, acetal body, (3) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$12.00	
UT516-P	HydroMode potable water push-to-connect fitting, union tee, acetal body, (3) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$12.50	
UT38-P	HydroMode potable water push-to-connect fitting, union tee, acetal body, (3) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$15.00	
UT12-P	HydroMode potable water push-to-connect fitting, union tee, acetal body, (3) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$20.00	
HydroMode Union Y Push-to-Connect Water Fittings				
UY532-P	HydroMode potable water push-to-connect fitting, union Y, acetal body, (3) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$15.50	

<u>UY14-P</u>	HydroMode potable water push-to-connect fitting, union Y, acetal body, (3) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$15.50
<u>UY516-P</u>	HydroMode potable water push-to-connect fitting, union Y, acetal body, (3) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$17.00
<u>UY38-P</u>	HydroMode potable water push-to-connect fitting, union Y, acetal body, (3) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$15.50
<u>UY12-P</u>	HydroMode potable water push-to-connect fitting, union Y, acetal body, (3) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$20.50
HydroMode Stem Adapter Push-to-Connect Water Fittings			
<u>SA532-18N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/8in male NPT to (1) 5/32in (4mm) plug-in. Package of 5.	Stock	\$5.25
<u>SA532-14N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/4in male NPT to (1) 5/32in (4mm) plug-in. Package of 5.	Stock	\$5.25
<u>SA14-18N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/4in plug-in to (1) 1/8in male NPT. Package of 5.	Stock	\$5.25
<u>SA14-14N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/4in male NPT to (1) 1/4in plug-in. Package of 5.	Stock	\$6.00
<u>SA516-14N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/4in male NPT to (1) 5/16in (8mm) plug-in. Package of 5.	Stock	\$6.00
<u>SA38-14N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/4in male NPT to (1) 3/8in plug-in. Package of 5.	Stock	\$6.00
<u>SA38-38N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 3/8in male NPT to (1) 3/8in plug-in. Package of 5.	Stock	\$6.25
<u>SA12-38N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/2in plug-in to (1) 3/8in male NPT. Package of 5.	Stock	\$6.25
<u>SA12-12N-P</u>	HydroMode potable water push-to-connect fitting, stem adapter, acetal body, acetal threads, (1) 1/2in male NPT to (1) 1/2in plug-in. Package of 5.	Stock	\$6.75
HydroMode Plug-in Elbow Push-to-Connect Water Fittings			
<u>PE532-P</u>	HydroMode potable water push-to-connect fitting, plug-in elbow, acetal body, (1) 5/32in (4mm) push-to-connect to (1) 5/32in (4mm) plug-in. Package of 5.	Stock	\$9.25
<u>PE14-P</u>	HydroMode potable water push-to-connect fitting, plug-in elbow, acetal body, (1) 1/4in plug-in to (1) 1/4in push-to-connect. Package of 5.	Stock	\$9.25
<u>PE516-P</u>	HydroMode potable water push-to-connect fitting, plug-in elbow, acetal body, (1) 5/16in (8mm) push-to-connect to (1) 5/16in (8mm) plug-in. Package of 5.	Stock	\$11.50
<u>PE38-14-P</u>	HydroMode potable water push-to-connect fitting, plug-in elbow, acetal body, (1) 1/4in push-to-connect to (1) 3/8in plug-in. Package of 5.	Stock	\$12.00
<u>PE38-P</u>	HydroMode potable water push-to-connect fitting, plug-in elbow, acetal body, (1) 3/8in plug-in to (1) 3/8in push-to-connect. Package of 5.	Stock	\$15.00
<u>PE12-P</u>	HydroMode potable water push-to-connect fitting, plug-in elbow, acetal body, (1) 1/2in plug-in to (1) 1/2in push-to-connect. Package of 5.	Stock	\$18.50
HydroMode Plug-in Reducer Push-to-Connect Water Fittings			
<u>PR14-532-P</u>	HydroMode potable water push-to-connect fitting, plug-in reducer, acetal body, (1) 1/4in plug-in to (1) 5/32in (4mm) push-to-connect. Package of 5.	Stock	\$6.50
<u>PR38-14-P</u>	HydroMode potable water push-to-connect fitting, plug-in reducer, acetal body, (1) 1/4in push-to-connect to (1) 3/8in plug-in. Package of 5.	Stock	\$7.75
<u>PR38-516-P</u>	HydroMode potable water push-to-connect fitting, plug-in reducer, acetal body, (1) 3/8in plug-in to (1) 5/16in (8mm) push-to-connect. Package of 5.	Stock	\$8.00
<u>PR12-38-P</u>	HydroMode potable water push-to-connect fitting, plug-in reducer, acetal body, (1) 1/2in plug-in to (1) 3/8in push-to-connect. Package of 5.	Stock	\$8.25
HydroMode Bulkhead Union Push-to-Connect Water Fittings			
<u>UB532-P</u>	HydroMode potable water push-to-connect fitting, bulkhead union, acetal body, acetal threads, (2) 5/32in (4mm) push-to-connect connection(s). Package of 5.	Stock	\$13.50
<u>UB14-P</u>	HydroMode potable water push-to-connect fitting, bulkhead union, acetal body, acetal threads, (2) 1/4in push-to-connect connection(s). Package of 5.	Stock	\$14.00
<u>UB516-P</u>	HydroMode potable water push-to-connect fitting, bulkhead union, acetal body, acetal threads, (2) 5/16in (8mm) push-to-connect connection(s). Package of 5.	Stock	\$14.00
<u>UB38-14-P</u>	HydroMode potable water push-to-connect fitting, bulkhead union, acetal body, acetal threads, (1) 1/4in push-to-connect to (1) 3/8in push-to-connect. Package of 5.	Stock	\$14.00
<u>UB38-P</u>	HydroMode potable water push-to-connect fitting, bulkhead union, acetal body, acetal threads, (2) 3/8in push-to-connect connection(s). Package of 5.	Stock	\$16.00
<u>UB12-P</u>	HydroMode potable water push-to-connect fitting, bulkhead union, acetal body, acetal threads, (2) 1/2in push-to-connect connection(s). Package of 5.	Stock	\$17.00

HydroMode Locking Clip Push-to-Connect Water Fittings				
<u>LC532-P</u>	HydroMode locking clip, acetal, 5/32in, NSF/ANSI 61. Package of 25. For use with push-to-connect fittings.	Stock	\$4.00	
<u>LC14-P</u>	HydroMode locking clip, acetal, 1/4in, NSF/ANSI 61. Package of 25. For use with push-to-connect fittings.	Stock	\$4.00	
<u>LC516-P</u>	HydroMode locking clip, acetal, 5/16in, NSF/ANSI 61. Package of 25. For use with push-to-connect fittings.	Stock	\$4.25	
<u>LC38-P</u>	HydroMode locking clip, acetal, 3/8in, NSF/ANSI 61. Package of 25. For use with push-to-connect fittings.	Stock	\$4.25	
<u>LC12-P</u>	HydroMode locking clip, acetal, 1/2in, NSF/ANSI 61. Package of 25. For use with push-to-connect fittings.	Stock	\$4.25	
HydroMode Check Valve Push-to-Connect Water Fittings				
<u>CVU14-P</u>	HydroMode potable water push-to-connect fitting, check valve, acetal body, (2) 1/4in push-to-connect connection(s). Package of 2.	Stock	\$20.00	
<u>CVU516-P</u>	HydroMode potable water push-to-connect fitting, check valve, acetal body, (2) 5/16in (8mm) push-to-connect connection(s). Package of 2.	Stock	\$20.00	
<u>CVU38-P</u>	HydroMode potable water push-to-connect fitting, check valve, acetal body, (2) 3/8in push-to-connect connection(s). Package of 2.	Stock	\$20.00	
<u>CVU12-P</u>	HydroMode potable water push-to-connect fitting, check valve, acetal body, (2) 1/2in push-to-connect connection(s). Package of 2.	Stock	\$20.00	
HydroMode Hand Valve Push-to-Connect Water Fittings				
<u>HVU14-P</u>	HydroMode potable water push-to-connect fitting, manual shutoff valve, acetal body, (2) 1/4in push-to-connect connection(s). Package of 2.	Stock	\$15.50	
<u>HVU516-P</u>	HydroMode potable water push-to-connect fitting, manual shutoff valve, acetal body, (2) 5/16in (8mm) push-to-connect connection(s). Package of 2.	Stock	\$15.50	
<u>HVU38-P</u>	HydroMode potable water push-to-connect fitting, manual shutoff valve, acetal body, (2) 3/8in push-to-connect connection(s). Package of 2.	Stock	\$16.00	
<u>HVU12-P</u>	HydroMode potable water push-to-connect fitting, manual shutoff valve, acetal body, (2) 1/2in push-to-connect connection(s). Package of 2.	Stock	\$17.00	
HydroMode Lead-Free Brass Fittings				
<u>NLBHB-316-18N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/8in male NPT to (1) 3/16in hose. Package of 3.	Stock	\$14.00	
<u>NLBHB-14-18N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/4in hose to (1) 1/8in male NPT. Package of 3.	Stock	\$14.00	
<u>NLBHB-14-14N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/4in hose to (1) 1/4in male NPT. Package of 3.	Stock	\$8.50	
<u>NLBHB-516-18N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/8in male NPT to (1) 5/16in (8mm) hose. Package of 3.	Stock	\$17.50	
<u>NLBHB-516-14N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/4in male NPT to (1) 5/16in (8mm) hose. Package of 3.	Stock	\$19.00	
<u>NLBHB-38-14N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/4in male NPT to (1) 3/8in hose. Package of 3.	Stock	\$17.00	
<u>NLBHB-38-38N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 3/8in hose to (1) 3/8in male NPT. Package of 3.	Stock	\$25.00	
<u>NLBHB-38-12N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/2in male NPT to (1) 3/8in hose. Package of 3.	Stock	\$46.00	
<u>NLBHB-12-14N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/2in hose to (1) 1/4in male NPT. Package of 3.	Stock	\$29.00	
<u>NLBHB-12-38N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/2in hose to (1) 3/8in male NPT. Package of 3.	Stock	\$27.50	
<u>NLBHB-12-12N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/2in hose to (1) 1/2in male NPT. Package of 3.	Stock	\$37.00	
<u>NLBHB-34-12N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 1/2in male NPT to (1) 3/4in hose. Package of 3.	Stock	\$55.00	
<u>NLBHB-34-34N</u>	HydroMode potable water threaded fitting, hose barb, lead-free brass body, lead-free brass threads, (1) 3/4in hose to (1) 3/4in male NPT. Package of 3.	Stock	\$78.00	
<u>PLTC3-16-1S-1</u>	Southwire instrumentation cable, overall shielded, PLTC and ITC, 300V, 1 twisted pair, 16 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$0.51	
<u>PLTC3-18-1S-1</u>	Southwire instrumentation cable, overall shielded, PLTC and ITC, 300V, 1 twisted pair, 18 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$0.39	
<u>PLTC3-18-8S-1</u>	Southwire instrumentation cable, overall shielded, PLTC and ITC, 300V, 8 twisted pairs, 18 AWG, PVC conductor insulation material, black and white numbered pairs, PVC jacket, black, cut to length.	Stock	\$2.12	

BVS-32C1-3DL	NITRA solenoid valve, 3-port (3-way), 2-position, N.C., single solenoid spring return, (1) 5/32in (4mm) push-to-connect inlet(s), (1) 5/32in (4mm) push-to-connect outlet(s), (1) vent hole exhaust(s), Cv=0.02, 3 VDC, 0.5W, removable 18in pigtail.	Stock	\$21.00
BVS-46M-2P	NITRA pilot valve, 4-port (4-way), 2-position, double air pilot, (1) 6mm push-to-connect inlet(s), (2) 6mm push-to-connect outlet(s), (1) 6mm PTC tubing exhaust(s), (2) 5/32in (4mm) push-to-connect tubing pilot(s), Cv=0.8.	Stock	\$29.00
151161	FATH conduit cover, gray, 2000mm, polypropylene, slot size 8. Package of 2. For use with all 1.5in, 3in, 40mm and 80mm profile T-slotted rails. Manufacturer part number: 093715N0872.	Stock	\$89.00
Retired Products - Cables			
C5E-STPGN-S25	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 25ft cable length, green. For use with 10/100/1000 Mbps networks.	Stock	\$20.00
C5E-STPYL-S14	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 14ft cable length, yellow. For use with 10/100/1000 Mbps networks.	Stock	\$14.50
C5E-STPYL-S25	AutomationDirect Cat5e Ethernet straight-through patch cable, STP (overall foil shield), RJ45 male to RJ45 male, 25ft cable length, yellow. For use with 10/100/1000 Mbps networks.	Stock	\$20.00
Retired Products - Circuit Protection / Fuses / Disconnects			
787-2861-200-000	WAGO electronic circuit protector, 2A, 24 VDC, 1 channel(s), 35mm DIN rail mount.	Stock	\$59.00
BBEV-EC-3	Eaton end cap, package of 10. For use with Eaton BBUL series 2-phase and 3-phase busbars.	Stock	\$22.00
Communications			
SE2-SW5U-N65-T	STRIDE industrial unmanaged Ethernet switch, 5 ports, (5) Ethernet 10/100Base-T (M12) port(s), -40 to +75 deg C, metal housing, IP65, panel mount.	Stock	\$354.00
SE-SW8M	STRIDE industrial Layer 2 managed Ethernet switch, 8 ports, (8) Ethernet 10/100Base-T (RJ45) port(s), Modbus TCP, -40 to +75 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$772.00
SE-SW8MG-4P	STRIDE industrial Layer 2 managed Ethernet switch, 8 ports, (8) Ethernet Gigabit (RJ45) and (4) SFP combo Gigabit port(s), EtherNet/IP and Modbus TCP, -40 to +75 deg C, metal housing, IP40, 35mm DIN rail mount.	Stock	\$1,359.00
Retired Products - Drives			
GS-42P0-BR	AutomationDirect braking resistor, 300W, 400 ohm, encapsulated. For use with multiple AC drives.	Stock	\$58.00
GSDA-ACCDEC-4	IronHorse GSD4 series acceleration/deceleration module, for use with GSD4 series DC drives.	Stock	\$27.00
GSDA-AI-A	IronHorse GSD series analog input module, 1-channel, current, isolated, input current signal range(s) of 4-20 mA.	Stock	\$64.00
Enclosures / Subpanels / Thermal Management / Lighting			
019250-00	Stego StegoJet series compact directional cooling fan, for precise cooling of heat sources inside an enclosure, 100-240 VAC operating voltage, 50/60 Hz, 35mm DIN rail mount, IP20.	Stock	\$104.00
Motion Control			
SVM-230B	SureServo medium inertia AC brushless servo motor, 3 kW, 3-phase input, 2500 lines/10000 ppr encoder, integrated brake. For use with SureServo SVA-2300 3 kW drive.	Stock	\$1,741.00
Retired Products - Motor Controls			
MS25-1600	AutomationDirect MS25 series manual motor protector, pushbutton, 16A, thermal overload, 10.0-16.0A adjustable, 160A instantaneous trip rating, open, 45mm frame.	Stock	\$73.00
MS25-A120	AutomationDirect shunt trip, 120 VAC coil voltage. For use with MS25 series manual motor protector.	Stock	\$31.50
Retired Products - Motors			
D394A	Marathon XRI premium efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 1-1/2hp, 3-phase, 230/460 VAC, 3600rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$586.00
K70Z	Marathon XRI standard efficiency AC induction motor, general purpose, inverter rated and 4-in-1, 3/4hp, 3-phase, 575 VAC, 1800rpm, TEFC, NEMA 56C frame, rolled steel, C-face/removable rigid base mount.	Stock	\$431.00
Y287A	Marathon MAX Plus premium efficiency AC induction motor, high-performance inverter duty, 5hp, 3-phase, 230/460 VAC, 1800rpm, TENV, NEMA 184TC frame, aluminum, C-face/rigid base mount. Dynapar HS20 encoder included.	Stock	\$2,831.00
Retired Products - Power Products (Electrical)			
PS12-075D	RHINO SELECT PS series switching power supply, 12 VDC @ 6A/72W (adjustable), 120/240 VAC nominal input, 1-phase, enclosed, metal housing, 35mm DIN rail mount, removable screw terminal, hazardous location rated.	Stock	\$212.00
Retired Products - Process Controls			
FG1W-100PP-16	ProSense water mechanical flow meter, variable area, 1in male NPT process connection, 1 to 16 GPM, 5 to 60 LPM.	Stock	\$75.00
FG1W-100PP-7	ProSense water mechanical flow meter, variable area, 1in male NPT process connection, 1 to 7 GPM, 4 to 26 LPM.	Stock	\$75.00

FG1W-50BP-10	ProSense water mechanical flow meter, variable area, 1/2in female NPT process connection, 1 to 10 GPM, 4 to 35 LPM.	Stock	\$122.00
Retired Products - Relays / Timers			
AD-SSR610-22-DCR	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 4-32 VDC input voltage, SPST, (1) N.O. SCR, 10A contact rating, 48-660 VAC load voltage, random cross, screw terminal(s), LED indicator(s).	Stock	\$46.00
AD-SSR625-DC-480A	AutomationDirect solid state relay, panel mount, finger-safe hockey puck, 3-32 VDC input voltage, SPST, (1) N.O. SCR, 25A contact rating, 48-480 VAC load voltage, zero cross, screw terminal(s), LED indicator(s). Thermal mounting pad included.	Stock	\$21.00
AD-SSR630-22-ACR	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 30A contact rating, 48-660 VAC load voltage, random cross, screw terminal(s), LED indicator(s).	Stock	\$57.00
AD-SSR630-22-ACZ	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 30A contact rating, 48-660 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$69.00
AD-SSR630-22-DCZ	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 4-32 VDC input voltage, SPST, (1) N.O. SCR, 30A contact rating, 48-660 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$62.00
AD-SSR665-45-ACZ	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-140 VAC input voltage, SPST, (1) N.O. SCR, 65A contact rating, 48-660 VAC load voltage, zero cross, screw terminal(s), LED indicator(s).	Stock	\$77.00
AD-SSR810-AC-28R	AutomationDirect solid state relay, 35mm DIN rail mount, finger-safe, 90-280 VAC input voltage, SPST, (1) N.O. SCR, 10A contact rating, 24-280 VAC load voltage, random cross, screw terminal(s), LED indicator(s).	Stock	\$32.00
Retired Products - Sensors / Encoders			
PFT1-AP-4H	AutomationDirect inductive proximity sensor, tubular, 30mm diameter x 50mm body, 316L stainless steel housing, PNP, N.O. output, 22mm sensing distance, non-flush, 100 Hz switching frequency, IP68 IP69K, 4-pin M12 quick-disconnect.	Stock	\$61.00
TRD-MX360AD	JTEKT TRD-MX series incremental (quadrature) rotary encoder, 5-12 VDC, NPN open collector output, light duty, 360 ppr, 4mm solid shaft, 1in diameter body, IP50, 6.5ft/2m cable length, axial exit, pigtail.	Stock	\$96.00
Retired Products - Wiring Solutions			
203B20BYPX	Epson LabelWorks PX series heat-shrink tube label cartridge, 3mm (1/8in) nominal diameter, 98in roll, black text, yellow background, polyolefin, 22-14 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$28.50
Portable Label Printers			
LW-PX300	Epson LabelWorks PX series portable label printer, prints labels up to 18mm (3/4in) wide or 5mm (3/16in) nominal diameter, thermal transfer, 180dpi, back-lit monochrome LCD, manual label cutter. For use with Epson LabelWorks PX series label cartridges.	Stock	\$55.00
LW-PX300VP	Epson LabelWorks PX series portable label printer kit, prints labels up to 18mm (3/4in) wide or 5mm (3/16in) nominal diameter, thermal transfer, 180dpi, back-lit monochrome LCD, manual label cutter. For use with Epson LabelWorks PX series label cartridges.	Stock	\$85.00
LW-PX400	Epson LabelWorks PX series portable label printer, prints labels up to 24mm (1in) wide or 14mm (9/16in) nominal diameter, thermal transfer, 180dpi, Android/iOS, automatic label cutter. For use with Epson LabelWorks PX series label cartridges.	Stock	\$165.00
LW-PX700	Epson LabelWorks PX series portable label printer, prints labels up to 24mm (1in) wide or 14mm (9/16in) nominal diameter, thermal transfer, 180dpi, back-lit monochrome LCD, automatic label cutter. For use with Epson LabelWorks PX series label cartridges.	Stock	\$124.00
LW-PX700PCD	Epson LabelWorks PX series portable label printer kit, prints labels up to 24mm (1in) wide or 14mm (9/16in) nominal diameter, thermal transfer, 180dpi, back-lit monochrome LCD, automatic label cutter. For use with Epson LabelWorks PX series label cartridges.	Stock	\$189.00
LW-PX900	Epson LabelWorks PX series portable label printer, prints labels up to 36mm (1-1/2in) wide or 21mm (7/8in) nominal diameter, thermal transfer, 360dpi, back-lit monochrome LCD, automatic label cutter. For use with Epson LabelWorks PX series label cartridges.	Stock	\$290.00
LW-PX900PCD	Epson LabelWorks PX series portable label printer kit, prints labels up to 36mm (1-1/2in) wide or 21mm (7/8in) nominal diameter, thermal transfer, 360dpi, back-lit monochrome LCD, automatic label cutter. For use with Epson LabelWorks PX series label cartridges.	Stock	\$368.00
Label Cartridges			
203YLBWPX	Epson LabelWorks PX series heat-shrink tube label cartridge, 3mm (1/8in) nominal diameter, 98in roll, black text, white background, polyolefin, 22-14 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$29.25
203YLBYPX	Epson LabelWorks PX series heat-shrink tube label cartridge, 3mm (1/8in) nominal diameter, 98in roll, black text, yellow background, polyolefin, 22-14 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$28.50
204BWPX	Epson LabelWorks PX series standard label cartridge, 4mm (1/6in) wide, 30ft roll, black text, white background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
205STBRPX	Epson LabelWorks PX series heat-shrink tube label cartridge, 5mm (3/16in) nominal diameter, 98in roll, black text, red background, polyolefin, 12-8 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$28.50
205STBWPX	Epson LabelWorks PX series heat-shrink tube label cartridge, 5mm (3/16in) nominal diameter, 98in roll, black text, white background, polyolefin, 12-8 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$28.50
205STBYPX	Epson LabelWorks PX series heat-shrink tube label cartridge, 5mm (3/16in) nominal diameter, 98in roll, black text, yellow background, polyolefin, 12-8 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$28.50

[illegible]

<u>212BCPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, black text, clear background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212BGPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, black text, green background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212BOPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, black text, orange background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212BRPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, black text, red background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212BWPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, black text, white background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212BYPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, black text, yellow background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212GBPX</u>	Epson LabelWorks PX series strong adhesive label cartridge, 12mm (1/2in) wide, 30ft roll, gold text, black background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212GCPX</u>	Epson LabelWorks PX series strong adhesive label cartridge, 12mm (1/2in) wide, 30ft roll, gold text, clear background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212IBWPX</u>	Epson LabelWorks PX series strong adhesive label cartridge, 12mm (1/2in) wide, 30ft roll, black text, white background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212IBYPX</u>	Epson LabelWorks PX series strong adhesive label cartridge, 12mm (1/2in) wide, 30ft roll, black text, yellow background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212MTBBPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 12mm (1/2in) wide, 4.9ft roll, black text, blue background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.00
<u>212MTBGPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 12mm (1/2in) wide, 4.9ft roll, black text, green background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.00
<u>212MTBRPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 12mm (1/2in) wide, 4.9ft roll, black text, red background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.00
<u>212MTBWPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 12mm (1/2in) wide, 4.9ft roll, black text, white background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.00
<u>212MTBYPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 12mm (1/2in) wide, 4.9ft roll, black text, yellow background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.00
<u>212NYLBWPX</u>	Epson LabelWorks PX series extra-tough label cartridge, 12mm (1/2in) wide, 19ft roll, black text, white background, nylon cloth. For use with Epson LabelWorks PX series label printers.	Stock	\$21.00
<u>212RAPX</u>	Epson LabelWorks PX series removable adhesive label cartridge, 12mm (1/2in) wide, 30ft roll, black text, white background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212RWPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, red text, white background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212SMPX</u>	Epson LabelWorks PX series matte label cartridge, 12mm (1/2in) wide, 30ft roll, black text, silver background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212VTBWPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 22.9ft roll, black text, white background, vinyl. For use with Epson LabelWorks PX series label printers.	Stock	\$15.00
<u>212VTBYPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 22.9ft roll, black text, yellow background, vinyl. For use with Epson LabelWorks PX series label printers.	Stock	\$15.00
<u>212WBPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, white text, black background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212WCPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, white text, clear background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212WGPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, white text, green background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212WLPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, white text, blue background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>212WRPX</u>	Epson LabelWorks PX series standard label cartridge, 12mm (1/2in) wide, 30ft roll, white text, red background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>214STBWPX</u>	Epson LabelWorks PX series heat-shrink tube label cartridge, 14mm (9/16in) nominal diameter, 98in roll, black text, white background, polyolefin, 5-0 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$39.75
<u>218BMETSPX</u>	Epson LabelWorks PX series metallic label cartridge, 18mm (3/4in) wide, 30ft roll, black text, silver background, polyethylene terephthalate. For use with Epson LabelWorks PX series label printers.	Stock	\$14.75
<u>218CPBBEPX</u>	Epson LabelWorks PX series craft paper tape label cartridge, 18mm (3/4in) wide, 16.5ft roll, black text, brown background, kraft paper. For use with Epson LabelWorks PX series label printers.	Stock	\$14.75
<u>218BBPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, blue background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218BCPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, clear background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218BGPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, green background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50

<u>218BOPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, orange background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218BRPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, red background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218BVPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, purple background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218BWPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, white background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218BYPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, black text, yellow background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218FGPX</u>	Epson LabelWorks PX series industrial adhesive label cartridge, 18mm (3/4in) wide, 30ft roll, black text, fluorescent green background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$27.75
<u>218FOPX</u>	Epson LabelWorks PX series industrial adhesive label cartridge, 18mm (3/4in) wide, 30ft roll, black text, fluorescent orange background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$27.75
<u>218FPPX</u>	Epson LabelWorks PX series industrial adhesive label cartridge, 18mm (3/4in) wide, 30ft roll, black text, fluorescent pink background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$27.75
<u>218FRPX</u>	Epson LabelWorks PX series industrial adhesive label cartridge, 18mm (3/4in) wide, 30ft roll, black text, fluorescent red background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$27.75
<u>218FYPX</u>	Epson LabelWorks PX series industrial adhesive label cartridge, 18mm (3/4in) wide, 30ft roll, black text, fluorescent yellow background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$27.75
<u>218IBWPX</u>	Epson LabelWorks PX series strong adhesive label cartridge, 18mm (3/4in) wide, 30ft roll, black text, white background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218IBYPX</u>	Epson LabelWorks PX series strong adhesive label cartridge, 18mm (3/4in) wide, 30ft roll, black text, yellow background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218MTBBPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 18mm (3/4in) wide, 4.9ft roll, black text, blue background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.75
<u>218MTBGPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 18mm (3/4in) wide, 4.9ft roll, black text, green background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.75
<u>218MTBRPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 18mm (3/4in) wide, 4.9ft roll, black text, red background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.75
<u>218MTBWPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 18mm (3/4in) wide, 4.9ft roll, black text, white background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.75
<u>218MTBYPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 18mm (3/4in) wide, 4.9ft roll, black text, yellow background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$9.75
<u>218NYLBWPX</u>	Epson LabelWorks PX series extra-tough label cartridge, 18mm (3/4in) wide, 19ft roll, black text, white background, nylon cloth. For use with Epson LabelWorks PX series label printers.	Stock	\$25.50
<u>218SMPX</u>	Epson LabelWorks PX series matte label cartridge, 18mm (3/4in) wide, 30ft roll, black text, silver background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218VTBWPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 22.9ft roll, black text, white background, vinyl. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>218VTBYPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 22.9ft roll, black text, yellow background, vinyl. For use with Epson LabelWorks PX series label printers.	Stock	\$18.75
<u>218WBPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, white text, black background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218WCPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, white text, clear background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218WGPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, white text, green background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218WLPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, white text, blue background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>218WRPX</u>	Epson LabelWorks PX series standard label cartridge, 18mm (3/4in) wide, 30ft roll, white text, red background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>221STBWPX</u>	Epson LabelWorks PX series heat-shrink tube label cartridge, 21mm (7/8in) nominal diameter, 98in roll, black text, white background, polyolefin, 1-0000 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$42.00
<u>221STBYPX</u>	Epson LabelWorks PX series heat-shrink tube label cartridge, 21mm (7/8in) nominal diameter, 98in roll, black text, yellow background, polyolefin, 1-0000 AWG. For use with Epson LabelWorks PX series label printers.	Stock	\$42.00
<u>224CPBBEPX</u>	Epson LabelWorks PX series craft paper tape label cartridge, 24mm (1in) wide, 16.5ft roll, black text, brown background, kraft paper. For use with Epson LabelWorks PX series label printers.	Stock	\$14.75
<u>224BBPX</u>	Epson LabelWorks PX series standard label cartridge, 24mm (1in) wide, 30ft roll, black text, blue background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>224BCPX</u>	Epson LabelWorks PX series standard label cartridge, 24mm (1in) wide, 30ft roll, black text, clear background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50
<u>224BGPX</u>	Epson LabelWorks PX series standard label cartridge, 24mm (1in) wide, 30ft roll, black text, green background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$22.50

[illegible]

<u>236MTBRPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 36mm (1-1/2in) wide, 4.9ft roll, black text, red background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$12.75
<u>236MTBWPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 36mm (1-1/2in) wide, 4.9ft roll, black text, white background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$12.75
<u>236MTBYPX-4.9</u>	Epson LabelWorks PX series magnetic label cartridge, 36mm (1-1/2in) wide, 4.9ft roll, black text, yellow background, polyester-laminated magnet. For use with Epson LabelWorks PX series label printers.	Stock	\$12.75
<u>236SMPX</u>	Epson LabelWorks PX series matte label cartridge, 36mm (1-1/2in) wide, 30ft roll, black text, silver background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$36.00
<u>236VSLPX</u>	Epson LabelWorks PX series self-lamination wire/cable wrap label cartridge, 36mm (1-1/2in) wide, 26.2ft roll, black text, white background, vinyl. For use with Epson LabelWorks PX series label printers.	Stock	\$31.50
<u>236VTBWPX</u>	Epson LabelWorks PX series standard label cartridge, 36mm (1-1/2in) wide, 22.9ft roll, black text, white background, vinyl. For use with Epson LabelWorks PX series label printers.	Stock	\$26.25
<u>236VTBYPX</u>	Epson LabelWorks PX series standard label cartridge, 36mm (1-1/2in) wide, 22.9ft roll, black text, yellow background, vinyl. For use with Epson LabelWorks PX series label printers.	Stock	\$26.25
<u>236WBPX</u>	Epson LabelWorks PX series standard label cartridge, 36mm (1-1/2in) wide, 30ft roll, white text, black background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$30.75
<u>236WLPX</u>	Epson LabelWorks PX series standard label cartridge, 36mm (1-1/2in) wide, 30ft roll, white text, blue background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$30.75
<u>236WRPX</u>	Epson LabelWorks PX series standard label cartridge, 36mm (1-1/2in) wide, 30ft roll, white text, red background, polyester. For use with Epson LabelWorks PX series label printers.	Stock	\$30.75
Accessories for Label Printers			
<u>APT0615</u>	Epson LabelWorks PX series AC power adapter, replacement. For use with Epson LabelWorks LW-PX300 portable label printer.	Stock	\$50.25
<u>AST1116</u>	Epson LabelWorks PX series AC power adapter, replacement. For use with Epson LabelWorks LW-PX400 and LW-PX700 portable label printers.	Stock	\$50.25
<u>AST1527</u>	Epson LabelWorks PX series AC power adapter, replacement. For use with Epson LabelWorks LW-PX900 portable label printer.	Stock	\$50.25
<u>LWCS1000</u>	Epson LabelWorks PX series carrying case, replacement. For use with Epson LabelWorks LW-PX300 portable label printer.	Stock	\$66.75
<u>LWCS1200</u>	Epson LabelWorks PX series carrying case, replacement. For use with Epson LabelWorks LW-PX700 and LW-PX900 portable label printers.	Stock	\$50.25
<u>LWPXLION</u>	Epson LabelWorks PX series battery, replacement. For use with Epson LabelWorks LW-PX700 and LW-PX900 portable label printers.	Stock	\$78.75
<u>LWPXMAG</u>	Epson LabelWorks PX series mounting magnets, replacement. Package of 2. For use with Epson LabelWorks LW-PX700 and LW-PX900 portable label printers.	Stock	\$21.00
<u>LWRG300</u>	Epson LabelWorks PX series bumper guard, replacement. For use with Epson LabelWorks LW-PX300 portable label printer.	Stock	\$41.25
<u>LWRG400</u>	Epson LabelWorks PX series bumper guard, replacement. For use with Epson LabelWorks LW-PX400 portable label printer.	Stock	\$41.25
Frames for Cable Entry Systems			
<u>BPA-S-04-2-0</u>	Bimed BPA series cable entry system frame, nylon frame, nylon grommet block, 24-pin frame, black, (2) small and (2) large opening(s), UL Type 12, 13 and 4X, IP66. Requires (2) Bimed BPA series small grommets and (2) large grommets.	Stock	\$21.50
<u>BPA-S-07-2-0</u>	Bimed BPA series cable entry system frame, nylon frame, nylon grommet block, 24-pin frame, black, (6) small and (1) large opening(s), UL Type 12, 13 and 4X, IP66. Requires (6) Bimed BPA series small grommets and (1) large grommets.	Stock	\$21.50
<u>BPA-S-10-2-0</u>	Bimed BPA series cable entry system frame, nylon frame, nylon grommet block, 24-pin frame, black, (10) small opening(s), UL Type 12, 13 and 4X, IP66. Requires (10) Bimed BPA series small grommets.	Stock	\$21.50
<u>BPA-S-04-1-0</u>	Bimed BPA series cable entry system frame, nylon frame, nylon grommet block, 24-pin frame, gray, (2) small and (2) large opening(s), UL Type 12, 13 and 4X, IP66. Requires (2) Bimed BPA series small grommets and (2) large grommets.	Stock	\$21.50
<u>BPA-S-07-1-0</u>	Bimed BPA series cable entry system frame, nylon frame, nylon grommet block, 24-pin frame, gray, (6) small and (1) large opening(s), UL Type 12, 13 and 4X, IP66. Requires (6) Bimed BPA series small grommets and (1) large grommets.	Stock	\$21.50
<u>BPA-S-10-1-0</u>	Bimed BPA series cable entry system frame, nylon frame, nylon grommet block, 24-pin frame, gray, (10) small opening(s), UL Type 12, 13 and 4X, IP66. Requires (10) Bimed BPA series small grommets.	Stock	\$21.50
<u>BRM00-1</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, gray, blank opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$9.75
<u>BRM00-2</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, black, blank opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$9.75
<u>BRM12-1</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, gray, (12) 4-13mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM12-2</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, black, (12) 4-13mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00

<u>BRM14-1</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, gray, (14) 5-11mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM14-2</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, black, (14) 5-11mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM22-1</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, gray, (16) 3-6.5mm, (4) 5-9.2mm and (2) 8-12.5mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM22-2</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, black, (16) 3-6.5mm, (4) 5-9.2mm and (2) 8-12.5mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM23-1</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, gray, (23) 4-8.5mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM23-2</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, black, (23) 4-8.5mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM29-1</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, gray, (29) 4-7mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>BRM29-2</u>	Bimed BRM series cable entry system frame, nylon frame, 24-pin frame, black, (29) 4-7mm opening(s), UL Type 12, 13 and 4X, IP65.	Stock	\$21.00
<u>568610</u>	Murrplastik KDL/D-Mono series cable entry system frame, polyamide frame, M25 x 1.5mm frame, black, (1) small opening(s), UL Type 12 and 1, IP65. Package of 5. Requires (1) Murrplastik KDT/X series small grommets.	Stock	\$58.00
<u>568620</u>	Murrplastik KDL/D-Mono series cable entry system frame, polyamide frame, M32 x 1.5mm frame, black, (1) medium opening(s), UL Type 12 and 1, IP65. Package of 5. Requires (1) Murrplastik KDT/X series medium grommets.	Stock	\$62.00
<u>568636</u>	Murrplastik KDL/D-Mono series cable entry system frame, polyamide frame, M40 x 1.5mm frame, black, (1) medium opening(s), UL Type 12 and 1, IP65. Package of 5. Requires (1) Murrplastik KDT/X series medium grommets.	Stock	\$65.00
<u>568630</u>	Murrplastik KDL/D-Mono series cable entry system frame, polyamide frame, M40 x 1.5mm frame, black, (2) small opening(s), UL Type 12 and 1, IP65. Package of 5. Requires (2) Murrplastik KDT/X series small grommets.	Stock	\$65.00
<u>568640</u>	Murrplastik KDL/D-Mono series cable entry system frame, polyamide frame, TPE grommet block, M50 x 1.5mm frame, black, (1) large opening(s), UL Type 12, IP65. Package of 5. Requires (1) Murrplastik KDT/X series large grommets.	Stock	\$80.00
<u>568321</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 24-pin frame, black, (12) small opening(s), UL Type 1 and 12, IP65. Requires (12) Murrplastik KDT/X series small grommets.	Stock	\$40.00
<u>568327</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 24-pin frame, black, (8) small and (1) medium opening(s), UL Type 1, 12 and 4X indoor use only, IP65.	Stock	\$40.00
<u>568325</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 24-pin frame, black, (6) small and (2) medium opening(s), UL Type 1, 12 and 4X indoor use only, IP65.	Stock	\$40.00
<u>568323</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 24-pin frame, black, (4) medium opening(s), UL Type 1, 12 and 4X indoor use only, IP65. Requires (4) Murrplastik KDT/X series medium grommets.	Stock	\$40.00
<u>568320</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 24-pin frame, black, (1) medium and (2) large opening(s), UL Type 12, IP65. Requires (2) Murrplastik KDT/X series large grommets and (1) medium grommet.	Stock	\$34.00
<u>568329</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 16-pin frame, black, (8) small opening(s), UL Type 1 and 12, IP65. Requires (8) Murrplastik KDT/X series small grommets.	Stock	\$40.00
<u>568328</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 16-pin frame, black, (6) small and (1) medium opening(s), UL Type 1, 12 and 4X indoor use only, IP65.	Stock	\$40.00
<u>568330</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 16-pin frame, black, (3) medium opening(s), UL Type 1, 12 and 4X indoor use only, IP65. Requires (3) Murrplastik KDT/X series medium grommets.	Stock	\$40.00
<u>568318</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 16-pin frame, black, (2) large opening(s), UL Type 12, IP65. Requires (2) Murrplastik KDT/X series large grommets.	Stock	\$32.00
<u>568331</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 10-pin frame, black, (6) small opening(s), UL Type 1 and 12, IP65. Requires (6) Murrplastik KDT/X series small grommets.	Stock	\$40.00
<u>568332</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 10-pin frame, black, (4) small and (1) medium opening(s), UL Type 1, 12 and 4X indoor use only, IP65.	Stock	\$40.00
<u>568334</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 10-pin frame, black, (2) medium opening(s), UL Type 1, 12 and 4X indoor use only, IP65. Requires (2) Murrplastik KDT/X series medium grommets.	Stock	\$40.00
<u>568333</u>	Murrplastik KDL/D series cable entry system frame, polypropylene frame, TPE grommet block, 6-pin frame, black, (4) small opening(s), UL Type 1 and 12, IP65. Requires (4) Murrplastik KDT/X series small grommets.	Stock	\$27.50
<u>568317</u>	Murrplastik KDL/D-R series cable entry system frame, polypropylene frame, TPE grommet block, 50mm diameter frame, black, (4) small opening(s), UL Type 12, IP65. Requires (4) Murrplastik KDT/X series small grommets.	Stock	\$34.00

<u>565201</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M50 x 1.5mm frame, black, (3) 6-10mm and (1) 9.6-15.9mm opening(s), UL Type 1, IP65.	Stock	\$48.00
<u>565203</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M50 x 1.5mm frame, black, (1) 3-5.5mm and (5) 5-9.2mm opening(s), UL Type 1, IP65.	Stock	\$48.00
<u>565205</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M50 x 1.5mm frame, black, (7) 3.5-6.5mm and (1) 6-10mm opening(s), UL Type 1, IP65.	Stock	\$48.00
<u>565207</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M50 x 1.5mm frame, black, (31) 1.5-3.1mm opening(s), UL Type 1, IP65.	Stock	\$48.00
<u>565209</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M63 x 1.5mm frame, black, (2) 3-6.5mm, (4) 5-9.2mm and (2) 9.6-15.9mm opening(s), UL Type 1, IP65.	Stock	\$49.00
<u>565211</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M63 x 1.5mm frame, black, (6) 3-5.5mm, (6) 3.5-6.5mm and (1) 6-10mm opening(s), UL Type 1, IP65.	Stock	\$49.00
<u>565213</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M63 x 1.5mm frame, black, (19) 3-5mm opening(s), UL Type 1, IP65.	Stock	\$49.00
<u>565215</u>	Murrplastik KDP/R series cable entry system frame, polyamide frame, M63 x 1.5mm frame, black, (46) 1.5-3.1mm opening(s), UL Type 1, IP65.	Stock	\$49.00
<u>567305</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (2) 3-6.5mm, (1) 5-9.2mm, (5) 9-14mm and (2) 14-20mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567315</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (4) 3-6.5mm, (4) 5-9.2mm and (3) 14-20mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567325</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (12) 8-12mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567335</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (2) 3-5.5mm, (6) 4.1-8.1mm, (4) 9-14mm and (1) 14-20mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567345</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (6) 3-6.5mm, (4) 5-9.2mm and (4) 9.6-15.9mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567355</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (17) 5-9.2mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567356</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (11) 3-6.5mm, (1) 4.1-8.1mm and (5) 8-12.5mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567398</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (2) 3.5-6.5mm, (14) 5-9.2mm and (3) 7.5-11.5mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567365</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (16) 3-6.5mm, (4) 5-9.2mm and (2) 8-12.5mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567399</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (16) 3.5-6.5mm, (4) 7.5-11.5mm and (2) 9-14mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567375</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (23) 4.1-8.1mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567385</u>	Murrplastik KDP/X series cable entry system frame, polyamide frame, 24-pin frame, black, (29) 3-6.5mm opening(s), UL Type 12 and 1, IP65.	Stock	\$47.50
<u>567401</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 10-pin frame, black, (14) 5-9mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$73.00
<u>567403</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 10-pin frame, black, (8) 3-8mm, (3) 5-9mm and (4) 7.5-12mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$74.00
<u>567405</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 16-pin frame, black, (10) 7.5-12mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$69.00
<u>567407</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 16-pin frame, black, (2) 3-5mm, (4) 5-9mm, (2) 7.5-12mm, (2) 10-16mm and (2) 14-20mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$69.00
<u>567409</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 16-pin frame, black, (17) 5-9mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$69.00
<u>567411</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 16-pin frame, black, (16) 3-6mm, (6) 5-9mm and (2) 7.5-12mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$69.00
<u>567413</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 16-pin frame, black, (20) 2-4mm and (20) 3-6mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$69.00
<u>567415</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 24-pin frame, black, (3) 22-33mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$72.00
<u>567417</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 24-pin frame, black, (14) 7.5-12mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$72.00
<u>567419</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 24-pin frame, black, (2) 3-6mm, (4) 5-9mm, (3) 7.5-12mm, (3) 10-16mm and (2) 14-20mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$72.00

<u>567421</u>	Murrplastik KDP/Z series cable entry system frame, polypropylene frame, TPS grommet block, 24-pin frame, black, (23) 5-9mm opening(s), UL Type 4X and 12, IP65 IP66 IP67. Package of 5.	Stock	\$72.00
<u>591000</u>	Murrplastik KDL/H-VA-FDA series cable entry system frame, stainless steel frame, 24-pin frame, (12) small opening(s), IP69K. Requires (12) Murrplastik KDT/X-FDA series small grommets.	Stock	\$507.00
<u>591003</u>	Murrplastik KDL/H-VA-FDA series cable entry system frame, stainless steel frame, 24-pin frame, (4) medium opening(s), IP69K. Requires (4) Murrplastik KDT/X-FDA series medium grommets.	Stock	\$432.00
<u>591006</u>	Murrplastik KDL/H-VA-FDA series cable entry system frame, stainless steel frame, 16-pin frame, (8) small opening(s), IP69K. Requires (8) Murrplastik KDT/X-FDA series small grommets.	Stock	\$477.00
<u>591009</u>	Murrplastik KDL/H-VA-FDA series cable entry system frame, stainless steel frame, 16-pin frame, (3) medium opening(s), IP69K. Requires (3) Murrplastik KDT/X-FDA series medium grommets.	Stock	\$428.00
<u>591012</u>	Murrplastik KDL/H-VA-FDA series cable entry system frame, stainless steel frame, 112x17mm frame, (6) small opening(s), IP69K. Requires (6) Murrplastik KDT/X-FDA series small grommets.	Stock	\$362.00
<u>593001</u>	Murrplastik FDA cablequick KDP series cable entry system frame, stainless steel frame, 132x82mm frame, (18) 8-12mm opening(s), IP65.	Stock	\$507.00
<u>593003</u>	Murrplastik FDA cablequick KDP series cable entry system frame, stainless steel frame, 132x82mm frame, (24) 6-10.5mm opening(s), IP65.	Stock	\$507.00
<u>593005</u>	Murrplastik FDA cablequick KDP series cable entry system frame, stainless steel frame, 132x82mm frame, (12) 3.5-6.2mm, (12) 6-10mm, (6) 9-14mm opening(s), IP65.	Stock	\$507.00
<u>593007</u>	Murrplastik FDA cablequick KDP series cable entry system frame, stainless steel frame, 132x82mm frame, (40) 4.5-8.5mm opening(s), IP65.	Stock	\$507.00
<u>593009</u>	Murrplastik FDA cablequick KDP series cable entry system frame, stainless steel frame, 132x82mm frame, (48) 3.5-6.2mm and (8) 6-10mm opening(s), IP65.	Stock	\$507.00

Grommets for Cable Entry Systems

<u>BPA-S-0029C</u>	Bimed BPA series small grommet, blank opening(s), chloroprene, black, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$7.50
<u>BPA-S-0016C</u>	Bimed BPA series small grommet, 1 opening(s), chloroprene, black, accepts 3.5-5.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$7.50
<u>BPA-S-0017C</u>	Bimed BPA series small grommet, 1 opening(s), chloroprene, black, accepts 5.5-7.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$7.50
<u>BPA-S-0018C</u>	Bimed BPA series small grommet, 1 opening(s), chloroprene, black, accepts 7.5-9.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$7.50
<u>BPA-S-0019C</u>	Bimed BPA series small grommet, 1 opening(s), chloroprene, black, accepts 9.5-11.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$7.50
<u>BPA-S-0020C</u>	Bimed BPA series small grommet, 1 opening(s), chloroprene, black, accepts 11.5-13.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$7.50
<u>BPA-S-0021C</u>	Bimed BPA series small grommet, 1 opening(s), chloroprene, black, accepts 13.5-15.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$7.50
<u>BPA-S-0030C</u>	Bimed BPA series large grommet, blank opening(s), chloroprene, black, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>BPA-S-0022C</u>	Bimed BPA series large grommet, 1 opening(s), chloroprene, black, accepts 15.5-17.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>BPA-S-0023C</u>	Bimed BPA series large grommet, 1 opening(s), chloroprene, black, accepts 17.5-19.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>BPA-S-0024C</u>	Bimed BPA series large grommet, 1 opening(s), chloroprene, black, accepts 19.5-21.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>BPA-S-0025C</u>	Bimed BPA series large grommet, 1 opening(s), chloroprene, black, accepts 21.5-23.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>BPA-S-0026C</u>	Bimed BPA series large grommet, 1 opening(s), chloroprene, black, accepts 23.5-25.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>BPA-S-0027C</u>	Bimed BPA series large grommet, 1 opening(s), chloroprene, black, accepts 25.5-27.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>BPA-S-0028C</u>	Bimed BPA series large grommet, 1 opening(s), chloroprene, black, accepts 27.5-29.5mm diameter cable, UL Type 12, 13 and 14X. Package of 4. For use with Bimed BPA series cable entry system frame.	Stock	\$14.50
<u>568335</u>	Murrplastik KDT/X series small grommet, 1 opening(s), TPE, black, accepts 2-3mm diameter cable. Package of 4. For use with Murrplastik KDL/D series cable entry system frame.	Stock	\$10.00
<u>568337</u>	Murrplastik KDT/X series small grommet, 1 opening(s), TPE, black, accepts 3-4mm diameter cable. Package of 4. For use with Murrplastik KDL/D series cable entry system frame.	Stock	\$10.00
<u>568339</u>	Murrplastik KDT/X series small grommet, 1 opening(s), TPE, black, accepts 4-5mm diameter cable. Package of 4. For use with Murrplastik KDL/D series cable entry system frame.	Stock	\$10.00
<u>568341</u>	Murrplastik KDT/X series small grommet, 1 opening(s), TPE, black, accepts 5-6mm diameter cable. Package of 4. For use with Murrplastik KDL/D series cable entry system frame.	Stock	\$10.00
<u>568343</u>	Murrplastik KDT/X series small grommet, 1 opening(s), TPE, black, accepts 6-7mm diameter cable. Package of 4. For use with Murrplastik KDL/D series cable entry system frame.	Stock	\$10.00

[illegible]

[illegible]

Strain Relief Plates for Cable Entry Systems				
<u>566116</u>	Murrplastik ZL series cable strain relief plate, polyamide, 60mm, black, holds (4) cable(s), panel mount. Package of 5.	Stock	\$31.50	
<u>566115</u>	Murrplastik ZL series cable strain relief plate, polyamide, 80mm, black, holds (6) cable(s), panel mount. Package of 5.	Stock	\$42.00	
<u>566122</u>	Murrplastik ZL series cable strain relief plate, polyamide, 121mm, black, holds (8) cable(s), panel mount. Package of 5.	Stock	\$34.00	
<u>566124</u>	Murrplastik ZL series cable strain relief plate, polyamide, 140mm, black, holds (9) cable(s), panel mount. Package of 5.	Stock	\$38.00	
<u>566126</u>	Murrplastik ZL series cable strain relief plate, polyamide, 180mm, black, holds (12) cable(s), panel mount. Package of 5.	Stock	\$47.00	
<u>565510</u>	Murrplastik KAF series cable strain relief plate, polyamide, 11mm, black, holds (1) cable(s), 35mm DIN rail mount. Package of 5.	Stock	\$10.00	
<u>565514</u>	Murrplastik KAF series cable strain relief plate, polyamide, 75mm, black, holds (5) cable(s), 35mm DIN rail mount. Package of 5.	Stock	\$19.50	
<u>565518</u>	Murrplastik KAF series cable strain relief plate, polyamide, 140mm, black, holds (9) cable(s), 35mm DIN rail mount. Package of 5.	Stock	\$26.50	
Accessories for Cable Entry Systems				
<u>571036</u>	Murrplastik ZL-AB series discharge plate, stainless steel, 60mm, holds (4) cable(s). Package of 5. For use with Murrplastik ZL series 566116 cable strain relief plate.	Stock	\$75.00	
<u>571046</u>	Murrplastik ZL-AB series discharge plate, stainless steel, 140mm, holds (9) cable(s). Package of 5. For use with Murrplastik ZL series 566124 cable strain relief plate.	Stock	\$87.00	
<u>569321</u>	Murrplastik KDL-AB series discharge plate, stainless steel. For use with Murrplastik KDL/D series 568321 cable entry system frame.	Stock	\$49.50	
<u>565250</u>	Murrplastik hex nut, M50 x 1.5mm thread type, polyamide, black. Package of 5.	Stock	\$16.00	
<u>565252</u>	Murrplastik hex nut, M63 x 1.5mm thread type, polyamide, black. Package of 5.	Stock	\$18.50	
NPT Cable Glands				
<u>BSPAX-11-W</u>	Bimed cable gland, 3/8in NPT thread type, polyamide, light gray, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$5.50	
<u>BSPBX-12-W</u>	Bimed cable gland, 1/2in NPT thread type, polyamide, light gray, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$7.00	
<u>BSPCX-12-W</u>	Bimed cable gland, 1/2in NPT thread type, polyamide, light gray, accepts 10 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$9.25	
<u>BSPDX-13-W</u>	Bimed cable gland, 3/4in NPT thread type, polyamide, light gray, accepts 13 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$11.00	
<u>BSPX-14-W</u>	Bimed cable gland, 1in NPT thread type, polyamide, light gray, accepts 18 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$22.00	
<u>BSPAX-21-W</u>	Bimed cable gland, 3/8in NPT thread type, polyamide, black, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$5.50	
<u>BSPBX-22-W</u>	Bimed cable gland, 1/2in NPT thread type, polyamide, black, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$7.00	
<u>BSPCX-22-W</u>	Bimed cable gland, 1/2in NPT thread type, polyamide, black, accepts 10 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$9.25	
<u>BSPDX-23-W</u>	Bimed cable gland, 3/4in NPT thread type, polyamide, black, accepts 13 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$11.00	
<u>BSPX-24-W</u>	Bimed cable gland, 1in NPT thread type, polyamide, black, accepts 18 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$22.00	
<u>BNSPAX-11-W</u>	Bimed cable gland, 3/8in NPT thread type, polyamide, light gray, accepts 5 to 10mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$7.00	
<u>BNSPBX-12-W</u>	Bimed cable gland, 1/2in NPT thread type, polyamide, light gray, accepts 6 to 12mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$10.00	
<u>BNSPDX-13-W</u>	Bimed cable gland, 3/4in NPT thread type, polyamide, light gray, accepts 13 to 18mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$15.00	
<u>BNSPAX-21-W</u>	Bimed cable gland, 3/8in NPT thread type, polyamide, black, accepts 5 to 10mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$7.00	
<u>BNSPBX-22-W</u>	Bimed cable gland, 1/2in NPT thread type, polyamide, black, accepts 6 to 12mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$10.00	
<u>BNSPDX-23-W</u>	Bimed cable gland, 3/4in NPT thread type, polyamide, black, accepts 13 to 18mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$15.00	
<u>BNBCX-01</u>	Bimed cable gland, 3/8in NPT thread type, nickel-plated brass, accepts 4 to 8mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$25.50	

<u>BNBCX-02</u>	Bimed cable gland, 1/2in NPT thread type, nickel-plated brass, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$31.00
<u>BNBCX-03</u>	Bimed cable gland, 3/4in NPT thread type, nickel-plated brass, accepts 13 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$51.00
<u>BNBCX-04</u>	Bimed cable gland, 1in NPT thread type, nickel-plated brass, accepts 18 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$106.00
<u>BNHG1-0S-L</u>	Bimed hygienic cable gland, 1/4in NPT thread type, stainless steel, accepts 3 to 6.5mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 7mm, use adapter BMFGT-01 to reduce Allen wrench size to 5mm.	Stock	\$28.00
<u>BNHG1-01-L</u>	Bimed hygienic cable gland, 3/8in NPT thread type, stainless steel, accepts 5 to 10mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 10mm, use adapter BMFGT-02 to reduce Allen wrench size to 6mm.	Stock	\$31.00
<u>BNHG1-02-L</u>	Bimed hygienic cable gland, 1/2in NPT thread type, stainless steel, accepts 6 to 12mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 13mm, use adapter BMFGT-03 to reduce Allen wrench size to 8mm.	Stock	\$37.00
<u>BNHG1-03-L</u>	Bimed hygienic cable gland, 3/4in NPT thread type, stainless steel, accepts 12 to 17mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 17mm, use adapter BMFGT-04 to reduce Allen wrench size to 10mm.	Stock	\$58.00
<u>BNEHG1-01-L</u>	Bimed hygienic EMC cable gland, 3/8in NPT thread type, stainless steel, accepts 5 to 10mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 10mm, use adapter BMFGT-02 to reduce Allen wrench size to 6mm.	Stock	\$49.00
<u>BNEHG1-02-L</u>	Bimed hygienic EMC cable gland, 1/2in NPT thread type, stainless steel, accepts 6 to 12mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 13mm, use adapter BMFGT-03 to reduce Allen wrench size to 8mm.	Stock	\$58.00
<u>BNEHG1-03-L</u>	Bimed hygienic EMC cable gland, 3/4in NPT thread type, stainless steel, accepts 12 to 17mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 17mm, use adapter BMFGT-04 to reduce Allen wrench size to 10mm.	Stock	\$80.00
<u>BNEM-E1-3-8T-WCL</u>	Bimed EMC cable gland, 3/8in NPT thread type, nickel-plated brass, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$55.00
<u>BNEM-E2S-1-2T-WCL</u>	Bimed EMC cable gland, 1/2in NPT thread type, nickel-plated brass, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$59.00
<u>BNEM-E2-1-2T-WCL</u>	Bimed EMC cable gland, 1/2in NPT thread type, nickel-plated brass, accepts 7.5 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$61.00
<u>BNEM-E3-3-4T-WCL</u>	Bimed EMC cable gland, 3/4in NPT thread type, nickel-plated brass, accepts 10 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$90.00
<u>BNEM-E4-1T-WCL</u>	Bimed EMC cable gland, 1in NPT thread type, nickel-plated brass, accepts 16 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$154.00
<u>BNEM-E5-11-4T-WCL</u>	Bimed EMC cable gland, 1-1/4in NPT thread type, nickel-plated brass, accepts 22 to 32mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$94.00
<u>BNEM-E6-11-2T-WCL</u>	Bimed EMC cable gland, 1-1/2in NPT thread type, nickel-plated brass, accepts 30 to 38mm diameter cable, IP68. Mounting hardware included.	Stock	\$70.00
<u>BNEM-E7-2T-WCL</u>	Bimed EMC cable gland, 2in NPT thread type, nickel-plated brass, accepts 34 to 44mm diameter cable, IP68. Mounting hardware included.	Stock	\$92.00
PG Thread Cable Glands			
<u>BMX-11-W</u>	Bimed cable gland, PG7 thread type, polyamide, light gray, accepts 3 to 6.5mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BMX-12-W</u>	Bimed cable gland, PG9 thread type, polyamide, light gray, accepts 4 to 8mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BMX-13-W</u>	Bimed cable gland, PG11 thread type, polyamide, light gray, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BMX-14-W</u>	Bimed cable gland, PG13.5 thread type, polyamide, light gray, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$4.25
<u>BMX-15-W</u>	Bimed cable gland, PG16 thread type, polyamide, light gray, accepts 10 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$5.00
<u>BMX-16-W</u>	Bimed cable gland, PG21 thread type, polyamide, light gray, accepts 13 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$6.00
<u>BMX-17-W</u>	Bimed cable gland, PG29 thread type, polyamide, light gray, accepts 18 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$12.50
<u>BMX-18-W</u>	Bimed cable gland, PG36 thread type, polyamide, light gray, accepts 22 to 32mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$25.00
<u>BMX-19-W</u>	Bimed cable gland, PG42 thread type, polyamide, light gray, accepts 30 to 38mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.00
<u>BMX-20-W</u>	Bimed cable gland, PG48 thread type, polyamide, light gray, accepts 34 to 44mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.50

<u>BMX-21-W</u>	Bimed cable gland, PG7 thread type, polyamide, black, accepts 3 to 6.5mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BMX-22-W</u>	Bimed cable gland, PG9 thread type, polyamide, black, accepts 4 to 8mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BMX-23-W</u>	Bimed cable gland, PG11 thread type, polyamide, black, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BMX-24-W</u>	Bimed cable gland, PG13.5 thread type, polyamide, black, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$4.25
<u>BMX-25-W</u>	Bimed cable gland, PG16 thread type, polyamide, black, accepts 10 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$5.00
<u>BMX-26-W</u>	Bimed cable gland, PG21 thread type, polyamide, black, accepts 13 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$5.50
<u>BMX-27-W</u>	Bimed cable gland, PG29 thread type, polyamide, black, accepts 18 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$12.50
<u>BMX-28-W</u>	Bimed cable gland, PG36 thread type, polyamide, black, accepts 22 to 32mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$25.00
<u>BMX-29-W</u>	Bimed cable gland, PG42 thread type, polyamide, black, accepts 30 to 38mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.00
<u>BMX-30-W</u>	Bimed cable gland, PG48 thread type, polyamide, black, accepts 34 to 44mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.50
<u>BSSPX-11-W</u>	Bimed cable gland, PG7 thread type, polyamide, light gray, accepts 3 to 6.5mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$4.25
<u>BSSPX-12-W</u>	Bimed cable gland, PG9 thread type, polyamide, light gray, accepts 4 to 8mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$4.75
<u>BSSPX-13-W</u>	Bimed cable gland, PG11 thread type, polyamide, light gray, accepts 5 to 10mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$5.50
<u>BSSPX-14-W</u>	Bimed cable gland, PG13.5 thread type, polyamide, light gray, accepts 6 to 12mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$6.00
<u>BSSPX-15-W</u>	Bimed cable gland, PG16 thread type, polyamide, light gray, accepts 10 to 14mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$10.00
<u>BSSPX-16-W</u>	Bimed cable gland, PG21 thread type, polyamide, light gray, accepts 13 to 18mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$13.00
<u>BSSPX-21-W</u>	Bimed cable gland, PG7 thread type, polyamide, black, accepts 3 to 6.5mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$4.25
<u>BSSPX-22-W</u>	Bimed cable gland, PG9 thread type, polyamide, black, accepts 4 to 8mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$4.75
<u>BSSPX-23-W</u>	Bimed cable gland, PG11 thread type, polyamide, black, accepts 5 to 10mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$5.25
<u>BSSPX-24-W</u>	Bimed cable gland, PG13.5 thread type, polyamide, black, accepts 6 to 12mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$6.00
<u>BSSPX-25-W</u>	Bimed cable gland, PG16 thread type, polyamide, black, accepts 10 to 14mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$10.00
<u>BSSPX-26-W</u>	Bimed cable gland, PG21 thread type, polyamide, black, accepts 13 to 18mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$13.00
<u>BSBCX-01</u>	Bimed cable gland, PG7 thread type, nickel-plated brass, accepts 3 to 6.5mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$13.00
<u>BSBCX-02</u>	Bimed cable gland, PG9 thread type, nickel-plated brass, accepts 4 to 8mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$14.50
<u>BSBCX-03</u>	Bimed cable gland, PG11 thread type, nickel-plated brass, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$17.50
<u>BSBCX-04</u>	Bimed cable gland, PG13.5 thread type, nickel-plated brass, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$20.50
<u>BSBCX-05</u>	Bimed cable gland, PG16 thread type, nickel-plated brass, accepts 10 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$23.00
<u>BSBCX-06</u>	Bimed cable gland, PG21 thread type, nickel-plated brass, accepts 13 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$36.50
<u>BSBCX-07</u>	Bimed cable gland, PG29 thread type, nickel-plated brass, accepts 18 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$59.00
<u>BSBCX-08</u>	Bimed cable gland, PG36 thread type, nickel-plated brass, accepts 22 to 32mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$43.50
<u>BSBCX-09</u>	Bimed cable gland, PG42 thread type, nickel-plated brass, accepts 30 to 38mm diameter cable, IP68. Mounting hardware included.	Stock	\$70.00
<u>BSBCX-10</u>	Bimed cable gland, PG48 thread type, nickel-plated brass, accepts 34 to 44mm diameter cable, IP68. Mounting hardware included.	Stock	\$92.00

<u>BSEM-E2-PG9T-WCL</u>	Bimed EMC cable gland, PG9 thread type, nickel-plated brass, accepts 4 to 8mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$42.50
<u>BSEM-E3-PG11T-WCL</u>	Bimed EMC cable gland, PG11 thread type, nickel-plated brass, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$44.00
<u>BSEM-E4-PG13T-WCL</u>	Bimed EMC cable gland, PG13.5 thread type, nickel-plated brass, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$45.50
<u>BSEM-E5-PG16T-WCL</u>	Bimed EMC cable gland, PG16 thread type, nickel-plated brass, accepts 7.5 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$51.00
<u>BSEM-E6-PG21T-WCL</u>	Bimed EMC cable gland, PG21 thread type, nickel-plated brass, accepts 10 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$66.00
<u>BSEM-E7-PG29T-WCL</u>	Bimed EMC cable gland, PG29 thread type, nickel-plated brass, accepts 16 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$131.00
<u>BSEM-E8-PG36T-WCL</u>	Bimed EMC cable gland, PG36 thread type, nickel-plated brass, accepts 22 to 32mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$75.00
<u>BSEM-E9-PG42T-WCL</u>	Bimed EMC cable gland, PG42 thread type, nickel-plated brass, accepts 30 to 38mm diameter cable, IP68. Mounting hardware included.	Stock	\$64.00
<u>BSEM-E10-PG48T-WCL</u>	Bimed EMC cable gland, PG48 thread type, nickel-plated brass, accepts 34 to 44mm diameter cable, IP68. Mounting hardware included.	Stock	\$78.00
<u>ZP-MC-CG-11M8</u>	ZIPport cable gland, PG11 thread type, nickel-plated brass, accepts 4 to 10mm diameter cable, IP68. Package of 10.	Stock	\$48.00
<u>ZP-MC-CG-36M8</u>	ZIPport cable gland, PG36 thread type, nickel-plated brass, accepts 19 to 36mm diameter cable, IP68. Package of 5.	Stock	\$191.00
<u>ZP-MC-CG-11P5</u>	ZIPport cable gland, PG11 thread type, polyamide, light gray, accepts 7 to 12mm diameter cable, IP66. (3) elastomer compression seals included.	Stock	\$2.50
<u>ZP-MC-CG-11M5</u>	ZIPport cable gland, PG11 thread type, nickel-plated brass, accepts 7 to 12mm diameter cable, IP66. (3) elastomer compression seals included.	Stock	\$5.00
<u>ZP-MC-CG-16M8</u>	ZIPport cable gland, PG16 thread type, nickel-plated brass, accepts 8 to 14mm diameter cable, IP68. Package of 10.	Stock	\$91.00
<u>ZP-MC-CG-13M8</u>	ZIPport cable gland, PG13.5 thread type, nickel-plated brass, accepts 7 to 12mm diameter cable, IP68. Package of 10.	Stock	\$65.00
<u>ZP-MC-CG-29M8</u>	ZIPport cable gland, PG29 thread type, nickel-plated brass, accepts 16 to 25mm diameter cable, IP68. Package of 5.	Stock	\$116.00
<u>ZP-MC-CG-36M5</u>	ZIPport cable gland, PG36 thread type, nickel-plated brass, accepts 19 to 36mm diameter cable, IP66. (4) elastomer compression seals included.	Stock	\$14.50
<u>ZP-MC-CG-29M5</u>	ZIPport cable gland, PG29 thread type, nickel-plated brass, accepts 17.5 to 26.5mm diameter cable, IP66. (4) elastomer compression seals included.	Stock	\$7.00
<u>ZP-MC-CG-21M5</u>	ZIPport cable gland, PG21 thread type, nickel-plated brass, accepts 9.5 to 18.5mm diameter cable, IP66. (4) elastomer compression seals included.	Stock	\$5.00
<u>ZP-MC-CG-16M5</u>	ZIPport cable gland, PG16 thread type, nickel-plated brass, accepts 7 to 14.5mm diameter cable, IP66. (4) elastomer compression seals included.	Stock	\$4.50
<u>ZP-MC-CG-13M5</u>	ZIPport cable gland, PG13.5 thread type, nickel-plated brass, accepts 7 to 12mm diameter cable, IP66. (4) elastomer compression seals included.	Stock	\$4.00
<u>ZP-MC-CG-21M8</u>	ZIPport cable gland, PG21 thread type, nickel-plated brass, accepts 11 to 18mm diameter cable, IP68. Package of 5.	Stock	\$74.00

Metric Thread Cable Glands

<u>BM-ENX-1S-W</u>	Bimed cable gland, M12 x 1.5mm thread type, polyamide, light gray, accepts 3 to 6.5mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BM-ENX-11-W</u>	Bimed cable gland, M16 x 1.5mm thread type, polyamide, light gray, accepts 4 to 8mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BM-ENX-12-W</u>	Bimed cable gland, M20 x 1.5mm thread type, polyamide, light gray, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$4.25
<u>BM-ENX-13-W</u>	Bimed cable gland, M25 x 1.5mm thread type, polyamide, light gray, accepts 11 to 17mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$5.50
<u>BM-ENX-14-W</u>	Bimed cable gland, M32 x 1.5mm thread type, polyamide, light gray, accepts 15 to 21mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$12.00
<u>BM-ENX-15-W</u>	Bimed cable gland, M40 x 1.5mm thread type, polyamide, light gray, accepts 19 to 28mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$8.50
<u>BM-ENX-16-W</u>	Bimed cable gland, M50 x 1.5mm thread type, polyamide, light gray, accepts 30 to 38mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.00
<u>BM-ENX-17-W</u>	Bimed cable gland, M63 x 1.5mm thread type, polyamide, light gray, accepts 34 to 44mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.50
<u>BM-ENX-2S-W</u>	Bimed cable gland, M12 x 1.5mm thread type, polyamide, black, accepts 3 to 6.5mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00

<u>BM-ENX-21-W</u>	Bimed cable gland, M16 x 1.5mm thread type, polyamide, black, accepts 4 to 8mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$3.00
<u>BM-ENX-22-W</u>	Bimed cable gland, M20 x 1.5mm thread type, polyamide, black, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$4.25
<u>BM-ENX-23-W</u>	Bimed cable gland, M25 x 1.5mm thread type, polyamide, black, accepts 11 to 17mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$5.50
<u>BM-ENX-24-W</u>	Bimed cable gland, M32 x 1.5mm thread type, polyamide, black, accepts 15 to 21mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$12.00
<u>BM-ENX-25-W</u>	Bimed cable gland, M40 x 1.5mm thread type, polyamide, black, accepts 19 to 28mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$8.50
<u>BM-ENX-26-W</u>	Bimed cable gland, M50 x 1.5mm thread type, polyamide, black, accepts 30 to 38mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.00
<u>BM-ENX-27-W</u>	Bimed cable gland, M63 x 1.5mm thread type, polyamide, black, accepts 34 to 44mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$17.50
<u>BMSPX-1S-W</u>	Bimed cable gland, M12 x 1.5mm thread type, polyamide, light gray, accepts 3 to 6.5mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$5.50
<u>BMSPX-11-W</u>	Bimed cable gland, M16 x 1.5mm thread type, polyamide, light gray, accepts 5 to 10mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$6.00
<u>BMSPX-13-W</u>	Bimed cable gland, M20 x 1.5mm thread type, polyamide, light gray, accepts 10 to 14mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$11.00
<u>BMSPX-15-W</u>	Bimed cable gland, M25 x 1.5mm thread type, polyamide, light gray, accepts 13 to 18mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$15.00
<u>BMSPX-2S-W</u>	Bimed cable gland, M12 x 1.5mm thread type, polyamide, black, accepts 3 to 6.5mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$5.50
<u>BMSPX-21-W</u>	Bimed cable gland, M16 x 1.5mm thread type, polyamide, black, accepts 5 to 10mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$6.00
<u>BMSPX-23-W</u>	Bimed cable gland, M20 x 1.5mm thread type, polyamide, black, accepts 10 to 14mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$11.00
<u>BMSPX-25-W</u>	Bimed cable gland, M25 x 1.5mm thread type, polyamide, black, accepts 13 to 18mm diameter cable, IP68, with strain relief. Package of 5. Mounting hardware included.	Stock	\$14.50
<u>BMBCX-ES</u>	Bimed cable gland, M12 x 1.5mm thread type, nickel-plated brass, accepts 3 to 6.5mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$13.00
<u>BMBCX-E1</u>	Bimed cable gland, M16 x 1.5mm thread type, nickel-plated brass, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$16.50
<u>BMBCX-E2</u>	Bimed cable gland, M20 x 1.5mm thread type, nickel-plated brass, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$23.00
<u>BMBCX-E3</u>	Bimed cable gland, M25 x 1.5mm thread type, nickel-plated brass, accepts 11 to 17mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$26.50
<u>BMBCX-E4</u>	Bimed cable gland, M32 x 1.5mm thread type, nickel-plated brass, accepts 15 to 21mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$43.50
<u>BMBCX-E5</u>	Bimed cable gland, M40 x 1.5mm thread type, nickel-plated brass, accepts 19 to 28mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$28.50
<u>BMBCX-E6</u>	Bimed cable gland, M50 x 1.5mm thread type, nickel-plated brass, accepts 27 to 38mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$52.00
<u>BMBCX-E7</u>	Bimed cable gland, M63 x 1.5mm thread type, nickel-plated brass, accepts 34 to 44mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$96.00
<u>BMHG1-0S-L</u>	Bimed hygienic cable gland, M12 x 1.5mm thread type, stainless steel, accepts 3 to 6.5mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 7mm, use adapter BMFGT-01 to reduce Allen wrench size to 5mm.	Stock	\$25.50
<u>BMHG1-01-L</u>	Bimed hygienic cable gland, M16 x 1.5mm thread type, stainless steel, accepts 5 to 10mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 10mm, use adapter BMFGT-02 to reduce Allen wrench size to 6mm.	Stock	\$29.00
<u>BMHG1-02-L</u>	Bimed hygienic cable gland, M20 x 1.5mm thread type, stainless steel, accepts 6 to 12mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 13mm, use adapter BMFGT-03 to reduce Allen wrench size to 8mm.	Stock	\$36.00
<u>BMHG1-03-L</u>	Bimed hygienic cable gland, M25 x 1.5mm thread type, stainless steel, accepts 12 to 17mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 17mm, use adapter BMFGT-04 to reduce Allen wrench size to 10mm.	Stock	\$45.00
<u>BMEHG1-01-L</u>	Bimed hygienic EMC cable gland, M16 x 1.5mm thread type, stainless steel, accepts 5 to 10mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 10mm, use adapter BMFGT-02 to reduce Allen wrench size to 6mm.	Stock	\$48.00
<u>BMEHG1-02-L</u>	Bimed hygienic EMC cable gland, M20 x 1.5mm thread type, stainless steel, accepts 6 to 12mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 13mm, use adapter BMFGT-03 to reduce Allen wrench size to 8mm.	Stock	\$55.00

<u>BMEHG1-03-L</u>	Bimed hygienic EMC cable gland, M25 x 1.5mm thread type, stainless steel, accepts 12 to 17mm diameter cable, IP66, IP68 and IP69. Mounting hardware included. Allen wrench size 17mm, use adapter BMFGT-04 to reduce Allen wrench size to 10mm.	Stock	\$76.00
<u>BMEM-ES-M12T-WCL</u>	Bimed EMC cable gland, M12 x 1.5mm thread type, nickel-plated brass, accepts 3 to 6.5mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$25.00
<u>BMEM-E1-M16T-WCL</u>	Bimed EMC cable gland, M16 x 1.5mm thread type, nickel-plated brass, accepts 5 to 10mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$29.50
<u>BMEM-E2S-M20T-WCL</u>	Bimed EMC cable gland, M20 x 1.5mm thread type, nickel-plated brass, accepts 6 to 12mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$35.50
<u>BMEM-E2-M20T-WCL</u>	Bimed EMC cable gland, M20 x 1.5mm thread type, nickel-plated brass, accepts 7.5 to 14mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$33.50
<u>BMEM-E3-M25T-WCL</u>	Bimed EMC cable gland, M25 x 1.5mm thread type, nickel-plated brass, accepts 10 to 18mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$60.00
<u>BMEM-E4-M32T-WCL</u>	Bimed EMC cable gland, M32 x 1.5mm thread type, nickel-plated brass, accepts 16 to 25mm diameter cable, IP68. Package of 5. Mounting hardware included.	Stock	\$95.00
<u>BMEM-E5-M40T-WCL</u>	Bimed EMC cable gland, M40 x 1.5mm thread type, nickel-plated brass, accepts 22 to 32mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$75.00
<u>BMEM-E6-M50T-WCL</u>	Bimed EMC cable gland, M50 x 1.5mm thread type, nickel-plated brass, accepts 30 to 38mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$107.00
<u>BMEM-E7-M63T-WCL</u>	Bimed EMC cable gland, M63 x 1.5mm thread type, nickel-plated brass, accepts 34 to 44mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$124.00
<u>BMEM-E7L-M63T-WCL</u>	Bimed EMC cable gland, M63 x 1.5mm thread type, nickel-plated brass, accepts 37 to 53mm diameter cable, IP68. Package of 2. Mounting hardware included.	Stock	\$169.00
Accessories for Cable Glands			
<u>BPL-11</u>	Bimed hex nut, 3/8in NPT thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BPL-12</u>	Bimed hex nut, 1/2in NPT thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BPL-13</u>	Bimed hex nut, 3/4in NPT thread type, polyamide, light gray. Package of 5.	Stock	\$2.50
<u>BPL-14</u>	Bimed hex nut, 1in NPT thread type, polyamide, light gray. Package of 5.	Stock	\$4.75
<u>BPL-21</u>	Bimed hex nut, 3/8in NPT thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BPL-22</u>	Bimed hex nut, 1/2in NPT thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BPL-23</u>	Bimed hex nut, 3/4in NPT thread type, polyamide, black. Package of 5.	Stock	\$2.50
<u>BPL-24</u>	Bimed hex nut, 1in NPT thread type, polyamide, black. Package of 5.	Stock	\$4.75
<u>BNLN-01</u>	Bimed hex nut, 3/8in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$6.50
<u>BNLN-02</u>	Bimed hex nut, 1/2in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$8.25
<u>BNLN-03</u>	Bimed hex nut, 3/4in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$11.50
<u>BNLN-04</u>	Bimed hex nut, 1in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$13.00
<u>BNEL-01S</u>	Bimed EMC hex nut, 1/4in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$10.00
<u>BNEL-01</u>	Bimed EMC hex nut, 3/8in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$12.50
<u>BNEL-02</u>	Bimed EMC hex nut, 1/2in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$13.00
<u>BNEL-03</u>	Bimed EMC hex nut, 3/4in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$15.50
<u>BNEL-04</u>	Bimed EMC hex nut, 1in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$24.00
<u>BNEL-05</u>	Bimed EMC hex nut, 1-1/4in NPT thread type, nickel-plated brass. Package of 5.	Stock	\$31.50
<u>BNEL-06</u>	Bimed EMC hex nut, 1-1/2in NPT thread type, nickel-plated brass. Package of 2.	Stock	\$17.00
<u>BNEL-07</u>	Bimed EMC hex nut, 2in NPT thread type, nickel-plated brass. Package of 2.	Stock	\$23.50
<u>BL-11</u>	Bimed hex nut, PG7 thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BL-12</u>	Bimed hex nut, PG9 thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BL-13</u>	Bimed hex nut, PG11 thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BL-14</u>	Bimed hex nut, PG13.5 thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BL-15</u>	Bimed hex nut, PG16 thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BL-16</u>	Bimed hex nut, PG21 thread type, polyamide, light gray. Package of 5.	Stock	\$2.00

<u>BL-17</u>	Bimed hex nut, PG29 thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BL-18</u>	Bimed hex nut, PG36 thread type, polyamide, light gray. Package of 2.	Stock	\$2.00
<u>BL-19</u>	Bimed hex nut, PG42 thread type, polyamide, light gray. Package of 2.	Stock	\$2.25
<u>BL-20</u>	Bimed hex nut, PG48 thread type, polyamide, light gray. Package of 2.	Stock	\$2.50
<u>BL-21</u>	Bimed hex nut, PG7 thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BL-22</u>	Bimed hex nut, PG9 thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BL-23</u>	Bimed hex nut, PG11 thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BL-24</u>	Bimed hex nut, PG13.5 thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BL-25</u>	Bimed hex nut, PG16 thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BL-26</u>	Bimed hex nut, PG21 thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BL-27</u>	Bimed hex nut, PG29 thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BL-28</u>	Bimed hex nut, PG36 thread type, polyamide, black. Package of 2.	Stock	\$2.00
<u>BL-29</u>	Bimed hex nut, PG42 thread type, polyamide, black. Package of 2.	Stock	\$2.25
<u>BL-30</u>	Bimed hex nut, PG48 thread type, polyamide, black. Package of 2.	Stock	\$2.50
<u>BSL-01</u>	Bimed hex nut, PG7 thread type, nickel-plated brass. Package of 5.	Stock	\$2.25
<u>BSL-02</u>	Bimed hex nut, PG9 thread type, nickel-plated brass. Package of 5.	Stock	\$2.25
<u>BSL-03</u>	Bimed hex nut, PG11 thread type, nickel-plated brass. Package of 5.	Stock	\$2.25
<u>BSL-04</u>	Bimed hex nut, PG13.5 thread type, nickel-plated brass. Package of 5.	Stock	\$2.75
<u>BSL-05</u>	Bimed hex nut, PG16 thread type, nickel-plated brass. Package of 5.	Stock	\$2.75
<u>BSL-06</u>	Bimed hex nut, PG21 thread type, nickel-plated brass. Package of 5.	Stock	\$5.25
<u>BSL-07</u>	Bimed hex nut, PG29 thread type, nickel-plated brass. Package of 2.	Stock	\$3.00
<u>BSL-08</u>	Bimed hex nut, PG36 thread type, nickel-plated brass. Package of 2.	Stock	\$4.75
<u>BSL-09</u>	Bimed hex nut, PG42 thread type, nickel-plated brass.	Stock	\$3.00
<u>BSL-10</u>	Bimed hex nut, PG48 thread type, nickel-plated brass.	Stock	\$4.25
<u>BSEL-01</u>	Bimed EMC hex nut, PG7 thread type, nickel-plated brass. Package of 5.	Stock	\$2.25
<u>BSEL-02</u>	Bimed EMC hex nut, PG9 thread type, nickel-plated brass. Package of 5.	Stock	\$2.50
<u>BSEL-03</u>	Bimed EMC hex nut, PG11 thread type, nickel-plated brass. Package of 5.	Stock	\$2.75
<u>BSEL-04</u>	Bimed EMC hex nut, PG13.5 thread type, nickel-plated brass. Package of 5.	Stock	\$3.00
<u>BSEL-05</u>	Bimed EMC hex nut, PG16 thread type, nickel-plated brass. Package of 5.	Stock	\$3.25
<u>BSEL-06</u>	Bimed EMC hex nut, PG21 thread type, nickel-plated brass. Package of 5.	Stock	\$6.00
<u>BSEL-07</u>	Bimed EMC hex nut, PG29 thread type, nickel-plated brass. Package of 5.	Stock	\$12.00
<u>BSEL-08</u>	Bimed EMC hex nut, PG36 thread type, nickel-plated brass. Package of 2.	Stock	\$5.50
<u>BSEL-09</u>	Bimed EMC hex nut, PG42 thread type, nickel-plated brass. Package of 2.	Stock	\$7.75
<u>BSEL-10</u>	Bimed EMC hex nut, PG48 thread type, nickel-plated brass. Package of 2.	Stock	\$7.00
<u>BML-1S</u>	Bimed hex nut, M12 x 1.5mm thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BML-11</u>	Bimed hex nut, M16 x 1.5mm thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BML-12</u>	Bimed hex nut, M20 x 1.5mm thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BML-13</u>	Bimed hex nut, M25 x 1.5mm thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BML-14</u>	Bimed hex nut, M32 x 1.5mm thread type, polyamide, light gray. Package of 5.	Stock	\$2.00
<u>BML-15</u>	Bimed hex nut, M40 x 1.5mm thread type, polyamide, light gray. Package of 2.	Stock	\$2.00
<u>BML-16</u>	Bimed hex nut, M50 x 1.5mm thread type, polyamide, light gray. Package of 2.	Stock	\$2.00

<u>BML-17</u>	Bimed hex nut, M63 x 1.5mm thread type, polyamide, light gray. Package of 2.	Stock	\$2.50
<u>BML-2S</u>	Bimed hex nut, M12 x 1.5mm thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BML-21</u>	Bimed hex nut, M16 x 1.5mm thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BML-22</u>	Bimed hex nut, M20 x 1.5mm thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BML-23</u>	Bimed hex nut, M25 x 1.5mm thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BML-24</u>	Bimed hex nut, M32 x 1.5mm thread type, polyamide, black. Package of 5.	Stock	\$2.00
<u>BML-25</u>	Bimed hex nut, M40 x 1.5mm thread type, polyamide, black. Package of 2.	Stock	\$2.00
<u>BML-26</u>	Bimed hex nut, M50 x 1.5mm thread type, polyamide, black. Package of 2.	Stock	\$2.00
<u>BML-27</u>	Bimed hex nut, M63 x 1.5mm thread type, polyamide, black. Package of 2.	Stock	\$2.50
<u>BMBL-01</u>	Bimed hex nut, M12 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$2.25
<u>BMBL-02</u>	Bimed hex nut, M16 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$2.75
<u>BMBL-03</u>	Bimed hex nut, M20 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$3.75
<u>BMBL-04</u>	Bimed hex nut, M25 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$4.75
<u>BMBL-05</u>	Bimed hex nut, M32 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$6.00
<u>BMBL-06</u>	Bimed hex nut, M40 x 1.5mm thread type, nickel-plated brass. Package of 2.	Stock	\$5.25
<u>BMBL-07</u>	Bimed hex nut, M50 x 1.5mm thread type, nickel-plated brass. Package of 2.	Stock	\$13.00
<u>BMBL-08</u>	Bimed hex nut, M63 x 1.5mm thread type, nickel-plated brass. Package of 2.	Stock	\$14.50
<u>BMEL-01</u>	Bimed EMC hex nut, M12 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$2.25
<u>BMEL-02</u>	Bimed EMC hex nut, M16 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$2.75
<u>BMEL-03</u>	Bimed EMC hex nut, M20 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$3.25
<u>BMEL-04</u>	Bimed EMC hex nut, M25 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$4.25
<u>BMEL-05</u>	Bimed EMC hex nut, M32 x 1.5mm thread type, nickel-plated brass. Package of 5.	Stock	\$6.00
<u>BMEL-06</u>	Bimed EMC hex nut, M40 x 1.5mm thread type, nickel-plated brass. Package of 2.	Stock	\$5.25
<u>BMEL-07</u>	Bimed EMC hex nut, M50 x 1.5mm thread type, nickel-plated brass. Package of 2.	Stock	\$11.50
<u>BMEL-08</u>	Bimed EMC hex nut, M63 x 1.5mm thread type, nickel-plated brass. Package of 2.	Stock	\$12.00
<u>BMFGT-01</u>	Bimed hygienic cable gland adapter, Allen size 7mm to Allen size 5mm, stainless steel.	Stock	\$21.50
<u>BMFGT-02</u>	Bimed hygienic cable gland adapter, Allen size 10mm to Allen size 6mm, stainless steel.	Stock	\$22.00
<u>BMFGT-03</u>	Bimed hygienic cable gland adapter, Allen size 13mm to Allen size 8mm, stainless steel.	Stock	\$22.00
<u>BMFGT-04</u>	Bimed hygienic cable gland adapter, Allen size 17mm to Allen size 10mm, stainless steel.	Stock	\$22.00
Pin and Sleeve Style Plugs, Connectors, Receptacles and Inlets			
<u>BRY320C4W</u>	Bryant watertight pin and sleeve connector, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, 4 hour, accepts cord size 0.37-0.595in, IP67, nylon housing, yellow.	Stock	\$88.00
<u>BRY320R4W</u>	Bryant watertight single pin and sleeve receptacle, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, 4 hour, IP67, nylon housing, yellow.	Stock	\$82.00
<u>BRY320P6W</u>	Bryant watertight pin and sleeve plug, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, accepts cord size 0.37-0.595in, IP67, nylon housing, blue.	Stock	\$74.00
<u>BRY320C6W</u>	Bryant watertight pin and sleeve connector, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, accepts cord size 0.37-0.595in, IP67, nylon housing, blue.	Stock	\$88.00
<u>BRY320R6W</u>	Bryant watertight single pin and sleeve receptacle, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, IP67, nylon housing, blue.	Stock	\$82.00
<u>BRY420P9W</u>	Bryant watertight pin and sleeve plug, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 0.41-0.65in, IP67, nylon housing, blue.	Stock	\$82.00
<u>BRY420C9W</u>	Bryant watertight pin and sleeve connector, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 0.41-0.65in, IP67, nylon housing, blue.	Stock	\$95.00
<u>BRY420R9W</u>	Bryant watertight single pin and sleeve receptacle, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, IP67, nylon housing, blue.	Stock	\$88.00
<u>BRY420P7W</u>	Bryant watertight pin and sleeve plug, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 0.41-0.65in, IP67, nylon housing, red.	Stock	\$82.00

<u>BRY420C7W</u>	Bryant watertight pin and sleeve connector, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 0.41-0.65in, IP67, nylon housing, red.	Stock	\$95.00
<u>BRY420R7W</u>	Bryant watertight single pin and sleeve receptacle, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, IP67, nylon housing, red.	Stock	\$88.00
<u>BRY330P6W</u>	Bryant watertight pin and sleeve plug, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, accepts cord size 0.565-0.93in, IP67, nylon housing, blue.	Stock	\$112.00
<u>BRY330C6W</u>	Bryant watertight pin and sleeve connector, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, accepts cord size 0.565-0.93in, IP67, nylon housing, blue.	Stock	\$119.00
<u>BRY330R6W</u>	Bryant watertight single pin and sleeve receptacle, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, IP67, nylon housing, blue.	Stock	\$114.00
<u>BRY430P9W</u>	Bryant watertight pin and sleeve plug, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 0.625-1.05in, IP67, nylon housing, blue.	Stock	\$112.00
<u>BRY430C9W</u>	Bryant watertight pin and sleeve connector, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 0.625-1.05in, IP67, nylon housing, blue.	Stock	\$139.00
<u>BRY430R9W</u>	Bryant watertight single pin and sleeve receptacle, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, IP67, nylon housing, blue.	Stock	\$115.00
<u>BRY430P7W</u>	Bryant watertight pin and sleeve plug, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 0.625-1.05in, IP67, nylon housing, red.	Stock	\$112.00
<u>BRY430C7W</u>	Bryant watertight pin and sleeve connector, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 0.625-1.05in, IP67, nylon housing, red.	Stock	\$139.00
<u>BRY430R7W</u>	Bryant watertight single pin and sleeve receptacle, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, IP67, nylon housing, red.	Stock	\$115.00
<u>BRY430P5W</u>	Bryant watertight pin and sleeve plug, 30A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, accepts cord size 0.625-1.05in, IP67, nylon housing, black.	Stock	\$112.00
<u>BRY430C5W</u>	Bryant watertight pin and sleeve connector, 30A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, accepts cord size 0.625-1.05in, IP67, nylon housing, black.	Stock	\$139.00
<u>BRY430R5W</u>	Bryant watertight single pin and sleeve receptacle, 30A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, IP67, nylon housing, black.	Stock	\$115.00
<u>BRY530P7W</u>	Bryant watertight pin and sleeve plug, 30A, 277/480VAC, 3-phase, 4-pole, 5-wire, 7 hour, accepts cord size 0.76-1.15in, IP67, nylon housing, red.	Stock	\$130.00
<u>BRY530C7W</u>	Bryant watertight pin and sleeve connector, 30A, 277/480VAC, 3-phase, 4-pole, 5-wire, 7 hour, accepts cord size 0.76-1.15in, IP67, nylon housing, red.	Stock	\$139.00
<u>BRY530R7W</u>	Bryant watertight single pin and sleeve receptacle, 30A, 277/480VAC, 3-phase, 4-pole, 5-wire, 7 hour, IP67, nylon housing, red.	Stock	\$135.00
<u>BRY360P6W</u>	Bryant watertight pin and sleeve plug, 60A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, accepts cord size 0.97-1.45in, IP67, nylon housing, blue.	Stock	\$162.00
<u>BRY360C6W</u>	Bryant watertight pin and sleeve connector, 60A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, accepts cord size 0.97-1.45in, IP67, nylon housing, blue.	Stock	\$197.00
<u>BRY360R6W</u>	Bryant watertight single pin and sleeve receptacle, 60A, 250 VAC, 1-phase, 2-pole, 3-wire, 6 hour, IP67, nylon housing, blue.	Stock	\$209.00
<u>BRY460P9W</u>	Bryant watertight pin and sleeve plug, 60A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 1.05-1.45in, IP67, nylon housing, blue.	Stock	\$220.00
<u>BRY460C9W</u>	Bryant watertight pin and sleeve connector, 60A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 1.05-1.45in, IP67, nylon housing, blue.	Stock	\$245.00
<u>BRY460R9W</u>	Bryant watertight single pin and sleeve receptacle, 60A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, IP67, nylon housing, blue.	Stock	\$255.00
<u>BRY460P7W</u>	Bryant watertight pin and sleeve plug, 60A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 1.05-1.45in, IP67, nylon housing, red.	Stock	\$220.00
<u>BRY460C7W</u>	Bryant watertight pin and sleeve connector, 60A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 1.05-1.45in, IP67, nylon housing, red.	Stock	\$245.00
<u>BRY460R7W</u>	Bryant watertight single pin and sleeve receptacle, 60A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, IP67, nylon housing, red.	Stock	\$255.00
<u>BRY460P5W</u>	Bryant watertight pin and sleeve plug, 60A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, accepts cord size 1.05-1.45in, IP67, nylon housing, black.	Stock	\$220.00
<u>BRY460C5W</u>	Bryant watertight pin and sleeve connector, 60A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, accepts cord size 1.05-1.45in, IP67, nylon housing, black.	Stock	\$245.00
<u>BRY460R5W</u>	Bryant watertight single pin and sleeve receptacle, 60A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, IP67, nylon housing, black.	Stock	\$255.00
<u>BRY560P7W</u>	Bryant watertight pin and sleeve plug, 60A, 277/480 VAC, 3-phase, 4-pole, 5-wire, 7 hour, accepts cord size 1.18-1.45in, IP67, nylon housing, red.	Stock	\$232.00
<u>BRY560C7W</u>	Bryant watertight pin and sleeve connector, 60A, 277/480 VAC, 3-phase, 4-pole, 5-wire, 7 hour, accepts cord size 1.18-1.45in, IP67, nylon housing, red.	Stock	\$255.00
<u>BRY560R7W</u>	Bryant watertight single pin and sleeve receptacle, 60A, 277/480 VAC, 3-phase, 4-pole, 5-wire, 7 hour, IP67, nylon housing, red.	Stock	\$269.00

<u>BRY560P9W</u>	Bryant watertight pin and sleeve plug, 60A, 120/208 VAC, 3-phase, 4-pole, 5-wire, 9 hour, accepts cord size 1.18-1.45in, IP67, nylon housing, blue.	Stock	\$232.00
<u>BRY560C9W</u>	Bryant watertight pin and sleeve connector, 60A, 120/208 VAC, 3-phase, 4-pole, 5-wire, 9 hour, accepts cord size 1.18-1.45in, IP67, nylon housing, blue.	Stock	\$255.00
<u>BRY560R9W</u>	Bryant watertight single pin and sleeve receptacle, 60A, 120/208 VAC, 3-phase, 4-pole, 5-wire, 9 hour, IP67, nylon housing, blue.	Stock	\$269.00
<u>BRY560B9W</u>	Bryant watertight pin and sleeve inlet, 60A, 120/208 VAC, 3-phase, 4-pole, 5-wire, 9 hour, IP67, nylon housing, blue.	Stock	\$244.00
<u>BRY4100P9W</u>	Bryant watertight pin and sleeve plug, 100A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 0.905-1.68in, IP67, nylon housing, blue.	Stock	\$329.00
<u>BRY4100C9W</u>	Bryant watertight pin and sleeve connector, 100A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, accepts cord size 0.905-1.68in, IP67, nylon housing, blue.	Stock	\$349.00
<u>BRY4100R9W</u>	Bryant watertight single pin and sleeve receptacle, 100A, 250 VAC, 3-phase, 3-pole, 4-wire, 9 hour, IP67, nylon housing, blue.	Stock	\$312.00
<u>BRY4100P7W</u>	Bryant watertight pin and sleeve plug, 100A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 0.905-1.68in, IP67, nylon housing, red.	Stock	\$329.00
<u>BRY4100C7W</u>	Bryant watertight pin and sleeve connector, 100A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, accepts cord size 0.905-1.68in, IP67, nylon housing, red.	Stock	\$349.00
<u>BRY4100R7W</u>	Bryant watertight single pin and sleeve receptacle, 100A, 480 VAC, 3-phase, 3-pole, 4-wire, 7 hour, IP67, nylon housing, red.	Stock	\$312.00
<u>BRY4100P5W</u>	Bryant watertight pin and sleeve plug, 100A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, accepts cord size 0.905-1.68in, IP67, nylon housing, black.	Stock	\$329.00
<u>BRY4100C5W</u>	Bryant watertight pin and sleeve connector, 100A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, accepts cord size 0.905-1.68in, IP67, nylon housing, black.	Stock	\$349.00
<u>BRY4100R5W</u>	Bryant watertight single pin and sleeve receptacle, 100A, 600 VAC, 3-phase, 3-pole, 4-wire, 5 hour, IP67, nylon housing, black.	Stock	\$312.00
<u>BRY5100P9W</u>	Bryant watertight pin and sleeve plug, 100A, 120/208 VAC, 3-phase, 4-pole, 5-wire, 9 hour, accepts cord size 1.063-1.88in, IP67, nylon housing, blue.	Stock	\$372.00
<u>BRY5100C9W</u>	Bryant watertight pin and sleeve connector, 100A, 120/208 VAC, 3-phase, 4-pole, 5-wire, 9 hour, accepts cord size 1.063-1.88in, IP67, nylon housing, blue.	Stock	\$395.00
<u>BRY5100R9W</u>	Bryant watertight single pin and sleeve receptacle, 100A, 120/208 VAC, 3-phase, 4-pole, 5-wire, 9 hour, IP67, nylon housing, blue.	Stock	\$359.00
Accessories for Pin and Sleeve Wiring Devices			
<u>BB201WA</u>	Bryant dead end back box, (1) 3/4in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 20A and 30A devices. Requires AP2030 adapter plate.	Stock	\$80.00
<u>BB301WA</u>	Bryant dead end back box, (1) 1in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 20A and 30A devices. Requires AP2030 adapter plate.	Stock	\$80.00
<u>BB601WA</u>	Bryant dead end back box, (1) 1-1/4in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 60A devices. Requires AP60 adapter plate.	Stock	\$115.00
<u>BB602WA</u>	Bryant dead end back box, (1) 1-1/2in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 60A devices. Requires AP60 adapter plate.	Stock	\$115.00
<u>BB1001WA</u>	Bryant dead end back box, (1) 1-1/2in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 100A devices. Requires AP100 adapter plate.	Stock	\$170.00
<u>BB1002WA</u>	Bryant dead end back box, (1) 2in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 100A devices. Requires AP100 adapter plate.	Stock	\$212.00
<u>FT202WA</u>	Bryant feed through back box, (2) 3/4in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 20A and 30A devices. Requires AP2030 adapter plate.	Stock	\$143.00
<u>FT302WA</u>	Bryant feed through back box, (2) 1in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 20A and 30A devices. Requires AP2030 adapter plate.	Stock	\$143.00
<u>FW60100A</u>	Bryant four-way back box, (1) 1-1/2in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 60A and 100A devices. Requires AP60 adapter plate for 60A devices or AP100 adapter plate for 100A devices.	Stock	\$349.00
<u>AP2030</u>	Bryant adapter plate, nylon, gray. For use with Bryant back boxes using 20A and 30A devices.	Stock	\$16.00
<u>AP60</u>	Bryant adapter plate, nylon, gray. For use with Bryant back boxes using 60A devices.	Stock	\$18.00
<u>AP100</u>	Bryant adapter plate, nylon, gray. For use with Bryant back boxes using 100A devices.	Stock	\$19.00
<u>DM20301</u>	Bryant dead end direct mount back box, (1) 3/4in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 20A and 30A devices. Mounting hardware included.	Stock	\$75.00
<u>DM602</u>	Bryant dead end direct mount back box, (1) 1-1/4in female NPT conduit entries, cast aluminum housing, gray. For use with Bryant 60A devices. AP60 adapter plate and mounting hardware included.	Stock	\$103.00
<u>CC320A</u>	Bryant closure cap, nylon, white. For use with Bryant 20A 3-wire devices.	Stock	\$34.00
<u>CC420A</u>	Bryant closure cap, nylon, white. For use with Bryant 20A 4-wire devices.	Stock	\$37.00

<u>CC520</u>	Bryant closure cap, nylon, white. For use with Bryant 20A 5-wire devices.	Stock	\$44.00
<u>CC330</u>	Bryant closure cap, nylon, white. For use with Bryant 30A 3- and 4-wire devices.	Stock	\$39.00
<u>CC530</u>	Bryant closure cap, nylon, white. For use with Bryant 30A 5-wire devices.	Stock	\$42.00
<u>CC560</u>	Bryant closure cap, nylon, white. For use with Bryant 60A 3-, 4- and 5-wire devices.	Stock	\$48.00
<u>CC510</u>	Bryant closure cap, nylon, white. For use with Bryant 100A 3-, 4-, and 5-wire devices.	Stock	\$52.00
Electrical Plugs			
<u>BRY5266NP</u>	Bryant industrial heavy duty straight blade plug, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$13.50
<u>BRY14W47</u>	Bryant watertight straight blade plug, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, accepts cord size 0.325-0.625in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$23.50
<u>BRY5366NP</u>	Bryant industrial heavy duty straight blade plug, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$16.50
<u>BRY14W33</u>	Bryant watertight straight blade plug, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, accepts cord size 0.325-0.625in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$25.00
<u>9530NP</u>	Bryant industrial heavy duty straight blade plug, 30A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-30, accepts cord size 0.42-1.32in, thermoplastic housing, gray.	Stock	\$122.00
<u>BRY5666NP</u>	Bryant industrial heavy duty straight blade plug, 15A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$20.00
<u>BRY5466NP</u>	Bryant industrial heavy duty straight blade plug, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-20, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$27.00
<u>9630NP</u>	Bryant industrial heavy duty straight blade plug, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-30, accepts cord size 0.42-1.32in, thermoplastic housing, gray.	Stock	\$116.00
<u>4721NP</u>	Bryant industrial heavy duty locking blade plug, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$13.00
<u>BRY24W47</u>	Bryant watertight locking blade plug, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-15, accepts cord size 0.3-0.62in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$26.00
<u>70520NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$16.00
<u>BRY26W47</u>	Bryant watertight locking blade plug, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-20, accepts cord size 0.325-0.75in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$40.00
<u>70530NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$26.00
<u>70615NP</u>	Bryant industrial heavy duty locking blade plug, 15A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$14.00
<u>70620NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$16.00
<u>BRY26W48</u>	Bryant watertight locking blade plug, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-20, accepts cord size 0.325-0.75in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$40.00
<u>70630NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$26.00
<u>4770NP</u>	Bryant industrial heavy duty locking blade plug, 15A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$15.00
<u>BRY24W34</u>	Bryant watertight locking blade plug, 15A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-15, accepts cord size 0.3-0.62in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$30.00
<u>70720NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$14.00
<u>70730NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$23.50
<u>70820NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 480 VAC, 1-phase, 2-pole, 3-wire, NEMA L8-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$16.00
<u>70830NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 480 VAC, 1-phase, 2-pole, 3-wire, NEMA L8-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$24.50
<u>70920NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 600 VAC, 1-phase, 2-pole, 3-wire, NEMA L9-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$16.50
<u>70930NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 600 VAC, 1-phase, 2-pole, 3-wire, NEMA L9-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$23.50
<u>71420NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 125/250 VAC, 1-phase, 3-pole, 4-wire, NEMA L14-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$26.00
<u>71430NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 125/250 VAC, 1-phase, 3-pole, 4-wire, NEMA L14-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$33.00

<u>71520NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$28.00
<u>BRY26W75</u>	Bryant watertight locking blade plug, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-20, accepts cord size 0.325-0.875in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$56.00
<u>71530NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$33.00
<u>BRY28W75</u>	Bryant watertight locking blade plug, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-30, accepts cord size 0.385-1.05in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$70.00
<u>71620NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$27.00
<u>BRY26W76</u>	Bryant watertight locking blade plug, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-20, accepts cord size 0.325-0.875in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$56.00
<u>71630NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$33.00
<u>BRY28W76</u>	Bryant watertight locking blade plug, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-30, accepts cord size 0.385-1.05in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$69.00
<u>71730NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 600 VAC, 3-phase, 3-pole, 4-wire, NEMA L17-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$35.00
<u>72120NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 120/208 VAC, 3-phase, 4-pole, 5-wire, NEMA L21-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$35.00
<u>72130NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 120/208 VAC, 3-phase, 4-pole, 5-wire, NEMA L21-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$39.00
<u>72220NP</u>	Bryant industrial heavy duty locking blade plug, 20A, 277/480 VAC, 3-phase, 4-pole, 5-wire, NEMA L22-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$32.00
<u>72230NP</u>	Bryant industrial heavy duty locking blade plug, 30A, 277/480 VAC, 3-phase, 4-pole, 5-wire, NEMA L22-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$39.50

Electrical Connectors

<u>BRY5269NC</u>	Bryant industrial heavy duty straight blade connector, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$24.00
<u>BRY15W47</u>	Bryant watertight straight blade connector with cap, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, accepts cord size 0.325-0.625in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$30.50
<u>BRY5369NC</u>	Bryant industrial heavy duty straight blade connector, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$29.00
<u>BRY15W33</u>	Bryant watertight straight blade connector with cap, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, accepts cord size 0.325-0.625in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$33.00
<u>9530NC</u>	Bryant industrial heavy duty straight blade connector, 30A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-30, accepts cord size 0.42-1.32in, thermoplastic housing, gray.	Stock	\$133.00
<u>BRY5669NC</u>	Bryant industrial heavy duty straight blade connector, 15A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$35.00
<u>BRY5469NC</u>	Bryant industrial heavy duty straight blade connector, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-20, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$42.00
<u>9630NC</u>	Bryant industrial heavy duty straight blade connector, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-30, accepts cord size 0.42-1.32in, thermoplastic housing, gray.	Stock	\$130.00
<u>4732NC</u>	Bryant industrial heavy duty locking blade connector, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$24.00
<u>BRY25W47</u>	Bryant watertight locking blade connector with cap, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-15, accepts cord size 0.3-0.62in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$30.50
<u>70520NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$26.00
<u>BRY27W47</u>	Bryant watertight locking blade connector with cap, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-20, accepts cord size 0.325-0.75in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$61.00
<u>70530NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$49.00
<u>70615NC</u>	Bryant industrial heavy duty locking blade connector, 15A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$25.00
<u>70620NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$26.00
<u>BRY27W48</u>	Bryant watertight locking blade connector with cap, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-20, accepts cord size 0.325-0.75in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$61.00
<u>70630NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$53.00
<u>4779NC</u>	Bryant industrial heavy duty locking blade connector, 15A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-15, accepts cord size 0.3-0.65in, nylon housing, black and white.	Stock	\$26.00

<u>BRY25W34</u>	Bryant watertight locking blade connector with cap, 15A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-15, accepts cord size 0.3-0.62in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$46.00
<u>70720NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$23.50
<u>70730NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$45.00
<u>70820NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 480 VAC, 1-phase, 2-pole, 3-wire, NEMA L8-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$28.00
<u>70830NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 480 VAC, 1-phase, 2-pole, 3-wire, NEMA L8-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$46.00
<u>70920NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 600 VAC, 1-phase, 2-pole, 3-wire, NEMA L9-20, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$25.00
<u>70930NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 600 VAC, 1-phase, 2-pole, 3-wire, NEMA L9-30, accepts cord size 0.3-0.95in, nylon housing, black and white.	Stock	\$46.00
<u>71420NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 125/250 VAC, 1-phase, 3-pole, 4-wire, NEMA L14-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$35.00
<u>71430NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 125/250 VAC, 1-phase, 3-pole, 4-wire, NEMA L14-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$69.00
<u>71520NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$35.00
<u>BRY27W75</u>	Bryant watertight locking blade connector with cap, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-20, accepts cord size 0.325-0.875in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$75.00
<u>71530NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$70.00
<u>BRY29W75</u>	Bryant watertight locking blade connector with cap, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-30, accepts cord size 0.385-1.05in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$121.00
<u>71620NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$35.00
<u>BRY27W76</u>	Bryant watertight locking blade connector with cap, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-20, accepts cord size 0.325-0.875in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$74.00
<u>71630NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$74.00
<u>BRY29W76</u>	Bryant watertight locking blade connector with cap, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-30, accepts cord size 0.385-1.05in, UL Type 4, 4X, 6 and 6P, thermoplastic elastomer (PTE) housing, yellow.	Stock	\$119.00
<u>71730NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 600 VAC, 3-phase, 3-pole, 4-wire, NEMA L17-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$66.00
<u>72120NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 120/208 VAC, 3-phase, 4-pole, 5-wire, NEMA L21-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$57.00
<u>72130NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 120/208 VAC, 3-phase, 4-pole, 5-wire, NEMA L21-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$70.00
<u>72220NC</u>	Bryant industrial heavy duty locking blade connector, 20A, 277/480 VAC, 3-phase, 4-pole, 5-wire, NEMA L22-20, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$58.00
<u>72230NC</u>	Bryant industrial heavy duty locking blade connector, 30A, 277/480 VAC, 3-phase, 4-pole, 5-wire, NEMA L22-30, accepts cord size 0.46-1.15in, nylon housing, black and white.	Stock	\$74.00

Electrical Receptacles

<u>5251</u>	Bryant industrial heavy duty single straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, nylon housing, brown.	Stock	\$8.00
<u>5361</u>	Bryant industrial heavy duty single straight blade receptacle, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, nylon housing, brown.	Stock	\$15.50
<u>9530FR</u>	Bryant industrial heavy duty single straight blade receptacle, 30A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-30, thermoplastic molded housing, gray.	Stock	\$36.50
<u>5661</u>	Bryant industrial heavy duty single straight blade receptacle, 15A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-15, nylon housing, brown.	Stock	\$16.00
<u>5461</u>	Bryant industrial heavy duty single straight blade receptacle, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-20, nylon housing, brown.	Stock	\$18.00
<u>9630FR</u>	Bryant industrial heavy duty single straight blade receptacle, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-30, thermoplastic molded housing, gray.	Stock	\$41.50
<u>4710</u>	Bryant industrial heavy duty single locking blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-15, nylon molded housing, black.	Stock	\$14.50
<u>70520FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-20, nylon molded housing, black.	Stock	\$21.00
<u>70530FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA L5-30, nylon molded housing, black.	Stock	\$26.00

<u>70615FR</u>	Bryant industrial heavy duty single locking blade receptacle, 15A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-15, nylon molded housing, black.	Stock	\$19.00
<u>70620FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-20, nylon molded housing, black.	Stock	\$21.00
<u>70630FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA L6-30, nylon molded housing, black.	Stock	\$28.00
<u>4760</u>	Bryant industrial heavy duty single locking blade receptacle, 15A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-15, nylon molded housing, black.	Stock	\$16.00
<u>70720FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-20, nylon molded housing, black.	Stock	\$22.00
<u>70730FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 277 VAC, 1-phase, 2-pole, 3-wire, NEMA L7-30, nylon molded housing, black.	Stock	\$28.00
<u>70820FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 480 VAC, 1-phase, 2-pole, 3-wire, NEMA L8-20, nylon molded housing, black.	Stock	\$21.50
<u>70830FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 480 VAC, 1-phase, 2-pole, 3-wire, NEMA L8-30, nylon molded housing, black.	Stock	\$29.00
<u>70920FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 600 VAC, 1-phase, 2-pole, 3-wire, NEMA L9-20, nylon molded housing, black.	Stock	\$25.50
<u>70930FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 600 VAC, 1-phase, 2-pole, 3-wire, NEMA L9-30, nylon molded housing, black.	Stock	\$29.00
<u>71420FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 125/250 VAC, 1-phase, 3-pole, 4-wire, NEMA L14-20, nylon molded housing, black.	Stock	\$29.00
<u>71430FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 125/250 VAC, 1-phase, 3-pole, 4-wire, NEMA L14-30, nylon molded housing, black.	Stock	\$40.50
<u>71520FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-20, nylon molded housing, black.	Stock	\$29.00
<u>71530FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 250 VAC, 3-phase, 3-pole, 4-wire, NEMA L15-30, nylon molded housing, black.	Stock	\$41.00
<u>71620FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-20, nylon molded housing, black.	Stock	\$29.00
<u>71630FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 480 VAC, 3-phase, 3-pole, 4-wire, NEMA L16-30, nylon molded housing, black.	Stock	\$46.00
<u>71730FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 600 VAC, 3-phase, 3-pole, 4-wire, NEMA L17-30, nylon molded housing, black.	Stock	\$40.50
<u>72120FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 120/208 VAC, 3-phase, 4-pole, 5-wire, NEMA L21-20, nylon molded housing, black.	Stock	\$36.00
<u>72130FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 120/208 VAC, 3-phase, 4-pole, 5-wire, NEMA L21-30, nylon molded housing, black.	Stock	\$50.00
<u>72220FR</u>	Bryant industrial heavy duty single locking blade receptacle, 20A, 277/480 VAC, 3-phase, 4-pole, 5-wire, NEMA L22-20, nylon molded housing, black.	Stock	\$36.50
<u>72230FR</u>	Bryant industrial heavy duty single locking blade receptacle, 30A, 277/480 VAC, 3-phase, 4-pole, 5-wire, NEMA L22-30, nylon molded housing, black.	Stock	\$51.00
<u>BRY5262</u>	Bryant industrial heavy duty duplex straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, nylon molded housing, brown.	Stock	\$18.50
<u>BRY5262GRY</u>	Bryant industrial heavy duty duplex straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, nylon molded housing, gray.	Stock	\$16.50
<u>BRY5262CR</u>	Bryant industrial heavy duty duplex straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-15, nylon molded housing, yellow.	Stock	\$29.00
<u>BRY5362</u>	Bryant industrial heavy duty duplex straight blade receptacle, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, nylon molded housing, brown.	Stock	\$23.00
<u>BRY5362GRY</u>	Bryant industrial heavy duty duplex straight blade receptacle, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, nylon molded housing, gray.	Stock	\$20.00
<u>BRY5362CR</u>	Bryant industrial heavy duty duplex straight blade receptacle, 20A, 125 VAC, 1-phase, 2-pole, 3-wire, NEMA 5-20, nylon molded housing, yellow.	Stock	\$37.00
<u>BRY5662</u>	Bryant industrial heavy duty duplex straight blade receptacle, 15A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-15, nylon molded housing, brown.	Stock	\$24.00
<u>BRY5462</u>	Bryant industrial heavy duty duplex straight blade receptacle, 20A, 250 VAC, 1-phase, 2-pole, 3-wire, NEMA 6-20, nylon molded housing, brown.	Stock	\$28.00
DIN Rail Receptacles			
<u>GR-REC4</u>	Gladiator quad straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, glass fiber reinforced polyamide housing, panel or 35mm DIN rail mount.	Stock	\$53.00
<u>GR-REC4-GFCI</u>	Gladiator quad straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, ground-fault circuit interruption protection, glass fiber reinforced polyamide housing, panel or 35mm DIN rail mount.	Stock	\$74.00

<u>FA-REC2</u>	AutomationDirect duplex straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, nylon housing, panel or 35mm DIN rail mount.	Stock	\$43.50
<u>FA-GFCI</u>	AutomationDirect duplex straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, ground-fault circuit interruption protection, nylon housing, panel or 35mm DIN rail mount.	Stock	\$62.00
<u>FA-REC3</u>	AutomationDirect triple straight blade receptacle, 15A, 125 VAC, 1-phase, 2-pole, 3-wire, plastic housing, 35mm DIN rail, 32mm DIN rail or 15mm DIN rail mount.	Stock	\$36.00
Accessories for Wiring Devices			
<u>SS7</u>	Bryant cover plate, for use with 15A and 20A single receptacles in 1 gang electrical boxes.	Stock	\$3.25
<u>SS8</u>	Bryant cover plate, for use with 15A and 20A duplex receptacles in 1 gang electrical boxes.	Stock	\$2.75
<u>SS720</u>	Bryant cover plate, for use with 20A and 30A single receptacles in 1 gang electrical boxes.	Stock	\$4.75
<u>SS723</u>	Bryant cover plate, for use with 30A single receptacles in 1 gang electrical boxes.	Stock	\$6.00
<u>SS703</u>	Bryant cover plate, for use with 30A single receptacles in 2 gang electrical boxes.	Stock	\$9.50
<u>BRY3099</u>	Bryant dead end portable outlet box, (1) 3/4in female NPT conduit entries, accepts cord size 0.38 - 0.5in, NEMA 1, PBT thermoplastic elastomer housing, yellow.	Stock	\$64.00
<u>BRY3056</u>	Bryant cover plate, UL Type 3R, lift cover, gray. For use with 15A and 20A duplex receptacles in portable outlet box BRY3099.	Stock	\$28.00
<u>BRY3054</u>	Bryant cover plate, UL Type 3R, gray. For use with portable outlet box BRY3099.	Stock	\$5.25
<u>70204ANA</u>	Bryant 90 degree angle adapter, black. For use with 20A and 30A locking plugs and connectors.	Stock	\$25.50
<u>5200BP</u>	Bryant weather boot, high visibility yellow. For use with 15A locking, 15A straight blade, and 20A straight blade plugs.	Stock	\$16.50
<u>5200BC</u>	Bryant weather boot, high visibility yellow. For use with 15A locking, 15A straight blade, and 20A straight blade connectors.	Stock	\$19.00
<u>5200BSR</u>	Bryant weather boot cap, high visibility yellow. For use with 5200BC boot.	Stock	\$23.50
<u>5200BPB</u>	Bryant weather boot, black. For use with 15A locking, 15A straight blade, and 20A straight blade plugs.	Stock	\$16.50
<u>5200BCB</u>	Bryant weather boot, black. For use with 15A locking, 15A straight blade, and 20A straight blade connectors.	Stock	\$19.50
<u>5200BSRB</u>	Bryant weather boot cap, black. For use with 5200BCB boot.	Stock	\$23.50
<u>72002BP</u>	Bryant weather boot, high visibility yellow. For use with 20A and 30A locking plugs.	Stock	\$24.00
<u>72002BC</u>	Bryant weather boot, high visibility yellow. For use with 20A and 30A locking connectors.	Stock	\$30.00
<u>72002BPB</u>	Bryant weather boot, black. For use with 20A and 30A locking plugs, chemical and ultraviolet resistant thermoplastic elastomer construction, black.	Stock	\$24.00
<u>72002BCB</u>	Bryant weather boot, black. For use with 20A and 30A locking connectors.	Stock	\$25.00
Deluxe Strain Relief Cord Grips			
<u>DC1812</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.18 to 0.25in, straight 1/2in NPT male thread fitting, stainless steel mesh, 2.44in length, indoor and outdoor applications.	Stock	\$51.00
<u>DC2512</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.25 to 0.37in, straight 1/2in NPT male thread fitting, stainless steel mesh, 3.91in length, indoor and outdoor applications.	Stock	\$52.00
<u>DC3712</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.37 to 0.5in, straight 1/2in NPT male thread fitting, stainless steel mesh, 4.44in length, indoor and outdoor applications.	Stock	\$49.00
<u>DC5012</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.5 to 0.62in, straight 1/2in NPT male thread fitting, stainless steel mesh, 4.71in length, indoor and outdoor applications.	Stock	\$49.00
<u>DC5034</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.5 to 0.62in, straight 3/4in NPT male thread fitting, stainless steel mesh, 4.71in length, indoor and outdoor applications.	Stock	\$53.00
<u>DC6234</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.62 to 0.75in, straight 3/4in NPT male thread fitting, stainless steel mesh, 6.31in length, indoor and outdoor applications.	Stock	\$59.00
<u>DC621</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.62 to 0.75in, straight 1in NPT male thread fitting, stainless steel mesh, 6.11in length, indoor and outdoor applications.	Stock	\$76.00
<u>DC751</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.75 to 0.87in, straight 1in NPT male thread fitting, stainless steel mesh, 6.31in length, indoor and outdoor applications.	Stock	\$72.00
<u>DC871</u>	Bryant deluxe strain relief grip, accepts cable diameter size 0.87 to 1in, straight 1in NPT male thread fitting, stainless steel mesh, 6.51in length, indoor and outdoor applications.	Stock	\$72.00
<u>DC100114</u>	Bryant deluxe strain relief grip, accepts cable diameter size 1 to 1.12in, straight 1-1/4in NPT male thread fitting, stainless steel mesh, 6.16in length, indoor and outdoor applications.	Stock	\$111.00
<u>DC112114</u>	Bryant deluxe strain relief grip, accepts cable diameter size 1.12 to 1.25in, straight 1-1/4in NPT male thread fitting, stainless steel mesh, 6.04in length, indoor and outdoor applications.	Stock	\$111.00
<u>DC125112</u>	Bryant deluxe strain relief grip, accepts cable diameter size 1.25 to 1.37in, straight 1-1/2in NPT male thread fitting, stainless steel mesh, 7.66in length, indoor and outdoor applications.	Stock	\$132.00

<u>DC131112</u>	Bryant deluxe strain relief grip, accepts cable diameter size 1.31 to 1.43in, straight 1-1/2in NPT male thread fitting, stainless steel mesh, 8.11in length, indoor and outdoor applications.	Stock	\$172.00
<u>DC1562</u>	Bryant deluxe strain relief grip, accepts cable diameter size 1.56 to 1.68in, straight 2in NPT male thread fitting, stainless steel mesh, 10in length, indoor and outdoor applications.	Stock	\$175.00
Dust-Tight Strain Relief Cord Grips			
<u>BDSR32</u>	Bryant dust-tight strain relief grip, accepts cable diameter size 0.32 to 0.43in, 1/2in NPS male thread fitting, galvanized steel mesh, 3.75in length, indoor applications only. Steel locknut and insulating bushing included.	Stock	\$15.00
<u>BDSR43</u>	Bryant dust-tight strain relief grip, accepts cable diameter size 0.43 to 0.54in, 1/2in NPS male thread fitting, galvanized steel mesh, 4.75in length, indoor applications only. Steel locknut and insulating bushing included.	Stock	\$15.00
<u>BDSR54</u>	Bryant dust-tight strain relief grip, accepts cable diameter size 0.54 to 0.73in, 3/4in NPS male thread fitting, galvanized steel mesh, 6.5in length, indoor applications only. Steel locknut and insulating bushing included.	Stock	\$18.00
<u>BDSR73</u>	Bryant dust-tight strain relief grip, accepts cable diameter size 0.73 to 0.97in, 1in NPS male thread fitting, galvanized steel mesh, 7in length, indoor applications only. Steel locknut and insulating bushing included.	Stock	\$22.50
<u>BDSR97</u>	Bryant dust-tight strain relief grip, accepts cable diameter size 0.97 to 1.25in, 1-1/4in NPS male thread fitting, galvanized steel mesh, 9in length, indoor applications only. Steel locknut and insulating bushing included.	Stock	\$26.50
<u>BDSR125</u>	Bryant dust-tight strain relief grip, accepts cable diameter size 1.25 to 1.5in, 1-1/2in NPT male thread fitting, galvanized steel mesh, 11.75in length, indoor applications only. Steel locknut and insulating bushing included.	Stock	\$41.00
<u>BDSR150</u>	Bryant dust-tight strain relief grip, accepts cable diameter size 1.5 to 1.7in, 2in NPT male thread fitting, galvanized steel mesh, 13.25in length, indoor applications only. Steel locknut and insulating bushing included.	Stock	\$51.00
Support Cord Grips			
<u>SPC050U</u>	Bryant standard duty support grip, accepts cable diameter size 0.5 to 0.62in, closed, tin-coated bronze mesh, 10in length, single, eye length 7in, indoor and outdoor applications.	Stock	\$26.50
<u>SPC062U</u>	Bryant standard duty support grip, accepts cable diameter size 0.62 to 0.74in, closed, tin-coated bronze mesh, 10in length, single, eye length 8in, indoor and outdoor applications.	Stock	\$28.50
<u>SPC075U</u>	Bryant standard duty support grip, accepts cable diameter size 0.75 to 0.99in, closed, tin-coated bronze mesh, 13in length, single, eye length 8in, indoor and outdoor applications.	Stock	\$33.00
<u>SPC100U</u>	Bryant standard duty support grip, accepts cable diameter size 1 to 1.24in, closed, tin-coated bronze mesh, 14in length, single, eye length 9in, indoor and outdoor applications.	Stock	\$36.00
<u>SPC125U</u>	Bryant standard duty support grip, accepts cable diameter size 1.25 to 1.49in, closed, tin-coated bronze mesh, 15in length, single, eye length 10in, indoor and outdoor applications.	Stock	\$38.00
<u>SPC150U</u>	Bryant standard duty support grip, accepts cable diameter size 1.5 to 1.74in, closed, tin-coated bronze mesh, 17in length, single, eye length 12in, indoor and outdoor applications.	Stock	\$43.50
Bus Drop Support Cord Grips			
<u>BDS24U</u>	Bryant bus drop support grip, accepts cable diameter size 0.24 to 0.32in, closed, galvanized steel mesh, 3.5in length, single, eye length 3in, indoor applications only. For use with safety springs S40 or S80 to further reduce tension.	Stock	\$12.00
<u>BDS32U</u>	Bryant bus drop support grip, accepts cable diameter size 0.32 to 0.43in, closed, galvanized steel mesh, 4in length, single, eye length 4in, indoor applications only. For use with safety springs S40 or S80 to further reduce tension.	Stock	\$12.00
<u>BDS43U</u>	Bryant bus drop support grip, accepts cable diameter size 0.43 to 0.56in, closed, galvanized steel mesh, 4.75in length, single, eye length 6in, indoor applications only. For use with safety springs S40 or S80 to further reduce tension.	Stock	\$14.50
<u>BDS56U</u>	Bryant bus drop support grip, accepts cable diameter size 0.56 to 0.73in, closed, galvanized steel mesh, 6in length, single, eye length 7in, indoor applications only. For use with safety springs S40 or S80 to further reduce tension.	Stock	\$16.00
<u>BDS73U</u>	Bryant bus drop support grip, accepts cable diameter size 0.73 to 0.85in, closed, galvanized steel mesh, 6.75in length, single, eye length 7in, indoor applications only. For use with safety springs S40 or S80 to further reduce tension.	Stock	\$17.00
<u>BDS85U</u>	Bryant bus drop support grip, accepts cable diameter size 0.85 to 1in, closed, galvanized steel mesh, 8in length, single, eye length 8in, indoor applications only. For use with safety springs S40 or S80 to further reduce tension.	Stock	\$17.50
<u>BDS100U</u>	Bryant bus drop support grip, accepts cable diameter size 1 to 1.25in, closed, galvanized steel mesh, 9.5in length, single, eye length 9in, indoor applications only. For use with safety springs S40 or S80 to further reduce tension.	Stock	\$18.00
Pulling Cord Grips			
<u>PA075</u>	Bryant light-duty pulling grip, low tension, accepts cable diameter size 0.75 to 0.99in, closed single weave, galvanized steel mesh, 12in length, flexible, eye length 6in.	Stock	\$65.00
<u>PA100</u>	Bryant light-duty pulling grip, low tension, accepts cable diameter size 1 to 1.24in, closed single weave, galvanized steel mesh, 13in length, flexible, eye length 7in.	Stock	\$67.00
<u>PA125</u>	Bryant light-duty pulling grip, low tension, accepts cable diameter size 1.25 to 1.49in, closed single weave, galvanized steel mesh, 14in length, flexible, eye length 7in.	Stock	\$65.00
<u>PA150</u>	Bryant light-duty pulling grip, low tension, accepts cable diameter size 1.5 to 1.74in, closed single weave, galvanized steel mesh, 15in length, flexible, eye length 8in.	Stock	\$76.00

<u>PJ025</u>	Bryant junior pulling grip, low tension, accepts cable diameter size 0.25 to 0.36in, closed single weave, galvanized steel mesh, 4.25in length, flexible, eye length 3-1/4in.	Stock	\$26.00
<u>PJ037</u>	Bryant junior pulling grip, low tension, accepts cable diameter size 0.37 to 0.49in, closed single weave, galvanized steel mesh, 7in length, flexible, eye length 3-3/4in.	Stock	\$30.50
<u>PJ050</u>	Bryant junior pulling grip, low tension, accepts cable diameter size 0.5 to 0.61in, closed single weave, galvanized steel mesh, 8.5in length, flexible, eye length 4-1/4in.	Stock	\$33.50
<u>PJ062</u>	Bryant junior pulling grip, low tension, accepts cable diameter size 0.62 to 0.74in, closed single weave, galvanized steel mesh, 10in length, flexible, eye length 5in.	Stock	\$38.00
<u>PJ075</u>	Bryant junior pulling grip, low tension, accepts cable diameter size 0.75 to 0.99in, closed single weave, galvanized steel mesh, 10in length, flexible, eye length 5-3/4in.	Stock	\$42.50
<u>PJ100</u>	Bryant junior pulling grip, low tension, accepts cable diameter size 1 to 1.24in, closed single weave, galvanized steel mesh, 11.5in length, flexible, eye length 6-1/2in.	Stock	\$45.00
Accessories for Cord Grips			
<u>S40</u>	Bryant safety spring, galvanized steel, 3/4in diameter, 8.25in length, 40lb capacity, 500lb breaking strength, maximum deflection 2.75in at 40lbs (178N/6.67cm).	Stock	\$6.50
<u>S80</u>	Bryant safety spring, galvanized steel, 1in diameter, 8.25in length, 80lb capacity, 850lb breaking strength, maximum deflection 3.125in at 80lbs (356N/7.94cm).	Stock	\$10.25
DIN Rail			
<u>DN-R35S1</u>	DINnector DIN rail, slotted, 35mm width, 7.5mm height, 1m (39.37in) length, plated steel. Package of 10.	Stock	\$39.00
<u>DN-R35S1-2</u>	DINnector DIN rail, slotted, 35mm width, 7.5mm height, 1m (39.37in) length, plated steel. Package of 2.	Stock	\$11.00
<u>DN-R35HS1</u>	DINnector DIN rail, slotted, 35mm width, 15mm height, 1m (39.37in) length, plated steel. Package of 10.	Stock	\$68.00
<u>DN-R35HS1-2</u>	DINnector DIN rail, slotted, 35mm width, 15mm height, 1m (39.37in) length, plated steel. Package of 2.	Stock	\$16.50
<u>DN-R35SAL1</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 1m (39.37in) length, aluminum. Package of 10.	Stock	\$61.00
<u>DN-R35SAL1-2</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 1m (39.37in) length, aluminum. Package of 2.	Stock	\$16.50
<u>DN-R35SAL1-072-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 72mm (2.83in) length, aluminum. Package of 5.	Stock	\$9.75
<u>DN-R35SAL1-143-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 143mm (5.63in) length, aluminum. Package of 5.	Stock	\$12.00
<u>DN-R35SAL1-215-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 215mm (8.46in) length, aluminum. Package of 5.	Stock	\$14.00
<u>DN-R35SAL1-286-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 286mm (11.26in) length, aluminum. Package of 5.	Stock	\$16.50
<u>DN-R35SAL1-358-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 358mm (14.09in) length, aluminum. Package of 5.	Stock	\$19.00
<u>DN-R35SAL1-429-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 429mm (16.89in) length, aluminum. Package of 5.	Stock	\$20.50
<u>DN-R35SAL1-500-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 500mm (19.69in) length, aluminum. Package of 5.	Stock	\$22.00
<u>DN-R35SAL1-572-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 572mm (22.52in) length, aluminum. Package of 5.	Stock	\$24.50
<u>DN-R35SAL1-644-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 644mm (25.35in) length, aluminum. Package of 5.	Stock	\$26.00
<u>DN-R35SAL1-715-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 715mm (28.15in) length, aluminum. Package of 5.	Stock	\$27.00
<u>DN-R35SAL1-787-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 787mm (30.98in) length, aluminum. Package of 5.	Stock	\$28.50
<u>DN-R35SAL1-858-5</u>	DINnector DIN rail, slotted, 35mm width, 10mm height, 858mm (33.78in) length, aluminum. Package of 5.	Stock	\$30.50
<u>DN-R35SAL2-2</u>	DINnector DIN rail, slotted, 2in raised 35mm width, 7.5mm height, 1m (39.37in) length, aluminum. Package of 2.	Stock	\$39.00
<u>DN-R15S1</u>	DINnector DIN rail, slotted, 15mm width, 5.5mm height, 1m (39.37in) length, plated steel. Package of 10.	Stock	\$36.00
<u>DN-R15S1-2</u>	DINnector DIN rail, slotted, 15mm width, 5.5mm height, 1m (39.37in) length, plated steel. Package of 2.	Stock	\$10.00
Accessories for DIN Rail			
<u>DN-ASB1</u>	AutomationDirect angled DIN rail support bracket, 49mm, zinc plated steel. Package of 50. For use with 35mm DIN rail. M6 metric threaded hole and 5mm unthreaded mounting hole.	Stock	\$107.00
<u>DN-ASB2-10</u>	AutomationDirect angled DIN rail support bracket, 50mm, zinc plated steel. Package of 10. For use with 35mm DIN rail. M6 mounting screws included.	Stock	\$18.50
<u>DN-SSB25-10</u>	AutomationDirect standard DIN rail support bracket, 25mm height, zinc plated steel. Package of 10. For use with 35mm DIN rail.	Stock	\$25.00
<u>DN-SSB50-10</u>	AutomationDirect standard DIN rail support bracket, 50mm height, zinc plated steel. Package of 10. For use with 35mm DIN rail.	Stock	\$26.00
<u>DN-SSB70-10</u>	AutomationDirect standard DIN rail support bracket, 70mm height, zinc plated steel. Package of 10. For use with 35mm DIN rail.	Stock	\$32.50

<u>DN-SSB90-10</u>	AutomationDirect standard DIN rail support bracket, 90mm height, zinc plated steel. Package of 10. For use with 35mm DIN rail.	Stock	\$35.00
<u>DN-CLIP-FM4</u>	DIN rail clip, zinc plated steel, used to mount items to 35mm DIN rail, 4mm mounting hole size. Package of 40.	Stock	\$68.00
<u>DN-CLIP-FM4-5</u>	DIN rail clip, zinc plated steel, used to mount items to 35mm DIN rail, 4mm mounting hole size. Package of 5.	Stock	\$9.50
<u>DN-CLIP-FM5</u>	DIN rail clip, zinc plated steel, used to mount items to 35mm DIN rail, 5mm mounting hole size. Package of 40.	Stock	\$68.00
<u>DN-CLIP-FM5-5</u>	DIN rail clip, zinc plated steel, used to mount items to 35mm DIN rail, 5mm mounting hole size. Package of 5.	Stock	\$9.50
<u>2120</u>	CUSTOMER REFUND	Stock	\$0.00
<u>PROMOED1</u>	TUBE CUTTER, PROMOTIONAL ITEM	Stock	\$4.25
EMC Cable Clips			
<u>571052</u>	Murrplastik SCF-EMV series EMC shield cable clip, accepts 0.06-0.12in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$28.50
<u>571054</u>	Murrplastik SCF-EMV series EMC shield cable clip, accepts 0.12-0.24in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$29.50
<u>571056</u>	Murrplastik SCF-EMV series EMC shield cable clip, accepts 0.24-0.31in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$29.50
<u>571058</u>	Murrplastik SCF-EMV series EMC shield cable clip, accepts 0.31-0.43in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$29.50
<u>571060</u>	Murrplastik SCF-EMV series EMC shield cable clip, accepts 0.43-0.63in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$34.00
<u>571064</u>	Murrplastik SCF-EMV series EMC shield cable clip, accepts 0.67-1.18in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$37.00
<u>571066</u>	Murrplastik SCF-EMV series EMC shield cable clip, accepts 1.18-1.46in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$40.00
<u>571070</u>	Murrplastik MSCF-EMV series EMC shield cable clip, accepts 0.12-0.47in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$37.00
<u>571072</u>	Murrplastik MSCF-EMV series EMC shield cable clip, accepts 0.28-0.71in diameter cable, 35mm DIN rail mount, zinc plated spring steel. Package of 5.	Stock	\$42.50
<u>571074</u>	Murrplastik SCFZ-EMV series EMC shield cable clip, accepts 0.06-0.12in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$33.00
<u>571075</u>	Murrplastik SCFZ-EMV series EMC shield cable clip, accepts 0.12-0.24in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$34.00
<u>571076</u>	Murrplastik SCFZ-EMV series EMC shield cable clip, accepts 0.24-0.31in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$34.00
<u>571077</u>	Murrplastik SCFZ-EMV series EMC shield cable clip, accepts 0.31-0.43in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$35.00
<u>571078</u>	Murrplastik SCFZ-EMV series EMC shield cable clip, accepts 0.43-0.63in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$41.50
<u>571079</u>	Murrplastik SCFZ-EMV series EMC shield cable clip, accepts 0.67-0.87in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$42.50
<u>571071</u>	Murrplastik MSCFZ-EMV series EMC shield cable clip, accepts 0.12-0.47in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$40.00
<u>571073</u>	Murrplastik MSCFZ-EMV series EMC shield cable clip, accepts 0.28-0.71in diameter cable, 35mm DIN rail mount, with strain relief, zinc plated spring steel. Package of 5.	Stock	\$45.50
Single-level Feedthrough Terminal Blocks			
<u>KN-T12GRY-100</u>	Konnect-It screw single-level feedthrough terminal block, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$34.50
<u>KN-T12GRY-25</u>	Konnect-It screw single-level feedthrough terminal block, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$9.00
<u>KN-T12SP4</u>	Konnect-It screw common point single-level feedthrough terminal block, two-connection to two-connection, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2JM12, KN-3JM12, KN-4JM12 and KN-10JM12.	Stock	\$192.00
<u>KN-T12SP4-25</u>	Konnect-It screw common point single-level feedthrough terminal block, two-connection to two-connection, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2JM12, KN-3JM12, KN-4JM12 and KN-10JM12.	Stock	\$63.00
<u>KN-T12BLU-100</u>	Konnect-It screw single-level feedthrough terminal block, accepts wire size 26-12 AWG, blue, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$34.50
<u>KN-T12BLU-25</u>	Konnect-It screw single-level feedthrough terminal block, accepts wire size 26-12 AWG, blue, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$9.00

[illegible]

[illegible]

[illegible]

<u>DN-T12BR-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-12 AWG, brown, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J2Y, DN-2J2Y and DN-3J2Y.	Stock	\$78.00
<u>DN-T12GRN-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-12 AWG, green, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J2Y, DN-2J2Y and DN-3J2Y.	Stock	\$78.00
<u>DN-T12ORG-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-12 AWG, orange, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J2Y, DN-2J2Y and DN-3J2Y.	Stock	\$78.00
<u>DN-T12RED-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-12 AWG, red, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J2Y, DN-2J2Y and DN-3J2Y.	Stock	\$78.00
<u>DN-T12W-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-12 AWG, white, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J2Y, DN-2J2Y and DN-3J2Y.	Stock	\$78.00
<u>DN-T12YEL-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-12 AWG, yellow, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J2Y, DN-2J2Y and DN-3J2Y.	Stock	\$78.00
<u>DN-T10-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$81.00
<u>DN-T10B-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, blue, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T10BLK-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, black, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T10BR-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, brown, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T10GRN-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, green, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T10ORG-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, orange, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T10RED-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, red, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T10W-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, white, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T10YEL-A</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 24-10 AWG, yellow, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$89.00
<u>DN-T8</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, gray, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$66.00
<u>DN-T8B</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, blue, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$70.00
<u>DN-T8BLK</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, black, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$70.00
<u>DN-T8GRN</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, green, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$70.00
<u>DN-T8ORG</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, orange, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$70.00
<u>DN-T8RED</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, red, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$70.00
<u>DN-T8W</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, white, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$70.00
<u>DN-T8YEL</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 22-8 AWG, yellow, 50A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$70.00
<u>DN-T6</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 20-6 AWG, gray, 65A, 600V rated (UL), 35mm DIN rail mount. Package of 50.	Stock	\$86.00
<u>DN-T6B</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 18-6 AWG, blue, 65A, 35mm DIN rail mount, 100kA SCCR. Package of 50.	Stock	\$92.00
<u>DN-T4</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 14-4 AWG, gray, 85A, 35mm DIN rail mount, 100kA SCCR. Package of 25.	Stock	\$74.00
<u>DN-T4B</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 14-4 AWG, blue, 85A, 35mm DIN rail mount, 100kA SCCR. Package of 25.	Stock	\$77.00
<u>DN-T1/0</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 14-1/0 AWG, gray, 130A, 35mm DIN rail mount, 100kA SCCR. Package of 25.	Stock	\$103.00
<u>DN-T1/0B</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 14-1/0 AWG, blue, 130A, 35mm DIN rail mount, 100kA SCCR. Package of 25.	Stock	\$108.00
<u>DN-T3/0</u>	DINnector screw single-level feedthrough terminal block, accepts wire size 4-3/0 AWG, gray, 185A, 35mm DIN rail mount, 100kA SCCR. Package of 10.	Stock	\$152.00
<u>DN-Q12-A</u>	DINnector screwless single-level feedthrough terminal block, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$46.00
<u>DN-Q12B-A</u>	DINnector screwless single-level feedthrough terminal block, accepts wire size 24-12 AWG, blue, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$48.00

<u>DN-Q10-A</u>	DINnector screwless single-level feedthrough terminal block, accepts wire size 24-10 AWG, gray, 30A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$45.00
<u>DN-Q10B-A</u>	DINnector screwless single-level feedthrough terminal block, accepts wire size 24-10 AWG, blue, 30A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$48.00
<u>DN-Q8-A</u>	DINnector screwless single-level feedthrough terminal block, accepts wire size 22-8 AWG, gray, 45A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with jumpers DN-12J6Y, DN-2J6Y or DN-3J6Y.	Stock	\$70.00
<u>DN-Q8B-A</u>	DINnector screwless single-level feedthrough terminal block, accepts wire size 22-8 AWG, blue, 45A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with jumpers DN-12J6Y, DN-2J6Y or DN-3J6Y.	Stock	\$76.00
Double-level Feedthrough Terminal Blocks			
<u>KN-D12GRY</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$146.00
<u>KN-D12GRY-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$40.00
<u>KN-D12BLU</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, blue, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$146.00
<u>KN-D12BLU-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, blue, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$40.00
<u>KN-D12BLK</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, black, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$146.00
<u>KN-D12BLK-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, black, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$40.00
<u>KN-D12GRN</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, green, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$154.00
<u>KN-D12GRN-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, green, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$40.00
<u>KN-D12ORG</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, orange, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$154.00
<u>KN-D12ORG-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, orange, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$40.00
<u>KN-D12RED</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, red, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$154.00
<u>KN-D12RED-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, red, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$40.00
<u>KN-D12YEL</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, yellow, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$154.00
<u>KN-D12YEL-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-12 AWG, yellow, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$40.00
<u>KN-DG12</u>	Konnect-It screw double-level feedthrough terminal block, with ground, accepts wire size 24-12 AWG, gray, 24A, 300V rated (UL), 35mm DIN rail mount. Package of 20.	Stock	\$109.00
<u>KN-D12X</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 20. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$68.00
<u>KN-D12DR1</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and diode, accepts wire size 26-12 AWG, gray, 20A, 35mm DIN rail mount, 100kA SCCR. Package of 20. For use with jumpers KN-2J12, KN-3J12, KN-4J12 and KN-10J12.	Stock	\$66.00
<u>KN-D12LED-24DC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-12 AWG, gray, 20A, 24 VDC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$83.00
<u>KN-D12LED-24AC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-12 AWG, gray, 20A, 24 VAC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$83.00
<u>KN-D12LED-110DC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-12 AWG, gray, 20A, 110 VDC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$83.00

<u>KN-D12LED-110AC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-12 AWG, gray, 20A, 110 VAC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$83.00
<u>KN-D10GRY</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$172.00
<u>KN-D10GRY-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$41.00
<u>KN-D10BLU</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, blue, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$172.00
<u>KN-D10BLU-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, blue, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$41.00
<u>KN-D10BLK</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, black, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$172.00
<u>KN-D10BLK-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, black, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$41.00
<u>KN-D10GRN</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, green, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$172.00
<u>KN-D10GRN-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, green, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$41.00
<u>KN-D10ORG</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, orange, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$172.00
<u>KN-D10ORG-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, orange, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$41.00
<u>KN-D10RED</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, red, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$172.00
<u>KN-D10RED-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, red, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$41.00
<u>KN-D10YEL</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, yellow, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$172.00
<u>KN-D10YEL-25</u>	Konnect-It screw double-level feedthrough terminal block, accepts wire size 26-10 AWG, yellow, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$41.00
<u>KN-D10X</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels, accepts wire size 26-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 20. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$74.00
<u>KN-D10DR1</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and diode, accepts wire size 26-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 20. For use with jumpers KN-2J10, KN-3J10, KN-4J10 and KN-10J10.	Stock	\$72.00
<u>KN-D10LED-24DC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-10 AWG, gray, 30A, 24 VDC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$96.00
<u>KN-D10LED-24AC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-10 AWG, gray, 30A, 24 VAC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$96.00
<u>KN-D10LED-110DC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-10 AWG, gray, 30A, 110 VDC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$96.00
<u>KN-D10LED-110AC</u>	Konnect-It screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 26-10 AWG, gray, 30A, 110 VAC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$96.00
<u>DN-D10-A</u>	DINnector screw double-level feedthrough terminal block, accepts wire size 24-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$145.00
<u>DN-D10B-A</u>	DINnector screw double-level feedthrough terminal block, accepts wire size 24-10 AWG, blue, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$151.00
<u>DN-D10BLK-A</u>	DINnector screw double-level feedthrough terminal block, accepts wire size 24-10 AWG, black, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$151.00

<u>DN-D10GRN-A</u>	DINnector screw double-level feedthrough terminal block, accepts wire size 24-10 AWG, green, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$151.00
<u>DN-D10ORG-A</u>	DINnector screw double-level feedthrough terminal block, accepts wire size 24-10 AWG, orange, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$151.00
<u>DN-D10RED-A</u>	DINnector screw double-level feedthrough terminal block, accepts wire size 24-10 AWG, red, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$151.00
<u>DN-D10YEL-A</u>	DINnector screw double-level feedthrough terminal block, accepts wire size 24-10 AWG, yellow, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$151.00
<u>DN-D10X-A</u>	DINnector screw double-level feedthrough terminal block, connected between levels, accepts wire size 24-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$219.00
<u>DN-D10LED1-A</u>	DINnector screw double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 24-10 AWG, gray, 30A, 12-24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 10.	Stock	\$59.50
<u>DN-D10DR-A</u>	DINnector screw double-level feedthrough terminal block, connected between levels and diode, accepts wire size 24-10 AWG, gray, 30A, 35mm DIN rail mount, 100kA SCCR. Package of 50. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$222.00
<u>DN-QD12-A</u>	DINnector screwless double-level feedthrough terminal block, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$67.00
<u>DN-QD12B-A</u>	DINnector screwless double-level feedthrough terminal block, accepts wire size 24-12 AWG, blue, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$70.00
<u>DN-QD12DR-A</u>	DINnector screwless double-level feedthrough terminal block, connected between levels and diode, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$45.00
<u>DN-QD12L2-A</u>	DINnector screwless double-level feedthrough terminal block, connected between levels and power indicator, accepts wire size 24-12 AWG, gray, 20A, 12-24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$46.00
<u>DN-QD12X-A</u>	DINnector screwless double-level feedthrough terminal block, connected between levels, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$45.00
<u>DN-QD12XB-A</u>	DINnector screwless double-level feedthrough terminal block, connected between levels, accepts wire size 24-12 AWG, blue, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$47.00

Triple-level Feedthrough Terminal Blocks

<u>KN-TL14</u>	Konnect-It screw triple-level feedthrough terminal block, accepts wire size 24-12 AWG, gray, 24A, 35mm DIN rail mount, 100kA SCCR. Package of 20. For use with jumpers KN-2JTL12, KN-3JTL12, KN-4JTL12 and KN-10JTL12.	Stock	\$40.50
<u>DN-TL14-A</u>	DINnector screw triple-level feedthrough terminal block, accepts wire size 26-14 AWG, gray, 10A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-12JL14B-A, DN-12JL14-A, DN-2JL14B-A, DN-2JL14-A, DN-3JL14B-A, and DN-3JL14-A.	Stock	\$76.00
<u>DN-TL14S-A</u>	DINnector screw triple-level sensor terminal block, accepts wire size 26-14 AWG, gray, 10A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-12JL14B-A, DN-12JL14-A, DN-2JL14B-A, DN-2JL14-A, DN-3JL14B-A, and DN-3JL14-A.	Stock	\$67.00
<u>DN-TL14SLN-A</u>	DINnector screw triple-level sensor terminal block, power indicator, accepts wire size 26-14 AWG, gray, 10A, NPN LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25.	Stock	\$132.00
<u>DN-TL14SLP-A</u>	DINnector screw triple-level sensor terminal block, power indicator, accepts wire size 26-14 AWG, gray, 10A, PNP LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25.	Stock	\$132.00
<u>KN-TL14S</u>	Konnect-It screw triple-level sensor terminal block, accepts wire size 24-12 AWG, gray, 24A, 35mm DIN rail mount, 100kA SCCR. Package of 20. For use with jumpers KN-2JTL12, KN-3JTL12, KN-4JTL12 and KN-10JTL12.	Stock	\$36.50
<u>KN-TL14SLN</u>	Konnect-It screw triple-level sensor terminal block, connected between levels and power indicator, accepts wire size 24-12 AWG, gray, 24A, NPN LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$67.00
<u>KN-TL14SLP</u>	Konnect-It screw triple-level sensor terminal block, connected between levels and power indicator, accepts wire size 24-12 AWG, gray, 24A, PNP LED indicator(s), 35mm DIN rail mount, 100kA SCCR. Package of 20.	Stock	\$67.00
<u>KN-TG12</u>	Konnect-It screw triple-level feedthrough terminal block, with ground, accepts wire size 24-12 AWG, gray, 24A, 35mm DIN rail mount, 100kA SCCR. Package of 20. For use with jumpers KN-2JTL12, KN-3JTL12, KN-4JTL12 and KN-10JTL12.	Stock	\$108.00

Mini Terminal Blocks

<u>KN-M12GRY</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-12 AWG, gray, 20A, 15mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2JM12, KN-3JM12, KN-4JM12 and KN-10JM12.	Stock	\$65.00
<u>KN-M12GRY-25</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-12 AWG, gray, 20A, 15mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2JM12, KN-3JM12, KN-4JM12 and KN-10JM12.	Stock	\$16.00

<u>KN-M12BLU</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-12 AWG, blue, 20A, 15mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2JM12, KN-3JM12, KN-4JM12 and KN-10JM12.	Stock	\$65.00
<u>KN-M12BLU-25</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-12 AWG, blue, 20A, 15mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2JM12, KN-3JM12, KN-4JM12 and KN-10JM12.	Stock	\$16.00
<u>KN-M10GRY</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-10 AWG, gray, 30A, 15mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2JM10, KN-3JM10, KN-4JM10 and KN-10JM10.	Stock	\$80.00
<u>KN-M10GRY-25</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-10 AWG, gray, 30A, 15mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2JM10, KN-3JM10, KN-4JM10 and KN-10JM10.	Stock	\$18.50
<u>KN-M10BLU</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-10 AWG, blue, 30A, 15mm DIN rail mount, 100kA SCCR. Package of 100. For use with jumpers KN-2JM10, KN-3JM10, KN-4JM10 and KN-10JM10.	Stock	\$80.00
<u>KN-M10BLU-25</u>	Konnect-It screw mini single-level feedthrough terminal block, accepts wire size 26-10 AWG, blue, 30A, 15mm DIN rail mount, 100kA SCCR. Package of 25. For use with jumpers KN-2JM10, KN-3JM10, KN-4JM10 and KN-10JM10.	Stock	\$18.50
<u>DN-M10-A</u>	DINnector screw mini single-level feedthrough terminal block, accepts wire size 24-10 AWG, gray, 30A, 15mm DIN rail mount, 10kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$108.00
<u>DN-M10B-A</u>	DINnector screw mini single-level feedthrough terminal block, accepts wire size 24-10 AWG, blue, 30A, 15mm DIN rail mount, 10kA SCCR. Package of 100. For use with jumpers DN-24J4Y, DN-2J4Y and DN-3J4Y.	Stock	\$145.00
Common Point Terminal Blocks			
<u>DN-Q12-1-2-A</u>	DINnector screwless common point single-level feedthrough terminal block, one-connection to two-connection, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$43.50
<u>DN-Q12B-1-2-A</u>	DINnector screwless common point single-level feedthrough terminal block, one-connection to two-connection, accepts wire size 24-12 AWG, blue, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$46.00
<u>DN-Q12-1-2DR-A</u>	DINnector screwless common point single-level feedthrough terminal block, diode, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$38.50
<u>DN-Q12-1-2L1-A</u>	DINnector screwless common point single-level feedthrough terminal block, one-connection to two-connection and power indicator, accepts wire size 24-12 AWG, gray, 20A, 12-24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$43.00
<u>DN-Q12-1-2L2-A</u>	DINnector screwless common point single-level feedthrough terminal block, power indicator, accepts wire size 24-12 AWG, gray, 20A, 12-24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$43.00
<u>DN-Q12-2-2-A</u>	DINnector screwless common point single-level feedthrough terminal block, two-connection to two-connection, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$46.00
<u>DN-Q12B-2-2-A</u>	DINnector screwless common point single-level feedthrough terminal block, two-connection to two-connection, accepts wire size 24-12 AWG, blue, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$48.00
<u>DN-Q12-2-2D2-A</u>	DINnector screwless common point single-level feedthrough terminal block, diode, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$39.50
<u>DN-Q12-2-2L2-A</u>	DINnector screwless common point single-level feedthrough terminal block, two-connection to two-connection and power indicator, accepts wire size 24-12 AWG, gray, 20A, 12-24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$47.00
Grounding Terminal Blocks			
<u>KN-G12SP</u>	Konnect-It screw grounding terminal block, accepts wire size 26-12 AWG, green and yellow, 35mm DIN rail mount, 100kA SCCR. Package of 50. Use to mechanically and electrically connect wires to 35mm DIN rail through the snap-on clamping foot.	Stock	\$123.00
<u>KN-G12SP-10</u>	Konnect-It screw grounding terminal block, accepts wire size 26-12 AWG, green and yellow, 35mm DIN rail mount, 100kA SCCR. Package of 10. Use to mechanically and electrically connect wires to 35mm DIN rail through the snap-on clamping foot.	Stock	\$27.00
<u>KN-G12SP4</u>	Konnect-It screw grounding terminal block, accepts wire size 26-12 AWG, green and yellow, 35mm DIN rail mount, 100kA SCCR. Package of 25. Use to mechanically and electrically connect wires to 35mm DIN rail through the snap-on clamping foot.	Stock	\$97.00
<u>KN-G12SP4-10</u>	Konnect-It screw grounding terminal block, accepts wire size 26-12 AWG, green and yellow, 35mm DIN rail mount, 100kA SCCR. Package of 10. Use to mechanically and electrically connect wires to 35mm DIN rail through the snap-on clamping foot.	Stock	\$41.00
<u>KN-G10SP</u>	Konnect-It screw grounding terminal block, accepts wire size 26-10 AWG, green and yellow, 35mm DIN rail mount, 100kA SCCR. Package of 50. Use to mechanically and electrically connect wires to 35mm DIN rail through the snap-on clamping foot.	Stock	\$138.00
<u>KN-G10SP-10</u>	Konnect-It screw grounding terminal block, accepts wire size 26-10 AWG, green and yellow, 35mm DIN rail mount, 100kA SCCR. Package of 10. Use to mechanically and electrically connect wires to 35mm DIN rail through the snap-on clamping foot.	Stock	\$31.00

[illegible]

<u>DN-G1/0</u>	DINnector screw grounding terminal block, accepts wire size 14-1/0 AWG, green and yellow, 35mm DIN rail mount, 10kA SCCR. Package of 25. Use to mechanically and electrically connect wires to 35mm DIN rail through the clamping foot.	Stock	\$273.00
<u>DN-G1/OMN</u>	DINnector screw grounding terminal block, accepts wire size 14-1/0 AWG, green and yellow, 35mm DIN rail mount, 10kA SCCR. Package of 5. Use to mechanically and electrically connect wires to 35mm DIN rail through the clamping foot.	Stock	\$45.00
<u>DN-MG10</u>	DINnector screw mini grounding terminal block, accepts wire size 24-10 AWG, green and yellow, 15mm DIN rail mount, 10kA SCCR. Package of 20. Use to mechanically and electrically connect wires to 15mm DIN rail through the screw-down clamping foot.	Stock	\$89.00
<u>DN-QG12</u>	DINnector screwless grounding terminal block, accepts wire size 24-12 AWG, green and yellow, 35mm DIN rail mount, 10kA SCCR. Package of 10. Use to mechanically and electrically connect wires to 35mm DIN rail through the clamping foot.	Stock	\$35.00
<u>DN-QG10</u>	DINnector screwless grounding terminal block, accepts wire size 24-10 AWG, green and yellow, 35mm DIN rail mount, 10kA SCCR. Package of 10. Use to mechanically and electrically connect wires to 35mm DIN rail through the clamping foot.	Stock	\$37.00
<u>DN-QG8</u>	DINnector screwless grounding terminal block, accepts wire size 22-8 AWG, green and yellow, 35mm DIN rail mount, 10kA SCCR. Package of 10. Use to mechanically and electrically connect wires to 35mm DIN rail through the clamping foot.	Stock	\$45.00
<u>DN-QG12-1-2</u>	DINnector screwless grounding terminal block, one-connection to two-connection, accepts wire size 24-12 AWG, green and yellow, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$61.50
<u>DN-QG12-2-2</u>	DINnector screwless grounding terminal block, two-connection to two-connection, accepts wire size 24-12 AWG, green and yellow, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$70.00
Circuit Protection Terminal Blocks			
<u>KN-F10</u>	Konnect-It screw circuit protection terminal block, accepts wire size 26-8 AWG, gray, 6.3A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$146.00
<u>KN-F10-10</u>	Konnect-It screw circuit protection terminal block, accepts wire size 26-8 AWG, gray, 6.3A, 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$33.00
<u>KN-F10L110AC</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 110 VAC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$89.00
<u>KN-F10L110AC-10</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 110 VAC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$39.00
<u>KN-F10L220AC</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 220 VAC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$89.00
<u>KN-F10L220AC-10</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 220 VAC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$39.00
<u>KN-F10L24AC</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 24 VAC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$89.00
<u>KN-F10L24AC-10</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 24 VAC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$39.00
<u>KN-F10L110DC</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 110 VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$89.00
<u>KN-F10L110DC-10</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 110 VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$39.00
<u>KN-F10L220DC</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 220 VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$89.00
<u>KN-F10L220DC-10</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 220 VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$39.00
<u>KN-F10L24DC</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 24 VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$89.00
<u>KN-F10L24DC-10</u>	Konnect-It screw circuit protection terminal block, blown fuse indicator, accepts wire size 26-8 AWG, gray, 6.3A, 24 VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$39.00
<u>DN-FE2</u>	DINnector screw circuit protection terminal block, accepts wire size 24-12 AWG, gray. Package of 50. 20A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$123.00
<u>DN-FE2-5</u>	DINnector screw circuit protection terminal block, accepts wire size 24-12 AWG, gray. Package of 5. 20A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$14.00

<u>DN-FE2L12</u>	DINnector screw circuit protection terminal block, accepts wire size 24-12 AWG, gray, 12 VAC/VDC LED indicator(s). Package of 50. 20A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$165.00
<u>DN-FE2L12-5</u>	DINnector screw circuit protection terminal block, accepts wire size 24-12 AWG, gray, 12 VAC/VDC LED indicator(s). Package of 5. 20A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$16.50
<u>DN-FE2L24</u>	DINnector screw circuit protection terminal block, accepts wire size 24-12 AWG, gray, 24 VAC/VDC LED indicator(s). Package of 50. 20A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$165.00
<u>DN-FE2L24-5</u>	DINnector screw circuit protection terminal block, accepts wire size 24-12 AWG, gray, 24 VAC/VDC LED indicator(s). Package of 5. 20A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$16.50
<u>DN-FE4</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray. Package of 50. 25A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$123.00
<u>DN-FE4-5</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray. Package of 5. 25A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$14.00
<u>DN-FE4L12</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray, 12 VAC/VDC LED indicator(s). Package of 50. 25A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$165.00
<u>DN-FE4L12-5</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray, 12 VAC/VDC LED indicator(s). Package of 5. 25A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$16.50
<u>DN-FE4L24</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray, 24 VAC/VDC LED indicator(s). Package of 50. 25A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$165.00
<u>DN-FE4L24-5</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray, 24 VAC/VDC LED indicator(s). Package of 5. 25A when used as a disconnect; 10A when used with a DN-SUPP-nn.	Stock	\$16.50
<u>DN-F6</u>	DINnector screw circuit protection terminal block, accepts wire size 20-6 AWG, gray, 30A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with ABC, AGC, MDA and MDL series fuses.	Stock	\$172.00
<u>DN-F6MN</u>	DINnector screw circuit protection terminal block, accepts wire size 20-6 AWG, gray, 30A, 35mm DIN rail mount, 10kA SCCR. Package of 7. For use with ABC, AGC, MDA and MDL series fuses.	Stock	\$37.50
<u>DN-F6L110</u>	DINnector screw circuit protection terminal block, blown fuse indicator, accepts wire size 20-6 AWG, gray, 30A, 110 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with ABC, AGC, MDA and MDL series fuses.	Stock	\$98.00
<u>DN-F6L220</u>	DINnector screw circuit protection terminal block, blown fuse indicator, accepts wire size 20-6 AWG, gray, 30A, 220 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with ABC, AGC, MDA and MDL series fuses.	Stock	\$98.00
<u>DN-F6L24</u>	DINnector screw circuit protection terminal block, blown fuse indicator, accepts wire size 20-6 AWG, gray, 30A, 24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with ABC, AGC, MDA and MDL series fuses.	Stock	\$98.00
<u>DN-F10</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray, 6.3A, 35mm DIN rail mount, 10kA SCCR. Package of 50. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$276.00
<u>DN-F10MN</u>	DINnector screw circuit protection terminal block, accepts wire size 24-10 AWG, gray, 6.3A, 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$43.50
<u>DN-F10L110</u>	DINnector screw circuit protection terminal block, blown fuse indicator, accepts wire size 24-10 AWG, gray, 6.3A, 110 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$96.00
<u>DN-F10L220</u>	DINnector screw circuit protection terminal block, blown fuse indicator, accepts wire size 24-10 AWG, gray, 6.3A, 220 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$96.00
<u>DN-F10L24</u>	DINnector screw circuit protection terminal block, blown fuse indicator, accepts wire size 24-10 AWG, gray, 6.3A, 24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10. For use with GMA, GMC, S500 and S506 series fuses.	Stock	\$96.00
Disconnect Terminal Blocks			
<u>KN-F10-DCH</u>	Konnect-It screw disconnect terminal block, accepts wire size 26-8 AWG, gray, 6.3A, 35mm DIN rail mount, 10kA SCCR. Package of 25.	Stock	\$66.00
<u>KN-F10-DCH-10</u>	Konnect-It screw disconnect terminal block, accepts wire size 26-8 AWG, gray, 6.3A, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$35.00
<u>KN-KBD10</u>	Konnect-It screw disconnect terminal block, accepts wire size 26-10 AWG, gray, 16A, 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$109.00
<u>KN-KBD10-10</u>	Konnect-It screw disconnect terminal block, accepts wire size 26-10 AWG, gray, 16A, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$27.00
<u>DN-DIS2</u>	DINnector screw disconnect terminal block, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$141.00
<u>DN-DIS2MN</u>	DINnector screw disconnect terminal block, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$34.50
<u>DN-DIS2L12</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-12 AWG, gray, 20A, 12 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$179.00
<u>DN-DIS2L12MN</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-12 AWG, gray, 20A, 12 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$40.50
<u>DN-DIS2L24</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-12 AWG, gray, 20A, 24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$179.00

<u>DN-DIS2L24MN</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-12 AWG, gray, 20A, 24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$40.50
<u>DN-DIS4</u>	DINnector screw disconnect terminal block, accepts wire size 24-10 AWG, gray, 25A, 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$141.00
<u>DN-DIS4MN</u>	DINnector screw disconnect terminal block, accepts wire size 24-10 AWG, gray, 25A, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$34.50
<u>DN-DIS4L12</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-10 AWG, gray, 25A, 12 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$179.00
<u>DN-DIS4L12MN</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-10 AWG, gray, 25A, 12 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$40.50
<u>DN-DIS4L24</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-10 AWG, gray, 25A, 24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$179.00
<u>DN-DIS4L24MN</u>	DINnector screw disconnect terminal block, power indicator, accepts wire size 24-10 AWG, gray, 25A, 24 VAC/VDC LED indicator(s), 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$40.50
<u>DN-DIS10</u>	DINnector screw disconnect terminal block, accepts wire size 24-10 AWG, gray, 30A, 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$301.00
<u>DN-DIS10MN</u>	DINnector screw disconnect terminal block, accepts wire size 24-10 AWG, gray, 30A, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$48.00
<u>DN-KBD12</u>	DINnector screw disconnect terminal block, accepts wire size 22-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$166.00
<u>DN-KBD12MN</u>	DINnector screw disconnect terminal block, accepts wire size 22-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$28.50
<u>DN-QKBD12-A</u>	DINnector screwless disconnect terminal block, accepts wire size 24-12 AWG, gray, 20A, 35mm DIN rail mount, 10kA SCCR. Package of 25. For use with jumpers DN-24J2Y, DN-2J2Y or DN-3J2Y.	Stock	\$79.00

Plug-In Terminal Blocks

<u>DN-EMXM1</u>	DINnector screw plug-in single-level feedthrough terminal block, accepts wire size 24-12 AWG, gray, 12A, 35mm DIN rail mount, 10kA SCCR. Package of 32.	Stock	\$58.50
<u>DN-EMXDV</u>	DINnector screw plug-in double-level feedthrough terminal block, accepts wire size 24-12 AWG, gray, 12A, 35mm DIN rail mount, 10kA SCCR. Package of 32.	Stock	\$86.00
<u>DN-QEMXM1</u>	DINnector screwless plug-in single-level feedthrough terminal block, accepts wire size 24-12 AWG, gray, 12A, 35mm DIN rail mount, 10kA SCCR. Package of 32.	Stock	\$69.50
<u>DN-QEMXDV</u>	DINnector screwless plug-in double-level feedthrough terminal block, accepts wire size 24-12 AWG, gray, 12A, 35mm DIN rail mount, 10kA SCCR. Package of 32.	Stock	\$89.00

Thermocouple Terminal Blocks

<u>DN-THERM1</u>	DINnector screw thermocouple terminal block, accepts wire size 30-20 AWG, gray, 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$224.00
<u>DN-THERM1MN</u>	DINnector screw thermocouple terminal block, accepts wire size 30-20 AWG, gray, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$54.00
<u>DN-THERM2</u>	DINnector screw thermocouple terminal block, accepts wire size 20-16 AWG, gray, 35mm DIN rail mount, 10kA SCCR. Package of 50.	Stock	\$224.00
<u>DN-THERM2MN</u>	DINnector screw thermocouple terminal block, accepts wire size 20-16 AWG, gray, 35mm DIN rail mount, 10kA SCCR. Package of 10.	Stock	\$50.00

Mini Supplementary Protectors for Terminal Blocks

<u>DN-SUPP-P25</u>	DINnector mini supplementary protector, with reset, 0.25A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-P25-1</u>	DINnector mini supplementary protector, with reset, 0.25A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50
<u>DN-SUPP-P5</u>	DINnector mini supplementary protector, with reset, 0.5A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-P5-1</u>	DINnector mini supplementary protector, with reset, 0.5A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50
<u>DN-SUPP-1</u>	DINnector mini supplementary protector, with reset, 1A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-1-1</u>	DINnector mini supplementary protector, with reset, 1A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50
<u>DN-SUPP-2</u>	DINnector mini supplementary protector, with reset, 2A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-2-1</u>	DINnector mini supplementary protector, with reset, 2A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50
<u>DN-SUPP-3</u>	DINnector mini supplementary protector, with reset, 3A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-3-1</u>	DINnector mini supplementary protector, with reset, 3A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50

<u>DN-SUPP-4</u>	DINnector mini supplementary protector, with reset, 4A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-4-1</u>	DINnector mini supplementary protector, with reset, 4A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50
<u>DN-SUPP-6</u>	DINnector mini supplementary protector, with reset, 6A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-6-1</u>	DINnector mini supplementary protector, with reset, 6A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50
<u>DN-SUPP-8</u>	DINnector mini supplementary protector, with reset, 8A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-8-1</u>	DINnector mini supplementary protector, with reset, 8A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50
<u>DN-SUPP-10</u>	DINnector mini supplementary protector, with reset, 10A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. Package of 20. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$365.00
<u>DN-SUPP-10-1</u>	DINnector mini supplementary protector, with reset, 10A, 250 VAC/75 VDC, blade connection, 1-pole, UL 1077 recognized. For use with DN-FE2 and DN-FE4 series socket.	Stock	\$19.50

Terminal Plugs for Terminal Blocks

<u>DN-2PLUG</u>	DINnector terminal plug, 2-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 200.	Stock	\$127.00
<u>DN-2PLUGMN</u>	DINnector terminal plug, 2-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 10.	Stock	\$8.00
<u>DN-3PLUG</u>	DINnector terminal plug, 3-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 200.	Stock	\$195.00
<u>DN-3PLUGMN</u>	DINnector terminal plug, 3-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 10.	Stock	\$12.50
<u>DN-4PLUG</u>	DINnector terminal plug, 4-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 100.	Stock	\$130.00
<u>DN-4PLUGMN</u>	DINnector terminal plug, 4-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 10.	Stock	\$16.00
<u>DN-5PLUG</u>	DINnector terminal plug, 5-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 100.	Stock	\$150.00
<u>DN-5PLUGMN</u>	DINnector terminal plug, 5-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 10.	Stock	\$20.00
<u>DN-6PLUG</u>	DINnector terminal plug, 6-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 100.	Stock	\$194.00
<u>DN-6PLUGMN</u>	DINnector terminal plug, 6-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 10.	Stock	\$20.00
<u>DN-7PLUG</u>	DINnector terminal plug, 7-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 50.	Stock	\$101.00
<u>DN-7PLUGMN</u>	DINnector terminal plug, 7-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 5.	Stock	\$16.00
<u>DN-8PLUG</u>	DINnector terminal plug, 8-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 50.	Stock	\$129.00
<u>DN-8PLUGMN</u>	DINnector terminal plug, 8-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 5.	Stock	\$16.00
<u>DN-9PLUG</u>	DINnector terminal plug, 9-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 50.	Stock	\$141.00
<u>DN-9PLUGMN</u>	DINnector terminal plug, 9-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 5.	Stock	\$16.50

<u>DN-10PLUG</u>	DINnector terminal plug, 10-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 50.	Stock	\$150.00
<u>DN-10PLUGMN</u>	DINnector terminal plug, 10-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 5.	Stock	\$18.50
<u>DN-11PLUG</u>	DINnector terminal plug, 11-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 50.	Stock	\$177.00
<u>DN-11PLUGMN</u>	DINnector terminal plug, 11-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 5.	Stock	\$21.50
<u>DN-12PLUG</u>	DINnector terminal plug, 12-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 50.	Stock	\$194.00
<u>DN-12PLUGMN</u>	DINnector terminal plug, 12-pole, accepts wire size 22-14 AWG, green, 12A, 300V rated (UL), top wire entry with terminal screw 90 degrees from entry. For use with DN-EMXM1 or DN-EMXDV series terminal block. Package of 5.	Stock	\$22.00

End Brackets for Terminal Blocks

<u>KN-EB3</u>	Konnect-It screw-down end bracket, 8mm wide. Package of 100. For use with 35mm DIN rail.	Stock	\$53.00
<u>KN-EB3-10</u>	Konnect-It screw-down end bracket, 8mm wide. Package of 10. For use with 35mm DIN rail.	Stock	\$7.00
<u>KN-EB4</u>	Konnect-It snap-on end bracket, 8mm wide. Package of 100. For use with 35mm DIN rail.	Stock	\$55.00
<u>KN-EB4-10</u>	Konnect-It snap-on end bracket, 8mm wide. Package of 10. For use with 35mm DIN rail.	Stock	\$5.00
<u>KN-EB5</u>	Konnect-It snap-on end bracket, 8mm wide. Package of 100. For use with 15mm DIN rail.	Stock	\$80.00
<u>KN-EB5-10</u>	Konnect-It snap-on end bracket, 8mm wide. Package of 10. For use with 15mm DIN rail.	Stock	\$9.00
<u>KN-EB7</u>	Konnect-It screw-down end bracket, 10mm wide. Package of 50. For use with 35mm DIN rail.	Stock	\$55.00
<u>KN-EB7-10</u>	Konnect-It screw-down end bracket, 10mm wide. Package of 10. For use with 35mm DIN rail.	Stock	\$11.00
<u>DN-EB15</u>	DINnector snap-on end bracket, 7mm wide. Package of 100. For use with 15mm DIN rail.	Stock	\$119.00
<u>DN-EB15MN</u>	DINnector snap-on end bracket, 7mm wide. Package of 20. For use with 15mm DIN rail.	Stock	\$28.00
<u>DN-EB35</u>	DINnector screw-down end bracket, 9mm wide. Package of 50. For use with 35mm DIN rail.	Stock	\$74.00
<u>DN-EB35MN</u>	DINnector screw-down end bracket, 9mm wide. Package of 20. For use with 35mm DIN rail.	Stock	\$34.50
<u>DN-EB35-A</u>	DINnector screw-down end bracket, 6mm wide. Package of 50. For use with 35mm DIN rail.	Stock	\$52.50
<u>DN-EB35-A-10</u>	DINnector screw-down end bracket, 6mm wide. Package of 10. For use with 35mm DIN rail.	Stock	\$13.00
<u>DN-QEB35</u>	DINnector snap-on end bracket, 6mm wide. Package of 50. For use with 35mm DIN rail.	Stock	\$47.00
<u>DN-QEB35-10</u>	DINnector snap-on end bracket, 6mm wide. Package of 10. For use with 35mm DIN rail.	Stock	\$12.50

End Covers for Terminal Blocks

<u>KN-ECT6GRY</u>	Konnect-It terminal block end cover, gray. Package of 100. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$29.00
<u>KN-ECT6GRY-25</u>	Konnect-It terminal block end cover, gray. Package of 25. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$6.50
<u>KN-ECT6BLU</u>	Konnect-It terminal block end cover, blue. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50
<u>KN-ECT6BLK</u>	Konnect-It terminal block end cover, black. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50
<u>KN-ECT6BRN</u>	Konnect-It terminal block end cover, brown. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50
<u>KN-ECT6GRN</u>	Konnect-It terminal block end cover, green. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50
<u>KN-ECT6ORG</u>	Konnect-It terminal block end cover, orange. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50
<u>KN-ECT6RED</u>	Konnect-It terminal block end cover, red. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50
<u>KN-ECT6WHT</u>	Konnect-It terminal block end cover, white. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50
<u>KN-ECT6YEL</u>	Konnect-It terminal block end cover, yellow. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$3.50

<u>KN-ECT4GRY</u>	Konnect-It terminal block end cover, gray. Package of 25. For use with KN-T4 series terminal blocks.	Stock	\$14.00
<u>KN-ECT4BLU</u>	Konnect-It terminal block end cover, blue. Package of 10. For use with KN-T4 series terminal blocks.	Stock	\$6.00
<u>KN-ECDGRY</u>	Konnect-It terminal block end cover, gray. Package of 25. For use with KN-D10 or KN-D12 series terminal blocks.	Stock	\$15.00
<u>KN-ECDBLU</u>	Konnect-It terminal block end cover, blue. Package of 10. For use with KN-D10 or KN-D12 series terminal blocks.	Stock	\$7.00
<u>KN-ECDBLK</u>	Konnect-It terminal block end cover, black. Package of 10. For use with KN-D10 or KN-D12 series terminal blocks.	Stock	\$7.00
<u>KN-ECDGRN</u>	Konnect-It terminal block end cover, green. Package of 10. For use with KN-D10 or KN-D12 series terminal blocks.	Stock	\$7.00
<u>KN-ECDORG</u>	Konnect-It terminal block end cover, orange. Package of 10. For use with KN-D10 or KN-D12 series terminal blocks.	Stock	\$7.00
<u>KN-ECDRED</u>	Konnect-It terminal block end cover, red. Package of 10. For use with KN-D10 or KN-D12 series terminal blocks.	Stock	\$7.00
<u>KN-ECDYEL</u>	Konnect-It terminal block end cover, yellow. Package of 10. For use with KN-D10 or KN-D12 series terminal blocks.	Stock	\$7.00
<u>KN-ECTL</u>	Konnect-It terminal block end cover, gray. Package of 10. For use with KN-TL14 series terminal blocks.	Stock	\$4.00
<u>KN-ECTLS</u>	Konnect-It terminal block end cover, gray. Package of 10. For use with KN-TL14S series terminal blocks.	Stock	\$5.00
<u>KN-ECDG12</u>	Konnect-It terminal block end cover, gray. Package of 10. For use with KN-DG12 series terminal blocks.	Stock	\$5.00
<u>KN-ECTG12</u>	Konnect-It terminal block end cover, gray. Package of 10. For use with KN-TG12 series terminal blocks.	Stock	\$5.00
<u>KN-ECMGRY</u>	Konnect-It terminal block end cover, gray. Package of 100. For use with KN-M12 and KN-M10 series terminal blocks.	Stock	\$61.00
<u>KN-ECMGRY-10</u>	Konnect-It terminal block end cover, gray. Package of 10. For use with KN-M12 or KN-M10 series terminal blocks.	Stock	\$6.50
<u>KN-ECMBLU</u>	Konnect-It terminal block end cover, blue. Package of 10. For use with KN-M12 or KN-M10 series terminal blocks.	Stock	\$6.50
<u>KN-ECMGRN</u>	Konnect-It terminal block end cover, green and yellow. Package of 10. For use with KN-MG12 or KN-MG10 series terminal blocks.	Stock	\$6.50
<u>KN-ECG12SP4</u>	Konnect-It terminal block end cover, green and yellow. Package of 10. For use with KN-G12SP4 series terminal blocks.	Stock	\$5.00
<u>KN-ECT12SP4</u>	Konnect-It terminal block end cover, gray. Package of 25. For use with KN-T12SP4 series terminal blocks.	Stock	\$13.00
<u>KN-ECF10</u>	Konnect-It terminal block end cover, gray. Package of 25. For use with KN-F10 series terminal blocks.	Stock	\$16.00
<u>KN-ECKBD</u>	Konnect-It terminal block end cover, gray. Package of 10. For use with KN-KDB10 series terminal blocks.	Stock	\$6.50
<u>DN-DEC10</u>	DINnector terminal block end cover, gray. Package of 50. For use with DN-D10-A series terminal blocks.	Stock	\$34.50
<u>DN-DEC10MN</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-D10-A series terminal blocks.	Stock	\$6.50
<u>DN-EC1/0</u>	DINnector terminal block end cover, gray. Package of 50. For use with DN-T1/0 series terminal blocks.	Stock	\$37.00
<u>DN-EC1/0MN</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-T1/0 series terminal blocks.	Stock	\$9.00
<u>DN-EC1210</u>	DINnector terminal block end cover, gray. Package of 100. For use with DN-T12 or DN-T10 series terminal blocks.	Stock	\$47.50
<u>DN-EC1210MN</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-T12 or DN-T10 series terminal blocks.	Stock	\$16.00
<u>DN-EC4</u>	DINnector terminal block end cover, gray. Package of 50. For use with DN-T4 series terminal blocks.	Stock	\$32.50
<u>DN-EC4MN</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-T4 series terminal blocks.	Stock	\$6.50
<u>DN-EC86</u>	DINnector terminal block end cover, gray. Package of 100. For use with DN-T8 or DN-T6 series terminal blocks.	Stock	\$51.50
<u>DN-EC86MN</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-T8 or DN-T6 series terminal blocks.	Stock	\$16.00
<u>DN-ECKBD</u>	DINnector terminal block end cover, gray. Package of 100. For use with DN-KBD12 series terminal blocks.	Stock	\$47.50
<u>DN-ECKBDMN</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-KBD12 series terminal blocks.	Stock	\$6.50
<u>DN-ECM10</u>	DINnector terminal block end cover, gray. Package of 100. For use with DN-M10-A series terminal blocks.	Stock	\$47.50
<u>DN-ECM10MN</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-M10-A series terminal blocks.	Stock	\$16.00
<u>DN-EC14</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-TL14 series terminal blocks.	Stock	\$20.00
<u>DN-EC14S</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-TL14S series terminal blocks.	Stock	\$16.50

<u>DN-FESPA</u>	DINnector terminal block spacer, gray. Package of 50. For use with DN-FE or DN-DIS series terminal block.	Stock	\$29.00
<u>DN-FESPA-10</u>	DINnector terminal block spacer, gray. Package of 10. For use with DN-FE or DN-DIS series terminal block.	Stock	\$6.00
<u>DN-EMXM1EC1</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-EMXM1 series terminal block leftside.	Stock	\$16.50
<u>DN-EMXM1EC2</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-EMXM1 series terminal block rightside.	Stock	\$16.50
<u>DN-EMXDVEC1</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-EMXDV series terminal block leftside.	Stock	\$16.50
<u>DN-EMXDVEC2</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-EMXDV series terminal block rightside.	Stock	\$16.50
<u>DN-QEC12</u>	DINnector terminal block end cover, gray. Package of 50. For use with DN-Q12-A or DN-QG12 series terminal blocks.	Stock	\$23.50
<u>DN-QEC12MN</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-Q12-A or DN-QG12 series terminal blocks.	Stock	\$6.00
<u>DN-QEC10</u>	DINnector terminal block end cover, gray. Package of 50. For use with DN-Q10-A or DN-QG10 series terminal blocks.	Stock	\$23.50
<u>DN-QEC10MN</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-Q10-A or DN-QG10 series terminal blocks.	Stock	\$6.00
<u>DN-QEC8</u>	DINnector terminal block end cover, gray. Package of 50. For use with DN-Q8-A or DN-QG8 series terminal blocks.	Stock	\$28.00
<u>DN-QEC8MN</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-Q8-A or DN-QG8 series terminal blocks.	Stock	\$6.50
<u>DN-QDEC12</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-QD12 series terminal blocks.	Stock	\$18.00
<u>DN-QEC12-1-2</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-Q12-1-2-A series terminal blocks.	Stock	\$16.50
<u>DN-QEC12-2-2</u>	DINnector terminal block end cover, gray. Package of 25. For use with DN-Q12-2-2-A series terminal blocks.	Stock	\$18.00

Separators for Terminal Blocks

<u>KN-ST1GRY</u>	Konnect-It terminal block separator, gray. Package of 25. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$12.50
<u>KN-ST1BLU</u>	Konnect-It terminal block separator, blue. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST1BLK</u>	Konnect-It terminal block separator, black. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST1BRN</u>	Konnect-It terminal block separator, brown. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST1GRN</u>	Konnect-It terminal block separator, green. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST1ORG</u>	Konnect-It terminal block separator, orange. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST1RED</u>	Konnect-It terminal block separator, red. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST1WHT</u>	Konnect-It terminal block separator, white. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST1YEL</u>	Konnect-It terminal block separator, yellow. Package of 10. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$4.75
<u>KN-ST2GRY</u>	Konnect-It terminal block separator, gray. Package of 25. For use with KN-T4 series block.	Stock	\$16.00
<u>KN-ST2BLU</u>	Konnect-It terminal block separator, blue. Package of 10. For use with KN-T4 series block.	Stock	\$16.00
<u>KN-ST3GRY</u>	Konnect-It terminal block separator, gray. Package of 10. For use with KN-T2 series block.	Stock	\$8.00
<u>KN-ST3BLU</u>	Konnect-It terminal block separator, blue. Package of 10. For use with KN-T2 series block.	Stock	\$8.00
<u>DN-S1210</u>	DINnector terminal block spacer, gray. Package of 100. For use with DN-T12-A or DN-T10-A series terminal block.	Stock	\$56.00
<u>DN-S1210MN</u>	DINnector terminal block spacer, gray. Package of 25. For use with DN-T12-A or DN-T10-A series terminal block.	Stock	\$17.50
<u>DN-S86</u>	DINnector terminal block spacer, gray. Package of 100. For use with DN-T8 or DN-T6 series terminal block.	Stock	\$67.00
<u>DN-S86MN</u>	DINnector terminal block spacer, gray. Package of 25. For use with DN-T8 or DN-T6 series terminal block.	Stock	\$15.50
<u>DN-FESEP</u>	DINnector terminal block end cover, gray. Package of 50. For use with DN-FE and DN-DIS series terminal blocks.	Stock	\$29.00
<u>DN-FESEP-10</u>	DINnector terminal block end cover, gray. Package of 10. For use with DN-FE and DN-DIS series terminal blocks.	Stock	\$6.00

<u>DN-EMXM1SPA1</u>	DINnector terminal block spacer, gray. Package of 25. For use with DN-EMXM1 or DN-QEMXM1 series terminal block.	Stock	\$14.50
<u>DN-EMXDVSPA1</u>	DINnector terminal block spacer, gray. Package of 25. For use with DN-EMXDV or DN-QEMXDV series terminal block.	Stock	\$16.00
Top Covers for Terminal Blocks			
<u>KN-TC-1</u>	Konnect-It terminal block top cover, white. Package of 25. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$9.75
<u>KN-TC-1S</u>	Konnect-It terminal block top cover, white, printed electrical symbol. Package of 25. For use with KN-T12 to KN-T6 series terminal blocks except KN-T12SP4 and KN-T12SP4-25.	Stock	\$14.00
<u>KN-TC-2</u>	Konnect-It terminal block top cover, white. Package of 25. For use with KN-T4 or KN-T2 series terminal blocks.	Stock	\$25.00
<u>KN-TC-2S</u>	Konnect-It terminal block top cover, white, printed electrical symbol. Package of 25. For use with KN-T4 or KN-T2 series terminal blocks.	Stock	\$25.00
<u>DN-C10</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 100. For use with DN-T10-A series terminal blocks.	Stock	\$68.00
<u>DN-C10MN</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 25. For use with DN-T10-A series terminal blocks.	Stock	\$15.50
<u>DN-C12</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 100. For use with DN-T12-A series terminal blocks.	Stock	\$68.00
<u>DN-C12MN</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 25. For use with DN-T12-A series terminal blocks.	Stock	\$15.50
<u>DN-C86</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 100. For use with DN-T8 or DN-T6 series terminal blocks.	Stock	\$68.00
<u>DN-C86MN</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 25. For use with DN-T8 or DN-T6 series terminal blocks.	Stock	\$15.50
<u>DN-DC10</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 100. For use with DN-D10 series terminal blocks.	Stock	\$66.00
<u>DN-DC10MN</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 25. For use with DN-D10 series terminal blocks.	Stock	\$15.50
<u>DN-MC10</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 100. For use with DN-M10 series terminal blocks.	Stock	\$70.00
<u>DN-MC10MN</u>	DINnector terminal block top cover, clear, printed electrical symbol. Package of 25. For use with DN-M10 series terminal blocks.	Stock	\$15.50
<u>DN-EMPEG1</u>	DINnector plug-in type pin protector, package of 16. For use with DN-EMXM1 or DN-EMXDV series terminal block.	Stock	\$4.50
Jumpers for Terminal Blocks			
<u>KN-2J12</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 24A, 750V. Package of 25. For use with KN-T12 or KN-D12 series block.	Stock	\$13.00
<u>KN-3J12</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 24A, 750V. Package of 20. For use with KN-T12 or KN-D12 series block.	Stock	\$16.00
<u>KN-4J12</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 24A, 750V. Package of 15. For use with KN-T12 or KN-D12 series block.	Stock	\$20.00
<u>KN-10J12</u>	Konnect-It terminal block jumper, screw-down type, 10-pole, 24A, 750V. Package of 5. For use with KN-T12 or KN-D12 series block.	Stock	\$13.00
<u>KN-2J10</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 32A, 750V. Package of 25. For use with KN-T10 or KN-D10 series block.	Stock	\$19.00
<u>KN-3J10</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 32A, 750V. Package of 20. For use with KN-T10 or KN-D10 series block.	Stock	\$23.00
<u>KN-4J10</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 32A, 750V. Package of 15. For use with KN-T10 or KN-D10 series block.	Stock	\$23.00
<u>KN-10J10</u>	Konnect-It terminal block jumper, screw-down type, 10-pole, 32A, 750V. Package of 5. For use with KN-T10 or KN-D10 series block.	Stock	\$16.00
<u>KN-2J8</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 41A, 630V. Package of 25. For use with KN-T8 series block.	Stock	\$20.00
<u>KN-3J8</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 41A, 630V. Package of 20. For use with KN-T8 series block.	Stock	\$24.00
<u>KN-4J8</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 41A, 630V. Package of 15. For use with KN-T8 series block.	Stock	\$24.00
<u>KN-10J8</u>	Konnect-It terminal block jumper, screw-down type, 10-pole, 41A, 630V. Package of 5. For use with KN-T8 series block.	Stock	\$19.00
<u>KN-2J6</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 57A, 630V. Package of 25. For use with KN-T6 series block.	Stock	\$25.00

<u>KN-3J6</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 57A, 630V. Package of 20. For use with KN-T6 series block.	Stock	\$26.00
<u>KN-4J6</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 57A, 630V. Package of 15. For use with KN-T6 series block.	Stock	\$26.00
<u>KN-10J6</u>	Konnect-It terminal block jumper, screw-down type, 10-pole, 57A, 630V. Package of 5. For use with KN-T6 series block.	Stock	\$20.00
<u>KN-2J4</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 76A, 750V. Package of 25. For use with KN-T4 series block.	Stock	\$39.00
<u>KN-3J4</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 76A, 750V. Package of 20. For use with KN-T4 series block.	Stock	\$41.00
<u>KN-4J4</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 76A, 750V. Package of 15. For use with KN-T4 series block.	Stock	\$41.00
<u>KN-10J4</u>	Konnect-It terminal block jumper, screw-down type, 10-pole, 76A, 750V. Package of 5. For use with KN-T4 series block.	Stock	\$32.00
<u>KN-2J2</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 125A, 750V. Package of 25. For use with KN-T2 series block.	Stock	\$40.00
<u>KN-3J2</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 125A, 750V. Package of 20. For use with KN-T2 series block.	Stock	\$43.00
<u>KN-4J2</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 125A, 750V. Package of 15. For use with KN-T2 series block.	Stock	\$43.00
<u>KN-10J2</u>	Konnect-It terminal block jumper, screw-down type, 10-pole, 125A, 750V. Package of 5. For use with KN-T2 series block.	Stock	\$32.00
<u>KN-2J1/0</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 150A, 1000V. Package of 5. For use with KN-T1/0 series block.	Stock	\$12.00
<u>KN-3J1/0</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 150A, 1000V. Package of 5. For use with KN-T1/0 series block.	Stock	\$20.00
<u>KN-4J1/0</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 150A, 1000V. Package of 5. For use with KN-T1/0 series block.	Stock	\$26.00
<u>KN-2JM12</u>	Konnect-It terminal block jumper, push-in type, 2-pole, orange, 24A, 750V. Package of 25. For use with KN-M12 or KN-T12SP4 series block.	Stock	\$12.00
<u>KN-3JM12</u>	Konnect-It terminal block jumper, push-in type, 3-pole, orange, 24A, 750V. Package of 20. For use with KN-M12 or KN-T12SP4 series block.	Stock	\$13.00
<u>KN-4JM12</u>	Konnect-It terminal block jumper, push-in type, 4-pole, orange, 24A, 750V. Package of 15. For use with KN-M12 or KN-T12SP4 series block.	Stock	\$13.00
<u>KN-10JM12</u>	Konnect-It terminal block jumper, push-in type, 10-pole, orange, 24A, 750V. Package of 5. For use with KN-M12 or KN-T12SP4 series block.	Stock	\$15.00
<u>KN-2JM10</u>	Konnect-It terminal block jumper, push-in type, 2-pole, orange, 32A, 750V. Package of 25. For use with KN-M10 or KN-KBD10 series block.	Stock	\$12.00
<u>KN-3JM10</u>	Konnect-It terminal block jumper, push-in type, 3-pole, orange, 32A, 750V. Package of 20. For use with KN-M10 or KN-KBD10 series block.	Stock	\$15.00
<u>KN-4JM10</u>	Konnect-It terminal block jumper, push-in type, 4-pole, orange, 32A, 750V. Package of 15. For use with KN-M10 or KN-KBD10 series block.	Stock	\$17.00
<u>KN-10JM10</u>	Konnect-It terminal block jumper, push-in type, 10-pole, orange, 32A, 750V. Package of 5. For use with KN-M10 or KN-KBD10 series block.	Stock	\$16.00
<u>KN-2JCC12</u>	Konnect-It terminal block jumper, screwless comb type, 2-pole, orange, 24A, 750V. Package of 25. For use with KN-T12 or KN-D12 series block.	Stock	\$17.00
<u>KN-2JCC10</u>	Konnect-It terminal block jumper, screwless comb type, 2-pole, orange, 32A, 750V. Package of 25. For use with KN-T10 or KN-D10 series block.	Stock	\$34.00
<u>KN-2JCC8</u>	Konnect-It terminal block jumper, screwless comb type, 2-pole, orange, 41A, 630V. Package of 25. For use with KN-T8 series block.	Stock	\$36.00
<u>KN-2JCC6</u>	Konnect-It terminal block jumper, screwless comb type, 2-pole, orange, 57A, 630V. Package of 25. For use with KN-T6 series block.	Stock	\$40.00
<u>KN-2JTL12</u>	Konnect-It terminal block jumper, screw-down type, 2-pole, 24A, 440V. Package of 25. For use with multiple terminal blocks.	Stock	\$20.00
<u>KN-3JTL12</u>	Konnect-It terminal block jumper, screw-down type, 3-pole, 24A, 440V. Package of 20. For use with multiple terminal blocks.	Stock	\$25.00
<u>KN-4JTL12</u>	Konnect-It terminal block jumper, screw-down type, 4-pole, 24A, 440V. Package of 15. For use with multiple terminal blocks.	Stock	\$24.00
<u>KN-10JTL12</u>	Konnect-It terminal block jumper, screw-down type, 10-pole, 24A, 440V. Package of 5. For use with multiple terminal blocks.	Stock	\$20.00
<u>DN-2J2Y</u>	DINnector terminal block jumper, push-in type, 2-pole, orange, 25A, 600V rated (UL). Package of 100. For use with multiple terminal blocks.	Stock	\$47.50
<u>DN-2J2YMN</u>	DINnector terminal block jumper, push-in type, 2-pole, orange, 25A, 600V rated (UL). Package of 25. For use with multiple terminal blocks.	Stock	\$14.50

<u>DN-2J4Y</u>	DINnector terminal block jumper, push-in type, 2-pole, yellow, 25A, 600V rated (UL). Package of 100. For use with DN-T10-A, DN-D10-A, DN-M10-A and DN-Q10-A series terminal block.	Stock	\$50.50
<u>DN-2J4YMN</u>	DINnector terminal block jumper, push-in type, 2-pole, yellow, 25A, 600V rated (UL). Package of 25. For use with DN-T10-A, DN-D10-A, DN-M10-A or DN-Q10-A series terminal block.	Stock	\$16.00
<u>DN-2J6Y</u>	DINnector terminal block jumper, push-in type, 2-pole, green, 30A, 600V rated (UL). Package of 100. For use with DN-Q8-A or DN-Q8B-A series terminal block.	Stock	\$66.00
<u>DN-2J6YMN</u>	DINnector terminal block jumper, push-in type, 2-pole, green, 30A, 600V rated (UL). Package of 25. For use with DN-Q8-A or DN-Q8B-A series terminal block.	Stock	\$16.50
<u>DN-2J6</u>	DINnector terminal block jumper, screw-down type, 2-pole, 65A, 600V rated (UL). Package of 100. For use with DN-T6 series terminal block.	Stock	\$84.00
<u>DN-2JL14-A</u>	DINnector terminal block jumper, push-in type, 2-pole, red, 20A, 300V rated (UL). Package of 100. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$74.00
<u>DN-2JL14-AMN</u>	DINnector terminal block jumper, push-in type, 2-pole, red, 20A, 300V rated (UL). Package of 25. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$16.50
<u>DN-2JL14B-A</u>	DINnector terminal block jumper, push-in type, 2-pole, blue, 20A, 300V rated (UL). Package of 100. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$74.00
<u>DN-2JL14B-AMN</u>	DINnector terminal block jumper, push-in type, 2-pole, blue, 20A, 300V rated (UL). Package of 25. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$16.50
<u>DN-3J2Y</u>	DINnector terminal block jumper, push-in type, 3-pole, orange, 25A, 600V rated (UL). Package of 100. For use with multiple terminal blocks.	Stock	\$68.00
<u>DN-3J2YMN</u>	DINnector terminal block jumper, push-in type, 3-pole, orange, 25A, 600V rated (UL). Package of 25. For use with multiple terminal blocks.	Stock	\$20.00
<u>DN-3J4Y</u>	DINnector terminal block jumper, push-in type, 3-pole, yellow, 25A, 600V rated (UL). Package of 100. For use with DN-T10-A, DN-D10-A, DN-M10-A and DN-Q10-A series terminal block.	Stock	\$81.00
<u>DN-3J4YMN</u>	DINnector terminal block jumper, push-in type, 3-pole, yellow, 25A, 600V rated (UL). Package of 25. For use with DN-T10-A, DN-D10-A, DN-M10-A or DN-Q10-A series terminal block.	Stock	\$24.00
<u>DN-3J6Y</u>	DINnector terminal block jumper, push-in type, 3-pole, green. Package of 100. For use with DN-Q8-A or DN-Q8B-A series terminal block.	Stock	\$92.00
<u>DN-3J6YMN</u>	DINnector terminal block jumper, push-in type, 3-pole, green, 30A, 600V rated (UL). Package of 25. For use with DN-Q8-A or DN-Q8B-A series terminal block.	Stock	\$26.00
<u>DN-12J6Y</u>	DINnector terminal block jumper, push-in type, 12-pole, green, 30A, 600V rated (UL). Package of 10. For use with DN-Q8-A or DN-Q8B-A series terminal block.	Stock	\$39.00
<u>DN-3J6</u>	DINnector terminal block jumper, screw-down type, 3-pole, 65A, 600V rated (UL). Package of 100. For use with DN-T6 series terminal block.	Stock	\$145.00
<u>DN-3JL14-A</u>	DINnector terminal block jumper, push-in type, 3-pole, red, 20A, 300V rated (UL). Package of 100. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$109.00
<u>DN-3JL14-AMN</u>	DINnector terminal block jumper, push-in type, 3-pole, red, 20A, 300V rated (UL). Package of 25. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$25.50
<u>DN-3JL14B-A</u>	DINnector terminal block jumper, push-in type, 3-pole, blue, 20A, 300V rated (UL). Package of 100. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$109.00
<u>DN-3JL14B-AMN</u>	DINnector terminal block jumper, push-in type, 3-pole, blue, 20A, 300V rated (UL). Package of 25. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$25.50
<u>DN-4J6</u>	DINnector terminal block jumper, screw-down type, 4-pole, 65A, 600V rated (UL). Package of 100. For use with DN-T6 series terminal block.	Stock	\$186.00
<u>DN-12JL14-A</u>	DINnector terminal block jumper, push-in type, 12-pole, red, 20A, 300V rated (UL). Package of 10. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$29.00
<u>DN-12JL14B-A</u>	DINnector terminal block jumper, push-in type, 12-pole, blue, 20A, 300V rated (UL). Package of 10. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP or DN-14SLN-A series terminal block.	Stock	\$29.00
<u>DN-12JFE</u>	DINnector terminal block jumper, push-in type, 12-pole, blue, 25A, 300V rated (UL). Package of 10. For use with DN-FE4 series terminal blocks.	Stock	\$66.00
<u>DN-24J2Y</u>	DINnector terminal block jumper, push-in type, 24-pole, orange, 25A, 600V rated (UL). Package of 5. For use with multiple terminal blocks.	Stock	\$31.00
<u>DN-24J4Y</u>	DINnector terminal block jumper, push-in type, 24-pole, yellow, 25A, 600V rated (UL). Package of 5. For use with DN-T10-A, DN-D10-A, DN-M10-A and DN-Q10-A series terminal block.	Stock	\$32.50
<u>DN-24J8</u>	DINnector terminal block jumper bar, screw-down type, 24-pole. Package of 5. For use with DN-T8 series terminal blocks.	Stock	\$45.00
<u>DN-55J6</u>	DINnector terminal block jumper, screw-down type, 55-pole, 65A, 600V rated (UL). For use with DN-T6 series terminal block.	Stock	\$29.00
Marking Tags for Terminal Blocks			
<u>KN-L5-BLANK</u>	Konnect-It marking tag, 5 x 5mm, blank. Package of 500. For use with Konnect-It terminal block.	Stock	\$20.00
<u>KN-L5-BLANK-250</u>	Konnect-It marking tag, 5 x 5mm, blank. Package of 250. For use with Konnect-It terminal block.	Stock	\$13.00
<u>KN-L5-0</u>	Konnect-It marking tag, 5 x 5mm, single number (0). Package of 500. For use with Konnect-It terminal block.	Stock	\$24.00

[illegible]

[illegible]

[illegible]

<u>KN-L5-Y-250</u>	Konnect-It marking tag, 5 x 5mm, single character (Y). Package of 250. For use with Konnect-It terminal block.	Stock	\$12.50
<u>KN-L5-Z</u>	Konnect-It marking tag, 5 x 5mm, single character (Z). Package of 500. For use with Konnect-It terminal block.	Stock	\$25.00
<u>KN-L5-Z-250</u>	Konnect-It marking tag, 5 x 5mm, single character (Z). Package of 250. For use with Konnect-It terminal block.	Stock	\$13.00
<u>KN-L5-L1</u>	Konnect-It marking tag, 5 x 5mm, printed with (L1). Package of 500. For use with Konnect-It terminal block.	Stock	\$24.00
<u>KN-L5-L1-250</u>	Konnect-It marking tag, 5 x 5mm, printed with (L1). Package of 250. For use with Konnect-It terminal block.	Stock	\$12.50
<u>KN-L5-L2</u>	Konnect-It marking tag, 5 x 5mm, printed with (L2). Package of 500. For use with Konnect-It terminal block.	Stock	\$24.00
<u>KN-L5-L2-250</u>	Konnect-It marking tag, 5 x 5mm, printed with (L2). Package of 250. For use with Konnect-It terminal block.	Stock	\$12.50
<u>KN-L5-L3</u>	Konnect-It marking tag, 5 x 5mm, printed with (L3). Package of 500. For use with Konnect-It terminal block.	Stock	\$24.00
<u>KN-L5-L3-250</u>	Konnect-It marking tag, 5 x 5mm, printed with (L3). Package of 250. For use with Konnect-It terminal block.	Stock	\$12.50
<u>KN-L5-POS</u>	Konnect-It marking tag, 5 x 5mm, single character (+). Package of 500. For use with Konnect-It terminal block.	Stock	\$24.00
<u>KN-L5-POS-250</u>	Konnect-It marking tag, 5 x 5mm, single character (+). Package of 250. For use with Konnect-It terminal block.	Stock	\$12.50
<u>KN-L5-NEG</u>	Konnect-It marking tag, 5 x 5mm, single character (-). Package of 500. For use with Konnect-It terminal block.	Stock	\$24.00
<u>KN-L5-NEG-250</u>	Konnect-It marking tag, 5 x 5mm, single character (-). Package of 250. For use with Konnect-It terminal block.	Stock	\$12.50
<u>KN-L5-GND</u>	Konnect-It marking tag, 5 x 5mm, printed with (GND). Package of 500. For use with Konnect-It terminal block.	Stock	\$24.00
<u>KN-L5-GND-250</u>	Konnect-It marking tag, 5 x 5mm, printed with (GND). Package of 250. For use with Konnect-It terminal block.	Stock	\$13.00
<u>KN-L6P5-BLNK-300</u>	Konnect-It marking tag, 6 x 11.5mm, blank. Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$15.00
<u>KN-L6P5-1-10-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 1-10 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-11-20-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 11-20 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-21-30-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 21-30 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-31-40-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 31-40 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-41-50-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 41-50 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-51-60-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 51-60 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-61-70-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 61-70 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-71-80-300</u>	Konnect-It marking tag, 6 x 11.5mm, numbered 71-80 (30 of each number). Package of 300. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$34.00
<u>KN-L6P5-1-10</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 1-10 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00
<u>KN-L6P5-1-10-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 1-10 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-11-20</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 11-20 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00
<u>KN-L6P5-11-20-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 11-20 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-21-30</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 21-30 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00
<u>KN-L6P5-21-30-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 21-30 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-31-40</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 31-40 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00
<u>KN-L6P5-31-40-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 31-40 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-41-50</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 41-50 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00

<u>KN-L6P5-41-50-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 41-50 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-51-60</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 51-60 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00
<u>KN-L6P5-51-60-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 51-60 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-61-70</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 61-70 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00
<u>KN-L6P5-61-70-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 61-70 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-71-80</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 71-80 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$57.00
<u>KN-L6P5-71-80-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 71-80 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$31.50
<u>KN-L6P5-81-90</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 81-90 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$58.00
<u>KN-L6P5-81-90-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 81-90 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$32.00
<u>KN-L6P5-91-100</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 91-100 (50 of each number). Package of 500. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$58.00
<u>KN-L6P5-91-100-250</u>	Konnect-It marking tag, 6.5 x 10mm, numbered 91-100 (25 of each number). Package of 250. For use with Konnect-It terminal block 6.5mm or wider.	Stock	\$32.00
<u>KN-L5X-BLNK</u>	Konnect-It marking tag, 5 x 10mm, blank. Package of 440. For use with Konnect-It terminal block.	Stock	\$21.50
<u>KN-L5X-BLNK-220</u>	Konnect-It marking tag, 5 x 10mm, blank. Package of 220. For use with Konnect-It terminal block.	Stock	\$11.50
<u>KN-L6X-BLNK</u>	Konnect-It marking tag, 6 x 10mm, blank. Package of 360. For use with Konnect-It terminal block 6mm or wider.	Stock	\$18.50
<u>KN-L6X-BLNK-180</u>	Konnect-It marking tag, 6 x 10mm, blank. Package of 180. For use with Konnect-It terminal block 6mm or wider.	Stock	\$9.75
<u>KN-L10X-BLNK</u>	Konnect-It marking tag, 10 x 10mm, blank. Package of 200. For use with Konnect-It terminal block 6mm or wider.	Stock	\$29.00
<u>KN-L10X-BLNK-100</u>	Konnect-It marking tag, 10 x 10mm, blank. Package of 100. For use with Konnect-It terminal block 6mm or wider.	Stock	\$16.00
<u>DN-LA100</u>	DINnector marking tag, 5 x 12mm, numbered 1-100 (5 of each number). Package of 500. For use with DN-T12-A series terminal block.	Stock	\$61.50
<u>DN-LA200</u>	DINnector marking tag, 5 x 12mm, numbered 101-200 (5 of each number). Package of 500. For use with DN-T12-A series terminal block.	Stock	\$61.50
<u>DN-LA300</u>	DINnector marking tag, 5 x 12mm, numbered 201-300 (5 of each number). Package of 500. For use with DN-T12-A series terminal block.	Stock	\$61.50
<u>DN-LA400</u>	DINnector marking tag, 5 x 12mm, numbered 301-400 (5 of each number). Package of 500. For use with DN-T12-A series terminal block.	Stock	\$61.50
<u>DN-LAB</u>	DINnector marking tag, 5 x 12mm, blank. Package of 500. For use with DN-T12-A series terminal block.	Stock	\$61.50
<u>DN-LAS</u>	DINnector marking tag, 5 x 12mm, printed with L1, L2, L3, L, N, GND, +, -, COM, COM (50 of each number). Package of 500. For use with DN-T12-A series terminal block.	Stock	\$61.50
<u>DN-LAT100-A</u>	DINnector marking tag, 5 x 6mm, numbered 1-100 (5 of each number). Package of 500. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP-A or DN-14SLN-A series terminal block.	Stock	\$54.00
<u>DN-LAT200-A</u>	DINnector marking tag, 5 x 6mm, numbered 101-200 (5 of each number). Package of 500. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP-A or DN-14SLN-A series terminal block.	Stock	\$54.00
<u>DN-LAT300-A</u>	DINnector marking tag, 5 x 6mm, numbered 201-300 (5 of each number). Package of 500. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP-A or DN-14SLN-A series terminal block.	Stock	\$54.00
<u>DN-LAT400-A</u>	DINnector marking tag, 5 x 6mm, numbered 301-400 (5 of each number). Package of 500. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP-A or DN-14SLN-A series terminal block.	Stock	\$54.00
<u>DN-LAT500-A</u>	DINnector marking tag, 5 x 6mm, numbered 401-500 (5 of each number). Package of 500. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP-A or DN-14SLN-A series terminal block.	Stock	\$54.00
<u>DN-LAT600-A</u>	DINnector marking tag, 5 x 6mm, numbered 501-600 (5 of each number). Package of 500. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP-A or DN-14SLN-A series terminal block.	Stock	\$54.00
<u>DN-LATB-A</u>	DINnector marking tag, 5 x 6mm, blank. Package of 500. For use with DN-TL14, DN-TL14S, DN-TL14SLP and DN-TL14SLN terminal blocks.	Stock	\$39.00
<u>DN-LATS-A</u>	DINnector marking tag, 5 x 6mm, printed with L1, L2, L3, L, N, GND, +, -, COM, COM, (50 of each number). Package of 500. For use with DN-TL14-A, DN-TL14S-A, DN-TL14SLP-A or DN-14SLN-A series terminal block.	Stock	\$54.00
<u>DN-L50</u>	DINnector marking tag, 6 x 12mm, numbered 1-50 (10 of each number). Package of 500. For use with DN-T10-A, DN-D10-A, DN-T8 or DN-F6 series terminal block.	Stock	\$61.50
<u>DN-L100</u>	DINnector marking tag, 6 x 12mm, numbered 51-100 (10 of each number). Package of 500. For use with DN-T10-A, DN-D10-A, DN-T8 or DN-F6 series terminal block.	Stock	\$61.50

[illegible]

<u>DN-LTK</u>	DINnector marking tag, 3 x 5mm, single character (K). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTL</u>	DINnector marking tag, 3 x 5mm, single character (L). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTM</u>	DINnector marking tag, 3 x 5mm, single character (M). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTN</u>	DINnector marking tag, 3 x 5mm, single character (N). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTP</u>	DINnector marking tag, 3 x 5mm, single character (P). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTQ</u>	DINnector marking tag, 3 x 5mm, single character (Q). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTR</u>	DINnector marking tag, 3 x 5mm, single character (R). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTS</u>	DINnector marking tag, 3 x 5mm, single character (S). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTT</u>	DINnector marking tag, 3 x 5mm, single character (T). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTU</u>	DINnector marking tag, 3 x 5mm, single character (U). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTV</u>	DINnector marking tag, 3 x 5mm, single character (V). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTW</u>	DINnector marking tag, 3 x 5mm, single character (W). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTX</u>	DINnector marking tag, 3 x 5mm, single character (X). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTY</u>	DINnector marking tag, 3 x 5mm, single character (Y). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTZ</u>	DINnector marking tag, 3 x 5mm, single character (Z). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTGND</u>	DINnector marking tag, 3 x 5mm, single character (GND symbol). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTPOS</u>	DINnector marking tag, 3 x 5mm, single character (+). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTNEG</u>	DINnector marking tag, 3 x 5mm, single character (-). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTAC</u>	DINnector marking tag, 3 x 5mm, single character (~). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-LTDC</u>	DINnector marking tag, 3 x 5mm, single character (=). Package of 100. For use with DINnector terminal block except DN-Q series.	Stock	\$11.00
<u>DN-EMLBL1</u>	DINnector pin label sheet, blank. Package of 100. For use with plug-in type terminal blocks. Can be used on DN-EMPEG1.	Stock	\$10.00
<u>DN-EMLBL2</u>	DINnector pin label sheet, numbered 1-12. Package of 100. For use with plug-in type terminal blocks. Can be used on DN-EMPEG1.	Stock	\$14.50
<u>DN-EMLBL3</u>	DINnector pin label sheet, numbered 13-24. Package of 100. For use with plug-in type terminal blocks. Can be used on DN-EMPEG1.	Stock	\$14.50
<u>DN-WMTAG1</u>	DINnector blank wire tags, white. Package of 525. For use with wire tag holders.	Stock	\$66.00
<u>DN-QLB</u>	DINnector marking tag, 4.7 x 8.4mm, blank. Package of 500. For use with DN-Q series terminal block.	Stock	\$39.50
<u>DN-QL100</u>	DINnector marking tag, 4.7 x 8.4mm, numbered 1-100 (5 of each number). Package of 500. For use with DN-Q series terminal block.	Stock	\$47.00
<u>DN-QL200</u>	DINnector marking tag, 4.7 x 8.4mm, numbered 101-200 (5 of each number). Package of 500. For use with DN-Q series terminal block.	Stock	\$47.00
<u>DN-QL300</u>	DINnector marking tag, 4.7 x 8.4mm, numbered 201-300 (5 of each number). Package of 500. For use with DN-Q series terminal block.	Stock	\$47.00
<u>DN-QL400</u>	DINnector marking tag, 4.7 x 8.4mm, numbered 301-400 (5 of each number). Package of 500. For use with DN-Q series terminal block.	Stock	\$47.00
<u>DN-QL500</u>	DINnector marking tag, 4.7 x 8.4mm, numbered 401-500 (5 of each number). Package of 500. For use with DN-Q series terminal block.	Stock	\$47.00
<u>DN-QLS</u>	DINnector marking tag, 4.7 x 8.4mm, printed with L1, L2, L3, L, N, GND, +, -, COM, COM (50 of each number). Package of 500. For use with DN-Q series terminal block.	Stock	\$54.00
<u>DN-MTA</u>	DINnector marking tag adapter, package of 50. For use with DINnector terminal block except DN-T12-A series.	Stock	\$16.00

Accessories for Terminal Blocks			
<u>KN-MA-1</u>	Konnect-It label holder, 0.5 x 1.5in. Package of 25. For use with KN-EB4 end bracket. Label media not included.	Stock	\$23.50
<u>KN-MA-1-10</u>	Konnect-It label holder, 0.5 x 1.5in. Package of 10. For use with KN-EB4 end bracket. Label media not included.	Stock	\$10.50
<u>KN-MA-2</u>	Konnect-It label holder, 0.5 x 1.5in. Package of 50. For use with KN-EB7 end bracket. Label media not included.	Stock	\$59.00
<u>KN-MA-2-10</u>	Konnect-It label holder, 0.5 x 1.5in. Package of 10. For use with KN-EB7 end bracket. Label media not included.	Stock	\$14.00
<u>KN-MA-3</u>	Konnect-It marking tag adapter, package of 25. For use with KN-L5X5 marking tags and KN-T4 or KN-T2 series terminal blocks.	Stock	\$15.50
<u>KN-MA-4</u>	Konnect-It marking tag adapter, package of 25. For use with KN-L5X5 marking tags and KN-T12 to KN-T6 series terminal blocks.	Stock	\$14.00
<u>KN-MA-5</u>	Konnect-It label holder, 0.5 x 1.5in. Package of 50. For use with any 35mm DIN rail. Label media included.	Stock	\$48.00
<u>KN-MA-5-25</u>	Konnect-It label holder, 0.5 x 1.5in. Package of 25. For use with any 35mm DIN rail. Label media included.	Stock	\$29.50
<u>DN-DIS-BLADE</u>	DINnector disconnect knife blade insert, package of 50.	Stock	\$39.50
<u>DN-DIS-BMN</u>	DINnector disconnect knife blade insert, package of 10.	Stock	\$10.50
<u>DN-MP</u>	Staedtler-Mars marking pen, for use with blank marking tags. Permanent Ink, fine tip.	Stock	\$4.50
<u>DN-WM-1</u>	DINnector wire tag holder, clear, accepts wire size 22-16 AWG, 12mm length. Package of 200. For use with DN-WMTAG1 wire tags.	Stock	\$14.00
<u>DN-WM-2</u>	DINnector wire tag holder, clear, accepts wire size 16-12 AWG, 12mm length. Package of 200. For use with DN-WMTAG1 wire tags.	Stock	\$14.00
<u>DN-WM-3</u>	DINnector wire tag holder, clear, accepts wire size 14-5 AWG, 12mm length. Package of 100. For use with DN-WMTAG1 wire tags.	Stock	\$9.00
<u>DN-WM-4</u>	DINnector wire tag holder, clear, accepts wire size 5 AWG, 12mm length. Package of 100. For use with DN-WMTAG1 wire tags.	Stock	\$8.50
<u>DN-TPR</u>	DINnector terminal test plug, red. Package of 10. For use with DN-T10-A or DN-D10-A series terminal blocks.	Stock	\$46.00
<u>DN-TPB</u>	DINnector terminal test plug, black. Package of 10. For use with DN-T10-A or DN-D10-A series terminal blocks.	Stock	\$46.00
<u>SCE-PAINTSETUP1</u>	Custom Enclosure Paint Setup Fee.	Stock	\$140.00
Inserts for Multi-Wire Connectors			
<u>ZP-MC03A-1-MS003</u>	ZIPport male insert, connector housing size 3A, 3-pole, screw terminals, accepts wire size 20-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 3. For use with ZIPport multi-wire housings.	Stock	\$5.00
<u>ZP-MC03A-1-FS003</u>	ZIPport female insert, connector housing size 3A, 3-pole, screw terminals, accepts wire size 20-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 3. For use with ZIPport multi-wire housings.	Stock	\$5.00
<u>ZP-MC03A-1-MS004</u>	ZIPport male insert, connector housing size 3A, 4-pole, screw terminals, accepts wire size 20-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 4. For use with ZIPport multi-wire housings.	Stock	\$5.00
<u>ZP-MC03A-1-FS004</u>	ZIPport female insert, connector housing size 3A, 4-pole, screw terminals, accepts wire size 20-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 4. For use with ZIPport multi-wire housings.	Stock	\$6.50
<u>ZP-MC03A-1-MC005</u>	ZIPport male insert, connector housing size 3A, 5-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 5. For use with ZIPport multi-wire housings. Requires 16 amp male contacts ZP-MC-CC-M16A-xxx.	Stock	\$4.50
<u>ZP-MC03A-1-FC005</u>	ZIPport female insert, connector housing size 3A, 5-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 5. For use with ZIPport multi-wire housings. Requires 16 amp female contacts ZP-MC-CC-F16A-xxx.	Stock	\$5.50
<u>ZP-MC03A-1-MC007</u>	ZIPport male insert, connector housing size 3A, 7-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 7. For use with ZIPport multi-wire housings. Requires 10 amp male contacts ZP-MC-CC-M10A-xxx.	Stock	\$6.50
<u>ZP-MC03A-1-FC007</u>	ZIPport female insert, connector housing size 3A, 7-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 7. For use with ZIPport multi-wire housings. Requires 10 amp female contacts ZP-MC-CC-F10A-xxx.	Stock	\$6.50
<u>ZP-MC03A-1-MC012</u>	ZIPport male insert, connector housing size 3A, 12-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 12. For use with ZIPport multi-wire housings. Requires 10 amp male contacts ZP-MC-CC-M10A-xxx.	Stock	\$10.00
<u>ZP-MC03A-1-FC012</u>	ZIPport female insert, connector housing size 3A, 12-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 12. For use with ZIPport multi-wire housings. Requires 10 amp female contacts ZP-MC-CC-F10A-xxx.	Stock	\$10.00
<u>ZP-MC10A-1-FS010</u>	ZIPport female insert, connector housing size 10A, 10-pole, screw terminals, accepts wire size 20-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 10. For use with ZIPport multi-wire housings.	Stock	\$18.00

[illegible]

<u>ZP-MC16B-1-MS016</u>	ZIPport male insert, connector housing size 16B, 16-pole, screw terminals, accepts wire size 20-12 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with ZIPport multi-wire housings.	Stock	\$18.00
<u>ZP-MC16B-1-FS016</u>	ZIPport female insert, connector housing size 16B, 16-pole, screw terminals, accepts wire size 20-12 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with ZIPport multi-wire housings.	Stock	\$18.00
<u>ZP-MC16B-1-MC016</u>	ZIPport male insert, connector housing size 16B, 16-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with ZIPport multi-wire housings. Requires 16 amp male contacts ZP-MC-CC-M16A-xxx.	Stock	\$13.50
<u>ZP-MC16B-1-FC016</u>	ZIPport female insert, connector housing size 16B, 16-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with ZIPport multi-wire housings. Requires 16 amp female contacts ZP-MC-CC-F16A-xxx.	Stock	\$13.50
<u>ZP-MC16B-1-MC040</u>	ZIPport male insert, connector housing size 16B, 40-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 40. For use with ZIPport multi-wire housings. Requires 10 amp male contacts ZP-MC-CC-M10A-xxx.	Stock	\$24.00
<u>ZP-MC16B-1-FC040</u>	ZIPport female insert, connector housing size 16B, 40-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 40. For use with ZIPport multi-wire housings. Requires 10 amp female contacts ZP-MC-CC-F10A-xxx.	Stock	\$24.00
<u>ZP-MC16B-1-MC072</u>	ZIPport male insert, connector housing size 16B, 72-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 72. For use with ZIPport multi-wire housings. Requires 10 amp male contacts ZP-MC-CC-M10A-xxx.	Stock	\$24.00
<u>ZP-MC16B-1-FC072</u>	ZIPport female insert, connector housing size 16B, 72-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 72. For use with ZIPport multi-wire housings. Requires 10 amp female contacts ZP-MC-CC-F10A-xxx.	Stock	\$24.00
<u>ZP-MC24B-1-MS048</u>	ZIPport male insert, connector housing size 24B, 12-pole, screw terminals, accepts wire size 6-16 AWG, 20-14 AWG, 80 amp (4-pole), 16 amp (8-pole), 600 VAC/VDC, poles numbered 1 to 4 and 1 to 8. For use with ZIPport multi-wire housings.	Stock	\$37.50
<u>ZP-MC24B-1-FS048</u>	ZIPport female insert, connector housing size 24B, 12-pole, screw terminals, accepts wire size 6-16 AWG, 20-14 AWG, 80 amp (4-pole), 16 amp (8-pole), 600 VAC/VDC, poles numbered 1 to 4 and 1 to 8. For use with ZIPport multi-wire housings.	Stock	\$39.00
<u>ZP-MC24B-1-MS024</u>	ZIPport male insert, connector housing size 24B, 24-pole, screw terminals, accepts wire size 20-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with ZIPport multi-wire housings.	Stock	\$23.50
<u>ZP-MC24B-1-FS024</u>	ZIPport female insert, connector housing size 24B, 24-pole, screw terminals, accepts wire size 20-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with ZIPport multi-wire housings.	Stock	\$23.50
<u>ZP-MC24B-1-MC024</u>	ZIPport male insert, connector housing size 24B, 24-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with ZIPport multi-wire housings. Requires 16 amp male contacts ZP-MC-CC-M16A-xxx.	Stock	\$17.00
<u>ZP-MC24B-1-FC024</u>	ZIPport female insert, connector housing size 24B, 24-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with ZIPport multi-wire housings. Requires 16 amp female contacts ZP-MC-CC-F16A-xxx.	Stock	\$17.50
<u>ZP-MC24B-1-MC064</u>	ZIPport male insert, connector housing size 24B, 64-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered A to D/1 to 16. For use with ZIPport multi-wire housings. Requires 10 amp male contacts ZP-MC-CC-M10A-xxx.	Stock	\$28.50
<u>29006</u>	METE female insert, connector housing size 3A, 2-pole, screw terminals, accepts wire size 8-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 2 to 3. For use with METE multi-wire housings.	Stock	\$3.00
<u>29007</u>	METE male insert, connector housing size 3A, 2-pole, screw terminals, accepts wire size 8-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 2 to 3. For use with METE multi-wire housings.	Stock	\$2.25
<u>29008</u>	METE female insert, connector housing size 3A, 3-pole, screw terminals, accepts wire size 8-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 3. For use with METE multi-wire housings.	Stock	\$3.00
<u>29009</u>	METE male insert, connector housing size 3A, 3-pole, screw terminals, accepts wire size 18-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 3. For use with METE multi-wire housings.	Stock	\$3.00
<u>29010</u>	METE female insert, connector housing size 3A, 4-pole, screw terminals, accepts wire size 18-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 4. For use with METE multi-wire housings.	Stock	\$3.50
<u>29011</u>	METE male insert, connector housing size 3A, 4-pole, screw terminals, accepts wire size 18-14 AWG, 10 amp, 600 VAC/VDC, poles numbered 1 to 4. For use with METE multi-wire housings.	Stock	\$3.50
<u>29420</u>	METE female insert, connector housing size 10A, 10-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 10. For use with METE multi-wire housings.	Stock	\$8.50
<u>29421</u>	METE male insert, connector housing size 10A, 10-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 10. For use with METE multi-wire housings.	Stock	\$7.50
<u>294203015</u>	METE female insert, connector housing size 10A, 15-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 15. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$10.00
<u>294213015</u>	METE male insert, connector housing size 10A, 15-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 15. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$9.50
<u>294223025</u>	METE female insert, connector housing size 16A, 25-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 25. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$11.00
<u>294233025</u>	METE male insert, connector housing size 16A, 25-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 25. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$10.50

<u>29422</u>	METE female insert, connector housing size 16A, 16-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with METE multi-wire housings.	Stock	\$12.00
<u>29423</u>	METE male insert, connector housing size 16A, 16-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with METE multi-wire housings.	Stock	\$11.50
<u>29120</u>	METE female insert, connector housing size 6B, 6-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 6. For use with METE multi-wire housings.	Stock	\$5.50
<u>29121</u>	METE male insert, connector housing size 6B, 6-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 6. For use with METE multi-wire housings.	Stock	\$5.50
<u>291203010</u>	METE female insert, connector housing size 6B, 10-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 10. For use with METE multi-wire housings. Requires 16 amp female contacts METE 14105xxx.	Stock	\$6.50
<u>291213010</u>	METE male insert, connector housing size 6B, 10-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 10. For use with METE multi-wire housings. Requires 16 amp male contacts METE 14106xxx.	Stock	\$6.00
<u>291203024</u>	METE female insert, connector housing size 6B, 24-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$12.00
<u>291213024</u>	METE male insert, connector housing size 6B, 24-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$11.50
<u>29020</u>	METE female insert, connector housing size 10B, 10-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 10. For use with METE multi-wire housings.	Stock	\$7.00
<u>29021</u>	METE male insert, connector housing size 10B, 10-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 10. For use with METE multi-wire housings.	Stock	\$7.00
<u>290203018</u>	METE female insert, connector housing size 10B, 18-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 18. For use with METE multi-wire housings. Requires 16 amp female contacts METE 14105xxx.	Stock	\$7.50
<u>290213018</u>	METE male insert, connector housing size 10B, 18-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 18. For use with METE multi-wire housings. Requires 16 amp male contacts METE 14106xxx.	Stock	\$7.00
<u>290203042</u>	METE female insert, connector housing size 10B, 42-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 42. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$15.00
<u>290213042</u>	METE male insert, connector housing size 10B, 42-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 42. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$14.00
<u>29124</u>	METE female insert, connector housing size 16B, 6-pole, screw terminals, accepts wire size 10 AWG, 35 amp, 600 VAC/VDC, poles numbered 1 to 6. For use with METE multi-wire housings.	Stock	\$16.00
<u>29125</u>	METE male insert, connector housing size 16B, 6-pole, screw terminals, accepts wire size 11 AWG, 35 amp, 600 VAC/VDC, poles numbered 1 to 6. For use with METE multi-wire housings.	Stock	\$15.50
<u>29022</u>	METE female insert, connector housing size 16B, 16-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with METE multi-wire housings.	Stock	\$9.50
<u>29023</u>	METE male insert, connector housing size 16B, 16-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 16. For use with METE multi-wire housings.	Stock	\$9.00
<u>290223032</u>	METE female insert, connector housing size 16B, 32-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 32. For use with METE multi-wire housings. Requires 16 amp female contacts METE 14105xxx.	Stock	\$15.00
<u>290233032</u>	METE male insert, connector housing size 16B, 32-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 32. For use with METE multi-wire housings. Requires 16 amp male contacts METE 14106xxx.	Stock	\$14.50
<u>290223040</u>	METE female insert, connector housing size 16B, 40-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 40. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$13.00
<u>290233040</u>	METE male insert, connector housing size 16B, 40-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 40. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$12.50
<u>290223072</u>	METE female insert, connector housing size 16B, 72-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 72. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$20.00
<u>290233072</u>	METE male insert, connector housing size 16B, 72-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 72. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$19.50
<u>29112</u>	METE female insert, connector housing size 24B, 12-pole, screw terminals, accepts wire size 6-16 AWG, 26-14 AWG, 80 amp (4-pole), 16 amp (8-pole), 600 VAC/VDC, poles numbered 1 to 12. For use with METE multi-wire housings.	Stock	\$23.00
<u>29113</u>	METE male insert, connector housing size 24B, 12-pole, screw terminals, accepts wire size 6-16 AWG, 26-14 AWG, 80 amp (4-pole), 16 amp (8-pole), 600 VAC/VDC, poles numbered 1 to 12. For use with METE multi-wire housings.	Stock	\$20.50
<u>29024</u>	METE female insert, connector housing size 24B, 24-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with METE multi-wire housings.	Stock	\$11.50
<u>29025</u>	METE male insert, connector housing size 24B, 24-pole, screw terminals, accepts wire size 18-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 1 to 24. For use with METE multi-wire housings.	Stock	\$12.00

<u>290243046</u>	METE female insert, connector housing size 24B, 46-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 46. For use with METE multi-wire housings. Requires 16 amp female contacts METE 14105xxx.	Stock	\$17.00
<u>290253046</u>	METE male insert, connector housing size 24B, 46-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 1 to 46. For use with METE multi-wire housings. Requires 16 amp male contacts METE 14106xxx.	Stock	\$14.00
<u>290243064</u>	METE female insert, connector housing size 24B, 64-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 64. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$15.00
<u>290253064</u>	METE male insert, connector housing size 24B, 64-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 64. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$14.50
<u>290243108</u>	METE female insert, connector housing size 24B, 108-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 108. For use with METE multi-wire housings. Requires 10 amp female contacts METE 14103xxx.	Stock	\$20.00
<u>290253108</u>	METE male insert, connector housing size 24B, 108-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 108. For use with METE multi-wire housings. Requires 10 amp male contacts METE 14104xxx.	Stock	\$18.50
<u>ZP-MC24B-1-FC064</u>	ZIPport female insert, connector housing size 24B, 64-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered A to D/1 to 16. For use with ZIPport multi-wire housings. Requires 10 amp female contacts ZP-MC-CC-F10A-xxx.	Stock	\$28.50
<u>ZP-MC24B-1-MC108</u>	ZIPport male insert, connector housing size 24B, 108-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 108. For use with ZIPport multi-wire housings. Requires 10 amp male contacts ZP-MC-CC-M10A-xxx.	Stock	\$34.00
<u>ZP-MC24B-1-FC108</u>	ZIPport female insert, connector housing size 24B, 108-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 1 to 108. For use with ZIPport multi-wire housings. Requires 10 amp female contacts ZP-MC-CC-F10A-xxx.	Stock	\$34.00
<u>ZP-MC16B-1-FS016-2</u>	ZIPport female insert, connector housing size 16B, 16-pole, screw terminals, accepts wire size 20-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 17 to 32. For use with ZIPport multi-wire housings.	Stock	\$18.00
<u>ZP-MC16B-1-MS016-2</u>	ZIPport male insert, connector housing size 16B, 16-pole, screw terminals, accepts wire size 20-14 AWG, 16 amp, 600 VAC/VDC, poles numbered 17 to 32. For use with ZIPport multi-wire housings.	Stock	\$17.00
<u>ZP-MC16B-1-FC016-2</u>	ZIPport female insert, connector housing size 16B, 16-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 17 to 32. For use with ZIPport multi-wire housings. Requires 16 amp female contacts ZP-MC-CC-F16A-xxx.	Stock	\$11.50
<u>ZP-MC16B-1-MC016-2</u>	ZIPport male insert, connector housing size 16B, 16-pole, crimped contact, 16 amp, 600 VAC/VDC, poles numbered 17 to 32. For use with ZIPport multi-wire housings. Requires 16 amp male contacts ZP-MC-CC-M16A-xxx.	Stock	\$13.00
<u>ZP-MC16B-1-FC072-2</u>	ZIPport female insert, connector housing size 16B, 72-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 73 to 144. For use with ZIPport multi-wire housings. Requires 10 amp female contacts ZP-MC-CC-F10A-xxx.	Stock	\$28.50
<u>ZP-MC16B-1-MC072-2</u>	ZIPport male insert, connector housing size 16B, 72-pole, crimped contact, 10 amp, 600 VAC/VDC, poles numbered 73 to 144. For use with ZIPport multi-wire housings. Requires 10 amp male contacts ZP-MC-CC-M10A-xxx.	Stock	\$31.00
Housings for Multi-Wire Connectors			
<u>290173105</u>	METE hood housing, 2-peg, top entry, connector housing size 3A, (1) 3/8 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 3A single lever connector housings with female inserts.	Stock	\$4.50
<u>290153105S</u>	METE coupler housing, single lever, top entry, connector housing size 3A, (1) 3/8 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 3A 2-peg connector housings with male inserts.	Stock	\$6.50
<u>29013S</u>	METE bulkhead housing, single lever, connector housing size 3A, heavy-duty die cast aluminum. For use with METE size 3A 2-peg connector housings with male inserts.	Stock	\$5.50
<u>29014S</u>	METE right angled bulkhead housing, single lever, connector housing size 3A, heavy-duty die cast aluminum. For use with METE size 3A 2-peg connector housings with male inserts.	Stock	\$6.00
<u>2935323005</u>	METE hood housing, 2-peg, side entry, connector housing size 10A, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10A single lever connector housings.	Stock	\$8.50
<u>2935423005</u>	METE hood housing, 2-peg, top entry, connector housing size 10A, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10A single lever connector housings.	Stock	\$9.00
<u>293502</u>	METE bulkhead housing, single lever, connector housing size 10A, heavy-duty die cast aluminum. For use with METE size 10A 2-peg connector housings.	Stock	\$6.50
<u>2935223005</u>	METE surface mount housing, single lever, side entry, connector housing size 10A, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10A 2-peg connector housings.	Stock	\$12.00
<u>2936323005</u>	METE hood housing, 2-peg, side entry, connector housing size 16A, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16A single lever connector housings.	Stock	\$9.50
<u>2936423005</u>	METE hood housing, 2-peg, top entry, connector housing size 16A, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16A single lever connector housings.	Stock	\$10.00
<u>293602</u>	METE bulkhead housing, single lever, connector housing size 16A, heavy-duty die cast aluminum. For use with METE size 16A 2-peg connector housings.	Stock	\$8.50
<u>2936223005</u>	METE surface mount housing, single lever, side entry, connector housing size 16A, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16A 2-peg connector housings.	Stock	\$13.00

<u>291313005</u>	METE hood housing, 2-peg, side entry, connector housing size 6B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 6B single lever connector housings.	Stock	\$5.50
<u>291353005</u>	METE hood housing, 2-peg, top entry, connector housing size 6B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 6B single lever connector housings.	Stock	\$8.50
<u>29130S</u>	METE bulkhead housing, single lever, connector housing size 6B, heavy-duty die cast aluminum. For use with METE size 6B 2-peg connector housings.	Stock	\$6.00
<u>291333005S</u>	METE surface mount housing, single lever, side entry, connector housing size 6B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 6B 2-peg connector housings.	Stock	\$12.00
<u>291403005S</u>	METE coupler housing, single lever, top entry, connector housing size 6B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 6B 2-peg connector housings.	Stock	\$12.00
<u>29644</u>	METE cover housing, 2-peg, connector housing size 6B, heavy-duty thermoplastic. For use with METE size 6B single lever connector housings.	Stock	\$1.75
<u>29646S</u>	METE cover housing, single lever, connector housing size 6B, heavy-duty thermoplastic. For use with METE size 6B 2-peg connector housings.	Stock	\$4.50
<u>293533005</u>	METE hood housing, 2-peg, side entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B single lever connector housings.	Stock	\$10.00
<u>293543005</u>	METE hood housing, 2-peg, top entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B single lever connector housings.	Stock	\$10.50
<u>290413005</u>	METE hood housing, 4-peg, side entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B double lever connector housings.	Stock	\$7.50
<u>291453005</u>	METE hood housing, 4-peg, top entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B double lever connector housings.	Stock	\$10.00
<u>29350S</u>	METE bulkhead housing, single lever, connector housing size 10B, heavy-duty die cast aluminum. For use with METE size 10B 2-peg connector housings.	Stock	\$10.50
<u>29040S</u>	METE bulkhead housing, double lever, connector housing size 10B, heavy-duty die cast aluminum. For use with METE size 10B 4-peg connector housings.	Stock	\$8.50
<u>293513005S</u>	METE surface mount housing, single lever, side entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B 2-peg connector housings.	Stock	\$17.50
<u>290543005S</u>	METE surface mount housing, double lever, side entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B 4-peg connector housings.	Stock	\$15.50
<u>293563005S</u>	METE coupler housing, single lever, top entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B 2-peg connector housings.	Stock	\$14.50
<u>291503005S</u>	METE coupler housing, double lever, top entry, connector housing size 10B, (1) 1/2 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 10B 4-peg connector housings.	Stock	\$16.50
<u>29653S</u>	METE cover housing, double lever, connector housing size 10B, heavy-duty thermoplastic. For use with METE size 10B 4-peg connector housings.	Stock	\$5.50
<u>29650</u>	METE cover housing, 4-peg, connector housing size 10B, heavy-duty thermoplastic. For use with METE size 10B double lever connector housings.	Stock	\$1.75
<u>293632905</u>	METE hood housing, 2-peg, side entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B single lever connector housings.	Stock	\$11.00
<u>293642905</u>	METE hood housing, 2-peg, top entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B single lever connector housings.	Stock	\$11.50
<u>290432905</u>	METE hood housing, 4-peg, side entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B double lever connector housings.	Stock	\$9.00
<u>291552905</u>	METE hood housing, 4-peg, top entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B double lever connector housings.	Stock	\$11.00
<u>29360S</u>	METE bulkhead housing, single lever, connector housing size 16B, heavy-duty die cast aluminum. For use with METE size 16B 2-peg connector housings.	Stock	\$11.00
<u>29042S</u>	METE bulkhead housing, double lever, connector housing size 16B, heavy-duty die cast aluminum. For use with METE size 16B 4-peg connector housings.	Stock	\$9.50
<u>293612905S</u>	METE surface mount housing, single lever, side entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B 2-peg connector housings.	Stock	\$20.00
<u>290562905S</u>	METE surface mount housing, double lever, side entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B 4-peg connector housings.	Stock	\$16.50
<u>293662905S</u>	METE coupler housing, single lever, top entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B 2-peg connector housings.	Stock	\$17.50
<u>291602905S</u>	METE coupler housing, double lever, top entry, connector housing size 16B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 16B 4-peg connector housings.	Stock	\$17.50
<u>29654S</u>	METE cover housing, double lever, connector housing size 16B, heavy-duty thermoplastic. For use with METE size 16B 4-peg connector housings.	Stock	\$6.00
<u>29651</u>	METE cover housing, 4-peg, connector housing size 16B, heavy-duty thermoplastic. For use with METE size 16B double lever connector housings.	Stock	\$2.25
<u>293732905</u>	METE hood housing, 2-peg, side entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B single lever connector housings.	Stock	\$12.00

<u>293742905</u>	METE hood housing, 2-peg, top entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B single lever connector housings.	Stock	\$12.50
<u>290452905</u>	METE hood housing, 4-peg, side entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B double lever connector housings.	Stock	\$10.00
<u>291652905</u>	METE hood housing, 4-peg, top entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B double lever connector housings.	Stock	\$12.00
<u>29370S</u>	METE bulkhead housing, single lever, connector housing size 24B, heavy-duty die cast aluminum. For use with METE size 24B 2-peg connector housings.	Stock	\$13.00
<u>29044S</u>	METE bulkhead housing, double lever, connector housing size 24B, heavy-duty die cast aluminum. For use with METE size 24B 4-peg connector housings.	Stock	\$10.00
<u>293712905S</u>	METE surface mount housing, single lever, side entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B 2-peg connector housings.	Stock	\$25.50
<u>290582905S</u>	METE surface mount housing, double lever, side entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B 4-peg connector housings.	Stock	\$20.00
<u>293762905S</u>	METE coupler housing, single lever, top entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B 2-peg connector housings.	Stock	\$20.00
<u>291702905S</u>	METE coupler housing, double lever, top entry, connector housing size 24B, (1) 3/4 NPT threaded hole, heavy-duty die cast aluminum. For use with METE size 24B 4-peg connector housings.	Stock	\$21.00
<u>29655S</u>	METE cover housing, double lever, connector housing size 24B, heavy-duty thermoplastic. For use with METE size 24B 4-peg connector housings.	Stock	\$6.00
<u>29652</u>	METE cover housing, 4-peg, connector housing size 24B, heavy-duty thermoplastic. For use with METE size 24B double lever connector housings.	Stock	\$2.25
<u>ZP-MC03A-2-STE11M</u>	ZIPport hood housing, 2-peg, top entry, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 3A single lever connector housings.	Stock	\$8.50
<u>ZP-MC03A-2-STE11P</u>	ZIPport hood housing, 2-peg, top entry, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty thermoplastic. For use with ZIPport size 3A single lever connector housings.	Stock	\$3.50
<u>ZP-MC03A-2-SSE11M</u>	ZIPport hood housing, 2-peg, side entry, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 3A single lever connector housings.	Stock	\$9.00
<u>ZP-MC03A-2-SSE11P</u>	ZIPport hood housing, 2-peg, side entry, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty thermoplastic. For use with ZIPport size 3A single lever connector housings.	Stock	\$3.50
<u>ZP-MC03A-2-SBHM</u>	ZIPport bulkhead housing, single lever, connector housing size 3A, heavy-duty die cast aluminum. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$8.00
<u>ZP-MC03A-2-SBHP</u>	ZIPport bulkhead housing, single lever, connector housing size 3A, heavy-duty thermoplastic. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$3.50
<u>ZP-MC03A-2-SBHAM</u>	ZIPport right angled bulkhead housing, single lever, connector housing size 3A, heavy-duty die cast aluminum. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$6.50
<u>ZP-MC03A-2-SBHAP</u>	ZIPport right angled bulkhead housing, single lever, connector housing size 3A, heavy-duty thermoplastic. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$3.50
<u>ZP-MC03A-2-SCP11M</u>	ZIPport coupler housing, single lever, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$9.00
<u>ZP-MC03A-2-SCP11P</u>	ZIPport coupler housing, single lever, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty thermoplastic. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$5.00
<u>ZP-MC03A-2-SSM11M</u>	ZIPport surface mount housing, single lever, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$11.50
<u>ZP-MC03A-2-SSM11P</u>	ZIPport surface mount housing, single lever, connector housing size 3A, (1) Pg 11 threaded hole, heavy-duty thermoplastic. For use with ZIPport size 3A 2-peg connector housings.	Stock	\$4.50
<u>ZP-MC03A-2-SCVPMM</u>	ZIPport cover housing, 2-peg, connector housing size 3A, heavy-duty die cast aluminum. For use with ZIPport size 3A single lever connector housings with male insert.	Stock	\$8.00
<u>ZP-MC03A-2-SCVPMP</u>	ZIPport cover housing, single lever, connector housing size 3A, heavy-duty thermoplastic. For use with ZIPport size 3A 2-peg connector housings with a male insert.	Stock	\$4.00
<u>ZP-MC03A-2-SCVPFM</u>	ZIPport cover housing, 2-peg, connector housing size 3A, heavy-duty die cast aluminum. For use with ZIPport size 3A single lever connector housings with a female insert.	Stock	\$8.00
<u>ZP-MC03A-2-SCVPFP</u>	ZIPport cover housing, single lever, connector housing size 3A, heavy-duty thermoplastic. For use with ZIPport size 3A 2-peg connector housings with a female insert.	Stock	\$4.50
<u>ZP-MC10A-2-STE13M</u>	ZIPport hood housing, 2-peg, top entry, connector housing size 10A, (1) Pg 13.5 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 10A single lever connector housings.	Stock	\$15.50
<u>ZP-MC10A-2-STE16M</u>	ZIPport hood housing, 2-peg, top entry, connector housing size 10A, (1) Pg 16 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 10A single lever connector housings.	Stock	\$17.00
<u>ZP-MC10A-2-SSE16M</u>	ZIPport hood housing, 2-peg, side entry, connector housing size 10A, (1) Pg 16 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 10A single lever connector housings.	Stock	\$15.50
<u>ZP-MC10A-2-STE16ML</u>	ZIPport hood housing, 2-peg, top entry, connector housing size 10A, (1) Pg 16 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10A single lever connector housings.	Stock	\$25.50
<u>ZP-MC10A-2-STE21ML</u>	ZIPport hood housing, 2-peg, top entry, connector housing size 10A, (1) Pg 21 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10A single lever connector housings.	Stock	\$28.50

[illegible]

[illegible]

<u>ZP-MC24B-2-SSM21C</u>	ZIPport surface mount housing, single lever, standard, connector housing size 24B, (2) Pg 21 threaded holes, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$58.50
<u>ZP-MC24B-2-SSM21CA</u>	ZIPport surface mount housing, single lever, automatic closing, connector housing size 24B, (2) Pg 21 threaded holes, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$244.00
<u>ZP-MC24B-2-SSM21ML</u>	ZIPport surface mount housing, single lever, connector housing size 24B, (2) Pg 21 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$54.50
<u>ZP-MC24B-2-SSM21CL</u>	ZIPport surface mount housing, single lever, standard, connector housing size 24B, (2) Pg 21 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$69.00
<u>ZP-MC24B-2-SM21CAL</u>	ZIPport surface mount housing, single lever, automatic closing, connector housing size 24B, (2) Pg 21 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$289.00
<u>ZP-MC24B-2-SSM29ML</u>	ZIPport surface mount housing, single lever, connector housing size 24B, (2) Pg 29 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$56.00
<u>ZP-MC24B-2-SSM29CL</u>	ZIPport surface mount housing, single lever, standard, connector housing size 24B, (2) Pg 29 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$70.00
<u>ZP-MC24B-2-SM29CAL</u>	ZIPport surface mount housing, single lever, automatic closing, connector housing size 24B, (2) Pg 29 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$280.00
<u>ZP-MC24B-2-SBHM</u>	ZIPport bulkhead housing, single lever, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$28.50
<u>ZP-MC24B-2-SBHC</u>	ZIPport bulkhead housing, single lever, standard, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$40.50
<u>ZP-MC24B-2-SBHCA</u>	ZIPport bulkhead housing, single lever, automatic closing, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$166.00
<u>ZP-MC24B-2-SCVLM</u>	ZIPport cover housing, single lever, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$24.50
<u>ZP-MC24B-2-SCVPM</u>	ZIPport cover housing, 2-peg, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B single lever connector housings.	Stock	\$15.50
<u>ZP-MC24B-2-SCP21M</u>	ZIPport coupler housing, single lever, connector housing size 24B, (1) Pg 21 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 24B 2-peg connector housings.	Stock	\$49.50
<u>ZP-MC32B-2-SSE36M</u>	ZIPport hood housing, 2-peg, side entry, connector housing size 32B, (1) Pg 36 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 32B single lever connector housings.	Stock	\$57.00
<u>ZP-MC32B-2-SSM36M</u>	ZIPport surface mount housing, single lever, connector housing size 32B, (2) Pg 36 threaded holes, heavy-duty die cast aluminum. For use with ZIPport size 32B 2-peg connector housings.	Stock	\$67.50
<u>ZP-MC32B-2-SSM36C</u>	ZIPport surface mount housing, single lever, standard, connector housing size 32B, (2) Pg 36 threaded holes, heavy-duty die cast aluminum. For use with ZIPport size 32B 2-peg connector housings.	Stock	\$90.00
<u>ZP-MC32B-2-SBHM</u>	ZIPport bulkhead housing, single lever, connector housing size 32B, heavy-duty die cast aluminum. For use with ZIPport size 32B 2-peg connector housings.	Stock	\$36.50
<u>ZP-MC32B-2-SBHC</u>	ZIPport bulkhead housing, single lever, automatic closing, connector housing size 32B, heavy-duty die cast aluminum. For use with ZIPport size 32B 2-peg connector housings.	Stock	\$49.50
<u>ZP-MC32B-2-SCVLM</u>	ZIPport cover housing, single lever, connector housing size 32B, heavy-duty die cast aluminum. For use with ZIPport size 32B 2-peg connector housings.	Stock	\$31.00
<u>ZP-MC32B-2-SCVPM</u>	ZIPport cover housing, 2-peg, connector housing size 32B, heavy-duty die cast aluminum. For use with ZIPport size 32B single lever connector housings.	Stock	\$23.50
<u>ZP-MC10B-2-DTE13M2</u>	ZIPport hood housing, 4-peg, top entry, connector housing size 10B, (2) Pg 13.5 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10B double lever connector housings.	Stock	\$44.00
<u>ZP-MC10B-2-DTE16M</u>	ZIPport hood housing, 4-peg, top entry, connector housing size 10B, (1) Pg 16 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 10B double lever connector housings.	Stock	\$15.50
<u>ZP-MC10B-2-DTE21ML</u>	ZIPport hood housing, 4-peg, top entry, connector housing size 10B, (1) Pg 21 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10B double lever connector housings.	Stock	\$30.00
<u>ZP-MC10B-2-DTE29ML</u>	ZIPport hood housing, 4-peg, top entry, connector housing size 10B, (1) Pg 29 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10B double lever connector housings.	Stock	\$31.00
<u>ZP-MC10B-2-DSE16M</u>	ZIPport hood housing, 4-peg, side entry, connector housing size 10B, (1) Pg 16 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 10B double lever connector housings.	Stock	\$14.50
<u>ZP-MC10B-2-DSE21ML</u>	ZIPport hood housing, 4-peg, side entry, connector housing size 10B, (1) Pg 21 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10B double lever connector housings.	Stock	\$29.50
<u>ZP-MC10B-2-DSE29ML</u>	ZIPport hood housing, 4-peg, side entry, connector housing size 10B, (1) Pg 29 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10B double lever connector housings.	Stock	\$31.00
<u>ZP-MC10B-2-DSM16M</u>	ZIPport surface mount housing, double lever, connector housing size 10B, (2) Pg 16 threaded holes, heavy-duty die cast aluminum. For use with ZIPport size 10B 4-peg connector housings.	Stock	\$44.00
<u>ZP-MC10B-2-DSM21ML</u>	ZIPport surface mount housing, double lever, connector housing size 10B, (2) Pg 21 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10B 4-peg connector housings.	Stock	\$50.50
<u>ZP-MC10B-2-DSM29ML</u>	ZIPport surface mount housing, double lever, connector housing size 10B, (2) Pg 29 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 10B 4-peg connector housings.	Stock	\$49.50

[illegible]

<u>ZP-MC24B-2-DSM21M</u>	ZIPport surface mount housing, double lever, connector housing size 24B, (2) Pg 21 threaded holes, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$56.00
<u>ZP-MC24B-2-DSM21ML</u>	ZIPport surface mount housing, double lever, connector housing size 24B, (2) Pg 21 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$57.00
<u>ZP-MC24B-2-DSM29ML</u>	ZIPport surface mount housing, double lever, connector housing size 24B, (2) Pg 29 threaded holes, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$58.50
<u>ZP-MC24B-2-DBHM</u>	ZIPport bulkhead housing, double lever, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$35.00
<u>ZP-MC24B-2-DCP21M</u>	ZIPport coupler housing, double lever, connector housing size 24B, (1) Pg 21 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$45.50
<u>ZP-MC24B-2-DCP21ML</u>	ZIPport coupler housing, double lever, connector housing size 24B, (1) Pg 21 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$70.00
<u>ZP-MC24B-2-DCP29ML</u>	ZIPport coupler housing, double lever, connector housing size 24B, (1) Pg 29 threaded hole, high construction, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$70.00
<u>ZP-MC24B-2-DCVLM</u>	ZIPport cover housing, double lever, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B 4-peg connector housings.	Stock	\$35.00
<u>ZP-MC24B-2-DCVPM</u>	ZIPport cover housing, 4-peg, connector housing size 24B, heavy-duty die cast aluminum. For use with ZIPport size 24B double lever connector housings.	Stock	\$14.50
<u>ZP-MC32B-2-DSE36M</u>	ZIPport hood housing, 4-peg, side entry, connector housing size 32B, (1) Pg 36 threaded hole, heavy-duty die cast aluminum. For use with ZIPport size 32B double lever connector housings.	Stock	\$63.50
<u>ZP-MC32B-2-DSM36M</u>	ZIPport surface mount housing, double lever, connector housing size 32B, (2) Pg 36 threaded holes, heavy-duty die cast aluminum. For use with ZIPport size 32B 4-peg connector housings.	Stock	\$126.00
<u>ZP-MC32B-2-DBHM</u>	ZIPport bulkhead housing, double lever, connector housing size 32B, heavy-duty die cast aluminum. For use with ZIPport size 32B 4-peg connector housings.	Stock	\$53.50
<u>ZP-MC32B-2-DCVPM</u>	ZIPport cover housing, 4-peg, connector housing size 32B, heavy-duty die cast aluminum. For use with ZIPport size 32B double lever connector housings.	Stock	\$31.00
<u>ZP-MC32B-2-DCVLM</u>	ZIPport cover housing, double lever, connector housing size 32B, heavy-duty die cast aluminum. For use with ZIPport size 32B 4-peg connector housings.	Stock	\$45.50

Crimp Contacts for Multi-Wire Connectors

<u>14103164</u>	METE crimp contact, female, 10 amp, accepts wire size 26-22 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 10 amps.	Stock	\$49.50
<u>14103264</u>	METE crimp contact, female, 10 amp, accepts wire size 20 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 10 amps.	Stock	\$49.50
<u>14103364</u>	METE crimp contact, female, 10 amp, accepts wire size 18 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 10 amps.	Stock	\$49.50
<u>14103564</u>	METE crimp contact, female, 10 amp, accepts wire size 16 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 10 amps.	Stock	\$49.50
<u>14103664</u>	METE crimp contact, female, 10 amp, accepts wire size 14 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 10 amps.	Stock	\$49.50
<u>14104164</u>	METE crimp contact, male, 10 amp, accepts wire size 26-22 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire male inserts rated for 10 amps.	Stock	\$44.00
<u>14104264</u>	METE crimp contact, male, 10 amp, accepts wire size 20 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire male inserts rated for 10 amps.	Stock	\$44.00
<u>14104364</u>	METE crimp contact, male, 10 amp, accepts wire size 18 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire male inserts rated for 10 amps.	Stock	\$44.00
<u>14104564</u>	METE crimp contact, male, 10 amp, accepts wire size 16 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire male inserts rated for 10 amps.	Stock	\$44.00
<u>14104664</u>	METE crimp contact, male, 10 amp, accepts wire size 14 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire male inserts rated for 10 amps.	Stock	\$44.00
<u>14105164</u>	METE crimp contact, female, 16 amp, accepts wire size 26-22 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 16 amps.	Stock	\$44.00
<u>14105264</u>	METE crimp contact, female, 16 amp, accepts wire size 20 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 16 amps.	Stock	\$44.00
<u>14105364</u>	METE crimp contact, female, 16 amp, accepts wire size 18 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 16 amps.	Stock	\$44.00
<u>14105564</u>	METE crimp contact, female, 16 amp, accepts wire size 16 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 16 amps.	Stock	\$44.00
<u>14105664</u>	METE crimp contact, female, 16 amp, accepts wire size 14 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 16 amps.	Stock	\$44.00
<u>14105864</u>	METE crimp contact, female, 16 amp, accepts wire size 12 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire female inserts rated for 16 amps.	Stock	\$44.00
<u>14106164</u>	METE crimp contact, male, 16 amp, accepts wire size 26-22 AWG, silver-plated copper alloy. Package of 100. For use with METE multi-wire male inserts rated for 16 amps.	Stock	\$39.00

[illegible]

<u>ZP-MC-CC-M16A-16G</u>	ZIPport crimp contact, male, 16 amp, accepts wire size 16 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire male inserts rated for 16 amps.	Stock	\$164.00
<u>ZP-MC-CC-M16A-14</u>	ZIPport crimp contact, male, 16 amp, accepts wire size 14 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire male inserts rated for 16 amps.	Stock	\$54.50
<u>ZP-MC-CC-M16A-14G</u>	ZIPport crimp contact, male, 16 amp, accepts wire size 14 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire male inserts rated for 16 amps.	Stock	\$169.00
<u>ZP-MC-CC-M16A-12</u>	ZIPport crimp contact, male, 16 amp, accepts wire size 12 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire male inserts rated for 16 amps.	Stock	\$54.50
<u>ZP-MC-CC-M16A-12G</u>	ZIPport crimp contact, male, 16 amp, accepts wire size 12 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire male inserts rated for 16 amps.	Stock	\$164.00
<u>ZP-MC-CC-F16A-22</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 26-22 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$48.00
<u>ZP-MC-CC-F16A-22G</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 26-22 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$250.00
<u>ZP-MC-CC-F16A-20</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 20 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$48.00
<u>ZP-MC-CC-F16A-20G</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 20 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$250.00
<u>ZP-MC-CC-F16A-18</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 18 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$49.50
<u>ZP-MC-CC-F16A-18G</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 18 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$250.00
<u>ZP-MC-CC-F16A-16</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 16 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$48.00
<u>ZP-MC-CC-F16A-16G</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 16 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$250.00
<u>ZP-MC-CC-F16A-14</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 14 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$48.00
<u>ZP-MC-CC-F16A-14G</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 14 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$250.00
<u>ZP-MC-CC-F16A-12</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 12 AWG, silver-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$48.00
<u>ZP-MC-CC-F16A-12G</u>	ZIPport crimp contact, female, 16 amp, accepts wire size 12 AWG, gold-plated copper alloy. Package of 100. For use with ZIPport multi-wire female inserts rated for 16 amps.	Stock	\$250.00
Plugs, Adapters and Cable Glands for Multi-Wire Connectors			
<u>ZP-MC-PLG-11M8</u>	ZIPport blanking plug, Pg 11 x 1.5mm thread, IP68. Package of 10. Gasket included.	Stock	\$34.00
<u>ZP-MC-PLG-13M8</u>	ZIPport blanking plug, Pg 13.5 x 1.5mm thread, IP68. Package of 10. Gasket included.	Stock	\$25.50
<u>ZP-MC-PLG-16M8</u>	ZIPport blanking plug, Pg 16 x 1.5mm thread, IP68. Package of 10. Gasket included.	Stock	\$48.00
<u>ZP-MC-PLG-21M8</u>	ZIPport blanking plug, Pg 21 x 1.5mm thread, IP68. Package of 10. Gasket included.	Stock	\$77.00
<u>ZP-MC-PLG-29M8</u>	ZIPport blanking plug, Pg 29 x 1.5mm thread, IP68. Package of 5. Gasket included.	Stock	\$78.00
<u>ZP-MC-PLG-36M8</u>	ZIPport blanking plug, Pg 36 x 1.5mm thread, IP68. Package of 5. Gasket included.	Stock	\$85.00
<u>ZP-MC-A-11038</u>	ZIPport threaded adapter, Pg 11 male to 3/8in NPT female.	Stock	\$14.50
<u>ZP-MC-A-11012</u>	ZIPport threaded adapter, Pg 11 male to 1/2in NPT female.	Stock	\$10.50
<u>ZP-MC-A-13012</u>	ZIPport threaded adapter, Pg 13.5 male to 1/2in NPT female.	Stock	\$7.00
<u>ZP-MC-A-16012</u>	ZIPport threaded adapter, Pg 16 male to 1/2in NPT female.	Stock	\$17.00
<u>ZP-MC-A-21034</u>	ZIPport threaded adapter, Pg 21 male to 3/4in NPT female.	Stock	\$19.50
<u>ZP-MC-A-29100</u>	ZIPport threaded adapter, Pg 29 male to 1in NPT female.	Stock	\$32.50
<u>ZP-MC-A-29114</u>	ZIPport threaded adapter, Pg 29 male to 1-1/4in NPT female.	Stock	\$34.00
<u>ZP-MC-A-36114</u>	ZIPport threaded adapter, Pg 36 male to 1-1/4in NPT female.	Stock	\$27.00
Housing Insert Plates for Multi-Wire Connectors			
<u>ZP-MC6B-2-1XDB9</u>	ZIPport insert plate, (1) 9-pin D-sub connector cutout(s), thermoplastic, RAL 7044 gray. For use with ZIPport size 6B connector housing.	Stock	\$3.50
<u>ZP-MC6B-2-2XDB9</u>	ZIPport insert plate, (2) 9-pin D-sub connector cutout(s), thermoplastic, RAL 7044 gray. For use with ZIPport size 6B connector housing.	Stock	\$3.50
<u>ZP-MC6B-2-1XDB15</u>	ZIPport insert plate, (1) 15-pin D-sub connector cutout(s), thermoplastic, RAL 7044 gray. For use with ZIPport size 6B connector housing.	Stock	\$3.50

<u>ZP-MC6B-2-2XDB15</u>	ZIPport insert plate, (2) 15-pin D-sub connector cutout(s), thermoplastic, RAL 7044 gray. For use with ZIPport size 6B connector housing.	Stock	\$3.50
<u>ZP-MC6B-2-BLANK</u>	ZIPport bulkhead cutout blank cover plate, thermoplastic, RAL 7044 gray. For use with ZIPport size 6B bulkhead cutouts. Gasket included.	Stock	\$8.00
<u>ZP-MC10B-2-BLANK</u>	ZIPport bulkhead cutout blank cover plate, thermoplastic, RAL 7044 gray. For use with ZIPport size 10B bulkhead cutouts. Gasket included.	Stock	\$8.00
<u>ZP-MC16B-2-BLANK</u>	ZIPport bulkhead cutout blank cover plate, thermoplastic, RAL 7044 gray. For use with ZIPport size 16B bulkhead cutouts. Gasket included.	Stock	\$5.50
<u>ZP-MC24B-2-BLANK</u>	ZIPport bulkhead cutout blank cover plate, thermoplastic, RAL 7044 gray. For use with ZIPport size 24B bulkhead cutouts. Gasket included.	Stock	\$10.50
<u>ZP-MC24B-2-RD6B</u>	ZIPport bulkhead cutout reducing plate, thermoplastic, RAL 7044 gray. For use with ZIPport size 24B bulkhead cutouts. Gasket included. Reduces cutout to ZIPport size 6B.	Stock	\$10.50
<u>ZP-MC24B-2-RD10B</u>	ZIPport bulkhead cutout reducing plate, thermoplastic, RAL 7044 gray. For use with ZIPport size 24B bulkhead cutouts. Gasket included. Reduces cutout to ZIPport size 10B.	Stock	\$10.50
<u>ZP-MC24B-2-RD16B</u>	ZIPport bulkhead cutout reducing plate, thermoplastic, RAL 7044 gray. For use with ZIPport size 24B bulkhead cutouts. Gasket included. Reduces cutout to ZIPport size 16B.	Stock	\$10.50
Code Pins and Polarization Keys for Multi-Wire Connectors			
<u>ZP-MC-POLKEY-1</u>	ZIPport polarization key, thermoplastic, red. Package of 12. For use with ZP-MC03A-1-FC012 and ZP-MC03A-1-MC012.	Stock	\$7.50
<u>ZP-MC-CODEPIN-2</u>	ZIPport single code pin, package of 16. For use with insert sizes 6B, 10A, 10B, 16A, 16B and 24B.	Stock	\$17.00
<u>ZP-MC-CODEPIN-3</u>	ZIPport double code pin, male. Package of 16. For use with code pin ZP-MC-CODEPIN-4.	Stock	\$13.50
<u>ZP-MC-CODEPIN-4</u>	ZIPport double code pin, female. Package of 16. For use with code pin ZP-MC-CODEPIN-3.	Stock	\$32.50
DIN Rail Mounting Kits for Multi-Wire Connectors			
<u>ZP-MC06B-DKIT</u>	ZIPport Din rail mounting kit, connector housing size 6B. Mount size 6B ZIPport multi-wire insert onto 35mm DIN rail.	Stock	\$38.00
<u>ZP-MC10B-DKIT</u>	ZIPport Din rail mounting kit, connector housing size 10B. Mount any size 10B ZIPport multi-wire insert onto 35mm DIN rail.	Stock	\$38.00
<u>ZP-MC16B-DKIT</u>	ZIPport Din rail mounting kit, connector housing size 16B. Mount any size 16B ZIPport multi-wire insert onto 35mm DIN rail.	Stock	\$45.00
<u>ZP-MC24B-DKIT</u>	ZIPport Din rail mounting kit, connector housing size 24B. Mount any size 24B ZIPport multi-wire insert onto 35mm DIN rail.	Stock	\$45.00
Tools and Replacement Parts for Multi-Wire Connectors			
<u>ZP-MC-CT1</u>	ZIPport wire crimping tool, 26 to 10 AWG capacity, contact pin diameters 1.6, 2.4, 2.5mm. Hand crimping tool, die set, and locator included.	Stock	\$853.00
<u>ZP-MC-CT2</u>	ZIPport wire crimping tool, multiple profile, 26 to 10 AWG capacity.	Stock	\$123.00
<u>ZP-MC-RT1</u>	ZIPport contact removal tool, for use with ZIPport 10A multi-wire crimp contacts.	Stock	\$128.00
<u>ZP-MC-RT2</u>	ZIPport contact removal tool, for use with ZIPport 16A multi-wire crimp contact.	Stock	\$116.00
<u>ZP-MC-RT3</u>	ZIPport insert removal tool, for use with ZIPport DIN rail mounted multi-wire inserts using DIN rail kits ZP-MCxx-DKIT.	Stock	\$304.00
<u>ZP-MC-SCRWKIT</u>	ZIPport screw kit, replacement. For use with ZIPport multi-wire inserts. Includes (2) grounding screws and (2) installation screws for insert sizes 3A, 6B, 10A, 10B, 16A, 16B, and 24B.	Stock	\$11.50
<u>ZP-MC03A-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 3A. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$14.50
<u>ZP-MC10A-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 10A. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$11.50
<u>ZP-MC16A-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 16A. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$11.50
<u>ZP-MC06B-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 6B. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$13.50
<u>ZP-MC10B-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 10B. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$14.50
<u>ZP-MC16B-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 16B. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$15.50
<u>ZP-MC24B-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 24B. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$17.00
<u>ZP-MC32B-GSK</u>	ZIPport bottom gasket, replacement, connector housing size 32B. Package of 10. For use with ZIPport multi-wire bulkhead housings.	Stock	\$28.50

Panel Interface Connectors			
<u>4000-68000-1040000</u>	Murrelektronik Modlink panel interface insert, (1) RJ45 Cat5e female exterior/female interior, (1) 15-pin D-sub HD15 connector with female exterior/male interior and (2) USB A port with female exterior/female interior, single frame. For use with Modlink series frames.	Stock	\$206.00
<u>4000-68000-1120000</u>	Murrelektronik Modlink panel interface insert, (1) RJ45 Cat5e female exterior/female interior, (1) 9-pin D-sub connector with female exterior/female interior and (1) RJ12 with female exterior/female interior, single frame. For use with Modlink series frames.	Stock	\$98.00
<u>4000-68000-1210000</u>	Murrelektronik Modlink panel interface insert, (1) RJ45 Cat5e female exterior/female interior, single frame. For use with Modlink series frames.	Stock	\$45.00
<u>4000-68000-1310000</u>	Murrelektronik Modlink panel interface insert, (1) RJ45 Cat5e female exterior/female interior, (1) USB A port with female exterior/ female interior, single frame. For use with Modlink series frames.	Stock	\$112.00
<u>4000-68000-3240000</u>	Murrelektronik Modlink panel interface insert, single 120 VAC outlet, single frame. For use with Modlink series frames.	Stock	\$67.00
<u>4000-68000-4030000</u>	Murrelektronik Modlink panel interface insert, single 120 VAC outlet, (1) RJ45 Cat5e female exterior/female interior, (1) USB A port with female exterior/ female interior, single frame. For use with Modlink series frames.	Stock	\$153.00
<u>4000-68000-4040000</u>	Murrelektronik Modlink panel interface insert, single 120 VAC outlet, (1) RJ45 Cat5e female exterior/female interior, single frame. For use with Modlink series frames.	Stock	\$108.00
<u>4000-68000-4070000</u>	Murrelektronik Modlink panel interface insert, single 120 VAC outlet, (1) RJ45 Cat5e female exterior/female interior, 3A circuit breaker, single frame. For use with Modlink series frames.	Stock	\$132.00
<u>4000-68000-8900000</u>	Murrelektronik Modlink panel interface insert, blank insert, single frame. For use with Modlink series frames.	Stock	\$9.00
<u>4000-68000-9140000</u>	Murrelektronik Modlink touch protection cover, ABS plastic, black. For use with Modlink series double frames sizes.	Stock	\$44.00
<u>4000-68000-9180000</u>	Murrelektronik Modlink touch protection cover, ABS plastic, black. For use with Modlink series single frames sizes.	Stock	\$24.00
<u>4000-68512-0000001</u>	Murrelektronik Modlink panel interface frame, single frame, polyamide housing, black, single hinged, polycarbonate cover, transparent. For use with (1) Modlink series insert.	Stock	\$38.50
<u>4000-68513-0000001</u>	Murrelektronik Modlink panel interface frame, single frame, polyamide housing, black, single hinged, ABS plastic cover, metallic. For use with (1) Modlink series insert.	Stock	\$42.00
<u>4000-68514-0000001</u>	Murrelektronik Modlink panel interface frame, single frame, polyamide housing, black, single hinged, PBT thermoplastic elastomer cover, gray. For use with (1) Modlink series insert.	Stock	\$43.00
<u>4000-68522-0000001</u>	Murrelektronik Modlink panel interface frame, double frame, polyamide housing, black, single hinged, polycarbonate cover, transparent. For use with (2) Modlink series inserts.	Stock	\$61.50
<u>4000-68523-0000001</u>	Murrelektronik Modlink panel interface frame, double frame, polyamide housing, black, single hinged, ABS plastic cover, metallic. For use with (2) Modlink series inserts.	Stock	\$68.00
<u>4000-68524-0000001</u>	Murrelektronik Modlink panel interface frame, double frame, polyamide housing, black, single hinged, PBT thermoplastic elastomer cover, gray. For use with (2) Modlink series inserts.	Stock	\$69.50
<u>ZP-PNA-06-100</u>	ZIPport panel interface connector, (1) 9-pin D-sub connector with female exterior/male interior.	Stock	\$80.00
<u>ZP-PNA-06-101</u>	ZIPport panel interface connector, (1) RJ45 Ethernet port with female exterior/female interior.	Stock	\$71.00
<u>ZP-PNA-10-200</u>	ZIPport panel interface connector, (2) 9-pin D-sub connectors with female exterior/male interior.	Stock	\$84.00
<u>ZP-PSA-16-100</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior.	Stock	\$135.00
<u>ZP-PSA-16-101</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) RJ45 Ethernet port with female exterior/female interior.	Stock	\$137.00
<u>ZP-PSA-16-102</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) RJ12 6-pin port with female exterior/female interior.	Stock	\$137.00
<u>ZP-PSA-16-103</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) 15-pin D-sub HD15 connector with female exterior/male interior.	Stock	\$137.00
<u>ZP-PSA-16-104</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) 15-pin D-sub connector with female exterior/male interior.	Stock	\$137.00
<u>ZP-PSA-16-200</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, 3A circuit breaker.	Stock	\$143.00
<u>ZP-PSA-24-100</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) 25-pin D-sub connector with female exterior/male interior.	Stock	\$143.00
<u>ZP-PSA-32-300</u>	ZIPport panel interface connector, single 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) USB B port with female exterior/USB A female interior, 3A circuit breaker.	Stock	\$219.00
<u>ZP-PSA-32-400</u>	ZIPport panel interface connector, single 120 VAC outlet, (2) 9-pin D-sub connectors with female exterior/male interior, (1) RJ45 Ethernet port with female exterior/female interior, 3A circuit breaker.	Stock	\$235.00
<u>ZP-PDA-32-200</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, 3A circuit breaker.	Stock	\$174.00
<u>ZP-PDA-32-201</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) RJ45 Ethernet port with female exterior/female interior, 3A circuit breaker.	Stock	\$178.00

<u>ZP-PDA-32-202</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) USB A port with female exterior/USB A female interior, 3A circuit breaker.	Stock	\$184.00
<u>ZP-PDA-32-300</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) RJ45 Ethernet port with female exterior/female interior, 3A circuit breaker.	Stock	\$184.00
<u>ZP-PDA-32-301</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/9-position screw terminal block interior, (1) RJ45 Ethernet port with female exterior/female interior, 3A circuit breaker.	Stock	\$229.00
<u>ZP-PDA-32-302</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) USB B port with female exterior/USB A female interior, 3A circuit breaker.	Stock	\$179.00
<u>ZP-PDA-32-303</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/Data Highway 3-pin terminal block interior, (1) 8-pin mini-DIN female exterior/Data Highway 3-pin terminal block interior, 3A circuit breaker.	Stock	\$222.00
<u>ZP-PDA-32-304</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/Data Highway 3-pin terminal block interior, (1) RJ45 Ethernet port with female exterior/female interior, 3A circuit breaker.	Stock	\$224.00
<u>ZP-PDA-32-305</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) USB A port with female exterior/USB A female interior, 3A circuit breaker.	Stock	\$179.00
<u>ZP-PDA-32-400</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (2) 9-pin D-sub connectors with female exterior/male interior, (1) USB B port with female exterior/USB A female interior, 3A circuit breaker.	Stock	\$201.00
<u>ZP-PDA-32-401</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) USB B port with female exterior/USB A female interior, (1) USB A port with female exterior/USB B female interior.	Stock	\$231.00
<u>ZP-PDA-32-402</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) RJ45 Ethernet port with female exterior/female interior, (1) USB B port with female exterior/USB A female interior, (1) USB A port with female exterior/USB B female interior.	Stock	\$232.00
<u>ZP-PDA-32-403</u>	ZIPport panel interface connector, duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) RJ12 6-pin port with female exterior/RJ12 6-pin female interior, (1) USB A port with female exterior/USB A female interior.	Stock	\$208.00
<u>ZP-PGA-32-200</u>	ZIPport panel interface connector, GFCI duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, 3A circuit breaker.	Stock	\$221.00
<u>ZP-PGA-32-201</u>	ZIPport panel interface connector, GFCI duplex 120 VAC outlet, (1) RJ45 Ethernet port with female exterior/female interior, 3A circuit breaker.	Stock	\$221.00
<u>ZP-PGA-32-300</u>	ZIPport panel interface connector, GFCI duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) RJ45 Ethernet port with female exterior/female interior, 3A circuit breaker.	Stock	\$224.00
<u>ZP-PGA-32-301</u>	ZIPport panel interface connector, GFCI duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) USB B port with female exterior/USB A female interior, 3A circuit breaker.	Stock	\$290.00
<u>ZP-PGA-48-400</u>	ZIPport panel interface connector, GFCI duplex 120 VAC outlet, (1) 9-pin D-sub connector with female exterior/male interior, (1) USB B port with female exterior/USB A female interior, (1) USB A port with female exterior/USB B female interior.	Stock	\$388.00
<u>ZP-PGA-48-500</u>	ZIPport panel interface connector, GFCI duplex 120 VAC outlet, (2) 9-pin D-sub connectors with female exterior/male interior, (1) USB B port with female exterior/USB A female interior, (1) USB A port with female exterior/USB B female interior.	Stock	\$360.00

Splicing Connectors

<u>221-2401</u>	WAGO 221 series splicing connector, lever, in-line, 2 openings, copper conductor, 20-12 AWG solid, 18-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/orange. Package of 60.	Stock	\$24.00
<u>221-412</u>	WAGO 221 series splicing connector, lever, side-entry, 2 openings, copper conductor, 24-12 AWG solid, 24-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/orange. Package of 100.	Stock	\$32.00
<u>221-413</u>	WAGO 221 series splicing connector, lever, side-entry, 3 openings, copper conductor, 24-12 AWG solid, 24-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/orange. Package of 50.	Stock	\$20.00
<u>221-415</u>	WAGO 221 series splicing connector, lever, side-entry, 5 openings, copper conductor, 24-12 AWG solid, 24-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/orange. Package of 25.	Stock	\$15.50
<u>221-612</u>	WAGO 221 series splicing connector, lever, side-entry, 2 openings, copper conductor, 20-10 AWG solid, 20-10 AWG stranded, 30A, 600V, polycarbonate housing, transparent/orange. Package of 50.	Stock	\$29.00
<u>221-613</u>	WAGO 221 series splicing connector, lever, side-entry, 3 openings, copper conductor, 20-10 AWG solid, 20-10 AWG stranded, 30A, 600V, polycarbonate housing, transparent/orange. Package of 30.	Stock	\$21.50
<u>221-615</u>	WAGO 221 series splicing connector, lever, side-entry, 5 openings, copper conductor, 20-10 AWG solid, 20-10 AWG stranded, 30A, 600V, polycarbonate housing, transparent/orange. Package of 15.	Stock	\$18.00
<u>2773-402</u>	WAGO 2773 series splicing connector, push-in, side-entry, 2 openings, copper conductor, 20-12 AWG solid, 18-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/white. Package of 120.	Stock	\$15.00
<u>2773-403</u>	WAGO 2773 series splicing connector, push-in, side-entry, 3 openings, copper conductor, 20-12 AWG solid, 18-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/orange. Package of 100.	Stock	\$13.50
<u>2773-404</u>	WAGO 2773 series splicing connector, push-in, side-entry, 4 openings, copper conductor, 20-12 AWG solid, 18-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/red. Package of 80.	Stock	\$11.00
<u>2773-405</u>	WAGO 2773 series splicing connector, push-in, side-entry, 5 openings, copper conductor, 20-12 AWG solid, 18-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/yellow. Package of 60.	Stock	\$9.50

<u>2773-406</u>	WAGO 2773 series splicing connector, push-in, side-entry, 6 openings, copper conductor, 20-12 AWG solid, 18-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/gray. Package of 50.	Stock	\$11.50
<u>2773-408</u>	WAGO 2773 series splicing connector, push-in, side-entry, 8 openings, copper conductor, 20-12 AWG solid, 18-12 AWG stranded, 20A, 600V, polycarbonate housing, transparent/light gray. Package of 40.	Stock	\$9.50
Compression Lugs			
<u>BLU-8S14-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, #10 mounting bolt, 1 hole, 8 AWG, red markings.	Stock	\$1.50
<u>BLU-8S15-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 1 hole, 8 AWG, red markings.	Stock	\$1.50
<u>BLU-6S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, #10 mounting bolt, 1 hole, 6 AWG, blue markings.	Stock	\$1.50
<u>BLU-6S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 1 hole, 6 AWG, blue markings.	Stock	\$1.50
<u>BLU-4S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, #10 mounting bolt, 1 hole, 4 AWG, gray markings.	Stock	\$2.00
<u>BLU-4S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 1 hole, 4 AWG, gray markings.	Stock	\$2.00
<u>BLU-2S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 1 hole, 2 AWG, brown markings.	Stock	\$2.75
<u>BLU-2S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 5/16in mounting bolt, 1 hole, 2 AWG, brown markings.	Stock	\$2.75
<u>BLU-1S9-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 1 hole, 1 AWG, green markings.	Stock	\$2.75
<u>BLU-1S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 5/16in mounting bolt, 1 hole, 1 AWG, green markings.	Stock	\$2.75
<u>BLU-1S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 1 AWG, green markings.	Stock	\$2.75
<u>BLU-1/0S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 5/16in mounting bolt, 1 hole, 1/0 AWG, pink markings.	Stock	\$3.50
<u>BLU-1/0S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 1/0 AWG, pink markings.	Stock	\$3.50
<u>BLU-2/0S-21-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 5/16in mounting bolt, 1 hole, 2/0 AWG, black markings.	Stock	\$3.75
<u>BLU-2/0S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 2/0 AWG, black markings.	Stock	\$3.75
<u>BLU-3/0S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 3/0 AWG, orange markings.	Stock	\$4.25
<u>BLU-3/0S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 1 hole, 3/0 AWG, orange markings.	Stock	\$4.25
<u>BLU-4/0S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 4/0 AWG, purple markings.	Stock	\$4.25
<u>BLU-4/0S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 1 hole, 4/0 AWG, purple markings.	Stock	\$4.25
<u>BLU-025S2-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 250 MCM, yellow markings.	Stock	\$8.25
<u>BLU-025S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 1 hole, 250 MCM, yellow markings.	Stock	\$8.25
<u>BLU-030S-7-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 300 MCM, white markings.	Stock	\$10.50
<u>BLU-030S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 1 hole, 300 MCM, white markings.	Stock	\$10.50
<u>BLU-035S1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 1 hole, 350 MCM, red markings.	Stock	\$10.50
<u>BLU-035S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 1 hole, 350 MCM, red markings.	Stock	\$10.50
<u>BLU-040S-4-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 1 hole, 400 MCM, blue markings.	Stock	\$12.75
<u>BLU-040S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 5/8in mounting bolt, 1 hole, 400 MCM, blue markings.	Stock	\$12.75
<u>BLU-050S2-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 1 hole, 500 MCM, brown markings.	Stock	\$14.75
<u>BLU-050S-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 5/8in mounting bolt, 1 hole, 500 MCM, brown markings.	Stock	\$14.75

<u>BLU-8D-2TC14-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 0.63in hole spacing, 8 AWG, red markings.	Stock	\$4.75
<u>BLU-8D-2TC14E2-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 0.75in hole spacing, 8 AWG, red markings.	Stock	\$4.75
<u>BLU-6D-2TC14-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 0.63in hole spacing, 6 AWG, blue markings.	Stock	\$5.00
<u>BLU-6D-2TC14E1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 1in hole spacing, 6 AWG, blue markings.	Stock	\$5.00
<u>BLU-4D-2TC14E1-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 1in hole spacing, 4 AWG, gray markings.	Stock	\$5.75
<u>BLU-4D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 4 AWG, gray markings.	Stock	\$5.75
<u>BLU-2D-2TC14-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 0.63in hole spacing, 2 AWG, brown markings.	Stock	\$6.50
<u>BLU-2D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 2 AWG, brown markings.	Stock	\$6.50
<u>BLU-1D-2TC14-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 0.63in hole spacing, 1 AWG, green markings.	Stock	\$7.25
<u>BLU-1D-2TC516E6-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 5/16in mounting bolt, 2 hole, 0.88in hole spacing, 1 AWG, green markings.	Stock	\$7.25
<u>BLU-1/0D-2TC14-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/4in mounting bolt, 2 hole, 0.63in hole spacing, 1/0 AWG, pink markings.	Stock	\$8.50
<u>BLU-1/0D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 1/0 AWG, pink markings.	Stock	\$8.50
<u>BLU-1/0D2-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 1/0 AWG, pink markings.	Stock	\$8.50
<u>BLU-2/0D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 2/0 AWG, black markings.	Stock	\$9.25
<u>BLU-2/0D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 2/0 AWG, black markings.	Stock	\$9.25
<u>BLU-3/0D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 3/0 AWG, orange markings.	Stock	\$9.75
<u>BLU-3/0D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 3/0 AWG, orange markings.	Stock	\$9.75
<u>BLU-4/0D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 4/0 AWG, purple markings.	Stock	\$10.00
<u>BLU-4/0D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 4/0 AWG, purple markings.	Stock	\$10.00
<u>BLU-025D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 250 MCM, yellow markings.	Stock	\$10.50
<u>BLU-025D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 250 MCM, yellow markings.	Stock	\$10.50
<u>BLU-030D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 300 MCM, white markings.	Stock	\$15.00
<u>BLU-030D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 300 MCM, white markings.	Stock	\$15.00
<u>BLU-035D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 350 MCM, red markings.	Stock	\$16.00
<u>BLU-035D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 350 MCM, red markings.	Stock	\$16.00
<u>BLU-040D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 400 MCM, blue markings.	Stock	\$16.00
<u>BLU-040D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 400 MCM, blue markings.	Stock	\$16.00
<u>BLU-050D-2TC38-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 3/8in mounting bolt, 2 hole, 1in hole spacing, 500 MCM, brown markings.	Stock	\$18.50
<u>BLU-050D-1</u>	Penn-Union BLU series compression lug, standard barrel, tin-plated copper, 35 kV, 1/2in mounting bolt, 2 hole, 1.75in hole spacing, 500 MCM, brown markings.	Stock	\$18.50
Compression Lug Tools			
<u>TDM-250</u>	Penn-Union crimping tool, indent profile, 8 AWG-250 MCM copper and 8-4AWG aluminum capacity, compatible with Penn-Union BLU series copper compression lugs.	Stock	\$361.25
<u>TDM-500</u>	Penn-Union crimping tool, indent profile, 8 AWG-500 MCM copper and aluminum capacity, compatible with Penn-Union BLU series copper compression lugs.	Stock	\$506.25

Mechanical Lugs				
<u>L2A-0-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 2 openings, (1) 14-1/0 AWG stranded copper or (1) 8-1/0 AWG stranded aluminum, AL9CU.	Stock	\$2.00	
<u>L2A-2/0-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 2 openings, (1) 14-2/0 AWG stranded copper or (1) 8-2/0 AWG stranded aluminum, AL9CU.	Stock	\$2.25	
<u>L2A-250-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 2 openings, (1) 6 AWG stranded copper or aluminum-250 MCM copper or aluminum, AL9CU.	Stock	\$5.75	
<u>L2A-350-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 2 openings, (1) 6 AWG stranded copper or aluminum-350 MCM copper or aluminum, AL9CU.	Stock	\$7.75	
<u>L2A-600-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 2 openings, (1) 2 AWG stranded copper or aluminum-600 MCM copper or aluminum, AL9CU.	Stock	\$13.25	
<u>LA-0-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 14-1/0 AWG stranded copper, (2) 14-4 AWG stranded copper, (1) 12-1/0 AWG stranded aluminum or (2) 12-4 AWG stranded aluminum, AL9CU.	Stock	\$1.25	
<u>LA-2-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 14-2 AWG stranded copper, (2) 14-10 AWG stranded copper, (1) 12-2 AWG stranded aluminum or (2) 10-12 AWG stranded aluminum, AL9CU.	Stock	\$0.75	
<u>LA-2/0-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 14-2/0 AWG stranded copper or (1) 8-2/0 AWG stranded aluminum, AL9CU.	Stock	\$1.25	
<u>LA-250-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 6 AWG stranded copper or aluminum-250 MCM copper or aluminum, AL9CU.	Stock	\$2.75	
<u>LA-350-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 6 AWG stranded copper or aluminum-350 MCM copper or aluminum, AL9CU.	Stock	\$4.50	
<u>LA-500-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 4 AWG-500 MCM stranded copper or aluminum, AL9CU.	Stock	\$6.75	
<u>LA-6-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 14-4 AWG stranded copper or (1) 8-4 AWG stranded aluminum, AL9CU.	Stock	\$0.50	
<u>LA-600-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 2 AWG-600 MCM stranded copper or aluminum, AL9CU.	Stock	\$8.50	
<u>LA-800-1</u>	Penn-Union mechanical lug, box type, tin-plated aluminum, 600V, 1 openings, (1) 300-800 MCM copper or aluminum, AL9CU.	Stock	\$12.25	
<u>PB2-350S-1</u>	Penn-Union mechanical lug, panelboard, tin-plated aluminum, 600V, 2 openings, (1) 6 AWG-350 MCM stranded copper or aluminum, AL9CU.	Stock	\$21.50	
<u>PB2-600D1-1</u>	Penn-Union mechanical lug, panelboard, tin-plated aluminum, 600V, 2 openings, (1) 2 AWG-600 MCM stranded copper or aluminum, AL9CU.	Stock	\$41.50	
<u>PB2-750D1-1</u>	Penn-Union mechanical lug, panelboard, tin-plated aluminum, 600V, 2 openings, (1) 1/0 AWG-750 MCM stranded copper or aluminum, AL9CU.	Stock	\$47.50	
<u>PB3-600D1-1</u>	Penn-Union mechanical lug, panelboard, tin-plated aluminum, 600V, 3 openings, (1) 2 AWG-600 MCM stranded copper or aluminum, AL9CU.	Stock	\$59.50	
<u>PB3-750D1-1</u>	Penn-Union mechanical lug, panelboard, tin-plated aluminum, 600V, 3 openings, (1) 1/0 AWG-750 MCM stranded copper or aluminum, AL9CU.	Stock	\$72.00	
<u>PB4-600D1-1</u>	Penn-Union mechanical lug, panelboard, tin-plated aluminum, 600V, 4 openings, (1) 2 AWG-600 MCM stranded copper or aluminum, AL9CU.	Stock	\$59.50	
<u>PB4-750D1-1</u>	Penn-Union mechanical lug, panelboard, tin-plated aluminum, 600V, 4 openings, (1) 1/0 AWG-750 MCM stranded copper or aluminum, AL9CU.	Stock	\$73.75	
<u>SAS-70-1</u>	Penn-Union mechanical lug, straight tongue, copper-electrolytic, 70A, 1 openings, (1) 14-4 AWG stranded copper.	Stock	\$1.75	
<u>SAU-70-1</u>	Penn-Union mechanical lug, offset tongue, copper-electrolytic, 70A, 1 openings, (1) 14 AWG solid-4 AWG stranded copper.	Stock	\$2.00	
<u>SLS-35-1</u>	Penn-Union mechanical lug, straight tongue, copper-electrolytic, 35-50A, 1 openings, (1) 14-6 AWG stranded copper.	Stock	\$1.50	
<u>SLU-125-1</u>	Penn-Union mechanical lug, offset tongue, copper-electrolytic, 125A, 1 openings, (1) 8 AWG solid-1/0 AWG stranded copper.	Stock	\$3.50	
<u>SLU-175-1</u>	Penn-Union mechanical lug, offset tongue, copper-electrolytic, 175A, 1 openings, (1) 4 AWG-3/0 AWG stranded copper.	Stock	\$5.50	
<u>SLU-225-1</u>	Penn-Union mechanical lug, offset tongue, copper-electrolytic, 225A, 1 openings, (1) 6 AWG-4/0 AWG stranded copper.	Stock	\$10.00	
<u>SLU-35-1</u>	Penn-Union mechanical lug, offset tongue, copper-electrolytic, 35-50A, 1 openings, (1) 14 AWG solid-6 AWG stranded copper.	Stock	\$1.25	
<u>SLU-70-1</u>	Penn-Union mechanical lug, offset tongue, copper-electrolytic, 70-90A, 1 openings, (1) 8 AWG solid-2 AWG stranded copper.	Stock	\$2.25	
Neutral Bars				
<u>NA-401-1</u>	Penn-Union neutral bar, tin-plated aluminum, 3 openings, 2 circuits, mounting hole position 2, copper or aluminum, AL9CU.	Stock	\$1.00	

<u>NA-402-1</u>	Penn-Union neutral bar, tin-plated aluminum, 5 openings, 4 circuits, mounting hole position 3, copper or aluminum, AL9CU.	Stock	\$1.25
<u>NA-403-1</u>	Penn-Union neutral bar, tin-plated aluminum, 6 openings, 5 circuits, mounting hole position 3, copper or aluminum, AL9CU.	Stock	\$1.50
<u>NA-404-1</u>	Penn-Union neutral bar, tin-plated aluminum, 7 openings, 6 circuits, mounting hole position 4, copper or aluminum, AL9CU.	Stock	\$1.75
<u>NA-405-1</u>	Penn-Union neutral bar, tin-plated aluminum, 6 openings, 4 circuits, mounting hole position 1 and 4, copper or aluminum, AL9CU.	Stock	\$1.50
<u>NA-406-1</u>	Penn-Union neutral bar, tin-plated aluminum, 7 openings, 5 circuits, mounting hole position 1 and 7, copper or aluminum, AL9CU.	Stock	\$1.75
<u>NA-407-1</u>	Penn-Union neutral bar, tin-plated aluminum, 7 openings, 5 circuits, mounting hole position 2 and 6, copper or aluminum, AL9CU.	Stock	\$1.75
<u>NA-408-1</u>	Penn-Union neutral bar, tin-plated aluminum, 8 openings, 6 circuits, mounting hole position 4 and 7, copper or aluminum, AL9CU.	Stock	\$2.00
<u>NA-409-1</u>	Penn-Union neutral bar, tin-plated aluminum, 9 openings, 7 circuits, mounting hole position 3 and 7, copper or aluminum, AL9CU.	Stock	\$2.25
<u>NA-410-1</u>	Penn-Union neutral bar, tin-plated aluminum, 11 openings, 9 circuits, mounting hole position 1 and 11, copper or aluminum, AL9CU.	Stock	\$2.75
<u>NA-411-1</u>	Penn-Union neutral bar, tin-plated aluminum, 12 openings, 10 circuits, mounting hole position 1 and 12, copper or aluminum, AL9CU.	Stock	\$3.00
<u>NA-412-1</u>	Penn-Union neutral bar, tin-plated aluminum, 14 openings, 12 circuits, mounting hole position 1 and 14, copper or aluminum, AL9CU.	Stock	\$3.50
<u>NA-413-1</u>	Penn-Union neutral bar, tin-plated aluminum, 17 openings, 15 circuits, mounting hole position 1 and 17, copper or aluminum, AL9CU.	Stock	\$4.25
<u>NA-414-1</u>	Penn-Union neutral bar, tin-plated aluminum, 22 openings, 20 circuits, mounting hole position 1 and 22, copper or aluminum, AL9CU.	Stock	\$5.50
<u>NA-416-1</u>	Penn-Union neutral bar, tin-plated aluminum, 12 openings, 10 circuits, mounting hole position 3 and 11, aluminum, AL9.	Stock	\$4.25
<u>NA-417-1</u>	Penn-Union neutral bar, tin-plated aluminum, 3 openings, 2 circuits, mounting hole position 2, copper or aluminum, AL9CU.	Stock	\$3.25
<u>NA-418-1</u>	Penn-Union neutral bar, tin-plated aluminum, 5 openings, 3 circuits, mounting hole position 2 and 4, copper or aluminum, AL9CU.	Stock	\$5.50
<u>NA-419-1</u>	Penn-Union neutral bar, tin-plated aluminum, 8 openings, 6 circuits, mounting hole position 1 and 8, copper or aluminum, AL9CU.	Stock	\$9.00
<u>NC-420-1</u>	Penn-Union neutral bar, copper, 6 openings, 4 circuits, mounting hole position 1 and 6, copper.	Stock	\$4.00
<u>NC-421-1</u>	Penn-Union neutral bar, copper, 7 openings, 5 circuits, mounting hole position 1 and 7, copper.	Stock	\$4.50
<u>NC-422-1</u>	Penn-Union neutral bar, copper, 8 openings, 6 circuits, mounting hole position 1 and 8, copper.	Stock	\$5.25
<u>NC-423-1</u>	Penn-Union neutral bar, copper, 14 openings, 12 circuits, mounting hole position 1 and 14, copper.	Stock	\$9.00
<u>NC-424-1</u>	Penn-Union neutral bar, copper, 15 openings, 13 circuits, mounting hole position 3 and 13, copper.	Stock	\$9.75
<u>NC-425-1</u>	Penn-Union neutral bar, copper, 15 openings, 13 circuits, mounting hole position 6 and 11, copper.	Stock	\$9.75
<u>NC-428-1</u>	Penn-Union neutral bar, copper, 8 openings, 6 circuits, mounting hole position 2 and 7, copper.	Stock	\$9.00
Insulated Ferrules			
<u>V30AE000006</u>	Z+F ferrule, 20 AWG, orange, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000009</u>	Z+F ferrule, 18 AWG, white, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000013</u>	Z+F ferrule, 18 AWG, yellow, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000016</u>	Z+F ferrule, 16 AWG, red, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000017</u>	Z+F ferrule, 16 AWG, red, 10mm ferrule length. Package of 500.	Stock	\$13.00
<u>V30AE000052</u>	Z+F ferrule, 14 AWG, blue, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$10.00
<u>V30AE000053</u>	Z+F ferrule, 14 AWG, blue, follows DIN standard, 12mm ferrule length. Package of 500.	Stock	\$15.50
<u>V30AE000055</u>	Z+F ferrule, 12 AWG, gray, follows DIN standard, 10mm ferrule length. Package of 500.	Stock	\$14.50
<u>V30AE000056</u>	Z+F ferrule, 12 AWG, gray, follows DIN standard, 12mm ferrule length. Package of 500.	Stock	\$18.00
<u>V30AE000025</u>	Z+F ferrule, 10 AWG, black, 12mm ferrule length. Package of 100.	Stock	\$4.00
<u>V30AE000026</u>	Z+F ferrule, 10 AWG, black, 18mm ferrule length. Package of 100.	Stock	\$5.00

<u>V30AE000027</u>	Z+F ferrule, 8 AWG, ivory, 12mm ferrule length. Package of 100.	Stock	\$5.00
<u>V30AE000028</u>	Z+F ferrule, 8 AWG, ivory, 18mm ferrule length. Package of 100.	Stock	\$6.00
<u>V30AE000029</u>	Z+F ferrule, 6 AWG, green, 12mm ferrule length. Package of 100.	Stock	\$6.00
<u>V30AE000030</u>	Z+F ferrule, 6 AWG, green, 18mm ferrule length. Package of 100.	Stock	\$9.00
<u>V30AE000031</u>	Z+F ferrule, 4 AWG, brown, 16mm ferrule length. Package of 50.	Stock	\$7.00
<u>V30AE000033</u>	Z+F ferrule, 2 AWG, beige, 16mm ferrule length. Package of 50.	Stock	\$9.50
<u>V30AE000035</u>	Z+F ferrule, 1/0 AWG, olive, 20mm ferrule length. Package of 50.	Stock	\$13.00
<u>V30AE001134</u>	Z+F ferrule, 20 AWG, orange, 2-wire, 8mm ferrule length. Package of 500.	Stock	\$19.50
<u>V30AE000606</u>	Z+F ferrule, 18 AWG, white, 2-wire, 8mm ferrule length. Package of 500.	Stock	\$20.00
<u>V30AE000733</u>	Z+F ferrule, 18 AWG, white, 2-wire, 10mm ferrule length. Package of 500.	Stock	\$24.00
<u>V30AE000608</u>	Z+F ferrule, 18 AWG, yellow, 2-wire, 8mm ferrule length. Package of 500.	Stock	\$20.00
<u>V30AE000735</u>	Z+F ferrule, 18 AWG, yellow, 2-wire, 12mm ferrule length. Package of 500.	Stock	\$24.00
<u>V30AE000623</u>	Z+F ferrule, 16 AWG, red, 2-wire, 8mm ferrule length. Package of 500.	Stock	\$20.00
<u>V30AE000737</u>	Z+F ferrule, 16 AWG, red, 2-wire, 12mm ferrule length. Package of 500.	Stock	\$24.00
<u>V30AE000611</u>	Z+F ferrule, 14 AWG, blue, 2-wire, follows DIN standard, 10mm ferrule length. Package of 500.	Stock	\$22.00
<u>V30AE000748</u>	Z+F ferrule, 14 AWG, blue, 2-wire, follows DIN standard, 12mm ferrule length. Package of 100.	Stock	\$4.50
<u>V30AE001148</u>	Z+F ferrule, 12 AWG, gray, 2-wire, follows DIN standard, 12mm ferrule length. Package of 100.	Stock	\$11.50
<u>V30AE001139</u>	Z+F ferrule, 10 AWG, black, 2-wire, 12mm ferrule length. Package of 100.	Stock	\$13.00
<u>V30AE001141</u>	Z+F ferrule, 8 AWG, ivory, 2-wire, 12mm ferrule length. Package of 100.	Stock	\$17.50
<u>V30AE001143</u>	Z+F ferrule, 6 AWG, green, 2-wire, 16mm ferrule length. Package of 50.	Stock	\$10.50
<u>V30AE000038</u>	Z+F ferrule, 20 AWG, white, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000041</u>	Z+F ferrule, 18 AWG, gray, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000045</u>	Z+F ferrule, 18 AWG, red, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000048</u>	Z+F ferrule, 16 AWG, black, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$8.00
<u>V30AE000049</u>	Z+F ferrule, 16 AWG, black, follows DIN standard, 10mm ferrule length. Package of 500.	Stock	\$13.00
<u>V30AE000058</u>	Z+F ferrule, 10 AWG, yellow, follows DIN standard, 12mm ferrule length. Package of 100.	Stock	\$4.00
<u>V30AE000059</u>	Z+F ferrule, 10 AWG, yellow, follows DIN standard, 18mm ferrule length. Package of 100.	Stock	\$5.00
<u>V30AE000060</u>	Z+F ferrule, 8 AWG, red, follows DIN standard, 12mm ferrule length. Package of 100.	Stock	\$5.00
<u>V30AE000061</u>	Z+F ferrule, 8 AWG, red, follows DIN standard, 18mm ferrule length. Package of 100.	Stock	\$6.00
<u>V30AE000062</u>	Z+F ferrule, 6 AWG, blue, follows DIN standard, 12mm ferrule length. Package of 100.	Stock	\$6.00
<u>V30AE000063</u>	Z+F ferrule, 6 AWG, blue, follows DIN standard, 18mm ferrule length. Package of 100.	Stock	\$9.00
<u>V30AE000064</u>	Z+F ferrule, 4 AWG, yellow, follows DIN standard, 16mm ferrule length. Package of 50.	Stock	\$7.00
<u>V30AE000067</u>	Z+F ferrule, 2 AWG, red, follows DIN standard, 16mm ferrule length. Package of 50.	Stock	\$9.50
<u>V30AE000070</u>	Z+F ferrule, 1/0 AWG, blue, follows DIN standard, 20mm ferrule length. Package of 50.	Stock	\$13.00
<u>V30AE001145</u>	Z+F ferrule, 20 AWG, white, 2-wire, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$19.50
<u>V30AE000607</u>	Z+F ferrule, 18 AWG, gray, 2-wire, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$20.00
<u>V30AE000734</u>	Z+F ferrule, 18 AWG, gray, 2-wire, follows DIN standard, 10mm ferrule length. Package of 500.	Stock	\$24.00
<u>V30AE000609</u>	Z+F ferrule, 18 AWG, red, 2-wire, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$20.00
<u>V30AE000736</u>	Z+F ferrule, 18 AWG, red, 2-wire, follows DIN standard, 12mm ferrule length. Package of 500.	Stock	\$24.00
<u>V30AE000625</u>	Z+F ferrule, 16 AWG, black, 2-wire, follows DIN standard, 8mm ferrule length. Package of 500.	Stock	\$20.00
<u>V30AE000738</u>	Z+F ferrule, 16 AWG, black, 2-wire, follows DIN standard, 12mm ferrule length. Package of 500.	Stock	\$24.00

V30AE001150	Z+F ferrule, 10 AWG, yellow, 2-wire, follows DIN standard, 12mm ferrule length. Package of 100.	Stock	\$13.00
V30AE001152	Z+F ferrule, 8 AWG, red, 2-wire, follows DIN standard, 12mm ferrule length. Package of 100.	Stock	\$17.50
V30AE001154	Z+F ferrule, 6 AWG, blue, 2-wire, follows DIN standard, 16mm ferrule length. Package of 50.	Stock	\$10.50
Ring Terminals			
V70RK004004	Z+F terminal, 20-18 AWG, red, PVC insulated, M4 stud size. Package of 100.	Stock	\$11.50
V70RK004005	Z+F ring terminal, 20-18 AWG, red, PVC insulated, M5 stud size. Package of 100.	Stock	\$11.50
V70RK004011	Z+F ring terminal, 16-14 AWG, blue, PVC insulated, M4 stud size. Package of 100.	Stock	\$12.00
V70RK004012	Z+F ring terminal, 16-14 AWG, blue, PVC insulated, M5 stud size. Package of 100.	Stock	\$13.00
V70RK004017	Z+F ring terminal, 12-10 AWG, yellow, PVC insulated, M4 stud size. Package of 100.	Stock	\$19.50
V70RK004018	Z+F ring terminal, 12-10 AWG, yellow, PVC insulated, M5 stud size. Package of 100.	Stock	\$19.50
Fork Terminals			
V70GK004003	Z+F fork terminal, 20-18 AWG, red, PVC insulated, M4 stud size. Package of 100.	Stock	\$11.50
V70GK004004	Z+F fork terminal, 20-18 AWG, red, PVC insulated, M5 stud size. Package of 100.	Stock	\$12.00
V70GK004008	Z+F fork terminal, 16-14 AWG, blue, PVC insulated, M4 stud size. Package of 100.	Stock	\$11.50
V70GK004009	Z+F fork terminal, 16-14 AWG, blue, PVC insulated, M5 stud size. Package of 100.	Stock	\$13.00
V70GK004011	Z+F fork terminal, 12-10 AWG, yellow, PVC insulated, M4 stud size. Package of 100.	Stock	\$17.50
V70GK004012	Z+F fork terminal, 12-10 AWG, yellow, PVC insulated, M5 stud size. Package of 100.	Stock	\$17.50
Butt Connectors			
V70SV004001	Z+F butt connector, 20-18 AWG, red, PVC insulated. Package of 100.	Stock	\$12.00
V70SV004002	Z+F butt connector, 16-14 AWG, blue, PVC insulated. Package of 100.	Stock	\$14.00
V70SV004003	Z+F butt connector, 12-10 AWG, yellow, PVC insulated. Package of 100.	Stock	\$20.00
Disconnect Terminal Wire End Connectors			
V70FH004001	Z+F disconnect, female, 20-18 AWG, red, 2.8 x 0.5mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
V70FH004002	Z+F disconnect, female, 20-18 AWG, red, 2.8 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
V70FH004003	Z+F disconnect, female, 20-18 AWG, red, 4.8 x 0.5mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
V70FH004004	Z+F disconnect, female, 20-18 AWG, red, 4.8 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
V70FH004005	Z+F disconnect, female, 20-18 AWG, red, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$11.50
V70FH004006	Z+F disconnect, female, 16-14 AWG, blue, 2.8 x 0.5mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.50
V70FH004007	Z+F disconnect, female, 16-14 AWG, blue, 2.8 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.50
V70FH004008	Z+F disconnect, female, 16-14 AWG, blue, 4.8 x 0.5mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.50
V70FH004009	Z+F disconnect, female, 16-14 AWG, blue, 4.8 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.50
V70FH004010	Z+F disconnect, female, 16-14 AWG, blue, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$12.00
V70FH004011	Z+F disconnect, female, 12-10 AWG, yellow, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$20.00
V70FV004003	Z+F disconnect, female, 20-18 AWG, red, 2.8 x 0.5mm tab size, completely PVC insulated. Package of 100.	Stock	\$13.00
V70FV004004	Z+F disconnect, female, 20-18 AWG, red, 2.8 x 0.8mm tab size, completely PVC insulated. Package of 100.	Stock	\$13.00
V70FV004005	Z+F disconnect, female, 20-18 AWG, red, 4.8 x 0.5mm tab size, completely PVC insulated. Package of 100.	Stock	\$14.00
V70FV004006	Z+F disconnect, female, 20-18 AWG, red, 4.8 x 0.8mm tab size, completely PVC insulated. Package of 100.	Stock	\$14.00
V70FV004001	Z+F disconnect, female, 20-18 AWG, red, 6.3 x 0.8mm tab size, completely PVC insulated. Package of 100.	Stock	\$14.00
V70FV004007	Z+F disconnect, female, 16-14 AWG, blue, 4.8 x 0.5mm tab size, completely PVC insulated. Package of 100.	Stock	\$14.00
V70FV004008	Z+F disconnect, female, 16-14 AWG, blue, 4.8 x 0.8mm tab size, completely PVC insulated. Package of 100.	Stock	\$14.00
V70FV004002	Z+F disconnect, female, 16-14 AWG, blue, 6.3 x 0.8mm tab size, completely PVC insulated. Package of 100.	Stock	\$15.50

<u>V70FV004009</u>	Z+F disconnect, female, 12-10 AWG, yellow, 6.3 x 0.8mm tab size, completely PVC insulated. Package of 100.	Stock	\$24.00
<u>V70FS004001</u>	Z+F disconnect, male, 20-18 AWG, red, 2.8 x 0.5mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
<u>V70FS004002</u>	Z+F disconnect, male, 20-18 AWG, red, 2.8 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
<u>V70FS004003</u>	Z+F disconnect, male, 20-18 AWG, red, 4.8 x 0.5mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
<u>V70FS004004</u>	Z+F disconnect, male, 20-18 AWG, red, 4.8 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
<u>V70FS004005</u>	Z+F disconnect, male, 20-18 AWG, red, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.50
<u>V70FS004008</u>	Z+F disconnect, male, 16-14 AWG, blue, 4.8 x 0.5mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.00
<u>V70FS004009</u>	Z+F disconnect, male, 16-14 AWG, blue, 4.8 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$10.50
<u>V70FS004010</u>	Z+F disconnect, male, 16-14 AWG, blue, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$11.00
<u>V70FS004011</u>	Z+F disconnect, male, 12-10 AWG, yellow, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$19.50
<u>V70FP004001</u>	Z+F piggy back disconnect, 20-18 AWG, red, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$14.00
<u>V70FP004002</u>	Z+F piggy back disconnect, 16-14 AWG, blue, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$14.00
<u>V70FP004003</u>	Z+F piggy back disconnect, 12-10 AWG, yellow, 6.3 x 0.8mm tab size, partially PVC insulated. Package of 100.	Stock	\$21.00
Pin Terminals			
<u>V70SS004001</u>	Z+F pin terminal, 20-18 AWG, red, 12mm pin length. Package of 100.	Stock	\$13.00
<u>V70SS004002</u>	Z+F pin terminal, 16-14 AWG, blue, 12mm pin length. Package of 100.	Stock	\$14.00
<u>V70SS004003</u>	Z+F pin terminal, 12-10 AWG, yellow, 14mm pin length. Package of 100.	Stock	\$21.00
Bullet Terminals			
<u>V70RS004001</u>	Z+F bullet connector, male, 20-18 AWG, red, 4mm bullet diameter. Package of 100.	Stock	\$10.50
<u>V70RS004002</u>	Z+F bullet connector, male, 16-14 AWG, blue, 5mm bullet diameter. Package of 100.	Stock	\$12.00
<u>V70RS004003</u>	Z+F bullet connector, male, 12-10 AWG, yellow, 5mm bullet diameter. Package of 100.	Stock	\$14.00
<u>V70RV004001</u>	Z+F bullet connector, female, 20-18 AWG, red, 4mm bullet diameter. Package of 100.	Stock	\$14.00
<u>V70RV004002</u>	Z+F bullet connector, female, 16-14 AWG, blue, 5mm bullet diameter. Package of 100.	Stock	\$14.00
<u>V70RV004003</u>	Z+F bullet connector, female, 12-10 AWG, yellow, 5mm bullet diameter. Package of 100.	Stock	\$25.00
Field Wireable Connectors			
<u>7000-08331-0000000</u>	Murrelektronik connector, field-wireable, M8 barrel 3-pin male axial connection, accepts cable diameter size 2.5-5.1mm, 22 - 26 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$14.00
<u>7000-08351-0000000</u>	Murrelektronik connector, field-wireable, M8 barrel 4-pin male axial connection, accepts cable diameter size 2.5-5.1mm, 22 - 26 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$14.00
<u>7000-08371-0000000</u>	Murrelektronik connector, field-wireable, M8 nut 3-pin female axial connection, accepts cable diameter size 2.5-5.1mm, 22 - 26 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$14.00
<u>7000-08391-0000000</u>	Murrelektronik connector, field-wireable, M8 nut 4-pin female axial connection, accepts cable diameter size 2.5-5.1mm, 22 - 26 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$15.50
<u>7000-12481-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 4-pin male axial connection, accepts cable diameter size 4-5.1mm, 20 - 24 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$11.50
<u>7000-12601-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 4-pin female axial connection, accepts cable diameter size 4-5.1mm, 20 - 24 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$13.00
<u>7000-12491-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 4-pin male axial connection, accepts cable diameter size 2.9-5.1mm, 22 - 26 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$13.00
<u>7000-12611-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 4-pin female axial connection, accepts cable diameter size 2.9-5.1mm, 22 - 26 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$15.50
<u>7000-12561-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 4-pin male right-angle connection, accepts cable diameter size 4-5.1mm, 20 - 24 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$16.50
<u>7000-12681-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 4-pin female right-angle connection, accepts cable diameter size 4-5.1mm, 20 - 24 AWG, insulation displacement (IDC) connection, IP67.	Stock	\$18.00
<u>7000-12701-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 4-pin male axial connection, accepts cable diameter size 4-6mm, 18 AWG, screw terminal connection, IP67.	Stock	\$10.50
<u>7000-12721-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 5-pin male axial connection, accepts cable diameter size 4-6mm, 18 AWG, screw terminal connection, IP67.	Stock	\$13.00

<u>7000-12901-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 4-pin female axial connection, accepts cable diameter size 4-6mm, 18 AWG, screw terminal connection, IP67.	Stock	\$10.50
<u>7000-12921-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 5-pin female axial connection, accepts cable diameter size 4-6mm, 18 AWG, screw terminal connection, IP67.	Stock	\$13.00
<u>7000-12741-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 4-pin male axial connection, accepts cable diameter size 6-8mm, 18 AWG, screw terminal connection, IP67.	Stock	\$10.50
<u>7000-12761-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 5-pin male axial connection, accepts cable diameter size 6-8mm, 18 AWG, screw terminal connection, IP67.	Stock	\$13.00
<u>7000-12941-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 4-pin female axial connection, accepts cable diameter size 6-8mm, 18 AWG, screw terminal connection, IP67.	Stock	\$10.50
<u>7000-12961-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 5-pin female axial connection, accepts cable diameter size 6-8mm, 18 AWG, screw terminal connection, IP67.	Stock	\$13.00
<u>7000-12821-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 4-pin male right-angle connection, accepts cable diameter size 4-6mm, 18 AWG, screw terminal connection, IP67.	Stock	\$10.50
<u>7000-12981-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 4-pin female right-angle connection, accepts cable diameter size 4-6mm, 18 AWG, screw terminal connection, IP67.	Stock	\$10.50
<u>7000-13041-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 5-pin female right-angle connection, accepts cable diameter size 6-8mm, 18 AWG, screw terminal connection, IP67.	Stock	\$13.00
<u>7000-13901-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 axial male A-coded, accepts cable diameter size 4-8mm, 26-18 AWG, push-lock spring clamp connection, IP65 IP67.	Stock	\$17.50
<u>7000-13911-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 90-degree male A-coded, accepts cable diameter size 4-8mm, 26-18 AWG, push-lock spring clamp connection, IP65 IP67.	Stock	\$17.50
<u>7000-13941-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 axial female A-coded, accepts cable diameter size 4-8mm, 26-18 AWG, push-lock spring clamp connection, IP65 IP67.	Stock	\$17.50
<u>7000-13951-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 90-degree female A-coded, accepts cable diameter size 4-8mm, 26-18 AWG, push-lock spring clamp connection, IP65 IP67.	Stock	\$17.50
<u>7000-17301-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 8-pin male axial connection, accepts cable diameter size 6-8mm, 20 AWG, screw terminal connection, IP67.	Stock	\$29.50
<u>7000-17311-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 8-pin male right-angle connection, accepts cable diameter size 6-8mm, 20 AWG, screw terminal connection, IP67.	Stock	\$29.50
<u>7000-17321-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 8-pin female axial connection, accepts cable diameter size 6-8mm, 20 AWG, screw terminal connection, IP67.	Stock	\$29.50
<u>7000-17331-0000000</u>	Murrelektronik connector, field-wireable, M12 nut 8-pin female right-angle connection, accepts cable diameter size 6-8mm, 20 AWG, screw terminal connection, IP67.	Stock	\$29.50
<u>7000-13321-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 5-pin male axial connection, accepts cable diameter size 6-8mm, 18 AWG, screw terminal connection, IP67.	Stock	\$27.50
<u>7000-13361-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 5-pin male right-angle connection, accepts cable diameter size 6-8mm, 18 AWG, screw terminal connection, IP67.	Stock	\$36.00
<u>7000-17341-0000000</u>	Murrelektronik connector, field-wireable, M12 barrel 8-pin male axial connection, accepts cable diameter size 6-8mm, 20 AWG, screw terminal connection, IP67.	Stock	\$36.00
<u>490174</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 male axial 8-wire/8-pin, accepts cable diameter size 5.5-10mm, 24-22 AWG, TIA-568B color code, insulation displacement (IDC) connection, IP20.	Stock	\$37.50
<u>490175</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 male axial 8-wire/8-pin, accepts cable diameter size 5.5-10mm, 24-22 AWG, TIA-568A color code, insulation displacement (IDC) connection, IP20.	Stock	\$37.50
<u>490176</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 male axial 8-wire/8-pin, accepts cable diameter size 5.5-10mm, 26-22 AWG, TIA-568B color code, insulation displacement (IDC) connection, IP20.	Stock	\$37.50
<u>490151</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 male 90-degree 8-wire/8-pin, accepts cable diameter size 5.5-10mm, 24-22 AWG, TIA-568B color code, insulation displacement (IDC) connection, IP20.	Stock	\$40.00
<u>490152</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 male 90-degree 8-wire/8-pin, accepts cable diameter size 5.5-10mm, 24-22 AWG, TIA-568A color code, insulation displacement (IDC) connection, IP20.	Stock	\$44.00
<u>490153</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 male 90-degree 8-wire/8-pin, accepts cable diameter size 5.5-10mm, 26-22 AWG, TIA-568B color code, insulation displacement (IDC) connection, IP20.	Stock	\$40.00
<u>490209</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 female axial 8-wire/8-pin, accepts cable diameter size up to 9mm, 26-22 AWG, TIA-568B color code, insulation displacement (IDC) connection, IP20.	Stock	\$30.50
<u>490238</u>	LUTZE Cat6a Ethernet connector, field-wireable, RJ45 female axial 8-wire/8-pin, accepts cable diameter size up to 9mm, 26-22 AWG, TIA-568A color code, insulation displacement (IDC) connection, IP20.	Stock	\$30.50
<u>7000-74075-0000000</u>	Murrelektronik Cat5e Ethernet connector, field-wireable, 8-pin RJ45 axial male heavy duty, accepts cable diameter size 5-9mm, 24-26 AWG, insulation displacement (IDC) connection, IP20.	Stock	\$27.00
<u>7000-74001-0000000</u>	Murrelektronik Cat5e Ethernet connector, field-wireable, RJ45 4-pole Ethernet male axial, accepts cable diameter size 4.5-9mm, 26-22 AWG, insulation displacement (IDC) connection, IP20.	Stock	\$22.00
<u>7000-74011-0000000</u>	Murrelektronik Cat6a Ethernet connector, field-wireable, RJ45 8-pole Ethernet male axial, accepts cable diameter size 4.5-9mm, 26-22 AWG, insulation displacement (IDC) connection, IP20.	Stock	\$25.50
<u>7000-74085-0000000</u>	Murrelektronik Cat5e Ethernet connector, field-wireable, 8-pin RJ45 90 degree male heavy duty, accepts cable diameter size 5-9mm, 24-26 AWG, insulation displacement (IDC) connection, IP20.	Stock	\$29.00

<u>7000-74021-0000000</u>	Murrelektronik Cat5e Ethernet connector, field-wireable, RJ45 4-pole Ethernet male 45-degree, accepts cable diameter size 4.5-8mm, 26-22 AWG, insulation displacement (IDC) connection, IP20.	Stock	\$24.00
<u>7000-74031-0000000</u>	Murrelektronik Cat6a Ethernet connector, field-wireable, RJ45 8-pole Ethernet male 45-degree, accepts cable diameter size 4.5-8mm, 26-22 AWG, insulation displacement (IDC) connection, IP20.	Stock	\$27.50
<u>7000-14521-0000000</u>	Murrelektronik connector, field-wireable, M12 D-coded 4-pole male axial, accepts cable diameter size 4.5-8.8mm, 26-22 AWG, insulation displacement (IDC) connection, IP65 IP67.	Stock	\$39.00
<u>7000-14621-0000000</u>	Murrelektronik connector, field-wireable, M12 D-coded 4-pole female axial, accepts cable diameter size 4.5-8.8mm, 26-22 AWG, insulation displacement (IDC) connection, IP65 IP67.	Stock	\$45.00
<u>7000-14581-0000000</u>	Murrelektronik connector, field-wireable, M12 D-coded 4-pole male 90-degree, accepts cable diameter size 6-8mm, 18 AWG max, screw terminal connection, IP67.	Stock	\$32.50
<u>7000-14801-0000000</u>	Murrelektronik connector, field-wireable, 4-pin M12 axial male D-coded, accepts cable diameter size 4-8mm, 26-18 AWG, push-lock spring clamp connection, IP65 IP67.	Stock	\$22.00
<u>7000-14811-0000000</u>	Murrelektronik connector, field-wireable, 4-pin M12 90-degree male D-coded, accepts cable diameter size 4-8mm, 26-18 AWG, push-lock spring clamp connection, IP65 IP67.	Stock	\$40.50
<u>7000-P4591-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 axial male L-coded, accepts cable diameter size 8-13mm, 14 AWG, screw terminal connection, IP67.	Stock	\$32.00
<u>7000-P4611-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 axial female L-coded, accepts cable diameter size 8-13mm, 14 AWG, screw terminal connection, IP67.	Stock	\$32.00
<u>7000-P4651-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 axial male L-coded, accepts cable diameter size 9-13mm, 16-14 AWG, push-lock spring clamp connection, IP65.	Stock	\$40.50
<u>7000-P4661-0000000</u>	Murrelektronik connector, field-wireable, 5-pin M12 axial female L-coded, accepts cable diameter size 9-13mm, 16-14 AWG, push-lock spring clamp connection, IP65.	Stock	\$42.00
<u>ZP-S1-3FP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 3-pin female axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$18.00
<u>ZP-S1-3FP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 3-pin female axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$18.00
<u>ZP-S1-3MP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 3-pin male axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$16.50
<u>ZP-S1-3MP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 3-pin male axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$16.00
<u>ZP-S1-3MPM-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 3-pin male axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$16.50
<u>ZP-S1-3MPM-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 3-pin male axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$17.50
<u>ZP-S1-4FP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 4-pin female axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$20.50
<u>ZP-S1-4FP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 4-pin female axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$20.50
<u>ZP-S1-4MP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 4-pin male axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$17.00
<u>ZP-S1-4MP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 4-pin male axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$17.50
<u>ZP-S1-4MPM-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 4-pin male axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$18.00
<u>ZP-S1-4MPM-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 4-pin male axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$18.00
<u>ZP-S1C-4FP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 4-pin female axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, European (Cenelec) color code, screw terminal connection, IP67.	Stock	\$21.00
<u>ZP-S1C-4FP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 4-pin female axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, European (Cenelec) color code, screw terminal connection, IP67.	Stock	\$21.00
<u>ZP-S1C-4MP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 4-pin male axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, European (Cenelec) color code, screw terminal connection, IP67.	Stock	\$19.00
<u>ZP-S1C-4MP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 4-pin male axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, European (Cenelec) color code, screw terminal connection, IP67.	Stock	\$19.50
<u>ZP-S1-5FP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 5-pin female axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$22.50
<u>ZP-S1-5FP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 5-pin female axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$23.00
<u>ZP-S1-5MP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 5-pin male axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$17.50
<u>ZP-S1-5MP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 5-pin male axial, accepts cable diameter size 8-17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$19.50
<u>ZP-S1-5MPM-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 5-pin male axial, accepts cable diameter size 5-13mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$19.50

<u>ZP-S1-5MPM-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 5-pin male axial, accepts cable diameter size 8 -17mm, 20 - 14 AWG, North American color code, screw terminal connection, IP67.	Stock	\$19.50
<u>ZP-S1-6FP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 6-pin female axial, accepts cable diameter size 5-13mm, 20 - 16 AWG, North American color code, screw terminal connection, IP67.	Stock	\$25.00
<u>ZP-S1-6FP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 6-pin female axial, accepts cable diameter size 8-17mm, 20 - 16 AWG, North American color code, screw terminal connection, IP67.	Stock	\$25.00
<u>ZP-S1-6MP-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 6-pin male axial, accepts cable diameter size 5-13mm, 20 - 16 AWG, North American color code, screw terminal connection, IP67.	Stock	\$21.00
<u>ZP-S1-6MP-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread nut 6-pin male axial, accepts cable diameter size 8-17mm, 20 - 16 AWG, North American color code, screw terminal connection, IP67.	Stock	\$21.50
<u>ZP-S1-6MPM-FW</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 6-pin male axial, accepts cable diameter size 5 -13mm, 20 - 16 AWG, North American color code, screw terminal connection, IP67.	Stock	\$24.00
<u>ZP-S1-6MPM-FWX</u>	ZIPport connector, field-wireable, 7/8in - 16 UN2 thread barrel 6-pin male axial, accepts cable diameter size 8 -17mm, 20 - 16 AWG, North American color code, screw terminal connection, IP67.	Stock	\$24.00
Liquidtight Non-Metallic Conduit (NM)			
<u>NM-10-50</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 3/8in trade size, gray, UL-1660 Listed, 50ft/15.2m coil length.	Stock	\$71.00
<u>NM-10-100</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 3/8in trade size, gray, UL-1660 Listed, 100ft/30.4m coil length.	Stock	\$108.00
<u>NM-11-50</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 1/2in trade size, gray, UL-1660 Listed, 50ft/15.2m coil length.	Stock	\$71.00
<u>NM-11-100</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 1/2in trade size, gray, UL-1660 Listed, 100ft/30.4m coil length.	Stock	\$108.00
<u>NM-12-50</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 3/4in trade size, gray, UL-1660 Listed, 50ft/15.2m coil length.	Stock	\$90.00
<u>NM-12-100</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 3/4in trade size, gray, UL-1660 Listed, 100ft/30.4m coil length.	Stock	\$132.00
<u>NM-13-50</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 1in trade size, gray, UL-1660 Listed, 50ft/15.2m coil length.	Stock	\$139.00
<u>NM-13-100</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 1in trade size, gray, UL-1660 Listed, 100ft/30.4m coil length.	Stock	\$219.00
<u>NM-14-100</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 1-1/4in trade size, gray, UL-1660 Listed, 100ft/30.4m coil length.	Stock	\$342.00
<u>NM-15-50</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 1-1/2in trade size, gray, UL-1660 Listed, 50ft/15.2m coil length.	Stock	\$229.00
<u>NM-16-50</u>	Electri-Flex Liqueatite liquid-tight flexible non-metallic conduit, embedded spiral rigid PVC, PVC wall, 2in trade size, gray, UL-1660 Listed, 50ft/15.2m coil length.	Stock	\$278.00
Liquidtight Flexible Metal Conduit (LFMC)			
<u>LA-10-25</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 3/8in trade size, gray, UL-360 Listed, 25ft/7.6m coil length.	Stock	\$56.00
<u>LA-10-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 3/8in trade size, gray, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$187.00
<u>LA-11-25</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1/2in trade size, gray, UL-360 Listed, 25ft/7.6m coil length.	Stock	\$64.00
<u>LA-11-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1/2in trade size, gray, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$216.00
<u>LA-12-25</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 3/4in trade size, gray, UL-360 Listed, 25ft/7.6m coil length.	Stock	\$89.00
<u>LA-12-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 3/4in trade size, gray, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$294.00
<u>LA-13-25</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1in trade size, gray, UL-360 Listed, 25ft/7.6m coil length.	Stock	\$130.00
<u>LA-13-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1in trade size, gray, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$464.00
<u>LA-14-50</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1-1/4in trade size, gray, UL-360 Listed, 50ft/15.2m coil length.	Stock	\$306.00
<u>LA-15-50</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1-1/2in trade size, gray, UL-360 Listed, 50ft/15.2m coil length.	Stock	\$342.00
<u>LA-16-50</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 2in trade size, gray, UL-360 Listed, 50ft/15.2m coil length.	Stock	\$421.00
<u>ATLA-11-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1/2in trade size, gray, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$249.00

<u>ATLA-12-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 3/4in trade size, gray, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$391.00
<u>ATLA-13-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1in trade size, gray, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$504.00
<u>ATLA-14-50</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1-1/4in trade size, gray, UL-360 Listed, 50ft/15.2m coil length.	Stock	\$348.00
<u>ATLA-15-50</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 1-1/2in trade size, gray, UL-360 Listed, 50ft/15.2m coil length.	Stock	\$384.00
<u>ATLA-16-50</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, 2in trade size, gray, UL-360 Listed, 50ft/15.2m coil length.	Stock	\$446.00
<u>SLA-10-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, copper braided shield, 3/8in trade size, black, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$749.00
<u>SLA-11-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, copper braided shield, 1/2in trade size, black, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$831.00
<u>SLA-12-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, copper braided shield, 3/4in trade size, black, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$1,335.00
<u>SLA-13-100</u>	Electri-Flex Liqueatite liquid-tight flexible metallic conduit, hot dipped galvanized steel, PVC jacket, copper braided shield, 1in trade size, black, UL-360 Listed, 100ft/30.4m coil length.	Stock	\$1,996.00
Flexible Metal Conduit (FMC)			
<u>55082021</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 3/8in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$22.00
<u>55082003</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 3/8in trade size, UL-1 Listed, 100ft/30.4m coil length.	Stock	\$58.00
<u>55082121</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 1/2in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$24.50
<u>55082103</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 1/2in trade size, UL-1 Listed, 100ft/30.4m coil length.	Stock	\$85.00
<u>55082321</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 3/4in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$32.00
<u>55082303</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 3/4in trade size, UL-1 Listed, 100ft/30.4m coil length.	Stock	\$98.00
<u>55092501</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 1in trade size, UL-1 Listed, 50ft/15.2m coil length.	Stock	\$96.00
<u>55092601</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 1-1/4in trade size, UL-1 Listed, 50ft/15.2m coil length.	Stock	\$134.00
<u>55092701</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 1-1/2in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$97.00
<u>55092801</u>	Southwire Alfex flexible metallic conduit, reduced wall aluminum, 2in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$130.00
<u>55081711</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 3/8in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$25.50
<u>55081702</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 3/8in trade size, UL-1 Listed, 100ft/30.4m coil length.	Stock	\$68.00
<u>55081806</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 1/2in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$26.50
<u>55081802</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 1/2in trade size, UL-1 Listed, 100ft/30.4m coil length.	Stock	\$93.00
<u>55081921</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 3/4in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$47.50
<u>55081902</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 3/4in trade size, UL-1 Listed, 100ft/30.4m coil length.	Stock	\$114.00
<u>55091601</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 1in trade size, UL-1 Listed, 50ft/15.2m coil length.	Stock	\$135.00
<u>55091701</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 1-1/4in trade size, UL-1 Listed, 50ft/15.2m coil length.	Stock	\$180.00
<u>55091801</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 1-1/2in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$129.00
<u>55091901</u>	Southwire Gaflex flexible metallic conduit, reduced wall steel, 2in trade size, UL-1 Listed, 25ft/7.6m coil length.	Stock	\$183.00
Conduit Fittings			
<u>3511RAC</u>	RACO connector, liquid-tight, straight, 3/8in trade size, 1/2in NPT thread type, insulation, zinc electro-plated finish. Package of 25. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$61.00

[illegible]

<u>3424-8</u>	RACO connector, liquid-tight, 90-degree, 1in trade size, 1in NPT thread type, zinc electro-plated finish. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$12.50
<u>3424</u>	RACO connector, liquid-tight, 90-degree, 1in trade size, 1in NPT thread type, zinc electro-plated finish. Package of 10. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$115.00
<u>3545</u>	RACO connector, liquid-tight, 90-degree, 1-1/4in trade size, 1-1/4in NPT thread type, insulation, zinc electro-plated finish. Package of 10. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$204.00
<u>3425-8</u>	RACO connector, liquid-tight, 90-degree, 1-1/4in trade size, 1-1/4in NPT thread type, zinc electro-plated finish. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$21.00
<u>3425</u>	RACO connector, liquid-tight, 90-degree, 1-1/4in trade size, 1-1/4in NPT thread type, zinc electro-plated finish. Package of 10. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$189.00
<u>3426-8</u>	RACO connector, liquid-tight, 90-degree, 1-1/2in trade size, 1-1/2in NPT thread type, zinc electro-plated finish. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$23.50
<u>3428-8</u>	RACO connector, liquid-tight, 90-degree, 2in trade size, 2in NPT thread type, zinc electro-plated finish. For use with Liqueatite electrical conduit. Sealing washer and locknut included.	Stock	\$35.00
Cable Drag Chain			
<u>2500-03-055</u>	igus 2500 cable drag chain, 0.98in inside height, 1.5in inside width, 2.16in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2030-34PZB or 2030-12PZB brackets for mounting.	Stock	\$59.00
<u>2500-03-075</u>	igus 2500 cable drag chain, 0.98in inside height, 1.5in inside width, 2.95in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2030-34PZB or 2030-12PZB brackets for mounting.	Stock	\$59.00
<u>2500-03-100</u>	igus 2500 cable drag chain, 0.98in inside height, 1.5in inside width, 3.94in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2030-34PZB or 2030-12PZB brackets for mounting.	Stock	\$59.00
<u>2500-03-125</u>	igus 2500 cable drag chain, 0.98in inside height, 1.5in inside width, 4.92in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2030-34PZB or 2030-12PZB brackets for mounting.	Stock	\$59.00
<u>2500-05-055</u>	igus 2500 cable drag chain, 0.98in inside height, 2.24in inside width, 2.16in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2050-34PZB or 2050-12PZB brackets for mounting.	Stock	\$64.00
<u>2500-05-075</u>	igus 2500 cable drag chain, 0.98in inside height, 2.24in inside width, 2.95in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2050-34PZB or 2050-12PZB brackets for mounting.	Stock	\$64.00
<u>2500-05-100</u>	igus 2500 cable drag chain, 0.98in inside height, 2.24in inside width, 3.94in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2050-34PZB or 2050-12PZB brackets for mounting.	Stock	\$64.00
<u>2500-05-125</u>	igus 2500 cable drag chain, 0.98in inside height, 2.24in inside width, 4.92in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2050-34PZB or 2050-12PZB brackets for mounting.	Stock	\$64.00
<u>2500-07-055</u>	igus 2500 cable drag chain, 0.98in inside height, 3.03in inside width, 2.16in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2070-34PZB or 2070-12PZB brackets for mounting.	Stock	\$69.00
<u>2500-07-075</u>	igus 2500 cable drag chain, 0.98in inside height, 3.03in inside width, 2.95in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2070-34PZB or 2070-12PZB brackets for mounting.	Stock	\$69.00
<u>2500-07-100</u>	igus 2500 cable drag chain, 0.98in inside height, 3.03in inside width, 3.94in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2070-34PZB or 2070-12PZB brackets for mounting.	Stock	\$69.00
<u>2500-07-125</u>	igus 2500 cable drag chain, 0.98in inside height, 3.03in inside width, 4.92in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2070-34PZB or 2070-12PZB brackets for mounting.	Stock	\$69.00
<u>2500-10-055</u>	igus 2500 cable drag chain, 0.98in inside height, 4.06in inside width, 2.16in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2100-34PZB or 2100-12PZB brackets for mounting.	Stock	\$74.00
<u>2500-10-075</u>	igus 2500 cable drag chain, 0.98in inside height, 4.06in inside width, 2.95in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2100-34PZB or 2100-12PZB brackets for mounting.	Stock	\$74.00
<u>2500-10-100</u>	igus 2500 cable drag chain, 0.98in inside height, 4.06in inside width, 3.94in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2100-34PZB or 2100-12PZB brackets for mounting.	Stock	\$74.00
<u>2500-10-125</u>	igus 2500 cable drag chain, 0.98in inside height, 4.06in inside width, 4.92in bend radius, outside opening, 1.81in pitch, 3.2ft/1m length, black. Requires 2100-34PZB or 2100-12PZB brackets for mounting.	Stock	\$74.00
<u>CDC-0.7X0.7R1.1T</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 1.1in bend radius, outside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$42.00
<u>CDC-0.7X0.7R1.1N</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 1.1in bend radius, inside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$42.00
<u>CDC-0.7X0.7R1.5N</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 1.5in bend radius, inside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$42.00
<u>CDC-0.7X0.7R1.5T</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 1.5in bend radius, outside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$42.00
<u>CDC-0.7X0.7R1.9T</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 1.89in bend radius, outside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$42.00
<u>CDC-0.7X0.7R1.9N</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 1.89in bend radius, inside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$44.50
<u>CDC-0.7X0.7R3.1N</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 3.07in bend radius, inside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$44.50
<u>CDC-0.7X0.7R3.1T</u>	Murrplastik MP18 cable drag chain, 0.71in inside height, 0.71in inside width, 3.07in bend radius, outside opening, 1.3in pitch, 3.2ft/1m length, black. Requires CDC-KAZ-0.7X0.7 bracket for mounting.	Stock	\$44.50

[illegible]

<u>CDC-04X06R11T</u>	Murrplastik MP10 cable drag chain, 0.39in inside height, 0.59in inside width, 1.1in bend radius, outside opening, 0.59in pitch, 1.6ft/0.5m length, black. Requires CDC-KAZ-04X06 bracket for mounting.	Stock	\$36.50
<u>CDC-04X08R07T</u>	Murrplastik MP10 cable drag chain, 0.39in inside height, 0.83in inside width, 0.71in bend radius, outside opening, 0.59in pitch, 1.6ft/0.5m length, black. Requires CDC-KAZ-04X08 bracket for mounting.	Stock	\$39.50
<u>CDC-04X12R07T</u>	Murrplastik MP10 cable drag chain, 0.39in inside height, 1.22in inside width, 0.71in bend radius, outside opening, 0.59in pitch, 1.6ft/0.5m length, black. Requires CDC-KAZ-04X12 bracket for mounting.	Stock	\$41.50
<u>CDC-04X12R15T</u>	Murrplastik MP10 cable drag chain, 0.39in inside height, 1.22in inside width, 1.5in bend radius, outside opening, 0.59in pitch, 1.6ft/0.5m length, black. Requires CDC-KAZ-04X12 bracket for mounting.	Stock	\$41.50
Accessories for Cable Drag Chain			
<u>2030-34PZB</u>	igus bracket, 0.98in inside height, 1.5in inside width, 90 to -48 deg pivoting, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$20.00
<u>2050-34PZB</u>	igus bracket, 0.98in inside height, 2.24in inside width, 90 to -48 deg pivoting, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$22.00
<u>2070-34PZB</u>	igus bracket, 0.98in inside height, 3.03in inside width, 90 to -48 deg pivoting, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$23.00
<u>2100-34PZB</u>	igus bracket, 0.98in inside height, 4.06in inside width, 90 to -48 deg pivoting, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$25.00
<u>2030-12PZB</u>	igus bracket, 0.98in inside height, 1.5in inside width, 90 deg locking and 0 deg locking, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$20.00
<u>2050-12PZB</u>	igus bracket, 0.98in inside height, 2.24in inside width, 90 deg locking and 0 deg locking, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$22.00
<u>2070-12PZB</u>	igus bracket, 0.98in inside height, 3.03in inside width, 90 deg locking and 0 deg locking, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$23.00
<u>2100-12PZB</u>	igus bracket, 0.98in inside height, 4.06in inside width, 90 deg locking and 0 deg locking, polyamide, black. For use with 2400 and 2500 series energy chain.	Stock	\$25.00
<u>25.1-12</u>	igus separator, 0.98in inside height, locking, polyamide, black. Package of 12. For use with 2400 and 2500 series energy chain.	Stock	\$7.00
<u>CDC-KAZ-0.7X0.7</u>	Murrplastik bracket, 0.71in inside height, 0.71in inside width, polyamide, black. For use with MP18 series energy chain.	Stock	\$17.50
<u>CDC-KAZ-0.7X1.0</u>	Murrplastik bracket, 0.71in inside height, 0.98in inside width, polyamide, black. For use with MP18 series energy chain.	Stock	\$18.00
<u>CDC-KAZ-0.7X1.5</u>	Murrplastik bracket, 0.71in inside height, 1.46in inside width, polyamide, black. For use with MP18 series energy chain.	Stock	\$18.50
<u>CDC-KAZ-0.7X2.0</u>	Murrplastik bracket, 0.71in inside height, 1.97in inside width, polyamide, black. For use with MP18 series energy chain.	Stock	\$18.50
<u>CDC-KAZ-0.7X2.8</u>	Murrplastik bracket, 0.71in inside height, 2.76in inside width, polyamide, black. For use with MP18 series energy chain.	Stock	\$19.50
<u>CDC-TR-14.18</u>	Murrplastik separator, 0.71in inside height, polyamide, black. Package of 10. For use with MP18 series energy chain.	Stock	\$7.75
<u>CDC-KAZ-04X02</u>	Murrplastik bracket, 0.39in inside height, 0.24in inside width, polyamide, black. For use with MP10 series energy chain.	Stock	\$6.00
<u>CDC-KAZ-04X04</u>	Murrplastik bracket, 0.39in inside height, 0.35in inside width, polyamide, black. For use with MP10 series energy chain.	Stock	\$7.00
<u>CDC-KAZ-04X06</u>	Murrplastik bracket, 0.39in inside height, 0.59in inside width, polyamide, black. For use with MP10 series energy chain.	Stock	\$7.75
<u>CDC-KAZ-04X08</u>	Murrplastik bracket, 0.39in inside height, 0.83in inside width, polyamide, black. For use with MP10 series energy chain.	Stock	\$8.50
<u>CDC-KAZ-04X12</u>	Murrplastik bracket, 0.39in inside height, 1.22in inside width, polyamide, black. For use with MP10 series energy chain.	Stock	\$9.25
Robot Dress Kits			
<u>573525</u>	Murrplastik FHS-C-SET- UNI robot dress kit, solid, includes 13ft of 1in diameter solid corrugated tubing, (5) hook & loop mounts, (20) hook & loop straps, (2) end grommets.	Stock	\$428.00
<u>573526</u>	Murrplastik FHS-C-SET- UNI LS robot dress kit, slit, includes 13ft of 1in diameter slit corrugated tubing, (5) hook & loop mounts, (20) hook & loop straps, (2) end grommets, (1) wire insertion tool.	Stock	\$473.00
Convolute Tubing			
<u>GSI-12G</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 3/8in tubing size, gray, 98ft/29.8m coil length.	Stock	\$39.50
<u>GSI-16G</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1/2in tubing size, gray, 98ft/29.8m coil length.	Stock	\$53.00
<u>GSI-12K</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 3/8in tubing size, black, 98ft/29.8m coil length.	Stock	\$39.50
<u>GSI-16K</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1/2in tubing size, black, 98ft/29.8m coil length.	Stock	\$53.00
<u>GSI-20G</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 3/4in tubing size, gray, 98ft/29.8m coil length.	Stock	\$61.00

<u>GSI-20K</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 3/4in tubing size, black, 98ft/29.8m coil length.	Stock	\$61.00
<u>GSI-25G</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1in tubing size, gray, 98ft/29.8m coil length.	Stock	\$109.00
<u>GSI-25K</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1in tubing size, black, 98ft/29.8m coil length.	Stock	\$109.00
<u>GSI-32G</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1-1/4in tubing size, gray, 98ft/29.8m coil length.	Stock	\$151.00
<u>GSI-32K</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1-1/4in tubing size, black, 98ft/29.8m coil length.	Stock	\$151.00
<u>GSI-40G</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1-1/2in tubing size, gray, 98ft/29.8m coil length.	Stock	\$191.00
<u>GSI-40K</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 1-1/2in tubing size, black, 98ft/29.8m coil length.	Stock	\$191.00
<u>GSI-50G</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 2in tubing size, gray, 98ft/29.8m coil length.	Stock	\$247.00
<u>GSI-50K</u>	Iboco I-Flex flexible electrical tubing, liquid-tight, PVC, 2in tubing size, black, 98ft/29.8m coil length.	Stock	\$247.00
Non-metallic Two-piece Split Conduit			
<u>831000</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M12/P09 tubing size, black, 32.8ft/10m coil length.	Stock	\$65.00
<u>831002</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M12/P09 tubing size, black, 82ft/25m coil length.	Stock	\$145.00
<u>831004</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M16/P11 tubing size, black, 32.8ft/10m coil length.	Stock	\$103.00
<u>831006</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M16/P11 tubing size, black, 82ft/25m coil length.	Stock	\$239.00
<u>831008</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M20/P16 tubing size, black, 32.8ft/10m coil length.	Stock	\$128.00
<u>831010</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M20/P16 tubing size, black, 82ft/25m coil length.	Stock	\$301.00
<u>832500</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M25/P21 tubing size, black, 32.8ft/10m coil length.	Stock	\$164.00
<u>832502</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M25/P21 tubing size, black, 82ft/25m coil length.	Stock	\$389.00
<u>832504</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M32/P29 tubing size, black, 32.8ft/10m coil length.	Stock	\$207.00
<u>832506</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M32/P29 tubing size, black, 82ft/25m coil length.	Stock	\$497.00
<u>832508</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M40/P36 tubing size, black, 32.8ft/10m coil length.	Stock	\$261.00
<u>832510</u>	Murrplastik EWT-PA two-piece split flexible electrical tubing, polyamide, M40/P36 tubing size, black, 82ft/25m coil length.	Stock	\$633.00
Tubing Fittings			
<u>RPS-12G</u>	Iboco connector, straight, 3/8in tubing size, G3/8 BSPP thread type, gray. Package of 20. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$29.00
<u>RPS-12K</u>	Iboco connector, straight, 3/8in tubing size, G3/8 BSPP thread type, black. Package of 20. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$29.00
<u>RPS-16G</u>	Iboco connector, straight, 1/2in tubing size, G1/2 BSPP thread type, gray. Package of 20. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$34.50
<u>RPS-16K</u>	Iboco connector, straight, 1/2in tubing size, G1/2 BSPP thread type, black. Package of 20. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$34.50
<u>RPS-20G</u>	Iboco connector, straight, 3/4in tubing size, G3/4 BSPP thread type, gray. Package of 20. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$41.00
<u>RPS-20K</u>	Iboco connector, straight, 3/4in tubing size, G3/4 BSPP thread type, black. Package of 20. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$41.00
<u>RPS-25G</u>	Iboco connector, straight, 1in tubing size, G1 BSPP thread type, gray. Package of 10. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$31.00
<u>RPS-25K</u>	Iboco connector, straight, 1in tubing size, G1 BSPP thread type, black. Package of 10. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$31.00
<u>RPS-32G</u>	Iboco connector, straight, 1-1/4in tubing size, G1-1/4 BSPP thread type, gray. Package of 10. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$62.00
<u>RPS-32K</u>	Iboco connector, straight, 1-1/4in tubing size, G1-1/4 BSPP thread type, black. Package of 10. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$62.00
<u>RPS-40G</u>	Iboco connector, straight, 1-1/2in tubing size, G1-1/2 BSPP thread type, gray. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$46.00

<u>RPS-40K</u>	Iboco connector, straight, 1-1/2in tubing size, G1-1/2 BSPP thread type, black. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$46.00
<u>RPS-50G</u>	Iboco connector, straight, 2in tubing size, G2 BSPP thread type, gray. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$91.00
<u>RPS-50K</u>	Iboco connector, straight, 2in tubing size, G2 BSPP thread type, black. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$91.00
<u>CUR-12G</u>	Iboco connector, 90-degree, 3/8in tubing size, G3/8 BSPP thread type, gray. Package of 25. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$61.00
<u>CUR-12K</u>	Iboco connector, 90-degree, 3/8in tubing size, G3/8 BSPP thread type, black. Package of 25. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$61.00
<u>CUR-16G</u>	Iboco connector, 90-degree, 1/2in tubing size, G1/2 BSPP thread type, gray. Package of 25. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$73.00
<u>CUR-16K</u>	Iboco connector, 90-degree, 1/2in tubing size, G1/2 BSPP thread type, black. Package of 25. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$73.00
<u>CUR-20G</u>	Iboco connector, 90-degree, 3/4in tubing size, G3/4 BSPP thread type, gray. Package of 15. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$50.00
<u>CUR-20K</u>	Iboco connector, 90-degree, 3/4in tubing size, G3/4 BSPP thread type, black. Package of 15. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$50.00
<u>CUR-25G</u>	Iboco connector, 90-degree, 1in tubing size, G1 BSPP thread type, gray. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$23.50
<u>CUR-25K</u>	Iboco connector, 90-degree, 1in tubing size, G1 BSPP thread type, black. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$23.50
<u>CUR-32G</u>	Iboco connector, 90-degree, 1-1/4in tubing size, G1-1/4 BSPP thread type, gray. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$60.00
<u>CUR-32K</u>	Iboco connector, 90-degree, 1-1/4in tubing size, G1-1/4 BSPP thread type, black. Package of 5. For use with I-Flex electrical tubing. Seal gaskets included.	Stock	\$60.00
<u>837010</u>	Murrplastik SVG connector, coupling, M25/P21 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$41.50
<u>837012</u>	Murrplastik SVG connector, coupling, M32/P29 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$55.00
<u>837014</u>	Murrplastik SVG connector, coupling, M40/P36 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$69.00
<u>836010</u>	Murrplastik SVT connector, threaded straight, M16x1.5/P11 tubing size, M16 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$40.00
<u>836012</u>	Murrplastik SVT connector, threaded straight, M20x1.5/P11 tubing size, M20 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$40.00
<u>836014</u>	Murrplastik SVT connector, threaded straight, M20x1.5/P16 tubing size, M20 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$41.50
<u>836016</u>	Murrplastik SVT connector, threaded straight, M25x1.5/P16 tubing size, M25 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$41.50
<u>836018</u>	Murrplastik SVT connector, threaded straight, M25x1.5/P21 tubing size, M25 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$48.00
<u>836020</u>	Murrplastik SVT connector, threaded straight, M32x1.5/P21 tubing size, M32 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$48.00
<u>836022</u>	Murrplastik SVT connector, threaded straight, M32x1.5/P29 tubing size, M32 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$54.00
<u>836024</u>	Murrplastik SVT connector, threaded straight, M32x1.5/P36 tubing size, M32 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$69.00
<u>836026</u>	Murrplastik SVT connector, threaded straight, M40x1.5/P29 tubing size, M40 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$56.00
<u>836028</u>	Murrplastik SVT connector, threaded straight, M40x1.5/P36 tubing size, M40 x 1.5mm thread type, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$74.00
<u>836101</u>	Murrplastik GMT connector, split lock nut, M16 x 1.5mm thread type, black. Package of 5. For use with part number 836010 SVT threaded straight connector.	Stock	\$25.50
<u>836103</u>	Murrplastik GMT connector, split lock nut, M20 x 1.5mm thread type, black. Package of 5. For use with part number 836012 and 836014 SVT threaded straight connectors.	Stock	\$26.50
<u>836105</u>	Murrplastik GMT connector, split lock nut, M25 x 1.5mm thread type, black. Package of 5. For use with part number 836016 and 836018 SVT threaded straight connectors.	Stock	\$26.50
<u>836107</u>	Murrplastik GMT connector, split lock nut, M32 x 1.5mm thread type, black. Package of 5. For use with part number 836020, 836022 or 836024 SVT threaded straight connectors.	Stock	\$27.50
<u>836109</u>	Murrplastik GMT connector, split lock nut, M40 x 1.5mm thread type, black. Package of 5. For use with part number 836026 and 836028 SVT threaded straight connectors.	Stock	\$32.00
<u>836121</u>	Murrplastik UH connector, tubing holder, M12/P09 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$11.50

<u>836123</u>	Murrplastik UH connector, tubing holder, M16/P11 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$11.50
<u>836125</u>	Murrplastik UH connector, tubing holder, M20/P16 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$11.50
<u>836127</u>	Murrplastik UH connector, tubing holder, M25/P21 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$12.50
<u>836129</u>	Murrplastik UH connector, tubing holder, M32/P29 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$25.50
<u>836131</u>	Murrplastik UH connector, tubing holder, M40/P36 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$18.00
<u>836301</u>	Murrplastik KFW/D connector, bulkhead, M16/P11 tubing size, black. Package of 2. For use with EWT-PA series two-piece split tubing. Gasket included.	Stock	\$26.50
<u>836303</u>	Murrplastik KFW/D connector, bulkhead, M20/P16 tubing size, black. Package of 2. For use with EWT-PA series two-piece split tubing. Gasket included.	Stock	\$18.00
<u>836305</u>	Murrplastik KFW/D connector, bulkhead, M25/P21 tubing size, black. Package of 2. For use with EWT-PA series two-piece split tubing. Gasket included.	Stock	\$22.00
<u>836307</u>	Murrplastik KFW/D connector, bulkhead, M32/P29 tubing size, black. Package of 2. For use with EWT-PA series two-piece split tubing. Gasket included.	Stock	\$32.00
<u>836309</u>	Murrplastik KFW/D connector, bulkhead, M40/P36 tubing size, black. Package of 2. For use with EWT-PA series two-piece split tubing. Gasket included.	Stock	\$49.00
<u>836401</u>	Murrplastik AT connector, pass-through, M12/P09 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$16.00
<u>836403</u>	Murrplastik AT connector, pass-through, M16/P11 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$24.00
<u>836405</u>	Murrplastik AT connector, pass-through, M20/P16 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$26.50
<u>836407</u>	Murrplastik AT connector, pass-through, M25/P21 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$47.00
<u>836409</u>	Murrplastik AT connector, pass-through, M32/P29 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$49.00
<u>836411</u>	Murrplastik AT connector, pass-through, M40/P36 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$51.00
<u>836501</u>	Murrplastik UHE connector, tubing clamp, M12/P09 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$11.50
<u>836503</u>	Murrplastik UHE connector, tubing clamp, M16/P11 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$11.50
<u>836505</u>	Murrplastik UHE connector, tubing clamp, M20/P16 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$17.00
<u>836507</u>	Murrplastik UHE connector, tubing clamp, M25/P21 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$14.00
<u>836509</u>	Murrplastik UHE connector, tubing clamp, M32/P29 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$16.00
<u>836511</u>	Murrplastik UHE connector, tubing clamp, M40/P36 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$17.00
<u>836601</u>	Murrplastik ET connector, end sleeve, M12/P09 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$25.50
<u>836603</u>	Murrplastik ET connector, end sleeve, M16/P11 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$37.00
<u>836605</u>	Murrplastik ET connector, end sleeve, M20/P16 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$33.00
<u>836607</u>	Murrplastik ET connector, end sleeve, M25/P21 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$41.50
<u>836609</u>	Murrplastik ET connector, end sleeve, M32/P29 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$52.00
<u>836611</u>	Murrplastik ET connector, end sleeve, M40/P36 tubing size, black. Package of 5. For use with EWT-PA series two-piece split tubing.	Stock	\$59.00
<u>837001</u>	Murrplastik wire insertion tool, for use with EWT-PA series two-piece split tubing.	Stock	\$27.50
Wire Duct with Wide Finger Walls			
<u>T1-0506G-1</u>	Iboco T1 series open slot wide finger wire duct, 0.5in width, 0.625in height, 6.5ft/2m length, gray. Cover included.	Stock	\$13.50
<u>T1-0510G-1</u>	Iboco T1 series open slot wide finger wire duct, 0.5in width, 1in height, 6.5ft/2m length, gray. Cover included.	Stock	\$15.00
<u>T1-1010G-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 1in height, 6.5ft/2m length, gray. Cover included.	Stock	\$18.50

<u>T1-1015G-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$22.50
<u>T1-1022G-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$23.50
<u>T1-1022G1-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 2.25in height, 3.2ft/1m length, gray. Cover included.	Stock	\$13.50
<u>T1-1030G-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$28.50
<u>T1-1030G1-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$16.50
<u>T1-1040G-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$34.50
<u>T1-1515G-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$24.50
<u>T1-1522G-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$25.50
<u>T1-1522G1-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 2.25in height, 3.2ft/1m length, gray. Cover included.	Stock	\$14.50
<u>T1-1530G-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$31.00
<u>T1-1530G1-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$17.50
<u>T1-1540G-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$36.50
<u>T1-2215G-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$25.50
<u>T1-2222G-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$27.00
<u>T1-2222G1-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 2.25in height, 3.2ft/1m length, gray. Cover included.	Stock	\$15.50
<u>T1-2230G-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$34.50
<u>T1-2230G1-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$19.50
<u>T1-2240G-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$38.00
<u>T1-2240G1-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 4in height, 3.2ft/1m length, gray. Cover included.	Stock	\$21.50
<u>T1-3015G-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$34.50
<u>T1-3022G-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$35.50
<u>T1-3030G-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$41.50
<u>T1-3030G1-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$22.50
<u>T1-3040G-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$47.00
<u>T1-3050G-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$62.00
<u>T1-4015G-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$35.50
<u>T1-4022G-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$39.50
<u>T1-4030G-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$45.00
<u>T1-4040G-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$54.00
<u>T1-4040G1-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 4in height, 3.2ft/1m length, gray. Cover included.	Stock	\$29.50
<u>T1-4050G-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$72.00
<u>T1-6040G-1</u>	Iboco T1 series open slot wide finger wire duct, 6in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$86.00
<u>T1-1010W-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 1in height, 6.5ft/2m length, white. Cover included.	Stock	\$18.50
<u>T1-1015W-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$22.50
<u>T1-1022W-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$23.50

<u>T1-1030W-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$28.50
<u>T1-1040W-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$34.50
<u>T1-1515W-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$24.50
<u>T1-1522W-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$25.50
<u>T1-1530W-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$31.00
<u>T1-1540W-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$36.50
<u>T1-2222W-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$27.00
<u>T1-2230W-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$34.50
<u>T1-2240W-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$38.00
<u>T1-3022W-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$35.50
<u>T1-3030W-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$41.50
<u>T1-3040W-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$47.00
<u>T1-3050W-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 5in height, 6.5ft/2m length, white. Cover included.	Stock	\$62.00
<u>T1-4022W-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$39.50
<u>T1-4030W-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$45.00
<u>T1-4040W-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$54.00
<u>T1-4050W-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 5in height, 6.5ft/2m length, white. Cover included.	Stock	\$72.00
<u>T1-6040W-1</u>	Iboco T1 series open slot wide finger wire duct, 6in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$86.00
<u>T1-1010B-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 1in height, 6.5ft/2m length, blue. Cover included.	Stock	\$20.50
<u>T1-1022B-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 2.25in height, 6.5ft/2m length, blue. Cover included.	Stock	\$27.00
<u>T1-1030B-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 3in height, 6.5ft/2m length, blue. Cover included.	Stock	\$34.50
<u>T1-1515B-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, blue. Cover included.	Stock	\$27.00
<u>T1-1522B-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, blue. Cover included.	Stock	\$30.00
<u>T1-1530B-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, blue. Cover included.	Stock	\$36.50
<u>T1-2215B-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 1.5in height, 6.5ft/2m length, blue. Cover included.	Stock	\$31.00
<u>T1-2222B-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, blue. Cover included.	Stock	\$31.00
<u>T1-2230B-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, blue. Cover included.	Stock	\$39.50
<u>T1-3030B-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 3in height, 6.5ft/2m length, blue. Cover included.	Stock	\$48.50
<u>T1-4030B-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 3in height, 6.5ft/2m length, blue. Cover included.	Stock	\$52.00
<u>T1-4040B-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 4in height, 6.5ft/2m length, blue. Cover included.	Stock	\$62.00
<u>T1-1040K-1</u>	Iboco T1 series open slot wide finger wire duct, 1in width, 4in height, 6.5ft/2m length, black. Cover included.	Stock	\$38.00
<u>T1-1530K-1</u>	Iboco T1 series open slot wide finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, black. Cover included.	Stock	\$35.50
<u>T1-2222K-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, black. Cover included.	Stock	\$31.00
<u>T1-2240K-1</u>	Iboco T1 series open slot wide finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, black. Cover included.	Stock	\$44.00
<u>T1-3030K-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 3in height, 6.5ft/2m length, black. Cover included.	Stock	\$47.00
<u>T1-3040K-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 4in height, 6.5ft/2m length, black. Cover included.	Stock	\$53.00

<u>T1-3050K-1</u>	Iboco T1 series open slot wide finger wire duct, 3in width, 5in height, 6.5ft/2m length, black. Cover included.	Stock	\$71.00
<u>T1-4040K-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 4in height, 6.5ft/2m length, black. Cover included.	Stock	\$61.00
<u>T1-4050K-1</u>	Iboco T1 series open slot wide finger wire duct, 4in width, 5in height, 6.5ft/2m length, black. Cover included.	Stock	\$83.00
<u>WDW-1522G-1</u>	AchieVe WDW series open slot wide finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$16.50
<u>WDW-1530G-1</u>	AchieVe WDW series open slot wide finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$20.00
<u>WDW-1540G-1</u>	AchieVe WDW series open slot wide finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$23.00
<u>WDW-2222G-1</u>	AchieVe WDW series open slot wide finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$16.50
<u>WDW-2230G-1</u>	AchieVe WDW series open slot wide finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$21.00
<u>WDW-2240G-1</u>	AchieVe WDW series open slot wide finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$23.00
<u>WDW-3022G-1</u>	AchieVe WDW series open slot wide finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$22.00
<u>WDW-3030G-1</u>	AchieVe WDW series open slot wide finger wire duct, 3in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$25.50
<u>WDW-3040G-1</u>	AchieVe WDW series open slot wide finger wire duct, 3in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$28.50
<u>WDW-4030G-1</u>	AchieVe WDW series open slot wide finger wire duct, 4in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$28.50
<u>WDW-4040G-1</u>	AchieVe WDW series open slot wide finger wire duct, 4in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$34.00
<u>WDW-6040G-1</u>	AchieVe WDW series open slot wide finger wire duct, 6in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$46.00
<u>WDW-1522W-1</u>	AchieVe WDW series open slot wide finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$15.50
<u>WDW-1530W-1</u>	AchieVe WDW series open slot wide finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$18.50
<u>WDW-1540W-1</u>	AchieVe WDW series open slot wide finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$22.00
<u>WDW-2222W-1</u>	AchieVe WDW series open slot wide finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$15.50
<u>WDW-2230W-1</u>	AchieVe WDW series open slot wide finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$20.00
<u>WDW-2240W-1</u>	AchieVe WDW series open slot wide finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$22.00
<u>WDW-3022W-1</u>	AchieVe WDW series open slot wide finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$21.00
<u>WDW-3030W-1</u>	AchieVe WDW series open slot wide finger wire duct, 3in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$24.00
<u>WDW-3040W-1</u>	AchieVe WDW series open slot wide finger wire duct, 3in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$26.50
<u>WDW-4030W-1</u>	AchieVe WDW series open slot wide finger wire duct, 4in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$26.50
<u>WDW-4040W-1</u>	AchieVe WDW series open slot wide finger wire duct, 4in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$32.00
<u>WDW-6040W-1</u>	AchieVe WDW series open slot wide finger wire duct, 6in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$45.00
Wire Duct with Narrow Finger Walls			
<u>T1E-1015G-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$22.50
<u>T1E-1022G-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$23.50
<u>T1E-1022G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 2.25in height, 3.2ft/1m length, gray. Cover included.	Stock	\$13.50
<u>T1E-1022GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 1in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$26.50
<u>T1E-1030G-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$28.50

<u>T1E-1030G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$16.50
<u>T1E-1030GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 1in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$33.50
<u>T1E-1522G-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$25.50
<u>T1E-1515G-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$24.50
<u>T1E-1522G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 2.25in height, 3.2ft/1m length, gray. Cover included.	Stock	\$14.50
<u>T1E-1522GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 1.5in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$29.50
<u>T1E-1530G-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$31.00
<u>T1E-1530G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$17.50
<u>T1E-1530GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 1.5in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$36.00
<u>T1E-1540G-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$36.50
<u>T1E-2215G-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$25.50
<u>T1E-2222G-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$27.00
<u>T1E-2222G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 2.25in height, 3.2ft/1m length, gray. Cover included.	Stock	\$15.50
<u>T1E-2222GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 2.25in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$31.50
<u>T1E-2230G-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$34.50
<u>T1E-2230G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$19.50
<u>T1E-2230GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 2.25in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$39.00
<u>T1E-2240G-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$38.00
<u>T1E-2240G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 4in height, 3.2ft/1m length, gray. Cover included.	Stock	\$21.50
<u>T1E-2240GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 2.25in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$44.00
<u>T1E-3015G-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$34.50
<u>T1E-3022G-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$35.50
<u>T1E-3030G-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$41.50
<u>T1E-3030G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 3in height, 3.2ft/1m length, gray. Cover included.	Stock	\$22.50
<u>T1E-3030GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 3in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$47.00
<u>T1E-3040G-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$47.00
<u>T1E-4015G-1</u>	Iboco T1E series open slot narrow finger wire duct, 4in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$33.50
<u>T1E-4022G-1</u>	Iboco T1E series open slot narrow finger wire duct, 4in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$39.50
<u>T1E-4030G-1</u>	Iboco T1E series open slot narrow finger wire duct, 4in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$45.00
<u>T1E-4040G-1</u>	Iboco T1E series open slot narrow finger wire duct, 4in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$54.00
<u>T1E-4040G1-1</u>	Iboco T1E series open slot narrow finger wire duct, 4in width, 4in height, 3.2ft/1m length, gray. Cover included.	Stock	\$29.50
<u>T1E-4040GA-1</u>	Iboco T1E series open slot narrow finger wire duct, self-adhesive, 4in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$62.00

<u>T1E-1015W-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$22.50
<u>T1E-1022W-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$23.50
<u>T1E-1030W-1</u>	Iboco T1E series open slot narrow finger wire duct, 1in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$28.50
<u>T1E-1515W-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$24.50
<u>T1E-1522W-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$25.50
<u>T1E-1530W-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$31.00
<u>T1E-1540W-1</u>	Iboco T1E series open slot narrow finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$36.50
<u>T1E-2222W-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$27.00
<u>T1E-2230W-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$34.50
<u>T1E-2240W-1</u>	Iboco T1E series open slot narrow finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$38.00
<u>T1E-3022W-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$35.50
<u>T1E-3030W-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$41.50
<u>T1E-3040W-1</u>	Iboco T1E series open slot narrow finger wire duct, 3in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$47.00
<u>T1E-4030W-1</u>	Iboco T1E series open slot narrow finger wire duct, 4in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$45.00
<u>T1E-4040W-1</u>	Iboco T1E series open slot narrow finger wire duct, 4in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$54.00
<u>WDN-1015G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$13.00
<u>WDN-1022G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$13.00
<u>WDN-1030G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$16.50
<u>WDN-1515G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$14.50
<u>WDN-1522G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$15.50
<u>WDN-1530G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$18.50
<u>WDN-1540G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$22.00
<u>WDN-2215G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$15.50
<u>WDN-2222G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$15.50
<u>WDN-2230G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$20.00
<u>WDN-2240G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$22.00
<u>WDN-3015G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$20.00
<u>WDN-3022G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$21.00
<u>WDN-3030G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$24.00
<u>WDN-3040G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$26.50
<u>WDN-4022G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 4in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$23.00
<u>WDN-4030G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 4in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$26.50

<u>WDN-4040G-1</u>	AchieVe WDN series open slot narrow finger wire duct, 4in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$32.00
<u>WDN-1015W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$13.00
<u>WDN-1022W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$13.00
<u>WDN-1030W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$16.50
<u>WDN-1515W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$14.50
<u>WDN-1522W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$15.50
<u>WDN-1530W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$18.50
<u>WDN-1540W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 1.5in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$22.00
<u>WDN-2215W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$15.50
<u>WDN-2222W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$15.50
<u>WDN-2230W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$20.00
<u>WDN-2240W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 2.25in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$22.00
<u>WDN-3015W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 1.5in height, 6.5ft/2m length, white. Cover included.	Stock	\$20.00
<u>WDN-3022W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$21.00
<u>WDN-3030W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$24.00
<u>WDN-3040W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 3in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$26.50
<u>WDN-4022W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 4in width, 2.25in height, 6.5ft/2m length, white. Cover included.	Stock	\$23.00
<u>WDN-4030W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 4in width, 3in height, 6.5ft/2m length, white. Cover included.	Stock	\$26.50
<u>WDN-4040W-1</u>	AchieVe WDN series open slot narrow finger wire duct, 4in width, 4in height, 6.5ft/2m length, white. Cover included.	Stock	\$32.00
Wire Duct with Solid Walls			
<u>TSH-0506G-1</u>	Iboco TSH series solid wire duct, 0.5in width, 0.625in height, 6.5ft/2m length, gray. Cover included.	Stock	\$17.00
<u>TSH-1010G-1</u>	Iboco TSH series solid wire duct, 1in width, 1in height, 6.5ft/2m length, gray. Cover included.	Stock	\$21.00
<u>TSH-1015G-1</u>	Iboco TSH series solid wire duct, 1in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$26.00
<u>TSH-1515G-1</u>	Iboco TSH series solid wire duct, 1.5in width, 1.5in height, 6.5ft/2m length, gray. Cover included.	Stock	\$28.50
<u>TSH-2222G-1</u>	Iboco TSH series solid wire duct, 2.25in width, 2.25in height, 6.5ft/2m length, gray. Cover included.	Stock	\$32.00
<u>TSH-2230G-1</u>	Iboco TSH series solid wire duct, 2.25in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$39.50
<u>TSH-3030G-1</u>	Iboco TSH series solid wire duct, 3in width, 3in height, 6.5ft/2m length, gray. Cover included.	Stock	\$50.00
<u>TSH-4040G-1</u>	Iboco TSH series solid wire duct, 4in width, 4in height, 6.5ft/2m length, gray. Cover included.	Stock	\$63.00
Flexible Wire Duct			
<u>DN25AG</u>	Iboco DINOSAUR series flexible wire duct, self-adhesive, 0.5in width, 0.75in height, 1.6ft/0.5m length, gray. Package of 24.	Stock	\$155.00
<u>DN25AG-1</u>	Iboco DINOSAUR series flexible wire duct, self-adhesive, 0.5in width, 0.75in height, 1.6ft/0.5m length, gray.	Stock	\$8.25
<u>DN35AG</u>	Iboco DINOSAUR series flexible wire duct, self-adhesive, 1in width, 1.38in height, 1.6ft/0.5m length, gray. Package of 24.	Stock	\$218.00
<u>DN35AG-1</u>	Iboco DINOSAUR series flexible wire duct, self-adhesive, 1in width, 1.38in height, 1.6ft/0.5m length, gray.	Stock	\$11.00
<u>DN45AG</u>	Iboco DINOSAUR series flexible wire duct, self-adhesive, 1.38in width, 1.75in height, 1.6ft/0.5m length, gray. Package of 14.	Stock	\$171.00
<u>DN45AG-1</u>	Iboco DINOSAUR series flexible wire duct, self-adhesive, 1.38in width, 1.75in height, 1.6ft/0.5m length, gray.	Stock	\$14.50

Replacement Covers for Wire Duct			
COV-05G-1	Iboco cover, replacement, gray, 6.5ft/2m length. For use with 0.5in wide duct.	Stock	\$5.25
COV-10G-1	Iboco cover, replacement, gray, 6.5ft/2m length. For use with 1in wide duct.	Stock	\$5.25
COV-15G-1	Iboco cover, replacement, gray, 6.5ft/2m length. For use with 1.5in wide duct.	Stock	\$6.75
COV-22G-1	Iboco cover, replacement, gray, 6.5ft/2m length. For use with 2.25in wide duct.	Stock	\$8.50
COV-30G-1	Iboco cover, replacement, gray, 6.5ft/2m length. For use with 3in wide duct.	Stock	\$12.50
COV-40G-1	Iboco cover, replacement, gray, 6.5ft/2m length. For use with 4in wide duct.	Stock	\$15.00
COV-60G-1	Iboco cover, replacement, gray, 6.5ft/2m length. For use with 6in wide duct.	Stock	\$28.50
COV-10W-1	Iboco cover, replacement, white, 6.5ft/2m length. For use with 1in wide duct.	Stock	\$5.25
COV-15W-1	Iboco cover, replacement, white, 6.5ft/2m length. For use with 1.5in wide duct.	Stock	\$6.75
COV-22W-1	Iboco cover, replacement, white, 6.5ft/2m length. For use with 2.25in wide duct.	Stock	\$8.50
COV-30W-1	Iboco cover, replacement, white, 6.5ft/2m length. For use with 3in wide duct.	Stock	\$12.50
COV-40W-1	Iboco cover, replacement, white, 6.5ft/2m length. For use with 4in wide duct.	Stock	\$15.00
COV-60W-1	Iboco cover, replacement, white, 6.5ft/2m length. For use with 6in wide duct.	Stock	\$28.50
Accessories for Wire Duct			
SEP-15E-1	Iboco separator, 2m length. For use with 1.5in high duct. Separates wires within a single piece of duct.	Stock	\$8.50
SEP-22E-1	Iboco separator, 2m length. For use with 2.25in high duct. Separates wires within a single piece of duct.	Stock	\$11.50
SEP-30E-1	Iboco separator, 2m length. For use with 3in high duct. Separates wires within a single piece of duct.	Stock	\$12.50
WD-CHOLDER	AchieVe separator, package of 10. For use with Achieve wire duct 1.5in width or larger. Separates wires within the duct.	Stock	\$4.50
CL-1515	Iboco wire retainers, package of 40. For use with 1.5x1.5in duct. Fastens to duct with integral twist fasteners.	Stock	\$71.00
CL-1522	Iboco wire retainers, package of 40. For use with 1.5x2.25in duct. Fastens to duct with integral twist fasteners.	Stock	\$75.00
CL-1530	Iboco wire retainers, package of 20. For use with 1.5x3in duct. Fastens to duct with integral twist fasteners.	Stock	\$43.00
CL-2215	Iboco wire retainers, package of 40. For use with 2.25x1.5in duct. Fastens to duct with integral twist fasteners.	Stock	\$82.00
CL-2222	Iboco wire retainers, package of 20. For use with 2.25x2.25in duct. Fastens to duct with integral twist fasteners.	Stock	\$46.00
CL-2230	Iboco wire retainers, package of 20. For use with 2.25x3in duct. Fastens to duct with integral twist fasteners.	Stock	\$47.00
CL-2240	Iboco wire retainers, package of 20. For use with 2.25x4in duct. Fastens to duct with integral twist fasteners.	Stock	\$52.00
CL-3022	Iboco wire retainers, package of 10. For use with 3x2.25in duct. Fastens to duct with integral twist fasteners.	Stock	\$28.50
CL-3030	Iboco wire retainers, package of 10. For use with 3x3in duct. Fastens to duct with integral twist fasteners.	Stock	\$32.00
CL-3040	Iboco wire retainers, package of 10. For use with 3x4in duct. Fastens to duct with integral twist fasteners.	Stock	\$32.00
CL-4022	Iboco wire retainers, package of 10. For use with 4x2.25in duct. Fastens to duct with integral twist fasteners.	Stock	\$35.50
CL-4030	Iboco wire retainers, package of 10. For use with 4x3in duct. Fastens to duct with integral twist fasteners.	Stock	\$32.00
CL-4040	Iboco wire retainers, package of 5. For use with 4x4in duct. Fastens to duct with integral twist fasteners.	Stock	\$22.00
CL-6040	Iboco wire retainers, package of 5. For use with 6x4in duct. Fastens to duct with integral twist fasteners.	Stock	\$27.00
WD-RET-1515	AchieVe wire retainers, package of 10. For use with AchieVe wire duct 1.5x1.5in or larger. Retains wires in duct.	Stock	\$8.75
WD-RET-1522	AchieVe wire retainers, package of 10. For use with AchieVe wire duct 1.5x2.25in or larger. Retains wires in duct.	Stock	\$10.00
WD-RET-2230	AchieVe wire retainers, package of 10. For use with AchieVe wire duct 2.25x3in or larger. Retains wires in duct.	Stock	\$13.00
DM1	Iboco DUCTMARK identification tag, single width. Package of 50. For use with T1 series wire duct. Clips to duct fingers for identification.	Stock	\$32.00
ZP1	Iboco mounting insert, package of 100. Fastens separators and smaller duct to the inside of Iboco duct.	Stock	\$17.00
ZP2	Iboco cable tie attachment, package of 50, fastens to the bottom of the duct and holds cable ties. Can also be used with ZP1 for stacking to adjust height of smaller duct within a larger duct.	Stock	\$20.50

<u>WD-CTCLAMP</u>	AchieVe cable tie attachment, black. Package of 50. For use with Achieve wire duct 1.5in width or larger. Use along with a cable tie to group wires together inside the wire duct.	Stock	\$10.00
<u>R4</u>	Iboco DUCTFIX expanding plastic rivet, blue. Package of 250. For use with Iboco duct and panel with a 0.17in (4.5mm) hole. Used with installation tool B4 for ease of use. Drill a hole sized 5/32in (4mm).	Stock	\$19.50
<u>R6</u>	Iboco DUCTFIX expanding plastic rivet, natural. Package of 250. For use with Iboco duct and panel with a 0.26in (6.5mm) hole. Used with installation tool B6 for ease of use. Drill a hole sized 7/32in (5.5mm).	Stock	\$22.50
<u>B4</u>	Iboco rivet tool, for use with installing R4 rivets.	Stock	\$51.00
<u>B6</u>	Iboco rivet tool, for use with installing R6 rivets.	Stock	\$51.00
Spiral Wrap Wire Covers			
<u>P-1</u>	Iboco SPIRALITE spiral wrap, 0.12in nominal outside diameter, natural, 160ft coil. For use with wire bundles 1/16-1/2in diameter.	Stock	\$19.50
<u>PA1</u>	Iboco SPIRALITE spiral wrap, 0.12in nominal outside diameter, white, 160ft coil. For use with wire bundles 1/16-1/2in diameter.	Stock	\$27.00
<u>P-2</u>	Iboco SPIRALITE spiral wrap, 0.25in nominal outside diameter, natural, 80ft coil. For use with wire bundles 1/4-2in diameter.	Stock	\$20.50
<u>PA2</u>	Iboco SPIRALITE spiral wrap, 0.25in nominal outside diameter, white, 80ft coil. For use with wire bundles 1/4-2in diameter.	Stock	\$28.50
<u>P-3</u>	Iboco SPIRALITE spiral wrap, 0.37in nominal outside diameter, natural, 80ft coil. For use with wire bundles 3/8-3in diameter.	Stock	\$32.00
<u>PA3</u>	Iboco SPIRALITE spiral wrap, 0.37in nominal outside diameter, white, 80ft coil. For use with wire bundles 3/8-3in diameter.	Stock	\$51.00
<u>P-4</u>	Iboco SPIRALITE spiral wrap, 0.5in nominal outside diameter, natural, 65ft coil. For use with wire bundles 1/2-4in diameter.	Stock	\$44.00
<u>PA4</u>	Iboco SPIRALITE spiral wrap, 0.5in nominal outside diameter, white, 65ft coil. For use with wire bundles 1/2-4in diameter.	Stock	\$62.00
Braided Sleeve Wire Covers			
<u>TY-5</u>	Iboco braided expandable sleeving, 0.19in nominal inside diameter, 0.15-0.47in stretching range, black, 325ft coil.	Stock	\$131.00
<u>TY-10</u>	Iboco braided expandable sleeving, 0.37in nominal inside diameter, 0.31-0.86in stretching range, black, 325ft coil.	Stock	\$242.00
<u>TY-20</u>	Iboco braided expandable sleeving, 0.75in nominal inside diameter, 0.63-1.37in stretching range, black, 164ft coil.	Stock	\$208.00
<u>TY-30</u>	Iboco braided expandable sleeving, 1.12in nominal inside diameter, 0.98-1.89in stretching range, black, 164ft coil.	Stock	\$298.00
<u>TY-50</u>	Iboco braided expandable sleeving, 2in nominal inside diameter, 1.57-2.82in stretching range, black, 164ft coil.	Stock	\$430.00
Vinyl Electrical Tape			
<u>PR-4275-1</u>	Plymouth Rubber Slipknot Platinum 8.5 vinyl electrical tape, heavy duty, 0.75in x 66ft, 600V, black.	Stock	\$6.25
<u>PR-4454-1</u>	Plymouth Rubber Slipknot Platinum 7.0 vinyl electrical tape, professional, 0.75in x 66ft, 600V, black.	Stock	\$5.50
<u>PR-3119-5</u>	Plymouth Rubber Revere vinyl electrical tape, general purpose, 0.75in x 60ft, 600V, black. Package of 5.	Stock	\$11.00
<u>PR-3702-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, green.	Stock	\$7.00
<u>PR-3703-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, yellow.	Stock	\$7.00
<u>PR-3704-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, red.	Stock	\$7.00
<u>PR-3705-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, blue.	Stock	\$7.00
<u>PR-3706-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, white.	Stock	\$7.00
<u>PR-3707-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, brown.	Stock	\$7.00
<u>PR-3708-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, orange.	Stock	\$7.00
<u>PR-3709-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, gray.	Stock	\$7.00
<u>PR-3711-1</u>	Plymouth Rubber Premium 37 vinyl electrical tape, professional, 0.75in x 66ft, 600V, violet.	Stock	\$7.00
Insulating Mastic and Splicing Tape			
<u>PR-2211-1</u>	Plymouth Rubber L969 rubber electrical tape, 0.75in x 30ft, 69 kV, self-amalgamating, black.	Stock	\$16.50
<u>PR-2212-1</u>	Plymouth Rubber L969 rubber electrical tape, 1in x 30ft, 69 kV, self-amalgamating, black.	Stock	\$21.00
<u>PR-2213-1</u>	Plymouth Rubber L969 rubber electrical tape, 1.5in x 30ft, 69 kV, self-amalgamating, black.	Stock	\$30.50

<u>PR-2214-1</u>	Plymouth Rubber L969 rubber electrical tape, 2in x 30ft, 69 kV, self-amalgamating, black.	Stock	\$38.00
<u>PR-3456-1</u>	Plymouth Rubber 77 PLYGLAS glass cloth electrical tape, 0.75in x 66ft, 600V, white.	Stock	\$19.00
<u>PR-1101-1</u>	Plymouth Rubber 61 fabric electrical tape, 0.75in x 60ft, yellow.	Stock	\$70.00
<u>PR-1121-1</u>	Plymouth Rubber 61A fabric electrical tape, 0.75in x 60ft, yellow.	Stock	\$70.00
<u>PR-2006-1</u>	Plymouth Rubber 150 ASTM rubber electrical tape, 0.75in x 30ft, 2 kV, self-amalgamating, with liner, gray.	Stock	\$7.75
<u>PR-2117-1</u>	Plymouth Rubber W963 rubber electrical tape, 0.75in x 30ft, 69 kV, self-amalgamating, with liner, black.	Stock	\$11.50
<u>PR-3455-1</u>	Plymouth Rubber 20 Plasil silicone rubber electrical tape, 1in x 30ft, 69 kV, self-amalgamating, with liner, gray.	Stock	\$28.00
<u>PR-2104-1</u>	Plymouth Rubber 17 Plyshield semi-conducting rubber electrical tape, 0.75in x 15ft, self-amalgamating, with liner, black.	Stock	\$13.00
<u>PR-2609-1</u>	Plymouth Rubber VM mastic electrical tape, 4in x 10ft, 600V, self-amalgamating, with liner, black.	Stock	\$29.00
<u>PR-2626-1</u>	Plymouth Rubber 10 Plyseal mastic electrical tape, 3.75in x 10ft, 600V, self-amalgamating, with liner, black.	Stock	\$41.00

General Purpose Cable Ties

<u>SEL.2.202</u>	SapiSelco general purpose cable tie, 3.94in length, 0.1in width, 24.25lb tensile strength, 0.94in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$1.50
<u>SEL.2.302</u>	SapiSelco general purpose cable tie, 3.94in length, 0.1in width, 24.25lb tensile strength, 0.94in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$5.00
<u>SEL.2.204</u>	SapiSelco general purpose cable tie, 6.3in length, 0.1in width, 24.25lb tensile strength, 1.65in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$1.50
<u>SEL.2.304</u>	SapiSelco general purpose cable tie, 6.3in length, 0.1in width, 24.25lb tensile strength, 1.65in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$12.50
<u>SEL.2.205</u>	SapiSelco general purpose cable tie, 7.87in length, 0.1in width, 24.25lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$1.50
<u>SEL.2.305</u>	SapiSelco general purpose cable tie, 7.87in length, 0.1in width, 24.25lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$13.00
<u>SEL.2.210</u>	SapiSelco general purpose cable tie, 5.51in length, 0.14in width, 44.09lb tensile strength, 1.42in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$1.50
<u>SEL.2.310</u>	SapiSelco general purpose cable tie, 5.51in length, 0.14in width, 44.09lb tensile strength, 1.42in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$11.50
<u>SEL.2.211</u>	SapiSelco general purpose cable tie, 7.87in length, 0.14in width, 44.09lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$1.75
<u>SEL.2.311</u>	SapiSelco general purpose cable tie, 7.87in length, 0.14in width, 44.09lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$17.00
<u>SEL.2.212</u>	SapiSelco general purpose cable tie, 11.02in length, 0.14in width, 44.09lb tensile strength, 3.15in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$2.50
<u>SEL.2.214</u>	SapiSelco general purpose cable tie, 14.17in length, 0.14in width, 44.09lb tensile strength, 4.06in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$4.75
<u>SEL.2.221</u>	SapiSelco general purpose cable tie, 6.3in length, 0.18in width, 61.73lb tensile strength, 1.5in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$2.00
<u>SEL.2.321</u>	SapiSelco general purpose cable tie, 6.3in length, 0.18in width, 61.73lb tensile strength, 1.5in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$21.00
<u>SEL.2.222</u>	SapiSelco general purpose cable tie, 7.09in length, 0.18in width, 61.73lb tensile strength, 1.77in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$2.25
<u>SEL.2.322</u>	SapiSelco general purpose cable tie, 7.09in length, 0.18in width, 61.73lb tensile strength, 1.77in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$21.00
<u>SEL.2.425</u>	SapiSelco general purpose cable tie, 11.02in length, 0.18in width, 61.73lb tensile strength, 2.99in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$3.25
<u>SEL.2.426</u>	SapiSelco general purpose cable tie, 14.17in length, 0.18in width, 61.73lb tensile strength, 3.98in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$4.25
<u>SEL.2.434</u>	SapiSelco general purpose cable tie, 14.17in length, 0.3in width, 143.3lb tensile strength, 3.98in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$8.00
<u>SEL.2.143</u>	SapiSelco general purpose cable tie, 30.71in length, 0.35in width, 176.37lb tensile strength, 9.25in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$29.00
<u>SEL.2.154</u>	SapiSelco general purpose cable tie, 36.22in length, 0.35in width, 176.37lb tensile strength, 11.02in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$36.00
<u>SEL.3.202</u>	SapiSelco general purpose cable tie, 3.94in length, 0.1in width, 24.25lb tensile strength, 0.94in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$1.50
<u>SEL.3.302</u>	SapiSelco general purpose cable tie, 3.94in length, 0.1in width, 24.25lb tensile strength, 0.94in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$5.50

[illegible]

<u>SEL.12.425</u>	SapiSelco general purpose cable tie, 11.02in length, 0.18in width, 61.73lb tensile strength, 2.99in maximum bundle diameter, green, nylon. Package of 100.	Stock	\$4.25
<u>SEL.14.425</u>	SapiSelco general purpose cable tie, 11.02in length, 0.18in width, 61.73lb tensile strength, 2.99in maximum bundle diameter, yellow, nylon. Package of 100.	Stock	\$4.25
<u>SEL.21.425</u>	SapiSelco general purpose cable tie, 11.02in length, 0.18in width, 61.73lb tensile strength, 2.99in maximum bundle diameter, gray, nylon. Package of 100.	Stock	\$4.25
Stainless Steel Tooth Cable Ties			
<u>MET.2.2102R</u>	SapiSelco stainless steel tooth cable tie, 3.94in length, 0.1in width, 39.68lb tensile strength, 0.94in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$2.25
<u>MET.2.2302R</u>	SapiSelco stainless steel tooth cable tie, 3.94in length, 0.1in width, 39.68lb tensile strength, 0.94in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$21.50
<u>MET.2.2105R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.1in width, 39.68lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$5.25
<u>MET.2.2305R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.1in width, 39.68lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$57.00
<u>MET.2.2110R</u>	SapiSelco stainless steel tooth cable tie, 5.51in length, 0.14in width, 61.73lb tensile strength, 1.42in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$3.00
<u>MET.2.2310R</u>	SapiSelco stainless steel tooth cable tie, 5.51in length, 0.14in width, 61.73lb tensile strength, 1.42in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$29.50
<u>MET.2.2111R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.14in width, 61.73lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$5.25
<u>MET.2.2311R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.14in width, 61.73lb tensile strength, 2.17in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$52.00
<u>MET.2.2112R</u>	SapiSelco stainless steel tooth cable tie, 11.02in length, 0.14in width, 61.73lb tensile strength, 3.15in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$6.00
<u>MET.2.2312R</u>	SapiSelco stainless steel tooth cable tie, 11.02in length, 0.14in width, 61.73lb tensile strength, 3.15in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$64.00
<u>MET.2.2123R</u>	SapiSelco stainless steel tooth cable tie, 7.32in length, 0.18in width, 88.18lb tensile strength, 2.01in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$5.75
<u>MET.2.2323R</u>	SapiSelco stainless steel tooth cable tie, 7.32in length, 0.18in width, 88.18lb tensile strength, 2.01in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$58.00
<u>MET.2.2140R</u>	SapiSelco stainless steel tooth cable tie, 11.42in length, 0.18in width, 88.18lb tensile strength, 3.15in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$8.25
<u>MET.2.2340R</u>	SapiSelco stainless steel tooth cable tie, 11.42in length, 0.18in width, 88.18lb tensile strength, 3.15in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$84.00
<u>MET.2.2126R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.18in width, 88.18lb tensile strength, 4.06in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$10.00
<u>MET.2.2326R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.18in width, 88.18lb tensile strength, 4.06in maximum bundle diameter, natural, nylon. Package of 1000.	Stock	\$100.00
<u>MET.2.2548R</u>	SapiSelco stainless steel tooth cable tie, 13.39in length, 0.28in width, 154.32lb tensile strength, 3.54in maximum bundle diameter, natural, nylon. Package of 50.	Stock	\$8.00
<u>MET.2.2748R</u>	SapiSelco stainless steel tooth cable tie, 13.39in length, 0.28in width, 154.32lb tensile strength, 3.54in maximum bundle diameter, natural, nylon. Package of 500.	Stock	\$78.00
<u>MET.2.2534R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.3in width, 176.37lb tensile strength, 3.98in maximum bundle diameter, natural, nylon. Package of 50.	Stock	\$10.50
<u>MET.2.2734R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.3in width, 176.37lb tensile strength, 3.98in maximum bundle diameter, natural, nylon. Package of 500.	Stock	\$105.00
<u>MET.3.2102R</u>	SapiSelco stainless steel tooth cable tie, 3.94in length, 0.1in width, 39.68lb tensile strength, 0.94in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$2.25
<u>MET.3.2302R</u>	SapiSelco stainless steel tooth cable tie, 3.94in length, 0.1in width, 39.68lb tensile strength, 0.94in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$21.50
<u>MET.3.2105R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.1in width, 39.68lb tensile strength, 2.17in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$5.25
<u>MET.3.2305R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.1in width, 39.68lb tensile strength, 2.17in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$57.00
<u>MET.3.2110R</u>	SapiSelco stainless steel tooth cable tie, 5.51in length, 0.14in width, 61.73lb tensile strength, 1.42in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$3.00
<u>MET.3.2310R</u>	SapiSelco stainless steel tooth cable tie, 5.51in length, 0.14in width, 61.73lb tensile strength, 1.42in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$30.50
<u>MET.3.2111R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.14in width, 61.73lb tensile strength, 2.17in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$5.25
<u>MET.3.2311R</u>	SapiSelco stainless steel tooth cable tie, 7.87in length, 0.14in width, 61.73lb tensile strength, 2.17in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$54.00

<u>MET.3.2112R</u>	SapiSelco stainless steel tooth cable tie, 11.02in length, 0.14in width, 61.73lb tensile strength, 3.15in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$6.25
<u>MET.3.2312R</u>	SapiSelco stainless steel tooth cable tie, 11.02in length, 0.14in width, 61.73lb tensile strength, 3.15in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$64.00
<u>MET.3.2123R</u>	SapiSelco stainless steel tooth cable tie, 7.32in length, 0.18in width, 88.18lb tensile strength, 2.01in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$5.75
<u>MET.3.2323R</u>	SapiSelco stainless steel tooth cable tie, 7.32in length, 0.18in width, 88.18lb tensile strength, 2.01in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$58.00
<u>MET.3.2140R</u>	SapiSelco stainless steel tooth cable tie, 11.42in length, 0.18in width, 88.18lb tensile strength, 3.15in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$8.50
<u>MET.3.2340R</u>	SapiSelco stainless steel tooth cable tie, 11.42in length, 0.18in width, 88.18lb tensile strength, 3.15in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$85.00
<u>MET.3.2126R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.18in width, 88.18lb tensile strength, 4.06in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$10.00
<u>MET.3.2326R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.18in width, 88.18lb tensile strength, 4.06in maximum bundle diameter, black, nylon. Package of 1000.	Stock	\$100.00
<u>MET.3.2548R</u>	SapiSelco stainless steel tooth cable tie, 13.39in length, 0.28in width, 154.32lb tensile strength, 3.54in maximum bundle diameter, black, nylon. Package of 50.	Stock	\$8.00
<u>MET.3.2748R</u>	SapiSelco stainless steel tooth cable tie, 13.39in length, 0.28in width, 154.32lb tensile strength, 3.54in maximum bundle diameter, black, nylon. Package of 500.	Stock	\$76.00
<u>MET.3.2534R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.3in width, 176.37lb tensile strength, 3.98in maximum bundle diameter, black, nylon. Package of 50.	Stock	\$10.00
<u>MET.3.2734R</u>	SapiSelco stainless steel tooth cable tie, 14.17in length, 0.3in width, 176.37lb tensile strength, 3.98in maximum bundle diameter, black, nylon. Package of 500.	Stock	\$97.00
UV Resistant Cable Ties			
<u>SEL.UV2.210</u>	SapiSelco UV resistant cable tie, 5.51in length, 0.14in width, 44.09lb tensile strength, 1.42in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$2.25
<u>SEL.UV2.223</u>	SapiSelco UV resistant cable tie, 7.87in length, 0.18in width, 61.73lb tensile strength, 2.01in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$3.50
<u>SEL.UV2.425</u>	SapiSelco UV resistant cable tie, 11.02in length, 0.18in width, 61.73lb tensile strength, 2.99in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$5.50
<u>SEL.UV2.426</u>	SapiSelco UV resistant cable tie, 14.17in length, 0.18in width, 61.73lb tensile strength, 3.98in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$8.00
<u>SEL.UV2.434</u>	SapiSelco UV resistant cable tie, 14.17in length, 0.3in width, 143.3lb tensile strength, 3.98in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$14.50
Metal Detectable Cable Ties			
<u>DET.11.2102</u>	SapiSelco metal detectable cable tie, 3.94in length, 0.1in width, 22.05lb tensile strength, 0.94in maximum bundle diameter, blue, nylon. Package of 100.	Stock	\$3.25
<u>DET.11.2110</u>	SapiSelco metal detectable cable tie, 5.51in length, 0.14in width, 39.68lb tensile strength, 1.42in maximum bundle diameter, blue, nylon. Package of 100.	Stock	\$5.50
<u>DET.11.2123</u>	SapiSelco metal detectable cable tie, 7.87in length, 0.18in width, 55.12lb tensile strength, 2.01in maximum bundle diameter, blue, nylon. Package of 100.	Stock	\$10.50
<u>DET.11.2124</u>	SapiSelco metal detectable cable tie, 9.84in length, 0.18in width, 55.12lb tensile strength, 2.68in maximum bundle diameter, blue, nylon. Package of 100.	Stock	\$13.00
<u>DET.11.2140</u>	SapiSelco metal detectable cable tie, 11.02in length, 0.18in width, 55.12lb tensile strength, 2.99in maximum bundle diameter, blue, nylon. Package of 100.	Stock	\$15.50
<u>DET.11.2127</u>	SapiSelco metal detectable cable tie, 14.96in length, 0.18in width, 55.12lb tensile strength, 4.33in maximum bundle diameter, blue, nylon. Package of 100.	Stock	\$22.00
<u>DET.11.2134</u>	SapiSelco metal detectable cable tie, 14.17in length, 0.3in width, 132.28lb tensile strength, 3.98in maximum bundle diameter, blue, nylon. Package of 100.	Stock	\$38.50
Releasable Cable Ties			
<u>RIA.2.232</u>	SapiSelco releasable cable tie, 7.87in length, 0.3in width, 79.37lb tensile strength, 1.97in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$6.50
<u>RIA.2.231</u>	SapiSelco releasable cable tie, 9.84in length, 0.3in width, 79.37lb tensile strength, 2.56in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$7.00
<u>RIA.2.233</u>	SapiSelco releasable cable tie, 11.02in length, 0.3in width, 79.37lb tensile strength, 2.99in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$7.75
<u>RIA.2.234</u>	SapiSelco releasable cable tie, 14.17in length, 0.3in width, 79.37lb tensile strength, 3.94in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$9.75
<u>RIA.3.232</u>	SapiSelco releasable cable tie, 7.87in length, 0.3in width, 79.37lb tensile strength, 1.97in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$6.50
<u>RIA.3.231</u>	SapiSelco releasable cable tie, 9.84in length, 0.3in width, 79.37lb tensile strength, 2.56in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$7.50

<u>RIA.3.233</u>	SapiSelco releasable cable tie, 11.02in length, 0.3in width, 79.37lb tensile strength, 2.99in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$8.50
<u>RIA.3.234</u>	SapiSelco releasable cable tie, 14.17in length, 0.3in width, 79.37lb tensile strength, 3.94in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$9.75
Lashing and Collar Double-Head Cable Ties			
<u>ASO.3.251</u>	SapiSelco lashing cable tie, 19.69in length, 0.49in width, 286.6lb tensile strength, 5.51in maximum bundle diameter, black, nylon. Package of 50.	Stock	\$15.50
<u>COL.3.321</u>	SapiSelco collar double head cable tie, 10.43in length, 0.35in width, 88.18lb tensile strength, 2.48in maximum bundle diameter, black, thermoplastic. Package of 100.	Stock	\$15.50
<u>COL.3.322</u>	SapiSelco collar double head cable tie, 14.17in length, 0.35in width, 88.18lb tensile strength, 3.66in maximum bundle diameter, black, thermoplastic. Package of 100.	Stock	\$22.00
Mounting Head and Identification Cable Ties			
<u>OCH.2.2123</u>	SapiSelco mounting head cable tie, 7.87in length, 0.18in width, 48.5lb tensile strength, 2.01in maximum bundle diameter, natural, nylon. Package of 100.	Stock	\$3.50
<u>SEL.2.202T</u>	SapiSelco identification cable tie, 3.94in length, 0.1in width, 24.25lb tensile strength, 0.98in maximum bundle diameter, natural, nylon, (1) 0.31 x 0.98in bottom mounted transversal ID tag. Package of 100.	Stock	\$4.25
<u>SEL.2.223T</u>	SapiSelco identification cable tie, 7.87in length, 0.19in width, 61.73lb tensile strength, 1.97in maximum bundle diameter, natural, nylon, (1) leg with (1) 1.38 x 0.51in longitudinal ID tag. Package of 100.	Stock	\$7.25
Beaded Double-Locking Cable Ties			
<u>CLT.10.2110R</u>	SapiSelco CLICK Tie series low temperature beaded releasable cable tie, 4.65in length, 0.13in width, 15.73lb tensile strength, 1.02in maximum bundle diameter, red, low-density polyethylene (LDPE). Package of 100.	Stock	\$3.00
<u>CLT.10.2116R</u>	SapiSelco CLICK Tie series low temperature beaded releasable cable tie, 9.37in length, 0.16in width, 30.34lb tensile strength, 2.4in maximum bundle diameter, red, low-density polyethylene (LDPE). Package of 100.	Stock	\$7.50
<u>CLT.10.2129R</u>	SapiSelco CLICK Tie series low temperature beaded releasable cable tie, 12.52in length, 0.17in width, 34.84lb tensile strength, 3.26in maximum bundle diameter, red, low-density polyethylene (LDPE). Package of 100.	Stock	\$10.00
<u>CLT.10.2149R</u>	SapiSelco CLICK Tie series low temperature beaded releasable cable tie, 19.53in length, 0.22in width, 61.82lb tensile strength, 5.51in maximum bundle diameter, red, low-density polyethylene (LDPE). Package of 100.	Stock	\$22.00
<u>CLT.10.2157</u>	SapiSelco CLICK Tie series low temperature beaded releasable cable tie, 25.31in length, 0.22in width, 61.82lb tensile strength, 7.08in maximum bundle diameter, red, low-density polyethylene (LDPE). Package of 100.	Stock	\$36.00
Low Temperature UV Resistant Cable Ties			
<u>SEL.ICE.210R</u>	SapiSelco low temperature UV resistant cable tie, 5.51in length, 0.14in width, 33.72lb tensile strength, 1.41in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$2.00
<u>SEL.ICE.223R</u>	SapiSelco low temperature UV resistant cable tie, 7.87in length, 0.18in width, 49.45lb tensile strength, 2in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$3.50
<u>SEL.ICE.425R</u>	SapiSelco low temperature UV resistant cable tie, 11.02in length, 0.18in width, 49.45lb tensile strength, 2.99in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$5.25
<u>SEL.ICE.426R</u>	SapiSelco low temperature UV resistant cable tie, 14.17in length, 0.18in width, 49.45lb tensile strength, 3.97in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$7.50
<u>SEL.ICE.434R</u>	SapiSelco low temperature UV resistant cable tie, 14.17in length, 0.29in width, 103.41lb tensile strength, 3.97in maximum bundle diameter, black, nylon. Package of 100.	Stock	\$12.50
Cable Tie Assortment Kits			
<u>BUCK.001</u>	SapiSelco cable tie assortment kit, black and natural. Package of 1200. Includes (300) 3.93in cable ties, (300) 7.09in cable ties, (300) 7.87in cable ties and (300) 9.84in cable ties.	Stock	\$26.00
<u>BUCK.002</u>	SapiSelco cable tie assortment kit, black and natural. Package of 800. Includes (200) 3.93in cable ties, (200) 5.51in cable ties, (200) 7.09in cable ties and (200) 7.87in cable ties.	Stock	\$18.50
<u>BUCK.003</u>	SapiSelco cable tie assortment kit, red, blue, green and yellow. Package of 800. Includes (400) 5.51in cable ties and (400) 7.87in cable ties.	Stock	\$20.50
Cable Tie Mounts and Strain Relief Plates			
<u>BAS.2MT.507</u>	SapiSelco cable tie base, square, natural, 0.74 x 0.74in, dual-adhesive, bi-directional, nylon. Package of 100.	Stock	\$7.50
<u>BAS.3MT.507</u>	SapiSelco cable tie base, square, black, 0.74 x 0.74in, dual-adhesive, bi-directional, nylon. Package of 100.	Stock	\$7.50
<u>BAS.2MT.508</u>	SapiSelco cable tie base, square, natural, 1.04 x 1.04in, dual-adhesive, bi-directional, nylon. Package of 100.	Stock	\$10.00
<u>BAS.3MT.508</u>	SapiSelco cable tie base, square, black, 1.04 x 1.04in, dual-adhesive, bi-directional, nylon. Package of 100.	Stock	\$10.00
<u>BAS.2.406</u>	SapiSelco cable tie base, square, natural, 1.04 x 1.04in, bi-directional, nylon. Package of 100.	Stock	\$3.25
<u>BAS.3.406</u>	SapiSelco cable tie base, square, black, 1.04 x 1.04in, bi-directional, nylon. Package of 100.	Stock	\$3.25
ZIPLink Connector Cables (Complete List)			
<u>ZL-BX-CBL40-S</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, shielded, 1.6ft/0.5m cable length. For use with BRX series high-speed modules.	Stock	\$45.50

<u>ZL-BX-CBL40-1S</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, shielded, 3.2ft/1m cable length. For use with BRX series high-speed modules.	Stock	\$56.00
<u>ZL-BX-CBL15</u>	ZIPLink PLC I/O cable, 15-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with BRX 18-point and 36-point PLCs.	Stock	\$40.00
<u>ZL-BX-CBL15-1</u>	ZIPLink PLC I/O cable, 15-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with BRX 18-point and 36-point PLCs.	Stock	\$46.00
<u>ZL-BX-CBL15-2</u>	ZIPLink PLC I/O cable, 15-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with BRX 18-point and 36-point PLCs.	Stock	\$40.00
<u>ZL-BX-CBL15-1P</u>	ZIPLink PLC I/O cable, 15-position terminal block to pigtail, 3.2ft/1m cable length. For use with BRX 18-point and 36-point PLCs.	Stock	\$31.50
<u>ZL-BX-CBL15-2P</u>	ZIPLink PLC I/O cable, 15-position terminal block to pigtail, 6.5ft/2m cable length. For use with BRX 18-point and 36-point PLCs.	Stock	\$36.00
<u>ZL-BX-CBL20</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with BRX 10-point PLCs.	Stock	\$30.00
<u>ZL-BX-CBL20-1</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with BRX 10-point PLCs.	Stock	\$29.50
<u>ZL-BX-CBL20-2</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with BRX 10-point PLCs.	Stock	\$36.00
<u>ZL-BX-CBL20-1P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 3.2ft/1m cable length. For use with BRX 10-point PLCs.	Stock	\$25.50
<u>ZL-BX-CBL20-2P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 6.5ft/2m cable length. For use with BRX 10-point PLCs.	Stock	\$33.50
<u>ZL-BXEM-CBL10</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with BRX 8-point expansion modules.	Stock	\$25.50
<u>ZL-BXEM-CBL10-1</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with BRX 8-point expansion modules.	Stock	\$25.50
<u>ZL-BXEM-CBL10-2</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with BRX 8-point expansion modules.	Stock	\$28.50
<u>ZL-BXEM-CBL10-1P</u>	ZIPLink PLC I/O cable, 10-position terminal block to pigtail, 3.2ft/1m cable length. For use with BRX 8-point expansion modules.	Stock	\$24.50
<u>ZL-BXEM-CBL10-2P</u>	ZIPLink PLC I/O cable, 10-position terminal block to pigtail, 6.5ft/2m cable length. For use with BRX 8-point expansion modules.	Stock	\$38.00
<u>ZL-BXEM-CBL15</u>	ZIPLink PLC I/O cable, 15-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with BRX 5-point and 12-point expansion modules.	Stock	\$24.50
<u>ZL-BXEM-CBL15-1</u>	ZIPLink PLC I/O cable, 15-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with BRX 5-point and 12-point expansion modules.	Stock	\$27.50
<u>ZL-BXEM-CBL15-2</u>	ZIPLink PLC I/O cable, 15-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with BRX 5-point and 12-point expansion modules.	Stock	\$31.50
<u>ZL-BXEM-CBL15-1P</u>	ZIPLink PLC I/O cable, 15-position terminal block to pigtail, 3.2ft/1m cable length. For use with BRX 5-point and 12-point expansion modules.	Stock	\$24.00
<u>ZL-BXEM-CBL15-2P</u>	ZIPLink PLC I/O cable, 15-position terminal block to pigtail, 6.5ft/2m cable length. For use with BRX 5-point and 12-point expansion modules.	Stock	\$27.00
<u>ZL-BXEM-CBL20</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with BRX 16-point expansion modules.	Stock	\$39.50
<u>ZL-BXEM-CBL20-1</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with BRX 16-point expansion modules.	Stock	\$40.00
<u>ZL-BXEM-CBL20-2</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with BRX 16-point expansion modules.	Stock	\$47.00
<u>ZL-BXEM-CBL20-1P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 3.2ft/1m cable length. For use with BRX 16-point expansion modules.	Stock	\$43.00
<u>ZL-BXEM-CBL20-2P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 6.5ft/2m cable length. For use with BRX 16-point expansion modules.	Stock	\$51.00
<u>ZL-C0-CBL11</u>	ZIPLink PLC I/O cable, 11-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with CLICK PLC modules.	Stock	\$34.00
<u>ZL-C0-CBL11-1</u>	ZIPLink PLC I/O cable, 11-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with CLICK PLC modules.	Stock	\$37.50
<u>ZL-C0-CBL11-2</u>	ZIPLink PLC I/O cable, 11-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with CLICK PLC modules.	Stock	\$43.50
<u>ZL-C0-CBL11-1P</u>	ZIPLink PLC I/O cable, 11-position terminal block to pigtail, 3.2ft/1m cable length. For use with CLICK PLC modules.	Stock	\$34.00
<u>ZL-C0-CBL11-2P</u>	ZIPLink PLC I/O cable, 11-position terminal block to pigtail, 6.5ft/2m cable length. For use with CLICK PLC modules.	Stock	\$41.00
<u>ZL-C0-CBL20</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with CLICK PLC modules.	Stock	\$37.50

<u>ZL-C0-CBL20-1</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with CLICK PLC modules.	Stock	\$41.50
<u>ZL-C0-CBL20-2</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with CLICK PLC modules.	Stock	\$50.00
<u>ZL-C0-CBL20-1P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 3.2ft/1m cable length. For use with CLICK PLC modules.	Stock	\$37.50
<u>ZL-C0-CBL20-2P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 6.5ft/2m cable length. For use with CLICK PLC modules.	Stock	\$47.00
<u>ZL-CBL24-1P</u>	ZIPLink PLC I/O cable, 24-pin connector to pigtail, 3.2ft/1m cable length. For use with 3rd party devices.	Stock	\$28.50
<u>ZL-CBL24-2P</u>	ZIPLink PLC I/O cable, 24-pin connector to pigtail, 6.5ft/2m cable length. For use with 3rd party devices.	Stock	\$36.00
<u>ZL-CBL40</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 1.6ft/0.5m cable length. For use with Productivity series high-density modules.	Stock	\$37.50
<u>ZL-CBL40-1</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 3.2ft/1m cable length. For use with Productivity series high-density modules.	Stock	\$44.50
<u>ZL-CBL40-2</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 6.5ft/2m cable length. For use with Productivity series high-density modules.	Stock	\$60.00
<u>ZL-CBL40-1P</u>	ZIPLink PLC I/O cable, 40-pin connector to pigtail, 3.2ft/1m cable length. For use with 3rd party devices.	Stock	\$43.50
<u>ZL-CBL40-2P</u>	ZIPLink PLC I/O cable, 40-pin connector to pigtail, 6.5ft/2m cable length. For use with 3rd party devices.	Stock	\$60.00
<u>ZL-CBL40-S</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, shielded, 1.6ft/0.5m cable length. For use with Productivity series high-speed modules.	Stock	\$43.00
<u>ZL-CBL40-1S</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, shielded, 3.2ft/1m cable length. For use with Productivity series high-speed modules.	Stock	\$55.00
<u>ZL-CBL40-2S</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, shielded, 6.5ft/2m cable length. For use with Productivity series high-speed modules.	Stock	\$66.00
<u>ZL-CBL50-1P</u>	ZIPLink servo cable, 50-pin connector to pigtail, shielded, twisted pair, 3.2ft/1m cable length. For use with SureServo amplifiers.	Stock	\$63.00
<u>ZL-CBL50-2P</u>	ZIPLink servo cable, 50-pin connector to pigtail, shielded, twisted pair, 6.5ft/2m cable length. For use with SureServo amplifiers.	Stock	\$62.00
<u>ZL-D06X-CBL20</u>	ZIPLink PLC I/O cable, 27-position terminal block to 24-pin connector, input side only, 1.6ft/0.5m cable length. For use with DirectLOGIC DL06 PLCs.	Stock	\$64.00
<u>ZL-D06Y-CBL20</u>	ZIPLink PLC I/O cable, 27-position terminal block to 24-pin connector, output side only, 1.6ft/0.5m cable length. For use with DirectLOGIC DL06 PLCs.	Stock	\$53.00
<u>ZL-D0-CBL13</u>	ZIPLink PLC I/O cable, 13-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with DirectLOGIC DL05 and DL06 modules.	Stock	\$26.50
<u>ZL-D0-CBL24</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 1.6ft/0.5m cable length. For use with DirectLOGIC DL05 and DL06 modules.	Stock	\$34.50
<u>ZL-D0-CBL24-1</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 3.2ft/1m cable length. For use with DirectLOGIC DL05 and DL06 modules.	Stock	\$34.00
<u>ZL-D0-CBL24-2</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 6.5ft/2m cable length. For use with DirectLOGIC DL05 and DL06 modules.	Stock	\$43.00
<u>ZL-D0-CBL24-L</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 1.6ft/0.5m cable length. For use with DirectLOGIC DL05 and DL06 LED modules.	Stock	\$32.00
<u>ZL-D0-CBL24-1L</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 3.2ft/1m cable length. For use with DirectLOGIC DL05 and DL06 LED modules.	Stock	\$34.00
<u>ZL-D0-CBL24-2L</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 6.5ft/2m cable length. For use with DirectLOGIC DL05 and DL06 LED modules.	Stock	\$43.00
<u>ZL-D0-CBL24-1P</u>	ZIPLink PLC I/O cable, 24-pin connector to pigtail, 3.2ft/1m cable length. For use with DirectLOGIC DL05 and DL06 modules.	Stock	\$29.00
<u>ZL-D0-CBL24-2P</u>	ZIPLink PLC I/O cable, 24-pin connector to pigtail, 6.5ft/2m cable length. For use with DirectLOGIC DL05 and DL06 modules.	Stock	\$36.00
<u>ZL-D24-CBL40</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 180-degree connector angle, 1.6ft/0.5m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$48.50
<u>ZL-D24-CBL40-1</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 180-degree connector angle, 3.2ft/1m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$62.00
<u>ZL-D24-CBL40-2</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 180-degree connector angle, 6.5ft/2m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$73.00
<u>ZL-D24-CBL40-1P</u>	ZIPLink PLC I/O cable, 40-pin connector to pigtail, 180-degree connector angle, 3.2ft/1m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$52.00
<u>ZL-D24-CBL40-2P</u>	ZIPLink PLC I/O cable, 40-pin connector to pigtail, 180-degree connector angle, 6.5ft/2m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$70.00
<u>ZL-D24-CBL40-1X</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 45-degree connector angle, 3.2ft/1m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$84.00

<u>ZL-D24-CBL40-2XP</u>	ZIPLink PLC I/O cable, 40-pin connector to pigtail, 45-degree connector angle, 6.5ft/2m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$95.00
<u>ZL-D24-CBL40-X</u>	ZIPLink PLC I/O cable, 40-pin connector to 40-pin connector, 45-degree connector angle, 1.6ft/0.5m cable length. For use with BRX modules and DirectLOGIC DL205 and DL405 modules.	Stock	\$73.00
<u>ZL-D24-CON</u>	ZIPLink custom connector assembly, 40-pin, 180-degree connector angle. Package of 2. For use with DL205 and DL405 modules.	Stock	\$51.00
<u>ZL-D24-CON-X</u>	ZIPLink custom connector assembly, 40-pin, 45-degree connector angle. Package of 2. For use with DL205 and DL405 modules.	Stock	\$96.00
<u>ZL-D2-CBL10</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$36.50
<u>ZL-D2-CBL10-1</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$41.00
<u>ZL-D2-CBL10-2</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$50.00
<u>ZL-D2-CBL10-2P</u>	ZIPLink PLC I/O cable, 10-position terminal block to pigtail, 6.5ft/2m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$42.50
<u>ZL-D2-CBL19</u>	ZIPLink PLC I/O cable, 19-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$66.00
<u>ZL-D2-CBL19-1</u>	ZIPLink PLC I/O cable, 19-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$70.00
<u>ZL-D2-CBL19-2</u>	ZIPLink PLC I/O cable, 19-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$76.00
<u>ZL-D2-CBL19-1P</u>	ZIPLink PLC I/O cable, 19-position terminal block to pigtail, 3.2ft/1m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$59.00
<u>ZL-D2-CBL19-2P</u>	ZIPLink PLC I/O cable, 19-position terminal block to pigtail, 6.5ft/2m cable length. For use with DirectLOGIC DL205 modules.	Stock	\$69.00
<u>ZL-DB9-CBL-2</u>	ZIPLink communication cable, 9-pin male D-sub to 9-pin female D-sub, 6.5ft/2m cable length.	Stock	\$12.00
<u>ZL-DB15-CBL-2</u>	ZIPLink communication cable, 15-pin male D-sub to 15-pin female D-sub, 6.5ft/2m cable length.	Stock	\$16.00
<u>ZL-DB25-CBL-2</u>	ZIPLink communication cable, 25-pin male D-sub to 25-pin female D-sub, 6.5ft/2m cable length.	Stock	\$19.00
<u>ZL-DB9F-CBL-2P</u>	ZIPLink communication cable, 9-pin female D-sub to pigtail, 6.5ft/2m cable length.	Stock	\$14.00
<u>ZL-DB9F-CBL-5P</u>	ZIPLink communication cable, 9-pin female D-sub to pigtail, 16.4ft/5m cable length.	Stock	\$27.00
<u>ZL-P1-CBL10</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 90-degree connector angle, 1.6ft/0.5m cable length. For use with Productivity1000 modules.	Stock	\$30.00
<u>ZL-P1-CBL10-1</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 90-degree connector angle, 3.2ft/1m cable length. For use with Productivity1000 modules.	Stock	\$30.00
<u>ZL-P1-CBL10-2</u>	ZIPLink PLC I/O cable, 10-position terminal block to 24-pin connector, 90-degree connector angle, 6.5ft/2m cable length. For use with Productivity1000 modules.	Stock	\$35.00
<u>ZL-P1-CBL10-1P</u>	ZIPLink PLC I/O cable, 10-position terminal block to pigtail, 90-degree connector angle, 3.2ft/1m cable length. For use with Productivity1000 modules.	Stock	\$25.00
<u>ZL-P1-CBL10-2P</u>	ZIPLink PLC I/O cable, 10-position terminal block to pigtail, 90-degree connector angle, 6.5ft/2m cable length. For use with Productivity1000 modules.	Stock	\$30.50
<u>ZL-P1-CBL18</u>	ZIPLink PLC I/O cable, 18-position terminal block to 24-pin connector, 90-degree connector angle, 1.6ft/0.5m cable length. For use with Productivity1000 modules.	Stock	\$32.00
<u>ZL-P1-CBL18-1</u>	ZIPLink PLC I/O cable, 18-position terminal block to 24-pin connector, 90-degree connector angle, 3.2ft/1m cable length. For use with Productivity1000 modules.	Stock	\$34.00
<u>ZL-P1-CBL18-2</u>	ZIPLink PLC I/O cable, 18-position terminal block to 24-pin connector, 90-degree connector angle, 6.5ft/2m cable length. For use with Productivity1000 modules.	Stock	\$38.50
<u>ZL-P1-CBL18-1P</u>	ZIPLink PLC I/O cable, 18-position terminal block to pigtail, 90-degree connector angle, 3.2ft/1m cable length. For use with Productivity1000 modules.	Stock	\$25.50
<u>ZL-P1-CBL18-2P</u>	ZIPLink PLC I/O cable, 18-position terminal block to pigtail, 90-degree connector angle, 6.5ft/2m cable length. For use with Productivity1000 modules.	Stock	\$29.50
<u>ZL-P2-CBL18</u>	ZIPLink PLC I/O cable, 18-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with Productivity2000 modules.	Stock	\$38.00
<u>ZL-P2-CBL18-1</u>	ZIPLink PLC I/O cable, 18-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with Productivity2000 modules.	Stock	\$42.00
<u>ZL-P2-CBL18-2</u>	ZIPLink PLC I/O cable, 18-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with Productivity2000 modules.	Stock	\$59.00
<u>ZL-P2-CBL18-1P</u>	ZIPLink PLC I/O cable, 18-position terminal block to pigtail, 3.2ft/1m cable length. For use with Productivity2000 modules.	Stock	\$36.50
<u>ZL-P2-CBL18-2P</u>	ZIPLink PLC I/O cable, 18-position terminal block to pigtail, 6.5ft/2m cable length. For use with Productivity2000 modules.	Stock	\$51.00

<u>ZL-P2-CBL24</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 1.6ft/0.5m cable length. For use with Productivity2000 modules.	Stock	\$52.00
<u>ZL-P2-CBL24-1</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 3.2ft/1m cable length. For use with Productivity2000 modules.	Stock	\$52.00
<u>ZL-P2-CBL24-2</u>	ZIPLink PLC I/O cable, 24-pin connector to 24-pin connector, 6.5ft/2m cable length. For use with Productivity2000 modules.	Stock	\$51.00
<u>ZL-P2-CBL24-1P</u>	ZIPLink PLC I/O cable, 24-pin connector to pigtail, 3.2ft/1m cable length. For use with Productivity2000 modules.	Stock	\$52.00
<u>ZL-P2-CBL24-2P</u>	ZIPLink PLC I/O cable, 24-pin connector to pigtail, 6.5ft/2m cable length. For use with Productivity2000 modules.	Stock	\$51.00
<u>ZL-P3-CBL20</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with Productivity3000 modules.	Stock	\$53.00
<u>ZL-P3-CBL20-1</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with Productivity3000 modules.	Stock	\$63.00
<u>ZL-P3-CBL20-2</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with Productivity3000 modules.	Stock	\$72.00
<u>ZL-P3-CBL20-1L</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 3.2ft/1m cable length. For use with Productivity3000 LED modules.	Stock	\$63.00
<u>ZL-P3-CBL20-2L</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 6.5ft/2m cable length. For use with Productivity3000 LED modules.	Stock	\$72.00
<u>ZL-P3-CBL20-P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 1.6ft/0.5m cable length. For use with Productivity3000 modules.	Stock	\$57.00
<u>ZL-P3-CBL20-1P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 3.2ft/1m cable length. For use with Productivity3000 modules.	Stock	\$52.00
<u>ZL-P3-CBL20-2P</u>	ZIPLink PLC I/O cable, 20-position terminal block to pigtail, 6.5ft/2m cable length. For use with Productivity3000 modules.	Stock	\$63.00
<u>ZL-P3-CBL20-L</u>	ZIPLink PLC I/O cable, 20-position terminal block to 24-pin connector, 1.6ft/0.5m cable length. For use with Productivity3000 LED modules.	Stock	\$59.00
<u>ZL-P3-CBL40-1P</u>	ZIPLink PLC I/O cable, 40-pin connector to pigtail, 3.2ft/1m cable length. For use with Productivity series modules.	Stock	\$43.00
<u>ZL-P3-CBL40-2P</u>	ZIPLink PLC I/O cable, 40-pin connector to pigtail, 6.5ft/2m cable length. For use with Productivity series modules.	Stock	\$62.00
<u>ZL-RJ12-CBL-2</u>	ZIPLink communication cable, 6-pin RJ12 to 6-pin RJ12, 6.5ft/2m cable length.	Stock	\$8.00
<u>ZL-RJ12-CBL-2P</u>	ZIPLink communication cable, 6-pin RJ12 to pigtail, 6.5ft/2m cable length.	Stock	\$9.25
<u>GS-485RJ12-CBL-2</u>	ZIPLink GS drive cable, 6-pin RJ12 to 6-pin RJ12, RS-485, 6.5ft/2m cable length. For use with GS series drives and ZL-CDM-RJ12Xnn distribution module.	Stock	\$9.50
<u>GS-EDRV-CBL-2</u>	ZIPLink GS drive cable, 6-pin RJ12 to 6-pin RJ12, 6.5ft/2m cable length. For use with GS series drives and GS-EDRV communications module.	Stock	\$9.00
<u>GS-ISOCN-CBL-2</u>	ZIPLink GS drive cable, 6-pin RJ12 to 5-pin terminal block, 6.5ft/2m cable length. For use with GS series drives and FA-ISOCN converter.	Stock	\$13.00
<u>SR44-485HD15-CBL-2</u>	ZIPLink soft starter cable, 6-pin RJ45 to 15-pin D-sub HD15 male, shielded, twisted pair, RS-485, 6.5ft/2m cable length. For use with Stellar soft starters.	Stock	\$18.00
<u>SR44-485RJ45-CBL-2</u>	ZIPLink soft starter cable, 6-pin RJ45 to 6-pin RJ12, shielded, twisted pair, RS-485, 6.5ft/2m cable length. For use with Stellar soft starters.	Stock	\$13.50
<u>SVC-232RJ12-CBL-2</u>	ZIPLink servo cable, 6-pin RJ12 to 6-pin IEEE connector, shielded, twisted pair, RS-232, 6.5ft/2m cable length. For use with SureServo amplifiers.	Stock	\$12.50
<u>SVC-485CFG-CBL-2</u>	ZIPLink servo cable, 6-pin RJ45 to 6-pin IEEE connector, shielded, twisted pair, RS-485, 6.5ft/2m cable length. For use with SureServo amplifiers.	Stock	\$20.00
<u>SVC-485HD15-CBL-2</u>	ZIPLink servo cable, 15-pin D-sub HD15 male to 6-pin IEEE connector, shielded, twisted pair, RS-485, 6.5ft/2m cable length. For use with SureServo amplifiers.	Stock	\$13.50
<u>SVC-485RJ12-CBL-2</u>	ZIPLink servo cable, 6-pin RJ12 to 6-pin IEEE connector, shielded, twisted pair, RS-485, 6.5ft/2m cable length. For use with SureServo amplifiers.	Stock	\$17.00
ZIPLink Connector and Communications Modules (Complete List)			
<u>ZL-RTB20</u>	ZIPLink feedthrough module, 20-pole, DIN rail mount.	Stock	\$34.00
<u>ZL-RTB20-1</u>	ZIPLink reduced-width feedthrough module, 24-pole, DIN rail mount.	Stock	\$46.00
<u>ZL-RTB40</u>	ZIPLink feedthrough module, 40-pole, DIN rail mount.	Stock	\$57.00
<u>ZL-RTB40-1</u>	ZIPLink reduced-width feedthrough module, 48-pole, DIN rail mount.	Stock	\$79.00
<u>ZL-RTB50</u>	ZIPLink feedthrough module, 50-pole, DIN rail mount.	Stock	\$80.00
<u>ZL-RFU20</u>	ZIPLink fuse module, 16-point, user-supplied external fuse, 0-75 VDC/0-250 VAC, 2A/circuit, DIN rail mount.	Stock	\$158.00

<u>ZL-RFU40</u>	ZIPLink fuse module, 32-point, user-supplied external fuse, 0-30 VDC, 0.4A/circuit, DIN rail mount.	Stock	\$257.00
<u>ZL-FUSE-16</u>	ZIPLink reduced-width stand-alone fuse module, 16-point, user-supplied external fuse, 250 VAC/VDC, 5A/circuit, DIN rail mount.	Stock	\$152.00
<u>ZL-RRL16-24-1</u>	ZIPLink relay output module, 16-point, sinking, (16) Form C (SPDT) relays, LED indication, 24 VDC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-24X4.	Stock	\$233.00
<u>ZL-RRL16-24-2</u>	ZIPLink relay output module, 16-point, sourcing, (16) Form C (SPDT) relays, LED indication, 24 VDC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-24X4.	Stock	\$233.00
<u>ZL-RRL16W-24-1</u>	ZIPLink reduced-width relay output module, 16-point, sinking, (16) Form C (SPDT) relays, LED indication, 24 VDC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-24X4.	Stock	\$226.00
<u>ZL-RRL16W-24-2</u>	ZIPLink reduced-width relay output module, 16-point, sourcing, (16) Form C (SPDT) relays, LED indication, 24 VDC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-24X4.	Stock	\$226.00
<u>ZL-RELAY-24X4</u>	ZIPLink relay, replacement, 24 VDC (coil), 8A at 250 VAC, 10A at 30 VDC. Package of 4. For use with ZL-RRL16(W)-24-1, ZL-RRL16(W)-24-2 and ZL-RS4-24 relay modules.	Stock	\$23.00
<u>ZL-RELAY-120X4</u>	ZIPLink relay, replacement, 120 VAC (coil), 8A at 250 VAC, 10A at 30 VDC. Package of 4. For use with ZL-RLS1-120 and ZL-RLS4-120 relay modules.	Stock	\$31.50
<u>ZL-RRL16F-24-1</u>	ZIPLink fused relay output module, 16-point, sinking, (16) Form C (SPDT) relays, LED indication, 24 VDC (coil), 8A at 250 VAC, 8A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-F24X4. Fuses sold separately.	Stock	\$302.00
<u>ZL-RRL16F-24-2</u>	ZIPLink fused relay output module, 16-point, sourcing, (16) Form C (SPDT) relays, LED indication, 24 VDC (coil), 8A at 250 VAC, 8A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-F24X4. Fuses sold separately.	Stock	\$302.00
<u>ZL-RELAY-F24X4</u>	ZIPLink relay, replacement, 24 VDC (coil), 8A at 250 VAC, 8A at 30 VDC. Package of 4. For use with ZL-RRL16F-24-1 and ZL-RRL16F-24-2 relay modules.	Stock	\$26.00
<u>ZL-RLS1-120</u>	ZIPLink stand-alone relay output module, 1-point, (1) Form C (SPDT) relay, LED indication, 120 VAC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-120X4.	Stock	\$37.50
<u>ZL-RLS1-24</u>	ZIPLink stand-alone relay output module, 1-point, (1) Form C (SPDT) relay, LED indication, 24 VDC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-24X4.	Stock	\$34.00
<u>ZL-RLS4-120</u>	ZIPLink stand-alone relay output module, 4-point, (4) Form C (SPDT) relays, LED indication, 120 VAC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-120X4.	Stock	\$110.00
<u>ZL-RLS4-24</u>	ZIPLink stand-alone relay output module, 4-point, (4) Form C (SPDT) relays, LED indication, 24 VDC (coil), 8A at 250 VAC, 10A at 30 VDC, DIN rail mount. For replacement relays, use ZL-RELAY-24X4.	Stock	\$93.00
<u>ZL-TSD8-120</u>	ZIPLink transorb module, 8-pole, 120 VAC, DIN rail mount.	Stock	\$47.00
<u>ZL-TSD8-24</u>	ZIPLink transorb module, 8-pole, 24 VDC, DIN rail mount.	Stock	\$46.50
<u>ZL-LTB16-24-1</u>	ZIPLink sensor input module, 16-point, LED indication, 24 VDC, DIN rail mount.	Stock	\$113.00
<u>ZL-LTB32-24-1</u>	ZIPLink sensor input module, 32-point, LED indication, 24 VDC, DIN rail mount.	Stock	\$181.00
<u>ZL-RTB-COM</u>	ZIPLink common terminal module, 40-pole, DIN rail mount.	Stock	\$78.00
<u>ZL-RTB-DB09</u>	ZIPLink feedthrough communication module, 10-position terminal block to 9-pin D-sub male/female, DIN rail mount.	Stock	\$37.50
<u>ZL-RTB-DB15</u>	ZIPLink feedthrough communication module, 16-position terminal block to 15-pin D-sub male/female, DIN rail mount.	Stock	\$47.50
<u>ZL-RTB-DB25</u>	ZIPLink feedthrough communication module, 26-position terminal block to 25-pin D-sub male/female, DIN rail mount.	Stock	\$59.00
<u>ZL-RTB-RJ12</u>	ZIPLink feedthrough communication module, 8-position terminal block to RJ12 6P6C female, DIN rail mount.	Stock	\$31.50
<u>ZL-RTB-RJ45</u>	ZIPLink feedthrough communication module, 10-position terminal block to RJ45 8P8C female, DIN rail mount.	Stock	\$40.50
<u>ZL-CMA9</u>	ZIPLink port adapter communication module, 1 port, 9-position terminal block to 9-pin D-sub female.	Stock	\$26.00
<u>ZL-CMA15</u>	ZIPLink port adapter communication module, 8-position terminal block to 15-pin D-sub HD15 male. For use with all 15-pin high-density communication ports on all DirectLOGIC PLCs.	Stock	\$19.50
<u>ZL-CMA15L</u>	ZIPLink port adapter communication module, LED indication, 8-position terminal block to 15-pin D-sub HD15 male. For use with all 15-pin high-density communication ports on all DirectLOGIC PLCs.	Stock	\$59.00
<u>ZL-CDM-RJ12X4</u>	ZIPLink port distribution communication module, 4 ports, RJ12 6P6C to 6-position terminal block, DIN rail mount.	Stock	\$31.50
<u>ZL-CDM-RJ12X10</u>	ZIPLink port distribution communication module, 10 ports, RJ12 6P6C to 6-position terminal block, DIN rail mount.	Stock	\$39.50