


CONFIGURATION GUIDE



CR2700

Configuration barcodes generated based on current firmware versions
WEB GENERATED
5-5-2020



codecorp.com



User Manual



[codecorporation](https://www.youtube.com/codecorporation)

Expect More.

code[®]

Table of Contents

bluetooth-settings	8
Clear connection (pairing) history on Bluetooth charging station M2.....	8 (A2)
Clear connection (pairing) history on Bluetooth reader M2.....	8 (A3)
Disable Beep During Reconnection - Default M2.....	8 (A4)
Enable Beep Every 30 seconds During Reconnection M2.....	8 (B2)
Get Bluetooth parameters M2.....	8 (B3)
communication-mode-settings	8
Enable Packet Mode M2.....	8 (C2)
Enable Raw Mode - Default M2.....	8 (C3)
data-formatting-prefix-suffix-settings	8
Convert Barcode Data to Bracketed Hex Output M2.....	8 (D2)
Convert Barcode Data to Lowercase M2.....	8 (D3)
Convert Barcode Data to Uppercase M2.....	8 (D4)
Disable Data Formatting - Default M2.....	8 (E2)
Erase Prefix & Suffix Data M2.....	8 (E3)
Erase Prefix Data M2.....	8 (E4)
Erase Suffix Data M2.....	9 (A2)
Prefix AIM ID Off - Default M2.....	9 (A3)
Prefix AIM ID On M2.....	9 (A4)
Prefix Comma M2.....	9 (B2)
Prefix Space M2.....	9 (B3)
Prefix Tab (USB Keyboard Mode Only) M2.....	9 (B4)
Suffix Comma M2.....	9 (C2)
Suffix Enter (USB Keyboard Mode Only) M2.....	9 (C3)
Suffix Space M2.....	9 (C4)
Suffix Tab (USB Keyboard Mode Only) M2.....	9 (D2)
data-validation	9
Enable ISO15434 & ISO15418 Validation M2.....	9 (E2)
Enable ISO15434 Validation M2.....	9 (E3)
Enable UDI/HIBC Validation M2.....	9 (E4)
general-modem-settings	10
Get BT Charging Base Configuration M2.....	10 (A2)
Reset BT Charging Base to Factory Defaults M2.....	10 (A3)
general-reading-mode-settings	10
Beep On Vibrate On - Default M2.....	10 (B2)
Beep Off Vibrate Off M2.....	10 (B3)
Beep Off Vibrate On M2.....	10 (B4)
Beep On Vibrate Off M2.....	10 (C2)
Beep Volume 0% M2.....	10 (C3)
Beep Volume 100% - Default M2.....	10 (C4)
Beep Volume 33% M2.....	10 (D2)
Beep Volume 67% M2.....	10 (D3)
Disable Cell Phone Reading Enhancement - Default M2.....	10 (D4)
Disable Presentation Scan Mode in Charger - Default M2.....	10 (E2)
Disable Target LED During Image Capture M2.....	10 (E3)
Disable Targeting-Always-On M2.....	10 (E4)
Enable Cell Phone Reading Enhancement M2.....	11 (A2)
Enable Presentation Scan Mode in Charger with Motion Detection M2.....	11 (A3)
Enable Target LED During Image Capture - Default M2.....	11 (A4)
Enable Targeting-Always-On M2.....	11 (B2)
Reader Raw Text Commands Off - Default M2.....	11 (B3)

Table of Contents

Reader Raw Text Commands On M2.....	11 (B4)
Set Motion Detect Maximum Brightness to 100% - Default M2.....	11 (C2)
Set Motion Detect Maximum Brightness to 25% M2.....	11 (C3)
Set Motion Detect Maximum Brightness to 50% M2.....	11 (C4)
Set Motion Detect Maximum Brightness to 75% M2.....	11 (D2)
keyboard-language-settings.....	11
Control Character Input - Alt + Keypad M2.....	11 (E2)
Control Character Input - Ctrl + Character M2.....	11 (E3)
Control Character Input - Language Default - Default M2.....	11 (E4)
Control Character Input -Alt + Leading Zero M2.....	12 (A2)
Data Encoding: Raw ASCII to Keyboard XML File Lookup - Default M2.....	12 (A3)
Data Encoding: UTF8 to Unicode Codepoint - Alt Sequences for Windows M2.....	12 (A4)
Get Active Language M2.....	12 (B2)
Keyboard Support: English Keyboard Mapping for Apple M2.....	12 (B3)
Keyboard Support: French Keyboard Mapping for Apple M2.....	12 (B4)
Keyboard Support: French Keyboard Mapping for Apple M2.....	12 (C2)
Keyboard Support: French-Belgian Keyboard Mapping for Windows M2.....	12 (C3)
Keyboard Support: German Keyboard Mapping for Apple M2.....	12 (C4)
Keyboard Support: German Keyboard Mapping for Windows M2.....	12 (D2)
Keyboard Support: German-Swiss Keyboard Mapping for Windows M2.....	12 (D3)
Keyboard Support: Italian Keyboard Mapping for Apple M2.....	12 (D4)
Keyboard Support: Japanese Keyboard Mapping for Windows M2.....	12 (E2)
Keyboard Support: Russian Keyboard Mapping for Windows M2.....	12 (E3)
Keyboard Support: Simplified Chinese Keyboard Mapping for Windows M2.....	12 (E4)
Keyboard Support: Spanish Keyboard Mapping for Apple M2.....	13 (A2)
Keyboard Support: Spanish Keyboard Mapping for Windows M2.....	13 (A3)
Keyboard Support: Spanish-Latin American Keyboard Mapping for Windows M2.....	13 (A4)
Keyboard Support: UK English Keyboard Mapping for Windows M2.....	13 (B2)
Keyboard Support: US English Keyboard Mapping for Windows - Default M2.....	13 (B3)
Keyboard Support: US International (Universal) Keyboard Mapping for Windows M2.....	13 (B4)
List Installed Languages M2.....	13 (C2)
Set Italian for Windows as active language M2.....	13 (C3)
Set Portuguese for Windows as active language M2.....	13 (C4)
miscellaneous-settings.....	13
Disable Upload Image Mode - Default M2.....	13 (D2)
Enable Upload Image Mode M2.....	13 (D3)
operating-system-settings.....	13
Alternate Operating System (Linux/Mac) Off - Default M2.....	13 (E2)
Alternate Operating System (Linux/Mac) On M2.....	13 (E3)
reader-modem-command-settings.....	14
Get Reader Parameters M2.....	14 (A2)
Output Reader Configuration M2.....	14 (A3)
Reader Information, limited M2.....	14 (A4)
reset-clear-and-save-reader-settings.....	14
Reset Bluetooth Reader to Factory Defaults M2.....	14 (B2)
Save All Reader Settings M2.....	14 (B3)
scan-delay-settings.....	14
1 Day Duplicate Scan Delay M2.....	14 (C2)
1 Hour Duplicate Scan Delay M2.....	14 (C3)
1 Second Duplicate Scan Delay M2.....	14 (C4)
10 Second Duplicate Scan Delay M2.....	14 (D2)

Table of Contents

2 Second Duplicate Scan Delay M2.....	14 (D3)
3 Second Duplicate Scan Delay M2.....	14 (D4)
30 Second Duplicate Scan Delay M2.....	14 (E2)
5 Second Duplicate Scan Delay M2.....	14 (E3)
Disable Duplicate Scan Delay - Default M2.....	14 (E4)
symbology-settings.....	15
Do Not Convert EAN-8 to EAN-13 - Default M2.....	15 (A2)
Australian Post Off - Default M2.....	15 (A3)
Australian Post On M2.....	15 (A4)
Aztec Inverse & Normal On M2.....	15 (B2)
Aztec Inverse Off - Default M2.....	15 (B3)
Aztec Mirror Off - Default M2.....	15 (B4)
Aztec Mirror On M2.....	15 (C2)
Aztec Off M2.....	15 (C3)
Aztec On - Default M2.....	15 (C4)
BC412 Off - Default M2.....	15 (D2)
BC412 On M2.....	15 (D3)
Canada Post Off - Default M2.....	15 (D4)
Canada Post On M2.....	15 (E2)
Codabar Checksum Off - Default M2.....	15 (E3)
Codabar Checksum On M2.....	15 (E4)
Codabar Off M2.....	16 (A2)
Codabar On - Default M2.....	16 (A3)
Codablock F Off - Default M2.....	16 (A4)
Codablock F On M2.....	16 (B2)
Code 11 Checksum Stripped from Result Off - Default M2.....	16 (B3)
Code 11 Checksum Stripped from Result On M2.....	16 (B4)
Code 11 Disable Checksum Checking - Default M2.....	16 (C2)
Code 11 Off - Default M2.....	16 (C3)
Code 11 On M2.....	16 (C4)
Code 11 One Digit Checksum M2.....	16 (D2)
Code 11 Two Digit Checksum - Default M2.....	16 (D3)
Code 128 Off M2.....	16 (D4)
Code 128 On - Default M2.....	16 (E2)
Code 32 (Italian Pharmacode) Off - Default M2.....	16 (E3)
Code 32 (Italian Pharmacode) On M2.....	16 (E4)
Code 39 Checksum Off - Default M2.....	17 (A2)
Code 39 Checksum On M2.....	17 (A3)
Code 39 Checksum Stripped from Result On M2.....	17 (A4)
Code 39 Extended Full ASCII Off - Default M2.....	17 (B2)
Code 39 Extended Full ASCII On M2.....	17 (B3)
Code 39 Off M2.....	17 (B4)
Code 39 On - Default M2.....	17 (C2)
Code 49 Off - Default M2.....	17 (C3)
Code 49 On M2.....	17 (C4)
Code 93 Off M2.....	17 (D2)
Code 93 On - Default.....	17 (D3)
Composite Off - Default M2.....	17 (D4)
Composite On M2.....	17 (E2)
Convert Bookland EAN-13 to ISBN M2.....	17 (E3)
Convert Bookland EAN-13 to ISSN M2.....	17 (E4)
Convert EAN-8 to EAN-13 M2.....	18 (A2)
Convert UPC-A to EAN-13 M2.....	18 (A3)
Custom QR Code Off - Default M2.....	18 (A4)
Custom QR Code On M2.....	18 (B2)
Data Matrix Inverse and Normal On - Default M2.....	18 (B3)

Table of Contents

Data Matrix Inverse Off M2.....	18 (B4)
Data Matrix Mirror Off - Default M2.....	18 (C2)
Data Matrix Mirror On M2.....	18 (C3)
Data Matrix Off M2.....	18 (C4)
Data Matrix On - Default M2.....	18 (D2)
Data Matrix Rectangular Extended Off - Default M2.....	18 (D3)
Data Matrix Rectangular Extended On M2.....	18 (D4)
Data Matrix Rectangular Off M2.....	18 (E2)
Data Matrix Rectangular On - Default M2.....	18 (E3)
Disable BC412 Regular and Reverse - Default M2.....	18 (E4)
Disable GS1 DataBar Expanded M2.....	19 (A2)
Disable GS1 DataBar Expanded Stacked M2.....	19 (A3)
Disable GS1 DataBar Limited M2.....	19 (A4)
Disable GS1 DataBar Stacked and GS1 DataBar Stacked Omnidirectional M2.....	19 (B2)
Do Not Convert Bookland EAN-13 to ISBN - Default M2.....	19 (B3)
Do Not Convert Bookland EAN-13 to ISSN - Default M2.....	19 (B4)
Do Not Convert UPC-A to EAN-13 - Default M2.....	19 (C2)
Do Not Transmit EAN-13 Check Digit - Default M2.....	19 (C3)
Do Not Transmit EAN-8 Check Digit - Default M2.....	19 (C4)
Do Not Transmit UPC-A Check Digit - Default M2.....	19 (D2)
Do Not Transmit UPC-A Number System - Default M2.....	19 (D3)
Do Not Transmit UPC-E Check Digit - Default M2.....	19 (D4)
Do Not Transmit UPC-E Number System - Default M2.....	19 (E2)
Enable BC412 - Disable BC412 Reverse M2.....	19 (E3)
Enable GoCode & GoCode Mirror Decoding M2.....	19 (E4)
Enable GS1 DataBar Expanded - Default M2.....	20 (A2)
Enable GS1 DataBar Expanded Stacked - Default M2.....	20 (A3)
Enable GS1 DataBar Limited - Default M2.....	20 (A4)
Enable GS1 DataBar Stacked and GS1 DataBar Stacked Omnidirectional - Default M2.....	20 (B2)
Grid Matrix Inverse Off - Default M2.....	20 (B3)
Grid Matrix Inverse On M2.....	20 (B4)
Grid Matrix Mirror Off - Default M2.....	20 (C2)
Grid Matrix Mirror On M2.....	20 (C3)
Grid Matrix Off - Default M2.....	20 (C4)
Grid Matrix On M2.....	20 (D2)
GS1 DataBar Off M2.....	20 (D3)
GS1 DataBar On - Default M2.....	20 (D4)
Han Xin Inverse Off - Default M2.....	20 (E2)
Han Xin Inverse On M2.....	20 (E3)
Han Xin Mirror Off - Default M2.....	20 (E4)
Han Xin Mirror On M2.....	21 (A2)
Han Xin Normal and Inverse On M2.....	21 (A3)
Han Xin Off - Default M2.....	21 (A4)
Han Xin On M2.....	21 (B2)
Hong Kong 2 of 5 Off - Default M2.....	21 (B3)
Hong Kong 2 of 5 On M2.....	21 (B4)
Interleaved 2 of 5 Checksum Off - Default M2.....	21 (C2)
Interleaved 2 of 5 Checksum On M2.....	21 (C3)
Interleaved 2 of 5 Checksum Stripped from Result Off - Default M2.....	21 (C4)
Interleaved 2 of 5 Checksum Stripped from Result On M2.....	21 (D2)
Interleaved 2 of 5 Off M2.....	21 (D3)
Interleaved 2 of 5 On - Default M2.....	21 (D4)
Japan Post Off - Default M2.....	21 (E2)
Japan Post On M2.....	21 (E3)
Keep Codabar Start and Stop Delimiters - Default M2.....	21 (E4)
Keep Trioptic Start and Stop Delimiters M2.....	22 (A2)
KIX (Dutch Post) Off - Default M2.....	22 (A3)



Table of Contents

KIX (Dutch Post) On M2.....	22 (A4)
Korean Post Off - Default M2.....	22 (B2)
Korean Post On M2.....	22 (B3)
Matrix 2 of 5 Off - Default M2.....	22 (B4)
Matrix 2 of 5 On M2.....	22 (C2)
Maxicode Off - Default M2.....	22 (C3)
Maxicode On M2.....	22 (C4)
Micro PDF417 Off - Default M2.....	22 (D2)
Micro PDF417 On M2.....	22 (D3)
Micro QR Code Off - Default M2.....	22 (D4)
Micro QR Code On M2.....	22 (E2)
Mode 1 QR Code Off - Default M2.....	22 (E3)
Mode 1 QR Code On M2.....	22 (E4)
MSI Plessey Checksum Must Be Mod 10 M2.....	23 (A2)
MSI Plessey Checksum Must Be Mod 10/10 M2.....	23 (A3)
MSI Plessey Checksum Must Be Mod 11/10 M2.....	23 (A4)
MSI Plessey Checksum Off - Default M2.....	23 (B2)
MSI Plessey Checksum Stripped from Result Off - Default M2.....	23 (B3)
MSI Plessey Checksum Stripped from Result On M2.....	23 (B4)
MSI Plessey Off - Default M2.....	23 (C2)
MSI Plessey On M2.....	23 (C3)
NEC 2 of 5 Checksum Off M2.....	23 (C4)
NEC 2 of 5 Checksum On - Default M2.....	23 (D2)
NEC 2 of 5 Off - Default M2.....	23 (D3)
NEC 2 of 5 On M2.....	23 (D4)
Output Telepen as ASCII M2.....	23 (E2)
Output Telepen as Numeric - Default M2.....	23 (E3)
Pharmacode Color Off - Default M2.....	23 (E4)
Pharmacode Color On M2.....	24 (A2)
Pharmacode Normal Barcode Decoding (Left to Right) - Default M2.....	24 (A3)
Pharmacode Off - Default M2.....	24 (A4)
Pharmacode On M2.....	24 (B2)
Pharmacode Reverse Barcode Decoding (Right to Left) M2.....	24 (B3)
QR Code Inverse and Normal On M2.....	24 (B4)
QR Code Inverse Only M2.....	24 (C2)
QR Code Mirror On M2.....	24 (C3)
QR Code Off M2.....	24 (C4)
QR Code On - Default M2.....	24 (D2)
QR Code Standard Only - Default M2.....	24 (D3)
Reboot Reader M2.....	24 (D4)
Remove Codabar Start and Stop Delimiters M2.....	24 (E2)
Remove Trioptic Start and Stop Delimiters - Default M2.....	24 (E3)
Reverse BC412 Off - Default M2.....	24 (E4)
Reverse BC412 On M2.....	25 (A2)
Reverse Trioptic Off - Default M2.....	25 (A3)
Reverse Trioptic On M2.....	25 (A4)
Royal Mail Checksum Off M2.....	25 (B2)
Royal Mail Checksum On M2.....	25 (B3)
Straight 2 of 5 Off - Default M2.....	25 (B4)
Straight 2 of 5 On M2.....	25 (C2)
Telepen Off - Default M2.....	25 (C3)
Telepen On M2.....	25 (C4)
Transmit EAN-13 Check Digit M2.....	25 (D2)
Transmit EAN-8 Check Digit M2.....	25 (D3)
Transmit UPC-A Check Digit M2.....	25 (D4)
Transmit UPC-A Number System M2.....	25 (E2)
Transmit UPC-E Check Digit M2.....	25 (E3)

Table of Contents

Transmit UPC-E Number System On M2.....	25 (E4)
Trioptic Off - Default M2.....	26 (A2)
Trioptic On M2.....	26 (A3)
UK Plessey Off - Default M2.....	26 (A4)
UK Plessey On M2.....	26 (B2)
UK Royal Mail Off - Default M2.....	26 (B3)
UK Royal Mail On M2.....	26 (B4)
UPC E Expansion Off - Default M2.....	26 (C2)
UPC E Expansion On M2.....	26 (C3)
UPC Supplemental Off - Default M2.....	26 (C4)
UPC Supplemental On M2.....	26 (D2)
UPC/EAN Off M2.....	26 (D3)
UPC/EAN On - Default M2.....	26 (D4)
UPU ID Tags Off - Default M2.....	26 (E2)
UPU ID Tags On M2.....	26 (E3)
USPS Intelligent Mail Off - Default M2.....	26 (E4)
USPS Intelligent Mail On M2.....	27 (A2)
USPS Planet Off - Default M2.....	27 (A3)
USPS Planet On M2.....	27 (A4)
USPS Postnet Off - Default M2.....	27 (B2)
USPS Postnet On M2.....	27 (B3)

NOTE: Configuration changes will take effect immediately and be saved to memory.

bluetooth-settings	 M20428_01 Clear connection (pairing) history on Bluetooth charging station M2 A2	 M20397_01 Clear connection (pairing) history on Bluetooth reader M2 A3	 M20426_01 Disable Beep During Reconnection - Default M2 A4
	 M20427_01 Enable Beep Every 30 seconds During Reconnection M2 B2	 M20398_01 Get Bluetooth parameters M2 B3	B4
	 M20238_01 Enable Packet Mode M2 C2	 M20239_01 Enable Raw Mode - Default M2 C3	C4
	 M20255_02 Convert Barcode Data to Bracketed Hex Output M2 D2	 M20222_01 Convert Barcode Data to Lowercase M2 D3	 M20221_01 Convert Barcode Data to Uppercase M2 D4
	 M20223_02 Disable Data Formatting - Default M2 E2	 M20322_01 Erase Prefix & Suffix Data M2 E3	 M20207_01 Erase Prefix Data M2 E4

<p>data-formatting-prefix-suffix-settings</p> <p>data-formatting-prefix-suffix-settings</p> <p>data-formatting-prefix-suffix-settings</p> <p>data-formatting-prefix-suffix-settings</p> <p>data-validation</p>	 <p>M20208_01</p> <p>Erase Suffix Data M2</p> <p>A2</p>	 <p>M20343_01</p> <p>Prefix AIM ID Off - Default M2</p> <p>A3</p>	 <p>M20344_01</p> <p>Prefix AIM ID On M2</p> <p>A4</p>
	 <p>M20209_01</p> <p>Prefix Comma M2</p> <p>B2</p>	 <p>M20210_01</p> <p>Prefix Space M2</p> <p>B3</p>	 <p>M20218_02</p> <p>Prefix Tab (USB Keyboard Mode Only) M2</p> <p>B4</p>
	 <p>M20215_01</p> <p>Suffix Comma M2</p> <p>C2</p>	 <p>M20219_02</p> <p>Suffix Enter (USB Keyboard Mode Only) M2</p> <p>C3</p>	 <p>M20216_01</p> <p>Suffix Space M2</p> <p>C4</p>
	 <p>M20220_02</p> <p>Suffix Tab (USB Keyboard Mode Only) M2</p> <p>D2</p>		
	 <p>M20258_02</p> <p>Enable ISO15434 & ISO15418 Validation M2</p> <p>E2</p>	 <p>M20257_02</p> <p>Enable ISO15434 Validation M2</p> <p>E3</p>	 <p>M20256_02</p> <p>Enable UDI/HIBC Validation M2</p> <p>E4</p>

general-modem-settings



M20424_01

Get BT Charging Base Configuration
M2

A2



M20425_01

Reset BT Charging Base to Factory
Defaults M2

A3

A4

general-reading-mode-
settings



M20329_01

Beep On Vibrate On - Default M2

B2



M20332_01

Beep Off Vibrate Off M2

B3

B4



M20330_01

Beep Off Vibrate On M2

general-reading-mode-
settings



M20331_01

Beep On Vibrate Off M2

C2



M20339_01

Beep Volume 0% M2

C3



M20342_01

Beep Volume 100% - Default M2

C4

general-reading-mode-
settings



M20340_01

Beep Volume 33% M2

D2



M20341_01

Beep Volume 67% M2

D3

D4



M20241_02

Disable Cell Phone Reading
Enhancement - Default M2

general-reading-mode-
settings



M20387_01

Disable Presentation Scan Mode in
Charger - Default M2

E2



M20295_01

Disable Target LED During Image
Capture M2














E3



M20334_02

Disable Targeting-Always-On M2

E4

general-reading-mode- settings	 M20240_03 Enable Cell Phone Reading Enhancement M2 A2	 M20388_01 Enable Presentation Scan Mode in Charger with Motion Detection M2 A3	 M20294_01 Enable Target LED During Image Capture - Default M2 A4
	 M20333_02 Enable Targeting-Always-On M2 B2	 M20325_01 Reader Raw Text Commands Off - Default M2 B3	 M20326_01 Reader Raw Text Commands On M2 B4
general-reading-mode- settings	 M20244_01 Set Motion Detect Maximum Brightness to 100% - Default M2 C2	 M20247_01 Set Motion Detect Maximum Brightness to 25% M2 C3	 M20246_01 Set Motion Detect Maximum Brightness to 50% M2 C4
	 M20245_01 Set Motion Detect Maximum Brightness to 75% M2 D2	D3	D4
keyboard-language- settings	 M20352_01 Control Character Input - Alt + Keypad M2 E2	 M20351_01 Control Character Input - Ctrl + Character M2 E3	 M20350_01 Control Character Input - Language Default - Default M2 E4

keyboard-language-settings



M20353_01

Control Character Input -Alt + Leading Zero M2

A2



M20203_01

Data Encoding: Raw ASCII to Keyboard XML File Lookup - Default M2

A3



M20204_01

Data Encoding: UTF8 to Unicode Codepoint - Alt Sequences for Windows M2

A4

keyboard-language-settings



M20179_01

Get Active Language M2

B2



M20184_01

Keyboard Support: English Keyboard Mapping for Apple M2

B3



M20186_01

Keyboard Support: French Keyboard Mapping for Apple M2

B4

keyboard-language-settings



M20186_01

Keyboard Support: French Keyboard Mapping for Apple M2

C2



M20181_01

Keyboard Support: French-Belgian Keyboard Mapping for Windows M2

C3



M20187_01

Keyboard Support: German Keyboard Mapping for Apple M2

C4

keyboard-language-settings



M20188_01

Keyboard Support: German Keyboard Mapping for Windows M2

D2



M20190_01

Keyboard Support: German-Swiss Keyboard Mapping for Windows M2

D3



M20191_01

Keyboard Support: Italian Keyboard Mapping for Apple M2

D4

keyboard-language-settings



M20192_01

Keyboard Support: Japanese Keyboard Mapping for Windows M2

E2



M20194_01

Keyboard Support: Russian Keyboard Mapping for Windows M2

E3



M20362_01

Keyboard Support: Simplified Chinese Keyboard Mapping for Windows M2

E4

keyboard-language-settings



M20196_01

Keyboard Support: Spanish Keyboard Mapping for Apple M2

A2



M20195_01

Keyboard Support: Spanish Keyboard Mapping for Windows M2

A3



M20193_01

Keyboard Support: Spanish-Latin American Keyboard Mapping for Windows M2

A4

keyboard-language-settings



M20197_01

Keyboard Support: UK English Keyboard Mapping for Windows M2

B2



M20182_01

Keyboard Support: US English Keyboard Mapping for Windows - Default M2

B3



M20198_01

Keyboard Support: US International (Universal) Keyboard Mapping for Windows M2

B4

keyboard-language-settings



M20180_01

List Installed Languages M2

C2



M20363_01

Set Italian for Windows as active language M2

C3



M20364_01

Set Portuguese for Windows as active language M2

C4

miscellaneous-settings



M20243_01

Disable Upload Image Mode - Default M2

D2



M20242_01

Enable Upload Image Mode M2

D3

D4

operating-system-settings



M20306_01

Alternate Operating System (Linux/Mac) Off - Default M2

E2



M20305_01

Alternate Operating System (Linux/Mac) On M2

E3

E4

reader-modem-command-
settings



M20114_01

Get Reader Parameters M2

A2



M20113_01

Output Reader Configuration M2

A3



M20361_01

Reader Information, limited M2

A4

reset-clear-and-save-
reader-settings



M20390_01

Reset Bluetooth Reader to Factory
Defaults M2

B2



M20335_01

Save All Reader Settings M2

B3

B4

scan-delay-settings



M20237_01

1 Day Duplicate Scan Delay M2

C2



M20236_01

1 Hour Duplicate Scan Delay M2

C3



M20230_01

1 Second Duplicate Scan Delay M2

C4

scan-delay-settings



M20234_01

10 Second Duplicate Scan Delay M2

D2



M20231_01

2 Second Duplicate Scan Delay M2

D3



M20232_01

3 Second Duplicate Scan Delay M2

D4

scan-delay-settings



M20235_01

30 Second Duplicate Scan Delay M2

E2



M20233_01

5 Second Duplicate Scan Delay M2

E3












M20229_01

Disable Duplicate Scan Delay - Default
M2
















E4

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20131_01</p> <p>Do Not Convert EAN-8 to EAN-13 - Default M2</p> <p>A2</p>	 <p>M20001_01</p> <p>Australian Post Off - Default M2</p> <p>A3</p>	 <p>M20000_01</p> <p>Australian Post On M2</p> <p>A4</p>
	 <p>M20004_01</p> <p>Aztec Inverse & Normal On M2</p> <p>B2</p>	 <p>M20005_01</p> <p>Aztec Inverse Off - Default M2</p> <p>B3</p>	 <p>M20319_01</p> <p>Aztec Mirror Off - Default M2</p> <p>B4</p>
	 <p>M20318_01</p> <p>Aztec Mirror On M2</p> <p>C2</p>	 <p>M20003_01</p> <p>Aztec Off M2</p> <p>C3</p>	 <p>M20002_01</p> <p>Aztec On - Default M2</p> <p>C4</p>
	 <p>M20007_01</p> <p>BC412 Off - Default M2</p> <p>D2</p>	 <p>M20006_01</p> <p>BC412 On M2</p> <p>D3</p>	 <p>M20009_01</p> <p>Canada Post Off - Default M2</p> <p>D4</p>
	 <p>M20008_01</p> <p>Canada Post On M2</p> <p>E2</p>	 <p>M20013_01</p> <p>Codabar Checksum Off - Default M2</p> <p>E3</p>	 <p>M20012_01</p> <p>Codabar Checksum On M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20011_01</p> <p>Codabar Off M2</p> <p style="text-align: right;">A2</p>	 <p>M20010_01</p> <p>Codabar On - Default M2</p> <p style="text-align: right;">A3</p>	 <p>M20019_01</p> <p>Codablock F Off - Default M2</p> <p style="text-align: right;">A4</p>
	 <p>M20018_01</p> <p>Codablock F On M2</p> <p style="text-align: right;">B2</p>	 <p>M20023_01</p> <p>Code 11 Checksum Stripped from Result Off - Default M2</p> <p style="text-align: right;">B3</p>	 <p>M20022_01</p> <p>Code 11 Checksum Stripped from Result On M2</p> <p style="text-align: right;">B4</p>
	 <p>M20031_01</p> <p>Code 11 Disable Checksum Checking - Default M2</p> <p style="text-align: right;">C2</p>	 <p>M20021_01</p> <p>Code 11 Off - Default M2</p> <p style="text-align: right;">C3</p>	 <p>M20020_01</p> <p>Code 11 On M2</p> <p style="text-align: right;">C4</p>
	 <p>M20032_01</p> <p>Code 11 One Digit Checksum M2</p> <p style="text-align: right;">D2</p>	 <p>M20033_01</p> <p>Code 11 Two Digit Checksum - Default M2</p> <p style="text-align: right;">D3</p>	 <p>M20035_01</p> <p>Code 128 Off M2</p> <p style="text-align: right;">D4</p>
	 <p>M20034_01</p> <p>Code 128 On - Default M2</p> <p style="text-align: right;">E2</p>	 <p>M20025_01</p> <p>Code 32 (Italian Pharmacode) Off - Default M2</p> <p style="text-align: right;">E3</p>	 <p>M20024_01</p> <p>Code 32 (Italian Pharmacode) On M2</p> <p style="text-align: right;">E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20029_01</p> <p>Code 39 Checksum Off - Default M2</p> <p>A2</p>	 <p>M20028_01</p> <p>Code 39 Checksum On M2</p> <p>A3</p>	 <p>M20030_01</p> <p>Code 39 Checksum Stripped from Result On M2</p> <p>A4</p>
	 <p>M20320_02</p> <p>Code 39 Extended Full ASCII Off - Default M2</p> <p>B2</p>	 <p>M20321_02</p> <p>Code 39 Extended Full ASCII On M2</p> <p>B3</p>	 <p>M20027_01</p> <p>Code 39 Off M2</p> <p>B4</p>
	 <p>M20026_01</p> <p>Code 39 On - Default M2</p> <p>C2</p>	 <p>M20264_01</p> <p>Code 49 Off - Default M2</p> <p>C3</p>	 <p>M20263_01</p> <p>Code 49 On M2</p> <p>C4</p>
	 <p>M20266_01</p> <p>Code 93 Off M2</p> <p>D2</p>	 <p>M20265_01</p> <p>Code 93 On - Default</p> <p>D3</p>	 <p>M20037_01</p> <p>Composite Off - Default M2</p> <p>D4</p>
	 <p>M20036_01</p> <p>Composite On M2</p> <p>E2</p>	 <p>M20136_01</p> <p>Convert Bookland EAN-13 to ISBN M2</p> <p>E3</p>	 <p>M20138_01</p> <p>Convert Bookland EAN-13 to ISSN M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20130_01</p> <p>Convert EAN-8 to EAN-13 M2</p> <p>A2</p>	 <p>M20134_01</p> <p>Convert UPC-A to EAN-13 M2</p> <p>A3</p>	 <p>M20292_01</p> <p>Custom QR Code Off - Default M2</p> <p>A4</p>
	 <p>M20291_01</p> <p>Custom QR Code On M2</p> <p>B2</p>	 <p>M20040_01</p> <p>Data Matrix Inverse and Normal On - Default M2</p> <p>B3</p>	 <p>M20041_01</p> <p>Data Matrix Inverse Off M2</p> <p>B4</p>
	 <p>M20043_01</p> <p>Data Matrix Mirror Off - Default M2</p> <p>C2</p>	 <p>M20042_01</p> <p>Data Matrix Mirror On M2</p> <p>C3</p>	 <p>M20039_01</p> <p>Data Matrix Off M2</p> <p>C4</p>
	 <p>M20038_02</p> <p>Data Matrix On - Default M2</p> <p>D2</p>	 <p>M20047_01</p> <p>Data Matrix Rectangular Extended Off - Default M2</p> <p>D3</p>	 <p>M20046_01</p> <p>Data Matrix Rectangular Extended On M2</p> <p>D4</p>
	 <p>M20045_01</p> <p>Data Matrix Rectangular Off M2</p> <p>E2</p>	 <p>M20044_01</p> <p>Data Matrix Rectangular On - Default M2</p> <p>E3</p>	 <p>M20260_02</p> <p>Disable BC412 Regular and Reverse - Default M2</p> <p>E4</p>

<p>symbology-settings</p>	 <p>M20274_01</p> <p>Disable GS1 DataBar Expanded M2</p> <p>A2</p>	 <p>M20276_01</p> <p>Disable GS1 DataBar Expanded Stacked M2</p> <p>A3</p>	 <p>M20278_01</p> <p>Disable GS1 DataBar Limited M2</p> <p>A4</p>
<p>symbology-settings</p>	 <p>M20272_01</p> <p>Disable GS1 DataBar Stacked and GS1 DataBar Stacked Omnidirectional M2</p> <p>B2</p>	 <p>M20137_01</p> <p>Do Not Convert Bookland EAN-13 to ISBN - Default M2</p> <p>B3</p>	 <p>M20139_01</p> <p>Do Not Convert Bookland EAN-13 to ISSN - Default M2</p> <p>B4</p>
<p>symbology-settings</p>	 <p>M20135_01</p> <p>Do Not Convert UPC-A to EAN-13 - Default M2</p> <p>C2</p>	 <p>M20151_01</p> <p>Do Not Transmit EAN-13 Check Digit - Default M2</p> <p>C3</p>	 <p>M20149_01</p> <p>Do Not Transmit EAN-8 Check Digit - Default M2</p> <p>C4</p>
<p>symbology-settings</p>	 <p>M20141_01</p> <p>Do Not Transmit UPC-A Check Digit - Default M2</p> <p>D2</p>	 <p>M20143_01</p> <p>Do Not Transmit UPC-A Number System - Default M2</p> <p>D3</p>	 <p>M20145_01</p> <p>Do Not Transmit UPC-E Check Digit - Default M2</p> <p>D4</p>
<p>symbology-settings</p>	 <p>M20147_01</p> <p>Do Not Transmit UPC-E Number System - Default M2</p> <p>E2</p>	 <p>M20259_02</p> <p>Enable BC412 - Disable BC412 Reverse M2</p> <p>E3</p>	 <p>M20357_01</p> <p>Enable GoCode & GoCode Mirror Decoding M2</p> <p>E4</p>

<p>symbology-settings</p>	 <p>M20273_01</p> <p>Enable GS1 DataBar Expanded - Default M2</p> <p>A2</p>	 <p>M20275_01</p> <p>Enable GS1 DataBar Expanded Stacked - Default M2</p> <p>A3</p>	 <p>M20277_01</p> <p>Enable GS1 DataBar Limited - Default M2</p> <p>A4</p>
<p>symbology-settings</p>	 <p>M20271_01</p> <p>Enable GS1 DataBar Stacked and GS1 DataBar Stacked Omnidirectional - Default M2</p> <p>B2</p>	 <p>M20282_01</p> <p>Grid Matrix Inverse Off - Default M2</p> <p>B3</p>	 <p>M20281_01</p> <p>Grid Matrix Inverse On M2</p> <p>B4</p>
<p>symbology-settings</p>	 <p>M20284_02</p> <p>Grid Matrix Mirror Off - Default M2</p> <p>C2</p>	 <p>M20284_02</p> <p>Grid Matrix Mirror On M2</p> <p>C3</p>	 <p>M20049_01</p> <p>Grid Matrix Off - Default M2</p> <p>C4</p>
<p>symbology-settings</p>	 <p>M20048_01</p> <p>Grid Matrix On M2</p> <p>D2</p>	 <p>M20051_02</p> <p>GS1 DataBar Off M2</p> <p>D3</p>	 <p>M20050_02</p> <p>GS1 DataBar On - Default M2</p> <p>D4</p>
<p>symbology-settings</p>	 <p>M20055_01</p> <p>Han Xin Inverse Off - Default M2</p> <p>E2</p>	 <p>M20054_01</p> <p>Han Xin Inverse On M2</p> <p>E3</p>	 <p>M20057_01</p> <p>Han Xin Mirror Off - Default M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20056_01</p> <p>Han Xin Mirror On M2</p> <p>A2</p>	 <p>M20304_01</p> <p>Han Xin Normal and Inverse On M2</p> <p>A3</p>	 <p>M20053_01</p> <p>Han Xin Off - Default M2</p> <p>A4</p>
	 <p>M20052_01</p> <p>Han Xin On M2</p> <p>B2</p>	 <p>M20059_01</p> <p>Hong Kong 2 of 5 Off - Default M2</p> <p>B3</p>	 <p>M20058_01</p> <p>Hong Kong 2 of 5 On M2</p> <p>B4</p>
	 <p>M20063_01</p> <p>Interleaved 2 of 5 Checksum Off - Default M2</p> <p>C2</p>	 <p>M20062_01</p> <p>Interleaved 2 of 5 Checksum On M2</p> <p>C3</p>	 <p>M20077_01</p> <p>Interleaved 2 of 5 Checksum Stripped from Result Off - Default M2</p> <p>C4</p>
	 <p>M20064_01</p> <p>Interleaved 2 of 5 Checksum Stripped from Result On M2</p> <p>D2</p>	 <p>M20061_01</p> <p>Interleaved 2 of 5 Off M2</p> <p>D3</p>	 <p>M20060_01</p> <p>Interleaved 2 of 5 On - Default M2</p> <p>D4</p>
	 <p>M20066_01</p> <p>Japan Post Off - Default M2</p> <p>E2</p>	 <p>M20065_01</p> <p>Japan Post On M2</p> <p>E3</p>	 <p>M20015_01</p> <p>Keep Codabar Start and Stop Delimiters - Default M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20122_01</p> <p>Keep Trioptic Start and Stop Delimiters M2</p> <p>A2</p>	 <p>M20068_01</p> <p>KIX (Dutch Post) Off - Default M2</p> <p>A3</p>	 <p>M20067_01</p> <p>KIX (Dutch Post) On M2</p> <p>A4</p>
	 <p>M20070_01</p> <p>Korean Post Off - Default M2</p> <p>B2</p>	 <p>M20069_01</p> <p>Korean Post On M2</p> <p>B3</p>	 <p>M20072_01</p> <p>Matrix 2 of 5 Off - Default M2</p> <p>B4</p>
	 <p>M20071_01</p> <p>Matrix 2 of 5 On M2</p> <p>C2</p>	 <p>M20074_01</p> <p>Maxicode Off - Default M2</p> <p>C3</p>	 <p>M20073_01</p> <p>Maxicode On M2</p> <p>C4</p>
	 <p>M20091_01</p> <p>Micro PDF417 Off - Default M2</p> <p>D2</p>	 <p>M20090_01</p> <p>Micro PDF417 On M2</p> <p>D3</p>	 <p>M20104_01</p> <p>Micro QR Code Off - Default M2</p> <p>D4</p>
	 <p>M20103_01</p> <p>Micro QR Code On M2</p> <p>E2</p>	 <p>M20106_01</p> <p>Mode 1 QR Code Off - Default M2</p> <p>E3</p>	 <p>M20105_01</p> <p>Mode 1 QR Code On M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20079_01</p> <p>MSI Plessey Checksum Must Be Mod 10 M2</p> <p>A2</p>	 <p>M20080_02</p> <p>MSI Plessey Checksum Must Be Mod 10/10 M2</p> <p>A3</p>	 <p>M20081_02</p> <p>MSI Plessey Checksum Must Be Mod 11/10 M2</p> <p>A4</p>
	 <p>M20078_01</p> <p>MSI Plessey Checksum Off - Default M2</p> <p>B2</p>	 <p>M20083_01</p> <p>MSI Plessey Checksum Stripped from Result Off - Default M2</p> <p>B3</p>	 <p>M20082_01</p> <p>MSI Plessey Checksum Stripped from Result On M2</p> <p>B4</p>
	 <p>M20076_01</p> <p>MSI Plessey Off - Default M2</p> <p>C2</p>	 <p>M20075_01</p> <p>MSI Plessey On M2</p> <p>C3</p>	 <p>M20087_01</p> <p>NEC 2 of 5 Checksum Off M2</p> <p>C4</p>
	 <p>M20086_01</p> <p>NEC 2 of 5 Checksum On - Default M2</p> <p>D2</p>	 <p>M20085_01</p> <p>NEC 2 of 5 Off - Default M2</p> <p>D3</p>	 <p>M20084_01</p> <p>NEC 2 of 5 On M2</p> <p>D4</p>
	 <p>M20116_01</p> <p>Output Telepen as ASCII M2</p> <p>E2</p>	 <p>M20117_01</p> <p>Output Telepen as Numeric - Default M2</p> <p>E3</p>	 <p>M20290_01</p> <p>Pharmacode Color Off - Default M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20289_01</p> <p>Pharmacode Color On M2</p> <p>A2</p>	 <p>M20095_01</p> <p>Pharmacode Normal Barcode Decoding (Left to Right) - Default M2</p> <p>A3</p>	 <p>M20093_01</p> <p>Pharmacode Off - Default M2</p> <p>A4</p>
	 <p>M20092_01</p> <p>Pharmacode On M2</p> <p>B2</p>	 <p>M20094_01</p> <p>Pharmacode Reverse Barcode Decoding (Right to Left) M2</p> <p>B3</p>	 <p>M20100_01</p> <p>QR Code Inverse and Normal On M2</p> <p>B4</p>
	 <p>M20099_01</p> <p>QR Code Inverse Only M2</p> <p>C2</p>	 <p>M20101_01</p> <p>QR Code Mirror On M2</p> <p>C3</p>	 <p>M20097_01</p> <p>QR Code Off M2</p> <p>C4</p>
	 <p>M20096_01</p> <p>QR Code On - Default M2</p> <p>D2</p>	 <p>M20098_01</p> <p>QR Code Standard Only - Default M2</p> <p>D3</p>	 <p>M20345_01</p> <p>Reboot Reader M2</p> <p>D4</p>
	 <p>M20014_01</p> <p>Remove Codabar Start and Stop Delimiters M2</p> <p>E2</p>	 <p>M20123_01</p> <p>Remove Trioptic Start and Stop Delimiters - Default M2</p> <p>E3</p>	 <p>M20262_02</p> <p>Reverse BC412 Off - Default M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20261_01</p> <p>Reverse BC412 On M2</p> <p>A2</p>	 <p>M20121_01</p> <p>Reverse Trioptic Off - Default M2</p> <p>A3</p>	 <p>M20120_01</p> <p>Reverse Trioptic On M2</p> <p>A4</p>
	 <p>M20286_01</p> <p>Royal Mail Checksum Off M2</p> <p>B2</p>	 <p>M20285_01</p> <p>Royal Mail Checksum On M2</p> <p>B3</p>	 <p>M20108_01</p> <p>Straight 2 of 5 Off - Default M2</p> <p>B4</p>
	 <p>M20107_01</p> <p>Straight 2 of 5 On M2</p> <p>C2</p>	 <p>M20110_01</p> <p>Telepen Off - Default M2</p> <p>C3</p>	 <p>M20109_01</p> <p>Telepen On M2</p> <p>C4</p>
	 <p>M20150_01</p> <p>Transmit EAN-13 Check Digit M2</p> <p>D2</p>	 <p>M20148_01</p> <p>Transmit EAN-8 Check Digit M2</p> <p>D3</p>	 <p>M20140_01</p> <p>Transmit UPC-A Check Digit M2</p> <p>D4</p>
	 <p>M20142_01</p> <p>Transmit UPC-A Number System M2</p> <p>E2</p>	 <p>M20144_01</p> <p>Transmit UPC-E Check Digit M2</p> <p>E3</p>	 <p>M20146_01</p> <p>Transmit UPC-E Number System On M2</p> <p>E4</p>

<p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p> <p>symbology-settings</p>	 <p>M20119_01</p> <p>Trioptic Off - Default M2</p> <p>A2</p>	 <p>M20118_01</p> <p>Trioptic On M2</p> <p>A3</p>	 <p>M20288_01</p> <p>UK Plessey Off - Default M2</p> <p>A4</p>
	 <p>M20287_01</p> <p>UK Plessey On M2</p> <p>B2</p>	 <p>M20125_01</p> <p>UK Royal Mail Off - Default M2</p> <p>B3</p>	 <p>M20124_01</p> <p>UK Royal Mail On M2</p> <p>B4</p>
	 <p>M20133_01</p> <p>UPC E Expansion Off - Default M2</p> <p>C2</p>	 <p>M20132_01</p> <p>UPC E Expansion On M2</p> <p>C3</p>	 <p>M20129_01</p> <p>UPC Supplemental Off - Default M2</p> <p>C4</p>
	 <p>M20128_01</p> <p>UPC Supplemental On M2</p> <p>D2</p>	 <p>M20127_01</p> <p>UPC/EAN Off M2</p> <p>D3</p>	 <p>M20126_01</p> <p>UPC/EAN On - Default M2</p> <p>D4</p>
	 <p>M20153_01</p> <p>UPU ID Tags Off - Default M2</p> <p>E2</p>	 <p>M20152_01</p> <p>UPU ID Tags On M2</p> <p>E3</p>	 <p>M20155_01</p> <p>USPS Intelligent Mail Off - Default M2</p> <p>E4</p>

<p>symbology-settings</p>	 <p>M20154_01</p> <p>USPS Intelligent Mail On M2</p> <p style="text-align: right;">A2</p>	 <p>M20157_01</p> <p>USPS Planet Off - Default M2</p> <p style="text-align: right;">A3</p>	 <p>M20156_01</p> <p>USPS Planet On M2</p> <p style="text-align: right;">A4</p>
	<p>symbology-settings</p>  <p>M20159_01</p> <p>USPS Postnet Off - Default M2</p> <p style="text-align: right;">B2</p>	 <p>M20158_01</p> <p>USPS Postnet On M2</p> <p style="text-align: right;">B3</p>	B4
C1 C2 C3 C4			
D1 D2 D3 D4			
E1 E2 E3 E4			