


9175-20-14-11S Cut Sheet



STAHL ISpac intrinsically safe digital output isolator, (2) 15-31.2 VDC input, (2) 43 mA at 12 VDC output, 24 VDC operating voltage, screw terminals.

For complete product information, please see this item on our store at the following link:



<https://www.automationdirect.com/pn/9175-20-14-11S>

Technical Specifications

Brand	STAHL
Series	ISpac
Item	Isolator
Isolator Type	Digital output
Intrinsically Safe	Yes
Input	(2) 15-31.2 VDC
Output	(2) 43 mA at 12 VDC
Maximum Voltage	19.6 VDC

Maximum Current	150 mA
Maximum Power	732 mW
Operating Voltage	24 VDC
Housing Material	Polyamide
Mounting	35mm DIN rail
Connection	Screw terminals
Application	Hazardous location rated
Manufacturer Part Number	9175/20-14-11s

Agency Approvals

UL Listed File #	E81680
UL Recognized File #	None
UL Hazardous File #	E81680
CE	View CE declarations
CSA File #	None
RoHS Status	Yes (See CE Doc)
EU REACH	View EU REACH document
Other	View FM Approval and UL Control Drawing

Dimensional Drawings



2D Drawing PDF Link:
<https://cdn.automationdirect.com/static/drawings/2d/9175-20-14-11S.pdf>
See store item page for other formats.