


9270-21-17-14S Cut Sheet



STAHL ISpac intrinsically safe digital input isolator, (2) NAMUR sensors or (2) dry contacts input, (2) N.O. contacts output, 24 VDC operating voltage, screw terminals.

For complete product information, please see this item on our store at the following link:



<https://www.automationdirect.com/pn/9270-21-17-14S>

Technical Specifications

Brand	STAHL
Series	ISpac
Item	Isolator
Isolator Type	Digital input
Intrinsically Safe	Yes
Input	(2) NAMUR sensors or (2) dry contacts
Output	(2) N.O. contacts
Maximum Voltage	9.6 VDC

Maximum Current	10 mA
Maximum Power	25 mW
Operating Voltage	24 VDC
Housing Material	Polyamide
Mounting	35mm DIN rail
Connection	Screw terminals
Application	Hazardous location rated
Manufacturer Part Number	9270/21-17-14s

Agency Approvals

UL Listed File #	E81680
UL Recognized File #	None
UL Hazardous File #	E81680
CE	View CE declarations
CSA File #	None
RoHS Status	Yes (See CE Doc)
EU REACH	View EU REACH document

Dimensional Drawings



2D Drawing PDF Link:
<https://cdn.automationdirect.com/static/drawings/2d/9270-21-17-14S.pdf>
See store item page for other formats.