## LH5946-48-115-04 Cut Sheet





Dold safety relay, motor standstill monitoring, 20-400 mV, 2-channel, 115 VAC, (3) N.O. and (1) N.C. safety output(s), fixed screw terminals.

For complete product information, please see this item on our store at the following link:



https://www.automationdirect.com/pn/LH5946-48-115-04

## **Technical Specifications**

| Brand                     | Dold  |
|---------------------------|---|
| Item                      | Safety relay  |
| Relay Type                | Motor standstill monitoring                               |
| <b>Monitoring Circuit</b> | 20-400 mV   |
| Number Of Channels        | 2   |
| Control Voltage           | 115 VAC   |
| Restart Type              | Manual or automatic restart                               |
| Safety Output Type        | (3) N.O. and (1) N.C.                                     |
| Connection                | Fixed screw terminals                                     |
| Additional Information    | (2) redundant measuring channels used for L2-L1 and L3-L1 |

## Agency Approvals

| UL Listed File #     | E107778                |
|----------------------|------------------------|
| UL Recognized File # | None                   |
| UL Hazardous File #  | None                   |
| CE                   | View CE declarations   |
| CSA File #           | None                   |
| RoHS Status          | Yes (See CE Doc)       |
| EU REACH             | View EU REACH document |

## **Dimensional Drawings**



2D Drawing PDF Link: https://cdn.automationdirect.com/ /static/drawings/LH5946-48-115-04.pdf See store item page for other formats.