

frame® Aluminum T-Slotted Rail


15 Series Fractional T-Slotted Aluminum Rail

SureFrame™ T-slotted aluminum rails are extruded exclusively for AutomationDirect, with features, quality, and performance you expect. SureFrame T-slotted rails are compatible with other popular brands.

- Cut to length in 0.001 inch increments
- Minimum cut length: 6"
- Maximum cut length: 90"
- Cut accuracy: +/- 0.006"
- · Corrosion and UV resistant




P	Properties							
Material	Aluminum 6063-T6							
Finish	Clear or Black Anodize							
Hardness	Webster Model B 11-12							
Straightness	0.0125 inch/ft [1.042 mm/m]							
Twist	0.25°/ft [0.25°/305mm]							



15 Series (inch)



Core Hole Ø 0.27"





T-Slot Drop Lock feature improves connection strength and vibration resistance

			1.37		Diop Lock			
Part Number	Part Image	Price per inch	Profile Size	Weight Class	Weight Ibs/ft [kg/m]	Moment of Inertia Lx (in ⁴ [cm ⁴])	Moment of Inertia Ly (in ⁴ [cm ⁴])	Drawing Link
<u>1515C</u>		\$0.64			4 404 [2 090]	0.260	0.260	<u>PDF</u>
<u>1515B</u>	F	\$0.91		Standard	1.404 [2.089]	[10.816]	[10.816]	<u>PDF</u>
<u>1515CL</u>		\$0.52	1.5 x 1.5in	4 000 14 007	1 002 [4 627] 0.186	0.186	PDF	
<u>1515BL</u>	FE	\$0.76		Light	1.093 [1.627]	[7.738]	[7.738]	PDF
<u>1515CUL</u>		\$0.48		Ultra-light	1.029 [1.531]	0.174 [7.238]	0.174 [7.238]	PDF

Extruded T-slotted rails have a thru Core Hole feature that can be used to attach various components to the end of the profile using:

- Self-tapping / thread-forming screws (no tapping needed)
- A tap to thread the core hole for a threaded fastener







Please Note: Prices on aluminum are closely tied to the market price. This allows us to offer the best savings possible if conditions are favorable; however, it also means that our prices may increase if market conditions warrant.



frame® Aluminum T-Slotted Rail


15 Series Fractional T-Slotted Aluminum Rail

SureFrame™ T-slotted aluminum rails are extruded exclusively for AutomationDirect, with features, quality, and performance you expect. SureFrame T-slotted rails are compatible with other popular brands.

- Cut to length in 0.001 inch increments
- Minimum cut length: 6"
- Maximum cut length: 90"
- Cut accuracy: +/- 0.006"
- Corrosion and UV resistant




P	Properties							
Material	Aluminum 6063-T6							
Finish	Clear or Black Anodize							
Hardness	Webster Model B 11-12							
Straightness	0.0125 inch/ft [1.042 mm/m]							
Twist	0.25°/ft [0.25°/305mm]							



15 Series (inch) - Continued



Core Hole Ø 0.27"





T-Slot Drop Lock feature improves connection strength and vibration resistance

	· ·										
Part Number	Part Image	Price per inch	Profile Size	Weight Class	Weight lbs/ft [kg/m]	Moment of Inertia Lx (in ⁴ [cm ⁴])	Moment of Inertia Ly (in ⁴ [cm ⁴])	Drawing Link			
<u>1530C</u>		\$1.16			2.526 [3.759]	0.572 [23.795]	2.138	PDF			
<u>1530B</u>	SK K	\$1.53	1.5 x 3in	Standard			[88.982]	PDF			
<u>1530CL</u>		\$0.99		Light	2.093 [3.115]	0.408 [16.973]	1.430 [59.529]	PDF			
<u>1530BL</u>	THE STATE OF THE S	\$1.32						PDF			
3030C	n de	\$1.86				3.377	3.377	PDF			
<u>3030B</u>	F CA	\$2.30	3 x 3in	Standard	4.058 [6.039]	[140.566]	[140.566]	PDF			

Extruded T-slotted rails have a thru Core Hole feature that can be used to attach various components to the end of the profile using:

- Self-tapping / thread-forming screws (no tapping needed)
- A tap to thread the core hole for a threaded fastener

Core Ho





Please Note: Prices on aluminum are closely tied to the market price. This allows us to offer the best savings possible if conditions are favorable; however, it also means that our prices may increase if market conditions warrant.

29,007 psi [200 MPa]

33,359 psi [230 MPa]

10,000,000 psi [68.9 GPa]

Aluminum 6063-T6 Properties



frame® Aluminum T-Slotted Rail

Deflection Calculations

Using the calculations below, find your approximate deflection* for a specific extrusion. See table below for variations.

As always when calculating, use diligence and work only in either imperial or metric units at one time.

"E" = Modulus of Elasticity

"F" = Force

"I" = Moment of Inertia


"L" = Length

"W" = Weight

*for reference only

Supported Loads

CONCENTRATED LOAD AT CENTER (simply supported)



MAX DEFLECTION =
$$\frac{FL^3}{48 EI}$$

UNIFORMLY DISTRIBUTED LOAD (simply supported)




MAX DEFLECTION =
$$\frac{5}{84}$$
 $\frac{WL^4}{EI}$

CONCENTRATED LOAD AT CENTER (between fixed supports)



MAX DEFLECTION =
$$\frac{FL^3}{192 EI}$$

UNIFORMLY DISTRIBUTED LOAD (between fixed supports)



MAX DEFLECTION =
$$\frac{WL^4}{384 EI}$$

Cantilever Loads

CONCENTRATED LOAD AT CENTER (simply supported)

Yield Strength


Tensile Strength

Modulus of Elasticity



$$MAX DEFLECTION = \frac{FL^3}{3 EI}$$

UNIFORMLY DISTRIBUTED LOAD (simply supported)



MAX DEFLECTION =
$$\frac{WL^4}{8 EI}$$

T-Slot Nuts


- Designed to fit into the T-slot cavity of extruded aluminum rails.
- Hammer nuts provide safe electrostatic discharging (ESD) connection.
- No machining required.
- · Material: zinc plated steel

	T-8	Slot Nuts Selecti	on	
Part Image	Nut Type	Installation	Holds Position Without Screw	ESD Connection
00	Double Economy T-Nut			No
0	Economy T-Nut			
	Hammer Nut		No	Yes
3	Slide-In Nut			
TO THE	Roll-In Nut with Leaf Spring		V	No
	Roll-In Nut with Spring Loaded Ball		Yes	



15 Series T-Slot Nuts

Fits Slot Size



Part Number	Part Image	Price	Nut Type	Thread Size	Pack Quantity	Drawing Link
<u>161115</u>		\$17.50	Roll-In Nut	8-32 UNF		<u>PDF</u>
<u>161125</u>		\$9.50	Hammer Nut	0 02 0M		PDF
<u>161114</u>		\$17.50	Roll-In Nut			PDF
<u>162996</u>	22	\$17.50	Koll-III Nut	10-32 UNF	10	PDF
<u>162903</u>	0	\$9.50	Slide-In Nut			PDF
<u>161126</u>		\$8.25	Hammer Nut			PDF

www.automationdirect.com Aluminum T-Slotted Rail tATR-26

T-Slot Nuts - Continued

		15	Series T-Slot Nuts	- Continued							
	Fits Slot Size 15 Series (inch) 15 Series (inch) 15 Series (inch) 3 x 3 x 3										
Part Number	Part Image	Price	Nut Type	Thread Size	Pack Quantity	Drawing Link					
<u>162904</u>	(1)	\$9.50	Slide-In Nut			PDF					
<u>151097</u>		\$9.50	Hammer Nut	1/4-20 UNC		<u>PDF</u>					
<u>162997</u>		\$17.50	Roll-In Nut		10	PDF					
<u>161123</u>	6	\$5.50	Economy T-Nut	1/4-20 UNC		PDF					
<u>151098</u>		\$20.00	Roll-in Nut	174-20 0140		PDF					
<u>151096</u>	•	\$6.50	Economy T-Nut			<u>PDF</u>					
<u>148805</u>	2 3	\$5.50	Double Economy T-Nut		4	PDF					
<u>162905</u>	144	\$9.50	Slide-In Nut	5/16-18 UNC		PDF					
<u>151099</u>	E	\$20.00	Roll-In Nut			<u>PDF</u>					
162998	10 C	\$17.50	Roll-In Nut		- 10	PDF					
161129	(e)	\$8.00	Hammer Nut		10	PDF					
<u>161119</u>	10	\$16.75	Roll-In Nut	M4-0.7		PDF					
162999	AST.	\$17.50	I VOII-III I VUL			<u>PDF</u>					

T-Slot Nuts - Continued

	15 Series T-Slot Nuts - Continued										
	Fits Slot Size 15 Series (inch) 1.5x1.5 1.5x3 3x3										
Part Number	Part Image	Price	Nut Type	Thread Size	Pack Quantity	Drawing Link					
<u>161130</u>		\$8.00	Hammer Nut			PDF					
<u>161120</u>	U	\$16.75	Roll-In Nut	M5-0.8	10	<u>PDF</u>					
<u>163000</u>	- C. C.	\$17.50	Non-III Nut			<u>PDF</u>					
<u>151214</u>		\$9.00	Hammer Nut	M6-1.0		PDF					
<u>162884</u>	•	\$9.75	Slide-In Nut			PDF					
<u>151215</u>	U	\$19.00	Roll-In Nut			<u>PDF</u>					
<u>163001</u>		\$17.50	Non-III Nut			PDF					
<u>162885</u>	(8)	\$9.75	Slide-In Nut			<u>PDF</u>					
<u>151216</u>	-	\$19.00	Roll-In Nut	M8-1.25		<u>PDF</u>					
<u>163002</u>		\$17.50	TXOITIII NGL			PDF					

www.automationdirect.com Aluminum T-Slotted Rail tATR-28

Fasteners


- Choose from 4 Head types in numerous lengths
- Hex socket head
- Select desired T-Slot nut style with corresponding thread size.
- Material: Black zinc plated or bright zinc plated steel, prevents corrosion better than typical black oxide coatings



15 Series Fasteners

Fits





		T	ت	UX 1.0				
Part Number	Part Image	Price	Thread	Screw Length	Head Type	Color	Pack Quantity	Drawing Link
<u>162994</u>		\$8.00	#8-32 UNF	3/8 in	Button head socket cap screw			PDF
<u>161073</u>	Omm	\$7.75	#0-32 ONI	1/2 in	Flat head socket cap screw		10	PDF
<u>162993</u>	(Ann	\$7.50		3/8 in	Button head socket cap screw			PDF
<u>162995</u>	4	\$7.75		1/2 in	Socket head cap screw			PDF
<u>161046</u>		\$4.75	#10-32 UNF	1/2 111		Flat black		PDF
<u>161047</u>	0	\$5.00		5/8 in	Button head socket cap screw			PDF
<u>161048</u>		\$5.75		3/4 in				PDF
<u>161074</u>	0	\$6.25			Flat head socket cap screw Button head socket cap screw			PDF
<u>151040</u>	0	\$4.25		1/2 in				PDF
<u>151041</u>	0	\$5.25			Flanged button head socket cap screw	Gloss black		PDF
<u>161049</u>	0	\$4.75	1/4-20 UNC	9/16 in	Button head socket cap screw			PDF
<u>161075</u>	0	\$6.25			Flat head socket cap screw	Flot blook		PDF
<u>161050</u>	4	\$4.75		5/8 in	Button head socket cap screw	- Flat black		PDF
<u>161087</u>	0	\$4.00			Socket head cap screw			<u>PDF</u>

Fasteners - Continued

	15 Series Fasteners - Continued										
	Fits	Slot Size	F.	5 Series (inch) 5x1.5 1.5x3							
Part Number	Part Image	Price	Thread	Screw Length	Head Type	Color	Pack Quantity	Drawing Link			
<u>161051</u>		\$4.75	1/4-20 UNC	3/4 in	Button head socket cap screw			PDF			
<u>161052</u>	~	\$5.25	1/4-20 ONC	1in	Button flead Socket cap Sciew	Flat black		PDF			
<u>151100</u>	4	\$5.25		5/8 in	Button head socket cap screw			<u>PDF</u>			
<u>151101</u>		\$6.00		11/16 in	Flanged button head socket cap screw	Gloss black		PDF			
<u>161053</u>	0	\$6.00	5/16-18 UNC	1/2 in			10	PDF			
<u>161054</u>		\$6.50		3/4 in	Button head socket cap screw	Flat black		<u>PDF</u>			
<u>161055</u>		\$7.50		1in				<u>PDF</u>			
<u>161088</u>	0)	\$2.25		8mm				PDF			
<u>161089</u>		\$2.50		10mm	Socket head cap screw			PDF			
<u>161056</u>		\$1.00	M4-0.7	TOTHIN	Button head socket cap screw			<u>PDF</u>			
<u>161076</u>	() () () () () ()	\$1.50		12mm	Flat head socket cap screw			<u>PDF</u>			
<u>161057</u>	9	\$1.25		40	Button head socket cap screw	Bright zinc		PDF			
<u>161090</u>		\$2.50	ME O O	10mm	Socket head cap screw			PDF			
<u>161077</u>	0	\$1.75	M5-0.8	10	Flat head socket cap screw			PDF			
<u>161091</u>		\$2.75		12mm	Socket head cap screw			PDF			

Fasteners - Continued

			15 Seri	es Fastene	ers - Continued			
	Fits	Slot Size		5 Series (inch) 5x1.5 1.5x3	3x3			
Part Number	Part Image	Price	Thread	Screw Length	Head Type	Color	Pack Quantity	Drawing Link
<u>161058</u>		\$1.75	M5-0.8	12mm	Button head socket cap screw			PDF
<u>161092</u>	8)	\$2.75		10mm	Socket head cap screw			PDF
<u>161078</u>		\$2.25			Flat head socket cap screw			PDF
<u>161059</u>	2	\$2.00		12mm	Button head socket cap screw			PDF
<u>161093</u>		\$2.75			Socket head cap screw			PDF
<u>161079</u>		\$2.50			Flat head socket cap screw			PDF
<u>161060</u>	2	\$2.25		14mm	Button head socket cap screw			PDF
<u>161094</u>		\$3.00	- M6-1.0		Socket head cap screw	Bright zinc	10	PDF
<u>161080</u>		\$2.50	100-1.0		Flat head socket cap screw			PDF
<u>161061</u>		\$2.50		16mm	Button head socket cap screw			PDF
<u>161095</u>	0	\$3.00			Socket head cap screw			PDF
<u>161062</u>		\$3.00		18mm	Button head socket cap screw			PDF
<u>161096</u>	0	\$3.25		10111111	Socket head cap screw			PDF
<u>161081</u>		\$2.75		20mm	Flat head socket cap screw			PDF
<u>161063</u>		\$3.00		ZUITITTI	Button head socket cap screw			<u>PDF</u>

Fasteners - Continued

			15 Seri	es Fastene	ers - Continued					
Fits Slot Size 1.5 x 1.5 x 1.5 x 3 x 3 x 3										
Part Number	Part Image	Price	Thread	Screw Length	Head Type	Color	Pack Quantity	Drawing Link		
<u>161097</u>		\$3.25	- M6-1.0	20mm	Socket head cap screw			<u>PDF</u>		
<u>161064</u>	8	\$3.25	INIO 1.0	25mm	Button head socket cap screw			PDF		
<u>161082</u>	1	\$4.75			Flat head socket cap screw			PDF		
<u>161065</u>	2	\$4.25		12mm	Button head socket cap screw			PDF		
<u>161098</u>		\$4.75			Socket head cap screw			PDF		
<u>161066</u>	8	\$4.50			Button head socket cap screw	Bright zinc		PDF		
<u>161083</u>	9	\$5.00		14mm	Flat head socket cap screw		10	PDF		
<u>161099</u>	25	\$5.00			Socket head cap screw			PDF		
<u>161084</u>		\$5.50	M8-1.25		Flat head socket cap screw			PDF		
<u>161100</u>	O) inmo	\$5.50			Socket head cap screw			PDF		
<u>161067</u>	2	\$4.75		16mm	Button head socket cap screw			PDF		
<u>151183</u>	6	\$4.75			Sutton fload source cap solew	Gloss black		PDF		
<u>151184</u>		\$5.50			Flanged button head socket cap screw	GIUSS DIACK		PDF		
<u>161085</u>	0	\$5.50		10mm	Flat head socket cap screw	Dright -inc		PDF		
<u>161068</u>	2	\$5.25		18mm	Button head socket cap screw	Bright zinc		PDF		

Fasteners - Continued


15 Series Fasteners - Continued Fits Slot Size | 15 Series (inch) | 1

Part Number	Part Image	Price	Thread	Screw Length	Head Type	Color	Pack Quantity	Drawing Link
<u>161101</u>	0	\$5.50		18mm	Socket head cap screw			PDF
<u>151241</u>	8	\$4.50		20mm	Button head socket cap screw			PDF
<u>161102</u>	0	\$5.75		2011111	Socket head cap screw			PDF
<u>161086</u>		\$7.00	M8-1.25	25mm	Flat head socket cap screw	Bright zinc	10	<u>PDF</u>
<u>161069</u>		\$5.25		Zəmm				PDF
<u>161070</u>		\$8.00		40mm	Button head socket cap screw			<u>PDF</u>
118284		\$2.50	5/16-18 UNC	1in	Hammer head screw and flange nut		1	<u>PDF</u>

15 Series Self Forming / Tapping Screws


Fite





Works with Aluminum with hole diameter 0.256" - 0.276" [6.6 - 7.0 mm]

Part Number	Part Image	Price	Thread	Screw Length	Head Type	Color	Pack Quantity	Drawing Link
<u>161105</u>	0	\$17.00		05	Self-Tapping Screw Button head socket cap			PDF
<u>161106</u>	8	\$9.25	S 7	25mm	Self-Tapping Screw Flanged button head socket cap T-40 Torx	Bright zinc	10	PDF
<u>161107</u>	0	\$17.00		40mm	Self-Tapping Screw Button head socket cap		<u>PDF</u>	



Connecting Components


- Connects two or three T-slot rails together.
- Recommended ADC Fastener based on part feature, slot depth and core hole.
- Material: varies by part



15 Series Connecting Components

Fits





						Recomment Fastener (ADC	ded Screw Part Number)		
Part Number	Part Image	Price	Description	Fits Profile	Material	Core Hole Attachment	*T-Slot Attachment	Pack Quantity	Drawing Link
<u>148954</u>	00	\$10.00	2d Cube						<u>PDF</u>
<u>166302</u>		\$12.00	Connector						<u>PDF</u>
<u>148957</u>	60	\$11.50	3d Cube	1.5 x 1.5in			<u>151100</u>	151100	<u>PDF</u>
<u>166303</u>		\$13.00	Connector		Die-cast aluminum	Fasteners Included (161105)			<u>PDF</u>
<u>151107</u>	19	\$8.00							<u>PDF</u>
<u>166304</u>	101	\$8.50					<u>Fasteners</u>		<u>PDF</u>
<u>151108</u>	1.1.1	\$11.50	Angle Connector	1.5 x 3in			Included (161054 & 151099)		PDF
<u>166305</u>	1,14	\$13.50		1.3 % 3111					PDF
<u>151102</u>		\$23.50	Duo Connector		Steel			40	<u>PDF</u>
<u>151103</u>	P. P.	\$96.00	T-Matic Connector	All 15 Series	Zinc plated steel	n/a	n/a	10	PDF
<u>151104</u>		\$59.00	Automatic Connector		Steel			1	<u>PDF</u>
*T-Slot Nut also requir	ed.								

Connecting Components - Continued

15 Series Connecting Components - Continued Slot Size 1.5 x1.5 x1.5 x1.5 x3 3x3


			1.3.4 1.	3 1.323	3,3				
						Fastener (ADC	nded Screw Part Number)		
Part Number	Part Image	Price	Description	Fits Profile	Material	Core Hole Attachment	*T-Slot Attachment	Pack Quantity	Drawing Link
<u>151105</u>		\$9.50	Automatic Butt Connector		Steel				<u>PDF</u>
<u>151106</u>	15	\$8.50	Milling Connector		Zinc plated		n/a		<u>PDF</u>
<u>151109</u>	0 0 0	\$15.50	Connecting Strip	All 15 Series	ologi.			1	<u>PDF</u>
162891		\$13.00	Direct Connector		Steel	n/a	Fasteners included		<u>PDF</u>
162961	6	\$11.50	Miter Connector		Steel		M8-1.25 x 8mm set screw (4) included		<u>PDF</u>
163009	0	\$13.25	Screw Connector	1.5 x 1.5in	Zinc plated steel		Designer's choice	10	<u>PDF</u>
*T-Slot Nut also requi	red								

Connecting Components - Continued

Connecting Comp	onents Installation
Core Hole Installation	T-Slot Installation
2D Cube Connector	
3D Cube Connector	
	n/a
Angle Connector	
Duo Connector	
n/a	LH Thread

www.automationdirect.com Aluminum T-Slotted Rail tATR-36

Connecting Components - Continued




Joining Plates

- Connects two or more T-slot rails together.
- Recommended ADC Fastener based on part feature and slot depth.
- · Material: Anodized aluminum



15 Series Joining Plates

Fits Slot Siz




Part Number	Part Image	Price	Description	Recommended Screw Fastener *T-Slot Attachment (ADC Part Number)	Pack Quantity	Drawing Link
<u>151110</u>		\$5.25			1	205
<u>151110-10</u>		\$48.00			10	<u>PDF</u>
<u>166306</u>		\$6.00				PDF
<u>151111</u>		\$4.75	Straight Flat Plate			PDF
<u>166307</u>	13.50	\$6.00				<u>PDF</u>
<u>151112</u>	. , , ,	\$6.25				<u>PDF</u>
<u>166308</u>	12.5.5	\$7.00				PDF
<u>151113</u>		\$6.00	Square Flat Plate	454400 454404	1	PDF
<u>166309</u>		\$7.00	Square Flat Flate	<u>151100</u> or <u>151101</u>	1	<u>PDF</u>
<u>151114</u>		\$8.50				<u>PDF</u>
<u>166310</u>		\$10.00				PDF
<u>151115</u>		\$11.00	Rectangular Flat Plate			PDF
<u>166311</u>	1000	\$12.00				PDF
<u>151116</u>		\$8.50				PDF
<u>151116-10</u>		\$80.00	Flat Plate		10	
<u>166312</u>		\$10.00	i iai Fiale		1	PDF
*T-Slot Nut also requi	red		-			

Joining Plates - Continued

15 Series Joining Plates - Cont'd

Fits Slot Size



			1.53 1.5	3x3		
Part Number	Part Image	Price	Description	Recommended Screw Fastener *T-Slot Attachment (ADC Part Number)	Pack Quantity	Drawing Link
<u>151117</u>		\$12.00			1	DDE
<u>151117-10</u>		\$110.00	Flat Plate		10	- <u>PDF</u>
<u>166313</u>		\$14.00	riat Fiate			PDF
<u>151118</u>		\$9.25				PDF
<u>166314</u>	•	\$11.00				PDF
<u>151119</u>		\$12.00				PDF
<u>166315</u>		\$14.00	T-Shaped Flat Plate			PDF
<u>151120</u>		\$18.50		<u>151100</u> or <u>151101</u>		PDF
<u>166316</u>		\$22.00			1	PDF
<u>151121</u>		\$18.50	Cross Flat Plate			PDF
<u>166317</u>		\$22.00	O1033 Flat Flato			PDF
<u>151122</u>		\$13.50	L-Shaped Flat Plate			PDF
<u>166318</u>	1	\$16.00	E-Shapeu i lat Fidte			PDF
<u>151123</u>		\$14.50	T-Shaped Flat Plate			PDF
<u>166319</u>		\$17.00	1 Grapos Flat Flato			PDF
*T-Slot Nut also requ	uired					

Brackets

- Connects two T-slot rails together at a 90° angle
- Recommended ADC Fastener based on part feature and slot depth
- Material: varies by part








15 Series Brackets

Fits Slot Size



				Recommended (ADC Part	Screw Fastener t Number)			
Part Number	Part Image	Price	Description	Core Hole Attachment	*T-Slot Attachment	Pack Quantity	Material	Drawing Link
<u>148916</u>	NE S	\$4.00				1		PDF
<u>148916-10</u>		\$38.00			<u>151100</u>	10		<u>FDI</u>
<u>166321</u>		\$4.00			101100		Die-cast	<u>PDF</u>
<u>151125</u>		\$7.75			<u>161054</u>		aluminum	<u>PDF</u>
166322		\$9.00	Angle Bracket		101034	1		<u>PDF</u>
<u>151126</u>		\$11.50			<u>151101</u>		Die-cast zinc	<u>PDF</u>
<u>166323</u>	72	\$13.00					DIG-Cast Zilic	<u>PDF</u>
<u>151124</u>		\$3.75						PDF
<u>151124-10</u>		\$35.00	Inside Corner Bracket	n/a		10		<u>FDI</u>
<u>166320</u>	1.	\$4.00	Inside Corner Bracket Wide Inside Corner Bracket			1		<u>PDF</u>
<u>151127</u>		\$6.50						PDF
<u>151127-10</u>		\$62.00	Wide Inside Corner			10		PUF
<u>166324</u>		\$8.00	Bracket		<u>151100</u> or <u>151101</u>	1	Anodized aluminum	<u>PDF</u>
<u>151128</u>	No.	\$6.00						PDF
<u>151128-10</u>	-	\$56.00	Tall Inside Corner Bracket			10	-	
<u>166325</u>		\$7.00	Diagnot					PDF
148906		\$9.00	Inside Corner Bracket			1		<u>PDF</u>
<u>166326</u>		\$11.00	IIISIQE COMER Bracket					<u>PDF</u>
*T-Slot Nut also re	equired.							


Brackets - Continued

15 Series Brackets - Continued 15 Series (inch) 15 Series (inch)

					Screw Fastener t Number)			
Part Number	Part Image	Price	Description	Core Hole Attachment	*T-Slot Attachment	Pack Quantity	Material	Drawing Link
<u>151129</u>	A	\$3.75				1		PDF
<u>151129-10</u>	0	\$35.00	Gusseted Inside			10		<u> </u>
<u>166327</u>		\$4.00	Corner Bracket					<u>PDF</u>
<u>151130</u>	00	\$7.75	Tall Gusseted Inside					PDF
<u>166328</u>	00	\$9.00	Corner Bracket	Anodize aluminul			<u>PDF</u>	
<u>148910</u>	0	\$6.75	_ Wide Gusseted Inside				Anodized aluminum	<u>PDF</u>
<u>166329</u>	6.	\$8.00	Corner Bracket	n/a	<u>151100</u> or <u>151101</u>			PDF PDF PDF PDF
<u>151131</u>	0 0	\$13.00	Gusseted Inside			1		<u>PDF</u>
<u>166330</u>	00	\$16.00	Corner Bracket					<u>PDF</u>
<u>151132</u>		\$29.50	- Pivot Joint					<u>PDF</u>
<u>166331</u>		\$35.00	1 Wot don't	404055	454400		<u></u>	<u>PDF</u>
<u>148933</u>		\$39.50	Pivot Joint With	<u>161055</u>	<u>151100</u>		Die-cast zinc	<u>PDF</u>
<u>166332</u>		\$45.00	Locking Handle					PDF
*T-Slot Nut also r	equired.							

www.automationdirect.com Aluminum T-Slotted Rail

Brackets - Continued



www.automationdirect.com Aluminum T-Slotted Rail tATR-42

Bases


- Recommended ADC Fastener based on part feature and core hole
- Material: varies by part





15 Series Bases

Fits 8



						Load	Recommended (ADC Part	Screw Fastener Number)			
Part Number	Part Image	Price	Diameter	Description	Fits	Rating kg [lb]	Core Hole Attachment	*T-Slot Attachment	Pack Quantity	Material	Drawing Link
<u>118357</u>	900	\$17.00		2/0.46 JINO	1.5 x 3in		161105 (2) included with kit			B :	<u>PDF</u>
<u>161043</u>	THE REAL PROPERTY.	\$29.50	n/a	3/8-16 UNC Transport/Base Plate	3 x 3in	n/a	161105 (4) included with kit			Die-cast zinc	PDF
<u>151075</u>	01=	\$4.50		3/8-16 UNC x 1-1/2in Swivel Foot Threaded Rod with 15mm ball	Transport/Base Plate 118357 and 161043	470 [1036]**				Zinc plated steel	PDF
<u>151068</u>		\$4.00	1.57 in			900 [1984]				Nylon	<u>PDF</u>
<u>151071</u>		\$9.50	[39.0 mm]								PDF
<u>151072</u>		\$17.00				3000 [6614]				Die-cast zinc	PDF
<u>151073</u>	200	\$17.00	3.11 in					n/a	1		PDF
<u>151069</u>		\$6.00	[79.0 mm]	Swivel Base With Anti-	Any 15mm ball		n/a				PDF
<u>151070</u>		\$6.00		Slip Plate	Threaded Rod	900 [1984]				Nylon	PDF
<u>151255</u>		\$10.00				900 [1964]				Nylon	PDF
<u>151256</u>		\$10.00	3.90 in								PDF
<u>151257</u>		\$24.00	[99.0 mm]			3500 [7716]				Die-cast	PDF
<u>151258</u>		\$24.00				3300 [77 10]				zinc	PDF

^{*}T-Slot Nut also required

Load rating of a swivel foot assembly is based on the part with the lowest load rating, typically the threaded rod. Example:

Threaded rod load rating = 210kg [463lb] Swivel base load rating = 3000kg [6614lb]

Swivel foot assembly load rating = 210kg [463lb]

^{**}Based on installation with Transport / Base Plate

Bases - Continued

15 Series Bases - continued

						Load	Recommended (ADC Part				
Part Number	Part Image	Price	Diameter	Description	Fits	Rating kg [lb]	Core Hole Attachment	*T-Slot Attachment	Pack Quantity	Nylon Die-cast zinc Die-cast aluminum Anodized aluminum	Drawing Link
<u>162933</u>		\$12.50	See 2D	Extended Swivel Base	Any 15mm ball Threaded	1000 [2204]		n/a		Nylon	PDF
<u>162934</u>		\$27.00	drawing	Exterided Swiver Base	Rod	3000 [6613]		II/a			PDF
<u>166333</u>	11.	\$30.00			1.5 x 1.5 in,						<u>PDF</u>
<u>166334</u>	A	\$30.00		Foot Console	3 x 3in		n/a	<u>161054</u>	1		<u>PDF</u>
<u>166335</u>	11	\$30.00	n/a		1.5 x 3in,	n/a				Ciditiiiidiii	<u>PDF</u>
<u>166336</u>	A	\$30.00			3 x 3in						PDF
<u>162957</u>		\$11.50		Floor Bracket	1.5 x 1.5 in, 1.5 x 3in, 3 x 3in			<u>151100</u>			<u>PDF</u>


^{*}T-Slot Nut also required

Load rating of a swivel foot assembly is based on the part with the lowest load rating, typically the threaded rod. Example:

Threaded rod load rating = 210kg [463lb] Swivel base load rating = 3000kg [6614lb] Swivel foot assembly load rating = 210kg [463lb]

^{**}Based on installation with Transport / Base Plate

Bases - Continued




www.automationdirect.com Aluminum T-Slotted Rail tATR-45

Casters

- Recommended ADC Fastener based on part feature and attachment type
- Material: varies by part


15 Series Casters

Fits 8



						Recommended (ADC Part	Screw Fastener ! Number)			
Part Number	Part Image	Price	Description	Requires	Load Rating kg [lb]	Core Hole Attachment	*T-Slot Attachment	Pack Quantity	Material	Drawing Link
<u>151134</u>	8	\$47.00	Swivel Caster (requires Swivel Caster Adapter Plate 151136)	n/a	422 [260]	<u>161107</u>			Thermoplastic polyurethane/	<u>PDF</u>
<u>151135</u>	5	\$40.50	Fixed Caster (requires Fixed Fixed Caster Adapter Plate 161040)	II/a	122 [269]	<u>161106</u>	n/a		nylon/steel	<u>PDF</u>
<u>151136</u>		\$4.50	Swivel Caster Adapter Plate	Requires Swivel Caster <u>151134)</u>	n/a				Steel	<u>PDF</u>
<u>161040</u>	.0.	\$3.50	Fixed Fixed Caster Adapter Plate	Requires Fixed Caster <u>151135</u>	11/4				Die-cast zinc	<u>PDF</u>
<u>151137</u>	T	\$62.00	Swivel Caster	n/a	122 [269]		161053		Thermoplastic polyurethane/	<u>PDF</u>
<u>151138</u>		\$49.00	Fixed Caster	1,74	122 [200]		101000	1	polyurethane/ nylon/steel	<u>PDF</u>
<u>163010</u>		\$40.00		Transport / Base Plate with	250 [551]	n/a	n/a			PDF
<u>163011</u>	(A)	\$52.00	Leveling Caster	M12-1.75 threaded hole	500 [1102]		III a		Die-cast aluminum/	PDF
<u>163012</u>		\$41.00	Leveling Gaster	n/o	250 [551]		151040		steel/nylon/ rubber	PDF
163013		\$56.00		n/a	500 [1102]		151040			PDF
*T-Slot Nut also	required								<u> </u>	

Casters - Continued



www.automationdirect.com Aluminum T-Slotted Rail tATR-47


Hinges

- Recommended ADC Fastener based on part feature and slot depth
- Material: varies by part



15 Series Hinges

Fits Slot Size



Part Number	Part Image	Price	Description	Recommended Screw Fastener *T-Slot Attachment (ADC Part Number)	Pack Quantity	Material	Drawing Link					
<u>151139</u>		\$7.25	Left-Hand Detachable Combination Hinge			PDF						
<u>151140</u>		\$7.25	Right-Hand Detachable Combination Hinge			Fiberglass reinforced plastic	PDF					
<u>151141</u>	-	\$7.25	Non-Detachable Combination Hinge				PDF					
<u>151142</u>	S	\$12.50	Non-Detachable Combination Hinge With Locking Lever	<u>161075</u>	1		<u>PDF</u>					
<u>151143</u>		\$18.00	Left-Hand Detachable Combination Hinge			Die-cast aluminum	PDF					
<u>151144</u>	2 4	\$18.00	Right-Hand Detachable Combination Hinge				PDF					
<u>151145</u>		\$18.00	Non-Detachable Combination Hinge				PDF					
*T-Slot Nut also reg	uired											


Panel and Door Elements

- Recommended ADC Fastener based on part feature and slot depth
- Material: varies by part



15 Series Panel and Door Elements

Fits Slot Siz




Part Number	Part Image	Price	Description	Recommended Screw Fastener *T-Slot Attachment (ADC Part Number)	Pack Quantity	Material	Drawing Link				
<u>151146</u>	-	\$6.00	Dála Harilla	<u>161048</u>			PDF				
<u>151147</u>	~	\$6.00	Bridge Handle	<u>151100</u>			PDF				
<u>151148</u>	_	\$6.25	Cover Cap 3	n/a		Fiberglass reinforced plastic	PDF				
<u>151149</u>		\$6.50	Comfort Handle	<u>161054</u>			PDF				
<u>151150</u>	~~	\$2.25	Cover Cap 3	n/a			PDF				
<u>151151</u>	-	\$12.50	Comfort Handle	<u>161054</u>			PDF				
<u>151152</u>	~~	\$3.00	Cover Cap 3	over Cap 3 n/a 1			<u>PDF</u>				
<u>151153</u>		\$33.50	Machine Handle	<u>151100</u>			<u>PDF</u>				
<u>151154</u>	00	\$47.00	Compact Slam Latch				<u>PDF</u>				
<u>151155</u>		\$58.00	Compact Sliding Door Latch	<u>161050</u>		Die-cast aluminum	PDF				
<u>151156</u>		\$37.00	Emergency Opener	<u>161087</u>	Fiberglass reinforced plas		<u>PDF</u>				
<u>151157</u>	1 400	\$7.25	Ball Catch	<u>161051</u>		, , , , , , , , , , , , , , , , , , ,	<u>PDF</u>				
*T-Slot Nut also requ	uired										

Panel and Door Elements - Continued

15 Series Panel and Door Elements - Continued


Fits 8




	1.5x1.5 1.5x5 5x5												
Part Number	Part Image	Price	Description	*T-Slot Attachment (ADC Part Number)	Pack Quantity	Material	Drawing Link						
<u>151158</u>	W 11-3	\$14.50	Double Ball Catch	<u>161076</u>		Brass	<u>PDF</u>						
<u>151159</u>		\$23.00	Door Latch	<u>161087</u>		Die-cast zinc	<u>PDF</u>						
<u>162963</u>		\$8.50	Magnetic Catch	<u>161048</u>		Nylon/steel	<u>PDF</u>						
<u>162911</u>		\$5.00	Panel Holder	151100	1	Anodized aluminum	<u>PDF</u>						
<u>162916</u>		\$6.00				adminum	<u>PDF</u>						
<u>162922</u>		\$5.75	- Panel Mount Block	Fasteners included		Lacquered aluminum	PDF						
<u>162923</u>		\$5.75				Powder-coated aluminum	<u>PDF</u>						
<u>162977</u>	dd	\$8.50	Hanger	<u>161050</u>		Die-cast zinc	<u>PDF</u>						
<u>162978</u>		\$3.00	- Panel Uni-Block	n/a		Nylon	PDF						
<u>162979</u>		\$3.00	I die oii-block	iva	10	Nyion	PDF						
*T-Slot Nut also req	uired												

Panel and Door Elements - Continued

		15 Serie	es Panel and D	oor Elements - Conti	nued				
Fits Slot Size 1.5x1.5 1.5x3 3x3									
Part Number	Part Image	Price	Description	Recommended Screw Fastener *T-Slot Attachment (ADC Part Number)	Pack Quantity	Material	Drawing Link		
<u>151160</u>		\$58.00	Sealing Strip		2	PVC/TPE	<u>PDF</u>		
<u>151163</u>		\$25.00	Cover Profile			Nitrile rubber	<u>PDF</u>		
162928	-	\$525.00	Sealing Profile	n/a	1	Nitrile rubber	PDF		
<u>151165</u>	\	\$91.00	Cover Profile		25	Polypropylene	PDF		
<u>151164</u>		\$115.00 Cover And Reduction Profile			23	готургоруште	<u>PDF</u>		
*T-Slot Nut also requir	ed								




Panel and Door Elements - Continued



www.automationdirect.com Aluminum T-Slotted Rail

Panel and Door Elements - Continued



Slides and Rollers

Linear Bearings

- No Shimming required!
- Verified fit with SureFrame 15 & 40 Series
- Static Load rating (Co) up to 4,000 N (900 lbf)
- Single and Double Flange Styles
- Available in Black or Silver

• Optional Brake Assemblies Note: Not all Slot size 8 profiles are made the same, so it is important to confirm that the "a2" dimension of the profile is 3.0-4.5mm for adequate engagement and ultimate slide performance.










15 Series Slides and Rollers





Part					Pack		Loa	nd Ratings			Drawing
Number	Part Image	Price	Description	Fits	Quantity	Static (Co) N[lbf]	Reverse Static (-Co) N[lbf]	Roll Moment (Mr) N-m[lbf-ft]	Yaw Moment (My) N-m[lbf-ft]	Material	Link
<u>166337</u>	(N)	\$63.00	3-slot, double flange,			1000	500	40	150		PDF
<u>166338</u>	To go	\$63.00	short linear bearing	1.5 x 1.5 in,		[225]	[112]	[29]	[111]		PDF
<u>166339</u>	N. A.	\$126.00	3-slot, double flange,	1.5 x 3in,	1.5 x 3in,		1000 [225]	80	200		PDF
<u>166340</u>	NA	\$130.00	long linear bearing			2000		[59]	[147]	Aluminum/ die-cast zinc/ polyoxymethylene (POM)	PDF
<u>166341</u>	The state of the s	\$80.00	4-slot, double flange,			[450]		50 [37]	150 [111]		PDF
<u>166342</u>	Ved .	\$84.00	short linear bearing	1.5 x 3in,	1.5 x 3in, 3 x 3in 1						PDF
<u>166343</u>	100	\$158.00	4-slot, double flange,			1 4000 [889]	4000 2000 [889] [450]	100 [74]	200		PDF
<u>166344</u>	Was a	\$168.00	long linear bearing						[147]		PDF
<u>166345</u>	No.	\$60.00	3-slot, single flange,			1000	500	40	150		PDF
<u>166346</u>		\$63.00	short linear bearing	15,45:-		[225]	[112]	[29]	[111}		PDF
<u>166347</u>		\$120.00	3-slot, single flange,	1.5 x 3in,	1.5 x 1.5 in, 1.5 x 3in,	2000	1000	80	200		PDF
<u>166348</u>		\$126.00	long linear bearing			[450]	[225]	[59]	[147]		PDF


Slides and Rollers - Continued






15 Series Slides and Rollers - Cont'd





			1.53.1.5	.5x5 5x5				
Part Number	Part Image	Price	Description	Fits	Pack Quantity	Recommended Screw Fastener T-Slot Attachment	Material	Drawing Link
<u>166349</u>	-	\$45.00	Cam Lever Brake	All 15 Series Linear		n/a	Plastic/steel	PDF
<u>166350</u>	1	\$28.00	L-Handle Brake	Bearings		IIIa		PDF
<u>151168</u>	O THE	\$18.00	Slider			Fasteners included	Rubber/plastic/ steel	PDF
<u>151169</u>	PARALLES I	\$36.00	Slider With Clamp Lever	n/a		rasteriers included		PDF
148974	•	\$9.50	Roller		1		Nylon	PDF
<u>151166</u>		\$4.50	Slider			n/a	Glass-filled nylon	PDF
<u>151089</u>		\$4.50	Snap Hook	Slider <u>151166</u>			Zinc plated steel	PDF
163020	10.101	\$14.50	Roller Element With Guide	All 15 Series		Fasteners included	Thermoplastic	PDF
<u>163021</u>	Dellell	\$14.50	Roller Element Without Guide	All 10 Selles		rastellers included	polyurethane/ nylon/steel	PDF

Slides and Rollers - Continued



www.automationdirect.com Aluminum T-Slotted Rail tATR-56


Monitor Mounts



15 Series Monitor Mounts

- Fits monitors with VESA mounting standard
- Durable steel construction
- Mounting hardware included for several mounting locations






VESA Nounting Standard
Standard
175 X-75mm
175 X-75mm
18 4X M4-0.7 Threaded Holes

Part Number	Part Image	Price	Description	Load Rating kg [lb]	Pack Quantity	Installation Instructions Link	Drawing Link
<u>162893</u>		\$42.00				PDF	<u>PDF</u>
<u>162894</u>		\$50.00	Swivel Monitor Mount			PDF	<u>PDF</u>
<u>162895</u>		\$58.00		15 [33.1]		PDF	<u>PDF</u>
<u>162896</u>	H	\$92.00	Monitor Mounting Joint			PDF	<u>PDF</u>
<u>162897</u>	E	\$92.00	Monitor Holder		1	PDF	<u>PDF</u>
<u>162899</u>		\$325.00	4-Axis Mounting Support			PDF	<u>PDF</u>
<u>162900</u>		\$394.00	5-Axis Mounting Support	10 [22.0]		PDF	PDF
<u>162901</u>		\$630.00	4-Axis Workstation	8 [17.6]		PDF	PDF


Monitor Mounts - Continued



Workstation Components



		1	5 Series Workstation Compon	ents			
	Fits	Slot Size	15 Series (inch) 1.5x1.5 1.5x3 3x3				
Part Number	Part Image	Price	Description	Load Rating kg [lb]	Pack Quantity	Material	Drawing Link
<u>162902</u>		\$185.00	Keyboard Holder (requires mounting solution, designer's choice)			Aluminum/nylon	<u>PDF</u>
<u>162906</u>		\$8.00	Magnetic Holder	n/a	1	Nylon/steel	<u>PDF</u>
<u>162964</u>		\$9.00	Grab Tray	.,,	'	Nylon	PDF
<u>162965</u>		\$2.00	Label Clip			PVC	PDF




Wire Management






15 Series Wire Management





					_		
Part Number	Part Image	Price	Description	Pack Quantity	Recommended Screw Fastener *T-Slot Attachment (ADC Part Number)	Material	Drawing Link
<u>151162</u>		\$93.00	Conduit Cover 2000mm long	2		Polypropylene	<u>PDF</u>
<u>151174</u>	-	\$15.50	Cross Cable Binding Block		n/a	Nylon	PDF
<u>151175</u>	8	\$64.00	Hook And Loop	10		Glass-filled nylon/ polypropylene	<u>PDF</u>
<u>151176</u>	1	\$38.50	Clip Cable Binder With Hammer			Nylon/rubber	PDF
<u>151177</u>	Cr.	\$28.50	Ground Connector	1	Fasteners included	Glass-filled nylon/ copper/steel	PDF
<u>151178</u>	Agree .	\$4.00	Grounding Terminal			Steel/brass	<u>PDF</u>
162982	•	\$7.50	Universal Cable Binder Block	10	161046	Nylon	PDF
*T-Slot Nut also requ	uired						



Miscellaneous Accessories








15 Series Miscellaneous Accessories

Fits Slot Size




Part Number	Part Image	Price	Description	Requires	Fits Profile	Recommended Screw Fastener *T-Slot Attachment (ADC Part Number)	Pack Quantity	Material	Drawing Link
<u>151171</u>		\$16.50			1.5 x 1.5in				PDF
<u>151172</u>		\$21.00	End Cap		1.5 x 3in		10	Glass-filled nylon	PDF
<u>151173</u>		\$37.00			3 x 3in	n/a			PDF
<u>151091</u>		\$6.00	Stop Bumper			BHCS 8-32 x 1" (not sold by ADC)		Rubber/zinc-	PDF
<u>151170</u>	•	\$9.00	Stop Bullipel	n/a			1	plated steel	PDF
<u>162973</u>		\$3.25	Sensor Mounting Block for 8mm proximity sensor					Nylon	PDF
<u>162974</u>		\$3.25	Sensor Mounting Block for 12mm proximity sensor		All 15 Series				PDF
<u>162929</u>	N. S.	\$252.00	Side Protection Profile				E		PDF
<u>162930</u>	in the	\$284.00	Corner Protection Profile				5	Thermoplastic	PDF
<u>162931</u>		\$28.00	Cover Cap for Side	162929 or 162930		n/a	10	rubber	PDF
<u>162932</u>		\$21.00	Cover Cap for Corner	<u>162930</u>					PDF
*T-Slot Nut also re	equired		•						

tATR-62

FATH® T-Slotted Rail Accessories

Miscellaneous Accessories - Continued



www.automationdirect.com Aluminum T-Slotted Rail