




Linear Motion Products

Twin Round Shaft Slide Actuators



LARSD2-08T12BP2C

Description

Continuously-supported round rail slide with ball screw actuation provides a very robust precision linear motion. Units are complete except for a drive motor.

Features

- High-accuracy ball screw
- Continuously-supported guide rails
- Replacement components available
- Ready for NEMA 23 motor
- AISI 1566 Carbon Steel, 60 RC Round Shafts
- AISI 1045 Carbon Steel, 56 RC Ball Screw

Applications


- Positioning systems
- Heavy loads

Twin Round Shaft Slide Actuator Specifications									
Part Number	Price	Drive Type	Drive Pitch	Drive Screw Efficiency (%)	Payload Inertia Factor (in ²)	Constant System Inertia (lb _m -in ²)	Travel	Weight (lb)	Fits Motor
LARSD2-08T12BP2C	\$2,399.00	Ball screw	0.2 in	83	0.001	0.11	12in	10.5	NEMA 23
LARSD2-08T24BP2C	\$2,589.00					0.16	24in	14.0	

System Inertia Calculation:

To calculate the inertia reflected to the motor in a particular actuator, multiply the carriage payload by the payload inertia factor and then add the constant system inertia value for that actuator. The constant system inertia value for each system includes the inertia of the shaft coupler, carriage, and lead/ball screw.

- The payload must be in units of lb_m.



Load rating diagram


Twin Round Shaft Slide Actuator Load/Moment Ratings							
Part Number	Actuator Thrust	Load (lb)			Moment (lb-in)		
		Normal – L _N		Transverse	Roll	Pitch	Yaw
		Down	Up	L _T	M _R	M _P	M _Y
LARSD2-08TxxBP2C	200	920	644	920	1046	1210	1730





Linear Motion Products

Twin Round Shaft Slide Actuators

Dimensions (in [mm])



PART NUMBER	A	B (TRAVEL)
LARSD2-08T12BP2C	19.50 [495.3]	12.00 [304.9]
LARSD2-08T24BP2C	31.5 [800.1]	24.00 [609.8]




LARSD2-08TxxBP2C

See our website www.AutomationDirect.com for complete Engineering drawings.

Accessories

Twin Round Shaft Slide Actuator Accessories			
Part Number	Price	Description	Weight (lb)
LARSACC-010	\$24.00	SureMotion linear ball bushing, open type, 1/2 inch inside diameter, with seals, self-aligning.	0.5
LARSACC-013*	\$639.00	SureMotion repair kit, for use with LARSD2-08T12BP2C actuators. Ballscrew, ballnut, end bearings and grease tube included.	3.0
LARSACC-014*	\$849.00	SureMotion repair kit, for use with LARSD2-08T24BP2C actuators. Ballscrew, ballnut, end bearings and grease tube included.	5.0
LARSACC-015*	\$239.00	SureMotion motor adapter, NEMA 23 frame. For use with LARSD2-08 series actuators. 1/4 x 1/4 inch coupler included.	1.0
LARSACC-016*	\$289.00	SureMotion motor adapter, NEMA 34 frame. For use with LARSD2-08 series actuators. 1/2 x 1/4 inch coupler included.	1.0

* Repair kits and NEMA 23/34 motor adapter contain replacement components that are the same as the original components in the actuator assemblies.



LARSACC-015(16)



LARSACC-013(014)

Some accessories not shown see www.AutomationDirect.com for additional product photos.





Linear Motion Slides and Components

The three SureMotion families of linear slide actuators easily mate to SureStep motors and other NEMA motors. Everything you need to mount your SureStep motor is included!

These units are an excellent solution for many applications such as pick and place, packaging, assembly automation and other motion control operations.


**18 models, with travels
from 6 to 36 inches**

**Ready to mount NEMA
17, 23 or 34 motors**



**Sliding components
in a range of sizes
to help you build
larger sliding
assemblies**





Linear Motion Products

Product Overview

Actuator Overview

SureMotion linear motion offers both motor-ready actuator assemblies, and a versatile assortment of sliding components and accessories to provide a wide variety of motion control solutions.




Linear Slide Actuator Comparisons


Actuator Series Comparisons						
Actuator Series	Actuator Type	Drive Type	Max Load Capacity (lb)	Max Speed (in/s)	Travel (in)	Relative Price
LARSD2	Twin Round Shaft	Ball Screw	920	6	12, 24	\$\$\$\$
LACP2	Compact Slide	Lead Screw	125	20	6, 12, 24, 36	\$\$
LAVL2	Value Slide	Lead Screw	110	15	6, 12, 18, 24	\$

Available Multi-Axis Configurations


X-Y Axis Configurations



A. (2) LAVL2-60Txxxx
B. (1) LAVLACC-004




A. (2) LACP2-16Txxxx
B. (1) LACPACC-004




A. (2) LACP2-16Txxxx
B. (1) LARSB1-xxxx
C. (1) LACPACC-004
D. (1) LACPACC-005

X-Z Axis Configuration




A. (2) LAVL2-60Txxxx
B. (1) LAVLACC-005

X-Y-Z Axis Configuration



A. (3) LAVL2-60Txxxx
B. (1) LAVLACC-004
C. (1) LAVLACC-005



Click on the above video link for a short visual example of how our products can be used.