

Insulated Screwdrivers

Wiha Insulated SoftFinish® Cushion Grip screwdrivers consist of Wiha engineered premium quality tool steel for strength and durability, have black oxide finish for corrosion protection, and feature exact fit precision machined tips for reduced cam-out. All Wiha insulated screwdrivers are VDE Certified and meet EN/IEC 60900 testing standards for protection against arc flash explosion, ASTM F1505 standard specifications for insulated and insulating hand tools, NFPA-70E standards for electrical safety on the jobsite, and CSA testing benchmarks for safety and performance. SoftFinish® driver handles feature an 8-edged large-diameter comfort grip for maximum gripping area, giving the user powerful torque and less fatigue.

Features

- Ergonomic cushion grip handle for comfort and control
- Dual durometer construction for long-lasting durability
- Handle directly molded to the blade for permanent bond
- Handle size proportionate to blade for consistent mechanical advantage
- · Parallel flats for roll-off prevention
- Tip profile labeled on cap for easy identification
- Wiha premium quality tool steel for strength and durability
- Black oxide finish for corrosion protection
- Exact fit precision machined tip for reduced cam-out
- Individually tested to 10,000 volts AC and rated to 1,000 volts AC for safety and peace of mind



WT32091

Insulated Screwdrivers											
Part Number	Part Image	Туре	Tip Size	Slotted Tip Thickness	Overall Length	Shaft Length	Shaft Diameter	Reduced Shank	Handle Length	Price	
<u>WT32005</u>	Willia		2.0mm	0.4mm	6.5in (165mm)	2.4in (60mm)	0.20in (5.1mm)		4.4in (112mm) 4.7in	\$7.00	
<u>WT32010</u>	yan e		2.5mm	0.4000	7.1in (180mm)	3.0in (75mm)	0.22in (5.6mm)			\$7.00	
<u>WT32012</u>			3.0mm	0.6	8.0in		0.27in		(104mm)	\$7.00	
WT32015		Slotted	3.5mm	- 0.6mm 8.0in 0.27in (6.9mm) 3.9in No		\$7.00					
<u>WT32017</u>	zina.		4.0mm	0.8mm	8.3in (211mm)		0.29in (7.3mm)		4.4in	\$8.00	
<u>WT32024</u>			4.5mm	1.0mm	9.3in (236mm)	4.9in (125mm)	0.32in (8.1mm)		(112mm)	\$9.00	
<u>WT32039</u>			6.5mm	1.2mm	10.6in (269mm)	5.9in (150mm)	0.38in (9.7mm)		4.7in (119mm)	\$12.00	





	Insulated Screwdrivers - Cont'd											
Part Number	Part Image	Туре	Tip Size	Slotted Tip Thickness	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Reduced Shank	Price		
<u>WT32046</u>			3.5mm	0.6mm	8.0in (203mm)		0.14in (3.5mm)	4.1in (104mm)	Yes	\$13.00		
<u>WT32049</u>	The state of the s		4mm	0.8mm		3.9in (100mm)	0.16in (4.0mm)	4.4in	103	\$15.00		
<u>WT32023</u>	Amo		4.5mm		8.3in (211mm)		0.24in (6.1mm)	(112mm)	No	\$8.00		
<u>WT32052</u>			4.50000				0.18in (4.6mm)	3.4in (86mm)	Yes	\$15.00		
<u>WT32055</u>		Slotted		1.0mm	9.6in	4.9in (125mm)	0.22in (5.6mm)	4.7in	Yes	\$16.00		
<u>WT32031</u>	Fine		5.5mm		9.6III (243mm)		0.28in	(119mm)		\$9.00		
<u>WT32026</u>					11.5in (292mm)	6.9in (175mm)	(7.0mm)	4.5in (114mm)	No	\$9.00		
<u>WT32034</u>			6mm	- 1.2mm	10.6in	5.9in	0.30in (7.6mm)	4.7in		\$11.00		
<u>WT32058</u>			6.5mm	1.2111111	(269mm)	(150mm)	0.26in (6.5mm)	(119mm)	Yes	\$19.00		



		Insu	ılated Sci	rewdrive	rs - Cont	t'd				
Part Number	Part Image	Туре	Tip Size	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Reduced Shank	Price	
<u>WT32100</u>	who		#0	6.5in (165mm)	2.4in (60mm)	0.25in (6.4mm)	4.1in (104mm)	No.	\$7.00	
<u>WT32101</u>	wiho		#1	7.5in (191mm)	3.1in	0.30in (7.6mm)	4.4in (112mm)	- No	\$8.00	
<u>WT32145</u>	The state of the s		#1	8.0in (203mm)	(80mm)	0.18in (4.6mm)	4.9in (124mm)	- Yes -	\$15.00	
<u>WT32146</u>	wing .	• Phillips	#2	8.3in (211mm)	3.9in	0.24in (6.1mm)	4.4in (112mm)	ies	\$18.00	
<u>WT32102</u>	, and		π2	8.6in (218mm)	(100mm)	0.35in (8.9mm)	4.7in		\$10.00	
<u>WT32103</u>	The same of		#3	10.6in (269mm)	6.0in (150mm)		(119mm)		\$15.00	
<u>WT32505</u>	, ha		T5	_		0.45in (11.4mm)			\$7.00	
<u>WT32531</u>	The state of the s		T10	_ 6.5in	2.4in		4.1in		\$7.00	
<u>WT32521</u>				Т8	(165mm)	(60mm)	0.18in	(104mm)		\$7.00
<u>WT32526</u>			Т9			(4.6mm)		No	\$7.00	
<u>WT32536</u>		○ Torx	T15	7.5in			4.4in		\$9.00	
<u>WT32541</u>	The state of the s		T20	(191mm)	3.1in (80mm)	0.24in (6.1mm)	(112mm)		\$9.00	
<u>WT32546</u>	The same of the sa		T25	7.8in (198mm)			4.7in (119mm)	4.1in (104mm) No 4.4in (112mm)	\$9.00	
<u>WT32551</u>	Pala		T27	8.6in	3.9in	0.30in			\$11.00	
<u>WT32556</u>			T30	(218mm)	(100mm)	(7.6mm)			\$11.00	



	Insulated Screwdrivers - Cont'd											
Part Number	Part Image	Туре	Tip Size	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Reduced Shank	Price			
<u>WT30746</u>	Armo .		#1	7.5in	3.1in	0.18in (4.6mm)	4.4in	Yes	\$16.00			
<u>WT30702</u>	Will a	Plus-	#1	(191mm)	(80mm)	0.24in (6.1mm)	(112mm)	No	\$9.00			
<u>WT30747</u>	Will a	Plus- minus	#2	8.6in	3.9in (100mm)	0.24in (6.1mm)	4.7in (119mm)	Yes	\$20.00			
WT30704				(218mm)		0.30in (7.6mm)			\$11.00			
<u>WT35811</u>			#1	8.2in (210mm)		0.22in (5.6mm)	4.3in (109mm)	No	\$9.00			
<u>WT35812</u>		Square	#2	10.6in (269mm)	5.9in (150mm)	0.25in (6.4mm)	4.7in (119mm)		\$11.00			

www.automationdirect.com



Insulated Screwdriver Sets

Wiha Insulated SoftFinish® Cushion Grip screwdrivers consist of Wiha engineered premium quality tool steel for strength and durability, have black oxide finish for corrosion protection, and feature exact fit precision machined tips for reduced cam-out. All Wiha Insulated screwdrivers are VDE Certified and meet EN/IEC 60900 testing standards for protection against arc flash explosion, ASTM F1505 standard specifications for insulated and insulating hand tools, NFPA-70E standards for electrical safety on the jobsite, and CSA testing benchmarks for safety and performance. SoftFinish® driver handles feature an 8-edged large-diameter comfort grip for maximum gripping area, giving the user powerful torque and less fatigue.

Features

- Ergonomic cushion grip handle for comfort and control
- Dual durometer construction for long-lasting durability
- Handle directly molded to the blade for permanent bond
- Handle size proportionate to blade for consistent mechanical advantage
- Parallel flats for roll-off prevention
- Tip profile labeled on cap for easy identification
- Wiha premium quality tool steel for strength and durability
- Black oxide finish for corrosion protection
- Exact fit precision machined tip for reduced cam-out
- Individually tested to 10,000 volts AC and rated to 1,000 volts AC for safety and peace of mind



Insulated Screwdriver Sets										
Part Number	Number of Pieces	Part Image	Туре	Tip Size	Set Includes	Price				
			♦ Phillips	#1 #2	- (5) insulated SoftFinish screwdrivers (Phillips #1, #2,					
<u>WT32091</u>	5		Slotted	3.0mm 4.5mm 6.5mm	slotted 3.0mm, 4.5mm, 6.5mm)	\$44.00				
		9991199	♦ Phillips	#1 #2 #3	(7) insulated SoftFinish screwdrivers (Phillips #1, #2,					
<u>WT32099</u>	7		Slotted	3.0mm 4.0mm 5.5mm 6.5mm	#3, slotted 3.0mm, 4.0mm, 5.5mm, 6.5mm)	\$66.00				
			Phillips	#1 #2		\$41.00				
<u>WT32059</u>	5		Slotted	4.5mm 6.5mm	(5) insulated SoftFinish screwdrivers (Phillips: (#1, #2), slotted (4.5mm, 6.5mm), square: (#2))					
			Square	#2						
IMT22000	4	9911	♦ Phillips	#1 #2	(4) insulated SoftFinish screwdrivers (slotted: (3.5mm,	¢22.00				
<u>WT32090</u>	4		Slotted	3.5mm 4.5mm	4.5mm), Phillips: (#1 #2))	\$33.00				
M/T22002	6		♦ Phillips	#1 #2 #3	(6) insulated SoftFinish screwdrivers (slotted: (3.5mm,	\$58.00				
<u>WT32092</u>	ō		Slotted	3.5mm 4.5mm 6.5mm	4.5mm, 6.5mm), Phillips: (#1, #2, #3))	φ30.00				



Insulated Screwdriver Sets - Cont'd										
Part Number	Number of Pieces	Part Image	Туре	Tip Size	Set Includes	Price				
		091111110	Phillips	#0 #1 #2 #3 2.0mm	(10) insulated SoftFinish screwdrivers (slotted:					
WT32093 10		Slotted	2.5mm 3.0mm 3.5mm 4.5mm 6.5mm	(2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 6.5mm), Phillips: (#0, #1, #2, #3))	\$85.00					
		00000000	♦ Phillips	#0 #1 #2 #3						
<u>WT32094</u>	13		Slotted	2.0mm 2.5mm 3.0mm 3.5mm 4.5mm 5.5mm 6.5mm 8.0mm	(13) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 5.5mm, 6.5mm, 8.0mm, 10.0mm), Phillips: (#0, #1, #2, #3))	\$126.00				
<u>WT32097</u>			Phillips	s #1 #2		\$54.00				
	7		Slotted	6.5mm	(7) insulated SoftFinish screwdrivers (slotted: (3.5mm, 5.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2))					
			O Square	#2						
		00000	♦ Phillip:	#1						
<u>WT32188</u>	7	\\\!\/	Slotted	2.0mm 2.5mm 3.0mm 3.5mm 4.0mm	(7) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm), Phillips: (#0, #1)), plastic molded case	\$62.00				
		Slotted 3.5mm (2.0mm, 2.5mm, 3 4.5mm 8.0mm), Phillips: (#1,	Phillips	s #2		\$210.00				
<u>WT32190</u>	15		Slotted	2.0mm 2.5mm 3.0mm d 3.5mm 4.5mm 6.5mm	(10) insulated SoftFinish screwdrivers (slotted: (2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.5mm, 6.5mm, 8.0mm), Phillips: (#1, #2, #3)), (5) insulated SoftFinish nut drivers (1/4in, 5/16in, 3/8in, 7/16in, 1/2in), fold out carry case					
			Phillips	s #1 #2						
<u>WT32196</u>	6		● Slotted	d 4.5mm 6.5mm	(6) insulated SlimLine SoftFinish screwdrivers (slotted: (4.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2))	\$59.00				
			☐ Square	e #1 #2						

www.automationdirect.com Tools a



	Insulated Screwdriver Sets - Cont'd										
Part Number	Number of Pieces	Part Image	Туре	Tip Size	Insulation Rating	Set Includes	Price				
			♦ Phillips	#1 #2							
<u>WT32197</u>	8		Slotted	3.5mm 4.0mm 4.5mm 5.5mm		(8) insulated SlimLine SoftFinish screwdrivers (slotted: (3.5mm, 4.0mm, 4.5mm, 5.5mm), Phillips: (#1, #2), square (#1, #2))	\$126.00				
		```	Square	#1 #2							
			<b>♦</b> Phillips	#1 #2							
<u>WT32198</u>	11		Slotted	3.5mm 4.0mm 4.5mm 5.5mm 6.5mm	1000V	(11) insulated SlimLine SoftFinish screwdrivers (slotted: (3.5mm, 4.0mm, 4.5mm, 5.5mm 6.5mm), Phillips: (#1, #2), PlusMinus: (#1, #2), square: (#1, #2))	\$107.00				
			Square	#1 #2							
			Plus- minus	#1 #2							
<u>WT32590</u>	6		• Torx	T8 T9 T10 T15 T20 T25		(6) insulated SoftFinish screwdrivers (torx: (T8, T9, T10, T15, T20, T25))	\$47.00				
			Phillips	#1 #2			\$57.00				
<u>WT35890</u>	6		Slotted	4.5mm 6.5mm		(6) insulated SoftFinish screwdrivers (slotted: (4.5mm, 6.5mm), Phillips: (#1, #2), square: (#1, #2)					
			<b>○</b> Square	#1 #2							

www.automationdirect.com