

# wiha Precision Screwdrivers

Tools that work for you










## Precision Screwdrivers

Wiha Precision Screwdrivers feature cushion-grip handles for comfort and control, and the dual durometer material is direct-molded to the blade for a permanent bond. The Precision style includes a hex profile finger grip for precise torque and a tapered handle for rapid rotation. The handles are sized proportionate to the tip and feature an extra-long handle with smooth-turning cap for multiple hand positions. The driver tip profiles are labeled on the handle to quickly and easily identify the driver.



## Features

- Handle direct molded to blade for a permanent bond
- Tapered handle for rapid rotation
- Extra-long handle for optimal hand positions and smooth turning
- Tip profile labeled on handle for easy identification
- Handle sized proportionate to the blade for consistent mechanical advantage
- Wiha engineered premium quality tool steel for strength and durability
- Chrome-plated satin finish for corrosion protection
- Exact fit precision machined tip for reduced cam-out

Precision Screwdrivers										
Part Number	Part Image	Type	Tip Size	Slotted Tip Thickness	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Handle Type	Price
<a href="#"><u>WT26008</u></a>		 Slotted	0.8mm	0.16mm	4.7in (119mm)	1.6in (40mm)	0.08in (2.0mm)	3.1in (79mm)	Cushion grip handle with rotating cap	\$7.00
<a href="#"><u>WT26010</u></a>			1.0mm	0.18mm						\$6.50
<a href="#"><u>WT26012</u></a>			1.2mm	0.2mm						\$5.50
<a href="#"><u>WT26015</u></a>			1.5mm	0.25mm	\$5.00					
<a href="#"><u>WT26018</u></a>			1.8mm	0.3mm	\$5.00					
<a href="#"><u>WT26020</u></a>			2.0mm	0.4mm	\$4.75					
<a href="#"><u>WT26022</u></a>			5.7in (145mm)		2.0in (50mm)	3.7in (94mm)		\$4.75		
<a href="#"><u>WT26023</u></a>			7.1in (180mm)		3.9in (100mm)	3.1in (79mm)		\$4.75		



# Precision Screwdrivers






Tools that work for you

Precision Screwdrivers - Cont'd												
Part Number	Part Image	Type	Tip Size	Slotted Tip Thickness	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Handle Type	Price		
<a href="#">WT26025</a>		● Slotted	2.5mm	0.4mm	5.7in (145mm)	2.0in (50mm)	0.10in (2.5mm)	3.7in (94mm)	Cushion grip handle with rotating cap	\$4.50		
<a href="#">WT26027</a>					7.7in (196mm)	3.9in (100mm)		3.8in (97mm)		\$4.50		
<a href="#">WT26030</a>					3.0mm	0.5mm	5.7in (145mm)	2.0in (50mm)		0.12in (3.0mm)	3.7in (94mm)	\$4.25
<a href="#">WT26032</a>							6.7in (170mm)	2.4in (60mm)		0.12in (3.0mm)	4.3in (109mm)	\$4.50
<a href="#">WT26033</a>			8.3in (211mm)	3.9in (100mm)			0.12in (3.0mm)	4.4in (112mm)		\$5.00		
<a href="#">WT26034</a>			10.2in (259mm)	5.9in (150mm)			0.12in (3.0mm)	4.3in (109mm)		\$5.75		
<a href="#">WT26035</a>			3.5mm	0.6mm			6.7in (170mm)	2.4in (60mm)		0.14in (3.5mm)	4.3in (109mm)	\$4.75
<a href="#">WT26040</a>			4.0mm	0.8mm			2.4in (60mm)	0.16in (4.0mm)		4.3in (109mm)	\$5.25	
<a href="#">WT26074</a>			3.5mm	0.6mm	6.3in (160mm)	2.4in (60mm)	0.14in (3.5mm)	3.9in (99mm)		\$6.25		
<a href="#">WT26100</a>			⊕ Phillips	#00	n/a	4.7in (119mm)	1.6in (40mm)	0.08in (2.0mm)		3.1in (79mm)	\$5.25	
<a href="#">WT26102</a>		#000		1.6in (40mm)			0.08in (2.0mm)	3.1in (79mm)	\$6.75			
<a href="#">WT26105</a>		#0				5.7in (145mm)	2.0in (50mm)	0.12in (3.0mm)	3.7in (94mm)	\$4.75		
<a href="#">WT26108</a>						6.7in (170mm)	3.0in (75mm)	0.12in (3.0mm)	3.7in (94mm)	\$4.50		



# Precision Screwdrivers

Tools that work for you

Precision Screwdrivers - Cont'd									
Part Number	Part Image	Type	Tip Size	Overall Length	Shaft Length	Shaft Diameter	Handle Length	Handle Type	Price
<a href="#"><u>WT26110</u></a>		⊕ Phillips	#1	6.7in (170mm)	2.4in (60mm)	0.16in (4.0mm)	4.3in (109mm)	Cushion grip handle with rotating cap	\$5.00
<a href="#"><u>WT26313</u></a>		⊙ Hex	1.3mm (.050in)	4.7in (119mm)	1.6in (40mm)	0.10in (2.5mm)	3.1in (79mm)		\$4.75
<a href="#"><u>WT26315</u></a>			1.5mm	5.7in (145mm)	2.0in (50mm)		0.09in (2.3mm)		3.7in (94mm)
<a href="#"><u>WT26320</u></a>			2.0mm (5/64in)			6.7in (170mm)			2.4in (60mm)
<a href="#"><u>WT26325</u></a>			2.5mm						